


802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.925G	108.12	Inf	-Inf	98.94	3	Vertical	77	2.57	-	36.60	5.83	33.25
RMS	6.9262G	97.86	Inf	-Inf	88.67	3	Vertical	77	2.57	-	36.61	5.83	33.25
PK	7.1482G	62.59	88.20	-25.61	53.00	3	Vertical	77	2.57	-	37.09	5.97	33.47
RMS	7.2118G	49.36	68.20	-18.84	39.57	3	Vertical	77	2.57	-	37.32	6.01	33.54

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9286G	102.19	Inf	-Inf	92.98	3	Horizontal	33	2.93	-	36.63	5.83	33.25
RMS	6.9298G	91.22	Inf	-Inf	82.00	3	Horizontal	33	2.93	-	36.64	5.83	33.25
PK	7.1254G	62.18	88.20	-26.02	52.76	3	Horizontal	33	2.93	-	36.90	5.96	33.44
RMS	7.147G	49.30	68.20	-18.90	39.72	3	Horizontal	33	2.93	-	37.08	5.97	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8728G	57.97	88.20	-30.23	43.65	3	Vertical	235	2.37	-	40.57	8.63	34.88
RMS	13.8465G	44.49	68.20	-23.71	30.18	3	Vertical	235	2.37	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8697G	57.93	88.20	-30.27	43.61	3	Horizontal	171	1.71	-	40.57	8.63	34.88
RMS	13.855G	44.54	68.20	-23.66	30.23	3	Horizontal	171	1.71	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7866G	57.14	83.54	-26.40	54.40	1	Vertical	98	1.70	-	37.94	14.59	49.79
AV	20.8074G	44.00	63.54	-19.54	41.26	1	Vertical	98	1.70	-	37.91	14.61	49.78

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7922G	56.65	83.54	-26.89	53.91	1	Horizontal	319	2.02	-	37.93	14.59	49.78
AV	20.7814G	43.86	63.54	-19.68	41.11	1	Horizontal	319	2.02	-	37.95	14.59	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0178G	108.81	Inf	-Inf	99.54	3	Vertical	294	1.72	-	36.67	5.91	33.31
RMS	6.9986G	97.37	Inf	-Inf	88.15	3	Vertical	294	1.72	-	36.61	5.90	33.29
PK	7.1642G	62.16	88.20	-26.04	52.51	3	Vertical	294	1.72	-	37.16	5.98	33.49
RMS	7.1266G	49.32	68.20	-18.88	39.89	3	Vertical	294	1.72	-	36.91	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	106.61	Inf	-Inf	97.36	3	Horizontal	34	2.98	-	36.64	5.91	33.30
RMS	7.0098G	94.51	Inf	-Inf	85.27	3	Horizontal	34	2.98	-	36.64	5.90	33.30
PK	7.1962G	61.97	88.20	-26.23	52.22	3	Horizontal	34	2.98	-	37.28	6.00	33.53
RMS	7.137G	49.36	68.20	-18.84	39.84	3	Horizontal	34	2.98	-	37.00	5.97	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0044G	59.18	88.20	-29.02	44.61	3	Vertical	104	2.74	-	40.90	8.60	34.93
RMS	14.0021G	46.01	68.20	-22.19	31.44	3	Vertical	104	2.74	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0059G	59.70	88.20	-28.50	45.13	3	Horizontal	200	1.08	-	40.90	8.60	34.93
RMS	14.0173G	46.07	68.20	-22.13	31.50	3	Horizontal	200	1.08	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.022G	55.72	83.54	-27.82	53.05	1	Vertical	327	1.70	-	37.60	14.77	49.70
AV	21.0216G	41.49	63.54	-22.05	38.82	1	Vertical	327	1.70	-	37.60	14.77	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0546G	54.78	83.54	-28.76	52.08	1	Horizontal	0	2.42	-	37.60	14.79	49.69
AV	20.9666G	41.48	63.54	-22.06	38.82	1	Horizontal	0	2.42	-	37.65	14.72	49.71

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.079G	108.14	Inf	-Inf	98.84	3	Vertical	294	1.65	-	36.74	5.94	33.38
RMS	7.0784G	96.24	Inf	-Inf	86.94	3	Vertical	294	1.65	-	36.74	5.94	33.38
PK	7.136G	62.54	88.20	-25.66	53.03	3	Vertical	294	1.65	-	36.99	5.97	33.45
RMS	7.13G	49.58	68.20	-18.62	40.13	3	Vertical	294	1.65	-	36.94	5.96	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.07G	105.92	Inf	-Inf	96.59	3	Horizontal	38	2.88	-	36.76	5.94	33.37
RMS	7.0898G	93.59	Inf	-Inf	84.33	3	Horizontal	38	2.88	-	36.72	5.94	33.40
PK	7.2212G	62.44	88.20	-25.76	52.65	3	Horizontal	38	2.88	-	37.34	6.01	33.56
RMS	7.1294G	49.55	68.20	-18.65	40.10	3	Horizontal	38	2.88	-	36.94	5.96	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1494G	58.97	88.20	-29.23	44.38	3	Vertical	4	2.02	-	40.85	8.64	34.90
RMS	14.1457G	46.18	68.20	-22.02	31.59	3	Vertical	4	2.02	-	40.85	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1684G	59.47	88.20	-28.73	44.90	3	Horizontal	190	2.81	-	40.83	8.64	34.90
RMS	14.1507G	46.13	68.20	-22.07	31.54	3	Horizontal	190	2.81	-	40.85	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2723G	53.72	83.54	-29.82	50.79	1	Vertical	211	1.23	-	37.63	14.95	49.65
AV	21.2795G	40.90	63.54	-22.64	37.94	1	Vertical	211	1.23	-	37.64	14.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 9,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2774G	54.17	83.54	-29.37	51.22	1	Horizontal	67	2.35	-	37.63	14.96	49.64
AV	21.2787G	40.88	63.54	-22.66	37.93	1	Horizontal	67	2.35	-	37.63	14.96	49.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 10
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.36	88.20	-28.84	52.48	3	Vertical	64	2.23	-	34.88	5.34	33.34
RMS	5.9106G	46.59	68.20	-21.61	39.61	3	Vertical	64	2.23	-	34.96	5.36	33.34
PK	5.9898G	109.99	Inf	-Inf	102.62	3	Vertical	64	2.23	-	35.36	5.39	33.38
RMS	5.969G	96.62	Inf	-Inf	89.33	3	Vertical	64	2.23	-	35.28	5.38	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 10
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	59.22	88.20	-28.98	52.31	3	Horizontal	-0	3.00	-	34.90	5.35	33.34
RMS	5.921G	46.24	68.20	-21.96	39.20	3	Horizontal	-0	3.00	-	35.03	5.36	33.35
PK	5.961G	104.16	Inf	-Inf	96.90	3	Horizontal	-0	3.00	-	35.24	5.38	33.36
RMS	5.9794G	91.45	Inf	-Inf	84.11	3	Horizontal	-0	3.00	-	35.32	5.39	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9692G	54.39	74.00	-19.61	41.36	3	Vertical	176	2.64	-	38.99	8.98	34.94
AV	11.9816G	41.58	54.00	-12.42	28.57	3	Vertical	176	2.64	-	38.96	8.99	34.94
PK	17.9327G	61.62	74.00	-12.38	44.61	3	Vertical	235	1.92	-	42.03	9.78	34.80
AV	17.9315G	48.75	54.00	-5.25	31.74	3	Vertical	235	1.92	-	42.03	9.78	34.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9788G	54.54	74.00	-19.46	41.53	3	Horizontal	4	2.22	-	38.96	8.99	34.94
AV	11.9455G	41.58	54.00	-12.42	28.49	3	Horizontal	4	2.22	-	39.06	8.96	34.93
PK	17.9383G	61.86	74.00	-12.14	44.84	3	Horizontal	347	2.98	-	42.04	9.78	34.80
AV	17.9323G	48.85	54.00	-5.15	31.84	3	Horizontal	347	2.98	-	42.03	9.78	34.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9084G	58.19	88.20	-30.01	51.23	3	Vertical	318	1.70	-	34.95	5.35	33.34
RMS	5.9028G	46.00	68.20	-22.20	39.07	3	Vertical	318	1.70	-	34.92	5.35	33.34
PK	6.1604G	108.15	Inf	-Inf	100.40	3	Vertical	318	1.70	-	35.46	5.56	33.27
RMS	6.1408G	96.93	Inf	-Inf	89.25	3	Vertical	318	1.70	-	35.42	5.54	33.28

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8888G	58.46	88.20	-29.74	51.58	3	Horizontal	16	2.96	-	34.88	5.34	33.34
RMS	5.8748G	46.02	68.20	-22.18	39.16	3	Horizontal	16	2.96	-	34.85	5.34	33.33
PK	6.1562G	102.81	Inf	-Inf	95.08	3	Horizontal	16	2.96	-	35.44	5.56	33.27
RMS	6.1548G	91.54	Inf	-Inf	83.83	3	Horizontal	16	2.96	-	35.43	5.55	33.27

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2812G	54.96	74.00	-19.04	42.17	3	Vertical	354	1.86	-	38.72	8.94	34.87
AV	12.2988G	41.34	54.00	-12.66	28.56	3	Vertical	354	1.86	-	38.70	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3107G	54.41	74.00	-19.59	41.60	3	Horizontal	47	2.74	-	38.73	8.94	34.86
AV	12.3098G	41.36	54.00	-12.64	28.55	3	Horizontal	47	2.74	-	38.73	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4335G	58.16	83.54	-25.38	56.65	1	Vertical	305	2.36	-	37.72	13.92	50.13
AV	18.4178G	44.40	63.54	-19.14	42.91	1	Vertical	305	2.36	-	37.70	13.92	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 10.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.437G	57.77	83.54	-25.77	56.26	1	Horizontal	173	1.01	-	37.72	13.92	50.13
AV	18.414G	44.36	63.54	-19.18	42.87	1	Horizontal	173	1.01	-	37.70	13.92	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7354G	58.22	88.20	-29.98	51.85	3	Vertical	320	1.76	-	34.34	5.30	33.27
RMS	5.8922G	45.93	68.20	-22.27	39.04	3	Vertical	320	1.76	-	34.88	5.35	33.34
PK	6.3794G	107.76	Inf	-Inf	99.53	3	Vertical	320	1.76	-	35.66	5.69	33.12
RMS	6.3794G	96.93	Inf	-Inf	88.70	3	Vertical	320	1.76	-	35.66	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	58.35	88.20	-29.85	51.57	3	Horizontal	360	3.00	-	34.78	5.32	33.32
RMS	5.8754G	45.94	68.20	-22.26	39.08	3	Horizontal	360	3.00	-	34.85	5.34	33.33
PK	6.4018G	104.99	Inf	-Inf	96.70	3	Horizontal	360	3.00	-	35.70	5.70	33.11
RMS	6.3794G	92.44	Inf	-Inf	84.21	3	Horizontal	360	3.00	-	35.66	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7938G	54.89	88.20	-33.31	41.40	3	Vertical	319	1.67	-	39.39	8.84	34.74
RMS	12.7887G	41.68	68.20	-26.52	28.19	3	Vertical	319	1.67	-	39.39	8.84	34.74

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7671G	54.84	88.20	-33.36	41.37	3	Horizontal	134	2.08	-	39.37	8.85	34.75
RMS	12.745G	41.64	68.20	-26.56	28.20	3	Horizontal	134	2.08	-	39.34	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1717G	54.64	83.54	-28.90	52.52	1	Vertical	28	2.61	-	37.79	13.96	49.63
AV	19.1646G	41.11	63.54	-22.43	38.98	1	Vertical	28	2.61	-	37.80	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1443G	54.94	83.54	-28.60	52.78	1	Horizontal	209	2.15	-	37.83	13.96	49.63
AV	19.1359G	41.18	63.54	-22.36	39.01	1	Horizontal	209	2.15	-	37.84	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 11.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.874G	58.69	88.20	-29.51	51.83	3	Vertical	316	1.86	-	34.85	5.34	33.33
RMS	5.922G	45.99	68.20	-22.21	38.95	3	Vertical	316	1.86	-	35.03	5.36	33.35
PK	6.462G	108.94	Inf	-Inf	100.66	3	Vertical	316	1.86	-	35.65	5.70	33.07
RMS	6.48G	96.31	Inf	-Inf	87.94	3	Vertical	316	1.86	-	35.72	5.70	33.05
PK	7.149G	61.74	88.20	-26.46	52.15	3	Vertical	316	1.86	-	37.09	5.97	33.47
RMS	7.158G	48.92	68.20	-19.28	39.29	3	Vertical	316	1.86	-	37.13	5.98	33.48

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 11.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.781G	58.69	88.20	-29.51	52.22	3	Horizontal	352	2.97	-	34.46	5.30	33.29
RMS	5.922G	45.96	68.20	-22.24	38.92	3	Horizontal	352	2.97	-	35.03	5.36	33.35
PK	6.441G	102.25	Inf	-Inf	94.01	3	Horizontal	352	2.97	-	35.62	5.70	33.08
RMS	6.459G	91.22	Inf	-Inf	82.95	3	Horizontal	352	2.97	-	35.64	5.70	33.07
PK	7.185G	60.77	88.20	-27.43	51.05	3	Horizontal	352	2.97	-	37.24	5.99	33.51
RMS	7.149G	48.86	68.20	-19.34	39.27	3	Horizontal	352	2.97	-	37.09	5.97	33.47

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 11.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.942G	54.73	88.20	-33.47	41.05	3	Vertical	108	2.35	-	39.58	8.81	34.71
RMS	12.9081G	41.88	68.20	-26.32	28.26	3	Vertical	108	2.35	-	39.52	8.82	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 11.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9344G	54.81	88.20	-33.39	41.14	3	Horizontal	9	1.46	-	39.57	8.81	34.71
RMS	12.9236G	41.72	68.20	-26.48	28.07	3	Horizontal	9	1.46	-	39.55	8.82	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 11.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3789G	54.87	83.54	-28.67	52.78	1	Vertical	51	2.52	-	37.80	13.97	49.68
AV	19.3728G	41.60	63.54	-21.94	39.50	1	Vertical	51	2.52	-	37.80	13.97	49.67

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUTY_4TX
Setting 11.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3807G	55.73	83.54	-27.81	53.64	1	Horizontal	108	1.08	-	37.80	13.97	49.68
AV	19.3727G	41.46	63.54	-22.08	39.36	1	Horizontal	108	1.08	-	37.80	13.97	49.67


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 11.5
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.53	88.20	-29.67	51.63	3	Vertical	316	1.80	-	34.89	5.35	33.34
RMS	5.8646G	46.10	68.20	-22.10	39.27	3	Vertical	316	1.80	-	34.83	5.33	33.33
PK	6.5198G	107.67	Inf	-Inf	99.14	3	Vertical	316	1.80	-	35.88	5.70	33.05
RMS	6.5394G	97.23	Inf	-Inf	88.63	3	Vertical	316	1.80	-	35.96	5.70	33.06
PK	7.1358G	61.70	88.20	-26.50	52.19	3	Vertical	316	1.80	-	36.99	5.97	33.45
RMS	7.2338G	49.12	68.20	-19.08	39.30	3	Vertical	316	1.80	-	37.37	6.02	33.57

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 11.5
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8814G	59.01	88.20	-29.19	52.14	3	Horizontal	349	3.00	-	34.86	5.34	33.33
RMS	5.887G	45.97	68.20	-22.23	39.09	3	Horizontal	349	3.00	-	34.87	5.34	33.33
PK	6.5394G	104.16	Inf	-Inf	95.56	3	Horizontal	349	3.00	-	35.96	5.70	33.06
RMS	6.5394G	92.73	Inf	-Inf	84.13	3	Horizontal	349	3.00	-	35.96	5.70	33.06
PK	7.1666G	62.11	88.20	-26.09	52.45	3	Horizontal	349	3.00	-	37.17	5.98	33.49
RMS	7.2366G	49.03	68.20	-19.17	39.21	3	Horizontal	349	3.00	-	37.37	6.02	33.57

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




19/11/2021

EUTY_4TX
Setting 11.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0682G	56.01	88.20	-32.19	42.22	3	Vertical	143	1.17	-	39.70	8.79	34.70
RMS	13.1083G	42.82	68.20	-25.38	29.02	3	Vertical	143	1.17	-	39.72	8.78	34.70


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 11.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0719G	55.87	88.20	-32.33	42.08	3	Horizontal	163	1.00	-	39.70	8.79	34.70
RMS	13.0736G	42.82	68.20	-25.38	29.03	3	Horizontal	163	1.00	-	39.70	8.79	34.70


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 11.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6252G	55.15	83.54	-28.39	53.02	1	Vertical	114	1.41	-	37.85	13.98	49.70
AV	19.6126G	42.29	63.54	-21.25	40.16	1	Vertical	114	1.41	-	37.85	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 11.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6589G	56.08	83.54	-27.46	53.96	1	Horizontal	136	1.10	-	37.84	13.98	49.70
AV	19.644G	42.29	63.54	-21.25	40.17	1	Horizontal	136	1.10	-	37.84	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6154G	109.35	Inf	-Inf	100.62	3	Vertical	284	2.81	-	36.13	5.70	33.10
RMS	6.6346G	98.32	Inf	-Inf	89.56	3	Vertical	284	2.81	-	36.17	5.70	33.11
PK	7.1434G	61.86	88.20	-26.34	52.30	3	Vertical	284	2.81	-	37.05	5.97	33.46
RMS	7.129G	48.93	68.20	-19.27	39.48	3	Vertical	284	2.81	-	36.93	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	102.47	Inf	-Inf	93.70	3	Horizontal	353	3.00	-	36.18	5.70	33.11
RMS	6.6202G	91.75	Inf	-Inf	83.01	3	Horizontal	353	3.00	-	36.14	5.70	33.10
PK	7.165G	62.13	88.20	-26.07	52.48	3	Horizontal	353	3.00	-	37.16	5.98	33.49
RMS	7.2178G	49.05	68.20	-19.15	39.25	3	Horizontal	353	3.00	-	37.34	6.01	33.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2336G	55.82	88.20	-32.38	41.85	3	Vertical	358	1.64	-	39.93	8.75	34.71
RMS	13.2375G	42.89	68.20	-25.31	28.91	3	Vertical	358	1.64	-	39.94	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25G	55.69	88.20	-32.51	41.70	3	Horizontal	345	1.27	-	39.95	8.75	34.71
RMS	13.24959G	42.42	68.20	-25.78	28.43	3	Horizontal	345	1.27	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8701G	56.08	83.54	-27.46	54.18	1	Vertical	113	2.72	-	37.61	13.99	49.70
AV	19.85G	43.01	63.54	-20.53	41.08	1	Vertical	113	2.72	-	37.64	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8695G	56.49	83.54	-27.05	54.59	1	Horizontal	58	2.91	-	37.61	13.99	49.70
AV	19.8553G	43.03	63.54	-20.51	41.11	1	Horizontal	58	2.91	-	37.63	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.685G	110.07	Inf	-Inf	101.30	3	Vertical	75	2.15	-	36.20	5.70	33.13
RMS	6.685G	98.27	Inf	-Inf	89.50	3	Vertical	75	2.15	-	36.20	5.70	33.13
PK	7.147G	61.93	88.20	-26.27	52.35	3	Vertical	75	2.15	-	37.08	5.97	33.47
RMS	7.127G	49.12	68.20	-19.08	39.68	3	Vertical	75	2.15	-	36.92	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.715G	105.56	Inf	-Inf	96.75	3	Horizontal	22	2.97	-	36.26	5.70	33.15
RMS	6.695G	93.77	Inf	-Inf	85.01	3	Horizontal	22	2.97	-	36.20	5.70	33.14
PK	7.167G	61.32	88.20	-26.88	51.66	3	Horizontal	22	2.97	-	37.17	5.98	33.49
RMS	7.129G	49.22	68.20	-18.98	39.77	3	Horizontal	22	2.97	-	36.93	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40936G	56.35	88.20	-31.85	42.15	3	Vertical	174	2.47	-	40.20	8.72	34.72
RMS	13.40977G	42.90	68.20	-25.30	28.70	3	Vertical	174	2.47	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40967G	56.21	88.20	-31.99	42.01	3	Horizontal	99	1.69	-	40.20	8.72	34.72
RMS	13.40915G	42.80	68.20	-25.40	28.60	3	Horizontal	99	1.69	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1157G	56.06	83.54	-27.48	54.23	1	Vertical	70	2.39	-	37.49	14.09	49.75
AV	20.0901G	42.79	63.54	-20.75	40.99	1	Vertical	70	2.39	-	37.47	14.07	49.74

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1038G	55.65	83.54	-27.89	53.83	1	Horizontal	41	1.08	-	37.48	14.08	49.74
AV	20.0946G	42.74	63.54	-20.80	40.93	1	Horizontal	41	1.08	-	37.48	14.07	49.74

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTY_4TX
Setting 13
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8066G	108.46	Inf	-Inf	99.60	3	Vertical	76	2.57	-	36.34	5.71	33.19
RMS	6.7868G	97.33	Inf	-Inf	88.48	3	Vertical	76	2.57	-	36.33	5.70	33.18
PK	7.1378G	62.05	88.20	-26.15	52.54	3	Vertical	76	2.57	-	37.00	5.97	33.46
RMS	7.2044G	49.17	68.20	-19.03	39.40	3	Vertical	76	2.57	-	37.31	6.00	33.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTY_4TX
Setting 13
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7958G	103.98	Inf	-Inf	95.16	3	Horizontal	19	2.92	-	36.31	5.70	33.19
RMS	6.7742G	92.27	Inf	-Inf	83.40	3	Horizontal	19	2.92	-	36.35	5.70	33.18
PK	7.19G	61.82	88.20	-26.38	52.08	3	Horizontal	19	2.92	-	37.26	6.00	33.52
RMS	7.2224G	49.20	68.20	-19.00	39.41	3	Horizontal	19	2.92	-	37.34	6.01	33.56

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56921G	56.58	88.20	-31.62	42.44	3	Vertical	21	1.34	-	40.20	8.69	34.75
RMS	13.56928G	42.86	68.20	-25.34	28.72	3	Vertical	21	1.34	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56989G	57.20	88.20	-31.00	43.06	3	Horizontal	30	2.74	-	40.20	8.69	34.75
RMS	13.56992G	42.86	68.20	-25.34	28.72	3	Horizontal	30	2.74	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3512G	58.56	83.54	-24.98	56.50	1	Vertical	295	1.18	-	37.64	14.26	49.84
AV	20.3307G	44.82	63.54	-18.72	42.77	1	Vertical	295	1.18	-	37.63	14.25	49.83

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3378G	57.58	83.54	-25.96	55.53	1	Horizontal	11	2.05	-	37.64	14.25	49.84
AV	20.3318G	44.87	63.54	-18.67	42.82	1	Horizontal	11	2.05	-	37.63	14.25	49.83


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 13.5
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8636G	108.17	Inf	-Inf	99.08	3	Vertical	73	2.62	-	36.55	5.76	33.22
RMS	6.8664G	97.25	Inf	-Inf	88.17	3	Vertical	73	2.62	-	36.53	5.77	33.22
PK	7.145G	61.96	88.20	-26.24	52.39	3	Vertical	73	2.62	-	37.06	5.97	33.46
RMS	7.1478G	49.02	68.20	-19.18	39.44	3	Vertical	73	2.62	-	37.08	5.97	33.47


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 13.5
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8538G	103.88	Inf	-Inf	94.77	3	Horizontal	20	2.98	-	36.58	5.75	33.22
RMS	6.8342G	91.74	Inf	-Inf	82.71	3	Horizontal	20	2.98	-	36.51	5.73	33.21
PK	7.152G	61.56	88.20	-26.64	51.94	3	Horizontal	20	2.98	-	37.11	5.98	33.47
RMS	7.1576G	49.07	68.20	-19.13	39.44	3	Horizontal	20	2.98	-	37.13	5.98	33.48


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 13.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72946G	57.81	88.20	-30.39	43.55	3	Vertical	304	2.78	-	40.43	8.65	34.82
RMS	13.72927G	44.43	68.20	-23.77	30.17	3	Vertical	304	2.78	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




19/11/2021

EUTY_4TX
 Setting 13.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72964G	57.88	88.20	-30.32	43.62	3	Horizontal	128	1.80	-	40.43	8.65	34.82
RMS	13.72956G	44.33	68.20	-23.87	30.07	3	Horizontal	128	1.80	-	40.43	8.65	34.82


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 13.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5787G	56.35	83.54	-27.19	54.00	1	Vertical	183	2.12	-	37.79	14.43	49.87
AV	20.5722G	43.44	63.54	-20.10	41.09	1	Vertical	183	2.12	-	37.79	14.43	49.87

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 13.5
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5794G	56.41	83.54	-27.13	54.05	1	Horizontal	107	2.14	-	37.80	14.43	49.87
AV	20.5718G	43.52	63.54	-20.02	41.17	1	Horizontal	107	2.14	-	37.79	14.43	49.87

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9594G	106.27	Inf	-Inf	96.92	3	Vertical	288	1.75	-	36.76	5.86	33.27
RMS	6.939G	94.73	Inf	-Inf	85.44	3	Vertical	288	1.75	-	36.71	5.84	33.26
PK	7.1766G	62.68	88.20	-25.52	52.98	3	Vertical	288	1.75	-	37.21	5.99	33.50
RMS	7.1298G	49.10	68.20	-19.10	39.65	3	Vertical	288	1.75	-	36.94	5.96	33.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9294G	103.82	Inf	-Inf	94.60	3	Horizontal	30	2.92	-	36.64	5.83	33.25
RMS	6.9282G	91.18	Inf	-Inf	81.97	3	Horizontal	30	2.92	-	36.63	5.83	33.25
PK	7.1502G	62.47	88.20	-25.73	52.86	3	Horizontal	30	2.92	-	37.10	5.98	33.47
RMS	7.2234G	49.00	68.20	-19.20	39.20	3	Horizontal	30	2.92	-	37.35	6.01	33.56

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88965G	57.70	88.20	-30.50	43.37	3	Vertical	12	2.53	-	40.59	8.62	34.88
RMS	13.88981G	44.32	68.20	-23.88	29.99	3	Vertical	12	2.53	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88953G	58.43	88.20	-29.77	44.10	3	Horizontal	146	1.30	-	40.59	8.62	34.88
RMS	13.88985G	44.17	68.20	-24.03	29.84	3	Horizontal	146	1.30	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8219G	57.50	83.54	-26.04	54.77	1	Vertical	32	1.21	-	37.88	14.62	49.77
AV	20.8162G	44.14	63.54	-19.40	41.41	1	Vertical	32	1.21	-	37.89	14.61	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8151G	58.13	83.54	-25.41	55.39	1	Horizontal	329	2.68	-	37.90	14.61	49.77
AV	20.811G	44.05	63.54	-19.49	41.32	1	Horizontal	329	2.68	-	37.90	14.61	49.78

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0178G	107.80	Inf	-Inf	98.53	3	Vertical	293	1.80	-	36.67	5.91	33.31
RMS	7.0186G	96.66	Inf	-Inf	87.39	3	Vertical	293	1.80	-	36.67	5.91	33.31
PK	7.1474G	61.96	88.20	-26.24	52.38	3	Vertical	293	1.80	-	37.08	5.97	33.47
RMS	7.1394G	49.14	68.20	-19.06	39.61	3	Vertical	293	1.80	-	37.02	5.97	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	105.08	Inf	-Inf	95.84	3	Horizontal	34	2.86	-	36.64	5.90	33.30
RMS	7.0298G	93.17	Inf	-Inf	83.87	3	Horizontal	34	2.86	-	36.72	5.91	33.33
PK	7.1394G	62.13	88.20	-26.07	52.60	3	Horizontal	34	2.86	-	37.02	5.97	33.46
RMS	7.1354G	48.96	68.20	-19.24	39.46	3	Horizontal	34	2.86	-	36.98	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05088G	59.44	88.20	-28.76	44.85	3	Vertical	291	2.23	-	40.90	8.61	34.92
RMS	14.0493G	45.68	68.20	-22.52	31.09	3	Vertical	291	2.23	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04901G	59.20	88.20	-29.00	44.61	3	Horizontal	134	1.73	-	40.90	8.61	34.92
RMS	14.04931G	45.73	68.20	-22.47	31.14	3	Horizontal	134	1.73	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0788G	55.17	83.54	-28.37	52.44	1	Vertical	66	2.91	-	37.60	14.81	49.68
AV	21.0506G	41.70	63.54	-21.84	39.00	1	Vertical	66	2.91	-	37.60	14.79	49.69

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 12.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0776G	54.45	83.54	-29.09	51.72	1	Horizontal	56	2.30	-	37.60	14.81	49.68
AV	21.06G	41.64	63.54	-21.90	38.93	1	Horizontal	56	2.30	-	37.60	14.80	49.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	63.25	88.20	-24.95	56.29	3	Vertical	63	2.09	-	34.95	5.35	33.34
RMS	5.9098G	49.60	68.20	-18.60	42.63	3	Vertical	63	2.09	-	34.96	5.35	33.34
PK	6.0298G	107.67	Inf	-Inf	100.20	3	Vertical	63	2.09	-	35.40	5.43	33.36
RMS	6.049G	96.09	Inf	-Inf	88.59	3	Vertical	63	2.09	-	35.40	5.45	33.35

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	58.59	88.20	-29.61	51.69	3	Horizontal	22	2.92	-	34.89	5.35	33.34
RMS	5.9146G	46.74	68.20	-21.46	39.74	3	Horizontal	22	2.92	-	34.99	5.36	33.35
PK	5.9962G	101.30	Inf	-Inf	93.90	3	Horizontal	22	2.92	-	35.38	5.40	33.38
RMS	6.0554G	90.21	Inf	-Inf	82.68	3	Horizontal	22	2.92	-	35.41	5.46	33.34

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05006G	54.95	74.00	-19.05	41.99	3	Vertical	40	2.47	-	38.90	8.99	34.93
AV	12.05011G	41.38	54.00	-12.62	28.42	3	Vertical	40	2.47	-	38.90	8.99	34.93

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05032G	55.44	74.00	-18.56	42.48	3	Horizontal	70	2.88	-	38.90	8.99	34.93
AV	12.05028G	41.40	54.00	-12.60	28.44	3	Horizontal	70	2.88	-	38.90	8.99	34.93

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0638G	56.39	83.54	-27.15	55.11	1	Vertical	203	1.06	-	37.65	13.90	50.27
AV	18.0652G	42.85	63.54	-20.69	41.57	1	Vertical	203	1.06	-	37.65	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0719G	56.40	83.54	-27.14	55.13	1	Horizontal	74	1.04	-	37.64	13.90	50.27
AV	18.0679G	42.81	63.54	-20.73	41.53	1	Horizontal	74	1.04	-	37.65	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.807G	58.85	88.20	-29.35	52.31	3	Vertical	322	1.76	-	34.54	5.30	33.30
RMS	5.917G	45.95	68.20	-22.25	38.94	3	Vertical	322	1.76	-	35.00	5.36	33.35
PK	6.161G	108.23	Inf	-Inf	100.47	3	Vertical	322	1.76	-	35.47	5.56	33.27
RMS	6.161G	96.40	Inf	-Inf	88.64	3	Vertical	322	1.76	-	35.47	5.56	33.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	58.79	88.20	-29.41	51.79	3	Horizontal	-0	2.96	-	34.99	5.36	33.35
RMS	5.879G	45.81	68.20	-22.39	38.94	3	Horizontal	-0	2.96	-	34.86	5.34	33.33
PK	6.161G	103.35	Inf	-Inf	95.59	3	Horizontal	-0	2.96	-	35.47	5.56	33.27
RMS	6.159G	92.27	Inf	-Inf	84.53	3	Horizontal	-0	2.96	-	35.45	5.56	33.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36919G	55.14	74.00	-18.86	42.14	3	Vertical	49	2.35	-	38.91	8.93	34.84
AV	12.36988G	41.29	54.00	-12.71	28.29	3	Vertical	49	2.35	-	38.91	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36987G	55.62	74.00	-18.38	42.62	3	Horizontal	97	2.39	-	38.91	8.93	34.84
AV	12.37064G	41.31	54.00	-12.69	28.31	3	Horizontal	97	2.39	-	38.91	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5409G	56.89	83.54	-26.65	55.24	1	Vertical	168	1.19	-	37.78	13.93	50.06
AV	18.5337G	43.86	63.54	-19.68	42.21	1	Vertical	168	1.19	-	37.79	13.93	50.07

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5344G	57.75	83.54	-25.79	56.10	1	Horizontal	183	1.25	-	37.79	13.93	50.07
AV	18.535G	43.90	63.54	-19.64	42.24	1	Horizontal	183	1.25	-	37.79	13.93	50.06

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.38	88.20	-29.82	51.36	3	Vertical	316	1.76	-	35.01	5.36	33.35
RMS	5.874G	45.76	68.20	-22.44	38.90	3	Vertical	316	1.76	-	34.85	5.34	33.33
PK	6.36G	108.23	Inf	-Inf	100.07	3	Vertical	316	1.76	-	35.62	5.68	33.14
RMS	6.381G	96.87	Inf	-Inf	88.64	3	Vertical	316	1.76	-	35.66	5.69	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.79G	57.65	88.20	-30.55	51.17	3	Horizontal	23	3.00	-	34.48	5.30	33.30
RMS	5.892G	45.70	68.20	-22.50	38.81	3	Horizontal	23	3.00	-	34.88	5.35	33.34
PK	6.375G	102.74	Inf	-Inf	94.52	3	Horizontal	23	3.00	-	35.65	5.69	33.12
RMS	6.375G	90.69	Inf	-Inf	82.47	3	Horizontal	23	3.00	-	35.65	5.69	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68976G	54.79	74.00	-19.21	41.43	3	Vertical	271	2.48	-	39.26	8.86	34.76
AV	12.69028G	41.54	54.00	-12.46	28.18	3	Vertical	271	2.48	-	39.26	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68974G	55.31	74.00	-18.69	41.95	3	Horizontal	309	2.99	-	39.26	8.86	34.76
AV	12.69026G	41.45	54.00	-12.55	28.09	3	Horizontal	309	2.99	-	39.26	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0332G	55.10	83.54	-28.44	52.80	1	Vertical	36	1.00	-	37.96	13.95	49.61
AV	19.0183G	41.84	63.54	-21.70	39.51	1	Vertical	36	1.00	-	37.98	13.95	49.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTY_4TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0233G	54.84	83.54	-28.70	52.52	1	Horizontal	183	2.28	-	37.97	13.95	49.60
AV	19.0302G	41.91	63.54	-21.63	39.61	1	Horizontal	183	2.28	-	37.96	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 14.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	57.88	88.20	-30.32	50.98	3	Vertical	318	1.80	-	34.89	5.35	33.34
RMS	5.819G	46.15	68.20	-22.05	39.54	3	Vertical	318	1.80	-	34.61	5.31	33.31
PK	6.519G	108.21	Inf	-Inf	99.68	3	Vertical	318	1.80	-	35.88	5.70	33.05
RMS	6.5414G	96.14	Inf	-Inf	87.53	3	Vertical	318	1.80	-	35.97	5.70	33.06
PK	7.1882G	62.03	88.20	-26.17	52.31	3	Vertical	318	1.80	-	37.25	5.99	33.52
RMS	7.1462G	48.50	68.20	-19.70	38.93	3	Vertical	318	1.80	-	37.07	5.97	33.47

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 14.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	58.16	88.20	-30.04	51.28	3	Horizontal	350	3.00	-	34.87	5.34	33.33
RMS	5.861G	45.70	68.20	-22.50	38.87	3	Horizontal	350	3.00	-	34.82	5.33	33.32
PK	6.5386G	103.31	Inf	-Inf	94.72	3	Horizontal	350	3.00	-	35.95	5.70	33.06
RMS	6.5414G	92.11	Inf	-Inf	83.50	3	Horizontal	350	3.00	-	35.97	5.70	33.06
PK	7.177G	61.56	88.20	-26.64	51.86	3	Horizontal	350	3.00	-	37.21	5.99	33.50
RMS	7.1406G	48.61	68.20	-19.59	39.08	3	Horizontal	350	3.00	-	37.02	5.97	33.46

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 14.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00922G	56.09	88.20	-32.11	42.29	3	Vertical	135	2.50	-	39.70	8.80	34.70
RMS	13.0096G	42.63	68.20	-25.57	28.83	3	Vertical	135	2.50	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




19/11/2021

EUTY_4TX
Setting 14.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01065G	56.44	88.20	-31.76	42.64	3	Horizontal	334	2.67	-	39.70	8.80	34.70
RMS	13.00912G	42.58	68.20	-25.62	28.78	3	Horizontal	334	2.67	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 14.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5095G	55.70	83.54	-27.84	53.52	1	Vertical	218	2.38	-	37.90	13.98	49.70
AV	19.5308G	42.29	63.54	-21.25	40.12	1	Vertical	218	2.38	-	37.89	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 14.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5269G	56.22	83.54	-27.32	54.05	1	Horizontal	11	1.29	-	37.89	13.98	49.70
AV	19.5305G	42.31	63.54	-21.23	40.14	1	Horizontal	11	1.29	-	37.89	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Y_4TX
Setting 14
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.817G	49.57	88.20	-38.63	42.97	3	Vertical	320	1.79	-	34.60	5.31	33.31
RMS	5.757G	40.15	68.20	-28.05	33.72	3	Vertical	320	1.79	-	34.41	5.30	33.28
PK	6.721G	106.02	Inf	-Inf	97.19	3	Vertical	320	1.79	-	36.28	5.70	33.15
RMS	6.641G	95.61	Inf	-Inf	86.84	3	Vertical	320	1.79	-	36.18	5.70	33.11
PK	7.145G	48.84	88.20	-39.36	39.27	3	Vertical	320	1.79	-	37.06	5.97	33.46
RMS	7.125G	47.55	68.20	-20.65	38.13	3	Vertical	320	1.79	-	36.90	5.96	33.44
PK	7.445G	49.44	74.00	-24.56	39.60	3	Vertical	320	1.79	-	37.52	6.14	33.82
RMS	7.601G	36.92	54.00	-17.08	27.07	3	Vertical	320	1.79	-	37.50	6.30	33.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTY_4TX
Setting 14
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	46.59	88.20	-41.61	39.53	3	Horizontal	26	3.00	-	35.05	5.36	33.35
RMS	5.817G	40.03	88.20	-48.17	33.43	3	Horizontal	26	3.00	-	34.60	5.31	33.31
PK	6.633G	103.18	Inf	-Inf	94.42	3	Horizontal	26	3.00	-	36.17	5.70	33.11
RMS	6.633G	91.60	Inf	-Inf	82.84	3	Horizontal	26	3.00	-	36.17	5.70	33.11
PK	7.197G	48.09	88.20	-40.11	38.33	3	Horizontal	26	3.00	-	37.29	6.00	33.53
RMS	7.125G	36.49	88.20	-51.71	27.07	3	Horizontal	26	3.00	-	36.90	5.96	33.44
PK	7.521G	49.13	74.00	-24.87	39.35	3	Horizontal	26	3.00	-	37.46	6.22	33.90
RMS	7.609G	37.07	74.00	-36.93	27.24	3	Horizontal	26	3.00	-	37.48	6.30	33.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32908G	56.47	74.00	-17.53	42.39	3	Vertical	179	2.87	-	40.06	8.73	34.71
AV	13.33011G	42.82	54.00	-11.18	28.74	3	Vertical	179	2.87	-	40.06	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3294G	56.25	74.00	-17.75	42.17	3	Horizontal	291	1.44	-	40.06	8.73	34.71
AV	13.329G	42.79	54.00	-11.21	28.71	3	Horizontal	291	1.44	-	40.06	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.004G	55.95	83.54	-27.59	54.25	1	Vertical	110	2.33	-	37.40	14.00	49.70
AV	19.9926G	42.49	63.54	-21.05	40.78	1	Vertical	110	2.33	-	37.41	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9718G	56.68	83.54	-26.86	54.93	1	Horizontal	311	2.35	-	37.45	14.00	49.70
AV	19.999G	42.45	63.54	-21.09	40.75	1	Horizontal	311	2.35	-	37.40	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 16
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.804G	107.70	Inf	-Inf	98.87	3	Vertical	73	2.30	-	36.32	5.70	33.19
RMS	6.804G	96.81	Inf	-Inf	87.98	3	Vertical	73	2.30	-	36.32	5.70	33.19
PK	7.125G	50.26	88.20	-37.94	40.84	3	Vertical	73	2.30	-	36.90	5.96	33.44
RMS	7.125G	40.41	68.20	-27.79	30.99	3	Vertical	73	2.30	-	36.90	5.96	33.44
PK	7.473G	50.10	74.00	-23.90	40.29	3	Vertical	73	2.30	-	37.50	6.17	33.86
RMS	7.473G	36.87	54.00	-17.13	27.06	3	Vertical	73	2.30	-	37.50	6.17	33.86

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 16
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.774G	104.20	Inf	-Inf	95.33	3	Horizontal	23	3.00	-	36.35	5.70	33.18
RMS	6.795G	92.80	Inf	-Inf	83.98	3	Horizontal	23	3.00	-	36.31	5.70	33.19
PK	7.188G	48.56	88.20	-39.64	38.84	3	Horizontal	23	3.00	-	37.25	5.99	33.52
RMS	7.131G	37.41	68.20	-30.79	27.94	3	Horizontal	23	3.00	-	36.95	5.97	33.45
PK	7.539G	49.53	74.00	-24.47	39.78	3	Horizontal	23	3.00	-	37.42	6.24	33.91
RMS	7.404G	36.82	54.00	-17.18	26.81	3	Horizontal	23	3.00	-	37.68	6.10	33.77

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64961G	59.18	88.20	-29.02	44.99	3	Vertical	153	1.61	-	40.30	8.67	34.78
RMS	13.64939G	44.76	68.20	-23.44	30.57	3	Vertical	153	1.61	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65042G	58.13	88.20	-30.07	43.94	3	Horizontal	125	1.20	-	40.30	8.67	34.78
RMS	13.65016G	44.84	68.20	-23.36	30.65	3	Horizontal	125	1.20	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




21/11/2021

EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4808G	57.47	83.54	-26.07	55.31	1	Vertical	95	2.89	-	37.69	14.36	49.89
AV	20.4528G	43.80	63.54	-19.74	41.66	1	Vertical	95	2.89	-	37.68	14.34	49.88

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4553G	57.20	83.54	-26.34	55.06	1	Horizontal	218	2.03	-	37.68	14.34	49.88
AV	20.4653G	43.85	63.54	-19.69	41.70	1	Horizontal	218	2.03	-	37.69	14.35	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 16
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.955G	107.86	Inf	-Inf	98.49	3	Vertical	286	2.78	-	36.78	5.86	33.27
RMS	6.994G	96.98	Inf	-Inf	87.76	3	Vertical	286	2.78	-	36.62	5.89	33.29
PK	7.135G	70.95	88.20	-17.25	61.45	3	Vertical	286	2.78	-	36.98	5.97	33.45
RMS	7.135G	57.94	68.20	-10.26	48.44	3	Vertical	286	2.78	-	36.98	5.97	33.45
PK	7.255G	52.74	74.00	-21.26	42.90	3	Vertical	286	2.78	-	37.41	6.03	33.60
RMS	7.255G	40.35	54.00	-13.65	30.51	3	Vertical	286	2.78	-	37.41	6.03	33.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 16
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	104.47	Inf	-Inf	95.23	3	Horizontal	33	2.93	-	36.64	5.89	33.29
RMS	7.009G	93.80	Inf	-Inf	84.56	3	Horizontal	33	2.93	-	36.64	5.90	33.30
PK	7.132G	70.95	88.20	-17.25	61.47	3	Horizontal	33	2.93	-	36.96	5.97	33.45
RMS	7.129G	56.08	68.20	-12.12	46.63	3	Horizontal	33	2.93	-	36.93	5.96	33.44
PK	7.252G	52.21	74.00	-21.79	42.37	3	Horizontal	33	2.93	-	37.40	6.03	33.59
RMS	7.25G	40.47	54.00	-13.53	30.63	3	Horizontal	33	2.93	-	37.40	6.03	33.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97056G	58.14	88.20	-30.06	43.64	3	Vertical	142	1.24	-	40.81	8.61	34.92
RMS	13.96903G	44.84	68.20	-23.36	30.34	3	Vertical	142	1.24	-	40.81	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97014G	58.34	88.20	-29.86	43.84	3	Horizontal	206	2.76	-	40.81	8.61	34.92
RMS	13.97036G	44.82	68.20	-23.38	30.32	3	Horizontal	206	2.76	-	40.81	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9353G	55.39	83.54	-28.15	52.72	1	Vertical	260	1.94	-	37.70	14.70	49.73
AV	20.9308G	42.30	63.54	-21.24	39.62	1	Vertical	260	1.94	-	37.71	14.70	49.73

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUTY_4TX
Setting 16
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9653G	56.01	83.54	-27.53	53.34	1	Horizontal	121	1.97	-	37.66	14.72	49.71
AV	20.9372G	42.26	63.54	-21.28	39.59	1	Horizontal	121	1.97	-	37.70	14.70	49.73




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	Pass	RMS	7.1255G	68.10	68.20	-0.10	3	Vertical	279	1.79	-

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8782G	59.11	88.20	-29.09	52.24	3	Vertical	287	1.78	-	34.86	5.34	33.33
RMS	5.9018G	48.09	68.20	-20.11	41.17	3	Vertical	287	1.78	-	34.91	5.35	33.34
PK	5.9494G	106.11	Inf	-Inf	98.90	3	Vertical	287	1.78	-	35.20	5.37	33.36
RMS	5.9474G	96.51	Inf	-Inf	89.32	3	Vertical	287	1.78	-	35.18	5.37	33.36

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	59.69	88.20	-28.51	52.86	3	Horizontal	354	2.79	-	34.83	5.33	33.33
RMS	5.921G	48.01	68.20	-20.19	40.97	3	Horizontal	354	2.79	-	35.03	5.36	33.35
PK	5.947G	98.82	Inf	-Inf	91.63	3	Horizontal	354	2.79	-	35.18	5.37	33.36
RMS	5.9462G	89.17	Inf	-Inf	81.98	3	Horizontal	354	2.79	-	35.18	5.37	33.36

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9125G	53.47	74.00	-20.53	40.29	3	Vertical	135	1.73	-	39.16	8.94	34.92
AV	11.91314G	41.55	54.00	-12.45	28.37	3	Vertical	135	1.73	-	39.16	8.94	34.92
PK	17.86678G	60.51	74.00	-13.49	43.61	3	Vertical	27	1.12	-	41.90	9.75	34.75
AV	17.86418G	47.41	54.00	-6.59	30.52	3	Vertical	27	1.12	-	41.89	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91316G	53.01	74.00	-20.99	39.83	3	Horizontal	91	2.51	-	39.16	8.94	34.92
AV	11.91292G	41.70	54.00	-12.30	28.52	3	Horizontal	91	2.51	-	39.16	8.94	34.92
PK	17.86448G	60.65	74.00	-13.35	43.76	3	Horizontal	336	2.12	-	41.89	9.75	34.75
AV	17.8661G	47.30	54.00	-6.70	30.40	3	Horizontal	336	2.12	-	41.90	9.75	34.75

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	60.30	88.20	-27.90	53.31	3	Vertical	62	1.75	-	34.98	5.36	33.35
RMS	5.919G	48.45	68.20	-19.75	41.43	3	Vertical	62	1.75	-	35.01	5.36	33.35
PK	6.167G	106.60	Inf	-Inf	98.80	3	Vertical	62	1.75	-	35.50	5.57	33.27
RMS	6.167G	96.60	Inf	-Inf	88.80	3	Vertical	62	1.75	-	35.50	5.57	33.27

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	59.82	88.20	-28.38	52.77	3	Horizontal	318	1.71	-	35.04	5.36	33.35
RMS	5.9238G	48.01	68.20	-20.19	40.96	3	Horizontal	318	1.71	-	35.04	5.36	33.35
PK	6.167G	94.20	Inf	-Inf	86.40	3	Horizontal	318	1.71	-	35.50	5.57	33.27
RMS	6.167G	84.33	Inf	-Inf	76.53	3	Horizontal	318	1.71	-	35.50	5.57	33.27

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35382G	54.12	74.00	-19.88	41.17	3	Vertical	172	2.88	-	38.86	8.93	34.84
AV	12.3488G	42.11	54.00	-11.89	29.18	3	Vertical	172	2.88	-	38.85	8.93	34.85

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35402G	54.09	74.00	-19.91	41.14	3	Horizontal	171	2.54	-	38.86	8.93	34.84
AV	12.3535G	42.17	54.00	-11.83	29.22	3	Horizontal	171	2.54	-	38.86	8.93	34.84

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52672G	42.66	83.54	-40.88	41.01	1	Vertical	60	1.54	-	37.79	13.93	50.07
AV	18.52586G	29.74	63.54	-33.80	28.09	1	Vertical	60	1.54	-	37.79	13.93	50.07

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52248G	42.54	83.54	-41.00	40.90	1	Horizontal	322	1.53	-	37.79	13.93	50.08
AV	18.528G	29.54	63.54	-34.00	27.89	1	Horizontal	322	1.53	-	37.79	13.93	50.07

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8366G	59.60	88.20	-28.60	52.87	3	Vertical	312	1.80	-	34.72	5.32	33.31
RMS	5.9134G	48.41	68.20	-19.79	41.42	3	Vertical	312	1.80	-	34.98	5.36	33.35
PK	6.4222G	104.65	Inf	-Inf	96.38	3	Vertical	312	1.80	-	35.66	5.70	33.09
RMS	6.4222G	96.09	Inf	-Inf	87.82	3	Vertical	312	1.80	-	35.66	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	59.11	88.20	-29.09	52.12	3	Horizontal	4	2.89	-	34.98	5.36	33.35
RMS	5.9206G	48.47	68.20	-19.73	41.44	3	Horizontal	4	2.89	-	35.02	5.36	33.35
PK	6.4198G	98.15	Inf	-Inf	89.88	3	Horizontal	4	2.89	-	35.66	5.70	33.09
RMS	6.4222G	88.97	Inf	-Inf	80.70	3	Horizontal	4	2.89	-	35.66	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82502G	54.50	88.20	-33.70	40.97	3	Vertical	327	2.07	-	39.43	8.83	34.73
RMS	12.8312G	42.29	68.20	-25.91	28.76	3	Vertical	327	2.07	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83176G	54.30	88.20	-33.90	40.77	3	Horizontal	258	2.51	-	39.43	8.83	34.73
RMS	12.83404G	42.39	68.20	-25.81	28.86	3	Horizontal	258	2.51	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2464G	42.38	83.54	-41.16	40.37	1	Vertical	42	1.53	-	37.70	13.96	49.65
AV	19.24358G	28.57	63.54	-34.97	26.55	1	Vertical	42	1.53	-	37.71	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24552G	41.62	83.54	-41.92	39.60	1	Horizontal	211	1.58	-	37.71	13.96	49.65
AV	19.241G	28.55	63.54	-34.99	26.53	1	Horizontal	211	1.58	-	37.71	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom








EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	59.53	88.20	-28.67	52.63	3	Vertical	314	1.80	-	34.89	5.35	33.34
RMS	5.9228G	48.43	68.20	-19.77	41.38	3	Vertical	314	1.80	-	35.04	5.36	33.35
PK	6.4298G	106.07	Inf	-Inf	97.82	3	Vertical	314	1.80	-	35.64	5.70	33.09
RMS	6.4272G	97.08	Inf	-Inf	88.82	3	Vertical	314	1.80	-	35.65	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


04/12/2021

EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8916G	59.62	88.20	-28.58	52.73	3	Horizontal	0	2.98	-	34.88	5.35	33.34
RMS	5.9228G	48.42	68.20	-19.78	41.37	3	Horizontal	0	2.98	-	35.04	5.36	33.35
PK	6.4272G	98.29	Inf	-Inf	90.03	3	Horizontal	0	2.98	-	35.65	5.70	33.09
RMS	6.4272G	89.72	Inf	-Inf	81.46	3	Horizontal	0	2.98	-	35.65	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8703G	55.70	88.20	-32.50	42.13	3	Vertical	124	1.19	-	39.47	8.83	34.73
RMS	12.86746G	42.77	68.20	-25.43	29.20	3	Vertical	124	1.19	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87234G	54.50	88.20	-33.70	40.93	3	Horizontal	8	2.15	-	39.47	8.83	34.73
RMS	12.87416G	42.85	68.20	-25.35	29.28	3	Horizontal	8	2.15	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30262G	41.20	83.54	-42.34	39.15	1	Vertical	256	1.52	-	37.74	13.97	49.66
AV	19.30762G	28.34	63.54	-35.20	26.28	1	Vertical	256	1.52	-	37.75	13.97	49.66

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30454G	41.29	83.54	-42.25	39.24	1	Horizontal	155	1.53	-	37.74	13.97	49.66
AV	19.30822G	28.30	63.54	-35.24	26.24	1	Horizontal	155	1.53	-	37.75	13.97	49.66

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8338G	58.87	88.20	-29.33	52.16	3	Vertical	310	1.80	-	34.70	5.32	33.31
RMS	5.9206G	48.46	68.20	-19.74	41.43	3	Vertical	310	1.80	-	35.02	5.36	33.35
PK	6.4694G	105.47	Inf	-Inf	97.15	3	Vertical	310	1.80	-	35.68	5.70	33.06
RMS	6.4666G	96.06	Inf	-Inf	87.75	3	Vertical	310	1.80	-	35.67	5.70	33.06
PK	7.175G	59.07	88.20	-29.13	49.38	3	Vertical	310	1.80	-	37.20	5.99	33.50
RMS	7.1722G	48.12	68.20	-20.08	38.44	3	Vertical	310	1.80	-	37.19	5.99	33.50

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	58.82	88.20	-29.38	51.99	3	Horizontal	0	2.95	-	34.82	5.33	33.32
RMS	5.9178G	48.41	68.20	-19.79	41.39	3	Horizontal	0	2.95	-	35.01	5.36	33.35
PK	6.4834G	98.20	Inf	-Inf	89.82	3	Horizontal	0	2.95	-	35.73	5.70	33.05
RMS	6.4834G	89.31	Inf	-Inf	80.93	3	Horizontal	0	2.95	-	35.73	5.70	33.05
PK	7.175G	59.18	88.20	-29.02	49.49	3	Horizontal	0	2.95	-	37.20	5.99	33.50
RMS	7.175G	48.13	68.20	-20.07	38.44	3	Horizontal	0	2.95	-	37.20	5.99	33.50

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94668G	54.08	88.20	-34.12	40.39	3	Vertical	60	2.78	-	39.59	8.81	34.71
RMS	12.9471G	42.08	68.20	-26.12	28.39	3	Vertical	60	2.78	-	39.59	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95158G	55.30	88.20	-32.90	41.60	3	Horizontal	268	1.93	-	39.60	8.81	34.71
RMS	12.94564G	42.10	68.20	-26.10	28.41	3	Horizontal	268	1.93	-	39.59	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42448G	41.07	83.54	-42.47	38.94	1	Vertical	163	1.57	-	37.84	13.97	49.68
AV	19.42784G	28.41	63.54	-35.13	26.29	1	Vertical	163	1.57	-	37.84	13.97	49.69

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42998G	41.91	83.54	-41.63	39.79	1	Horizontal	5	1.57	-	37.84	13.97	49.69
AV	19.42476G	28.42	63.54	-35.12	26.29	1	Horizontal	5	1.57	-	37.84	13.97	49.68

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	59.07	88.20	-29.13	52.05	3	Vertical	41	1.80	-	35.01	5.36	33.35
RMS	5.9242G	48.42	68.20	-19.78	41.36	3	Vertical	41	1.80	-	35.05	5.36	33.35
PK	6.5066G	104.73	Inf	-Inf	96.24	3	Vertical	41	1.80	-	35.83	5.70	33.04
RMS	6.5066G	95.33	Inf	-Inf	86.84	3	Vertical	41	1.80	-	35.83	5.70	33.04
PK	7.2094G	59.98	88.20	-28.22	50.20	3	Vertical	41	1.80	-	37.32	6.00	33.54
RMS	7.215G	48.66	68.20	-19.54	38.87	3	Vertical	41	1.80	-	37.33	6.01	33.55

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	59.71	88.20	-28.49	52.67	3	Horizontal	360	2.92	-	35.03	5.36	33.35
RMS	5.9214G	48.42	68.20	-19.78	41.38	3	Horizontal	360	2.92	-	35.03	5.36	33.35
PK	6.5094G	95.64	Inf	-Inf	87.14	3	Horizontal	360	2.92	-	35.84	5.70	33.04
RMS	6.5066G	86.22	Inf	-Inf	77.73	3	Horizontal	360	2.92	-	35.83	5.70	33.04
PK	7.2038G	60.46	88.20	-27.74	50.68	3	Horizontal	360	2.92	-	37.31	6.00	33.53
RMS	7.2094G	48.68	68.20	-19.52	38.90	3	Horizontal	360	2.92	-	37.32	6.00	33.54

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02964G	54.88	88.20	-33.32	41.09	3	Vertical	108	1.67	-	39.70	8.79	34.70
RMS	13.03262G	42.84	68.20	-25.36	29.05	3	Vertical	108	1.67	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0341G	54.83	88.20	-33.37	41.04	3	Horizontal	173	2.25	-	39.70	8.79	34.70
RMS	13.03036G	42.82	68.20	-25.38	29.03	3	Horizontal	173	2.25	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5469G	42.32	83.54	-41.22	40.16	1	Vertical	203	1.58	-	37.88	13.98	49.70
AV	19.54392G	28.97	63.54	-34.57	26.81	1	Vertical	203	1.58	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54442G	43.32	83.54	-40.22	41.16	1	Horizontal	154	1.58	-	37.88	13.98	49.70
AV	19.54396G	29.16	63.54	-34.38	27.00	1	Horizontal	154	1.58	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	58.31	88.20	-29.89	51.40	3	Vertical	312	1.80	-	34.90	5.35	33.34
RMS	5.9162G	48.46	68.20	-19.74	41.45	3	Vertical	312	1.80	-	35.00	5.36	33.35
PK	6.5272G	105.18	Inf	-Inf	96.62	3	Vertical	312	1.80	-	35.91	5.70	33.05
RMS	6.5272G	96.29	Inf	-Inf	87.73	3	Vertical	312	1.80	-	35.91	5.70	33.05
PK	7.185G	59.84	88.20	-28.36	50.12	3	Vertical	312	1.80	-	37.24	5.99	33.51
RMS	7.185G	48.27	68.20	-19.93	38.55	3	Vertical	312	1.80	-	37.24	5.99	33.51

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.898G	58.71	88.20	-29.49	51.80	3	Horizontal	328	2.36	-	34.90	5.35	33.34
RMS	5.9162G	48.39	68.20	-19.81	41.38	3	Horizontal	328	2.36	-	35.00	5.36	33.35
PK	6.5428G	93.85	Inf	-Inf	85.24	3	Horizontal	328	2.36	-	35.97	5.70	33.06
RMS	6.5428G	84.54	Inf	-Inf	75.93	3	Horizontal	328	2.36	-	35.97	5.70	33.06
PK	7.159G	59.38	88.20	-28.82	49.74	3	Horizontal	328	2.36	-	37.14	5.98	33.48
RMS	7.185G	48.31	68.20	-19.89	38.59	3	Horizontal	328	2.36	-	37.24	5.99	33.51

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07408G	54.87	88.20	-33.33	41.08	3	Vertical	340	2.34	-	39.70	8.79	34.70
RMS	13.06746G	42.82	68.20	-25.38	29.03	3	Vertical	340	2.34	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06738G	54.98	88.20	-33.22	41.19	3	Horizontal	290	2.78	-	39.70	8.79	34.70
RMS	13.06656G	42.83	68.20	-25.37	29.04	3	Horizontal	290	2.78	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60642G	41.43	83.54	-42.11	39.29	1	Vertical	311	1.50	-	37.86	13.98	49.70
AV	19.60174G	28.65	63.54	-34.89	26.51	1	Vertical	311	1.50	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6012G	41.25	83.54	-42.29	39.11	1	Horizontal	210	1.57	-	37.86	13.98	49.70
AV	19.60158G	28.71	63.54	-34.83	26.57	1	Horizontal	210	1.57	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	106.02	Inf	-Inf	97.25	3	Vertical	72	1.51	-	36.20	5.70	33.13
RMS	6.6862G	96.38	Inf	-Inf	87.61	3	Vertical	72	1.51	-	36.20	5.70	33.13
PK	7.234G	60.60	88.20	-27.60	50.78	3	Vertical	72	1.51	-	37.37	6.02	33.57
RMS	7.245G	49.41	68.20	-18.79	39.58	3	Vertical	72	1.51	-	37.39	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	96.22	Inf	-Inf	87.45	3	Horizontal	334	1.02	-	36.21	5.70	33.14
RMS	6.7016G	87.10	Inf	-Inf	78.33	3	Horizontal	334	1.02	-	36.21	5.70	33.14
PK	7.234G	61.27	88.20	-26.93	51.45	3	Horizontal	334	1.02	-	37.37	6.02	33.57
RMS	7.245G	49.45	68.20	-18.75	39.62	3	Horizontal	334	1.02	-	37.39	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3931G	55.35	74.00	-18.65	41.16	3	Vertical	34	1.97	-	40.19	8.72	34.72
AV	13.39298G	43.29	54.00	-10.71	29.10	3	Vertical	34	1.97	-	40.19	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3852G	55.38	74.00	-18.62	41.21	3	Horizontal	45	2.16	-	40.17	8.72	34.72
AV	13.38784G	43.22	54.00	-10.78	29.04	3	Horizontal	45	2.16	-	40.18	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0856G	41.64	83.54	-41.90	39.84	1	Vertical	103	1.53	-	37.47	14.06	49.73
AV	20.08244G	28.60	63.54	-34.94	26.80	1	Vertical	103	1.53	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08582G	42.12	83.54	-41.42	40.32	1	Horizontal	8	1.57	-	37.47	14.06	49.73
AV	20.08492G	28.68	63.54	-34.86	26.88	1	Horizontal	8	1.57	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	106.03	Inf	-Inf	96.91	3	Vertical	286	1.65	-	36.58	5.75	33.21
RMS	6.8466G	96.70	Inf	-Inf	87.58	3	Vertical	286	1.65	-	36.58	5.75	33.21
PK	7.1952G	60.38	88.20	-27.82	50.62	3	Vertical	286	1.65	-	37.28	6.00	33.52
RMS	7.205G	49.37	68.20	-18.83	39.60	3	Vertical	286	1.65	-	37.31	6.00	33.54

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8648G	97.72	Inf	-Inf	88.64	3	Horizontal	2	2.87	-	36.54	5.76	33.22
RMS	6.8634G	89.16	Inf	-Inf	80.07	3	Horizontal	2	2.87	-	36.55	5.76	33.22
PK	7.1924G	60.37	88.20	-27.83	50.62	3	Horizontal	2	2.87	-	37.27	6.00	33.52
RMS	7.2022G	49.39	68.20	-18.81	39.62	3	Horizontal	2	2.87	-	37.30	6.00	33.53

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70806G	55.26	88.20	-32.94	41.00	3	Vertical	303	1.47	-	40.41	8.66	34.81
RMS	13.71016G	43.34	68.20	-24.86	29.08	3	Vertical	303	1.47	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TnomVnom




04/12/2021

EUTY_4TX
Setting 11
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7087G	54.82	88.20	-33.38	40.56	3	Horizontal	334	1.89	-	40.41	8.66	34.81
RMS	13.71152G	43.34	68.20	-24.86	29.08	3	Horizontal	334	1.89	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56828G	43.34	83.54	-40.20	41.00	1	Vertical	84	1.50	-	37.78	14.43	49.87
AV	20.56948G	29.76	63.54	-33.78	27.42	1	Vertical	84	1.50	-	37.78	14.43	49.87

802.11ax HEW20-BF_Nss1,(MCS3)_4TX


6855MHz_TnomVnom



EUTY_4TX
Setting 11
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56058G	43.89	83.54	-39.65	41.58	1	Horizontal	145	1.50	-	37.77	14.42	49.88
AV	20.56376G	29.99	63.54	-33.55	27.66	1	Horizontal	145	1.50	-	37.78	14.42	49.87


802.11ax HEW20-BF_Nss1,(MCS3)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 12
 04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	107.96	Inf	-Inf	98.88	3	Vertical	72	1.68	-	36.53	5.77	33.22
RMS	6.8666G	98.78	Inf	-Inf	89.70	3	Vertical	72	1.68	-	36.53	5.77	33.22
PK	7.1998G	60.63	88.20	-27.57	50.86	3	Vertical	72	1.68	-	37.30	6.00	33.53
RMS	7.2208G	49.71	68.20	-18.49	39.91	3	Vertical	72	1.68	-	37.34	6.01	33.55


802.11ax HEW20-BF_Nss1,(MCS3)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 12
 04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	98.43	Inf	-Inf	89.36	3	Horizontal	8	2.74	-	36.52	5.77	33.22
RMS	6.8666G	89.14	Inf	-Inf	80.06	3	Horizontal	8	2.74	-	36.53	5.77	33.22
PK	7.2236G	60.53	88.20	-27.67	50.73	3	Horizontal	8	2.74	-	37.35	6.01	33.56
RMS	7.2208G	49.73	68.20	-18.47	39.93	3	Horizontal	8	2.74	-	37.34	6.01	33.55

802.11ax HEW20-BF_Nss1,(MCS3)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 12
 04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7471G	56.03	88.20	-32.17	41.75	3	Vertical	15	2.92	-	40.45	8.65	34.82
RMS	13.74826G	43.35	68.20	-24.85	29.07	3	Vertical	15	2.92	-	40.45	8.65	34.82

802.11ax HEW20-BF_Nss1,(MCS3)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
Setting 12
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74666G	55.64	88.20	-32.56	41.36	3	Horizontal	248	1.14	-	40.45	8.65	34.82
RMS	13.74596G	43.28	68.20	-24.92	29.00	3	Horizontal	248	1.14	-	40.45	8.65	34.82


802.11ax HEW20-BF_Nss1,(MCS3)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 12
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62096G	43.28	83.54	-40.26	40.81	1	Vertical	95	1.55	-	37.85	14.47	49.85
AV	20.62678G	30.03	63.54	-33.51	27.56	1	Vertical	95	1.55	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS3)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 12
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62272G	43.28	83.54	-40.26	40.81	1	Horizontal	161	1.50	-	37.85	14.47	49.85
AV	20.62978G	30.20	63.54	-33.34	27.72	1	Horizontal	161	1.50	-	37.86	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.888G	106.38	Inf	-Inf	97.37	3	Vertical	286	1.86	-	36.45	5.79	33.23
RMS	6.8866G	97.65	Inf	-Inf	88.64	3	Vertical	286	1.86	-	36.45	5.79	33.23
PK	7.245G	61.33	88.20	-26.87	51.50	3	Vertical	286	1.86	-	37.39	6.02	33.58
RMS	7.2422G	49.90	68.20	-18.30	40.08	3	Vertical	286	1.86	-	37.38	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8866G	99.32	Inf	-Inf	90.31	3	Horizontal	17	2.86	-	36.45	5.79	33.23
RMS	6.8866G	89.89	Inf	-Inf	80.88	3	Horizontal	17	2.86	-	36.45	5.79	33.23
PK	7.2016G	61.83	88.20	-26.37	52.06	3	Horizontal	17	2.86	-	37.30	6.00	33.53
RMS	7.238G	49.94	68.20	-18.26	40.12	3	Horizontal	17	2.86	-	37.38	6.02	33.58

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78582G	54.62	88.20	-33.58	40.33	3	Vertical	170	2.02	-	40.49	8.64	34.84
RMS	13.7889G	42.81	68.20	-25.39	28.52	3	Vertical	170	2.02	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78872G	54.84	88.20	-33.36	40.55	3	Horizontal	200	2.92	-	40.49	8.64	34.84
RMS	13.7853G	42.92	68.20	-25.28	28.63	3	Horizontal	200	2.92	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68282G	43.06	83.54	-40.48	40.46	1	Vertical	253	1.50	-	37.92	14.51	49.83
AV	20.68492G	29.94	63.54	-33.60	27.34	1	Vertical	253	1.50	-	37.92	14.51	49.83

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 11
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68198G	43.38	83.54	-40.16	40.78	1	Horizontal	192	1.57	-	37.92	14.51	49.83
AV	20.68754G	30.06	63.54	-33.48	27.43	1	Horizontal	192	1.57	-	37.93	14.52	49.82

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.986G	106.53	Inf	-Inf	97.26	3	Vertical	288	1.80	-	36.66	5.89	33.28
RMS	6.986G	97.00	Inf	-Inf	87.73	3	Vertical	288	1.80	-	36.66	5.89	33.28
PK	7.225G	61.29	88.20	-26.91	51.49	3	Vertical	288	1.80	-	37.35	6.01	33.56
RMS	7.232G	49.90	68.20	-18.30	40.09	3	Vertical	288	1.80	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.992G	99.55	Inf	-Inf	90.32	3	Horizontal	26	2.77	-	36.63	5.89	33.29
RMS	6.992G	90.26	Inf	-Inf	81.03	3	Horizontal	26	2.77	-	36.63	5.89	33.29
PK	7.192G	61.09	88.20	-27.11	51.34	3	Horizontal	26	2.77	-	37.27	6.00	33.52
RMS	7.232G	49.96	68.20	-18.24	40.15	3	Horizontal	26	2.77	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98806G	55.63	88.20	-32.57	41.09	3	Vertical	107	2.41	-	40.86	8.60	34.92
RMS	13.9881G	43.81	68.20	-24.39	29.28	3	Vertical	107	2.41	-	40.86	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.995G	55.76	88.20	-32.44	41.21	3	Horizontal	118	2.06	-	40.88	8.60	34.93
RMS	13.9859G	43.76	68.20	-24.44	29.22	3	Horizontal	118	2.06	-	40.86	8.60	34.92

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9881G	49.31	83.54	-34.23	46.65	1	Vertical	229	1.56	-	37.62	14.74	49.70
AV	20.98486G	36.35	63.54	-27.19	33.70	1	Vertical	229	1.56	-	37.62	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98456G	49.68	83.54	-33.86	47.03	1	Horizontal	204	1.51	-	37.62	14.74	49.71
AV	20.98312G	36.26	63.54	-27.28	33.60	1	Horizontal	204	1.51	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	105.32	Inf	-Inf	96.04	3	Vertical	70	1.60	-	36.73	5.94	33.39
RMS	7.0874G	95.87	Inf	-Inf	86.59	3	Vertical	70	1.60	-	36.73	5.94	33.39
PK	7.1606G	62.31	88.20	-25.89	52.67	3	Vertical	70	1.60	-	37.14	5.98	33.48
RMS	7.1938G	50.11	68.20	-18.09	40.35	3	Vertical	70	1.60	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0886G	96.57	Inf	-Inf	87.31	3	Horizontal	22	2.76	-	36.72	5.94	33.40
RMS	7.0874G	86.45	Inf	-Inf	77.17	3	Horizontal	22	2.76	-	36.73	5.94	33.39
PK	7.1814G	61.25	88.20	-26.95	51.54	3	Horizontal	22	2.76	-	37.23	5.99	33.51
RMS	7.195G	50.10	68.20	-18.10	40.34	3	Horizontal	22	2.76	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




04/12/2021

EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19294G	55.46	88.20	-32.74	40.90	3	Vertical	48	2.30	-	40.81	8.65	34.90
RMS	14.19324G	43.85	68.20	-24.35	29.29	3	Vertical	48	2.30	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1941G	55.52	88.20	-32.68	40.96	3	Horizontal	248	1.73	-	40.81	8.65	34.90
RMS	14.194G	44.06	68.20	-24.14	29.50	3	Horizontal	248	1.73	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28114G	42.50	83.54	-41.04	39.54	1	Vertical	299	1.57	-	37.64	14.96	49.64
AV	21.28932G	29.87	63.54	-33.67	26.89	1	Vertical	299	1.57	-	37.65	14.97	49.64

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28658G	42.42	83.54	-41.12	39.46	1	Horizontal	246	1.51	-	37.64	14.96	49.64
AV	21.28814G	29.91	63.54	-33.63	26.93	1	Horizontal	246	1.51	-	37.65	14.97	49.64

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12238G	95.35	Inf	-Inf	85.95	3	Vertical	279	1.79	-	36.88	5.96	33.44
RMS	7.12395G	86.19	Inf	-Inf	76.78	3	Vertical	279	1.79	-	36.89	5.96	33.44
PK	7.1255G	79.42	88.20	-8.78	70.00	3	Vertical	279	1.79	-	36.90	5.96	33.44
RMS	7.1255G	68.10	68.20	-0.10	58.68	3	Vertical	279	1.79	-	36.90	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10728G	83.50	Inf	-Inf	74.21	3	Horizontal	313	1.80	-	36.76	5.95	33.42
RMS	7.10738G	74.33	Inf	-Inf	65.04	3	Horizontal	313	1.80	-	36.76	5.95	33.42
PK	7.1255G	63.34	88.20	-24.86	53.92	3	Horizontal	313	1.80	-	36.90	5.96	33.44
RMS	7.1255G	53.37	68.20	-14.83	43.95	3	Horizontal	313	1.80	-	36.90	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2341G	55.45	88.20	-32.75	40.95	3	Vertical	69	1.02	-	40.73	8.66	34.89
RMS	14.23052G	43.72	68.20	-24.48	29.21	3	Vertical	69	1.02	-	40.74	8.66	34.89

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23282G	55.54	88.20	-32.66	41.04	3	Horizontal	54	1.65	-	40.73	8.66	34.89
RMS	14.23044G	43.93	68.20	-24.27	29.42	3	Horizontal	54	1.65	-	40.74	8.66	34.89

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3446G	43.38	83.54	-40.16	40.29	1	Vertical	110	1.51	-	37.71	15.01	49.63
AV	21.34424G	30.33	63.54	-33.21	27.24	1	Vertical	110	1.51	-	37.71	15.01	49.63

802.11ax HEW20-BF_Nss1,(MCS3)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34972G	43.33	83.54	-40.21	40.23	1	Horizontal	143	1.58	-	37.72	15.01	49.63
AV	21.34488G	30.52	63.54	-33.02	27.43	1	Horizontal	143	1.58	-	37.71	15.01	49.63

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8958G	61.43	88.20	-26.77	54.53	3	Vertical	61	1.60	-	34.89	5.35	33.34
RMS	5.923G	50.07	68.20	-18.13	43.02	3	Vertical	61	1.60	-	35.04	5.36	33.35
PK	5.951G	106.01	Inf	-Inf	98.79	3	Vertical	61	1.60	-	35.20	5.38	33.36
RMS	5.9478G	95.62	Inf	-Inf	88.42	3	Vertical	61	1.60	-	35.19	5.37	33.36

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	61.39	88.20	-26.81	54.48	3	Horizontal	1	2.78	-	34.90	5.35	33.34
RMS	5.917G	50.01	68.20	-18.19	43.00	3	Horizontal	1	2.78	-	35.00	5.36	33.35
PK	5.9806G	100.34	Inf	-Inf	93.00	3	Horizontal	1	2.78	-	35.32	5.39	33.37
RMS	5.983G	90.27	Inf	-Inf	82.92	3	Horizontal	1	2.78	-	35.33	5.39	33.37

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93154G	55.47	74.00	-18.53	42.33	3	Vertical	23	2.04	-	39.11	8.95	34.92
AV	11.9276G	43.83	54.00	-10.17	30.68	3	Vertical	23	2.04	-	39.12	8.95	34.92
PK	17.89562G	60.00	74.00	-14.00	43.02	3	Vertical	144	2.06	-	41.99	9.76	34.77
AV	17.89114G	46.81	54.00	-7.19	29.85	3	Vertical	144	2.06	-	41.97	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 10
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93246G	55.32	74.00	-18.68	42.19	3	Horizontal	212	2.03	-	39.10	8.95	34.92
AV	11.92882G	43.40	54.00	-10.60	30.26	3	Horizontal	212	2.03	-	39.11	8.95	34.92
PK	17.8954G	60.11	74.00	-13.89	43.13	3	Horizontal	172	2.76	-	41.99	9.76	34.77
AV	17.89432G	46.86	54.00	-7.14	29.89	3	Horizontal	172	2.76	-	41.98	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	59.01	88.20	-29.19	52.01	3	Vertical	69	1.80	-	34.99	5.36	33.35
RMS	5.9202G	47.61	68.20	-20.59	40.58	3	Vertical	69	1.80	-	35.02	5.36	33.35
PK	6.1578G	105.33	Inf	-Inf	97.59	3	Vertical	69	1.80	-	35.45	5.56	33.27
RMS	6.1566G	95.97	Inf	-Inf	88.24	3	Vertical	69	1.80	-	35.44	5.56	33.27

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	58.49	88.20	-29.71	51.45	3	Horizontal	357	2.97	-	35.03	5.36	33.35
RMS	5.9214G	47.58	68.20	-20.62	40.54	3	Horizontal	357	2.97	-	35.03	5.36	33.35
PK	6.1722G	96.07	Inf	-Inf	88.23	3	Horizontal	357	2.97	-	35.53	5.57	33.26
RMS	6.171G	85.63	Inf	-Inf	77.79	3	Horizontal	357	2.97	-	35.53	5.57	33.26

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32722G	54.49	74.00	-19.51	41.63	3	Vertical	128	2.68	-	38.78	8.93	34.85
AV	12.32566G	41.38	54.00	-12.62	28.52	3	Vertical	128	2.68	-	38.78	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33124G	54.36	74.00	-19.64	41.49	3	Horizontal	198	2.26	-	38.79	8.93	34.85
AV	12.3285G	41.69	54.00	-12.31	28.82	3	Horizontal	198	2.26	-	38.79	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4982G	43.78	83.54	-39.76	42.16	1	Vertical	327	1.58	-	37.80	13.92	50.10
AV	18.49478G	30.25	63.54	-33.29	28.64	1	Vertical	327	1.58	-	37.79	13.92	50.10

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49828G	42.99	83.54	-40.55	41.37	1	Horizontal	115	1.54	-	37.80	13.92	50.10
AV	18.4956G	30.15	63.54	-33.39	28.54	1	Horizontal	115	1.54	-	37.79	13.92	50.10

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	57.39	88.20	-30.81	50.48	3	Vertical	46	1.80	-	34.90	5.35	33.34
RMS	5.925G	47.57	68.20	-20.63	40.51	3	Vertical	46	1.80	-	35.05	5.36	33.35
PK	6.405G	105.26	Inf	-Inf	96.97	3	Vertical	46	1.80	-	35.69	5.70	33.10
RMS	6.4072G	96.16	Inf	-Inf	87.87	3	Vertical	46	1.80	-	35.69	5.70	33.10

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	58.26	88.20	-29.94	51.42	3	Horizontal	0	2.99	-	34.84	5.33	33.33
RMS	5.9232G	47.54	68.20	-20.66	40.49	3	Horizontal	0	2.99	-	35.04	5.36	33.35
PK	6.3874G	98.27	Inf	-Inf	90.03	3	Horizontal	0	2.99	-	35.67	5.69	33.12
RMS	6.4094G	86.09	Inf	-Inf	77.81	3	Horizontal	0	2.99	-	35.68	5.70	33.10

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8118G	54.70	88.20	-33.50	41.19	3	Vertical	153	2.43	-	39.41	8.84	34.74
RMS	12.80924G	41.51	68.20	-26.69	28.00	3	Vertical	153	2.43	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81294G	54.36	88.20	-33.84	40.85	3	Horizontal	31	1.33	-	39.41	8.84	34.74
RMS	12.8076G	41.64	68.20	-26.56	28.13	3	Horizontal	31	1.33	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21542G	41.85	83.54	-41.69	39.79	1	Vertical	203	1.53	-	37.74	13.96	49.64
AV	19.21846G	28.95	63.54	-34.59	26.89	1	Vertical	203	1.53	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21018G	41.96	83.54	-41.58	39.89	1	Horizontal	75	1.57	-	37.75	13.96	49.64
AV	19.2155G	28.94	63.54	-34.60	26.88	1	Horizontal	75	1.57	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	58.48	88.20	-29.72	51.64	3	Vertical	295	1.70	-	34.84	5.33	33.33
RMS	5.9194G	47.62	68.20	-20.58	40.59	3	Vertical	295	1.70	-	35.02	5.36	33.35
PK	6.4474G	106.62	Inf	-Inf	98.39	3	Vertical	295	1.70	-	35.61	5.70	33.08
RMS	6.4474G	96.56	Inf	-Inf	88.33	3	Vertical	295	1.70	-	35.61	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	57.91	88.20	-30.29	51.05	3	Horizontal	291	1.83	-	34.85	5.34	33.33
RMS	5.9194G	47.57	68.20	-20.63	40.54	3	Horizontal	291	1.83	-	35.02	5.36	33.35
PK	6.4474G	106.22	Inf	-Inf	97.99	3	Horizontal	291	1.83	-	35.61	5.70	33.08
RMS	6.4474G	96.73	Inf	-Inf	88.50	3	Horizontal	291	1.83	-	35.61	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88774G	55.30	88.20	-32.90	41.71	3	Vertical	307	1.04	-	39.49	8.82	34.72
RMS	12.8923G	41.82	68.20	-26.38	28.23	3	Vertical	307	1.04	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88632G	55.31	88.20	-32.89	41.72	3	Horizontal	216	1.00	-	39.49	8.82	34.72
RMS	12.88766G	41.75	68.20	-26.45	28.16	3	Horizontal	216	1.00	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3341G	41.56	83.54	-41.98	39.49	1	Vertical	219	1.51	-	37.77	13.97	49.67
AV	19.33816G	28.65	63.54	-34.89	26.58	1	Vertical	219	1.51	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.336G	41.27	83.54	-42.27	39.20	1	Horizontal	246	1.56	-	37.77	13.97	49.67
AV	19.3365G	28.66	63.54	-34.88	26.59	1	Horizontal	246	1.56	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	58.59	88.20	-29.61	51.71	3	Vertical	69	1.73	-	34.87	5.34	33.33
RMS	5.9222G	47.51	68.20	-20.69	40.47	3	Vertical	69	1.73	-	35.03	5.36	33.35
PK	6.471G	106.38	Inf	-Inf	98.06	3	Vertical	69	1.73	-	35.68	5.70	33.06
RMS	6.471G	96.21	Inf	-Inf	87.89	3	Vertical	69	1.73	-	35.68	5.70	33.06
PK	7.1738G	61.13	88.20	-27.07	51.44	3	Vertical	69	1.73	-	37.20	5.99	33.50
RMS	7.1458G	50.67	68.20	-17.53	41.09	3	Vertical	69	1.73	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	57.69	88.20	-30.51	50.68	3	Horizontal	67	1.60	-	35.00	5.36	33.35
RMS	5.925G	47.59	68.20	-20.61	40.53	3	Horizontal	67	1.60	-	35.05	5.36	33.35
PK	6.4906G	105.86	Inf	-Inf	97.45	3	Horizontal	67	1.60	-	35.76	5.70	33.05
RMS	6.4906G	96.43	Inf	-Inf	88.02	3	Horizontal	67	1.60	-	35.76	5.70	33.05
PK	7.157G	61.27	88.20	-26.93	51.64	3	Horizontal	67	1.60	-	37.13	5.98	33.48
RMS	7.1458G	50.66	68.20	-17.54	41.08	3	Horizontal	67	1.60	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97364G	55.60	88.20	-32.60	41.85	3	Vertical	355	1.87	-	39.65	8.81	34.71
RMS	12.97108G	41.78	68.20	-26.42	28.04	3	Vertical	355	1.87	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96606G	55.22	88.20	-32.98	41.49	3	Horizontal	251	2.79	-	39.63	8.81	34.71
RMS	12.97126G	41.83	68.20	-26.37	28.09	3	Horizontal	251	2.79	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4525G	41.60	83.54	-41.94	39.46	1	Vertical	190	1.50	-	37.86	13.97	49.69
AV	19.45772G	28.42	63.54	-35.12	26.27	1	Vertical	190	1.50	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_4TX


6485MHz_TnomVnom



EUTY_4TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4581G	41.13	83.54	-42.41	38.98	1	Horizontal	265	1.53	-	37.87	13.97	49.69
AV	19.45942G	28.34	63.54	-35.20	26.19	1	Horizontal	265	1.53	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 14
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	58.44	88.20	-29.76	51.55	3	Vertical	284	1.66	-	34.88	5.35	33.34
RMS	5.923G	47.59	68.20	-20.61	40.54	3	Vertical	284	1.66	-	35.04	5.36	33.35
PK	6.5082G	106.45	Inf	-Inf	97.96	3	Vertical	284	1.66	-	35.83	5.70	33.04
RMS	6.5334G	96.68	Inf	-Inf	88.11	3	Vertical	284	1.66	-	35.93	5.70	33.06
PK	7.1774G	60.99	88.20	-27.21	51.29	3	Vertical	284	1.66	-	37.21	5.99	33.50
RMS	7.1438G	50.66	68.20	-17.54	41.10	3	Vertical	284	1.66	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8754G	58.26	88.20	-29.94	51.40	3	Horizontal	332	1.69	-	34.85	5.34	33.33
RMS	5.925G	47.54	68.20	-20.66	40.48	3	Horizontal	332	1.69	-	35.05	5.36	33.35
PK	6.5222G	95.34	Inf	-Inf	86.80	3	Horizontal	332	1.69	-	35.89	5.70	33.05
RMS	6.5194G	85.25	Inf	-Inf	76.72	3	Horizontal	332	1.69	-	35.88	5.70	33.05
PK	7.127G	60.79	88.20	-27.41	51.35	3	Horizontal	332	1.69	-	36.92	5.96	33.44
RMS	7.225G	50.66	68.20	-17.54	40.86	3	Horizontal	332	1.69	-	37.35	6.01	33.56

802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 14
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05218G	55.57	88.20	-32.63	41.78	3	Vertical	203	2.58	-	39.70	8.79	34.70
RMS	13.05206G	42.55	68.20	-25.65	28.76	3	Vertical	203	2.58	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05304G	56.11	88.20	-32.09	42.32	3	Horizontal	276	2.76	-	39.70	8.79	34.70
RMS	13.04992G	42.46	68.20	-25.74	28.67	3	Horizontal	276	2.76	-	39.70	8.79	34.70


802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 14
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57156G	41.99	83.54	-41.55	39.84	1	Vertical	280	1.55	-	37.87	13.98	49.70
AV	19.57734G	28.84	63.54	-34.70	26.69	1	Vertical	280	1.55	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 14
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57752G	42.17	83.54	-41.37	40.02	1	Horizontal	322	1.56	-	37.87	13.98	49.70
AV	19.57416G	28.99	63.54	-34.55	26.84	1	Horizontal	322	1.56	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	106.49	Inf	-Inf	97.83	3	Vertical	39	1.83	-	36.03	5.70	33.07
RMS	6.5626G	96.58	Inf	-Inf	87.92	3	Vertical	39	1.83	-	36.03	5.70	33.07
PK	7.1482G	60.42	88.20	-27.78	50.83	3	Vertical	39	1.83	-	37.09	5.97	33.47
RMS	7.1458G	50.75	68.20	-17.45	41.17	3	Vertical	39	1.83	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	98.26	Inf	-Inf	89.62	3	Horizontal	358	3.00	-	36.01	5.70	33.07
RMS	6.5674G	88.32	Inf	-Inf	79.66	3	Horizontal	358	3.00	-	36.03	5.70	33.07
PK	7.1338G	61.05	88.20	-27.15	51.56	3	Horizontal	358	3.00	-	36.97	5.97	33.45
RMS	7.1434G	50.60	68.20	-17.60	41.04	3	Horizontal	358	3.00	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1275G	55.38	88.20	-32.82	41.56	3	Vertical	111	1.18	-	39.76	8.77	34.71
RMS	13.12762G	42.37	68.20	-25.83	28.55	3	Vertical	111	1.18	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13008G	55.27	88.20	-32.93	41.45	3	Horizontal	343	2.08	-	39.76	8.77	34.71
RMS	13.12978G	42.49	68.20	-25.71	28.67	3	Horizontal	343	2.08	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69762G	42.09	83.54	-41.45	39.99	1	Vertical	109	1.55	-	37.82	13.98	49.70
AV	19.69254G	29.08	63.54	-34.46	26.98	1	Vertical	109	1.55	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 12
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69274G	41.94	83.54	-41.60	39.84	1	Horizontal	207	1.51	-	37.82	13.98	49.70
AV	19.6916G	29.30	63.54	-34.24	27.20	1	Horizontal	207	1.51	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	107.26	Inf	-Inf	98.49	3	Vertical	292	1.80	-	36.20	5.70	33.13
RMS	6.679G	97.80	Inf	-Inf	89.03	3	Vertical	292	1.80	-	36.20	5.70	33.13
PK	7.181G	62.46	88.20	-25.74	52.76	3	Vertical	292	1.80	-	37.22	5.99	33.51
RMS	7.145G	50.68	68.20	-17.52	41.11	3	Vertical	292	1.80	-	37.06	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.685G	101.94	Inf	-Inf	93.17	3	Horizontal	18	3.00	-	36.20	5.70	33.13
RMS	6.683G	91.40	Inf	-Inf	82.63	3	Horizontal	18	3.00	-	36.20	5.70	33.13
PK	7.139G	60.57	88.20	-27.63	51.05	3	Horizontal	18	3.00	-	37.01	5.97	33.46
RMS	7.145G	50.66	68.20	-17.54	41.09	3	Horizontal	18	3.00	-	37.06	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37096G	56.23	74.00	-17.77	42.07	3	Vertical	347	1.33	-	40.14	8.73	34.71
AV	13.36906G	42.83	54.00	-11.17	28.67	3	Vertical	347	1.33	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37406G	55.63	74.00	-18.37	41.46	3	Horizontal	10	1.69	-	40.15	8.73	34.71
AV	13.37438G	42.74	54.00	-11.26	28.57	3	Horizontal	10	1.69	-	40.15	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05706G	42.36	83.54	-41.18	40.59	1	Vertical	338	1.55	-	37.45	14.04	49.72
AV	20.05262G	28.72	63.54	-34.82	26.96	1	Vertical	338	1.55	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05446G	42.05	83.54	-41.49	40.29	1	Horizontal	47	1.54	-	37.44	14.04	49.72
AV	20.05486G	28.76	63.54	-34.78	27.00	1	Horizontal	47	1.54	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	106.26	Inf	-Inf	97.17	3	Vertical	66	1.57	-	36.56	5.74	33.21
RMS	6.8466G	97.02	Inf	-Inf	87.90	3	Vertical	66	1.57	-	36.58	5.75	33.21
PK	7.221G	61.49	88.20	-26.71	51.70	3	Vertical	66	1.57	-	37.34	6.01	33.56
RMS	7.2306G	50.84	68.20	-17.36	41.03	3	Vertical	66	1.57	-	37.36	6.02	33.57

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	99.44	Inf	-Inf	90.39	3	Horizontal	342	2.86	-	36.52	5.74	33.21
RMS	6.8354G	90.30	Inf	-Inf	81.26	3	Horizontal	342	2.86	-	36.51	5.74	33.21
PK	7.1778G	61.78	88.20	-26.42	52.08	3	Horizontal	342	2.86	-	37.21	5.99	33.50
RMS	7.2306G	50.86	68.20	-17.34	41.05	3	Horizontal	342	2.86	-	37.36	6.02	33.57

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69038G	57.66	88.20	-30.54	43.42	3	Vertical	304	1.92	-	40.38	8.66	34.80
RMS	13.68942G	44.20	68.20	-24.00	29.96	3	Vertical	304	1.92	-	40.38	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68674G	57.04	88.20	-31.16	42.81	3	Horizontal	99	1.46	-	40.37	8.66	34.80
RMS	13.69142G	44.17	68.20	-24.03	29.93	3	Horizontal	99	1.46	-	40.38	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5337G	42.64	83.54	-40.90	40.39	1	Vertical	78	1.53	-	37.74	14.40	49.89
AV	20.53956G	30.12	63.54	-33.42	27.85	1	Vertical	78	1.53	-	37.75	14.40	49.88

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53154G	44.00	83.54	-39.54	41.75	1	Horizontal	108	1.50	-	37.74	14.40	49.89
AV	20.5351G	30.18	63.54	-33.36	27.93	1	Horizontal	108	1.50	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	106.56	Inf	-Inf	97.54	3	Vertical	281	1.92	-	36.47	5.78	33.23
RMS	6.8864G	97.12	Inf	-Inf	88.11	3	Vertical	281	1.92	-	36.45	5.79	33.23
PK	7.235G	61.75	88.20	-26.45	51.93	3	Vertical	281	1.92	-	37.37	6.02	33.57
RMS	7.2098G	50.86	68.20	-17.34	41.08	3	Vertical	281	1.92	-	37.32	6.00	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	96.83	Inf	-Inf	87.86	3	Horizontal	6	1.79	-	36.41	5.80	33.24
RMS	6.9004G	87.78	Inf	-Inf	78.82	3	Horizontal	6	1.79	-	36.40	5.80	33.24
PK	7.1608G	61.33	88.20	-26.87	51.69	3	Horizontal	6	1.79	-	37.14	5.98	33.48
RMS	7.2098G	50.80	68.20	-17.40	41.02	3	Horizontal	6	1.79	-	37.32	6.00	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77422G	57.04	88.20	-31.16	42.76	3	Vertical	342	1.13	-	40.47	8.65	34.84
RMS	13.76932G	43.74	68.20	-24.46	29.45	3	Vertical	342	1.13	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS3)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7721G	57.33	88.20	-30.87	43.04	3	Horizontal	32	2.78	-	40.47	8.65	34.83
RMS	13.76974G	43.80	68.20	-24.40	29.51	3	Horizontal	32	2.78	-	40.47	8.65	34.83


802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 15
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65728G	44.12	83.54	-39.42	41.58	1	Vertical	328	1.56	-	37.89	14.49	49.84
AV	20.65996G	30.50	63.54	-33.04	27.96	1	Vertical	328	1.56	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 15
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.654G	43.56	83.54	-39.98	41.03	1	Horizontal	148	1.54	-	37.88	14.49	49.84
AV	20.65748G	30.30	63.54	-33.24	27.76	1	Horizontal	148	1.54	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	101.53	Inf	-Inf	92.39	3	Vertical	20	2.90	-	36.57	5.82	33.25
RMS	6.928G	91.85	Inf	-Inf	82.65	3	Vertical	20	2.90	-	36.62	5.83	33.25
PK	7.129G	61.55	88.20	-26.65	52.10	3	Vertical	20	2.90	-	36.93	5.96	33.44
RMS	7.144G	50.62	68.20	-17.58	41.06	3	Vertical	20	2.90	-	37.05	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	102.34	Inf	-Inf	93.14	3	Horizontal	20	2.92	-	36.62	5.83	33.25
RMS	6.928G	93.23	Inf	-Inf	84.03	3	Horizontal	20	2.92	-	36.62	5.83	33.25
PK	7.162G	61.44	88.20	-26.76	51.79	3	Horizontal	20	2.92	-	37.15	5.98	33.48
RMS	7.152G	50.64	68.20	-17.56	41.02	3	Horizontal	20	2.92	-	37.11	5.98	33.47

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84774G	57.24	88.20	-30.96	42.93	3	Vertical	246	1.76	-	40.55	8.63	34.87
RMS	13.85418G	44.24	68.20	-23.96	29.93	3	Vertical	246	1.76	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84532G	57.42	88.20	-30.78	43.11	3	Horizontal	207	1.28	-	40.55	8.63	34.87
RMS	13.84958G	44.17	68.20	-24.03	29.86	3	Horizontal	207	1.28	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7795G	43.40	83.54	-40.14	40.66	1	Vertical	284	1.53	-	37.95	14.58	49.79
AV	20.7795G	30.42	63.54	-33.12	27.68	1	Vertical	284	1.53	-	37.95	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7754G	43.61	83.54	-39.93	40.86	1	Horizontal	204	1.52	-	37.96	14.58	49.79
AV	20.77806G	30.54	63.54	-33.00	27.79	1	Horizontal	204	1.52	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	107.65	Inf	-Inf	98.43	3	Vertical	284	1.61	-	36.61	5.90	33.29
RMS	7.0018G	97.84	Inf	-Inf	88.62	3	Vertical	284	1.61	-	36.61	5.90	33.29
PK	7.1258G	62.09	88.20	-26.11	52.66	3	Vertical	284	1.61	-	36.91	5.96	33.44
RMS	7.1938G	50.81	68.20	-17.39	41.05	3	Vertical	284	1.61	-	37.28	6.00	33.52

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9954G	100.83	Inf	-Inf	91.60	3	Horizontal	13	2.98	-	36.62	5.90	33.29
RMS	6.997G	91.13	Inf	-Inf	81.91	3	Horizontal	13	2.98	-	36.61	5.90	33.29
PK	7.1538G	61.61	88.20	-26.59	51.98	3	Horizontal	13	2.98	-	37.12	5.98	33.47
RMS	7.201G	50.84	68.20	-17.36	41.07	3	Horizontal	13	2.98	-	37.30	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01016G	59.16	88.20	-29.04	44.59	3	Vertical	66	1.39	-	40.90	8.60	34.93
RMS	14.00828G	45.52	68.20	-22.68	30.95	3	Vertical	66	1.39	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01458G	58.55	88.20	-29.65	43.98	3	Horizontal	93	1.71	-	40.90	8.60	34.93
RMS	14.0094G	45.55	68.20	-22.65	30.98	3	Horizontal	93	1.71	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0178G	42.06	83.54	-41.48	39.40	1	Vertical	346	1.52	-	37.60	14.76	49.70
AV	21.01506G	29.29	63.54	-34.25	26.63	1	Vertical	346	1.52	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0139G	42.83	83.54	-40.71	40.17	1	Horizontal	185	1.56	-	37.60	14.76	49.70
AV	21.0173G	29.42	63.54	-34.12	26.76	1	Horizontal	185	1.56	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0834G	108.22	Inf	-Inf	98.94	3	Vertical	74	1.76	-	36.73	5.94	33.39
RMS	7.087G	97.67	Inf	-Inf	88.39	3	Vertical	74	1.76	-	36.73	5.94	33.39
PK	7.167G	62.98	88.20	-25.22	53.32	3	Vertical	74	1.76	-	37.17	5.98	33.49
RMS	7.1666G	51.75	68.20	-16.45	42.09	3	Vertical	74	1.76	-	37.17	5.98	33.49

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0798G	96.23	Inf	-Inf	86.94	3	Horizontal	308	1.72	-	36.74	5.94	33.39
RMS	7.0798G	86.05	Inf	-Inf	76.76	3	Horizontal	308	1.72	-	36.74	5.94	33.39
PK	7.175G	62.85	88.20	-25.35	53.16	3	Horizontal	308	1.72	-	37.20	5.99	33.50
RMS	7.1794G	51.70	68.20	-16.50	42.00	3	Horizontal	308	1.72	-	37.22	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17466G	57.06	88.20	-31.14	42.49	3	Vertical	146	2.19	-	40.83	8.64	34.90
RMS	14.16516G	45.35	68.20	-22.85	30.78	3	Vertical	146	2.19	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16984G	57.13	88.20	-31.07	42.56	3	Horizontal	290	1.53	-	40.83	8.64	34.90
RMS	14.16964G	45.30	68.20	-22.90	30.73	3	Horizontal	290	1.53	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2563G	42.60	83.54	-40.94	39.70	1	Vertical	358	1.57	-	37.61	14.94	49.65
AV	21.25904G	29.52	63.54	-34.02	26.62	1	Vertical	358	1.57	-	37.61	14.94	49.65

802.11ax HEW40-BF_Nss1,(MCS3)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25326G	43.06	83.54	-40.48	40.17	1	Horizontal	251	1.56	-	37.60	14.94	49.65
AV	21.25696G	29.54	63.54	-34.00	26.64	1	Horizontal	251	1.56	-	37.61	14.94	49.65

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	61.67	88.20	-26.53	54.73	3	Vertical	65	1.70	-	34.93	5.35	33.34
RMS	5.925G	50.22	68.20	-17.98	43.16	3	Vertical	65	1.70	-	35.05	5.36	33.35
PK	5.9946G	108.17	Inf	-Inf	100.77	3	Vertical	65	1.70	-	35.38	5.40	33.38
RMS	5.9874G	97.82	Inf	-Inf	90.45	3	Vertical	65	1.70	-	35.35	5.39	33.37

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	60.87	88.20	-27.33	53.94	3	Horizontal	0	2.75	-	34.92	5.35	33.34
RMS	5.917G	49.87	68.20	-18.33	42.86	3	Horizontal	0	2.75	-	35.00	5.36	33.35
PK	6.0018G	100.08	Inf	-Inf	92.66	3	Horizontal	0	2.75	-	35.40	5.40	33.38
RMS	6.001G	89.56	Inf	-Inf	82.14	3	Horizontal	0	2.75	-	35.40	5.40	33.38

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9693G	55.10	74.00	-18.90	42.07	3	Vertical	268	1.64	-	38.99	8.98	34.94
AV	11.96564G	43.10	54.00	-10.90	30.06	3	Vertical	268	1.64	-	39.00	8.98	34.94
PK	17.95792G	60.59	74.00	-13.41	43.56	3	Vertical	217	2.67	-	42.06	9.79	34.82
AV	17.9575G	47.14	54.00	-6.86	30.11	3	Vertical	217	2.67	-	42.06	9.79	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 14
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96524G	55.24	74.00	-18.76	42.20	3	Horizontal	129	2.05	-	39.00	8.98	34.94
AV	11.96652G	43.10	54.00	-10.90	30.06	3	Horizontal	129	2.05	-	39.00	8.98	34.94
PK	17.95788G	60.75	74.00	-13.25	43.72	3	Horizontal	92	1.83	-	42.06	9.79	34.82
AV	17.95196G	47.30	54.00	-6.70	30.28	3	Horizontal	92	1.83	-	42.05	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	58.42	88.20	-29.78	51.42	3	Vertical	299	1.48	-	34.99	5.36	33.35
RMS	5.924G	47.47	68.20	-20.73	40.42	3	Vertical	299	1.48	-	35.04	5.36	33.35
PK	6.137G	105.87	Inf	-Inf	98.19	3	Vertical	299	1.48	-	35.43	5.54	33.29
RMS	6.143G	96.23	Inf	-Inf	88.56	3	Vertical	299	1.48	-	35.41	5.54	33.28

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	58.55	88.20	-29.65	51.59	3	Horizontal	355	2.97	-	34.95	5.35	33.34
RMS	5.922G	47.43	68.20	-20.77	40.39	3	Horizontal	355	2.97	-	35.03	5.36	33.35
PK	6.134G	99.26	Inf	-Inf	91.59	3	Horizontal	355	2.97	-	35.43	5.53	33.29
RMS	6.136G	88.98	Inf	-Inf	81.30	3	Horizontal	355	2.97	-	35.43	5.54	33.29

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28602G	54.00	74.00	-20.00	41.21	3	Vertical	103	2.51	-	38.71	8.94	34.86
AV	12.28842G	41.16	54.00	-12.84	28.37	3	Vertical	103	2.51	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29216G	54.35	74.00	-19.65	41.56	3	Horizontal	339	2.22	-	38.71	8.94	34.86
AV	12.28772G	41.24	54.00	-12.76	28.45	3	Horizontal	339	2.22	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43332G	43.53	83.54	-40.01	42.02	1	Vertical	113	1.55	-	37.72	13.92	50.13
AV	18.43688G	30.39	63.54	-33.15	28.88	1	Vertical	113	1.55	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43622G	44.28	83.54	-39.26	42.77	1	Horizontal	314	1.51	-	37.72	13.92	50.13
AV	18.43644G	30.20	63.54	-33.34	28.69	1	Horizontal	314	1.51	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	57.26	88.20	-30.94	50.36	3	Vertical	298	1.66	-	34.89	5.35	33.34
RMS	5.923G	47.41	68.20	-20.79	40.36	3	Vertical	298	1.66	-	35.04	5.36	33.35
PK	6.375G	105.77	Inf	-Inf	97.55	3	Vertical	298	1.66	-	35.65	5.69	33.12
RMS	6.375G	95.51	Inf	-Inf	87.29	3	Vertical	298	1.66	-	35.65	5.69	33.12

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	57.77	88.20	-30.43	50.88	3	Horizontal	324	2.58	-	34.88	5.35	33.34
RMS	5.921G	47.41	68.20	-20.79	40.37	3	Horizontal	324	2.58	-	35.03	5.36	33.35
PK	6.413G	93.08	Inf	-Inf	84.81	3	Horizontal	324	2.58	-	35.67	5.70	33.10
RMS	6.415G	83.62	Inf	-Inf	75.35	3	Horizontal	324	2.58	-	35.67	5.70	33.10

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77178G	54.67	88.20	-33.53	41.20	3	Vertical	282	1.66	-	39.37	8.85	34.75
RMS	12.77058G	41.23	68.20	-26.97	27.76	3	Vertical	282	1.66	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77228G	54.43	88.20	-33.77	40.96	3	Horizontal	356	2.58	-	39.37	8.85	34.75
RMS	12.77044G	41.20	68.20	-27.00	27.73	3	Horizontal	356	2.58	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15078G	41.18	83.54	-42.36	39.03	1	Vertical	311	1.57	-	37.82	13.96	49.63
AV	19.15704G	28.57	63.54	-34.97	26.43	1	Vertical	311	1.57	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.153G	41.93	83.54	-41.61	39.78	1	Horizontal	189	1.50	-	37.82	13.96	49.63
AV	19.15986G	28.55	63.54	-34.99	26.41	1	Horizontal	189	1.50	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	58.16	88.20	-30.04	51.28	3	Vertical	71	1.63	-	34.87	5.34	33.33
RMS	5.9202G	47.45	68.20	-20.75	40.42	3	Vertical	71	1.63	-	35.02	5.36	33.35
PK	6.4698G	106.07	Inf	-Inf	97.75	3	Vertical	71	1.63	-	35.68	5.70	33.06
RMS	6.4698G	96.74	Inf	-Inf	88.42	3	Vertical	71	1.63	-	35.68	5.70	33.06

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	57.54	88.20	-30.66	50.69	3	Horizontal	12	2.93	-	34.84	5.34	33.33
RMS	5.9202G	47.42	68.20	-20.78	40.39	3	Horizontal	12	2.93	-	35.02	5.36	33.35
PK	6.453G	100.54	Inf	-Inf	92.30	3	Horizontal	12	2.93	-	35.61	5.70	33.07
RMS	6.4602G	91.04	Inf	-Inf	82.77	3	Horizontal	12	2.93	-	35.64	5.70	33.07

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




11/12/2021

EUTY_4TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93136G	54.75	88.20	-33.45	41.09	3	Vertical	285	1.22	-	39.56	8.81	34.71
RMS	12.93008G	41.80	68.20	-26.40	28.14	3	Vertical	285	1.22	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93464G	54.88	88.20	-33.32	41.21	3	Horizontal	355	1.77	-	39.57	8.81	34.71
RMS	12.92928G	41.61	68.20	-26.59	27.95	3	Horizontal	355	1.77	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39632G	42.07	83.54	-41.47	39.96	1	Vertical	346	1.57	-	37.82	13.97	49.68
AV	19.39468G	29.07	63.54	-34.47	26.96	1	Vertical	346	1.57	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39918G	41.85	83.54	-41.69	39.74	1	Horizontal	94	1.51	-	37.82	13.97	49.68
AV	19.39134G	28.97	63.54	-34.57	26.87	1	Horizontal	94	1.51	-	37.81	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
Setting 17
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	58.38	88.20	-29.82	51.43	3	Vertical	294	1.80	-	34.94	5.35	33.34
RMS	5.925G	47.42	68.20	-20.78	40.36	3	Vertical	294	1.80	-	35.05	5.36	33.35
PK	6.5394G	105.49	Inf	-Inf	96.89	3	Vertical	294	1.80	-	35.96	5.70	33.06
RMS	6.5422G	96.98	Inf	-Inf	88.37	3	Vertical	294	1.80	-	35.97	5.70	33.06
PK	7.1974G	61.26	88.20	-26.94	51.50	3	Vertical	294	1.80	-	37.29	6.00	33.53
RMS	7.2338G	50.54	68.20	-17.66	40.72	3	Vertical	294	1.80	-	37.37	6.02	33.57

802.11ax HEW80-BF_Nss1,(MCS3)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 17
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	57.24	88.20	-30.96	50.25	3	Horizontal	0	3.00	-	34.97	5.36	33.34
RMS	5.9234G	47.43	68.20	-20.77	40.38	3	Horizontal	0	3.00	-	35.04	5.36	33.35
PK	6.5702G	96.24	Inf	-Inf	87.58	3	Horizontal	0	3.00	-	36.04	5.70	33.08
RMS	6.5478G	87.23	Inf	-Inf	78.60	3	Horizontal	0	3.00	-	35.99	5.70	33.06
PK	7.2394G	61.03	88.20	-27.17	51.21	3	Horizontal	0	3.00	-	37.38	6.02	33.58
RMS	7.2338G	50.54	68.20	-17.66	40.72	3	Horizontal	0	3.00	-	37.37	6.02	33.57

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0882G	56.09	88.20	-32.11	42.31	3	Vertical	285	2.77	-	39.70	8.78	34.70
RMS	13.08838G	42.42	68.20	-25.78	28.64	3	Vertical	285	2.77	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09066G	55.52	88.20	-32.68	41.74	3	Horizontal	87	2.81	-	39.70	8.78	34.70
RMS	13.09112G	42.43	68.20	-25.77	28.65	3	Horizontal	87	2.81	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63702G	41.76	83.54	-41.78	39.63	1	Vertical	219	1.54	-	37.85	13.98	49.70
AV	19.6385G	28.54	63.54	-35.00	26.42	1	Vertical	219	1.54	-	37.84	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63276G	41.06	83.54	-42.48	38.93	1	Horizontal	36	1.54	-	37.85	13.98	49.70
AV	19.63906G	28.56	63.54	-34.98	26.44	1	Horizontal	36	1.54	-	37.84	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 17
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6346G	106.94	Inf	-Inf	98.18	3	Vertical	290	1.80	-	36.17	5.70	33.11
RMS	6.6346G	97.29	Inf	-Inf	88.53	3	Vertical	290	1.80	-	36.17	5.70	33.11
PK	7.225G	60.91	88.20	-27.29	51.11	3	Vertical	290	1.80	-	37.35	6.01	33.56
RMS	7.1962G	50.55	68.20	-17.65	40.80	3	Vertical	290	1.80	-	37.28	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 17
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	104.24	Inf	-Inf	95.47	3	Horizontal	20	2.82	-	36.18	5.70	33.11
RMS	6.637G	94.83	Inf	-Inf	86.07	3	Horizontal	20	2.82	-	36.17	5.70	33.11
PK	7.1362G	61.40	88.20	-26.80	51.89	3	Horizontal	20	2.82	-	36.99	5.97	33.45
RMS	7.213G	50.54	68.20	-17.66	40.75	3	Horizontal	20	2.82	-	37.33	6.01	33.55

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




11/12/2021

EUTY_4TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25494G	55.23	74.00	-18.77	41.24	3	Vertical	242	1.89	-	39.95	8.75	34.71
AV	13.25498G	42.13	54.00	-11.87	28.14	3	Vertical	242	1.89	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25102G	55.61	74.00	-18.39	41.62	3	Horizontal	61	1.93	-	39.95	8.75	34.71
AV	13.25154G	42.26	54.00	-11.74	28.27	3	Horizontal	61	1.93	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87994G	43.22	83.54	-40.32	41.34	1	Vertical	147	1.54	-	37.59	13.99	49.70
AV	19.87462G	29.89	63.54	-33.65	28.00	1	Vertical	147	1.54	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TnomVnom




EUTY_4TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87964G	43.53	83.54	-40.01	41.65	1	Horizontal	128	1.53	-	37.59	13.99	49.70
AV	19.87232G	29.91	63.54	-33.63	28.02	1	Horizontal	128	1.53	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6705MHz_TnomVnom



EUTY_4TX
Setting 18
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.725G	108.55	Inf	-Inf	99.70	3	Vertical	291	1.96	-	36.30	5.70	33.15
RMS	6.727G	98.61	Inf	-Inf	89.75	3	Vertical	291	1.96	-	36.31	5.70	33.15
PK	7.169G	61.44	88.20	-26.76	51.77	3	Vertical	291	1.96	-	37.18	5.98	33.49
RMS	7.203G	50.57	68.20	-17.63	40.79	3	Vertical	291	1.96	-	37.31	6.00	33.53