


802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 11
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49646G	43.82	83.54	-39.72	42.20	1	Horizontal	304	1.50	-	37.80	13.92	50.10
AV	18.4988G	30.15	63.54	-33.39	28.53	1	Horizontal	304	1.50	-	37.80	13.92	50.10

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	58.00	88.20	-30.20	51.17	3	Vertical	71	1.78	-	34.83	5.33	33.33
RMS	5.9082G	47.91	68.20	-20.29	40.95	3	Vertical	71	1.78	-	34.95	5.35	33.34
PK	6.417G	104.36	Inf	-Inf	96.09	3	Vertical	71	1.78	-	35.67	5.70	33.10
RMS	6.4074G	93.90	Inf	-Inf	85.61	3	Vertical	71	1.78	-	35.69	5.70	33.10

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8362G	58.02	88.20	-30.18	51.29	3	Horizontal	18	3.00	-	34.72	5.32	33.31
RMS	5.9226G	47.89	68.20	-20.31	40.84	3	Horizontal	18	3.00	-	35.04	5.36	33.35
PK	6.4218G	100.51	Inf	-Inf	92.24	3	Horizontal	18	3.00	-	35.66	5.70	33.09
RMS	6.4218G	91.18	Inf	-Inf	82.91	3	Horizontal	18	3.00	-	35.66	5.70	33.09

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81336G	55.79	88.20	-32.41	42.28	3	Vertical	157	2.94	-	39.41	8.84	34.74
RMS	12.8054G	42.22	68.20	-25.98	28.71	3	Vertical	157	2.94	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80626G	55.44	88.20	-32.76	41.93	3	Horizontal	188	2.11	-	39.41	8.84	34.74
RMS	12.80716G	42.27	68.20	-25.93	28.76	3	Horizontal	188	2.11	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21608G	41.83	83.54	-41.71	39.77	1	Vertical	335	1.53	-	37.74	13.96	49.64
AV	19.2191G	28.85	63.54	-34.69	26.79	1	Vertical	335	1.53	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2159G	42.14	83.54	-41.40	40.08	1	Horizontal	43	1.50	-	37.74	13.96	49.64
AV	19.21564G	28.91	63.54	-34.63	26.85	1	Horizontal	43	1.50	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	58.72	88.20	-29.48	51.68	3	Vertical	284	1.80	-	35.03	5.36	33.35
RMS	5.9198G	48.00	68.20	-20.20	40.97	3	Vertical	284	1.80	-	35.02	5.36	33.35
PK	6.445G	103.69	Inf	-Inf	95.46	3	Vertical	284	1.80	-	35.61	5.70	33.08
RMS	6.4502G	95.41	Inf	-Inf	87.18	3	Vertical	284	1.80	-	35.60	5.70	33.07

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	57.94	88.20	-30.26	51.37	3	Horizontal	16	2.76	-	34.56	5.31	33.30
RMS	5.925G	47.92	68.20	-20.28	40.86	3	Horizontal	16	2.76	-	35.05	5.36	33.35
PK	6.4346G	99.86	Inf	-Inf	91.61	3	Horizontal	16	2.76	-	35.63	5.70	33.08
RMS	6.4346G	90.12	Inf	-Inf	81.87	3	Horizontal	16	2.76	-	35.63	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89018G	55.33	88.20	-32.87	41.74	3	Vertical	338	1.14	-	39.49	8.82	34.72
RMS	12.88964G	42.59	68.20	-25.61	29.00	3	Vertical	338	1.14	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89334G	55.96	88.20	-32.24	42.37	3	Horizontal	158	2.58	-	39.49	8.82	34.72
RMS	12.88754G	42.61	68.20	-25.59	29.02	3	Horizontal	158	2.58	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33668G	41.81	83.54	-41.73	39.74	1	Vertical	45	1.52	-	37.77	13.97	49.67
AV	19.33674G	28.79	63.54	-34.75	26.72	1	Vertical	45	1.52	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33632G	41.38	83.54	-42.16	39.31	1	Horizontal	141	1.50	-	37.77	13.97	49.67
AV	19.33898G	28.60	63.54	-34.94	26.53	1	Horizontal	141	1.50	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	58.62	88.20	-29.58	51.63	3	Vertical	284	2.47	-	34.97	5.36	33.34
RMS	5.922G	47.95	68.20	-20.25	40.91	3	Vertical	284	2.47	-	35.03	5.36	33.35
PK	6.4794G	103.70	Inf	-Inf	95.33	3	Vertical	284	2.47	-	35.72	5.70	33.05
RMS	6.4794G	94.13	Inf	-Inf	85.76	3	Vertical	284	2.47	-	35.72	5.70	33.05
PK	7.1626G	62.67	88.20	-25.53	53.03	3	Vertical	284	2.47	-	37.15	5.98	33.49
RMS	7.1458G	51.21	68.20	-16.99	41.63	3	Vertical	284	2.47	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTV_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	59.45	88.20	-28.75	52.64	3	Horizontal	15	2.98	-	34.80	5.33	33.32
RMS	5.9194G	47.98	68.20	-20.22	40.95	3	Horizontal	15	2.98	-	35.02	5.36	33.35
PK	6.4906G	103.92	Inf	-Inf	95.51	3	Horizontal	15	2.98	-	35.76	5.70	33.05
RMS	6.4906G	93.85	Inf	-Inf	85.44	3	Horizontal	15	2.98	-	35.76	5.70	33.05
PK	7.185G	61.91	88.20	-26.29	52.19	3	Horizontal	15	2.98	-	37.24	5.99	33.51
RMS	7.1458G	51.22	68.20	-16.98	41.64	3	Horizontal	15	2.98	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97432G	55.93	88.20	-32.27	42.18	3	Vertical	357	1.63	-	39.65	8.81	34.71
RMS	12.9733G	42.74	68.20	-25.46	28.99	3	Vertical	357	1.63	-	39.65	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTV_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97144G	56.35	88.20	-31.85	42.61	3	Horizontal	252	1.19	-	39.64	8.81	34.71
RMS	12.96992G	42.75	68.20	-25.45	29.01	3	Horizontal	252	1.19	-	39.64	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4534G	41.97	83.54	-41.57	39.83	1	Vertical	349	1.55	-	37.86	13.97	49.69
AV	19.45454G	28.39	63.54	-35.15	26.25	1	Vertical	349	1.55	-	37.86	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45484G	41.30	83.54	-42.24	39.16	1	Horizontal	191	1.51	-	37.86	13.97	49.69
AV	19.4548G	28.29	63.54	-35.25	26.15	1	Horizontal	191	1.51	-	37.86	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	58.48	88.20	-29.72	51.45	3	Vertical	42	1.49	-	35.02	5.36	33.35
RMS	5.925G	47.99	68.20	-20.21	40.93	3	Vertical	42	1.49	-	35.05	5.36	33.35
PK	6.525G	106.84	Inf	-Inf	98.29	3	Vertical	42	1.49	-	35.90	5.70	33.05
RMS	6.5222G	96.86	Inf	-Inf	88.32	3	Vertical	42	1.49	-	35.89	5.70	33.05
PK	7.1298G	61.68	88.20	-26.52	52.23	3	Vertical	42	1.49	-	36.94	5.96	33.45
RMS	7.2138G	51.30	68.20	-16.90	41.51	3	Vertical	42	1.49	-	37.33	6.01	33.55

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	58.51	88.20	-29.69	51.55	3	Horizontal	9	2.93	-	34.95	5.35	33.34
RMS	5.9202G	48.00	68.20	-20.20	40.97	3	Horizontal	9	2.93	-	35.02	5.36	33.35
PK	6.5418G	100.98	Inf	-Inf	92.37	3	Horizontal	9	2.93	-	35.97	5.70	33.06
RMS	6.5418G	91.41	Inf	-Inf	82.80	3	Horizontal	9	2.93	-	35.97	5.70	33.06
PK	7.2194G	62.20	88.20	-26.00	52.40	3	Horizontal	9	2.93	-	37.34	6.01	33.55
RMS	7.2138G	51.31	68.20	-16.89	41.52	3	Horizontal	9	2.93	-	37.33	6.01	33.55

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04766G	57.04	88.20	-31.16	43.25	3	Vertical	85	1.86	-	39.70	8.79	34.70
RMS	13.05076G	43.64	68.20	-24.56	29.85	3	Vertical	85	1.86	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04878G	57.08	88.20	-31.12	43.29	3	Horizontal	117	2.48	-	39.70	8.79	34.70
RMS	13.0505G	43.78	68.20	-24.42	29.99	3	Horizontal	117	2.48	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57196G	41.79	83.54	-41.75	39.64	1	Vertical	280	1.50	-	37.87	13.98	49.70
AV	19.57478G	28.56	63.54	-34.98	26.41	1	Vertical	280	1.50	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57158G	41.46	83.54	-42.08	39.31	1	Horizontal	359	1.54	-	37.87	13.98	49.70
AV	19.57412G	28.76	63.54	-34.78	26.61	1	Horizontal	359	1.54	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	104.41	Inf	-Inf	95.75	3	Vertical	291	1.77	-	36.03	5.70	33.07
RMS	6.5698G	94.96	Inf	-Inf	86.29	3	Vertical	291	1.77	-	36.04	5.70	33.07
PK	7.1362G	61.38	88.20	-26.82	51.87	3	Vertical	291	1.77	-	36.99	5.97	33.45
RMS	7.1458G	51.26	68.20	-16.94	41.68	3	Vertical	291	1.77	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	101.60	Inf	-Inf	92.95	3	Horizontal	12	2.77	-	36.02	5.70	33.07
RMS	6.5626G	91.61	Inf	-Inf	82.95	3	Horizontal	12	2.77	-	36.03	5.70	33.07
PK	7.1602G	62.45	88.20	-25.75	52.81	3	Horizontal	12	2.77	-	37.14	5.98	33.48
RMS	7.1458G	51.27	68.20	-16.93	41.69	3	Horizontal	12	2.77	-	37.07	5.97	33.46

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1348G	56.66	88.20	-31.54	42.83	3	Vertical	170	1.73	-	39.77	8.77	34.71
RMS	13.1273G	43.50	68.20	-24.70	29.69	3	Vertical	170	1.73	-	39.75	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1295G	56.61	88.20	-31.59	42.79	3	Horizontal	258	1.29	-	39.76	8.77	34.71
RMS	13.12526G	43.49	68.20	-24.71	29.68	3	Horizontal	258	1.29	-	39.75	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69176G	42.91	83.54	-40.63	40.81	1	Vertical	101	1.57	-	37.82	13.98	49.70
AV	19.69564G	29.06	63.54	-34.48	26.96	1	Vertical	101	1.57	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 13
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69678G	42.27	83.54	-41.27	40.17	1	Horizontal	308	1.51	-	37.82	13.98	49.70
AV	19.69148G	29.01	63.54	-34.53	26.91	1	Horizontal	308	1.51	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	106.11	Inf	-Inf	97.35	3	Vertical	286	1.79	-	36.20	5.70	33.14
RMS	6.695G	95.50	Inf	-Inf	86.74	3	Vertical	286	1.79	-	36.20	5.70	33.14
PK	7.143G	61.50	88.20	-26.70	51.95	3	Vertical	286	1.79	-	37.04	5.97	33.46
RMS	7.137G	51.30	68.20	-16.90	41.78	3	Vertical	286	1.79	-	37.00	5.97	33.45

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	102.69	Inf	-Inf	93.93	3	Horizontal	22	2.56	-	36.20	5.70	33.14
RMS	6.699G	93.48	Inf	-Inf	84.72	3	Horizontal	22	2.56	-	36.20	5.70	33.14
PK	7.135G	62.29	88.20	-25.91	52.79	3	Horizontal	22	2.56	-	36.98	5.97	33.45
RMS	7.147G	51.23	68.20	-16.97	41.65	3	Horizontal	22	2.56	-	37.08	5.97	33.47

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36634G	56.74	74.00	-17.26	42.59	3	Vertical	202	1.21	-	40.13	8.73	34.71
AV	13.37174G	43.59	54.00	-10.41	29.43	3	Vertical	202	1.21	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.371G	57.32	74.00	-16.68	43.16	3	Horizontal	178	1.88	-	40.14	8.73	34.71
AV	13.37416G	43.72	54.00	-10.28	29.55	3	Horizontal	178	1.88	-	40.15	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05178G	42.13	83.54	-41.41	40.37	1	Vertical	301	1.50	-	37.44	14.04	49.72
AV	20.05764G	28.66	63.54	-34.88	26.89	1	Vertical	301	1.50	-	37.45	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05998G	41.85	83.54	-41.69	40.08	1	Horizontal	82	1.54	-	37.45	14.04	49.72
AV	20.05464G	28.60	63.54	-34.94	26.84	1	Horizontal	82	1.54	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	107.30	Inf	-Inf	98.18	3	Vertical	291	2.44	-	36.59	5.75	33.22
RMS	6.8498G	97.72	Inf	-Inf	88.58	3	Vertical	291	2.44	-	36.60	5.75	33.21
PK	7.1426G	62.82	88.20	-25.38	53.27	3	Vertical	291	2.44	-	37.04	5.97	33.46
RMS	7.2034G	51.45	68.20	-16.75	41.67	3	Vertical	291	2.44	-	37.31	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	105.69	Inf	-Inf	96.57	3	Horizontal	18	3.00	-	36.59	5.75	33.22
RMS	6.8466G	96.38	Inf	-Inf	87.26	3	Horizontal	18	3.00	-	36.58	5.75	33.21
PK	7.2338G	62.42	88.20	-25.78	52.60	3	Horizontal	18	3.00	-	37.37	6.02	33.57
RMS	7.2002G	51.43	68.20	-16.77	41.66	3	Horizontal	18	3.00	-	37.30	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68906G	57.99	88.20	-30.21	43.75	3	Vertical	10	2.30	-	40.38	8.66	34.80
RMS	13.6858G	45.24	68.20	-22.96	31.01	3	Vertical	10	2.30	-	40.37	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69354G	58.63	88.20	-29.57	44.38	3	Horizontal	177	1.18	-	40.39	8.66	34.80
RMS	13.69494G	45.29	68.20	-22.91	31.04	3	Horizontal	177	1.18	-	40.39	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5395G	42.79	83.54	-40.75	40.52	1	Vertical	352	1.50	-	37.75	14.40	49.88
AV	20.53478G	29.79	63.54	-33.75	27.54	1	Vertical	352	1.50	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53296G	42.77	83.54	-40.77	40.52	1	Horizontal	153	1.58	-	37.74	14.40	49.89
AV	20.53416G	29.91	63.54	-33.63	27.66	1	Horizontal	153	1.58	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss1,(MCS3)_2TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_2TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	104.70	Inf	-Inf	95.73	3	Vertical	293	2.10	-	36.41	5.80	33.24
RMS	6.8836G	95.95	Inf	-Inf	86.93	3	Vertical	293	2.10	-	36.47	5.78	33.23
PK	7.1272G	62.09	88.20	-26.11	52.65	3	Vertical	293	2.10	-	36.92	5.96	33.44
RMS	7.2056G	51.50	68.20	-16.70	41.73	3	Vertical	293	2.10	-	37.31	6.00	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
 Setting 16
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.899G	101.89	Inf	-Inf	92.93	3	Horizontal	19	2.16	-	36.40	5.80	33.24
RMS	6.8878G	92.53	Inf	-Inf	83.52	3	Horizontal	19	2.16	-	36.45	5.79	33.23
PK	7.1706G	61.53	88.20	-26.67	51.85	3	Horizontal	19	2.16	-	37.18	5.99	33.49
RMS	7.2098G	51.40	68.20	-16.80	41.62	3	Horizontal	19	2.16	-	37.32	6.00	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76818G	58.04	88.20	-30.16	43.75	3	Vertical	58	1.32	-	40.47	8.65	34.83
RMS	13.76908G	44.70	68.20	-23.50	30.41	3	Vertical	58	1.32	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77298G	57.92	88.20	-30.28	43.63	3	Horizontal	177	1.36	-	40.47	8.65	34.83
RMS	13.77132G	44.69	68.20	-23.51	30.40	3	Horizontal	177	1.36	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS3)_2TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_2TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65612G	42.56	83.54	-40.98	40.02	1	Vertical	335	1.50	-	37.89	14.49	49.84
AV	20.65414G	29.94	63.54	-33.60	27.41	1	Vertical	335	1.50	-	37.88	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
 Setting 16
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65722G	43.13	83.54	-40.41	40.59	1	Horizontal	209	1.53	-	37.89	14.49	49.84
AV	20.65446G	29.99	63.54	-33.55	27.45	1	Horizontal	209	1.53	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	107.14	Inf	-Inf	98.02	3	Vertical	77	1.37	-	36.55	5.82	33.25
RMS	6.920G	96.95	Inf	-Inf	87.82	3	Vertical	77	1.37	-	36.56	5.82	33.25
PK	7.1374G	62.02	88.20	-26.18	52.50	3	Vertical	77	1.37	-	37.00	5.97	33.45
RMS	7.2118G	51.37	68.20	-16.83	41.58	3	Vertical	77	1.37	-	37.32	6.01	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9286G	103.26	Inf	-Inf	94.05	3	Horizontal	24	2.12	-	36.63	5.83	33.25
RMS	6.9286G	93.28	Inf	-Inf	84.07	3	Horizontal	24	2.12	-	36.63	5.83	33.25
PK	7.2106G	62.21	88.20	-25.99	52.42	3	Horizontal	24	2.12	-	37.32	6.01	33.54
RMS	7.2094G	51.34	68.20	-16.86	41.56	3	Horizontal	24	2.12	-	37.32	6.00	33.54

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8524G	57.94	88.20	-30.26	43.63	3	Vertical	333	1.34	-	40.55	8.63	34.87
RMS	13.846G	44.80	68.20	-23.40	30.49	3	Vertical	333	1.34	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85216G	58.75	88.20	-29.45	44.44	3	Horizontal	310	1.63	-	40.55	8.63	34.87
RMS	13.84512G	44.92	68.20	-23.28	30.60	3	Horizontal	310	1.63	-	40.55	8.63	34.86

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77884G	43.47	83.54	-40.07	40.73	1	Vertical	133	1.55	-	37.95	14.58	49.79
AV	20.77362G	30.48	63.54	-33.06	27.73	1	Vertical	133	1.55	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7736G	43.51	83.54	-40.03	40.76	1	Horizontal	231	1.51	-	37.96	14.58	49.79
AV	20.7765G	30.31	63.54	-33.23	27.56	1	Horizontal	231	1.51	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	105.30	Inf	-Inf	96.09	3	Vertical	283	1.20	-	36.60	5.90	33.29
RMS	6.9994G	96.09	Inf	-Inf	86.88	3	Vertical	283	1.20	-	36.60	5.90	33.29
PK	7.1842G	61.80	88.20	-26.40	52.08	3	Vertical	283	1.20	-	37.24	5.99	33.51
RMS	7.2034G	51.38	68.20	-16.82	41.60	3	Vertical	283	1.20	-	37.31	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	101.16	Inf	-Inf	91.90	3	Horizontal	27	2.05	-	36.65	5.89	33.28
RMS	6.9882G	91.49	Inf	-Inf	82.23	3	Horizontal	27	2.05	-	36.65	5.89	33.28
PK	7.1386G	62.68	88.20	-25.52	53.16	3	Horizontal	27	2.05	-	37.01	5.97	33.46
RMS	7.201G	51.38	68.20	-16.82	41.61	3	Horizontal	27	2.05	-	37.30	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0087G	60.13	88.20	-28.07	45.56	3	Vertical	44	2.18	-	40.90	8.60	34.93
RMS	14.00838G	46.31	68.20	-21.89	31.74	3	Vertical	44	2.18	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00986G	59.07	88.20	-29.13	44.50	3	Horizontal	32	2.83	-	40.90	8.60	34.93
RMS	14.00592G	46.29	68.20	-21.91	31.72	3	Horizontal	32	2.83	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0106G	42.32	83.54	-41.22	39.66	1	Vertical	218	1.55	-	37.60	14.76	49.70
AV	21.0135G	29.44	63.54	-34.10	26.78	1	Vertical	218	1.55	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0122G	42.08	83.54	-41.46	39.42	1	Horizontal	55	1.51	-	37.60	14.76	49.70
AV	21.01986G	29.33	63.54	-34.21	26.67	1	Horizontal	55	1.51	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0758G	105.73	Inf	-Inf	96.42	3	Vertical	78	1.52	-	36.75	5.94	33.38
RMS	7.083G	95.30	Inf	-Inf	86.02	3	Vertical	78	1.52	-	36.73	5.94	33.39
PK	7.185G	62.81	88.20	-25.39	53.09	3	Vertical	78	1.52	-	37.24	5.99	33.51
RMS	7.1254G	51.82	68.20	-16.38	42.40	3	Vertical	78	1.52	-	36.90	5.96	33.44

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




08/12/2021

EUTY_2TX
Setting 14
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	100.61	Inf	-Inf	91.32	3	Horizontal	19	2.84	-	36.74	5.94	33.39
RMS	7.083G	90.67	Inf	-Inf	81.39	3	Horizontal	19	2.84	-	36.73	5.94	33.39
PK	7.129G	62.49	88.20	-25.71	53.04	3	Horizontal	19	2.84	-	36.93	5.96	33.44
RMS	7.1846G	51.69	68.20	-16.51	41.97	3	Horizontal	19	2.84	-	37.24	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17398G	59.49	88.20	-28.71	44.92	3	Vertical	89	2.97	-	40.83	8.64	34.90
RMS	14.173G	46.26	68.20	-21.94	31.69	3	Vertical	89	2.97	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17426G	59.28	88.20	-28.92	44.71	3	Horizontal	5	1.27	-	40.83	8.64	34.90
RMS	14.17434G	46.21	68.20	-21.99	31.64	3	Horizontal	5	1.27	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25016G	42.45	83.54	-41.09	39.56	1	Vertical	99	1.51	-	37.60	14.94	49.65
AV	21.25582G	29.84	63.54	-33.70	26.94	1	Vertical	99	1.51	-	37.61	14.94	49.65

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 14
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25882G	42.89	83.54	-40.65	39.99	1	Horizontal	244	1.53	-	37.61	14.94	49.65
AV	21.25542G	29.41	63.54	-34.13	26.51	1	Horizontal	244	1.53	-	37.61	14.94	49.65

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 16
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.57	88.20	-25.63	55.51	3	Vertical	68	1.64	-	35.05	5.36	33.35
RMS	5.9242G	50.26	68.20	-17.94	43.20	3	Vertical	68	1.64	-	35.05	5.36	33.35
PK	5.9562G	106.13	Inf	-Inf	98.89	3	Vertical	68	1.64	-	35.22	5.38	33.36
RMS	5.9866G	95.95	Inf	-Inf	88.58	3	Vertical	68	1.64	-	35.35	5.39	33.37

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 16
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.53	88.20	-26.67	54.47	3	Horizontal	3	2.76	-	35.05	5.36	33.35
RMS	5.9226G	49.79	68.20	-18.41	42.74	3	Horizontal	3	2.76	-	35.04	5.36	33.35
PK	5.9874G	103.60	Inf	-Inf	96.23	3	Horizontal	3	2.76	-	35.35	5.39	33.37
RMS	5.9794G	92.34	Inf	-Inf	85.00	3	Horizontal	3	2.76	-	35.32	5.39	33.37

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96708G	55.75	74.00	-18.25	42.71	3	Vertical	274	1.23	-	39.00	8.98	34.94
AV	11.97468G	42.29	54.00	-11.71	29.27	3	Vertical	274	1.23	-	38.98	8.98	34.94
PK	17.95784G	59.64	74.00	-14.36	42.61	3	Vertical	105	1.52	-	42.06	9.79	34.82
AV	17.95156G	47.21	54.00	-6.79	30.19	3	Vertical	105	1.52	-	42.05	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97182G	55.44	74.00	-18.56	42.42	3	Horizontal	254	1.02	-	38.98	8.98	34.94
AV	11.96868G	42.30	54.00	-11.70	29.27	3	Horizontal	254	1.02	-	38.99	8.98	34.94
PK	17.95726G	59.82	74.00	-14.18	42.79	3	Horizontal	101	1.55	-	42.06	9.79	34.82
AV	17.95728G	46.93	54.00	-7.07	29.90	3	Horizontal	101	1.55	-	42.06	9.79	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	59.25	88.20	-28.95	52.42	3	Vertical	301	1.62	-	34.82	5.33	33.32
RMS	5.9242G	47.97	68.20	-20.23	40.91	3	Vertical	301	1.62	-	35.05	5.36	33.35
PK	6.1402G	106.71	Inf	-Inf	99.03	3	Vertical	301	1.62	-	35.42	5.54	33.28
RMS	6.1402G	97.02	Inf	-Inf	89.34	3	Vertical	301	1.62	-	35.42	5.54	33.28

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	59.16	88.20	-29.04	52.27	3	Horizontal	4	2.94	-	34.88	5.35	33.34
RMS	5.9242G	47.93	68.20	-20.27	40.87	3	Horizontal	4	2.94	-	35.05	5.36	33.35
PK	6.1066G	102.91	Inf	-Inf	95.22	3	Horizontal	4	2.94	-	35.49	5.51	33.31
RMS	6.1078G	92.27	Inf	-Inf	84.59	3	Horizontal	4	2.94	-	35.48	5.51	33.31

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28902G	54.56	74.00	-19.44	41.77	3	Vertical	248	1.67	-	38.71	8.94	34.86
RMS	12.2881G	41.75	54.00	-12.25	28.96	3	Vertical	248	1.67	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29312G	55.24	74.00	-18.76	42.45	3	Horizontal	29	1.70	-	38.71	8.94	34.86
RMS	12.29424G	41.79	54.00	-12.21	29.00	3	Horizontal	29	1.70	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4303G	43.21	83.54	-40.33	41.70	1	Vertical	328	1.56	-	37.72	13.92	50.13
AV	18.4336G	29.99	63.54	-33.55	28.48	1	Vertical	328	1.56	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4331G	42.97	83.54	-40.57	41.46	1	Horizontal	42	1.58	-	37.72	13.92	50.13
AV	18.4398G	30.29	63.54	-33.25	28.76	1	Horizontal	42	1.58	-	37.73	13.92	50.12

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	58.01	88.20	-30.19	51.06	3	Vertical	70	2.22	-	34.94	5.35	33.34
RMS	5.9242G	47.87	68.20	-20.33	40.81	3	Vertical	70	2.22	-	35.05	5.36	33.35
PK	6.3658G	103.67	Inf	-Inf	95.49	3	Vertical	70	2.22	-	35.63	5.68	33.13
RMS	6.3874G	94.11	Inf	-Inf	85.87	3	Vertical	70	2.22	-	35.67	5.69	33.12

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	59.81	88.20	-28.39	52.88	3	Horizontal	12	2.80	-	34.92	5.35	33.34
RMS	5.9242G	47.89	68.20	-20.31	40.83	3	Horizontal	12	2.80	-	35.05	5.36	33.35
PK	6.3658G	99.92	Inf	-Inf	91.74	3	Horizontal	12	2.80	-	35.63	5.68	33.13
RMS	6.3634G	90.29	Inf	-Inf	82.11	3	Horizontal	12	2.80	-	35.63	5.68	33.13

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77436G	55.36	88.20	-32.84	41.89	3	Vertical	188	2.03	-	39.37	8.85	34.75
RMS	12.76732G	41.96	68.20	-26.24	28.49	3	Vertical	188	2.03	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76652G	54.85	88.20	-33.35	41.38	3	Horizontal	157	2.80	-	39.37	8.85	34.75
RMS	12.76578G	42.25	68.20	-25.95	28.78	3	Horizontal	157	2.80	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15602G	41.51	83.54	-42.03	39.37	1	Vertical	284	1.52	-	37.81	13.96	49.63
AV	19.15798G	28.45	63.54	-35.09	26.31	1	Vertical	284	1.52	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15354G	41.93	83.54	-41.61	39.78	1	Horizontal	30	1.55	-	37.82	13.96	49.63
AV	19.15722G	28.48	63.54	-35.06	26.34	1	Horizontal	30	1.55	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.892G	58.75	88.20	-29.45	51.86	3	Vertical	71	1.95	-	34.88	5.35	33.34
AV	5.922G	46.36	68.20	-21.84	39.32	3	Vertical	71	1.95	-	35.03	5.36	33.35
PK	6.471G	105.71	Inf	-Inf	97.39	3	Vertical	71	1.95	-	35.68	5.70	33.06
AV	6.471G	93.70	Inf	-Inf	85.38	3	Vertical	71	1.95	-	35.68	5.70	33.06
PK	7.131G	60.91	88.20	-27.29	51.44	3	Vertical	71	1.95	-	36.95	5.97	33.45
AV	7.203G	49.38	68.20	-18.82	39.60	3	Vertical	71	1.95	-	37.31	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 17
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.904G	57.86	88.20	-30.34	50.93	3	Horizontal	15	2.98	-	34.92	5.35	33.34
AV	5.916G	46.45	68.20	-21.75	39.44	3	Horizontal	15	2.98	-	35.00	5.36	33.35
PK	6.429G	102.03	Inf	-Inf	93.78	3	Horizontal	15	2.98	-	35.64	5.70	33.09
AV	6.429G	91.09	Inf	-Inf	82.84	3	Horizontal	15	2.98	-	35.64	5.70	33.09
PK	7.134G	62.00	88.20	-26.20	52.51	3	Horizontal	15	2.98	-	36.97	5.97	33.45
AV	7.197G	49.45	68.20	-18.75	39.69	3	Horizontal	15	2.98	-	37.29	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93036G	55.21	88.20	-32.99	41.55	3	Vertical	209	2.20	-	39.56	8.81	34.71
AV	12.9257G	41.61	68.20	-26.59	27.96	3	Vertical	209	2.20	-	39.55	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93374G	55.07	88.20	-33.13	41.40	3	Horizontal	290	2.45	-	39.57	8.81	34.71
AV	12.9316G	41.66	68.20	-26.54	28.00	3	Horizontal	290	2.45	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3994G	42.27	83.54	-41.27	40.16	1	Vertical	152	1.51	-	37.82	13.97	49.68
AV	19.39444G	28.91	63.54	-34.63	26.80	1	Vertical	152	1.51	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39146G	41.73	83.54	-41.81	39.63	1	Horizontal	261	1.54	-	37.81	13.97	49.68
AV	19.39502G	28.93	63.54	-34.61	26.82	1	Horizontal	261	1.54	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 17
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	57.92	88.20	-30.28	51.06	3	Vertical	73	2.26	-	34.85	5.34	33.33
AV	5.925G	46.36	68.20	-21.84	39.30	3	Vertical	73	2.26	-	35.05	5.36	33.35
PK	6.5338G	103.25	Inf	-Inf	94.67	3	Vertical	73	2.26	-	35.94	5.70	33.06
AV	6.5338G	93.75	Inf	-Inf	85.17	3	Vertical	73	2.26	-	35.94	5.70	33.06
PK	7.1526G	61.58	88.20	-26.62	51.96	3	Vertical	73	2.26	-	37.11	5.98	33.47
AV	7.231G	49.37	68.20	-18.83	39.56	3	Vertical	73	2.26	-	37.36	6.02	33.57

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	57.88	88.20	-30.32	50.96	3	Horizontal	18	2.97	-	34.91	5.35	33.34
AV	5.9206G	46.53	68.20	-21.67	39.50	3	Horizontal	18	2.97	-	35.02	5.36	33.35
PK	6.5506G	103.61	Inf	-Inf	94.98	3	Horizontal	18	2.97	-	36.00	5.70	33.07
AV	6.5618G	93.25	Inf	-Inf	84.60	3	Horizontal	18	2.97	-	36.02	5.70	33.07
PK	7.1358G	60.99	88.20	-27.21	51.48	3	Horizontal	18	2.97	-	36.99	5.97	33.45
AV	7.2086G	49.44	68.20	-18.76	39.66	3	Horizontal	18	2.97	-	37.32	6.00	33.54

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08594G	56.26	88.20	-31.94	42.48	3	Vertical	224	1.16	-	39.70	8.78	34.70
AV	13.09226G	42.58	68.20	-25.62	28.80	3	Vertical	224	1.16	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09344G	55.87	88.20	-32.33	42.09	3	Horizontal	303	2.49	-	39.70	8.78	34.70
AV	13.08866G	42.45	68.20	-25.75	28.67	3	Horizontal	303	2.49	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.636G	41.32	83.54	-42.22	39.19	1	Vertical	245	1.50	-	37.85	13.98	49.70
AV	19.63604G	28.20	63.54	-35.34	26.07	1	Vertical	245	1.50	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63106G	41.07	83.54	-42.47	38.94	1	Horizontal	307	1.51	-	37.85	13.98	49.70
AV	19.63586G	28.27	63.54	-35.27	26.14	1	Horizontal	307	1.51	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	46.17	88.20	-42.03	39.11	3	Vertical	47	1.93	-	35.05	5.36	33.35
AV	5.9212G	34.51	68.20	-33.69	27.47	3	Vertical	47	1.93	-	35.03	5.36	33.35
PK	6.6216G	107.48	Inf	-Inf	98.74	3	Vertical	47	1.93	-	36.14	5.70	33.10
AV	6.6216G	96.01	Inf	-Inf	87.27	3	Vertical	47	1.93	-	36.14	5.70	33.10
PK	7.2472G	49.23	88.20	-38.97	39.41	3	Vertical	47	1.93	-	37.39	6.02	33.59
AV	7.1758G	37.50	68.20	-30.70	27.81	3	Vertical	47	1.93	-	37.20	5.99	33.50
PK	7.3866G	51.09	74.00	-22.91	41.10	3	Vertical	47	1.93	-	37.65	6.09	33.75
AV	7.3866G	38.36	54.00	-15.64	28.37	3	Vertical	47	1.93	-	37.65	6.09	33.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9144G	46.75	88.20	-41.45	39.75	3	Horizontal	17	2.92	-	34.99	5.36	33.35
AV	5.8226G	35.46	68.20	-32.74	28.82	3	Horizontal	17	2.92	-	34.64	5.31	33.31
PK	6.6182G	104.87	Inf	-Inf	96.13	3	Horizontal	17	2.92	-	36.14	5.70	33.10
AV	6.6182G	94.12	Inf	-Inf	85.38	3	Horizontal	17	2.92	-	36.14	5.70	33.10
PK	7.1962G	49.50	88.20	-38.70	39.75	3	Horizontal	17	2.92	-	37.28	6.00	33.53
AV	7.2404G	37.55	68.20	-30.65	27.73	3	Horizontal	17	2.92	-	37.38	6.02	33.58
PK	7.3152G	49.91	74.00	-24.09	40.02	3	Horizontal	17	2.92	-	37.50	6.06	33.67
AV	7.4546G	38.16	54.00	-15.84	28.35	3	Horizontal	17	2.92	-	37.50	6.15	33.84

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2488G	56.42	88.20	-31.78	42.43	3	Vertical	58	1.59	-	39.95	8.75	34.71
AV	13.24668G	42.35	68.20	-25.85	28.36	3	Vertical	58	1.59	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24636G	55.67	88.20	-32.53	41.68	3	Horizontal	246	1.09	-	39.95	8.75	34.71
AV	13.24776G	42.22	68.20	-25.98	28.23	3	Horizontal	246	1.09	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87286G	42.62	83.54	-40.92	40.73	1	Vertical	97	1.57	-	37.60	13.99	49.70
AV	19.8769G	29.84	63.54	-33.70	27.95	1	Vertical	97	1.57	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87454G	43.06	83.54	-40.48	41.17	1	Horizontal	23	1.53	-	37.60	13.99	49.70
AV	19.87442G	29.93	63.54	-33.61	28.04	1	Horizontal	23	1.53	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	45.89	88.20	-42.31	38.98	3	Vertical	76	1.76	-	34.90	5.35	33.34
AV	5.823G	34.89	68.20	-33.31	28.25	3	Vertical	76	1.76	-	34.64	5.31	33.31
PK	6.7014G	107.15	Inf	-Inf	98.38	3	Vertical	76	1.76	-	36.21	5.70	33.14
AV	6.7014G	95.87	Inf	-Inf	87.10	3	Vertical	76	1.76	-	36.21	5.70	33.14
PK	7.1838G	50.35	88.20	-37.85	40.63	3	Vertical	76	1.76	-	37.24	5.99	33.51
AV	7.2414G	37.42	68.20	-30.78	27.60	3	Vertical	76	1.76	-	37.38	6.02	33.58
PK	7.4106G	50.81	74.00	-23.19	40.82	3	Vertical	76	1.76	-	37.66	6.11	33.78
AV	7.3962G	38.07	54.00	-15.93	28.06	3	Vertical	76	1.76	-	37.68	6.10	33.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.823G	48.70	88.20	-39.50	42.06	3	Horizontal	16	3.00	-	34.64	5.31	33.31
AV	5.823G	34.56	68.20	-33.64	27.92	3	Horizontal	16	3.00	-	34.64	5.31	33.31
PK	6.7014G	106.41	Inf	-Inf	97.64	3	Horizontal	16	3.00	-	36.21	5.70	33.14
AV	6.7014G	94.85	Inf	-Inf	86.08	3	Horizontal	16	3.00	-	36.21	5.70	33.14
PK	7.1946G	49.39	88.20	-38.81	39.63	3	Horizontal	16	3.00	-	37.28	6.00	33.52
AV	7.2378G	37.57	68.20	-30.63	27.75	3	Horizontal	16	3.00	-	37.38	6.02	33.58
PK	7.461G	50.40	74.00	-23.60	40.58	3	Horizontal	16	3.00	-	37.50	6.16	33.84
AV	7.3422G	39.85	54.00	-14.15	29.98	3	Horizontal	16	3.00	-	37.50	6.07	33.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4139G	56.14	88.20	-32.06	41.94	3	Vertical	96	1.54	-	40.20	8.72	34.72
AV	13.41102G	42.74	68.20	-25.46	28.54	3	Vertical	96	1.54	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40528G	56.28	88.20	-31.92	42.08	3	Horizontal	240	1.52	-	40.20	8.72	34.72
AV	13.41332G	42.73	68.20	-25.47	28.53	3	Horizontal	240	1.52	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11832G	42.63	83.54	-40.91	40.80	1	Vertical	245	1.53	-	37.49	14.09	49.75
AV	20.11868G	28.99	63.54	-34.55	27.16	1	Vertical	245	1.53	-	37.49	14.09	49.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11974G	41.79	83.54	-41.75	39.95	1	Horizontal	350	1.58	-	37.50	14.09	49.75
AV	20.11628G	28.99	63.54	-34.55	27.16	1	Horizontal	350	1.58	-	37.49	14.09	49.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTV_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	6.7658G	95.38	Inf	-Inf	86.48	3	Vertical	76	1.80	-	36.37	5.70	33.17
PK	6.7626G	106.55	Inf	-Inf	97.65	3	Vertical	76	1.80	-	36.37	5.70	33.17
AV	7.1786G	37.53	68.20	-30.67	27.83	3	Vertical	76	1.80	-	37.21	5.99	33.50
PK	7.1402G	49.41	88.20	-38.79	39.88	3	Vertical	76	1.80	-	37.02	5.97	33.46
AV	7.3866G	38.52	54.00	-15.48	28.53	3	Vertical	76	1.80	-	37.65	6.09	33.75
PK	7.521G	51.11	74.00	-22.89	41.33	3	Vertical	76	1.80	-	37.46	6.22	33.90

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTV_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7946G	102.95	Inf	-Inf	94.13	3	Horizontal	20	2.83	-	36.31	5.70	33.19
AV	6.7786G	91.58	Inf	-Inf	82.72	3	Horizontal	20	2.83	-	36.34	5.70	33.18
PK	7.2074G	49.46	88.20	-38.74	39.69	3	Horizontal	20	2.83	-	37.31	6.00	33.54
AV	7.1274G	40.17	68.20	-28.03	30.73	3	Horizontal	20	2.83	-	36.92	5.96	33.44
PK	7.5434G	50.60	74.00	-23.40	40.86	3	Horizontal	20	2.83	-	37.41	6.24	33.91
AV	7.3834G	38.24	54.00	-15.76	28.27	3	Horizontal	20	2.83	-	37.63	6.09	33.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57084G	55.77	88.20	-32.43	41.63	3	Vertical	124	1.73	-	40.20	8.69	34.75
AV	13.5686G	42.58	68.20	-25.62	28.44	3	Vertical	124	1.73	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57042G	56.15	88.20	-32.05	42.01	3	Horizontal	234	2.06	-	40.20	8.69	34.75
AV	13.57406G	42.59	68.20	-25.61	28.45	3	Horizontal	234	2.06	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 18
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35822G	43.13	83.54	-40.41	41.06	1	Vertical	21	1.57	-	37.64	14.27	49.84
AV	20.35756G	30.29	63.54	-33.25	28.22	1	Vertical	21	1.57	-	37.64	14.27	49.84

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 18
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35844G	43.20	83.54	-40.34	41.13	1	Horizontal	216	1.51	-	37.64	14.27	49.84
AV	20.35446G	30.54	63.54	-33.00	28.47	1	Horizontal	216	1.51	-	37.64	14.27	49.84

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	104.17	Inf	-Inf	95.05	3	Vertical	74	2.08	-	36.59	5.75	33.22
AV	6.8506G	92.91	Inf	-Inf	83.78	3	Vertical	74	2.08	-	36.60	5.75	33.22
PK	7.1338G	50.89	88.20	-37.31	41.40	3	Vertical	74	2.08	-	36.97	5.97	33.45
AV	7.2442G	37.85	68.20	-30.35	28.02	3	Vertical	74	2.08	-	37.39	6.02	33.58
PK	7.4362G	50.74	74.00	-23.26	40.85	3	Vertical	74	2.08	-	37.56	6.14	33.81
AV	7.3954G	38.34	54.00	-15.66	28.32	3	Vertical	74	2.08	-	37.68	6.10	33.76

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	96.05	Inf	-Inf	86.96	3	Horizontal	334	1.80	-	36.56	5.74	33.21
AV	6.8434G	84.45	Inf	-Inf	75.36	3	Horizontal	334	1.80	-	36.56	5.74	33.21
PK	7.2274G	49.65	88.20	-38.55	39.85	3	Horizontal	334	1.80	-	37.35	6.01	33.56
AV	7.2466G	37.55	68.20	-30.65	27.73	3	Horizontal	334	1.80	-	37.39	6.02	33.59
PK	7.429G	51.02	74.00	-22.98	41.11	3	Horizontal	334	1.80	-	37.58	6.13	33.80
AV	7.4002G	38.24	54.00	-15.76	28.21	3	Horizontal	334	1.80	-	37.70	6.10	33.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72978G	58.06	88.20	-30.14	43.80	3	Vertical	125	1.73	-	40.43	8.65	34.82
AV	13.73012G	44.39	68.20	-23.81	30.13	3	Vertical	125	1.73	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 18
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73024G	57.73	88.20	-30.47	43.47	3	Horizontal	305	1.91	-	40.43	8.65	34.82
AV	13.73044G	44.37	68.20	-23.83	30.11	3	Horizontal	305	1.91	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_2TX
Setting 18
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59042G	42.88	83.54	-40.66	40.49	1	Vertical	342	1.57	-	37.81	14.44	49.86
AV	20.59578G	29.98	63.54	-33.56	27.58	1	Vertical	342	1.57	-	37.81	14.45	49.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
 Setting 18
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59644G	42.70	83.54	-40.84	40.29	1	Horizontal	19	1.53	-	37.82	14.45	49.86
AV	20.59952G	30.11	63.54	-33.43	27.70	1	Horizontal	19	1.53	-	37.82	14.45	49.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	105.98	Inf	-Inf	96.77	3	Vertical	80	1.80	-	36.63	5.83	33.25
AV	6.9354G	93.38	Inf	-Inf	84.12	3	Vertical	80	1.80	-	36.68	5.84	33.26
PK	7.1826G	50.02	88.20	-38.18	40.31	3	Vertical	80	1.80	-	37.23	5.99	33.51
AV	7.1274G	37.49	68.20	-30.71	28.05	3	Vertical	80	1.80	-	36.92	5.96	33.44
PK	7.4442G	51.63	74.00	-22.37	41.79	3	Vertical	80	1.80	-	37.52	6.14	33.82
AV	7.3938G	38.10	54.00	-15.90	28.08	3	Vertical	80	1.80	-	37.68	6.10	33.76

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	99.17	Inf	-Inf	89.96	3	Horizontal	27	2.92	-	36.63	5.83	33.25
AV	6.933G	87.18	Inf	-Inf	77.95	3	Horizontal	27	2.92	-	36.66	5.83	33.26
PK	7.1898G	49.85	88.20	-38.35	40.12	3	Horizontal	27	2.92	-	37.26	5.99	33.52
AV	7.1922G	37.55	68.20	-30.65	27.80	3	Horizontal	27	2.92	-	37.27	6.00	33.52
PK	7.485G	51.62	74.00	-22.38	41.81	3	Horizontal	27	2.92	-	37.50	6.18	33.87
AV	7.3962G	38.32	54.00	-15.68	28.31	3	Horizontal	27	2.92	-	37.68	6.10	33.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88604G	58.01	88.20	-30.19	43.68	3	Vertical	63	2.13	-	40.59	8.62	34.88
AV	13.89306G	44.27	68.20	-23.93	29.95	3	Vertical	63	2.13	-	40.59	8.62	34.89

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89196G	57.14	88.20	-31.06	42.81	3	Horizontal	245	1.33	-	40.59	8.62	34.88
AV	13.8871G	44.20	68.20	-24.00	29.87	3	Horizontal	245	1.33	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83576G	43.24	83.54	-40.30	40.52	1	Vertical	253	1.51	-	37.86	14.63	49.77
AV	20.83054G	30.20	63.54	-33.34	27.48	1	Vertical	253	1.51	-	37.87	14.62	49.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83034G	42.92	83.54	-40.62	40.20	1	Horizontal	75	1.57	-	37.87	14.62	49.77
AV	20.8367G	29.94	63.54	-33.60	27.22	1	Horizontal	75	1.57	-	37.86	14.63	49.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	103.81	Inf	-Inf	94.58	3	Vertical	42	2.67	-	36.63	5.89	33.29
RMS	7.0018G	93.22	Inf	-Inf	84.00	3	Vertical	42	2.67	-	36.61	5.90	33.29
PK	7.2194G	62.74	88.20	-25.46	52.94	3	Vertical	42	2.67	-	37.34	6.01	33.55
RMS	7.2202G	51.75	68.20	-16.45	41.95	3	Vertical	42	2.67	-	37.34	6.01	33.55

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0298G	101.26	Inf	-Inf	91.96	3	Horizontal	26	2.72	-	36.72	5.91	33.33
RMS	7.029G	91.47	Inf	-Inf	82.16	3	Horizontal	26	2.72	-	36.72	5.91	33.32
PK	7.2066G	63.45	88.20	-24.75	53.68	3	Horizontal	26	2.72	-	37.31	6.00	33.54
RMS	7.2226G	51.80	68.20	-16.40	42.00	3	Horizontal	26	2.72	-	37.35	6.01	33.56

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05356G	59.16	88.20	-29.04	44.57	3	Vertical	307	1.26	-	40.90	8.61	34.92
RMS	14.04664G	45.98	68.20	-22.22	31.39	3	Vertical	307	1.26	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05162G	59.35	88.20	-28.85	44.76	3	Horizontal	105	2.14	-	40.90	8.61	34.92
RMS	14.04992G	46.13	68.20	-22.07	31.54	3	Horizontal	105	2.14	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07272G	42.35	83.54	-41.19	39.64	1	Vertical	10	1.51	-	37.60	14.80	49.69
AV	21.07466G	29.42	63.54	-34.12	26.70	1	Vertical	10	1.51	-	37.60	14.81	49.69

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07182G	42.19	83.54	-41.35	39.48	1	Horizontal	217	1.50	-	37.60	14.80	49.69
AV	21.07714G	29.13	63.54	-34.41	26.40	1	Horizontal	217	1.50	-	37.60	14.81	49.68

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8874G	71.53	88.20	-16.67	64.65	3	Vertical	297	1.52	-	34.87	5.34	33.33
RMS	5.921G	58.81	68.20	-9.39	51.77	3	Vertical	297	1.52	-	35.03	5.36	33.35
PK	6.057G	103.49	Inf	-Inf	95.96	3	Vertical	297	1.52	-	35.41	5.46	33.34
RMS	6.0554G	95.66	Inf	-Inf	88.13	3	Vertical	297	1.52	-	35.41	5.46	33.34

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	67.75	88.20	-20.45	60.82	3	Horizontal	0	2.83	-	34.92	5.35	33.34
RMS	5.9082G	56.92	68.20	-11.28	49.96	3	Horizontal	0	2.83	-	34.95	5.35	33.34
PK	5.993G	98.97	Inf	-Inf	91.58	3	Horizontal	0	2.83	-	35.37	5.40	33.38
RMS	6.049G	91.26	Inf	-Inf	83.76	3	Horizontal	0	2.83	-	35.40	5.45	33.35

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05354G	55.69	74.00	-18.31	42.73	3	Vertical	104	1.07	-	38.90	8.99	34.93
AV	12.05364G	44.49	54.00	-9.51	31.53	3	Vertical	104	1.07	-	38.90	8.99	34.93

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04546G	55.35	74.00	-18.65	42.40	3	Horizontal	352	2.78	-	38.90	8.99	34.94
AV	12.04982G	44.48	54.00	-9.52	31.53	3	Horizontal	352	2.78	-	38.90	8.99	34.94

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07518G	43.23	83.54	-40.31	41.96	1	Vertical	225	1.56	-	37.64	13.90	50.27
AV	18.07006G	32.58	63.54	-30.96	31.31	1	Vertical	225	1.56	-	37.64	13.90	50.27

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0742G	43.12	83.54	-40.42	41.85	1	Horizontal	62	1.50	-	37.64	13.90	50.27
AV	18.07544G	32.65	63.54	-30.89	31.38	1	Horizontal	62	1.50	-	37.64	13.90	50.27

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	59.09	88.20	-29.11	52.20	3	Vertical	298	1.80	-	34.88	5.35	33.34
AV	5.8874G	49.58	68.20	-18.62	42.70	3	Vertical	298	1.80	-	34.87	5.34	33.33
PK	6.1202G	108.43	Inf	-Inf	100.75	3	Vertical	298	1.80	-	35.46	5.52	33.30
AV	6.2306G	93.94	Inf	-Inf	86.02	3	Vertical	298	1.80	-	35.52	5.62	33.22

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	58.07	88.20	-30.13	51.20	3	Horizontal	360	3.00	-	34.86	5.34	33.33
AV	5.9066G	48.48	68.20	-19.72	41.53	3	Horizontal	360	3.00	-	34.94	5.35	33.34
PK	6.1994G	100.92	Inf	-Inf	92.86	3	Horizontal	360	3.00	-	35.70	5.60	33.24
AV	6.1082G	96.92	Inf	-Inf	89.24	3	Horizontal	360	3.00	-	35.48	5.51	33.31

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37154G	54.59	74.00	-19.41	41.59	3	Vertical	190	2.22	-	38.91	8.93	34.84
AV	12.37228G	43.89	54.00	-10.11	30.88	3	Vertical	190	2.22	-	38.92	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
 Setting 20
 04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37162G	54.81	74.00	-19.19	41.81	3	Horizontal	109	1.53	-	38.91	8.93	34.84
AV	12.37192G	43.91	54.00	-10.09	30.90	3	Horizontal	109	1.53	-	38.92	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55394G	42.68	83.54	-40.86	41.02	1	Vertical	208	1.54	-	37.78	13.93	50.05
AV	18.55854G	31.84	63.54	-31.70	30.17	1	Vertical	208	1.54	-	37.78	13.93	50.04

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55042G	42.52	83.54	-41.02	40.86	1	Horizontal	225	1.56	-	37.78	13.93	50.05
AV	18.55026G	31.80	63.54	-31.74	30.14	1	Horizontal	225	1.56	-	37.78	13.93	50.05

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.856G	58.19	88.20	-30.01	51.37	3	Vertical	40	1.80	-	34.81	5.33	33.32
AV	5.925G	48.39	68.20	-19.81	41.33	3	Vertical	40	1.80	-	35.05	5.36	33.35
PK	6.348G	103.69	Inf	-Inf	95.56	3	Vertical	40	1.80	-	35.60	5.67	33.14
AV	6.282G	98.08	Inf	-Inf	90.10	3	Vertical	40	1.80	-	35.53	5.64	33.19

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.799G	57.77	88.20	-30.43	51.27	3	Horizontal	360	2.99	-	34.50	5.30	33.30
AV	5.916G	47.97	68.20	-20.23	40.96	3	Horizontal	360	2.99	-	35.00	5.36	33.35
PK	6.279G	102.73	Inf	-Inf	94.76	3	Horizontal	360	2.99	-	35.52	5.64	33.19
AV	6.282G	95.47	Inf	-Inf	87.49	3	Horizontal	360	2.99	-	35.53	5.64	33.19

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69332G	55.02	74.00	-18.98	41.65	3	Vertical	203	1.46	-	39.27	8.86	34.76
AV	12.6935G	44.30	54.00	-9.70	30.93	3	Vertical	203	1.46	-	39.27	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68714G	54.85	74.00	-19.15	41.50	3	Horizontal	238	1.30	-	39.25	8.86	34.76
AV	12.69058G	43.77	54.00	-10.23	30.41	3	Horizontal	238	1.30	-	39.26	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03962G	42.51	83.54	-41.03	40.22	1	Vertical	2	1.58	-	37.95	13.95	49.61
AV	19.03788G	31.67	63.54	-31.87	29.38	1	Vertical	2	1.58	-	37.95	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS3)_2TX


6345MHz_TnomVnom



EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03682G	42.51	83.54	-41.03	40.21	1	Horizontal	116	1.58	-	37.96	13.95	49.61
AV	19.03014G	32.09	63.54	-31.45	29.79	1	Horizontal	116	1.58	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_2TX
 Setting 20
 04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8246G	58.24	88.20	-29.96	51.59	3	Vertical	43	1.80	-	34.65	5.31	33.31
AV	5.917G	48.11	68.20	-20.09	41.10	3	Vertical	43	1.80	-	35.00	5.36	33.35
PK	6.5106G	103.34	Inf	-Inf	94.85	3	Vertical	43	1.80	-	35.84	5.70	33.05
AV	6.4826G	92.64	Inf	-Inf	84.26	3	Vertical	43	1.80	-	35.73	5.70	33.05
PK	7.1434G	61.06	88.20	-27.14	51.50	3	Vertical	43	1.80	-	37.05	5.97	33.46
AV	7.1322G	51.51	68.20	-16.69	42.03	3	Vertical	43	1.80	-	36.96	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 20
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	57.93	88.20	-30.27	50.88	3	Horizontal	7	2.91	-	35.04	5.36	33.35
AV	5.9142G	48.13	68.20	-20.07	41.13	3	Horizontal	7	2.91	-	34.99	5.36	33.35
PK	6.4714G	99.50	Inf	-Inf	91.17	3	Horizontal	7	2.91	-	35.69	5.70	33.06
AV	6.5274G	91.30	Inf	-Inf	82.74	3	Horizontal	7	2.91	-	35.91	5.70	33.05
PK	7.1462G	61.28	88.20	-26.92	51.71	3	Horizontal	7	2.91	-	37.07	5.97	33.47
AV	7.1434G	51.68	68.20	-16.52	42.12	3	Horizontal	7	2.91	-	37.05	5.97	33.46

802.11ax HEW160-BF_Nss1,(MCS3)_2TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00784G	55.68	88.20	-32.52	41.88	3	Vertical	253	1.77	-	39.70	8.80	34.70
AV	13.00532G	44.99	68.20	-23.21	31.19	3	Vertical	253	1.77	-	39.70	8.80	34.70


802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_2TX
 Setting 20
 04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00822G	55.77	88.20	-32.43	41.97	3	Horizontal	341	2.34	-	39.70	8.80	34.70
AV	13.00532G	44.95	68.20	-23.25	31.15	3	Horizontal	341	2.34	-	39.70	8.80	34.70


802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_2TX
 Setting 20
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51954G	42.55	83.54	-40.99	40.38	1	Vertical	259	1.56	-	37.89	13.98	49.70
AV	19.51018G	31.73	63.54	-31.81	29.55	1	Vertical	259	1.56	-	37.90	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
 Setting 20
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51934G	42.16	83.54	-41.38	39.99	1	Horizontal	139	1.51	-	37.89	13.98	49.70
AV	19.51008G	31.48	63.54	-32.06	29.30	1	Horizontal	139	1.51	-	37.90	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	47.12	88.20	-41.08	40.18	3	Vertical	38	1.80	-	34.93	5.35	33.34
AV	5.909G	36.72	68.20	-31.48	29.76	3	Vertical	38	1.80	-	34.95	5.35	33.34
PK	6.6182G	105.02	Inf	-Inf	96.28	3	Vertical	38	1.80	-	36.14	5.70	33.10
AV	6.6074G	94.78	Inf	-Inf	86.06	3	Vertical	38	1.80	-	36.11	5.70	33.09
PK	7.1834G	49.32	88.20	-38.88	39.61	3	Vertical	38	1.80	-	37.23	5.99	33.51
AV	7.1366G	41.11	68.20	-27.09	31.60	3	Vertical	38	1.80	-	36.99	5.97	33.45
PK	7.3994G	50.31	74.00	-23.69	40.28	3	Vertical	38	1.80	-	37.70	6.10	33.77
AV	7.3706G	40.53	54.00	-13.47	30.59	3	Vertical	38	1.80	-	37.58	6.09	33.73

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	46.13	88.20	-42.07	39.14	3	Horizontal	0	2.97	-	34.98	5.36	33.35
AV	5.909G	36.61	68.20	-31.59	29.65	3	Horizontal	0	2.97	-	34.95	5.35	33.34
PK	6.6182G	98.01	Inf	-Inf	89.27	3	Horizontal	0	2.97	-	36.14	5.70	33.10
AV	6.719G	89.86	Inf	-Inf	81.03	3	Horizontal	0	2.97	-	36.28	5.70	33.15
PK	7.1978G	49.97	88.20	-38.23	40.21	3	Horizontal	0	2.97	-	37.29	6.00	33.53
AV	7.2122G	39.23	68.20	-28.97	29.44	3	Horizontal	0	2.97	-	37.32	6.01	33.54
PK	7.5434G	49.98	74.00	-24.02	40.24	3	Horizontal	0	2.97	-	37.41	6.24	33.91
AV	7.3346G	40.16	54.00	-13.84	30.28	3	Horizontal	0	2.97	-	37.50	6.07	33.69

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33254G	55.69	74.00	-18.31	41.60	3	Vertical	281	1.93	-	40.07	8.73	34.71
AV	13.32938G	44.78	54.00	-9.22	30.70	3	Vertical	281	1.93	-	40.06	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32698G	56.06	74.00	-17.94	41.99	3	Horizontal	284	1.46	-	40.05	8.73	34.71
AV	13.32754G	45.13	54.00	-8.87	31.05	3	Horizontal	284	1.46	-	40.06	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9945G	42.11	83.54	-41.43	40.40	1	Vertical	341	1.51	-	37.41	14.00	49.70
AV	19.99006G	31.42	63.54	-32.12	29.70	1	Vertical	341	1.51	-	37.42	14.00	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9943G	42.96	83.54	-40.58	41.25	1	Horizontal	207	1.54	-	37.41	14.00	49.70
AV	19.99772G	31.39	63.54	-32.15	29.69	1	Horizontal	207	1.54	-	37.40	14.00	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7482G	103.90	Inf	-Inf	94.97	3	Vertical	289	1.80	-	36.39	5.70	33.16
AV	6.7578G	95.81	Inf	-Inf	86.90	3	Vertical	289	1.80	-	36.38	5.70	33.17
PK	7.1658G	51.01	88.20	-37.19	41.36	3	Vertical	289	1.80	-	37.16	5.98	33.49
AV	7.1778G	43.01	68.20	-25.19	33.31	3	Vertical	289	1.80	-	37.21	5.99	33.50
PK	7.2594G	50.36	74.00	-23.64	40.51	3	Vertical	289	1.80	-	37.42	6.03	33.60
AV	7.401G	39.96	54.00	-14.04	29.93	3	Vertical	289	1.80	-	37.70	6.10	33.77

802.11ax HEW160-BF_Nss1,(MCS3)_2TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_V_2TX
Setting 20
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8442G	99.03	Inf	-Inf	89.93	3	Horizontal	17	3.00	-	36.57	5.74	33.21
AV	6.8466G	89.51	Inf	-Inf	80.39	3	Horizontal	17	3.00	-	36.58	5.75	33.21
PK	7.173G	50.62	88.20	-37.58	40.94	3	Horizontal	17	3.00	-	37.19	5.99	33.50
AV	7.2162G	40.07	68.20	-28.13	30.28	3	Horizontal	17	3.00	-	37.33	6.01	33.55
PK	7.413G	50.70	74.00	-23.30	40.73	3	Horizontal	17	3.00	-	37.65	6.11	33.79
AV	7.3506G	43.24	54.00	-10.76	33.37	3	Horizontal	17	3.00	-	37.50	6.08	33.71


802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_2TX
 Setting 20
 04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64076G	57.89	88.20	-30.31	43.72	3	Vertical	211	1.80	-	40.28	8.67	34.78
AV	13.6516G	47.66	68.20	-20.54	33.47	3	Vertical	211	1.80	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
 Setting 20
 04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6524G	57.74	88.20	-30.46	43.55	3	Horizontal	257	1.80	-	40.30	8.67	34.78
AV	13.65216G	47.16	68.20	-21.04	32.97	3	Horizontal	257	1.80	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS3)_2TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4741G	43.64	83.54	-39.90	41.48	1	Vertical	267	1.53	-	37.69	14.36	49.89
AV	20.47436G	32.66	63.54	-30.88	30.50	1	Vertical	267	1.53	-	37.69	14.36	49.89

802.11ax HEW160-BF_Nss1,(MCS3)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
 Setting 20
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47696G	43.79	83.54	-39.75	41.63	1	Horizontal	276	1.52	-	37.69	14.36	49.89
AV	20.47484G	32.41	63.54	-31.13	30.25	1	Horizontal	276	1.52	-	37.69	14.36	49.89

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	102.95	Inf	-Inf	93.83	3	Vertical	46	1.80	-	36.55	5.82	33.25
RMS	6.996G	94.76	Inf	-Inf	85.53	3	Vertical	46	1.80	-	36.62	5.90	33.29
PK	7.133G	74.33	88.20	-13.87	64.85	3	Vertical	46	1.80	-	36.96	5.97	33.45
RMS	7.137G	56.33	68.20	-11.87	46.81	3	Vertical	46	1.80	-	37.00	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.91G	98.35	Inf	-Inf	89.30	3	Horizontal	22	1.80	-	36.48	5.81	33.24
RMS	6.939G	85.06	Inf	-Inf	75.77	3	Horizontal	22	1.80	-	36.71	5.84	33.26
PK	7.134G	67.93	88.20	-20.27	58.44	3	Horizontal	22	1.80	-	36.97	5.97	33.45
RMS	7.227G	54.68	68.20	-13.52	44.88	3	Horizontal	22	1.80	-	37.35	6.01	33.56

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96748G	58.75	88.20	-29.45	44.26	3	Vertical	86	2.52	-	40.80	8.61	34.92
RMS	13.96708G	47.69	68.20	-20.51	33.20	3	Vertical	86	2.52	-	40.80	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97366G	58.53	88.20	-29.67	44.02	3	Horizontal	351	2.47	-	40.82	8.61	34.92
RMS	13.97336G	48.16	68.20	-20.04	33.65	3	Horizontal	351	2.47	-	40.82	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.957G	43.03	83.54	-40.51	40.36	1	Vertical	124	1.58	-	37.67	14.72	49.72
AV	20.95968G	32.07	63.54	-31.47	29.41	1	Vertical	124	1.58	-	37.66	14.72	49.72

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom



EUTY_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95686G	43.27	83.54	-40.27	40.60	1	Horizontal	94	1.57	-	37.67	14.72	49.72
AV	20.95492G	31.75	63.54	-31.79	29.08	1	Horizontal	94	1.57	-	37.67	14.72	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	17.918G	48.98	54.00	-5.02	3	Horizontal	139	2.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 3.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	58.97	88.20	-29.23	51.98	3	Vertical	54	1.77	-	34.98	5.36	33.35
RMS	5.9202G	45.78	68.20	-22.42	38.75	3	Vertical	54	1.77	-	35.02	5.36	33.35
PK	5.9614G	106.19	Inf	-Inf	98.92	3	Vertical	54	1.77	-	35.25	5.38	33.36
RMS	5.9622G	95.85	Inf	-Inf	88.58	3	Vertical	54	1.77	-	35.25	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 3.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	58.90	88.20	-29.30	51.88	3	Horizontal	7	2.74	-	35.01	5.36	33.35
RMS	5.8806G	45.74	68.20	-22.46	38.87	3	Horizontal	7	2.74	-	34.86	5.34	33.33
PK	5.9502G	100.47	Inf	-Inf	93.25	3	Horizontal	7	2.74	-	35.20	5.38	33.36
RMS	5.9502G	90.34	Inf	-Inf	83.12	3	Horizontal	7	2.74	-	35.20	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 3.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90902G	56.29	74.00	-17.71	43.10	3	Vertical	44	1.80	-	39.17	8.94	34.92
AV	11.91198G	42.55	54.00	-11.45	29.37	3	Vertical	44	1.80	-	39.16	8.94	34.92
PK	17.86604G	62.70	74.00	-11.30	45.80	3	Vertical	16	2.66	-	41.90	9.75	34.75
AV	17.86616G	48.61	54.00	-5.39	31.71	3	Vertical	16	2.66	-	41.90	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUTY_4TX
Setting 3.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9131G	55.35	74.00	-18.65	42.17	3	Horizontal	38	1.80	-	39.16	8.94	34.92
AV	11.90636G	41.56	54.00	-12.44	28.36	3	Horizontal	38	1.80	-	39.18	8.93	34.91
PK	17.86594G	62.44	74.00	-11.56	45.54	3	Horizontal	270	2.04	-	41.90	9.75	34.75
AV	17.86608G	48.32	54.00	-5.68	31.42	3	Horizontal	270	2.04	-	41.90	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	58.62	88.20	-29.58	51.63	3	Vertical	50	1.74	-	34.97	5.36	33.34
RMS	5.925G	45.50	68.20	-22.70	38.44	3	Vertical	50	1.74	-	35.05	5.36	33.35
PK	6.183G	106.18	Inf	-Inf	98.26	3	Vertical	50	1.74	-	35.60	5.58	33.26
RMS	6.183G	96.28	Inf	-Inf	88.36	3	Vertical	50	1.74	-	35.60	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.855G	58.30	88.20	-29.90	51.48	3	Horizontal	-0	3.00	-	34.81	5.33	33.32
RMS	5.8742G	45.57	68.20	-22.63	38.71	3	Horizontal	-0	3.00	-	34.85	5.34	33.33
PK	6.183G	98.79	Inf	-Inf	90.87	3	Horizontal	-0	3.00	-	35.60	5.58	33.26
RMS	6.183G	89.17	Inf	-Inf	81.25	3	Horizontal	-0	3.00	-	35.60	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35202G	57.47	74.00	-16.53	44.52	3	Vertical	14	2.05	-	38.86	8.93	34.84
AV	12.34926G	43.88	54.00	-10.12	30.95	3	Vertical	14	2.05	-	38.85	8.93	34.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.347G	55.73	74.00	-18.27	42.81	3	Horizontal	190	1.80	-	38.84	8.93	34.85
AV	12.35364G	42.00	54.00	-12.00	29.05	3	Horizontal	190	1.80	-	38.86	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5294G	57.78	83.54	-25.76	56.13	1	Vertical	59	1.67	-	37.79	13.93	50.07
AV	18.52358G	44.29	63.54	-19.25	42.65	1	Vertical	59	1.67	-	37.79	13.93	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUTY_4TX
Setting 4
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52484G	57.74	83.54	-25.80	56.10	1	Horizontal	299	2.09	-	37.79	13.93	50.08
AV	18.52282G	44.25	63.54	-19.29	42.61	1	Horizontal	299	2.09	-	37.79	13.93	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7046G	58.09	88.20	-30.11	51.83	3	Vertical	44	1.64	-	34.22	5.30	33.26
RMS	5.8262G	45.52	68.20	-22.68	38.86	3	Vertical	44	1.64	-	34.66	5.31	33.31
PK	6.4214G	106.12	Inf	-Inf	97.85	3	Vertical	44	1.64	-	35.66	5.70	33.09
RMS	6.4214G	96.01	Inf	-Inf	87.74	3	Vertical	44	1.64	-	35.66	5.70	33.09
PK	7.1862G	64.49	88.20	-23.71	54.77	3	Vertical	44	1.64	-	37.24	5.99	33.51
RMS	7.1446G	51.30	68.20	-16.90	41.73	3	Vertical	44	1.64	-	37.06	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.18	88.20	-30.02	51.30	3	Horizontal	9	2.96	-	34.87	5.34	33.33
RMS	5.8742G	45.46	68.20	-22.74	38.60	3	Horizontal	9	2.96	-	34.85	5.34	33.33
PK	6.4214G	98.88	Inf	-Inf	90.61	3	Horizontal	9	2.96	-	35.66	5.70	33.09
RMS	6.4214G	89.69	Inf	-Inf	81.42	3	Horizontal	9	2.96	-	35.66	5.70	33.09
PK	7.1542G	63.70	88.20	-24.50	54.08	3	Horizontal	9	2.96	-	37.12	5.98	33.48
RMS	7.1446G	51.20	68.20	-17.00	41.63	3	Horizontal	9	2.96	-	37.06	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8259G	57.91	88.20	-30.29	44.38	3	Vertical	67	1.80	-	39.43	8.83	34.73
RMS	12.8292G	43.65	68.20	-24.55	30.12	3	Vertical	67	1.80	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8305G	57.27	88.20	-30.93	43.74	3	Horizontal	-0	1.07	-	39.43	8.83	34.73
RMS	12.83318G	43.54	68.20	-24.66	30.01	3	Horizontal	-0	1.07	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2422G	54.81	83.54	-28.73	52.79	1	Vertical	165	1.08	-	37.71	13.96	49.65
AV	19.2878G	41.67	63.54	-21.87	39.64	1	Vertical	165	1.08	-	37.73	13.96	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2304G	54.51	83.54	-29.03	52.48	1	Horizontal	318	1.30	-	37.72	13.96	49.65
AV	19.2772G	41.70	63.54	-21.84	39.68	1	Horizontal	318	1.30	-	37.72	13.96	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8462G	57.83	88.20	-30.37	51.05	3	Vertical	51	1.80	-	34.78	5.32	33.32
RMS	5.925G	45.47	68.20	-22.73	38.41	3	Vertical	51	1.80	-	35.05	5.36	33.35
PK	6.4414G	105.22	Inf	-Inf	96.98	3	Vertical	51	1.80	-	35.62	5.70	33.08
RMS	6.4414G	95.33	Inf	-Inf	87.09	3	Vertical	51	1.80	-	35.62	5.70	33.08
PK	7.203G	63.87	88.20	-24.33	54.09	3	Vertical	51	1.80	-	37.31	6.00	33.53
RMS	7.155G	50.70	68.20	-17.50	41.08	3	Vertical	51	1.80	-	37.12	5.98	33.48

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_V_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	58.40	88.20	-29.80	51.41	3	Horizontal	7	2.95	-	34.98	5.36	33.35
RMS	5.9198G	45.46	68.20	-22.74	38.43	3	Horizontal	7	2.95	-	35.02	5.36	33.35
PK	6.4414G	99.66	Inf	-Inf	91.42	3	Horizontal	7	2.95	-	35.62	5.70	33.08
RMS	6.4414G	90.04	Inf	-Inf	81.80	3	Horizontal	7	2.95	-	35.62	5.70	33.08
PK	7.139G	63.70	88.20	-24.50	54.18	3	Horizontal	7	2.95	-	37.01	5.97	33.46
RMS	7.1486G	50.80	68.20	-17.40	41.21	3	Horizontal	7	2.95	-	37.09	5.97	33.47

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87194G	57.21	88.20	-30.99	43.64	3	Vertical	226	1.29	-	39.47	8.83	34.73
RMS	12.87272G	43.43	68.20	-24.77	29.86	3	Vertical	226	1.29	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8681G	57.42	88.20	-30.78	43.85	3	Horizontal	329	1.59	-	39.47	8.83	34.73
RMS	12.87224G	43.45	68.20	-24.75	29.88	3	Horizontal	329	1.59	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3016G	54.95	83.54	-28.59	52.90	1	Vertical	187	2.04	-	37.74	13.97	49.66
AV	19.32G	41.86	63.54	-21.68	39.79	1	Vertical	187	2.04	-	37.76	13.97	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2556G	55.57	83.54	-27.97	53.56	1	Horizontal	87	2.84	-	37.70	13.96	49.65
AV	19.323G	41.79	63.54	-21.75	39.72	1	Horizontal	87	2.84	-	37.76	13.97	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	58.26	88.20	-29.94	51.43	3	Vertical	291	1.76	-	34.83	5.33	33.33
RMS	5.925G	45.49	68.20	-22.71	38.43	3	Vertical	291	1.76	-	35.05	5.36	33.35
PK	6.472G	105.95	Inf	-Inf	97.62	3	Vertical	291	1.76	-	35.69	5.70	33.06
RMS	6.472G	95.40	Inf	-Inf	87.07	3	Vertical	291	1.76	-	35.69	5.70	33.06
PK	7.132G	63.84	88.20	-24.36	54.36	3	Vertical	291	1.76	-	36.96	5.97	33.45
RMS	7.144G	50.69	68.20	-17.51	41.13	3	Vertical	291	1.76	-	37.05	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.782G	57.62	88.20	-30.58	51.15	3	Horizontal	11	3.00	-	34.46	5.30	33.29
RMS	5.925G	45.44	68.20	-22.76	38.38	3	Horizontal	11	3.00	-	35.05	5.36	33.35
PK	6.484G	99.62	Inf	-Inf	91.23	3	Horizontal	11	3.00	-	35.74	5.70	33.05
RMS	6.484G	90.21	Inf	-Inf	81.82	3	Horizontal	11	3.00	-	35.74	5.70	33.05
PK	7.219G	64.15	88.20	-24.05	54.35	3	Horizontal	11	3.00	-	37.34	6.01	33.55
RMS	7.141G	50.70	68.20	-17.50	41.16	3	Horizontal	11	3.00	-	37.03	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95052G	57.68	88.20	-30.52	43.98	3	Vertical	149	1.13	-	39.60	8.81	34.71
RMS	12.94962G	43.74	68.20	-24.46	30.04	3	Vertical	149	1.13	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9502G	57.58	88.20	-30.62	43.88	3	Horizontal	251	1.61	-	39.60	8.81	34.71
RMS	12.94686G	43.76	68.20	-24.44	30.07	3	Horizontal	251	1.61	-	39.59	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3248G	55.49	83.54	-28.05	53.42	1	Vertical	56	2.51	-	37.76	13.97	49.66
AV	19.342G	42.18	63.54	-21.36	40.11	1	Vertical	56	2.51	-	37.77	13.97	49.67

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2876G	55.53	83.54	-28.01	53.50	1	Horizontal	313	1.00	-	37.73	13.96	49.66
AV	19.3386G	42.23	63.54	-21.31	40.16	1	Horizontal	313	1.00	-	37.77	13.97	49.67

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	59.16	88.20	-29.04	52.28	3	Vertical	317	1.67	-	34.88	5.34	33.34
RMS	5.885G	48.95	68.20	-19.25	42.07	3	Vertical	317	1.67	-	34.87	5.34	33.33
PK	6.5094G	109.83	Inf	-Inf	101.33	3	Vertical	317	1.67	-	35.84	5.70	33.04
RMS	6.5094G	98.93	Inf	-Inf	90.43	3	Vertical	317	1.67	-	35.84	5.70	33.04
PK	7.1982G	61.80	88.20	-26.40	52.04	3	Vertical	317	1.67	-	37.29	6.00	33.53
RMS	7.1394G	51.77	68.20	-16.43	42.24	3	Vertical	317	1.67	-	37.02	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	59.07	88.20	-29.13	52.20	3	Horizontal	22	3.00	-	34.86	5.34	33.33
RMS	5.885G	48.85	68.20	-19.35	41.97	3	Horizontal	22	3.00	-	34.87	5.34	33.33
PK	6.5234G	103.71	Inf	-Inf	95.17	3	Horizontal	22	3.00	-	35.89	5.70	33.05
RMS	6.5234G	93.69	Inf	-Inf	85.15	3	Horizontal	22	3.00	-	35.89	5.70	33.05
PK	7.1366G	62.43	88.20	-25.77	52.92	3	Horizontal	22	3.00	-	36.99	5.97	33.45
RMS	7.1422G	51.81	68.20	-16.39	42.26	3	Horizontal	22	3.00	-	37.04	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0258G	57.49	88.20	-30.71	43.70	3	Vertical	243	1.76	-	39.70	8.79	34.70
RMS	13.0307G	43.41	68.20	-24.79	29.62	3	Vertical	243	1.76	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02562G	57.02	88.20	-31.18	43.23	3	Horizontal	67	2.44	-	39.70	8.79	34.70
RMS	13.02734G	43.40	68.20	-24.80	29.61	3	Horizontal	67	2.44	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5092G	56.12	83.54	-27.42	53.94	1	Vertical	296	2.67	-	37.90	13.98	49.70
AV	19.5904G	43.00	63.54	-20.54	40.86	1	Vertical	296	2.67	-	37.86	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5644G	56.23	83.54	-27.31	54.08	1	Horizontal	201	2.96	-	37.87	13.98	49.70
AV	19.5876G	42.79	63.54	-20.75	40.65	1	Horizontal	201	2.96	-	37.86	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	58.66	88.20	-29.54	51.76	3	Vertical	317	1.80	-	34.89	5.35	33.34
RMS	5.8854G	48.73	68.20	-19.47	41.85	3	Vertical	317	1.80	-	34.87	5.34	33.33
PK	6.5294G	108.37	Inf	-Inf	99.80	3	Vertical	317	1.80	-	35.92	5.70	33.05
RMS	6.5294G	99.53	Inf	-Inf	90.96	3	Vertical	317	1.80	-	35.92	5.70	33.05
PK	7.1342G	61.95	88.20	-26.25	52.46	3	Vertical	317	1.80	-	36.97	5.97	33.45
RMS	7.1426G	51.73	68.20	-16.47	42.18	3	Vertical	317	1.80	-	37.04	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	59.96	88.20	-28.24	52.95	3	Horizontal	23	3.00	-	35.00	5.36	33.35
RMS	5.8882G	48.71	68.20	-19.49	41.83	3	Horizontal	23	3.00	-	34.88	5.34	33.34
PK	6.5266G	102.04	Inf	-Inf	93.48	3	Horizontal	23	3.00	-	35.91	5.70	33.05
RMS	6.5434G	93.36	Inf	-Inf	84.75	3	Horizontal	23	3.00	-	35.97	5.70	33.06
PK	7.2294G	62.42	88.20	-25.78	52.62	3	Horizontal	23	3.00	-	37.36	6.01	33.57
RMS	7.2322G	51.78	68.20	-16.42	41.97	3	Horizontal	23	3.00	-	37.36	6.02	33.57

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06728G	56.86	88.20	-31.34	43.07	3	Vertical	56	2.27	-	39.70	8.79	34.70
RMS	13.0726G	43.29	68.20	-24.91	29.50	3	Vertical	56	2.27	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07224G	57.11	88.20	-31.09	43.32	3	Horizontal	282	1.82	-	39.70	8.79	34.70
RMS	13.06986G	43.28	68.20	-24.92	29.49	3	Horizontal	282	1.82	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5664G	55.70	83.54	-27.84	53.55	1	Vertical	268	1.79	-	37.87	13.98	49.70
AV	19.5842G	42.80	63.54	-20.74	40.65	1	Vertical	268	1.79	-	37.87	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.563G	55.95	83.54	-27.59	53.80	1	Horizontal	19	2.94	-	37.87	13.98	49.70
AV	19.5772G	42.75	63.54	-20.79	40.60	1	Horizontal	19	2.94	-	37.87	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	107.49	Inf	-Inf	98.73	3	Vertical	322	1.78	-	36.20	5.70	33.14
RMS	6.6906G	98.46	Inf	-Inf	89.70	3	Vertical	322	1.78	-	36.20	5.70	33.14
PK	7.1768G	63.50	88.20	-24.70	53.80	3	Vertical	322	1.78	-	37.21	5.99	33.50
RMS	7.2428G	51.72	68.20	-16.48	41.89	3	Vertical	322	1.78	-	37.39	6.02	33.58

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	101.16	Inf	-Inf	92.39	3	Horizontal	23	2.80	-	36.20	5.70	33.13
RMS	6.6862G	91.64	Inf	-Inf	82.87	3	Horizontal	23	2.80	-	36.20	5.70	33.13
PK	7.223G	62.47	88.20	-25.73	52.67	3	Horizontal	23	2.80	-	37.35	6.01	33.56
RMS	7.2428G	51.78	68.20	-16.42	41.95	3	Horizontal	23	2.80	-	37.39	6.02	33.58

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3884G	57.13	74.00	-16.87	42.95	3	Vertical	294	1.34	-	40.18	8.72	34.72
AV	13.38528G	43.16	54.00	-10.84	28.99	3	Vertical	294	1.34	-	40.17	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38714G	56.69	74.00	-17.31	42.52	3	Horizontal	45	1.61	-	40.17	8.72	34.72
AV	13.38656G	43.07	54.00	-10.93	28.90	3	Horizontal	45	1.61	-	40.17	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0816G	55.73	83.54	-27.81	53.93	1	Vertical	124	2.47	-	37.47	14.06	49.73
AV	20.0734G	42.77	63.54	-20.77	40.98	1	Vertical	124	2.47	-	37.46	14.06	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 5,5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0992G	55.67	83.54	-27.87	53.86	1	Horizontal	217	2.28	-	37.48	14.07	49.74
AV	20.0818G	42.81	63.54	-20.73	41.01	1	Horizontal	217	2.28	-	37.47	14.06	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	109.00	Inf	-Inf	99.91	3	Vertical	286	2.58	-	36.55	5.76	33.22
RMS	6.8634G	99.82	Inf	-Inf	90.73	3	Vertical	286	2.58	-	36.55	5.76	33.22
PK	7.1588G	62.37	88.20	-25.83	52.73	3	Vertical	286	2.58	-	37.14	5.98	33.48
RMS	7.1392G	51.78	68.20	-16.42	42.26	3	Vertical	286	2.58	-	37.01	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	103.23	Inf	-Inf	94.14	3	Horizontal	19	2.94	-	36.55	5.76	33.22
RMS	6.8634G	93.91	Inf	-Inf	84.82	3	Horizontal	19	2.94	-	36.55	5.76	33.22
PK	7.1336G	62.66	88.20	-25.54	53.17	3	Horizontal	19	2.94	-	36.97	5.97	33.45
RMS	7.1294G	51.76	68.20	-16.44	42.31	3	Horizontal	19	2.94	-	36.94	5.96	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7125G	58.85	88.20	-29.35	44.59	3	Vertical	281	1.23	-	40.41	8.66	34.81
RMS	13.71066G	44.66	68.20	-23.54	30.40	3	Vertical	281	1.23	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70996G	58.77	88.20	-29.43	44.51	3	Horizontal	149	1.92	-	40.41	8.66	34.81
RMS	13.70982G	44.78	68.20	-23.42	30.52	3	Horizontal	149	1.92	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1096G	56.47	83.54	-27.07	54.64	1	Vertical	273	1.92	-	37.49	14.08	49.74
AV	20.0816G	42.71	63.54	-20.83	40.91	1	Vertical	273	1.92	-	37.47	14.06	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0684G	55.63	83.54	-27.91	53.86	1	Horizontal	108	1.80	-	37.45	14.05	49.73
AV	20.0606G	42.89	63.54	-20.65	41.11	1	Horizontal	108	1.80	-	37.45	14.05	49.72


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 7
 04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	109.22	Inf	-Inf	100.18	3	Vertical	72	2.38	-	36.50	5.77	33.23
RMS	6.8738G	98.85	Inf	-Inf	89.81	3	Vertical	72	2.38	-	36.50	5.77	33.23
PK	7.1414G	63.41	88.20	-24.79	53.87	3	Vertical	72	2.38	-	37.03	5.97	33.46
RMS	7.1426G	51.75	68.20	-16.45	42.20	3	Vertical	72	2.38	-	37.04	5.97	33.46


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 7
 04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	102.86	Inf	-Inf	93.84	3	Horizontal	6	2.95	-	36.47	5.78	33.23
RMS	6.8834G	94.38	Inf	-Inf	85.36	3	Horizontal	6	2.95	-	36.47	5.78	33.23
PK	7.1426G	61.88	88.20	-26.32	52.33	3	Horizontal	6	2.95	-	37.04	5.97	33.46
RMS	7.1318G	51.72	68.20	-16.48	42.25	3	Horizontal	6	2.95	-	36.95	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 7
 04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75158G	59.67	88.20	-28.53	45.40	3	Vertical	156	2.01	-	40.45	8.65	34.83
RMS	13.7481G	45.12	68.20	-23.08	30.84	3	Vertical	156	2.01	-	40.45	8.65	34.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




17/11/2021

EUTY_4TX
Setting 7
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74598G	58.89	88.20	-29.31	44.61	3	Horizontal	214	1.33	-	40.45	8.65	34.82
RMS	13.7481G	45.02	68.20	-23.18	30.74	3	Horizontal	214	1.33	-	40.45	8.65	34.82


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 7
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6152G	56.13	83.54	-27.41	53.68	1	Vertical	31	1.11	-	37.84	14.46	49.85
AV	20.5796G	43.36	63.54	-20.18	41.00	1	Vertical	31	1.11	-	37.80	14.43	49.87

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




20/11/2021

EUTY_4TX
 Setting 7
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5772G	56.32	83.54	-27.22	53.97	1	Horizontal	59	1.79	-	37.79	14.43	49.87
AV	20.5778G	43.37	63.54	-20.17	41.02	1	Horizontal	59	1.79	-	37.79	14.43	49.87

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	111.15	Inf	-Inf	102.16	3	Vertical	285	2.95	-	36.43	5.80	33.24
RMS	6.9034G	100.89	Inf	-Inf	91.90	3	Vertical	285	2.95	-	36.43	5.80	33.24
PK	7.1266G	62.46	88.20	-25.74	53.03	3	Vertical	285	2.95	-	36.91	5.96	33.44
RMS	7.1434G	51.73	68.20	-16.47	42.17	3	Vertical	285	2.95	-	37.05	5.97	33.46

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	103.60	Inf	-Inf	94.61	3	Horizontal	18	2.93	-	36.43	5.80	33.24
RMS	6.8866G	94.87	Inf	-Inf	85.86	3	Horizontal	18	2.93	-	36.45	5.79	33.23
PK	7.135G	62.43	88.20	-25.77	52.93	3	Horizontal	18	2.93	-	36.98	5.97	33.45
RMS	7.129G	51.73	68.20	-16.47	42.28	3	Horizontal	18	2.93	-	36.93	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78882G	58.68	88.20	-29.52	44.39	3	Vertical	241	1.79	-	40.49	8.64	34.84
RMS	13.78816G	45.09	68.20	-23.11	30.80	3	Vertical	241	1.79	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78886G	58.66	88.20	-29.54	44.37	3	Horizontal	38	1.76	-	40.49	8.64	34.84
RMS	13.78578G	44.99	68.20	-23.21	30.70	3	Horizontal	38	1.76	-	40.49	8.64	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6776G	56.88	83.54	-26.66	54.29	1	Vertical	262	2.77	-	37.91	14.51	49.83
AV	20.689G	43.04	63.54	-20.50	40.41	1	Vertical	262	2.77	-	37.93	14.52	49.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7006G	56.10	83.54	-27.44	53.45	1	Horizontal	154	2.33	-	37.94	14.53	49.82
AV	20.6884G	42.94	63.54	-20.60	40.31	1	Horizontal	154	2.33	-	37.93	14.52	49.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0038G	109.92	Inf	-Inf	100.69	3	Vertical	287	2.90	-	36.62	5.90	33.29
RMS	7.0038G	100.94	Inf	-Inf	91.71	3	Vertical	287	2.90	-	36.62	5.90	33.29
PK	7.1918G	64.11	88.20	-24.09	54.36	3	Vertical	287	2.90	-	37.27	6.00	33.52
RMS	7.1342G	51.87	68.20	-16.33	42.38	3	Vertical	287	2.90	-	36.97	5.97	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0006G	106.40	Inf	-Inf	97.19	3	Horizontal	33	2.83	-	36.60	5.90	33.29
RMS	6.9998G	96.59	Inf	-Inf	87.38	3	Horizontal	33	2.83	-	36.60	5.90	33.29
PK	7.195G	62.69	88.20	-25.51	52.93	3	Horizontal	33	2.83	-	37.28	6.00	33.52
RMS	7.1486G	51.81	68.20	-16.39	42.22	3	Horizontal	33	2.83	-	37.09	5.97	33.47

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98522G	59.09	88.20	-29.11	44.55	3	Vertical	343	2.01	-	40.86	8.60	34.92
RMS	13.99336G	45.14	68.20	-23.06	30.59	3	Vertical	343	2.01	-	40.88	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99328G	59.01	88.20	-29.19	44.46	3	Horizontal	83	2.22	-	40.88	8.60	34.93
RMS	13.98618G	45.02	68.20	-23.18	30.48	3	Horizontal	83	2.22	-	40.86	8.60	34.92

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9506G	54.67	83.54	-28.87	52.00	1	Vertical	149	1.19	-	37.68	14.71	49.72
AV	20.9402G	42.02	63.54	-21.52	39.33	1	Vertical	149	1.19	-	37.70	14.71	49.72

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9842G	54.72	83.54	-28.82	52.06	1	Horizontal	164	1.56	-	37.63	14.74	49.71
AV	20.9354G	41.96	63.54	-21.58	39.29	1	Horizontal	164	1.56	-	37.70	14.70	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0892G	112.47	Inf	-Inf	103.21	3	Vertical	297	1.85	-	36.72	5.94	33.40
RMS	7.0888G	101.69	Inf	-Inf	92.43	3	Vertical	297	1.85	-	36.72	5.94	33.40
PK	7.1308G	63.54	88.20	-24.66	54.07	3	Vertical	297	1.85	-	36.95	5.97	33.45
RMS	7.1282G	52.11	68.20	-16.09	42.66	3	Vertical	297	1.85	-	36.93	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1004G	109.12	Inf	-Inf	99.88	3	Horizontal	39	2.89	-	36.70	5.95	33.41
RMS	7.1G	98.01	Inf	-Inf	88.77	3	Horizontal	39	2.89	-	36.70	5.95	33.41
PK	7.1382G	63.64	88.20	-24.56	54.12	3	Horizontal	39	2.89	-	37.01	5.97	33.46
RMS	7.128G	51.88	68.20	-16.32	42.44	3	Horizontal	39	2.89	-	36.92	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19224G	59.20	88.20	-29.00	44.64	3	Vertical	129	1.43	-	40.81	8.65	34.90
RMS	14.19198G	45.37	68.20	-22.83	30.81	3	Vertical	129	1.43	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19284G	59.21	88.20	-28.99	44.65	3	Horizontal	135	1.97	-	40.81	8.65	34.90
RMS	14.18566G	45.33	68.20	-22.87	30.77	3	Horizontal	135	1.97	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3334G	54.82	83.54	-28.72	51.75	1	Vertical	305	2.49	-	37.70	15.00	49.63
AV	21.3336G	42.00	63.54	-21.54	38.93	1	Vertical	305	2.49	-	37.70	15.00	49.63

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3272G	54.55	83.54	-28.99	51.49	1	Horizontal	28	1.58	-	37.69	15.00	49.63
AV	21.329G	42.11	63.54	-21.43	39.05	1	Horizontal	28	1.58	-	37.69	15.00	49.63

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1087G	101.34	Inf	-Inf	92.04	3	Vertical	293	1.84	-	36.77	5.95	33.42
RMS	7.1087G	90.91	Inf	-Inf	81.61	3	Vertical	293	1.84	-	36.77	5.95	33.42
PK	7.1255G	74.35	88.20	-13.85	64.93	3	Vertical	293	1.84	-	36.90	5.96	33.44
RMS	7.1265G	63.09	68.20	-5.11	53.66	3	Vertical	293	1.84	-	36.91	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11995G	97.20	Inf	-Inf	87.81	3	Horizontal	37	2.90	-	36.86	5.96	33.43
RMS	7.1199G	86.36	Inf	-Inf	76.97	3	Horizontal	37	2.90	-	36.86	5.96	33.43
PK	7.1255G	71.29	88.20	-16.91	61.87	3	Horizontal	37	2.90	-	36.90	5.96	33.44
RMS	7.1255G	60.31	68.20	-7.89	50.89	3	Horizontal	37	2.90	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2099G	59.65	88.20	-28.55	45.11	3	Vertical	78	2.97	-	40.78	8.65	34.89
RMS	14.2072G	46.58	68.20	-21.62	32.03	3	Vertical	78	2.97	-	40.79	8.65	34.89

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2374G	59.48	88.20	-28.72	44.98	3	Horizontal	348	2.13	-	40.73	8.66	34.89
RMS	14.2068G	46.22	68.20	-21.98	31.67	3	Horizontal	348	2.13	-	40.79	8.65	34.89

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_1TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3818G	55.39	83.54	-28.15	52.21	1	Vertical	62	1.76	-	37.76	15.04	49.62
AV	21.3762G	42.26	63.54	-21.28	39.10	1	Vertical	62	1.76	-	37.75	15.03	49.62

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_1TX
Setting 13.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3566G	55.66	83.54	-27.88	52.54	1	Horizontal	256	1.14	-	37.73	15.02	49.63
AV	21.3784G	42.24	63.54	-21.30	39.08	1	Horizontal	256	1.14	-	37.75	15.03	49.62

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




15/11/2021

EUTY_4TX
Setting 6
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	59.82	88.20	-28.38	52.94	3	Vertical	68	2.24	-	34.87	5.34	33.33
RMS	5.925G	48.66	68.20	-19.54	41.60	3	Vertical	68	2.24	-	35.05	5.36	33.35
PK	5.9686G	109.86	Inf	-Inf	102.58	3	Vertical	68	2.24	-	35.27	5.38	33.37
RMS	5.9698G	99.58	Inf	-Inf	92.29	3	Vertical	68	2.24	-	35.28	5.38	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 6
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.11	88.20	-28.09	53.05	3	Horizontal	22	3.00	-	35.05	5.36	33.35
RMS	5.8838G	48.60	68.20	-19.60	41.72	3	Horizontal	22	3.00	-	34.87	5.34	33.33
PK	5.9566G	103.84	Inf	-Inf	96.59	3	Horizontal	22	3.00	-	35.23	5.38	33.36
RMS	5.9554G	92.80	Inf	-Inf	85.56	3	Horizontal	22	3.00	-	35.22	5.38	33.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 6
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9178G	55.59	74.00	-18.41	42.42	3	Vertical	88	2.03	-	39.15	8.94	34.92
AV	11.9134G	41.82	54.00	-12.18	28.64	3	Vertical	88	2.03	-	39.16	8.94	34.92
PK	17.8913G	61.66	74.00	-12.34	44.70	3	Vertical	30	1.21	-	41.97	9.76	34.77
AV	17.9158G	48.79	54.00	-5.21	31.79	3	Vertical	30	1.21	-	42.02	9.77	34.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUTY_4TX
Setting 6
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9068G	54.62	74.00	-19.38	41.42	3	Horizontal	222	2.19	-	39.18	8.93	34.91
AV	11.911G	41.85	54.00	-12.15	28.66	3	Horizontal	222	2.19	-	39.17	8.94	34.92
PK	17.911G	61.93	74.00	-12.07	44.93	3	Horizontal	139	2.94	-	42.01	9.77	34.78
AV	17.918G	48.98	54.00	-5.02	31.98	3	Horizontal	139	2.94	-	42.02	9.77	34.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	59.13	88.20	-29.07	52.25	3	Vertical	318	1.78	-	34.87	5.34	33.33
RMS	5.8818G	48.58	68.20	-19.62	41.71	3	Vertical	318	1.78	-	34.86	5.34	33.33
PK	6.1602G	110.18	Inf	-Inf	102.43	3	Vertical	318	1.78	-	35.46	5.56	33.27
RMS	6.1602G	99.52	Inf	-Inf	91.77	3	Vertical	318	1.78	-	35.46	5.56	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.28	88.20	-28.92	52.22	3	Horizontal	20	2.95	-	35.05	5.36	33.35
RMS	5.8706G	48.56	68.20	-19.64	41.71	3	Horizontal	20	2.95	-	34.84	5.34	33.33
PK	6.1554G	104.30	Inf	-Inf	96.58	3	Horizontal	20	2.95	-	35.43	5.56	33.27
RMS	6.1554G	94.60	Inf	-Inf	86.88	3	Horizontal	20	2.95	-	35.43	5.56	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3175G	55.25	74.00	-18.75	42.41	3	Vertical	247	2.68	-	38.75	8.94	34.85
AV	12.3485G	41.74	54.00	-12.26	28.81	3	Vertical	247	2.68	-	38.85	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3289G	55.08	74.00	-18.92	42.21	3	Horizontal	330	1.89	-	38.79	8.93	34.85
AV	12.3499G	41.76	54.00	-12.24	28.83	3	Horizontal	330	1.89	-	38.85	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4858G	56.88	83.54	-26.66	55.29	1	Vertical	67	1.71	-	37.78	13.92	50.11
AV	18.445G	44.18	63.54	-19.36	42.65	1	Vertical	67	1.71	-	37.73	13.92	50.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUTY_4TX
Setting 7
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4682G	57.35	83.54	-26.19	55.78	1	Horizontal	97	2.11	-	37.76	13.92	50.11
AV	18.4496G	44.29	63.54	-19.25	42.75	1	Horizontal	97	2.11	-	37.74	13.92	50.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7218G	59.23	88.20	-28.97	52.91	3	Vertical	316	1.80	-	34.29	5.30	33.27
RMS	5.9206G	48.59	68.20	-19.61	41.56	3	Vertical	316	1.80	-	35.02	5.36	33.35
PK	6.4022G	108.28	Inf	-Inf	99.99	3	Vertical	316	1.80	-	35.70	5.70	33.11
RMS	6.3994G	99.03	Inf	-Inf	90.74	3	Vertical	316	1.80	-	35.70	5.70	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.49	88.20	-29.71	51.43	3	Horizontal	18	3.00	-	35.05	5.36	33.35
RMS	5.8842G	48.54	68.20	-19.66	41.66	3	Horizontal	18	3.00	-	34.87	5.34	33.33
PK	6.3938G	102.85	Inf	-Inf	94.57	3	Horizontal	18	3.00	-	35.69	5.70	33.11
RMS	6.3938G	93.71	Inf	-Inf	85.43	3	Horizontal	18	3.00	-	35.69	5.70	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7969G	55.15	88.20	-33.05	41.65	3	Vertical	275	2.88	-	39.40	8.84	34.74
RMS	12.8301G	42.02	68.20	-26.18	28.49	3	Vertical	275	2.88	-	39.43	8.83	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8187G	54.97	88.20	-33.23	41.45	3	Horizontal	309	2.13	-	39.42	8.84	34.74
RMS	12.8333G	41.97	68.20	-26.23	28.44	3	Horizontal	309	2.13	-	39.43	8.83	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2256G	54.98	83.54	-28.56	52.94	1	Vertical	113	1.53	-	37.73	13.96	49.65
AV	19.2554G	41.37	63.54	-22.17	39.36	1	Vertical	113	1.53	-	37.70	13.96	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2444G	54.68	83.54	-28.86	52.66	1	Horizontal	164	1.77	-	37.71	13.96	49.65
AV	19.234G	41.38	63.54	-22.16	39.35	1	Horizontal	164	1.77	-	37.72	13.96	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8594G	58.88	88.20	-29.32	52.05	3	Vertical	319	1.70	-	34.82	5.33	33.32
RMS	5.8914G	48.57	68.20	-19.63	41.68	3	Vertical	319	1.70	-	34.88	5.35	33.34
PK	6.4386G	108.10	Inf	-Inf	99.86	3	Vertical	319	1.70	-	35.62	5.70	33.08
RMS	6.4418G	98.67	Inf	-Inf	90.43	3	Vertical	319	1.70	-	35.62	5.70	33.08
PK	7.165G	61.65	88.20	-26.55	52.00	3	Vertical	319	1.70	-	37.16	5.98	33.49
RMS	7.245G	51.72	68.20	-16.48	41.89	3	Vertical	319	1.70	-	37.39	6.02	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	59.12	88.20	-29.08	52.14	3	Horizontal	11	2.97	-	34.96	5.36	33.34
RMS	5.8946G	48.52	68.20	-19.68	41.62	3	Horizontal	11	2.97	-	34.89	5.35	33.34
PK	6.4354G	102.63	Inf	-Inf	94.38	3	Horizontal	11	2.97	-	35.63	5.70	33.08
RMS	6.4354G	93.18	Inf	-Inf	84.93	3	Horizontal	11	2.97	-	35.63	5.70	33.08
PK	7.1746G	62.72	88.20	-25.48	53.03	3	Horizontal	11	2.97	-	37.20	5.99	33.50
RMS	7.2354G	51.72	68.20	-16.48	41.90	3	Horizontal	11	2.97	-	37.37	6.02	33.57

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8779G	55.45	88.20	-32.75	41.87	3	Vertical	174	1.27	-	39.48	8.82	34.72
RMS	12.8746G	42.17	68.20	-26.03	28.60	3	Vertical	174	1.27	-	39.47	8.83	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8752G	55.49	88.20	-32.71	41.91	3	Horizontal	338	1.78	-	39.48	8.82	34.72
RMS	12.8668G	42.10	68.20	-26.10	28.53	3	Horizontal	338	1.78	-	39.47	8.83	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3108G	54.71	83.54	-28.83	52.65	1	Vertical	273	1.73	-	37.75	13.97	49.66
AV	19.3144G	41.61	63.54	-21.93	39.55	1	Vertical	273	1.73	-	37.75	13.97	49.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3286G	54.79	83.54	-28.75	52.73	1	Horizontal	136	1.45	-	37.76	13.97	49.67
AV	19.3132G	41.46	63.54	-22.08	39.40	1	Horizontal	136	1.45	-	37.75	13.97	49.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.861G	59.33	88.20	-28.87	52.50	3	Vertical	321	1.80	-	34.82	5.33	33.32
RMS	5.885G	48.54	68.20	-19.66	41.66	3	Vertical	321	1.80	-	34.87	5.34	33.33
PK	6.5G	110.56	Inf	-Inf	102.10	3	Vertical	321	1.80	-	35.80	5.70	33.04
RMS	6.482G	98.24	Inf	-Inf	89.86	3	Vertical	321	1.80	-	35.73	5.70	33.05
PK	7.175G	61.72	88.20	-26.48	52.03	3	Vertical	321	1.80	-	37.20	5.99	33.50
RMS	7.142G	51.72	68.20	-16.48	42.17	3	Vertical	321	1.80	-	37.04	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 9
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.882G	59.12	88.20	-29.08	52.25	3	Horizontal	24	3.00	-	34.86	5.34	33.33
RMS	5.882G	48.53	68.20	-19.67	41.66	3	Horizontal	24	3.00	-	34.86	5.34	33.33
PK	6.494G	102.72	Inf	-Inf	94.28	3	Horizontal	24	3.00	-	35.78	5.70	33.04
RMS	6.494G	93.68	Inf	-Inf	85.24	3	Horizontal	24	3.00	-	35.78	5.70	33.04
PK	7.136G	61.34	88.20	-26.86	51.83	3	Horizontal	24	3.00	-	36.99	5.97	33.45
RMS	7.145G	51.72	68.20	-16.48	42.15	3	Horizontal	24	3.00	-	37.06	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9658G	55.88	88.20	-32.32	42.15	3	Vertical	279	1.34	-	39.63	8.81	34.71
RMS	12.9929G	42.78	68.20	-25.42	28.99	3	Vertical	279	1.34	-	39.69	8.80	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9607G	55.29	88.20	-32.91	41.57	3	Horizontal	352	2.61	-	39.62	8.81	34.71
RMS	12.9883G	42.63	68.20	-25.57	28.85	3	Horizontal	352	2.61	-	39.68	8.80	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4402G	54.73	83.54	-28.81	52.60	1	Vertical	160	1.06	-	37.85	13.97	49.69
AV	19.493G	41.84	63.54	-21.70	39.68	1	Vertical	160	1.06	-	37.89	13.97	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUTY_4TX
Setting 9
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4968G	54.85	83.54	-28.69	52.68	1	Horizontal	110	2.93	-	37.90	13.97	49.70
AV	19.505G	41.77	63.54	-21.77	39.59	1	Horizontal	110	2.93	-	37.90	13.98	49.70


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 9
 04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8614G	59.24	88.20	-28.96	52.41	3	Vertical	320	1.72	-	34.82	5.33	33.32
RMS	5.8782G	48.53	68.20	-19.67	41.66	3	Vertical	320	1.72	-	34.86	5.34	33.33
PK	6.5418G	108.04	Inf	-Inf	99.43	3	Vertical	320	1.72	-	35.97	5.70	33.06
RMS	6.5194G	99.33	Inf	-Inf	90.80	3	Vertical	320	1.72	-	35.88	5.70	33.05
PK	7.1914G	63.01	88.20	-25.19	53.26	3	Vertical	320	1.72	-	37.27	6.00	33.52
RMS	7.1438G	51.70	68.20	-16.50	42.14	3	Vertical	320	1.72	-	37.05	5.97	33.46


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 9
 04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	60.44	88.20	-27.76	53.56	3	Horizontal	22	3.00	-	34.87	5.34	33.33
RMS	5.9062G	48.55	68.20	-19.65	41.60	3	Horizontal	22	3.00	-	34.94	5.35	33.34
PK	6.5138G	103.15	Inf	-Inf	94.64	3	Horizontal	22	3.00	-	35.86	5.70	33.05
RMS	6.5138G	93.88	Inf	-Inf	85.37	3	Horizontal	22	3.00	-	35.86	5.70	33.05
PK	7.1858G	62.22	88.20	-25.98	52.50	3	Horizontal	22	3.00	-	37.24	5.99	33.51
RMS	7.1438G	51.69	68.20	-16.51	42.13	3	Horizontal	22	3.00	-	37.05	5.97	33.46


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 9
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0499G	56.03	88.20	-32.17	42.24	3	Vertical	314	2.22	-	39.70	8.79	34.70
RMS	13.0396G	43.11	68.20	-25.09	29.32	3	Vertical	314	2.22	-	39.70	8.79	34.70


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 9
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0738G	55.99	88.20	-32.21	42.20	3	Horizontal	203	1.60	-	39.70	8.79	34.70
RMS	13.073G	43.05	68.20	-25.15	29.26	3	Horizontal	203	1.60	-	39.70	8.79	34.70


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 9
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5584G	56.10	83.54	-27.44	53.94	1	Vertical	121	1.06	-	37.88	13.98	49.70
AV	19.5708G	42.34	63.54	-21.20	40.19	1	Vertical	121	1.06	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 9
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.589G	55.98	83.54	-27.56	53.84	1	Horizontal	219	1.24	-	37.86	13.98	49.70
AV	19.5678G	42.37	63.54	-21.17	40.22	1	Horizontal	219	1.24	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	107.63	Inf	-Inf	98.98	3	Vertical	318	1.80	-	36.02	5.70	33.07
RMS	6.5602G	98.93	Inf	-Inf	90.28	3	Vertical	318	1.80	-	36.02	5.70	33.07
PK	7.1554G	62.13	88.20	-26.07	52.51	3	Vertical	318	1.80	-	37.12	5.98	33.48
RMS	7.1506G	51.75	68.20	-16.45	42.14	3	Vertical	318	1.80	-	37.10	5.98	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	103.05	Inf	-Inf	94.41	3	Horizontal	22	2.97	-	36.01	5.70	33.07
RMS	6.5554G	93.84	Inf	-Inf	85.20	3	Horizontal	22	2.97	-	36.01	5.70	33.07
PK	7.1314G	61.43	88.20	-26.77	51.96	3	Horizontal	22	2.97	-	36.95	5.97	33.45
RMS	7.1338G	51.80	68.20	-16.40	42.31	3	Horizontal	22	2.97	-	36.97	5.97	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1363G	56.30	88.20	-31.90	42.47	3	Vertical	25	2.30	-	39.77	8.77	34.71
RMS	13.1534G	42.93	68.20	-25.27	29.06	3	Vertical	25	2.30	-	39.81	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1179G	56.62	88.20	-31.58	42.80	3	Horizontal	20	1.72	-	39.74	8.78	34.70
RMS	13.1234G	43.03	68.20	-25.17	29.20	3	Horizontal	20	1.72	-	39.75	8.78	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7336G	55.63	83.54	-27.91	53.53	1	Vertical	161	1.81	-	37.81	13.99	49.70
AV	19.7376G	42.68	63.54	-20.86	40.59	1	Vertical	161	1.81	-	37.80	13.99	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.712G	55.57	83.54	-27.97	53.46	1	Horizontal	9	1.25	-	37.82	13.99	49.70
AV	19.7428G	42.61	63.54	-20.93	40.52	1	Horizontal	9	1.25	-	37.80	13.99	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	108.72	Inf	-Inf	99.95	3	Vertical	74	2.16	-	36.20	5.70	33.13
RMS	6.685G	99.50	Inf	-Inf	90.73	3	Vertical	74	2.16	-	36.20	5.70	33.13
PK	7.141G	61.94	88.20	-26.26	52.40	3	Vertical	74	2.16	-	37.03	5.97	33.46
RMS	7.139G	51.77	68.20	-16.43	42.25	3	Vertical	74	2.16	-	37.01	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	103.39	Inf	-Inf	94.62	3	Horizontal	24	3.00	-	36.20	5.70	33.13
RMS	6.675G	94.48	Inf	-Inf	85.71	3	Horizontal	24	3.00	-	36.20	5.70	33.13
PK	7.171G	61.92	88.20	-26.28	52.25	3	Horizontal	24	3.00	-	37.18	5.99	33.50
RMS	7.133G	51.77	68.20	-16.43	42.29	3	Horizontal	24	3.00	-	36.96	5.97	33.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3631G	56.66	74.00	-17.34	42.51	3	Vertical	75	2.28	-	40.13	8.73	34.71
AV	13.3742G	43.30	54.00	-10.70	29.13	3	Vertical	75	2.28	-	40.15	8.73	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3726G	57.13	74.00	-16.87	42.96	3	Horizontal	83	2.20	-	40.15	8.73	34.71
AV	13.3873G	43.42	54.00	-10.58	29.25	3	Horizontal	83	2.20	-	40.17	8.72	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0408G	55.43	83.54	-28.11	53.69	1	Vertical	353	1.48	-	37.43	14.03	49.72
AV	20.0734G	42.49	63.54	-21.05	40.70	1	Vertical	353	1.48	-	37.46	14.06	49.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTY_4TX
Setting 8.5
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0346G	55.36	83.54	-28.18	53.61	1	Horizontal	258	2.33	-	37.43	14.03	49.71
AV	20.079G	42.55	63.54	-20.99	40.76	1	Horizontal	258	2.33	-	37.46	14.06	49.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 10
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	108.57	Inf	-Inf	99.45	3	Vertical	74	2.53	-	36.58	5.75	33.21
RMS	6.8466G	99.00	Inf	-Inf	89.88	3	Vertical	74	2.53	-	36.58	5.75	33.21
PK	7.1538G	62.01	88.20	-26.19	52.38	3	Vertical	74	2.53	-	37.12	5.98	33.47
RMS	7.1266G	51.85	68.20	-16.35	42.42	3	Vertical	74	2.53	-	36.91	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 10
04-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8546G	103.50	Inf	-Inf	94.39	3	Horizontal	20	2.97	-	36.58	5.75	33.22
RMS	6.8354G	94.58	Inf	-Inf	85.54	3	Horizontal	20	2.97	-	36.51	5.74	33.21
PK	7.1378G	61.90	88.20	-26.30	52.39	3	Horizontal	20	2.97	-	37.00	5.97	33.46
RMS	7.1378G	51.82	68.20	-16.38	42.31	3	Horizontal	20	2.97	-	37.00	5.97	33.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7041G	59.01	88.20	-29.19	44.76	3	Vertical	286	1.85	-	40.40	8.66	34.81
RMS	13.6666G	45.09	68.20	-23.11	30.88	3	Vertical	286	1.85	-	40.33	8.67	34.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6797G	59.32	88.20	-28.88	45.10	3	Horizontal	127	2.57	-	40.36	8.66	34.80
RMS	13.6746G	45.11	68.20	-23.09	30.88	3	Horizontal	127	2.57	-	40.35	8.67	34.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




20/11/2021

EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5042G	57.49	83.54	-26.05	55.30	1	Vertical	93	1.21	-	37.71	14.38	49.90
AV	20.494G	43.56	63.54	-19.98	41.39	1	Vertical	93	1.21	-	37.70	14.37	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.492G	57.17	83.54	-26.37	55.00	1	Horizontal	215	1.99	-	37.70	14.37	49.90
AV	20.5018G	43.58	63.54	-19.96	41.40	1	Horizontal	215	1.99	-	37.70	14.38	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
Setting 10
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	110.05	Inf	-Inf	101.03	3	Vertical	73	2.62	-	36.47	5.78	33.23
RMS	6.8864G	97.62	Inf	-Inf	88.61	3	Vertical	73	2.62	-	36.45	5.79	33.23
PK	7.1832G	61.76	88.20	-26.44	52.05	3	Vertical	73	2.62	-	37.23	5.99	33.51
RMS	7.1496G	49.56	68.20	-18.64	39.96	3	Vertical	73	2.62	-	37.10	5.97	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
 Setting 10
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8752G	104.05	Inf	-Inf	95.00	3	Horizontal	19	2.96	-	36.50	5.78	33.23
RMS	6.8752G	92.37	Inf	-Inf	83.32	3	Horizontal	19	2.96	-	36.50	5.78	33.23
PK	7.1664G	62.43	88.20	-25.77	52.77	3	Horizontal	19	2.96	-	37.17	5.98	33.49
RMS	7.2084G	49.58	68.20	-18.62	39.80	3	Horizontal	19	2.96	-	37.32	6.00	33.54

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
Setting 10
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7928G	57.69	88.20	-30.51	43.40	3	Vertical	216	2.46	-	40.49	8.64	34.84
RMS	13.7457G	44.70	68.20	-23.50	30.42	3	Vertical	216	2.46	-	40.45	8.65	34.82


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 10
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7817G	57.32	88.20	-30.88	43.04	3	Horizontal	50	1.38	-	40.48	8.64	34.84
RMS	13.7674G	44.60	68.20	-23.60	30.31	3	Horizontal	50	1.38	-	40.47	8.65	34.83


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 10
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6964G	56.56	83.54	-26.98	53.92	1	Vertical	41	1.88	-	37.94	14.52	49.82
AV	20.699G	42.90	63.54	-20.64	40.26	1	Vertical	41	1.88	-	37.94	14.52	49.82

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTY_4TX
 Setting 10
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6536G	56.01	83.54	-27.53	53.48	1	Horizontal	182	1.88	-	37.88	14.49	49.84
AV	20.6982G	42.84	63.54	-20.70	40.20	1	Horizontal	182	1.88	-	37.94	14.52	49.82