




**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 7	Pass	QP	56.19M	35.99	40.00	-4.01	Vertical

Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	38.73M	34.86	40.00	-5.14	-11.36	3	Vertical	303	1.00	-	46.22	19.38	0.90	31.64
QP	56.19M	35.99	40.00	-4.01	-18.19	3	Vertical	303	1.00	"Worst"	54.18	12.51	1.12	31.82
QP	76.56M	32.86	40.00	-7.14	-18.20	3	Vertical	303	1.00	-	51.06	12.41	1.30	31.91
QP	102.75M	30.10	43.50	-13.40	-13.34	3	Vertical	360	1.00	-	43.44	17.03	1.51	31.88
QP	155.13M	29.89	43.50	-13.61	-14.14	3	Vertical	20	1.00	-	44.03	15.94	1.88	31.96
QP	262.8M	29.57	46.00	-16.43	-10.29	3	Vertical	186	1.00	-	39.86	19.26	2.48	32.03

Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	34.13	40.00	-5.87	-9.71	3	Horizontal	314	1.25	-	43.84	20.99	0.90	31.60
QP	58.13M	28.02	40.00	-11.98	-18.34	3	Horizontal	157	2.00	-	46.36	12.33	1.16	31.83
QP	75.59M	34.70	40.00	-5.30	-18.28	3	Horizontal	18	1.00	"Worst"	52.98	12.32	1.30	31.90
QP	87.23M	26.69	40.00	-13.31	-16.46	3	Horizontal	166	2.00	-	43.15	14.05	1.40	31.91
QP	929.19M	31.69	46.00	-14.31	-1.40	3	Horizontal	140	1.50	-	33.09	26.21	5.00	32.61
QP	950.53M	32.14	46.00	-13.86	-1.10	3	Horizontal	27	1.00	-	33.24	26.47	5.00	32.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	67.75	68.20	-0.45	3	Vertical	44	1.10	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9216G	60.32	88.20	-27.88	53.28	3	Vertical	297	1.72	-	35.03	5.36	33.35
RMS	5.925G	49.42	68.20	-18.78	42.36	3	Vertical	297	1.72	-	35.05	5.36	33.35
PK	5.9628G	109.92	Inf	-Inf	102.66	3	Vertical	297	1.72	-	35.25	5.38	33.37
RMS	5.9634G	99.47	Inf	-Inf	92.21	3	Vertical	297	1.72	-	35.25	5.38	33.37



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9172G	60.03	88.20	-28.17	53.02	3	Horizontal	45	1.80	-	35.00	5.36	33.35
RMS	5.924G	48.92	68.20	-19.28	41.87	3	Horizontal	45	1.80	-	35.04	5.36	33.35
PK	5.9608G	98.95	Inf	-Inf	91.69	3	Horizontal	45	1.80	-	35.24	5.38	33.36
RMS	5.9636G	89.03	Inf	-Inf	81.77	3	Horizontal	45	1.80	-	35.25	5.38	33.37

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5955MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9115G	55.76	74.00	-18.24	42.57	3	Vertical	160	1.93	-	39.17	8.94	34.92
AV	11.90628G	42.40	54.00	-11.60	29.20	3	Vertical	160	1.93	-	39.18	8.93	34.91
PK	17.86906G	62.17	74.00	-11.83	45.26	3	Vertical	155	2.38	-	41.91	9.75	34.75
AV	17.86336G	48.10	54.00	-5.90	31.21	3	Vertical	155	2.38	-	41.89	9.75	34.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91124G	55.82	74.00	-18.18	42.63	3	Horizontal	324	2.04	-	39.17	8.94	34.92
AV	11.90592G	42.29	54.00	-11.71	29.09	3	Horizontal	324	2.04	-	39.18	8.93	34.91
PK	17.86906G	62.36	74.00	-11.64	45.45	3	Horizontal	201	1.85	-	41.91	9.75	34.75
AV	17.8684G	48.13	54.00	-5.87	31.22	3	Horizontal	201	1.85	-	41.91	9.75	34.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7894G	58.84	88.20	-29.36	52.36	3	Vertical	69	1.65	-	34.48	5.30	33.30
RMS	5.9174G	48.23	68.20	-19.97	41.22	3	Vertical	69	1.65	-	35.00	5.36	33.35
PK	6.1686G	107.30	Inf	-Inf	99.49	3	Vertical	69	1.65	-	35.51	5.57	33.27
RMS	6.183G	98.20	Inf	-Inf	90.28	3	Vertical	69	1.65	-	35.60	5.58	33.26

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	59.47	88.20	-28.73	52.61	3	Horizontal	64	2.52	-	34.85	5.34	33.33
RMS	5.8934G	48.18	68.20	-20.02	41.28	3	Horizontal	64	2.52	-	34.89	5.35	33.34
PK	6.1798G	98.50	Inf	-Inf	90.60	3	Horizontal	64	2.52	-	35.58	5.58	33.26
RMS	6.183G	88.08	Inf	-Inf	80.16	3	Horizontal	64	2.52	-	35.60	5.58	33.26

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34752G	56.65	74.00	-17.35	43.73	3	Vertical	83	2.16	-	38.84	8.93	34.85
AV	12.34512G	42.71	54.00	-11.29	29.79	3	Vertical	83	2.16	-	38.84	8.93	34.85

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34842G	56.05	74.00	-17.95	43.12	3	Horizontal	310	2.04	-	38.85	8.93	34.85
AV	12.34546G	42.85	54.00	-11.15	29.93	3	Horizontal	310	2.04	-	38.84	8.93	34.85

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5212G	57.61	83.54	-25.93	55.97	1	Vertical	220	1.21	-	37.79	13.93	50.08
AV	18.5113G	44.27	63.54	-19.27	42.63	1	Vertical	220	1.21	-	37.80	13.93	50.09



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6175MHz\_TnomVnom




EUTY\_1TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5216G	57.19	83.54	-26.35	55.55	1	Horizontal	246	2.21	-	37.79	13.93	50.08
AV	18.5093G	44.24	63.54	-19.30	42.60	1	Horizontal	246	2.21	-	37.80	13.93	50.09

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.38	88.20	-29.82	51.32	3	Vertical	76	1.41	-	35.05	5.36	33.35
RMS	5.9062G	48.17	68.20	-20.03	41.22	3	Vertical	76	1.41	-	34.94	5.35	33.34
PK	6.4078G	107.45	Inf	-Inf	99.17	3	Vertical	76	1.41	-	35.68	5.70	33.10
RMS	6.4078G	97.49	Inf	-Inf	89.21	3	Vertical	76	1.41	-	35.68	5.70	33.10

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	57.90	88.20	-30.30	51.07	3	Horizontal	7	3.00	-	34.82	5.33	33.32
RMS	5.8942G	48.13	68.20	-20.07	41.23	3	Horizontal	7	3.00	-	34.89	5.35	33.34
PK	6.4078G	102.31	Inf	-Inf	94.03	3	Horizontal	7	3.00	-	35.68	5.70	33.10
RMS	6.4222G	91.98	Inf	-Inf	83.71	3	Horizontal	7	3.00	-	35.66	5.70	33.09

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82874G	56.64	88.20	-31.56	43.11	3	Vertical	259	1.83	-	39.43	8.83	34.73
RMS	12.8322G	42.67	68.20	-25.53	29.14	3	Vertical	259	1.83	-	39.43	8.83	34.73

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82504G	56.13	88.20	-32.07	42.60	3	Horizontal	114	1.05	-	39.43	8.83	34.73
RMS	12.82706G	42.64	68.20	-25.56	29.11	3	Horizontal	114	1.05	-	39.43	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2638G	55.11	83.54	-28.43	53.09	1	Vertical	24	1.54	-	37.71	13.96	49.65
AV	19.2507G	41.65	63.54	-21.89	39.64	1	Vertical	24	1.54	-	37.70	13.96	49.65

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6415MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2374G	54.71	83.54	-28.83	52.68	1	Horizontal	74	1.25	-	37.72	13.96	49.65
AV	19.2205G	41.61	63.54	-21.93	39.55	1	Horizontal	74	1.25	-	37.74	13.96	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8656G	58.82	88.20	-29.38	51.99	3	Vertical	75	2.78	-	34.83	5.33	33.33
RMS	5.876G	48.10	68.20	-20.10	41.24	3	Vertical	75	2.78	-	34.85	5.34	33.33
PK	6.4298G	106.20	Inf	-Inf	97.95	3	Vertical	75	2.78	-	35.64	5.70	33.09
RMS	6.4272G	97.22	Inf	-Inf	88.96	3	Vertical	75	2.78	-	35.65	5.70	33.09



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.16	88.20	-30.04	51.10	3	Horizontal	6	3.00	-	35.05	5.36	33.35
RMS	5.8708G	48.22	68.20	-19.98	41.37	3	Horizontal	6	3.00	-	34.84	5.34	33.33
PK	6.4428G	100.76	Inf	-Inf	92.53	3	Horizontal	6	3.00	-	35.61	5.70	33.08
RMS	6.4428G	91.65	Inf	-Inf	83.42	3	Horizontal	6	3.00	-	35.61	5.70	33.08

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86796G	56.71	88.20	-31.49	43.14	3	Vertical	84	2.11	-	39.47	8.83	34.73
RMS	12.873G	43.00	68.20	-25.20	29.43	3	Vertical	84	2.11	-	39.47	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87474G	56.80	88.20	-31.40	43.23	3	Horizontal	304	1.77	-	39.47	8.83	34.73
RMS	12.87202G	42.97	68.20	-25.23	29.40	3	Horizontal	304	1.77	-	39.47	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2863G	55.46	83.54	-28.08	53.43	1	Vertical	240	1.50	-	37.73	13.96	49.66
AV	19.3291G	41.99	63.54	-21.55	39.93	1	Vertical	240	1.50	-	37.76	13.97	49.67

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6435MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3207G	55.38	83.54	-28.16	53.31	1	Horizontal	279	2.39	-	37.76	13.97	49.66
AV	19.3099G	42.07	63.54	-21.47	40.01	1	Horizontal	279	2.39	-	37.75	13.97	49.66

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.74G	58.45	88.20	-29.75	52.07	3	Vertical	322	1.57	-	34.36	5.30	33.28
RMS	5.77G	48.23	68.20	-19.97	41.78	3	Vertical	322	1.57	-	34.44	5.30	33.29
PK	6.475G	107.29	Inf	-Inf	98.95	3	Vertical	322	1.57	-	35.70	5.70	33.06
RMS	6.484G	98.10	Inf	-Inf	89.71	3	Vertical	322	1.57	-	35.74	5.70	33.05
PK	7.213G	62.14	88.20	-26.06	52.35	3	Vertical	322	1.57	-	37.33	6.01	33.55
RMS	7.219G	51.49	68.20	-16.71	41.69	3	Vertical	322	1.57	-	37.34	6.01	33.55

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	58.63	88.20	-29.57	51.64	3	Horizontal	11	3.00	-	34.97	5.36	33.34
RMS	5.83G	48.25	68.20	-19.95	41.57	3	Horizontal	11	3.00	-	34.68	5.31	33.31
PK	6.469G	102.87	Inf	-Inf	94.55	3	Horizontal	11	3.00	-	35.68	5.70	33.06
RMS	6.466G	93.90	Inf	-Inf	85.60	3	Horizontal	11	3.00	-	35.66	5.70	33.06
PK	7.219G	61.61	88.20	-26.59	51.81	3	Horizontal	11	3.00	-	37.34	6.01	33.55
RMS	7.138G	51.48	68.20	-16.72	41.97	3	Horizontal	11	3.00	-	37.00	5.97	33.46

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94506G	57.45	88.20	-30.75	43.76	3	Vertical	314	1.73	-	39.59	8.81	34.71
RMS	12.95036G	43.27	68.20	-24.93	29.57	3	Vertical	314	1.73	-	39.60	8.81	34.71



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95088G	57.31	88.20	-30.89	43.61	3	Horizontal	320	1.83	-	39.60	8.81	34.71
RMS	12.94974G	43.25	68.20	-24.95	29.55	3	Horizontal	320	1.83	-	39.60	8.81	34.71

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4417G	55.08	83.54	-28.46	52.95	1	Vertical	277	1.44	-	37.85	13.97	49.69
AV	19.4121G	41.93	63.54	-21.61	39.81	1	Vertical	277	1.44	-	37.83	13.97	49.68

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4083G	55.74	83.54	-27.80	53.62	1	Horizontal	182	2.63	-	37.83	13.97	49.68
AV	19.4425G	41.86	63.54	-21.68	39.73	1	Horizontal	182	2.63	-	37.85	13.97	49.69

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	58.78	88.20	-29.42	51.83	3	Vertical	322	1.62	-	34.94	5.35	33.34
RMS	5.9186G	48.06	68.20	-20.14	41.04	3	Vertical	322	1.62	-	35.01	5.36	33.35
PK	6.5206G	108.29	Inf	-Inf	99.76	3	Vertical	322	1.62	-	35.88	5.70	33.05
RMS	6.5234G	97.94	Inf	-Inf	89.40	3	Vertical	322	1.62	-	35.89	5.70	33.05
PK	7.1506G	61.67	88.20	-26.53	52.06	3	Vertical	322	1.62	-	37.10	5.98	33.47
RMS	7.1478G	51.44	68.20	-16.76	41.86	3	Vertical	322	1.62	-	37.08	5.97	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8346G	58.45	88.20	-29.75	51.73	3	Horizontal	7	3.00	-	34.71	5.32	33.31
RMS	5.8906G	48.14	68.20	-20.06	41.25	3	Horizontal	7	3.00	-	34.88	5.35	33.34
PK	6.5066G	104.57	Inf	-Inf	96.08	3	Horizontal	7	3.00	-	35.83	5.70	33.04
RMS	6.5066G	93.71	Inf	-Inf	85.22	3	Horizontal	7	3.00	-	35.83	5.70	33.04
PK	7.2038G	61.79	88.20	-26.41	52.01	3	Horizontal	7	3.00	-	37.31	6.00	33.53
RMS	7.1982G	51.41	68.20	-16.79	41.65	3	Horizontal	7	3.00	-	37.29	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02784G	57.18	88.20	-31.02	43.39	3	Vertical	98	1.95	-	39.70	8.79	34.70
RMS	13.03304G	42.96	68.20	-25.24	29.17	3	Vertical	98	1.95	-	39.70	8.79	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03434G	57.16	88.20	-31.04	43.37	3	Horizontal	172	1.55	-	39.70	8.79	34.70
RMS	13.02748G	42.98	68.20	-25.22	29.19	3	Horizontal	172	1.55	-	39.70	8.79	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55G	55.51	83.54	-28.03	53.35	1	Vertical	300	2.23	-	37.88	13.98	49.70
AV	19.5667G	42.69	63.54	-20.85	40.54	1	Vertical	300	2.23	-	37.87	13.98	49.70



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6515MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55G	56.76	83.54	-26.78	54.60	1	Horizontal	123	2.04	-	37.88	13.98	49.70
AV	19.5628G	42.63	63.54	-20.91	40.48	1	Horizontal	123	2.04	-	37.87	13.98	49.70

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	58.46	88.20	-29.74	51.45	3	Vertical	325	1.48	-	35.00	5.36	33.35
RMS	5.9022G	48.17	68.20	-20.03	41.25	3	Vertical	325	1.48	-	34.91	5.35	33.34
PK	6.5406G	105.81	Inf	-Inf	97.21	3	Vertical	325	1.48	-	35.96	5.70	33.06
RMS	6.5266G	95.77	Inf	-Inf	87.21	3	Vertical	325	1.48	-	35.91	5.70	33.05
PK	7.1902G	61.38	88.20	-26.82	51.64	3	Vertical	325	1.48	-	37.26	6.00	33.52
RMS	7.2182G	51.56	68.20	-16.64	41.76	3	Vertical	325	1.48	-	37.34	6.01	33.55

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	58.36	88.20	-29.84	51.47	3	Horizontal	0	3.00	-	34.88	5.35	33.34
RMS	5.919G	48.11	68.20	-20.09	41.09	3	Horizontal	0	3.00	-	35.01	5.36	33.35
PK	6.5322G	101.22	Inf	-Inf	92.65	3	Horizontal	0	3.00	-	35.93	5.70	33.06
RMS	6.5434G	92.03	Inf	-Inf	83.42	3	Horizontal	0	3.00	-	35.97	5.70	33.06
PK	7.1622G	61.40	88.20	-26.80	51.75	3	Horizontal	0	3.00	-	37.15	5.98	33.48
RMS	7.2042G	51.52	68.20	-16.68	41.75	3	Horizontal	0	3.00	-	37.31	6.00	33.54

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07036G	56.59	88.20	-31.61	42.80	3	Vertical	234	1.48	-	39.70	8.79	34.70
RMS	13.07018G	42.80	68.20	-25.40	29.01	3	Vertical	234	1.48	-	39.70	8.79	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07248G	56.66	88.20	-31.54	42.87	3	Horizontal	177	1.41	-	39.70	8.79	34.70
RMS	13.07244G	42.74	68.20	-25.46	28.95	3	Horizontal	177	1.41	-	39.70	8.79	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5828G	55.73	83.54	-27.81	53.58	1	Vertical	150	1.04	-	37.87	13.98	49.70
AV	19.5834G	42.75	63.54	-20.79	40.60	1	Vertical	150	1.04	-	37.87	13.98	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6535MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6124G	56.25	83.54	-27.29	54.11	1	Horizontal	203	2.47	-	37.86	13.98	49.70
AV	19.5832G	42.61	63.54	-20.93	40.46	1	Horizontal	203	2.47	-	37.87	13.98	49.70

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	108.18	Inf	-Inf	99.41	3	Vertical	283	2.90	-	36.20	5.70	33.13
RMS	6.6862G	97.82	Inf	-Inf	89.05	3	Vertical	283	2.90	-	36.20	5.70	33.13
PK	7.1614G	62.63	88.20	-25.57	52.98	3	Vertical	283	2.90	-	37.15	5.98	33.48
RMS	7.2098G	51.56	68.20	-16.64	41.78	3	Vertical	283	2.90	-	37.32	6.00	33.54



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	101.66	Inf	-Inf	92.89	3	Horizontal	354	3.00	-	36.21	5.70	33.14
RMS	6.7038G	91.65	Inf	-Inf	82.87	3	Horizontal	354	3.00	-	36.22	5.70	33.14
PK	7.212G	61.57	88.20	-26.63	51.78	3	Horizontal	354	3.00	-	37.32	6.01	33.54
RMS	7.223G	51.46	68.20	-16.74	41.66	3	Horizontal	354	3.00	-	37.35	6.01	33.56

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3919G	56.09	74.00	-17.91	41.91	3	Vertical	202	1.39	-	40.18	8.72	34.72
AV	13.39126G	42.76	54.00	-11.24	28.58	3	Vertical	202	1.39	-	40.18	8.72	34.72

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38916G	57.52	74.00	-16.48	43.34	3	Horizontal	250	2.36	-	40.18	8.72	34.72
AV	13.38534G	42.82	54.00	-11.18	28.65	3	Horizontal	250	2.36	-	40.17	8.72	34.72

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0762G	56.78	83.54	-26.76	54.99	1	Vertical	346	2.45	-	37.46	14.06	49.73
AV	20.0741G	43.03	63.54	-20.51	41.24	1	Vertical	346	2.45	-	37.46	14.06	49.73

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6695MHz\_TnomVnom




EUTY\_1TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0665G	56.94	83.54	-26.60	55.17	1	Horizontal	108	2.49	-	37.45	14.05	49.73
AV	20.1015G	43.01	63.54	-20.53	41.19	1	Horizontal	108	2.49	-	37.48	14.08	49.74

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	108.21	Inf	-Inf	99.08	3	Vertical	289	2.77	-	36.60	5.75	33.22
RMS	6.8634G	98.61	Inf	-Inf	89.52	3	Vertical	289	2.77	-	36.55	5.76	33.22
PK	7.1924G	62.84	88.20	-25.36	53.09	3	Vertical	289	2.77	-	37.27	6.00	33.52
RMS	7.2008G	51.52	68.20	-16.68	41.75	3	Vertical	289	2.77	-	37.30	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	102.68	Inf	-Inf	93.59	3	Horizontal	358	3.00	-	36.55	5.76	33.22
RMS	6.8634G	92.54	Inf	-Inf	83.45	3	Horizontal	358	3.00	-	36.55	5.76	33.22
PK	7.198G	62.24	88.20	-25.96	52.48	3	Horizontal	358	3.00	-	37.29	6.00	33.53
RMS	7.1532G	51.50	68.20	-16.70	41.88	3	Horizontal	358	3.00	-	37.11	5.98	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70856G	58.28	88.20	-29.92	44.02	3	Vertical	224	1.27	-	40.41	8.66	34.81
RMS	13.7111G	44.75	68.20	-23.45	30.49	3	Vertical	224	1.27	-	40.41	8.66	34.81



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71038G	58.50	88.20	-29.70	44.24	3	Horizontal	227	1.76	-	40.41	8.66	34.81
RMS	13.7103G	44.74	68.20	-23.46	30.48	3	Horizontal	227	1.76	-	40.41	8.66	34.81

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5766G	56.88	83.54	-26.66	54.53	1	Vertical	74	2.19	-	37.79	14.43	49.87
AV	20.5437G	43.94	63.54	-19.60	41.66	1	Vertical	74	2.19	-	37.75	14.41	49.88

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5719G	56.86	83.54	-26.68	54.51	1	Horizontal	354	1.76	-	37.79	14.43	49.87
AV	20.5425G	43.99	63.54	-19.55	41.71	1	Horizontal	354	1.76	-	37.75	14.41	49.88

802.11ax HEW20\_Nss1,(MCS0)\_1TX


6875MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_1TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	109.18	Inf	-Inf	100.10	3	Vertical	289	2.77	-	36.53	5.77	33.22
RMS	6.8666G	98.42	Inf	-Inf	89.34	3	Vertical	289	2.77	-	36.53	5.77	33.22
PK	7.1378G	61.31	88.20	-26.89	51.80	3	Vertical	289	2.77	-	37.00	5.97	33.46
RMS	7.151G	51.35	68.20	-16.85	41.74	3	Vertical	289	2.77	-	37.10	5.98	33.47


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 15  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	102.12	Inf	-Inf	93.05	3	Horizontal	357	2.96	-	36.52	5.77	33.22
RMS	6.8666G	91.86	Inf	-Inf	82.78	3	Horizontal	357	2.96	-	36.53	5.77	33.22
PK	7.1498G	61.54	88.20	-26.66	51.94	3	Horizontal	357	2.96	-	37.10	5.97	33.47
RMS	7.145G	51.36	68.20	-16.84	41.79	3	Horizontal	357	2.96	-	37.06	5.97	33.46


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 15  
 04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74542G	58.98	88.20	-29.22	44.70	3	Vertical	244	2.24	-	40.45	8.65	34.82
RMS	13.751G	45.09	68.20	-23.11	30.82	3	Vertical	244	2.24	-	40.45	8.65	34.83

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 15  
 04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74784G	59.31	88.20	-28.89	45.03	3	Horizontal	166	2.06	-	40.45	8.65	34.82
RMS	13.75072G	45.02	68.20	-23.18	30.75	3	Horizontal	166	2.06	-	40.45	8.65	34.83

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6036G	56.41	83.54	-27.13	54.00	1	Vertical	13	1.61	-	37.82	14.45	49.86
AV	20.6021G	43.28	63.54	-20.26	40.87	1	Vertical	13	1.61	-	37.82	14.45	49.86



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 15  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6112G	56.27	83.54	-27.27	53.84	1	Horizontal	86	1.58	-	37.83	14.46	49.86
AV	20.6015G	43.31	63.54	-20.23	40.90	1	Horizontal	86	1.58	-	37.82	14.45	49.86

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.889G	107.25	Inf	-Inf	98.25	3	Vertical	287	2.65	-	36.44	5.79	33.23
RMS	6.8866G	98.20	Inf	-Inf	89.19	3	Vertical	287	2.65	-	36.45	5.79	33.23
PK	7.189G	61.47	88.20	-26.73	51.74	3	Vertical	287	2.65	-	37.26	5.99	33.52
RMS	7.1482G	51.43	68.20	-16.77	41.84	3	Vertical	287	2.65	-	37.09	5.97	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	99.84	Inf	-Inf	90.83	3	Horizontal	336	2.96	-	36.45	5.79	33.23
RMS	6.8866G	89.76	Inf	-Inf	80.75	3	Horizontal	336	2.96	-	36.45	5.79	33.23
PK	7.1746G	61.92	88.20	-26.28	52.23	3	Horizontal	336	2.96	-	37.20	5.99	33.50
RMS	7.147G	51.47	68.20	-16.73	41.89	3	Horizontal	336	2.96	-	37.08	5.97	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79186G	58.84	88.20	-29.36	44.55	3	Vertical	234	2.06	-	40.49	8.64	34.84
RMS	13.78844G	45.17	68.20	-23.03	30.88	3	Vertical	234	2.06	-	40.49	8.64	34.84

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78938G	58.89	88.20	-29.31	44.60	3	Horizontal	239	2.00	-	40.49	8.64	34.84
RMS	13.78514G	45.13	68.20	-23.07	30.84	3	Horizontal	239	2.00	-	40.49	8.64	34.84

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6764G	56.04	83.54	-27.50	53.45	1	Vertical	307	1.72	-	37.91	14.51	49.83
AV	20.697G	43.26	63.54	-20.28	40.62	1	Vertical	307	1.72	-	37.94	14.52	49.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7022G	56.35	83.54	-27.19	53.70	1	Horizontal	75	2.34	-	37.94	14.53	49.82
AV	20.6961G	43.24	63.54	-20.30	40.60	1	Horizontal	75	2.34	-	37.94	14.52	49.82

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.988G	107.79	Inf	-Inf	98.53	3	Vertical	283	2.01	-	36.65	5.89	33.28
RMS	6.987G	98.41	Inf	-Inf	89.15	3	Vertical	283	2.01	-	36.65	5.89	33.28
PK	7.189G	62.18	88.20	-26.02	52.45	3	Vertical	283	2.01	-	37.26	5.99	33.52
RMS	7.231G	51.57	68.20	-16.63	41.76	3	Vertical	283	2.01	-	37.36	6.02	33.57



802.11ax HEW20\_Nss1,(MCS0)\_1TX

6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	102.28	Inf	-Inf	93.04	3	Horizontal	328	3.00	-	36.64	5.89	33.29
RMS	6.987G	92.13	Inf	-Inf	82.87	3	Horizontal	328	3.00	-	36.65	5.89	33.28
PK	7.171G	61.73	88.20	-26.47	52.06	3	Horizontal	328	3.00	-	37.18	5.99	33.50
RMS	7.218G	51.59	68.20	-16.61	41.79	3	Horizontal	328	3.00	-	37.34	6.01	33.55

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98692G	59.25	88.20	-28.95	44.71	3	Vertical	202	2.19	-	40.86	8.60	34.92
RMS	13.99472G	45.11	68.20	-23.09	30.56	3	Vertical	202	2.19	-	40.88	8.60	34.93

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98874G	58.79	88.20	-29.41	44.25	3	Horizontal	225	1.58	-	40.87	8.60	34.93
RMS	13.9858G	45.09	68.20	-23.11	30.55	3	Horizontal	225	1.58	-	40.86	8.60	34.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.967G	55.17	83.54	-28.37	52.50	1	Vertical	324	2.40	-	37.65	14.73	49.71
AV	20.9603G	41.92	63.54	-21.62	39.26	1	Vertical	324	2.40	-	37.66	14.72	49.72

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUTY\_1TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0063G	55.70	83.54	-27.84	53.05	1	Horizontal	258	1.43	-	37.60	14.75	49.70
AV	20.9683G	41.97	63.54	-21.57	39.30	1	Horizontal	258	1.43	-	37.65	14.73	49.71

802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	111.12	Inf	-Inf	101.84	3	Vertical	284	2.10	-	36.73	5.94	33.39
RMS	7.0868G	100.36	Inf	-Inf	91.08	3	Vertical	284	2.10	-	36.73	5.94	33.39
PK	7.1334G	63.68	88.20	-24.52	54.19	3	Vertical	284	2.10	-	36.97	5.97	33.45
RMS	7.125G	52.87	68.20	-15.33	43.45	3	Vertical	284	2.10	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0868G	106.35	Inf	-Inf	97.07	3	Horizontal	17	3.00	-	36.73	5.94	33.39
RMS	7.087G	95.84	Inf	-Inf	86.56	3	Horizontal	17	3.00	-	36.73	5.94	33.39
PK	7.1258G	63.61	88.20	-24.59	54.18	3	Horizontal	17	3.00	-	36.91	5.96	33.44
RMS	7.127G	52.43	68.20	-15.77	42.99	3	Horizontal	17	3.00	-	36.92	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19098G	60.13	88.20	-28.07	45.57	3	Vertical	122	2.29	-	40.81	8.65	34.90
RMS	14.18628G	45.66	68.20	-22.54	31.10	3	Vertical	122	2.29	-	40.81	8.65	34.90



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18742G	60.17	88.20	-28.03	45.61	3	Horizontal	89	1.31	-	40.81	8.65	34.90
RMS	14.19122G	45.65	68.20	-22.55	31.09	3	Horizontal	89	1.31	-	40.81	8.65	34.90

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3089G	55.85	83.54	-27.69	52.84	1	Vertical	254	2.26	-	37.67	14.98	49.64
AV	21.3084G	41.84	63.54	-21.70	38.83	1	Vertical	254	2.26	-	37.67	14.98	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7095MHz\_TnomVnom




EUTY\_1TX  
Setting 14  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3019G	54.91	83.54	-28.63	51.91	1	Horizontal	289	1.00	-	37.66	14.98	49.64
AV	21.307G	41.93	63.54	-21.61	38.92	1	Horizontal	289	1.00	-	37.67	14.98	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10748G	95.90	Inf	-Inf	86.61	3	Vertical	44	1.10	-	36.76	5.95	33.42
RMS	7.10583G	85.81	Inf	-Inf	76.53	3	Vertical	44	1.10	-	36.75	5.95	33.42
PK	7.1255G	79.38	88.20	-8.82	69.96	3	Vertical	44	1.10	-	36.90	5.96	33.44
RMS	7.1255G	67.75	68.20	-0.45	58.33	3	Vertical	44	1.10	-	36.90	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10745G	89.49	Inf	-Inf	80.20	3	Horizontal	21	2.97	-	36.76	5.95	33.42
RMS	7.10615G	79.01	Inf	-Inf	69.73	3	Horizontal	21	2.97	-	36.75	5.95	33.42
PK	7.1255G	73.53	88.20	-14.67	64.11	3	Horizontal	21	2.97	-	36.90	5.96	33.44
RMS	7.1255G	61.39	68.20	-6.81	51.97	3	Horizontal	21	2.97	-	36.90	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22886G	58.82	88.20	-29.38	44.31	3	Vertical	123	1.89	-	40.74	8.66	34.89
RMS	14.22644G	44.90	68.20	-23.30	30.38	3	Vertical	123	1.89	-	40.75	8.66	34.89

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22904G	58.78	88.20	-29.42	44.27	3	Horizontal	89	1.97	-	40.74	8.66	34.89
RMS	14.23118G	44.93	68.20	-23.27	30.42	3	Horizontal	89	1.97	-	40.74	8.66	34.89

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3642G	55.98	83.54	-27.56	52.85	1	Vertical	169	1.46	-	37.74	15.02	49.63
AV	21.3644G	42.42	63.54	-21.12	39.29	1	Vertical	169	1.46	-	37.74	15.02	49.63



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7115MHz\_TnomVnom




EUTY\_1TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.338G	55.49	83.54	-28.05	52.41	1	Horizontal	208	2.02	-	37.71	15.00	49.63
AV	21.36G	42.33	63.54	-21.21	39.21	1	Horizontal	208	2.02	-	37.73	15.02	49.63

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5965MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	67.65	88.20	-20.55	60.59	3	Vertical	293	1.69	-	35.05	5.36	33.35
RMS	5.9246G	54.27	68.20	-13.93	47.21	3	Vertical	293	1.69	-	35.05	5.36	33.35
PK	5.9698G	109.76	Inf	-Inf	102.47	3	Vertical	293	1.69	-	35.28	5.38	33.37
RMS	5.9706G	98.36	Inf	-Inf	91.06	3	Vertical	293	1.69	-	35.28	5.39	33.37

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5965MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.03	88.20	-27.17	53.97	3	Horizontal	30	3.00	-	35.05	5.36	33.35
RMS	5.925G	49.42	68.20	-18.78	42.36	3	Horizontal	30	3.00	-	35.05	5.36	33.35
PK	5.9686G	99.56	Inf	-Inf	92.28	3	Horizontal	30	3.00	-	35.27	5.38	33.37
RMS	5.9638G	88.62	Inf	-Inf	81.35	3	Horizontal	30	3.00	-	35.26	5.38	33.37

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5965MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92506G	54.86	74.00	-19.14	41.71	3	Vertical	281	2.08	-	39.12	8.95	34.92
AV	11.92506G	41.41	54.00	-12.59	28.26	3	Vertical	281	2.08	-	39.12	8.95	34.92
PK	17.89876G	60.78	74.00	-13.22	43.80	3	Vertical	145	1.48	-	42.00	9.76	34.78
AV	17.89054G	47.56	54.00	-6.44	30.60	3	Vertical	145	1.48	-	41.97	9.76	34.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUTY\_1TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93118G	55.07	74.00	-18.93	41.93	3	Horizontal	247	1.92	-	39.11	8.95	34.92
AV	11.92506G	41.47	54.00	-12.53	28.32	3	Horizontal	247	1.92	-	39.12	8.95	34.92
PK	17.89182G	61.57	74.00	-12.43	44.60	3	Horizontal	241	1.98	-	41.98	9.76	34.77
AV	17.89288G	47.51	54.00	-6.49	30.54	3	Horizontal	241	1.98	-	41.98	9.76	34.77

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.883G	58.45	88.20	-29.75	51.57	3	Vertical	67	1.67	-	34.87	5.34	33.33
RMS	5.920G	47.79	68.20	-20.41	40.76	3	Vertical	67	1.67	-	35.02	5.36	33.35
PK	6.1638G	109.49	Inf	-Inf	101.72	3	Vertical	67	1.67	-	35.48	5.56	33.27
RMS	6.1638G	99.00	Inf	-Inf	91.23	3	Vertical	67	1.67	-	35.48	5.56	33.27

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	57.99	88.20	-30.21	51.09	3	Horizontal	68	2.52	-	34.89	5.35	33.34
RMS	5.9142G	47.78	68.20	-20.42	40.78	3	Horizontal	68	2.52	-	34.99	5.36	33.35
PK	6.1698G	98.68	Inf	-Inf	90.85	3	Horizontal	68	2.52	-	35.52	5.57	33.26
RMS	6.1626G	88.75	Inf	-Inf	80.98	3	Horizontal	68	2.52	-	35.48	5.56	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32816G	54.44	74.00	-19.56	41.58	3	Vertical	224	1.49	-	38.78	8.93	34.85
AV	12.33214G	41.15	54.00	-12.85	28.27	3	Vertical	224	1.49	-	38.80	8.93	34.85



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32634G	54.99	74.00	-19.01	42.13	3	Horizontal	354	2.52	-	38.78	8.93	34.85
AV	12.33094G	41.11	54.00	-12.89	28.24	3	Horizontal	354	2.52	-	38.79	8.93	34.85

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5082G	58.23	83.54	-25.31	56.59	1	Vertical	215	1.39	-	37.80	13.93	50.09
AV	18.476G	44.29	63.54	-19.25	42.71	1	Vertical	215	1.39	-	37.77	13.92	50.11

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5165G	58.64	83.54	-24.90	57.00	1	Horizontal	152	2.92	-	37.79	13.93	50.08
AV	18.4766G	44.34	63.54	-19.20	42.76	1	Horizontal	152	2.92	-	37.77	13.92	50.11

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	57.88	88.20	-30.32	51.02	3	Vertical	68	1.40	-	34.85	5.34	33.33
RMS	5.9226G	47.85	68.20	-20.35	40.80	3	Vertical	68	1.40	-	35.04	5.36	33.35
PK	6.4026G	109.99	Inf	-Inf	101.71	3	Vertical	68	1.40	-	35.69	5.70	33.11
RMS	6.4026G	99.83	Inf	-Inf	91.55	3	Vertical	68	1.40	-	35.69	5.70	33.11

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	57.52	88.20	-30.68	50.69	3	Horizontal	7	3.00	-	34.83	5.33	33.33
RMS	5.9202G	47.81	68.20	-20.39	40.78	3	Horizontal	7	3.00	-	35.02	5.36	33.35
PK	6.4146G	104.96	Inf	-Inf	96.69	3	Horizontal	7	3.00	-	35.67	5.70	33.10
RMS	6.4146G	94.57	Inf	-Inf	86.30	3	Horizontal	7	3.00	-	35.67	5.70	33.10

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81158G	55.44	88.20	-32.76	41.93	3	Vertical	339	2.23	-	39.41	8.84	34.74
RMS	12.80808G	41.32	68.20	-26.88	27.81	3	Vertical	339	2.23	-	39.41	8.84	34.74

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80674G	54.91	88.20	-33.29	41.40	3	Horizontal	102	1.51	-	39.41	8.84	34.74
RMS	12.81478G	41.34	68.20	-26.86	27.83	3	Horizontal	102	1.51	-	39.41	8.84	34.74

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2102G	55.38	83.54	-28.16	53.31	1	Vertical	31	2.13	-	37.75	13.96	49.64
AV	19.2228G	41.63	63.54	-21.91	39.58	1	Vertical	31	2.13	-	37.73	13.96	49.64



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6405MHz\_TnomVnom




EUTY\_1TX  
Setting 19.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2073G	54.23	83.54	-29.31	52.16	1	Horizontal	172	1.28	-	37.75	13.96	49.64
AV	19.2108G	41.56	63.54	-21.98	39.49	1	Horizontal	172	1.28	-	37.75	13.96	49.64

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	58.67	88.20	-29.53	51.77	3	Vertical	67	2.75	-	34.89	5.35	33.34
RMS	5.9198G	47.78	68.20	-20.42	40.75	3	Vertical	67	2.75	-	35.02	5.36	33.35
PK	6.4424G	106.12	Inf	-Inf	97.88	3	Vertical	67	2.75	-	35.62	5.70	33.08
RMS	6.4476G	96.86	Inf	-Inf	88.64	3	Vertical	67	2.75	-	35.60	5.70	33.08

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.795G	58.27	88.20	-29.93	51.78	3	Horizontal	4	3.00	-	34.49	5.30	33.30
RMS	5.9172G	47.82	68.20	-20.38	40.81	3	Horizontal	4	3.00	-	35.00	5.36	33.35
PK	6.445G	102.05	Inf	-Inf	93.82	3	Horizontal	4	3.00	-	35.61	5.70	33.08
RMS	6.4476G	91.82	Inf	-Inf	83.60	3	Horizontal	4	3.00	-	35.60	5.70	33.08

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88808G	55.31	88.20	-32.89	41.72	3	Vertical	244	1.43	-	39.49	8.82	34.72
RMS	12.88648G	41.64	68.20	-26.56	28.05	3	Vertical	244	1.43	-	39.49	8.82	34.72

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8932G	55.42	88.20	-32.78	41.83	3	Horizontal	82	1.33	-	39.49	8.82	34.72
RMS	12.8903G	41.71	68.20	-26.49	28.12	3	Horizontal	82	1.33	-	39.49	8.82	34.72

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3549G	55.10	83.54	-28.44	53.02	1	Vertical	38	1.50	-	37.78	13.97	49.67
AV	19.3369G	41.91	63.54	-21.63	39.84	1	Vertical	38	1.50	-	37.77	13.97	49.67

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6445MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3222G	54.99	83.54	-28.55	52.92	1	Horizontal	222	2.48	-	37.76	13.97	49.66
AV	19.3429G	41.88	63.54	-21.66	39.81	1	Horizontal	222	2.48	-	37.77	13.97	49.67

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUTV\_1TX  
Setting 16.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8158G	58.69	88.20	-29.51	52.10	3	Vertical	321	1.73	-	34.59	5.31	33.31
RMS	5.925G	47.77	68.20	-20.43	40.71	3	Vertical	321	1.73	-	35.05	5.36	33.35
PK	6.4766G	103.42	Inf	-Inf	95.07	3	Vertical	321	1.73	-	35.71	5.70	33.06
RMS	6.4878G	94.13	Inf	-Inf	85.73	3	Vertical	321	1.73	-	35.75	5.70	33.05
PK	7.143G	61.21	88.20	-26.99	51.66	3	Vertical	321	1.73	-	37.04	5.97	33.46
RMS	7.1458G	51.12	68.20	-17.08	41.54	3	Vertical	321	1.73	-	37.07	5.97	33.46



802.11ax HEW40\_Nss1,(MCS0)\_1TX

6485MHz\_TnomVnom




EUTY\_1TX  
Setting 16.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	57.83	88.20	-30.37	50.84	3	Horizontal	4	3.00	-	34.98	5.36	33.35
RMS	5.925G	47.74	68.20	-20.46	40.68	3	Horizontal	4	3.00	-	35.05	5.36	33.35
PK	6.4962G	100.37	Inf	-Inf	91.93	3	Horizontal	4	3.00	-	35.78	5.70	33.04
RMS	6.4878G	89.81	Inf	-Inf	81.41	3	Horizontal	4	3.00	-	35.75	5.70	33.05
PK	7.1766G	61.22	88.20	-26.98	51.52	3	Horizontal	4	3.00	-	37.21	5.99	33.50
RMS	7.1458G	51.08	68.20	-17.12	41.50	3	Horizontal	4	3.00	-	37.07	5.97	33.46

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6485MHz\_TnomVnom




EUTY\_1TX  
Setting 16.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96788G	55.52	88.20	-32.68	41.78	3	Vertical	137	2.41	-	39.64	8.81	34.71
RMS	12.97208G	41.86	68.20	-26.34	28.12	3	Vertical	137	2.41	-	39.64	8.81	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6485MHz\_TnomVnom




EUTY\_1TX  
Setting 16.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96594G	56.18	88.20	-32.02	42.45	3	Horizontal	132	1.85	-	39.63	8.81	34.71
RMS	12.96818G	41.80	68.20	-26.40	28.06	3	Horizontal	132	1.85	-	39.64	8.81	34.71

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6485MHz\_TnomVnom




EUTY\_1TX  
Setting 16.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4642G	55.11	83.54	-28.43	52.96	1	Vertical	279	2.68	-	37.87	13.97	49.69
AV	19.4759G	41.97	63.54	-21.57	39.82	1	Vertical	279	2.68	-	37.88	13.97	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX


### 6485MHz\_TnomVnom



EUTY\_1TX  
Setting 16.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4516G	55.49	83.54	-28.05	53.35	1	Horizontal	45	1.41	-	37.86	13.97	49.69
AV	19.4681G	42.06	63.54	-21.48	39.91	1	Horizontal	45	1.41	-	37.87	13.97	49.69


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_1TX  
 Setting 16.5  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	57.94	88.20	-30.26	51.06	3	Vertical	292	2.79	-	34.88	5.34	33.34
RMS	5.9034G	47.80	68.20	-20.40	40.87	3	Vertical	292	2.79	-	34.92	5.35	33.34
PK	6.5222G	106.92	Inf	-Inf	98.38	3	Vertical	292	2.79	-	35.89	5.70	33.05
RMS	6.5222G	97.44	Inf	-Inf	88.90	3	Vertical	292	2.79	-	35.89	5.70	33.05
PK	7.1914G	61.45	88.20	-26.75	51.70	3	Vertical	292	2.79	-	37.27	6.00	33.52
RMS	7.2166G	51.12	68.20	-17.08	41.33	3	Vertical	292	2.79	-	37.33	6.01	33.55


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_1TX  
 Setting 16.5  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	58.29	88.20	-29.91	51.47	3	Horizontal	5	3.00	-	34.81	5.33	33.32
RMS	5.923G	47.81	68.20	-20.39	40.76	3	Horizontal	5	3.00	-	35.04	5.36	33.35
PK	6.5362G	102.09	Inf	-Inf	93.51	3	Horizontal	5	3.00	-	35.94	5.70	33.06
RMS	6.5194G	91.73	Inf	-Inf	83.20	3	Horizontal	5	3.00	-	35.88	5.70	33.05
PK	7.1858G	61.04	88.20	-27.16	51.32	3	Horizontal	5	3.00	-	37.24	5.99	33.51
RMS	7.1438G	51.09	68.20	-17.11	41.53	3	Horizontal	5	3.00	-	37.05	5.97	33.46

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_1TX  
 Setting 16.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04924G	56.44	88.20	-31.76	42.65	3	Vertical	90	2.58	-	39.70	8.79	34.70
RMS	13.04968G	42.79	68.20	-25.41	29.00	3	Vertical	90	2.58	-	39.70	8.79	34.70




**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_1TX  
 Setting 16.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04538G	56.21	88.20	-31.99	42.42	3	Horizontal	102	2.02	-	39.70	8.79	34.70
RMS	13.049G	42.66	68.20	-25.54	28.87	3	Horizontal	102	2.02	-	39.70	8.79	34.70


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_1TX  
 Setting 16.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5556G	55.67	83.54	-27.87	53.51	1	Vertical	10	1.56	-	37.88	13.98	49.70
AV	19.5587G	42.62	63.54	-20.92	40.46	1	Vertical	10	1.56	-	37.88	13.98	49.70

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_1TX  
 Setting 16.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5592G	55.92	83.54	-27.62	53.76	1	Horizontal	276	2.26	-	37.88	13.98	49.70
AV	19.5669G	42.64	63.54	-20.90	40.49	1	Horizontal	276	2.26	-	37.87	13.98	49.70

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	109.62	Inf	-Inf	100.96	3	Vertical	72	2.78	-	36.03	5.70	33.07
RMS	6.5602G	98.36	Inf	-Inf	89.71	3	Vertical	72	2.78	-	36.02	5.70	33.07
PK	7.1458G	61.01	88.20	-27.19	51.43	3	Vertical	72	2.78	-	37.07	5.97	33.46
RMS	7.1458G	51.12	68.20	-17.08	41.54	3	Vertical	72	2.78	-	37.07	5.97	33.46

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	101.04	Inf	-Inf	92.38	3	Horizontal	5	3.00	-	36.03	5.70	33.07
RMS	6.5602G	91.95	Inf	-Inf	83.30	3	Horizontal	5	3.00	-	36.02	5.70	33.07
PK	7.1362G	61.63	88.20	-26.57	52.12	3	Horizontal	5	3.00	-	36.99	5.97	33.45
RMS	7.1458G	51.08	68.20	-17.12	41.50	3	Horizontal	5	3.00	-	37.07	5.97	33.46

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12938G	56.72	88.20	-31.48	42.90	3	Vertical	212	2.96	-	39.76	8.77	34.71
RMS	13.12706G	42.52	68.20	-25.68	28.71	3	Vertical	212	2.96	-	39.75	8.77	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13442G	56.49	88.20	-31.71	42.66	3	Horizontal	340	2.22	-	39.77	8.77	34.71
RMS	13.12704G	42.44	68.20	-25.76	28.63	3	Horizontal	340	2.22	-	39.75	8.77	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7135G	56.27	83.54	-27.27	54.17	1	Vertical	54	2.68	-	37.81	13.99	49.70
AV	19.7188G	42.88	63.54	-20.66	40.78	1	Vertical	54	2.68	-	37.81	13.99	49.70



802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7117G	58.49	83.54	-25.05	56.38	1	Horizontal	173	2.14	-	37.82	13.99	49.70
AV	19.72G	42.99	63.54	-20.55	40.89	1	Horizontal	173	2.14	-	37.81	13.99	49.70

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	109.88	Inf	-Inf	101.11	3	Vertical	294	2.88	-	36.20	5.70	33.13
RMS	6.683G	99.71	Inf	-Inf	90.94	3	Vertical	294	2.88	-	36.20	5.70	33.13
PK	7.149G	61.32	88.20	-26.88	51.73	3	Vertical	294	2.88	-	37.09	5.97	33.47
RMS	7.149G	51.11	68.20	-17.09	41.52	3	Vertical	294	2.88	-	37.09	5.97	33.47

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	102.93	Inf	-Inf	94.16	3	Horizontal	333	1.20	-	36.20	5.70	33.13
RMS	6.691G	92.56	Inf	-Inf	83.80	3	Horizontal	333	1.20	-	36.20	5.70	33.14
PK	7.131G	60.74	88.20	-27.46	51.27	3	Horizontal	333	1.20	-	36.95	5.97	33.45
RMS	7.143G	51.08	68.20	-17.12	41.53	3	Horizontal	333	1.20	-	37.04	5.97	33.46

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.365G	56.32	74.00	-17.68	42.17	3	Vertical	64	2.88	-	40.13	8.73	34.71
AV	13.37332G	42.65	54.00	-11.35	28.48	3	Vertical	64	2.88	-	40.15	8.73	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36636G	56.53	74.00	-17.47	42.38	3	Horizontal	318	2.56	-	40.13	8.73	34.71
AV	13.36728G	42.74	54.00	-11.26	28.59	3	Horizontal	318	2.56	-	40.13	8.73	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0663G	56.03	83.54	-27.51	54.26	1	Vertical	47	1.19	-	37.45	14.05	49.73
AV	20.0736G	42.91	63.54	-20.63	41.12	1	Vertical	47	1.19	-	37.46	14.06	49.73

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6685MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0384G	56.13	83.54	-27.41	54.39	1	Horizontal	28	1.88	-	37.43	14.03	49.72
AV	20.0741G	42.87	63.54	-20.67	41.08	1	Horizontal	28	1.88	-	37.46	14.06	49.73

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	108.77	Inf	-Inf	99.65	3	Vertical	287	2.79	-	36.58	5.75	33.21
RMS	6.8514G	98.50	Inf	-Inf	89.38	3	Vertical	287	2.79	-	36.59	5.75	33.22
PK	7.2226G	63.51	88.20	-24.69	53.71	3	Vertical	287	2.79	-	37.35	6.01	33.56
RMS	7.2146G	51.16	68.20	-17.04	41.37	3	Vertical	287	2.79	-	37.33	6.01	33.55



802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	101.02	Inf	-Inf	91.97	3	Horizontal	325	3.00	-	36.52	5.74	33.21
RMS	6.8434G	90.99	Inf	-Inf	81.90	3	Horizontal	325	3.00	-	36.56	5.74	33.21
PK	7.213G	62.64	88.20	-25.56	52.85	3	Horizontal	325	3.00	-	37.33	6.01	33.55
RMS	7.2146G	51.19	68.20	-17.01	41.40	3	Horizontal	325	3.00	-	37.33	6.01	33.55

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6932G	59.09	88.20	-29.11	44.84	3	Vertical	67	1.65	-	40.39	8.66	34.80
RMS	13.6935G	44.47	68.20	-23.73	30.22	3	Vertical	67	1.65	-	40.39	8.66	34.80

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69358G	58.11	88.20	-30.09	43.86	3	Horizontal	145	1.22	-	40.39	8.66	34.80
RMS	13.68792G	44.46	68.20	-23.74	30.22	3	Horizontal	145	1.22	-	40.38	8.66	34.80

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5266G	57.31	83.54	-26.23	55.08	1	Vertical	170	1.19	-	37.73	14.39	49.89
AV	20.5256G	43.99	63.54	-19.55	41.76	1	Vertical	170	1.19	-	37.73	14.39	49.89

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6845MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5298G	57.82	83.54	-25.72	55.57	1	Horizontal	114	2.63	-	37.74	14.40	49.89
AV	20.5211G	43.95	63.54	-19.59	41.72	1	Horizontal	114	2.63	-	37.73	14.39	49.89

802.11ax HEW40\_Nss1,(MCS0)\_1TX


6885MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_1TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	108.63	Inf	-Inf	99.60	3	Vertical	286	2.23	-	36.48	5.78	33.23
RMS	6.8808G	98.17	Inf	-Inf	89.14	3	Vertical	286	2.23	-	36.48	5.78	33.23
PK	7.151G	61.68	88.20	-26.52	52.07	3	Vertical	286	2.23	-	37.10	5.98	33.47
RMS	7.1958G	51.13	68.20	-17.07	41.37	3	Vertical	286	2.23	-	37.28	6.00	33.52


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 18  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	101.13	Inf	-Inf	92.11	3	Horizontal	351	2.97	-	36.47	5.78	33.23
RMS	6.8822G	90.32	Inf	-Inf	81.30	3	Horizontal	351	2.97	-	36.47	5.78	33.23
PK	7.1286G	62.69	88.20	-25.51	53.24	3	Horizontal	351	2.97	-	36.93	5.96	33.44
RMS	7.2028G	51.15	68.20	-17.05	41.37	3	Horizontal	351	2.97	-	37.31	6.00	33.53

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 18  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76732G	57.65	88.20	-30.55	43.36	3	Vertical	75	1.75	-	40.47	8.65	34.83
RMS	13.76928G	43.96	68.20	-24.24	29.67	3	Vertical	75	1.75	-	40.47	8.65	34.83




**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 18  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7713G	57.44	88.20	-30.76	43.15	3	Horizontal	62	2.18	-	40.47	8.65	34.83
RMS	13.76686G	43.95	68.20	-24.25	29.66	3	Horizontal	62	2.18	-	40.47	8.65	34.83


**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 18  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6468G	56.55	83.54	-26.99	54.02	1	Vertical	131	2.06	-	37.88	14.49	49.84
AV	20.6788G	43.01	63.54	-20.53	40.42	1	Vertical	131	2.06	-	37.91	14.51	49.83

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 18  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6372G	56.12	83.54	-27.42	53.63	1	Horizontal	87	2.76	-	37.86	14.48	49.85
AV	20.6768G	43.12	63.54	-20.42	40.53	1	Horizontal	87	2.76	-	37.91	14.51	49.83

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.926G	108.60	Inf	-Inf	99.41	3	Vertical	287	2.19	-	36.61	5.83	33.25
RMS	6.927G	98.68	Inf	-Inf	89.48	3	Vertical	287	2.19	-	36.62	5.83	33.25
PK	7.138G	61.65	88.20	-26.55	52.14	3	Vertical	287	2.19	-	37.00	5.97	33.46
RMS	7.136G	51.13	68.20	-17.07	41.62	3	Vertical	287	2.19	-	36.99	5.97	33.45

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.932G	97.20	Inf	-Inf	87.97	3	Horizontal	200	1.96	-	36.66	5.83	33.26
RMS	6.928G	87.39	Inf	-Inf	78.19	3	Horizontal	200	1.96	-	36.62	5.83	33.25
PK	7.139G	61.78	88.20	-26.42	52.26	3	Horizontal	200	1.96	-	37.01	5.97	33.46
RMS	7.153G	51.12	68.20	-17.08	41.50	3	Horizontal	200	1.96	-	37.11	5.98	33.47

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.845G	57.57	88.20	-30.63	43.25	3	Vertical	284	1.89	-	40.55	8.63	34.86
RMS	13.8456G	44.01	68.20	-24.19	29.70	3	Vertical	284	1.89	-	40.55	8.63	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84682G	57.58	88.20	-30.62	43.27	3	Horizontal	227	1.39	-	40.55	8.63	34.87
RMS	13.8512G	43.92	68.20	-24.28	29.61	3	Horizontal	227	1.39	-	40.55	8.63	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7923G	57.25	83.54	-26.29	54.51	1	Vertical	103	2.76	-	37.93	14.59	49.78
AV	20.7956G	44.12	63.54	-19.42	41.37	1	Vertical	103	2.76	-	37.93	14.60	49.78



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6925MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7963G	56.98	83.54	-26.56	54.23	1	Horizontal	66	2.73	-	37.93	14.60	49.78
AV	20.7853G	44.22	63.54	-19.32	41.48	1	Horizontal	66	2.73	-	37.94	14.59	49.79

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	109.75	Inf	-Inf	100.53	3	Vertical	286	1.75	-	36.61	5.90	33.29
RMS	7.0008G	99.06	Inf	-Inf	89.85	3	Vertical	286	1.75	-	36.60	5.90	33.29
PK	7.1298G	62.85	88.20	-25.35	53.40	3	Vertical	286	1.75	-	36.94	5.96	33.45
RMS	7.1364G	51.93	68.20	-16.27	42.42	3	Vertical	286	1.75	-	36.99	5.97	33.45

802.11ax HEW40\_Nss1,(MCS0)\_1TX

7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.011G	106.06	Inf	-Inf	96.81	3	Horizontal	14	2.96	-	36.64	5.91	33.30
RMS	7.008G	95.29	Inf	-Inf	86.06	3	Horizontal	14	2.96	-	36.63	5.90	33.30
PK	7.1328G	62.40	88.20	-25.80	52.92	3	Horizontal	14	2.96	-	36.96	5.97	33.45
RMS	7.1256G	51.90	68.20	-16.30	42.48	3	Horizontal	14	2.96	-	36.90	5.96	33.44

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01084G	59.14	88.20	-29.06	44.57	3	Vertical	12	1.37	-	40.90	8.60	34.93
RMS	14.0123G	45.52	68.20	-22.68	30.95	3	Vertical	12	1.37	-	40.90	8.60	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01412G	59.50	88.20	-28.70	44.93	3	Horizontal	290	2.92	-	40.90	8.60	34.93
RMS	14.01068G	45.55	68.20	-22.65	30.98	3	Horizontal	290	2.92	-	40.90	8.60	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9985G	55.58	83.54	-27.96	52.93	1	Vertical	253	1.48	-	37.60	14.75	49.70
AV	21.0164G	41.77	63.54	-21.77	39.11	1	Vertical	253	1.48	-	37.60	14.76	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUTY\_1TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0059G	55.43	83.54	-28.11	52.78	1	Horizontal	3	2.12	-	37.60	14.75	49.70
AV	21.0386G	41.76	63.54	-21.78	39.07	1	Horizontal	3	2.12	-	37.60	14.78	49.69

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0778G	110.79	Inf	-Inf	101.49	3	Vertical	285	2.09	-	36.74	5.94	33.38
RMS	7.0822G	99.72	Inf	-Inf	90.43	3	Vertical	285	2.09	-	36.74	5.94	33.39
PK	7.125G	80.32	88.20	-7.88	70.90	3	Vertical	285	2.09	-	36.90	5.96	33.44
RMS	7.125G	66.28	68.20	-1.92	56.86	3	Vertical	285	2.09	-	36.90	5.96	33.44



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	106.45	Inf	-Inf	97.16	3	Horizontal	16	3.00	-	36.74	5.94	33.39
RMS	7.0814G	95.40	Inf	-Inf	86.11	3	Horizontal	16	3.00	-	36.74	5.94	33.39
PK	7.1262G	73.67	88.20	-14.53	64.24	3	Horizontal	16	3.00	-	36.91	5.96	33.44
RMS	7.125G	61.09	68.20	-7.11	51.67	3	Horizontal	16	3.00	-	36.90	5.96	33.44

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16702G	59.46	88.20	-28.74	44.89	3	Vertical	92	2.42	-	40.83	8.64	34.90
RMS	14.16664G	45.41	68.20	-22.79	30.84	3	Vertical	92	2.42	-	40.83	8.64	34.90

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16902G	58.95	88.20	-29.25	44.38	3	Horizontal	212	2.75	-	40.83	8.64	34.90
RMS	14.16756G	45.33	68.20	-22.87	30.76	3	Horizontal	212	2.75	-	40.83	8.64	34.90

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2715G	54.05	83.54	-29.49	51.12	1	Vertical	99	1.38	-	37.63	14.95	49.65
AV	21.2788G	40.93	63.54	-22.61	37.98	1	Vertical	99	1.38	-	37.63	14.96	49.64

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUTY\_1TX  
Setting 17  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2759G	54.09	83.54	-29.45	51.14	1	Horizontal	61	2.96	-	37.63	14.96	49.64
AV	21.2777G	40.93	63.54	-22.61	37.98	1	Horizontal	61	2.96	-	37.63	14.96	49.64

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	79.20	88.20	-9.00	72.14	3	Vertical	292	1.56	-	35.05	5.36	33.35
RMS	5.925G	67.55	68.20	-0.65	60.49	3	Vertical	292	1.56	-	35.05	5.36	33.35
PK	5.9746G	108.55	Inf	-Inf	101.23	3	Vertical	292	1.56	-	35.30	5.39	33.37
RMS	5.9754G	97.81	Inf	-Inf	90.49	3	Vertical	292	1.56	-	35.30	5.39	33.37

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	69.53	88.20	-18.67	62.47	3	Horizontal	30	3.00	-	35.05	5.36	33.35
RMS	5.925G	57.54	68.20	-10.66	50.48	3	Horizontal	30	3.00	-	35.05	5.36	33.35
PK	5.9714G	97.76	Inf	-Inf	90.45	3	Horizontal	30	3.00	-	35.29	5.39	33.37
RMS	5.9738G	87.55	Inf	-Inf	80.23	3	Horizontal	30	3.00	-	35.30	5.39	33.37

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97028G	54.84	74.00	-19.16	41.81	3	Vertical	166	2.14	-	38.99	8.98	34.94
AV	11.96732G	41.32	54.00	-12.68	28.28	3	Vertical	166	2.14	-	39.00	8.98	34.94
PK	17.95962G	61.27	74.00	-12.73	44.24	3	Vertical	191	1.99	-	42.06	9.79	34.82
AV	17.95446G	47.90	54.00	-6.10	30.89	3	Vertical	191	1.99	-	42.05	9.78	34.82



802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96988G	55.51	74.00	-18.49	42.48	3	Horizontal	126	1.04	-	38.99	8.98	34.94
AV	11.96762G	41.40	54.00	-12.60	28.36	3	Horizontal	126	1.04	-	39.00	8.98	34.94
PK	17.9582G	61.42	74.00	-12.58	44.39	3	Horizontal	262	2.70	-	42.06	9.79	34.82
AV	17.95422G	47.89	54.00	-6.11	30.88	3	Horizontal	262	2.70	-	42.05	9.78	34.82

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	62.05	88.20	-26.15	55.01	3	Vertical	64	1.64	-	35.03	5.36	33.35
RMS	5.9238G	49.39	68.20	-18.81	42.34	3	Vertical	64	1.64	-	35.04	5.36	33.35
PK	6.1268G	110.26	Inf	-Inf	102.57	3	Vertical	64	1.64	-	35.45	5.53	33.29
RMS	6.1422G	99.64	Inf	-Inf	91.96	3	Vertical	64	1.64	-	35.42	5.54	33.28

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8902G	59.31	88.20	-28.89	52.42	3	Horizontal	52	1.70	-	34.88	5.35	33.34
RMS	5.8804G	48.46	68.20	-19.74	41.59	3	Horizontal	52	1.70	-	34.86	5.34	33.33
PK	6.1352G	98.81	Inf	-Inf	91.13	3	Horizontal	52	1.70	-	35.43	5.54	33.29
RMS	6.1422G	88.64	Inf	-Inf	80.96	3	Horizontal	52	1.70	-	35.42	5.54	33.28

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29252G	55.00	74.00	-19.00	42.21	3	Vertical	102	1.88	-	38.71	8.94	34.86
AV	12.29496G	40.95	54.00	-13.05	28.16	3	Vertical	102	1.88	-	38.71	8.94	34.86

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2913G	54.68	74.00	-19.32	41.89	3	Horizontal	313	2.44	-	38.71	8.94	34.86
AV	12.29324G	40.96	54.00	-13.04	28.17	3	Horizontal	313	2.44	-	38.71	8.94	34.86

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4302G	58.20	83.54	-25.34	56.69	1	Vertical	238	1.83	-	37.72	13.92	50.13
AV	18.4378G	44.60	63.54	-18.94	43.07	1	Vertical	238	1.83	-	37.73	13.92	50.12

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6145MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4461G	57.69	83.54	-25.85	56.15	1	Horizontal	218	2.07	-	37.74	13.92	50.12
AV	18.4393G	44.66	63.54	-18.88	43.13	1	Horizontal	218	2.07	-	37.73	13.92	50.12

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	59.14	88.20	-29.06	52.17	3	Vertical	72	1.49	-	34.96	5.35	33.34
RMS	5.9186G	47.73	68.20	-20.47	40.71	3	Vertical	72	1.49	-	35.01	5.36	33.35
PK	6.3718G	106.82	Inf	-Inf	98.62	3	Vertical	72	1.49	-	35.64	5.69	33.13
RMS	6.3872G	97.28	Inf	-Inf	89.04	3	Vertical	72	1.49	-	35.67	5.69	33.12



802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	58.46	88.20	-29.74	51.46	3	Horizontal	8	3.00	-	34.99	5.36	33.35
RMS	5.923G	47.64	68.20	-20.56	40.59	3	Horizontal	8	3.00	-	35.04	5.36	33.35
PK	6.3916G	101.57	Inf	-Inf	93.30	3	Horizontal	8	3.00	-	35.68	5.70	33.11
RMS	6.3982G	91.49	Inf	-Inf	83.20	3	Horizontal	8	3.00	-	35.70	5.70	33.11

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7699G	55.14	88.20	-33.06	41.67	3	Vertical	87	2.69	-	39.37	8.85	34.75
RMS	12.7669G	41.27	68.20	-26.93	27.80	3	Vertical	87	2.69	-	39.37	8.85	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76674G	54.73	88.20	-33.47	41.26	3	Horizontal	75	2.62	-	39.37	8.85	34.75
RMS	12.76986G	41.18	68.20	-27.02	27.71	3	Horizontal	75	2.62	-	39.37	8.85	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1498G	55.20	83.54	-28.34	53.05	1	Vertical	5	2.06	-	37.82	13.96	49.63
AV	19.1645G	41.58	63.54	-21.96	39.45	1	Vertical	5	2.06	-	37.80	13.96	49.63

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6385MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1586G	55.29	83.54	-28.25	53.15	1	Horizontal	6	1.17	-	37.81	13.96	49.63
AV	19.1582G	41.39	63.54	-22.15	39.25	1	Horizontal	6	1.17	-	37.81	13.96	49.63

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6465MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	57.97	88.20	-30.23	51.14	3	Vertical	75	2.95	-	34.83	5.33	33.33
RMS	5.9202G	47.60	68.20	-20.60	40.57	3	Vertical	75	2.95	-	35.02	5.36	33.35
PK	6.4722G	107.32	Inf	-Inf	98.99	3	Vertical	75	2.95	-	35.69	5.70	33.06
RMS	6.4674G	96.66	Inf	-Inf	88.35	3	Vertical	75	2.95	-	35.67	5.70	33.06

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6465MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	58.10	88.20	-30.10	51.20	3	Horizontal	8	3.00	-	34.89	5.35	33.34
RMS	5.9058G	47.64	68.20	-20.56	40.70	3	Horizontal	8	3.00	-	34.93	5.35	33.34
PK	6.4626G	100.89	Inf	-Inf	92.61	3	Horizontal	8	3.00	-	35.65	5.70	33.07
RMS	6.453G	90.92	Inf	-Inf	82.68	3	Horizontal	8	3.00	-	35.61	5.70	33.07

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6465MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92724G	55.44	88.20	-32.76	41.79	3	Vertical	224	1.27	-	39.55	8.81	34.71
RMS	12.93238G	41.50	68.20	-26.70	27.84	3	Vertical	224	1.27	-	39.56	8.81	34.71



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6465MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92664G	55.40	88.20	-32.80	41.75	3	Horizontal	290	2.33	-	39.55	8.81	34.71
RMS	12.93012G	41.51	68.20	-26.69	27.85	3	Horizontal	290	2.33	-	39.56	8.81	34.71

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6465MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4027G	55.18	83.54	-28.36	53.07	1	Vertical	338	2.07	-	37.82	13.97	49.68
AV	19.3751G	41.96	63.54	-21.58	39.87	1	Vertical	338	2.07	-	37.80	13.97	49.68

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


### 6465MHz\_TnomVnom



EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3721G	54.99	83.54	-28.55	52.89	1	Horizontal	15	2.24	-	37.80	13.97	49.67
AV	19.3723G	41.91	63.54	-21.63	39.81	1	Horizontal	15	2.24	-	37.80	13.97	49.67


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_1TX  
 Setting 20.5  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	58.91	88.20	-29.29	52.05	3	Vertical	320	1.55	-	34.85	5.34	33.33
RMS	5.925G	47.61	68.20	-20.59	40.55	3	Vertical	320	1.55	-	35.05	5.36	33.35
PK	6.5394G	105.98	Inf	-Inf	97.38	3	Vertical	320	1.55	-	35.96	5.70	33.06
RMS	6.5478G	95.64	Inf	-Inf	87.01	3	Vertical	320	1.55	-	35.99	5.70	33.06
PK	7.1582G	61.31	88.20	-26.89	51.68	3	Vertical	320	1.55	-	37.13	5.98	33.48
RMS	7.231G	51.02	68.20	-17.18	41.21	3	Vertical	320	1.55	-	37.36	6.02	33.57

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_1TX  
 Setting 20.5  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	58.64	88.20	-29.56	51.76	3	Horizontal	5	3.00	-	34.87	5.34	33.33
RMS	5.925G	47.62	68.20	-20.58	40.56	3	Horizontal	5	3.00	-	35.05	5.36	33.35
PK	6.5422G	103.09	Inf	-Inf	94.48	3	Horizontal	5	3.00	-	35.97	5.70	33.06
RMS	6.5394G	92.52	Inf	-Inf	83.92	3	Horizontal	5	3.00	-	35.96	5.70	33.06
PK	7.2002G	61.28	88.20	-26.92	51.51	3	Horizontal	5	3.00	-	37.30	6.00	33.53
RMS	7.231G	50.93	68.20	-17.27	41.12	3	Horizontal	5	3.00	-	37.36	6.02	33.57

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom



EUTY\_1TX  
Setting 20.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0879G	56.54	88.20	-31.66	42.76	3	Vertical	112	2.42	-	39.70	8.78	34.70
RMS	13.08512G	42.52	68.20	-25.68	28.74	3	Vertical	112	2.42	-	39.70	8.78	34.70

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_1TX  
 Setting 20.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09462G	56.04	88.20	-32.16	42.26	3	Horizontal	33	2.81	-	39.70	8.78	34.70
RMS	13.09322G	42.55	68.20	-25.65	28.77	3	Horizontal	33	2.81	-	39.70	8.78	34.70

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6104G	55.82	83.54	-27.72	53.68	1	Vertical	279	1.81	-	37.86	13.98	49.70
AV	19.6591G	42.64	63.54	-20.90	40.52	1	Vertical	279	1.81	-	37.84	13.98	49.70



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6582G	55.63	83.54	-27.91	53.51	1	Horizontal	162	1.42	-	37.84	13.98	49.70
AV	19.6572G	42.58	63.54	-20.96	40.46	1	Horizontal	162	1.42	-	37.84	13.98	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	108.45	Inf	-Inf	99.70	3	Vertical	287	2.84	-	36.16	5.70	33.11
RMS	6.6178G	98.42	Inf	-Inf	89.68	3	Vertical	287	2.84	-	36.14	5.70	33.10
PK	7.1962G	61.55	88.20	-26.65	51.80	3	Vertical	287	2.84	-	37.28	6.00	33.53
RMS	7.1506G	50.94	68.20	-17.26	41.33	3	Vertical	287	2.84	-	37.10	5.98	33.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6106G	102.01	Inf	-Inf	93.29	3	Horizontal	0	2.97	-	36.12	5.70	33.10
RMS	6.613G	91.52	Inf	-Inf	82.79	3	Horizontal	0	2.97	-	36.13	5.70	33.10
PK	7.165G	61.16	88.20	-27.04	51.51	3	Horizontal	0	2.97	-	37.16	5.98	33.49
RMS	7.1458G	50.93	68.20	-17.27	41.35	3	Horizontal	0	2.97	-	37.07	5.97	33.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25404G	56.24	74.00	-17.76	42.25	3	Vertical	263	2.05	-	39.95	8.75	34.71
AV	13.25256G	42.40	54.00	-11.60	28.41	3	Vertical	263	2.05	-	39.95	8.75	34.71

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24564G	56.08	88.20	-32.12	42.09	3	Horizontal	274	2.24	-	39.95	8.75	34.71
AV	13.2522G	42.31	54.00	-11.69	28.32	3	Horizontal	274	2.24	-	39.95	8.75	34.71

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.868G	56.48	83.54	-27.06	54.58	1	Vertical	4	1.32	-	37.61	13.99	49.70
AV	19.8522G	43.35	63.54	-20.19	41.42	1	Vertical	4	1.32	-	37.64	13.99	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6625MHz\_TnomVnom




EUTY\_1TX  
Setting 20.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8734G	56.96	83.54	-26.58	55.07	1	Horizontal	2	1.08	-	37.60	13.99	49.70
AV	19.8578G	43.56	63.54	-19.98	41.64	1	Horizontal	2	1.08	-	37.63	13.99	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.711G	108.07	Inf	-Inf	99.28	3	Vertical	290	2.21	-	36.24	5.70	33.15
RMS	6.707G	98.18	Inf	-Inf	89.39	3	Vertical	290	2.21	-	36.23	5.70	33.14
PK	7.145G	61.22	88.20	-26.98	51.65	3	Vertical	290	2.21	-	37.06	5.97	33.46
RMS	7.195G	50.93	68.20	-17.27	41.17	3	Vertical	290	2.21	-	37.28	6.00	33.52



802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	102.13	Inf	-Inf	93.37	3	Horizontal	355	3.00	-	36.20	5.70	33.14
RMS	6.693G	91.59	Inf	-Inf	82.83	3	Horizontal	355	3.00	-	36.20	5.70	33.14
PK	7.197G	61.83	88.20	-26.37	52.07	3	Horizontal	355	3.00	-	37.29	6.00	33.53
RMS	7.195G	50.95	68.20	-17.25	41.19	3	Horizontal	355	3.00	-	37.28	6.00	33.52

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.409G	56.32	88.20	-31.88	42.12	3	Vertical	353	1.95	-	40.20	8.72	34.72
RMS	13.40692G	42.86	68.20	-25.34	28.66	3	Vertical	353	1.95	-	40.20	8.72	34.72

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40776G	56.41	88.20	-31.79	42.21	3	Horizontal	33	1.44	-	40.20	8.72	34.72
RMS	13.40728G	42.84	68.20	-25.36	28.64	3	Horizontal	33	1.44	-	40.20	8.72	34.72

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0913G	56.95	83.54	-26.59	55.15	1	Vertical	345	1.30	-	37.47	14.07	49.74
AV	20.0903G	43.20	63.54	-20.34	41.40	1	Vertical	345	1.30	-	37.47	14.07	49.74

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6705MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1139G	55.94	83.54	-27.60	54.11	1	Horizontal	34	2.23	-	37.49	14.09	49.75
AV	20.093G	43.07	63.54	-20.47	41.27	1	Horizontal	34	2.23	-	37.47	14.07	49.74

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.769G	106.56	Inf	-Inf	97.67	3	Vertical	284	2.28	-	36.36	5.70	33.17
RMS	6.7786G	96.86	Inf	-Inf	88.00	3	Vertical	284	2.28	-	36.34	5.70	33.18
PK	7.1482G	61.90	88.20	-26.30	52.31	3	Vertical	284	2.28	-	37.09	5.97	33.47
RMS	7.1498G	50.93	68.20	-17.27	41.33	3	Vertical	284	2.28	-	37.10	5.97	33.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	99.45	Inf	-Inf	90.59	3	Horizontal	335	1.08	-	36.34	5.70	33.18
RMS	6.7818G	89.76	Inf	-Inf	80.90	3	Horizontal	335	1.08	-	36.34	5.70	33.18
PK	7.1546G	61.24	88.20	-26.96	51.62	3	Horizontal	335	1.08	-	37.12	5.98	33.48
RMS	7.1482G	50.93	68.20	-17.27	41.34	3	Horizontal	335	1.08	-	37.09	5.97	33.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56562G	56.31	88.20	-31.89	42.17	3	Vertical	230	1.53	-	40.20	8.69	34.75
RMS	13.56776G	42.82	68.20	-25.38	28.68	3	Vertical	230	1.53	-	40.20	8.69	34.75



802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5704G	56.35	88.20	-31.85	42.21	3	Horizontal	164	1.51	-	40.20	8.69	34.75
RMS	13.56588G	42.67	68.20	-25.53	28.53	3	Horizontal	164	1.51	-	40.20	8.69	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6785MHz\_TnomVnom




EUTY\_1TX  
Setting 21  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3371G	58.73	83.54	-24.81	56.68	1	Vertical	222	1.42	-	37.63	14.25	49.83
AV	20.3429G	44.98	63.54	-18.56	42.92	1	Vertical	222	1.42	-	37.64	14.26	49.84

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


#### 6785MHz\_TnomVnom



EUTY\_1TX  
Setting 21  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.351G	58.21	83.54	-25.33	56.15	1	Horizontal	145	1.56	-	37.64	14.26	49.84
AV	20.332G	45.04	63.54	-18.50	42.99	1	Horizontal	145	1.56	-	37.63	14.25	49.83

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 22.5  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	109.23	Inf	-Inf	100.12	3	Vertical	287	2.77	-	36.57	5.76	33.22
RMS	6.8524G	99.16	Inf	-Inf	90.04	3	Vertical	287	2.77	-	36.59	5.75	33.22
PK	7.1296G	62.52	88.20	-25.68	53.07	3	Vertical	287	2.77	-	36.94	5.96	33.45
RMS	7.1324G	51.41	68.20	-16.79	41.93	3	Vertical	287	2.77	-	36.96	5.97	33.45

802.11ax HEW80\_Nss1,(MCS0)\_1TX


6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_1TX  
Setting 22.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8706G	100.25	Inf	-Inf	91.19	3	Horizontal	342	1.63	-	36.52	5.77	33.23
RMS	6.8622G	89.53	Inf	-Inf	80.44	3	Horizontal	342	1.63	-	36.55	5.76	33.22
PK	7.208G	60.74	88.20	-27.46	50.96	3	Horizontal	342	1.63	-	37.32	6.00	33.54
RMS	7.1436G	51.03	68.20	-17.17	41.47	3	Horizontal	342	1.63	-	37.05	5.97	33.46


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 22.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73172G	58.05	88.20	-30.15	43.79	3	Vertical	153	2.92	-	40.43	8.65	34.82
RMS	13.72718G	44.31	68.20	-23.89	30.05	3	Vertical	153	2.92	-	40.43	8.65	34.82


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_1TX  
 Setting 22.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72936G	58.14	88.20	-30.06	43.88	3	Horizontal	281	1.89	-	40.43	8.65	34.82
RMS	13.72754G	44.30	68.20	-23.90	30.04	3	Horizontal	281	1.89	-	40.43	8.65	34.82

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 22.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6128G	57.13	83.54	-26.41	54.68	1	Vertical	340	2.28	-	37.84	14.46	49.85
AV	20.5719G	43.90	63.54	-19.64	41.55	1	Vertical	340	2.28	-	37.79	14.43	49.87



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 22.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5784G	57.81	83.54	-25.73	55.46	1	Horizontal	152	2.59	-	37.79	14.43	49.87
AV	20.5803G	43.86	63.54	-19.68	41.49	1	Horizontal	152	2.59	-	37.80	14.44	49.87

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6945MHz\_TnomVnom




17/11/2021

EUTY\_1TX  
Setting 22.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9198G	109.77	Inf	-Inf	100.64	3	Vertical	284	2.12	-	36.56	5.82	33.25
RMS	6.9306G	98.86	Inf	-Inf	89.65	3	Vertical	284	2.12	-	36.64	5.83	33.26
PK	7.125G	70.76	88.20	-17.44	61.34	3	Vertical	284	2.12	-	36.90	5.96	33.44
RMS	7.125G	58.41	68.20	-9.79	48.99	3	Vertical	284	2.12	-	36.90	5.96	33.44

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUTY\_1TX  
Setting 22.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9342G	105.39	Inf	-Inf	96.15	3	Horizontal	16	3.00	-	36.67	5.83	33.26
RMS	6.9378G	95.14	Inf	-Inf	85.86	3	Horizontal	16	3.00	-	36.70	5.84	33.26
PK	7.125G	66.71	88.20	-21.49	57.29	3	Horizontal	16	3.00	-	36.90	5.96	33.44
RMS	7.125G	55.01	68.20	-13.19	45.59	3	Horizontal	16	3.00	-	36.90	5.96	33.44

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUTY\_1TX  
Setting 22.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88744G	57.63	88.20	-30.57	43.30	3	Vertical	328	2.86	-	40.59	8.62	34.88
RMS	13.8932G	44.01	68.20	-24.19	29.69	3	Vertical	328	2.86	-	40.59	8.62	34.89

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUTY\_1TX  
Setting 22.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88588G	57.24	88.20	-30.96	42.91	3	Horizontal	81	1.27	-	40.59	8.62	34.88
RMS	13.8901G	44.04	68.20	-24.16	29.71	3	Horizontal	81	1.27	-	40.59	8.62	34.88

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUTY\_1TX  
Setting 22.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.842G	57.03	83.54	-26.51	54.31	1	Vertical	231	1.09	-	37.85	14.63	49.76
AV	20.8143G	44.09	63.54	-19.45	41.35	1	Vertical	231	1.09	-	37.90	14.61	49.77

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUTY\_1TX  
Setting 22.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8115G	56.94	83.54	-26.60	54.21	1	Horizontal	104	2.42	-	37.90	14.61	49.78
AV	20.8169G	44.04	63.54	-19.50	41.31	1	Horizontal	104	2.42	-	37.89	14.61	49.77

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	109.60	Inf	-Inf	100.37	3	Vertical	284	2.12	-	36.63	5.90	33.30
RMS	7.0306G	98.53	Inf	-Inf	89.22	3	Vertical	284	2.12	-	36.72	5.92	33.33
PK	7.125G	78.65	88.20	-9.55	69.23	3	Vertical	284	2.12	-	36.90	5.96	33.44
RMS	7.125G	66.32	68.20	-1.88	56.90	3	Vertical	284	2.12	-	36.90	5.96	33.44



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	105.94	Inf	-Inf	96.67	3	Horizontal	9	2.94	-	36.67	5.91	33.31
RMS	7.021G	94.80	Inf	-Inf	85.53	3	Horizontal	9	2.94	-	36.68	5.91	33.32
PK	7.1258G	74.27	88.20	-13.93	64.84	3	Horizontal	9	2.94	-	36.91	5.96	33.44
RMS	7.125G	62.53	68.20	-5.67	53.11	3	Horizontal	9	2.94	-	36.90	5.96	33.44

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04628G	59.42	88.20	-28.78	44.83	3	Vertical	342	2.05	-	40.90	8.61	34.92
RMS	14.04864G	45.52	68.20	-22.68	30.93	3	Vertical	342	2.05	-	40.90	8.61	34.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05138G	59.32	88.20	-28.88	44.73	3	Horizontal	339	2.77	-	40.90	8.61	34.92
RMS	14.05026G	45.50	68.20	-22.70	30.91	3	Horizontal	339	2.77	-	40.90	8.61	34.92

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0645G	54.56	83.54	-28.98	51.85	1	Vertical	13	2.71	-	37.60	14.80	49.69
AV	21.0569G	41.82	63.54	-21.72	39.12	1	Vertical	13	2.71	-	37.60	14.79	49.69

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 7025MHz\_TnomVnom




EUTY\_1TX  
Setting 20  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0577G	54.42	83.54	-29.12	51.72	1	Horizontal	62	2.38	-	37.60	14.79	49.69
AV	21.0579G	41.77	63.54	-21.77	39.07	1	Horizontal	62	2.38	-	37.60	14.79	49.69

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	77.65	88.20	-10.55	70.69	3	Vertical	61	1.55	-	34.95	5.35	33.34
RMS	5.9242G	65.29	68.20	-2.91	58.23	3	Vertical	61	1.55	-	35.05	5.36	33.35
PK	5.9978G	105.53	Inf	-Inf	98.12	3	Vertical	61	1.55	-	35.39	5.40	33.38
RMS	6.057G	95.25	Inf	-Inf	87.72	3	Vertical	61	1.55	-	35.41	5.46	33.34

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	64.69	88.20	-23.51	57.66	3	Horizontal	49	1.82	-	35.02	5.36	33.35
RMS	5.9242G	53.89	68.20	-14.31	46.83	3	Horizontal	49	1.82	-	35.05	5.36	33.35
PK	6.0618G	93.52	Inf	-Inf	85.98	3	Horizontal	49	1.82	-	35.42	5.46	33.34
RMS	6.0634G	83.26	Inf	-Inf	75.71	3	Horizontal	49	1.82	-	35.43	5.46	33.34

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05236G	55.44	74.00	-18.56	42.48	3	Vertical	39	2.24	-	38.90	8.99	34.93
AV	12.04784G	41.37	54.00	-12.63	28.42	3	Vertical	39	2.24	-	38.90	8.99	34.94



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05172G	55.09	74.00	-18.91	42.13	3	Horizontal	45	1.37	-	38.90	8.99	34.93
AV	12.0507G	41.65	54.00	-12.35	28.69	3	Horizontal	45	1.37	-	38.90	8.99	34.93

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0532G	56.42	83.54	-27.12	55.14	1	Vertical	346	1.78	-	37.66	13.90	50.28
AV	18.0675G	42.89	63.54	-20.65	41.61	1	Vertical	346	1.78	-	37.65	13.90	50.27

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TnomVnom




EUTY\_1TX  
Setting 18  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0707G	56.56	83.54	-26.98	55.29	1	Horizontal	290	2.86	-	37.64	13.90	50.27
AV	18.0667G	42.95	63.54	-20.59	41.67	1	Horizontal	290	2.86	-	37.65	13.90	50.27

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	75.86	88.20	-12.34	68.82	3	Vertical	69	1.61	-	35.03	5.36	33.35
RMS	5.925G	64.88	68.20	-3.32	57.82	3	Vertical	69	1.61	-	35.05	5.36	33.35
PK	6.1994G	110.48	Inf	-Inf	102.42	3	Vertical	69	1.61	-	35.70	5.60	33.24
RMS	6.2012G	98.89	Inf	-Inf	90.84	3	Vertical	69	1.61	-	35.69	5.60	33.24

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	65.74	88.20	-22.46	58.69	3	Horizontal	50	1.78	-	35.04	5.36	33.35
RMS	5.925G	55.27	68.20	-12.93	48.21	3	Horizontal	50	1.78	-	35.05	5.36	33.35
PK	6.1994G	99.22	Inf	-Inf	91.16	3	Horizontal	50	1.78	-	35.70	5.60	33.24
RMS	6.1526G	87.48	Inf	-Inf	79.79	3	Horizontal	50	1.78	-	35.42	5.55	33.28

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36894G	55.50	74.00	-18.50	42.50	3	Vertical	81	1.40	-	38.91	8.93	34.84
AV	12.37302G	41.26	54.00	-12.74	28.25	3	Vertical	81	1.40	-	38.92	8.93	34.84

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36958G	55.71	74.00	-18.29	42.71	3	Horizontal	19	2.97	-	38.91	8.93	34.84
AV	12.37236G	41.29	54.00	-12.71	28.28	3	Horizontal	19	2.97	-	38.92	8.93	34.84

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.542G	56.81	83.54	-26.73	55.16	1	Vertical	206	1.42	-	37.78	13.93	50.06
AV	18.5324G	44.06	63.54	-19.48	42.41	1	Vertical	206	1.42	-	37.79	13.93	50.07



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.535G	57.34	83.54	-26.20	55.68	1	Horizontal	56	2.94	-	37.79	13.93	50.06
AV	18.5314G	44.05	63.54	-19.49	42.40	1	Horizontal	56	2.94	-	37.79	13.93	50.07

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	64.58	88.20	-23.62	57.53	3	Vertical	63	1.58	-	35.04	5.36	33.35
RMS	5.923G	54.17	68.20	-14.03	47.12	3	Vertical	63	1.58	-	35.04	5.36	33.35
PK	6.343G	106.30	Inf	-Inf	98.18	3	Vertical	63	1.58	-	35.60	5.67	33.15
RMS	6.349G	96.43	Inf	-Inf	88.30	3	Vertical	63	1.58	-	35.60	5.67	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	58.62	88.20	-29.58	51.63	3	Horizontal	40	1.82	-	34.98	5.36	33.35
RMS	5.925G	48.05	68.20	-20.15	40.99	3	Horizontal	40	1.82	-	35.05	5.36	33.35
PK	6.303G	95.85	Inf	-Inf	87.77	3	Horizontal	40	1.82	-	35.60	5.65	33.17
RMS	6.349G	85.66	Inf	-Inf	77.53	3	Horizontal	40	1.82	-	35.60	5.67	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68802G	55.46	74.00	-18.54	42.11	3	Vertical	210	2.37	-	39.25	8.86	34.76
AV	12.6944G	41.47	54.00	-12.53	28.09	3	Vertical	210	2.37	-	39.28	8.86	34.76

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69492G	55.35	74.00	-18.65	41.97	3	Horizontal	291	2.17	-	39.28	8.86	34.76
AV	12.69042G	41.46	54.00	-12.54	28.10	3	Horizontal	291	2.17	-	39.26	8.86	34.76

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0438G	55.82	83.54	-27.72	53.53	1	Vertical	253	2.13	-	37.95	13.95	49.61
AV	19.0493G	41.88	63.54	-21.66	39.60	1	Vertical	253	2.13	-	37.94	13.95	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0386G	55.47	83.54	-28.07	53.18	1	Horizontal	278	1.67	-	37.95	13.95	49.61
AV	19.017G	41.97	63.54	-21.57	39.64	1	Horizontal	278	1.67	-	37.98	13.95	49.60

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	58.21	88.20	-29.99	51.20	3	Vertical	76	2.92	-	35.00	5.36	33.35
RMS	5.925G	48.70	68.20	-19.50	41.64	3	Vertical	76	2.92	-	35.05	5.36	33.35
PK	6.5386G	107.26	Inf	-Inf	98.67	3	Vertical	76	2.92	-	35.95	5.70	33.06
RMS	6.5386G	97.01	Inf	-Inf	88.42	3	Vertical	76	2.92	-	35.95	5.70	33.06
PK	7.1294G	61.73	88.20	-26.47	52.28	3	Vertical	76	2.92	-	36.94	5.96	33.45
RMS	7.1462G	50.97	68.20	-17.23	41.40	3	Vertical	76	2.92	-	37.07	5.97	33.47



802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	58.10	88.20	-30.10	51.16	3	Horizontal	0	3.00	-	34.93	5.35	33.34
RMS	5.9142G	47.77	68.20	-20.43	40.77	3	Horizontal	0	3.00	-	34.99	5.36	33.35
PK	6.533G	101.49	Inf	-Inf	92.92	3	Horizontal	0	3.00	-	35.93	5.70	33.06
RMS	6.5386G	91.46	Inf	-Inf	82.87	3	Horizontal	0	3.00	-	35.95	5.70	33.06
PK	7.191G	61.29	88.20	-26.91	51.55	3	Horizontal	0	3.00	-	37.26	6.00	33.52
RMS	7.1966G	50.86	68.20	-17.34	41.10	3	Horizontal	0	3.00	-	37.29	6.00	33.53

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01274G	55.99	88.20	-32.21	42.19	3	Vertical	182	1.92	-	39.70	8.80	34.70
RMS	13.01432G	42.56	68.20	-25.64	28.76	3	Vertical	182	1.92	-	39.70	8.80	34.70

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01334G	57.07	88.20	-31.13	43.27	3	Horizontal	79	2.08	-	39.70	8.80	34.70
RMS	13.00738G	42.60	68.20	-25.60	28.80	3	Horizontal	79	2.08	-	39.70	8.80	34.70

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5189G	55.79	83.54	-27.75	53.62	1	Vertical	129	2.16	-	37.89	13.98	49.70
AV	19.5198G	42.45	63.54	-21.09	40.28	1	Vertical	129	2.16	-	37.89	13.98	49.70

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5112G	56.84	83.54	-26.70	54.66	1	Horizontal	210	1.90	-	37.90	13.98	49.70
AV	19.5192G	42.41	63.54	-21.13	40.24	1	Horizontal	210	1.90	-	37.89	13.98	49.70

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6144G	107.09	Inf	-Inf	98.36	3	Vertical	291	2.94	-	36.13	5.70	33.10
RMS	6.6342G	96.98	Inf	-Inf	88.22	3	Vertical	291	2.94	-	36.17	5.70	33.11
PK	7.1644G	62.36	88.20	-25.84	52.71	3	Vertical	291	2.94	-	37.16	5.98	33.49
RMS	7.1424G	51.97	68.20	-16.23	42.42	3	Vertical	291	2.94	-	37.04	5.97	33.46

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6936G	99.82	Inf	-Inf	91.06	3	Horizontal	354	3.00	-	36.20	5.70	33.14
RMS	6.6936G	90.05	Inf	-Inf	81.29	3	Horizontal	354	3.00	-	36.20	5.70	33.14
PK	7.127G	61.34	88.20	-26.86	51.90	3	Horizontal	354	3.00	-	36.92	5.96	33.44
RMS	7.1446G	51.30	68.20	-16.90	41.73	3	Horizontal	354	3.00	-	37.06	5.97	33.46

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32746G	56.79	74.00	-17.21	42.72	3	Vertical	30	1.09	-	40.05	8.73	34.71
AV	13.3314G	42.58	54.00	-11.42	28.50	3	Vertical	30	1.09	-	40.06	8.73	34.71



802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32926G	56.19	74.00	-17.81	42.11	3	Horizontal	159	2.29	-	40.06	8.73	34.71
AV	13.32652G	42.56	54.00	-11.44	28.49	3	Horizontal	159	2.29	-	40.05	8.73	34.71

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0006G	56.36	83.54	-27.18	54.66	1	Vertical	129	1.73	-	37.40	14.00	49.70
AV	20.0028G	42.61	63.54	-20.93	40.91	1	Vertical	129	1.73	-	37.40	14.00	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9968G	55.52	83.54	-28.02	53.81	1	Horizontal	50	1.63	-	37.41	14.00	49.70
AV	20.0048G	42.63	63.54	-20.91	40.93	1	Horizontal	50	1.63	-	37.40	14.00	49.70

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8074G	109.57	Inf	-Inf	100.71	3	Vertical	284	2.79	-	36.34	5.71	33.19
RMS	6.7994G	97.06	Inf	-Inf	88.25	3	Vertical	284	2.79	-	36.30	5.70	33.19
PK	7.1338G	68.09	88.20	-20.11	58.60	3	Vertical	284	2.79	-	36.97	5.97	33.45
RMS	7.1258G	57.07	68.20	-11.13	47.64	3	Vertical	284	2.79	-	36.91	5.96	33.44

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	103.03	Inf	-Inf	94.21	3	Horizontal	360	3.00	-	36.31	5.70	33.19
RMS	6.7994G	92.16	Inf	-Inf	83.35	3	Horizontal	360	3.00	-	36.30	5.70	33.19
PK	7.1258G	64.35	88.20	-23.85	54.92	3	Horizontal	360	3.00	-	36.91	5.96	33.44
RMS	7.1258G	53.80	68.20	-14.40	44.37	3	Horizontal	360	3.00	-	36.91	5.96	33.44

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64604G	58.28	88.20	-29.92	44.10	3	Vertical	247	2.51	-	40.29	8.67	34.78
RMS	13.64692G	44.57	68.20	-23.63	30.39	3	Vertical	247	2.51	-	40.29	8.67	34.78

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64968G	58.39	88.20	-29.81	44.20	3	Horizontal	6	1.00	-	40.30	8.67	34.78
RMS	13.64782G	44.54	68.20	-23.66	30.35	3	Horizontal	6	1.00	-	40.30	8.67	34.78

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_1TX  
Setting 23  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4813G	57.40	83.54	-26.14	55.24	1	Vertical	103	2.87	-	37.69	14.36	49.89
AV	20.458G	43.92	63.54	-19.62	41.78	1	Vertical	103	2.87	-	37.68	14.34	49.88



**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_1TX  
 Setting 23  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4864G	57.36	83.54	-26.18	55.20	1	Horizontal	229	2.50	-	37.69	14.36	49.89
AV	20.4517G	43.98	63.54	-19.56	41.84	1	Horizontal	229	2.50	-	37.68	14.34	49.88

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9466G	106.16	Inf	-Inf	96.80	3	Vertical	286	2.17	-	36.77	5.85	33.26
RMS	6.9466G	94.39	Inf	-Inf	85.03	3	Vertical	286	2.17	-	36.77	5.85	33.26
PK	7.1306G	78.51	88.20	-9.69	69.05	3	Vertical	286	2.17	-	36.94	5.97	33.45
RMS	7.1258G	67.52	68.20	-0.68	58.09	3	Vertical	286	2.17	-	36.91	5.96	33.44
PK	7.2522G	56.54	74.00	-17.46	46.70	3	Vertical	286	2.17	-	37.40	6.03	33.59
AV	7.25G	46.17	54.00	-7.83	36.33	3	Vertical	286	2.17	-	37.40	6.03	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9674G	101.79	Inf	-Inf	92.46	3	Horizontal	13	3.00	-	36.73	5.87	33.27
RMS	6.9386G	90.77	Inf	-Inf	81.48	3	Horizontal	13	3.00	-	36.71	5.84	33.26
PK	7.129G	75.27	88.20	-12.93	65.82	3	Horizontal	13	3.00	-	36.93	5.96	33.44
RMS	7.1258G	63.53	68.20	-4.67	54.10	3	Horizontal	13	3.00	-	36.91	5.96	33.44
PK	7.2538G	54.20	74.00	-19.80	44.35	3	Horizontal	13	3.00	-	37.41	6.03	33.59
AV	7.25G	43.94	54.00	-10.06	34.10	3	Horizontal	13	3.00	-	37.40	6.03	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96798G	58.45	88.20	-29.75	43.96	3	Vertical	11	2.28	-	40.80	8.61	34.92
RMS	13.97354G	44.60	68.20	-23.60	30.09	3	Vertical	11	2.28	-	40.82	8.61	34.92

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9708G	58.27	88.20	-29.93	43.77	3	Horizontal	121	1.63	-	40.81	8.61	34.92
RMS	13.97404G	44.59	68.20	-23.61	30.08	3	Horizontal	121	1.63	-	40.82	8.61	34.92

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9568G	56.06	83.54	-27.48	53.39	1	Vertical	301	1.54	-	37.67	14.72	49.72
AV	20.9301G	42.58	63.54	-20.96	39.90	1	Vertical	301	1.54	-	37.71	14.70	49.73

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom



EUTY\_1TX  
Setting 18.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.952G	55.16	83.54	-28.38	52.49	1	Horizontal	267	1.23	-	37.68	14.71	49.72
AV	20.9317G	42.50	63.54	-21.04	39.82	1	Horizontal	267	1.23	-	37.71	14.70	49.73




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	RMS	7.1306G	67.62	68.20	-0.58	3	Vertical	283	1.71	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	59.69	88.20	-28.51	52.63	3	Vertical	289	1.80	-	35.05	5.36	33.35
RMS	5.9246G	48.75	68.20	-19.45	41.69	3	Vertical	289	1.80	-	35.05	5.36	33.35
PK	5.963G	110.64	Inf	-Inf	103.38	3	Vertical	289	1.80	-	35.25	5.38	33.37
RMS	5.9632G	99.94	Inf	-Inf	92.68	3	Vertical	289	1.80	-	35.25	5.38	33.37

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	60.01	88.20	-28.19	52.99	3	Horizontal	29	2.15	-	35.01	5.36	33.35
RMS	5.922G	48.52	68.20	-19.68	41.48	3	Horizontal	29	2.15	-	35.03	5.36	33.35
PK	5.9612G	102.21	Inf	-Inf	94.95	3	Horizontal	29	2.15	-	35.24	5.38	33.36
RMS	5.9628G	91.74	Inf	-Inf	84.48	3	Horizontal	29	2.15	-	35.25	5.38	33.37

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90732G	56.18	74.00	-17.82	42.97	3	Vertical	82	2.37	-	39.18	8.94	34.91
AV	11.9069G	42.49	54.00	-11.51	29.29	3	Vertical	82	2.37	-	39.18	8.93	34.91
PK	17.86962G	62.61	74.00	-11.39	45.70	3	Vertical	288	1.63	-	41.91	9.75	34.75
AV	17.86894G	47.88	54.00	-6.12	30.97	3	Vertical	288	1.63	-	41.91	9.75	34.75

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90594G	56.50	74.00	-17.50	43.30	3	Horizontal	284	2.15	-	39.18	8.93	34.91
AV	11.90938G	42.26	54.00	-11.74	29.07	3	Horizontal	284	2.15	-	39.17	8.94	34.92
PK	17.86882G	61.56	74.00	-12.44	44.65	3	Horizontal	37	1.89	-	41.91	9.75	34.75
AV	17.86608G	47.56	54.00	-6.44	30.66	3	Horizontal	37	1.89	-	41.90	9.75	34.75

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	58.74	88.20	-29.46	51.81	3	Vertical	292	1.80	-	34.92	5.35	33.34
RMS	5.903G	46.07	68.20	-22.13	39.14	3	Vertical	292	1.80	-	34.92	5.35	33.34
PK	6.183G	106.17	Inf	-Inf	98.25	3	Vertical	292	1.80	-	35.60	5.58	33.26
RMS	6.183G	96.09	Inf	-Inf	88.17	3	Vertical	292	1.80	-	35.60	5.58	33.26

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	58.51	88.20	-29.69	51.48	3	Horizontal	19	2.96	-	35.02	5.36	33.35
RMS	5.919G	46.17	68.20	-22.03	39.15	3	Horizontal	19	2.96	-	35.01	5.36	33.35
PK	6.167G	103.11	Inf	-Inf	95.31	3	Horizontal	19	2.96	-	35.50	5.57	33.27
RMS	6.167G	91.39	Inf	-Inf	83.59	3	Horizontal	19	2.96	-	35.50	5.57	33.27

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34992G	56.55	74.00	-17.45	43.62	3	Vertical	345	2.01	-	38.85	8.93	34.85
AV	12.35348G	42.64	54.00	-11.36	29.69	3	Vertical	345	2.01	-	38.86	8.93	34.84

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3519G	56.46	74.00	-17.54	43.51	3	Horizontal	123	1.23	-	38.86	8.93	34.84
AV	12.35434G	42.65	54.00	-11.35	29.70	3	Horizontal	123	1.23	-	38.86	8.93	34.84



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5309G	57.08	83.54	-26.46	55.43	1	Vertical	217	2.78	-	37.79	13.93	50.07
AV	18.5005G	44.10	63.54	-19.44	42.47	1	Vertical	217	2.78	-	37.80	13.93	50.10

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5003G	58.09	83.54	-25.45	56.46	1	Horizontal	217	2.00	-	37.80	13.93	50.10
AV	18.5189G	44.09	63.54	-19.45	42.45	1	Horizontal	217	2.00	-	37.79	13.93	50.08

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.35	88.20	-29.85	51.33	3	Vertical	323	1.76	-	35.01	5.36	33.35
RMS	5.9126G	46.21	68.20	-21.99	39.22	3	Vertical	323	1.76	-	34.98	5.36	33.35
PK	6.4086G	107.00	Inf	-Inf	98.72	3	Vertical	323	1.76	-	35.68	5.70	33.10
RMS	6.4086G	95.26	Inf	-Inf	86.98	3	Vertical	323	1.76	-	35.68	5.70	33.10
PK	7.215G	61.66	88.20	-26.54	51.87	3	Vertical	323	1.76	-	37.33	6.01	33.55
RMS	7.2022G	49.58	68.20	-18.62	39.81	3	Vertical	323	1.76	-	37.30	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8358G	58.75	88.20	-29.45	52.03	3	Horizontal	360	2.79	-	34.71	5.32	33.31
RMS	5.925G	46.14	68.20	-22.06	39.08	3	Horizontal	360	2.79	-	35.05	5.36	33.35
PK	6.4086G	103.50	Inf	-Inf	95.22	3	Horizontal	360	2.79	-	35.68	5.70	33.10
RMS	6.4054G	89.60	Inf	-Inf	81.31	3	Horizontal	360	2.79	-	35.69	5.70	33.10
PK	7.1798G	61.40	88.20	-26.80	51.70	3	Horizontal	360	2.79	-	37.22	5.99	33.51
RMS	7.2054G	49.51	68.20	-18.69	39.74	3	Horizontal	360	2.79	-	37.31	6.00	33.54

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83396G	56.84	88.20	-31.36	43.31	3	Vertical	344	2.33	-	39.43	8.83	34.73
RMS	12.83208G	42.66	68.20	-25.54	29.13	3	Vertical	344	2.33	-	39.43	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82798G	56.33	88.20	-31.87	42.80	3	Horizontal	278	1.26	-	39.43	8.83	34.73
RMS	12.83278G	42.60	68.20	-25.60	29.07	3	Horizontal	278	1.26	-	39.43	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.247G	54.92	83.54	-28.62	52.91	1	Vertical	301	1.45	-	37.70	13.96	49.65
AV	19.221G	41.48	63.54	-22.06	39.43	1	Vertical	301	1.45	-	37.73	13.96	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2381G	54.49	83.54	-29.05	52.47	1	Horizontal	272	2.03	-	37.71	13.96	49.65
AV	19.2592G	41.48	63.54	-22.06	39.46	1	Horizontal	272	2.03	-	37.71	13.96	49.65



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	58.53	88.20	-29.67	51.58	3	Vertical	322	1.61	-	34.94	5.35	33.34
RMS	5.925G	46.27	68.20	-21.93	39.21	3	Vertical	322	1.61	-	35.05	5.36	33.35
PK	6.4286G	106.67	Inf	-Inf	98.42	3	Vertical	322	1.61	-	35.64	5.70	33.09
RMS	6.4286G	95.31	Inf	-Inf	87.06	3	Vertical	322	1.61	-	35.64	5.70	33.09
PK	7.1486G	62.01	88.20	-26.19	52.42	3	Vertical	322	1.61	-	37.09	5.97	33.47
RMS	7.2126G	49.64	68.20	-18.56	39.85	3	Vertical	322	1.61	-	37.33	6.01	33.55

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	58.48	88.20	-29.72	51.67	3	Horizontal	360	2.77	-	34.80	5.33	33.32
RMS	5.9166G	46.30	68.20	-21.90	39.29	3	Horizontal	360	2.77	-	35.00	5.36	33.35
PK	6.4286G	101.28	Inf	-Inf	93.03	3	Horizontal	360	2.77	-	35.64	5.70	33.09
RMS	6.4286G	90.05	Inf	-Inf	81.80	3	Horizontal	360	2.77	-	35.64	5.70	33.09
PK	7.1966G	61.64	88.20	-26.56	51.88	3	Horizontal	360	2.77	-	37.29	6.00	33.53
RMS	7.2062G	49.64	68.20	-18.56	39.87	3	Horizontal	360	2.77	-	37.31	6.00	33.54

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87142G	57.05	88.20	-31.15	43.48	3	Vertical	156	1.93	-	39.47	8.83	34.73
RMS	12.87276G	42.71	68.20	-25.49	29.14	3	Vertical	156	1.93	-	39.47	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87292G	57.09	88.20	-31.11	43.52	3	Horizontal	328	1.94	-	39.47	8.83	34.73
RMS	12.8734G	42.79	68.20	-25.41	29.22	3	Horizontal	328	1.94	-	39.47	8.83	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3027G	55.08	83.54	-28.46	53.03	1	Vertical	259	1.11	-	37.74	13.97	49.66
AV	19.328G	41.82	63.54	-21.72	39.76	1	Vertical	259	1.11	-	37.76	13.97	49.67

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2983G	54.78	83.54	-28.76	52.74	1	Horizontal	26	2.73	-	37.74	13.96	49.66
AV	19.3285G	41.75	63.54	-21.79	39.69	1	Horizontal	26	2.73	-	37.76	13.97	49.67

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.83G	58.71	88.20	-29.49	52.03	3	Vertical	324	1.57	-	34.68	5.31	33.31
RMS	5.881G	46.23	68.20	-21.97	39.36	3	Vertical	324	1.57	-	34.86	5.34	33.33
PK	6.469G	107.03	Inf	-Inf	98.71	3	Vertical	324	1.57	-	35.68	5.70	33.06
RMS	6.469G	95.62	Inf	-Inf	87.30	3	Vertical	324	1.57	-	35.68	5.70	33.06
PK	7.132G	60.96	88.20	-27.24	51.48	3	Vertical	324	1.57	-	36.96	5.97	33.45
RMS	7.207G	49.62	68.20	-18.58	39.85	3	Vertical	324	1.57	-	37.31	6.00	33.54

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUTV\_2TX  
Setting 9.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	58.58	88.20	-29.62	52.24	3	Horizontal	360	2.73	-	34.31	5.30	33.27
RMS	5.92G	46.19	68.20	-22.01	39.16	3	Horizontal	360	2.73	-	35.02	5.36	33.35
PK	6.469G	102.34	Inf	-Inf	94.02	3	Horizontal	360	2.73	-	35.68	5.70	33.06
RMS	6.466G	90.76	Inf	-Inf	82.46	3	Horizontal	360	2.73	-	35.66	5.70	33.06
PK	7.225G	61.56	88.20	-26.64	51.76	3	Horizontal	360	2.73	-	37.35	6.01	33.56
RMS	7.201G	49.57	68.20	-18.63	39.80	3	Horizontal	360	2.73	-	37.30	6.00	33.53



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94562G	57.00	88.20	-31.20	43.31	3	Vertical	336	2.49	-	39.59	8.81	34.71
RMS	12.95338G	43.10	68.20	-25.10	29.39	3	Vertical	336	2.49	-	39.61	8.81	34.71

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9459G	57.12	88.20	-31.08	43.43	3	Horizontal	100	1.23	-	39.59	8.81	34.71
RMS	12.9495G	43.03	68.20	-25.17	29.33	3	Horizontal	100	1.23	-	39.60	8.81	34.71

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4239G	54.76	83.54	-28.78	52.63	1	Vertical	143	2.32	-	37.84	13.97	49.68
AV	19.4467G	41.68	63.54	-21.86	39.54	1	Vertical	143	2.32	-	37.86	13.97	49.69

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4054G	55.04	83.54	-28.50	52.93	1	Horizontal	183	1.57	-	37.82	13.97	49.68
AV	19.4451G	41.78	63.54	-21.76	39.64	1	Horizontal	183	1.57	-	37.86	13.97	49.69

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8402G	59.16	88.20	-29.04	52.42	3	Vertical	320	1.69	-	34.74	5.32	33.32
RMS	5.8934G	46.20	68.20	-22.00	39.30	3	Vertical	320	1.69	-	34.89	5.35	33.34
PK	6.5178G	105.93	Inf	-Inf	97.41	3	Vertical	320	1.69	-	35.87	5.70	33.05
RMS	6.5094G	94.98	Inf	-Inf	86.48	3	Vertical	320	1.69	-	35.84	5.70	33.04
PK	7.1282G	61.17	88.20	-27.03	51.72	3	Vertical	320	1.69	-	36.93	5.96	33.44
RMS	7.2094G	49.64	68.20	-18.56	39.86	3	Vertical	320	1.69	-	37.32	6.00	33.54

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	58.45	88.20	-29.75	51.55	3	Horizontal	356	2.72	-	34.89	5.35	33.34
RMS	5.9242G	46.21	68.20	-21.99	39.15	3	Horizontal	356	2.72	-	35.05	5.36	33.35
PK	6.5094G	101.91	Inf	-Inf	93.41	3	Horizontal	356	2.72	-	35.84	5.70	33.04
RMS	6.5066G	90.43	Inf	-Inf	81.94	3	Horizontal	356	2.72	-	35.83	5.70	33.04
PK	7.145G	62.03	88.20	-26.17	52.46	3	Horizontal	356	2.72	-	37.06	5.97	33.46
RMS	7.201G	49.70	68.20	-18.50	39.93	3	Horizontal	356	2.72	-	37.30	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03274G	56.61	88.20	-31.59	42.82	3	Vertical	155	2.06	-	39.70	8.79	34.70
RMS	13.03018G	42.45	68.20	-25.75	28.66	3	Vertical	155	2.06	-	39.70	8.79	34.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02864G	55.85	88.20	-32.35	42.06	3	Horizontal	333	1.29	-	39.70	8.79	34.70
RMS	13.02564G	42.43	68.20	-25.77	28.64	3	Horizontal	333	1.29	-	39.70	8.79	34.70



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5644G	55.96	83.54	-27.58	53.81	1	Vertical	180	1.77	-	37.87	13.98	49.70
AV	19.5514G	42.49	63.54	-21.05	40.33	1	Vertical	180	1.77	-	37.88	13.98	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5218G	55.86	83.54	-27.68	53.69	1	Horizontal	301	2.35	-	37.89	13.98	49.70
AV	19.5586G	42.50	63.54	-21.04	40.34	1	Horizontal	301	2.35	-	37.88	13.98	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	58.25	88.20	-29.95	51.24	3	Vertical	319	1.80	-	35.00	5.36	33.35
RMS	5.8938G	46.24	68.20	-21.96	39.34	3	Vertical	319	1.80	-	34.89	5.35	33.34
PK	6.5406G	106.73	Inf	-Inf	98.13	3	Vertical	319	1.80	-	35.96	5.70	33.06
RMS	6.5406G	94.69	Inf	-Inf	86.09	3	Vertical	319	1.80	-	35.96	5.70	33.06
PK	7.1482G	61.39	88.20	-26.81	51.80	3	Vertical	319	1.80	-	37.09	5.97	33.47
RMS	7.2014G	49.69	68.20	-18.51	39.92	3	Vertical	319	1.80	-	37.30	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT V\_2TX  
Setting 8.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	58.39	88.20	-29.81	51.47	3	Horizontal	360	2.70	-	34.91	5.35	33.34
RMS	5.9134G	46.30	68.20	-21.90	39.31	3	Horizontal	360	2.70	-	34.98	5.36	33.35
PK	6.5266G	100.60	Inf	-Inf	92.04	3	Horizontal	360	2.70	-	35.91	5.70	33.05
RMS	6.5266G	89.99	Inf	-Inf	81.43	3	Horizontal	360	2.70	-	35.91	5.70	33.05
PK	7.221G	61.79	88.20	-26.41	52.00	3	Horizontal	360	2.70	-	37.34	6.01	33.56
RMS	7.2238G	49.68	68.20	-18.52	39.88	3	Horizontal	360	2.70	-	37.35	6.01	33.56

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07388G	55.93	88.20	-32.27	42.14	3	Vertical	182	1.72	-	39.70	8.79	34.70
RMS	13.0698G	42.48	68.20	-25.72	28.69	3	Vertical	182	1.72	-	39.70	8.79	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom



EUTY\_2TX  
Setting 8.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07224G	55.76	88.20	-32.44	41.97	3	Horizontal	304	1.73	-	39.70	8.79	34.70
RMS	13.07G	42.48	68.20	-25.72	28.69	3	Horizontal	304	1.73	-	39.70	8.79	34.70