


802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 16
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	60.54	74.00	-13.46	54.07	3	Horizontal	179	2.76	-	34.59	5.05	33.17
AV	5.148G	48.45	54.00	-5.55	41.98	3	Horizontal	179	2.76	-	34.59	5.05	33.17
PK	5.188G	101.42	Inf	-Inf	94.82	3	Horizontal	179	2.76	-	34.68	5.09	33.17
AV	5.207G	90.56	Inf	-Inf	83.94	3	Horizontal	179	2.76	-	34.69	5.10	33.17
PK	5.357G	59.87	74.00	-14.13	53.34	3	Horizontal	179	2.76	-	34.60	5.10	33.17
AV	5.355G	47.86	54.00	-6.14	41.33	3	Horizontal	179	2.76	-	34.60	5.10	33.17

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.625G	59.77	74.00	-14.23	43.85	3	Vertical	300	1.41	-	42.05	9.01	35.14
AV	15.6314G	46.59	54.00	-7.41	30.66	3	Vertical	300	1.41	-	42.06	9.01	35.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62644G	58.89	74.00	-15.11	42.97	3	Horizontal	14	1.14	-	42.05	9.01	35.14
AV	15.63292G	46.52	54.00	-7.48	30.58	3	Horizontal	14	1.14	-	42.07	9.01	35.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.54	68.94	-0.40	62.38	3	Vertical	149	2.70	-	34.10	5.30	33.24
PK	5.772G	112.63	Inf	-Inf	106.58	3	Vertical	149	2.70	-	34.04	5.30	33.29
AV	5.752G	101.48	Inf	-Inf	95.46	3	Vertical	149	2.70	-	34.00	5.30	33.28
PK	6.017G	59.84	68.20	-8.36	53.29	3	Vertical	149	2.70	-	34.50	5.42	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	62.57	69.68	-7.11	56.41	3	Horizontal	19	3.00	-	34.10	5.30	33.24
PK	5.754G	106.33	Inf	-Inf	100.30	3	Horizontal	19	3.00	-	34.01	5.30	33.28
AV	5.753G	95.94	Inf	-Inf	89.91	3	Horizontal	19	3.00	-	34.01	5.30	33.28
PK	6.024G	60.44	68.20	-7.76	53.88	3	Horizontal	19	3.00	-	34.50	5.42	33.36

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54972G	58.07	74.00	-15.93	42.02	3	Vertical	241	2.89	-	42.15	8.68	34.78
AV	11.54574G	45.36	54.00	-8.64	29.32	3	Vertical	241	2.89	-	42.14	8.68	34.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55298G	58.09	74.00	-15.91	42.02	3	Horizontal	125	2.32	-	42.16	8.69	34.78
AV	11.5452G	45.43	54.00	-8.57	29.39	3	Horizontal	125	2.32	-	42.14	8.68	34.78




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.639G	67.33	68.20	-0.87	3	Vertical	290	2.77	-

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	57.56	68.20	-10.64	50.24	3	Vertical	295	2.80	-	33.90	5.55	32.13
PK	5.752G	114.08	Inf	-Inf	106.83	3	Vertical	295	2.80	-	33.80	5.60	32.15
AV	5.752G	103.62	Inf	-Inf	96.37	3	Vertical	295	2.80	-	33.80	5.60	32.15
PK	5.946G	57.27	68.20	-10.93	49.59	3	Vertical	295	2.80	-	34.09	5.75	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.524G	56.98	68.20	-11.22	49.69	3	Horizontal	48	2.96	-	33.90	5.52	32.13
PK	5.738G	106.80	Inf	-Inf	99.56	3	Horizontal	48	2.96	-	33.78	5.60	32.14
AV	5.738G	96.72	Inf	-Inf	89.48	3	Horizontal	48	2.96	-	33.78	5.60	32.14
PK	5.947G	57.33	68.20	-10.87	49.65	3	Horizontal	48	2.96	-	34.09	5.75	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49012G	52.64	74.00	-21.36	38.98	3	Vertical	159	2.32	-	38.98	7.90	33.22
AV	11.49G	37.70	54.00	-16.30	24.04	3	Vertical	159	2.32	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49178G	51.23	74.00	-22.77	37.57	3	Horizontal	161	1.77	-	38.98	7.90	33.22
AV	11.4885G	37.71	54.00	-16.29	24.05	3	Horizontal	161	1.77	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	57.11	68.20	-11.09	49.75	3	Vertical	292	2.77	-	33.90	5.60	32.14
PK	5.778G	114.05	Inf	-Inf	106.86	3	Vertical	292	2.77	-	33.74	5.60	32.15
AV	5.778G	104.06	Inf	-Inf	96.87	3	Vertical	292	2.77	-	33.74	5.60	32.15
PK	5.934G	57.51	68.20	-10.69	49.87	3	Vertical	292	2.77	-	34.07	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.16	68.20	-11.04	49.88	3	Horizontal	360	2.90	-	33.82	5.60	32.14
PK	5.792G	111.18	Inf	-Inf	104.01	3	Horizontal	360	2.90	-	33.72	5.60	32.15
AV	5.792G	100.66	Inf	-Inf	93.49	3	Horizontal	360	2.90	-	33.72	5.60	32.15
PK	5.925G	58.39	68.20	-9.81	50.77	3	Horizontal	360	2.90	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56518G	51.54	74.00	-22.46	37.65	3	Vertical	353	2.33	-	39.20	7.93	33.24
AV	11.56534G	38.16	54.00	-15.84	24.27	3	Vertical	353	2.33	-	39.20	7.93	33.24

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57164G	51.39	74.00	-22.61	37.49	3	Horizontal	81	1.25	-	39.21	7.93	33.24
AV	11.5694G	38.31	54.00	-15.69	24.41	3	Horizontal	81	1.25	-	39.21	7.93	33.24

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	57.12	68.20	-11.08	49.76	3	Vertical	295	1.80	-	33.90	5.60	32.14
PK	5.832G	113.66	Inf	-Inf	106.42	3	Vertical	295	1.80	-	33.76	5.63	32.15
AV	5.832G	102.87	Inf	-Inf	95.63	3	Vertical	295	1.80	-	33.76	5.63	32.15
PK	5.961G	58.13	68.20	-10.07	50.43	3	Vertical	295	1.80	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	56.64	68.20	-11.56	49.28	3	Horizontal	30	2.88	-	33.90	5.60	32.14
PK	5.832G	107.27	Inf	-Inf	100.03	3	Horizontal	30	2.88	-	33.76	5.63	32.15
AV	5.832G	96.68	Inf	-Inf	89.44	3	Horizontal	30	2.88	-	33.76	5.63	32.15
PK	6.045G	58.47	68.20	-9.73	50.55	3	Horizontal	30	2.88	-	34.28	5.80	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65224G	52.27	74.00	-21.73	38.22	3	Vertical	294	1.71	-	39.35	7.96	33.26
AV	11.6469G	38.58	54.00	-15.42	24.53	3	Vertical	294	1.71	-	39.35	7.96	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64968G	52.68	74.00	-21.32	38.63	3	Horizontal	123	1.87	-	39.35	7.96	33.26
AV	11.64594G	38.53	54.00	-15.47	24.48	3	Horizontal	123	1.87	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.33	68.20	-7.87	53.06	3	Vertical	291	2.79	-	33.81	5.60	32.14
PK	5.751G	114.67	Inf	-Inf	107.42	3	Vertical	291	2.79	-	33.80	5.60	32.15
AV	5.754G	102.75	Inf	-Inf	95.51	3	Vertical	291	2.79	-	33.79	5.60	32.15
PK	5.972G	57.31	68.20	-10.89	49.60	3	Vertical	291	2.79	-	34.10	5.77	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.50	68.20	-10.70	50.22	3	Horizontal	0	2.81	-	33.82	5.60	32.14
PK	5.739G	111.97	Inf	-Inf	104.73	3	Horizontal	0	2.81	-	33.78	5.60	32.14
AV	5.737G	100.05	Inf	-Inf	92.82	3	Horizontal	0	2.81	-	33.77	5.60	32.14
PK	5.959G	57.96	68.20	-10.24	50.26	3	Horizontal	0	2.81	-	34.10	5.76	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49186G	51.30	74.00	-22.70	37.64	3	Vertical	18	2.63	-	38.98	7.90	33.22
AV	11.49382G	37.19	54.00	-16.81	23.52	3	Vertical	18	2.63	-	38.99	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48672G	51.24	74.00	-22.76	37.60	3	Horizontal	228	1.39	-	38.97	7.89	33.22
AV	11.48816G	37.24	54.00	-16.76	23.58	3	Horizontal	228	1.39	-	38.98	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.75	68.20	-10.45	50.47	3	Vertical	291	2.77	-	33.82	5.60	32.14
PK	5.779G	114.61	Inf	-Inf	107.42	3	Vertical	291	2.77	-	33.74	5.60	32.15
AV	5.777G	102.70	Inf	-Inf	95.50	3	Vertical	291	2.77	-	33.75	5.60	32.15
PK	5.956G	57.18	68.20	-11.02	49.48	3	Vertical	291	2.77	-	34.10	5.76	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.51	68.20	-10.69	50.22	3	Horizontal	0	2.90	-	33.83	5.60	32.14
PK	5.777G	111.48	Inf	-Inf	104.28	3	Horizontal	0	2.90	-	33.75	5.60	32.15
AV	5.794G	99.65	Inf	-Inf	92.49	3	Horizontal	0	2.90	-	33.71	5.60	32.15
PK	5.936G	57.80	68.20	-10.40	50.15	3	Horizontal	0	2.90	-	34.07	5.74	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5675G	52.10	74.00	-21.90	38.21	3	Vertical	56	2.08	-	39.20	7.93	33.24
AV	11.57016G	37.70	54.00	-16.30	23.80	3	Vertical	56	2.08	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56706G	51.96	74.00	-22.04	38.07	3	Horizontal	221	1.63	-	39.20	7.93	33.24
AV	11.56844G	37.64	54.00	-16.36	23.74	3	Horizontal	221	1.63	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	56.97	68.20	-11.23	49.71	3	Vertical	292	1.80	-	33.80	5.60	32.14
PK	5.832G	114.66	Inf	-Inf	107.42	3	Vertical	292	1.80	-	33.76	5.63	32.15
AV	5.832G	102.02	Inf	-Inf	94.78	3	Vertical	292	1.80	-	33.76	5.63	32.15
PK	5.926G	60.73	68.20	-7.47	53.11	3	Vertical	292	1.80	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	56.63	68.20	-11.57	49.32	3	Horizontal	0	2.87	-	33.85	5.60	32.14
PK	5.817G	111.11	Inf	-Inf	103.91	3	Horizontal	0	2.87	-	33.73	5.62	32.15
AV	5.816G	99.24	Inf	-Inf	92.04	3	Horizontal	0	2.87	-	33.73	5.62	32.15
PK	6.007G	57.64	68.20	-10.56	49.87	3	Horizontal	0	2.87	-	34.13	5.80	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64536G	52.13	74.00	-21.87	38.08	3	Vertical	242	1.96	-	39.35	7.96	33.26
AV	11.65396G	38.03	54.00	-15.97	23.98	3	Vertical	242	1.96	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64802G	51.94	74.00	-22.06	37.89	3	Horizontal	299	1.04	-	39.35	7.96	33.26
AV	11.65032G	38.06	54.00	-15.94	24.01	3	Horizontal	299	1.04	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	61.97	68.20	-6.23	54.66	3	Vertical	293	2.81	-	33.85	5.60	32.14
PK	5.758G	112.55	Inf	-Inf	105.32	3	Vertical	293	2.81	-	33.78	5.60	32.15
AV	5.746G	99.91	Inf	-Inf	92.66	3	Vertical	293	2.81	-	33.79	5.60	32.14
PK	5.928G	59.97	68.20	-8.23	52.34	3	Vertical	293	2.81	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	62.06	68.20	-6.14	54.72	3	Horizontal	360	2.81	-	33.88	5.60	32.14
PK	5.758G	110.20	Inf	-Inf	102.97	3	Horizontal	360	2.81	-	33.78	5.60	32.15
AV	5.746G	98.00	Inf	-Inf	90.75	3	Horizontal	360	2.81	-	33.79	5.60	32.14
PK	5.931G	57.92	68.20	-10.28	50.29	3	Horizontal	360	2.81	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5104G	51.96	74.00	-22.04	38.25	3	Vertical	223	1.10	-	39.03	7.90	33.22
AV	11.51216G	38.14	54.00	-15.86	24.42	3	Vertical	223	1.10	-	39.04	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51456G	52.13	74.00	-21.87	38.40	3	Horizontal	225	2.90	-	39.04	7.91	33.22
AV	11.5112G	38.05	54.00	-15.95	24.34	3	Horizontal	225	2.90	-	39.03	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.44	68.20	-5.76	55.18	3	Vertical	291	2.75	-	33.80	5.60	32.14
PK	5.799G	112.64	Inf	-Inf	105.49	3	Vertical	291	2.75	-	33.70	5.60	32.15
AV	5.794G	100.50	Inf	-Inf	93.34	3	Vertical	291	2.75	-	33.71	5.60	32.15
PK	5.941G	63.78	68.20	-4.42	56.12	3	Vertical	291	2.75	-	34.08	5.74	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.32	68.20	-6.88	54.04	3	Horizontal	360	2.89	-	33.82	5.60	32.14
PK	5.794G	110.50	Inf	-Inf	103.34	3	Horizontal	360	2.89	-	33.71	5.60	32.15
AV	5.793G	97.80	Inf	-Inf	90.64	3	Horizontal	360	2.89	-	33.71	5.60	32.15
PK	5.927G	61.17	68.20	-7.03	53.55	3	Horizontal	360	2.89	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58892G	52.39	74.00	-21.61	38.42	3	Vertical	280	1.90	-	39.27	7.94	33.24
AV	11.59152G	38.44	54.00	-15.56	24.47	3	Vertical	280	1.90	-	39.27	7.94	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5887G	52.28	74.00	-21.72	38.31	3	Horizontal	77	2.09	-	39.27	7.94	33.24
AV	11.58878G	38.46	54.00	-15.54	24.49	3	Horizontal	77	2.09	-	39.27	7.94	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	67.33	68.20	-0.87	60.05	3	Vertical	290	2.77	-	33.82	5.60	32.14
PK	5.776G	109.17	Inf	-Inf	101.97	3	Vertical	290	2.77	-	33.75	5.60	32.15
AV	5.778G	96.42	Inf	-Inf	89.23	3	Vertical	290	2.77	-	33.74	5.60	32.15
PK	5.928G	65.50	68.20	-2.70	57.87	3	Vertical	290	2.77	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_X_1TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	66.60	69.68	-3.08	59.34	3	Horizontal	360	2.91	-	33.80	5.60	32.14
PK	5.779G	106.14	Inf	-Inf	98.95	3	Horizontal	360	2.91	-	33.74	5.60	32.15
AV	5.779G	92.77	Inf	-Inf	85.58	3	Horizontal	360	2.91	-	33.74	5.60	32.15
PK	5.925G	63.81	68.20	-4.39	56.19	3	Horizontal	360	2.91	-	34.05	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55082G	52.42	74.00	-21.58	38.58	3	Vertical	156	1.11	-	39.15	7.92	33.23
AV	11.54862G	38.12	54.00	-15.88	24.28	3	Vertical	156	1.11	-	39.15	7.92	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT X_1TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54848G	52.11	74.00	-21.89	38.27	3	Horizontal	14	2.92	-	39.15	7.92	33.23
AV	11.54692G	38.21	54.00	-15.79	24.38	3	Horizontal	14	2.92	-	39.14	7.92	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.922G	69.51	70.42	-0.91	3	Vertical	293	1.80	-

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	63.28	68.20	-4.92	56.00	3	Vertical	295	1.92	-	33.82	5.60	32.14
PK	5.738G	119.11	Inf	-Inf	111.87	3	Vertical	295	1.92	-	33.78	5.60	32.14
AV	5.738G	108.84	Inf	-Inf	101.60	3	Vertical	295	1.92	-	33.78	5.60	32.14
PK	5.982G	57.21	68.20	-10.99	49.49	3	Vertical	295	1.92	-	34.10	5.78	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	57.84	68.20	-10.36	50.49	3	Horizontal	42	2.93	-	33.89	5.60	32.14
PK	5.752G	113.58	Inf	-Inf	106.33	3	Horizontal	42	2.93	-	33.80	5.60	32.15
AV	5.752G	102.99	Inf	-Inf	95.74	3	Horizontal	42	2.93	-	33.80	5.60	32.15
PK	5.946G	57.39	68.20	-10.81	49.71	3	Horizontal	42	2.93	-	34.09	5.75	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48904G	51.60	74.00	-22.40	37.94	3	Vertical	5	1.50	-	38.98	7.90	33.22
AV	11.48888G	38.19	54.00	-15.81	24.53	3	Vertical	5	1.50	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48694G	51.30	74.00	-22.70	37.66	3	Horizontal	13	1.30	-	38.97	7.89	33.22
AV	11.48872G	38.06	54.00	-15.94	24.40	3	Horizontal	13	1.30	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	57.13	68.20	-11.07	49.87	3	Vertical	292	2.59	-	33.80	5.60	32.14
PK	5.778G	118.61	Inf	-Inf	111.42	3	Vertical	292	2.59	-	33.74	5.60	32.15
AV	5.778G	108.32	Inf	-Inf	101.13	3	Vertical	292	2.59	-	33.74	5.60	32.15
PK	6.004G	57.34	68.20	-10.86	49.58	3	Vertical	292	2.59	-	34.12	5.80	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	57.03	68.20	-11.17	49.68	3	Horizontal	360	2.91	-	33.89	5.60	32.14
PK	5.779G	114.16	Inf	-Inf	106.97	3	Horizontal	360	2.91	-	33.74	5.60	32.15
AV	5.778G	103.98	Inf	-Inf	96.79	3	Horizontal	360	2.91	-	33.74	5.60	32.15
PK	5.964G	57.12	68.20	-11.08	49.42	3	Horizontal	360	2.91	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5689G	51.70	74.00	-22.30	37.80	3	Vertical	22	2.54	-	39.21	7.93	33.24
AV	11.56762G	38.46	54.00	-15.54	24.57	3	Vertical	22	2.54	-	39.20	7.93	33.24

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57212G	52.01	74.00	-21.99	38.10	3	Horizontal	326	1.34	-	39.22	7.93	33.24
AV	11.5697G	38.46	54.00	-15.54	24.56	3	Horizontal	326	1.34	-	39.21	7.93	33.24

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	57.76	68.20	-10.44	50.43	3	Vertical	294	2.12	-	33.87	5.60	32.14
PK	5.819G	118.23	Inf	-Inf	111.02	3	Vertical	294	2.12	-	33.74	5.62	32.15
AV	5.818G	108.11	Inf	-Inf	100.90	3	Vertical	294	2.12	-	33.74	5.62	32.15
PK	5.928G	60.56	68.20	-7.64	52.93	3	Vertical	294	2.12	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	58.03	68.20	-10.17	50.68	3	Horizontal	0	2.87	-	33.89	5.60	32.14
PK	5.818G	113.66	Inf	-Inf	106.45	3	Horizontal	0	2.87	-	33.74	5.62	32.15
AV	5.818G	103.58	Inf	-Inf	96.37	3	Horizontal	0	2.87	-	33.74	5.62	32.15
PK	5.928G	58.00	68.20	-10.20	50.37	3	Horizontal	0	2.87	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65276G	53.20	74.00	-20.80	39.15	3	Vertical	142	1.22	-	39.35	7.96	33.26
AV	11.64852G	38.76	54.00	-15.24	24.71	3	Vertical	142	1.22	-	39.35	7.96	33.26

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64846G	52.27	74.00	-21.73	38.22	3	Horizontal	97	1.21	-	39.35	7.96	33.26
AV	11.64772G	38.75	54.00	-15.25	24.70	3	Horizontal	97	1.21	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	66.81	69.68	-2.87	59.55	3	Vertical	288	1.63	-	33.80	5.60	32.14
PK	5.753G	120.49	Inf	-Inf	113.25	3	Vertical	288	1.63	-	33.79	5.60	32.15
AV	5.753G	108.26	Inf	-Inf	101.02	3	Vertical	288	1.63	-	33.79	5.60	32.15
PK	5.931G	57.39	68.20	-10.81	49.76	3	Vertical	288	1.63	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	61.13	68.94	-7.81	53.87	3	Horizontal	0	2.80	-	33.80	5.60	32.14
PK	5.752G	117.36	Inf	-Inf	110.11	3	Horizontal	0	2.80	-	33.80	5.60	32.15
AV	5.752G	104.09	Inf	-Inf	96.84	3	Horizontal	0	2.80	-	33.80	5.60	32.15
PK	5.938G	57.29	68.20	-10.91	49.63	3	Horizontal	0	2.80	-	34.08	5.74	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49422G	51.87	74.00	-22.13	38.20	3	Vertical	299	2.03	-	38.99	7.90	33.22
AV	11.48882G	37.52	54.00	-16.48	23.86	3	Vertical	299	2.03	-	38.98	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49024G	51.39	74.00	-22.61	37.73	3	Horizontal	32	1.96	-	38.98	7.90	33.22
AV	11.48592G	37.53	54.00	-16.47	23.89	3	Horizontal	32	1.96	-	38.97	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	58.97	68.20	-9.23	51.70	3	Vertical	292	1.80	-	33.81	5.60	32.14
PK	5.793G	119.88	Inf	-Inf	112.72	3	Vertical	292	1.80	-	33.71	5.60	32.15
AV	5.793G	107.49	Inf	-Inf	100.33	3	Vertical	292	1.80	-	33.71	5.60	32.15
PK	5.932G	58.01	68.20	-10.19	50.38	3	Vertical	292	1.80	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	56.58	68.20	-11.62	49.29	3	Horizontal	41	2.91	-	33.83	5.60	32.14
PK	5.779G	113.48	Inf	-Inf	106.29	3	Horizontal	41	2.91	-	33.74	5.60	32.15
AV	5.779G	101.64	Inf	-Inf	94.45	3	Horizontal	41	2.91	-	33.74	5.60	32.15
PK	6.028G	58.27	68.20	-9.93	50.42	3	Horizontal	41	2.91	-	34.21	5.80	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57376G	52.29	74.00	-21.71	38.38	3	Vertical	18	2.67	-	39.22	7.93	33.24
AV	11.5742G	37.94	54.00	-16.06	24.03	3	Vertical	18	2.67	-	39.22	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57036G	52.12	74.00	-21.88	38.22	3	Horizontal	320	1.44	-	39.21	7.93	33.24
AV	11.5685G	37.95	54.00	-16.05	24.05	3	Horizontal	320	1.44	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	57.71	68.20	-10.49	50.42	3	Vertical	289	1.80	-	33.83	5.60	32.14
PK	5.833G	120.06	Inf	-Inf	112.81	3	Vertical	289	1.80	-	33.77	5.63	32.15
AV	5.832G	107.35	Inf	-Inf	100.11	3	Vertical	289	1.80	-	33.76	5.63	32.15
PK	5.932G	66.57	68.20	-1.63	58.94	3	Vertical	289	1.80	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	56.66	68.20	-11.54	49.34	3	Horizontal	0	2.86	-	33.86	5.60	32.14
PK	5.832G	114.21	Inf	-Inf	106.97	3	Horizontal	0	2.86	-	33.76	5.63	32.15
AV	5.832G	102.63	Inf	-Inf	95.39	3	Horizontal	0	2.86	-	33.76	5.63	32.15
PK	5.921G	61.50	71.16	-9.66	53.90	3	Horizontal	0	2.86	-	34.04	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6542G	53.30	74.00	-20.70	39.25	3	Vertical	320	2.15	-	39.35	7.96	33.26
AV	11.6497G	38.22	54.00	-15.78	24.17	3	Vertical	320	2.15	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65228G	52.32	74.00	-21.68	38.27	3	Horizontal	308	1.26	-	39.35	7.96	33.26
AV	11.6542G	38.27	54.00	-15.73	24.22	3	Horizontal	308	1.26	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	68.72	69.68	-0.96	61.46	3	Vertical	289	1.76	-	33.80	5.60	32.14
PK	5.763G	117.05	Inf	-Inf	109.83	3	Vertical	289	1.76	-	33.77	5.60	32.15
AV	5.753G	104.00	Inf	-Inf	96.76	3	Vertical	289	1.76	-	33.79	5.60	32.15
PK	5.926G	58.57	68.20	-9.63	50.95	3	Vertical	289	1.76	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.51	68.20	-7.69	53.25	3	Horizontal	46	2.92	-	33.80	5.60	32.14
PK	5.758G	110.16	Inf	-Inf	102.93	3	Horizontal	46	2.92	-	33.78	5.60	32.15
AV	5.759G	98.35	Inf	-Inf	91.12	3	Horizontal	46	2.92	-	33.78	5.60	32.15
PK	5.938G	57.16	68.20	-11.04	49.50	3	Horizontal	46	2.92	-	34.08	5.74	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50616G	51.11	74.00	-22.89	37.41	3	Vertical	281	2.99	-	39.02	7.90	33.22
AV	11.5094G	37.64	54.00	-16.36	23.93	3	Vertical	281	2.99	-	39.03	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51274G	51.95	74.00	-22.05	38.22	3	Horizontal	69	2.52	-	39.04	7.91	33.22
AV	11.5125G	37.51	54.00	-16.49	23.78	3	Horizontal	69	2.52	-	39.04	7.91	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 22.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.78	68.20	-1.42	59.51	3	Vertical	293	1.80	-	33.81	5.60	32.14
PK	5.802G	117.09	Inf	-Inf	109.94	3	Vertical	293	1.80	-	33.70	5.60	32.15
AV	5.793G	104.30	Inf	-Inf	97.14	3	Vertical	293	1.80	-	33.71	5.60	32.15
PK	5.922G	69.51	70.42	-0.91	61.91	3	Vertical	293	1.80	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 22.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	59.65	68.20	-8.55	52.37	3	Horizontal	45	2.77	-	33.82	5.60	32.14
PK	5.798G	110.93	Inf	-Inf	103.78	3	Horizontal	45	2.77	-	33.70	5.60	32.15
AV	5.798G	98.91	Inf	-Inf	91.76	3	Horizontal	45	2.77	-	33.70	5.60	32.15
PK	5.929G	60.03	68.20	-8.17	52.40	3	Horizontal	45	2.77	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59426G	52.32	74.00	-21.68	38.34	3	Vertical	289	2.19	-	39.28	7.94	33.24
AV	11.5932G	38.06	54.00	-15.94	24.08	3	Vertical	289	2.19	-	39.28	7.94	33.24

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59052G	51.95	74.00	-22.05	37.98	3	Horizontal	271	1.94	-	39.27	7.94	33.24
AV	11.59456G	38.08	54.00	-15.92	24.10	3	Horizontal	271	1.94	-	39.28	7.94	33.24

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 19
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.58	68.20	-1.62	59.32	3	Vertical	296	2.29	-	33.80	5.60	32.14
PK	5.79G	111.00	Inf	-Inf	103.83	3	Vertical	296	2.29	-	33.72	5.60	32.15
AV	5.781G	98.25	Inf	-Inf	91.06	3	Vertical	296	2.29	-	33.74	5.60	32.15
PK	5.922G	66.18	70.42	-4.24	58.58	3	Vertical	296	2.29	-	34.04	5.72	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




06/11/2021

EUT_X_2TX
Setting 19
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	63.88	68.20	-4.32	56.61	3	Horizontal	0	2.80	-	33.81	5.60	32.14
PK	5.743G	107.11	Inf	-Inf	99.86	3	Horizontal	0	2.80	-	33.79	5.60	32.14
AV	5.763G	94.58	Inf	-Inf	87.36	3	Horizontal	0	2.80	-	33.77	5.60	32.15
PK	5.93G	60.70	68.20	-7.50	53.07	3	Horizontal	0	2.80	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 19
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55282G	51.76	74.00	-22.24	37.91	3	Vertical	129	2.22	-	39.16	7.92	33.23
AV	11.5481G	37.73	54.00	-16.27	23.90	3	Vertical	129	2.22	-	39.14	7.92	33.23

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT X_2TX
Setting 19
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55486G	51.84	74.00	-22.16	37.99	3	Horizontal	321	2.50	-	39.16	7.92	33.23
AV	11.55344G	37.66	54.00	-16.34	23.81	3	Horizontal	321	2.50	-	39.16	7.92	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.918G	73.33	73.38	-0.05	3	Vertical	60	1.73	-

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.76	68.20	-8.44	52.50	3	Vertical	55	1.70	-	33.80	5.60	32.14
PK	5.752G	122.95	Inf	-Inf	115.70	3	Vertical	55	1.70	-	33.80	5.60	32.15
AV	5.752G	113.37	Inf	-Inf	106.12	3	Vertical	55	1.70	-	33.80	5.60	32.15
PK	5.927G	57.65	68.20	-10.55	50.03	3	Vertical	55	1.70	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	56.91	68.20	-11.29	49.59	3	Horizontal	23	2.80	-	33.86	5.60	32.14
PK	5.738G	115.80	Inf	-Inf	108.56	3	Horizontal	23	2.80	-	33.78	5.60	32.14
AV	5.738G	106.16	Inf	-Inf	98.92	3	Horizontal	23	2.80	-	33.78	5.60	32.14
PK	5.935G	57.21	68.20	-10.99	49.56	3	Horizontal	23	2.80	-	34.07	5.74	32.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48548G	51.27	74.00	-22.73	37.63	3	Vertical	136	1.02	-	38.97	7.89	33.22
AV	11.48836G	37.98	54.00	-16.02	24.32	3	Vertical	136	1.02	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48512G	51.82	74.00	-22.18	38.18	3	Horizontal	237	2.73	-	38.97	7.89	33.22
AV	11.48554G	37.83	54.00	-16.17	24.19	3	Horizontal	237	2.73	-	38.97	7.89	33.22

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.536G	56.83	68.20	-11.37	49.52	3	Vertical	58	1.76	-	33.90	5.54	32.13
PK	5.792G	123.61	Inf	-Inf	116.44	3	Vertical	58	1.76	-	33.72	5.60	32.15
AV	5.792G	113.03	Inf	-Inf	105.86	3	Vertical	58	1.76	-	33.72	5.60	32.15
PK	5.948G	58.25	68.20	-9.95	50.56	3	Vertical	58	1.76	-	34.10	5.75	32.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	57.41	68.20	-10.79	50.06	3	Horizontal	0	3.00	-	33.89	5.60	32.14
PK	5.792G	117.94	Inf	-Inf	110.77	3	Horizontal	0	3.00	-	33.72	5.60	32.15
AV	5.792G	108.06	Inf	-Inf	100.89	3	Horizontal	0	3.00	-	33.72	5.60	32.15
PK	6G	57.50	68.20	-10.70	49.76	3	Horizontal	0	3.00	-	34.10	5.80	32.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56952G	51.60	74.00	-22.40	37.70	3	Vertical	76	2.31	-	39.21	7.93	33.24
AV	11.57026G	38.57	54.00	-15.43	24.67	3	Vertical	76	2.31	-	39.21	7.93	33.24

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57128G	51.81	74.00	-22.19	37.91	3	Horizontal	154	1.68	-	39.21	7.93	33.24
AV	11.57256G	38.56	54.00	-15.44	24.65	3	Horizontal	154	1.68	-	39.22	7.93	33.24

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	57.12	68.20	-11.08	49.80	3	Vertical	60	1.58	-	33.86	5.60	32.14
PK	5.832G	123.29	Inf	-Inf	116.05	3	Vertical	60	1.58	-	33.76	5.63	32.15
AV	5.832G	113.07	Inf	-Inf	105.83	3	Vertical	60	1.58	-	33.76	5.63	32.15
PK	5.931G	59.86	68.20	-8.34	52.23	3	Vertical	60	1.58	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	57.11	68.20	-11.09	49.83	3	Horizontal	31	2.86	-	33.82	5.60	32.14
PK	5.818G	115.94	Inf	-Inf	108.73	3	Horizontal	31	2.86	-	33.74	5.62	32.15
AV	5.817G	105.87	Inf	-Inf	98.67	3	Horizontal	31	2.86	-	33.73	5.62	32.15
PK	5.934G	57.31	68.20	-10.89	49.67	3	Horizontal	31	2.86	-	34.07	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64852G	52.19	74.00	-21.81	38.14	3	Vertical	182	1.41	-	39.35	7.96	33.26
AV	11.64856G	38.88	54.00	-15.12	24.83	3	Vertical	182	1.41	-	39.35	7.96	33.26

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65112G	52.63	74.00	-21.37	38.58	3	Horizontal	94	2.52	-	39.35	7.96	33.26
AV	11.64558G	38.71	54.00	-15.29	24.66	3	Horizontal	94	2.52	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	105.00	110.80	-5.80	97.80	3	Vertical	59	1.68	-	33.74	5.60	32.14
PK	5.738G	124.65	Inf	-Inf	117.41	3	Vertical	59	1.68	-	33.78	5.60	32.14
AV	5.739G	112.23	Inf	-Inf	104.99	3	Vertical	59	1.68	-	33.78	5.60	32.14
PK	5.969G	57.41	68.20	-10.79	49.70	3	Vertical	59	1.68	-	34.10	5.77	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.14	68.20	-11.06	49.86	3	Horizontal	1	2.94	-	33.82	5.60	32.14
PK	5.739G	119.67	Inf	-Inf	112.43	3	Horizontal	1	2.94	-	33.78	5.60	32.14
AV	5.739G	107.36	Inf	-Inf	100.12	3	Horizontal	1	2.94	-	33.78	5.60	32.14
PK	5.979G	56.98	68.20	-11.22	49.26	3	Horizontal	1	2.94	-	34.10	5.78	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49484G	51.40	74.00	-22.60	37.73	3	Vertical	30	1.92	-	38.99	7.90	33.22
AV	11.4864G	37.45	54.00	-16.55	23.81	3	Vertical	30	1.92	-	38.97	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4889G	51.31	74.00	-22.69	37.65	3	Horizontal	76	2.21	-	38.98	7.90	33.22
AV	11.49284G	37.46	54.00	-16.54	23.79	3	Horizontal	76	2.21	-	38.99	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	60.68	68.20	-7.52	53.40	3	Vertical	62	1.68	-	33.82	5.60	32.14
PK	5.779G	124.94	Inf	-Inf	117.75	3	Vertical	62	1.68	-	33.74	5.60	32.15
AV	5.779G	112.15	Inf	-Inf	104.96	3	Vertical	62	1.68	-	33.74	5.60	32.15
PK	5.939G	59.87	68.20	-8.33	52.21	3	Vertical	62	1.68	-	34.08	5.74	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	57.77	68.20	-10.43	50.44	3	Horizontal	21	2.89	-	33.87	5.60	32.14
PK	5.791G	119.18	Inf	-Inf	112.01	3	Horizontal	21	2.89	-	33.72	5.60	32.15
AV	5.79G	106.19	Inf	-Inf	99.02	3	Horizontal	21	2.89	-	33.72	5.60	32.15
PK	5.929G	57.82	68.20	-10.38	50.19	3	Horizontal	21	2.89	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5655G	51.97	74.00	-22.03	38.08	3	Vertical	134	1.98	-	39.20	7.93	33.24
AV	11.569G	37.97	54.00	-16.03	24.07	3	Vertical	134	1.98	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57484G	51.50	74.00	-22.50	37.59	3	Horizontal	138	2.93	-	39.22	7.93	33.24
AV	11.57016G	38.03	54.00	-15.97	24.13	3	Horizontal	138	2.93	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 23.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	57.49	68.20	-10.71	50.22	3	Vertical	60	1.73	-	33.81	5.60	32.14
PK	5.819G	123.40	Inf	-Inf	116.19	3	Vertical	60	1.73	-	33.74	5.62	32.15
AV	5.819G	111.48	Inf	-Inf	104.27	3	Vertical	60	1.73	-	33.74	5.62	32.15
PK	5.918G	73.33	73.38	-0.05	65.73	3	Vertical	60	1.73	-	34.04	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 23.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	56.63	68.20	-11.57	49.36	3	Horizontal	27	2.84	-	33.81	5.60	32.14
PK	5.832G	117.25	Inf	-Inf	110.01	3	Horizontal	27	2.84	-	33.76	5.63	32.15
AV	5.83G	105.56	Inf	-Inf	98.32	3	Horizontal	27	2.84	-	33.76	5.63	32.15
PK	5.93G	61.10	68.20	-7.10	53.47	3	Horizontal	27	2.84	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6494G	52.38	74.00	-21.62	38.33	3	Vertical	14	2.23	-	39.35	7.96	33.26
AV	11.64968G	38.19	54.00	-15.81	24.14	3	Vertical	14	2.23	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64998G	51.96	74.00	-22.04	37.91	3	Horizontal	64	1.39	-	39.35	7.96	33.26
AV	11.65446G	38.19	54.00	-15.81	24.14	3	Horizontal	64	1.39	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.24	68.20	-2.96	57.98	3	Vertical	58	1.69	-	33.80	5.60	32.14
PK	5.748G	120.28	Inf	-Inf	113.02	3	Vertical	58	1.69	-	33.80	5.60	32.14
AV	5.75G	108.02	Inf	-Inf	100.76	3	Vertical	58	1.69	-	33.80	5.60	32.14
PK	5.933G	58.08	68.20	-10.12	50.44	3	Vertical	58	1.69	-	34.07	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




06/11/2021

EUT X_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	59.64	68.20	-8.56	52.36	3	Horizontal	23	2.91	-	33.82	5.60	32.14
PK	5.761G	113.97	Inf	-Inf	106.74	3	Horizontal	23	2.91	-	33.78	5.60	32.15
AV	5.76G	101.92	Inf	-Inf	94.69	3	Horizontal	23	2.91	-	33.78	5.60	32.15
PK	5.982G	57.23	68.20	-10.97	49.51	3	Horizontal	23	2.91	-	34.10	5.78	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51268G	51.88	74.00	-22.12	38.15	3	Vertical	119	2.30	-	39.04	7.91	33.22
AV	11.50892G	37.43	54.00	-16.57	23.72	3	Vertical	119	2.30	-	39.03	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50544G	51.39	74.00	-22.61	37.69	3	Horizontal	106	1.28	-	39.02	7.90	33.22
AV	11.51478G	37.48	54.00	-16.52	23.75	3	Horizontal	106	1.28	-	39.04	7.91	33.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.23	68.20	-5.97	54.97	3	Vertical	56	1.67	-	33.80	5.60	32.14
PK	5.79G	119.53	Inf	-Inf	112.36	3	Vertical	56	1.67	-	33.72	5.60	32.15
AV	5.789G	108.40	Inf	-Inf	101.23	3	Vertical	56	1.67	-	33.72	5.60	32.15
PK	5.93G	64.98	68.20	-3.22	57.35	3	Vertical	56	1.67	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.02	68.20	-10.18	50.74	3	Horizontal	26	3.00	-	33.82	5.60	32.14
PK	5.8G	115.31	Inf	-Inf	108.16	3	Horizontal	26	3.00	-	33.70	5.60	32.15
AV	5.8G	103.30	Inf	-Inf	96.15	3	Horizontal	26	3.00	-	33.70	5.60	32.15
PK	5.929G	59.84	68.20	-8.36	52.21	3	Horizontal	26	3.00	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5874G	51.57	74.00	-22.43	37.62	3	Vertical	335	1.60	-	39.26	7.93	33.24
AV	11.5942G	37.98	54.00	-16.02	24.00	3	Vertical	335	1.60	-	39.28	7.94	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58902G	51.83	74.00	-22.17	37.86	3	Horizontal	335	2.87	-	39.27	7.94	33.24
AV	11.58734G	37.88	54.00	-16.12	23.93	3	Horizontal	335	2.87	-	39.26	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.20	68.20	-1.00	59.94	3	Vertical	64	1.67	-	33.80	5.60	32.14
PK	5.7498G	113.98	Inf	-Inf	106.72	3	Vertical	64	1.67	-	33.80	5.60	32.14
AV	5.769G	102.27	Inf	-Inf	95.06	3	Vertical	64	1.67	-	33.76	5.60	32.15
PK	5.9298G	61.14	68.20	-7.06	53.51	3	Vertical	64	1.67	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6406G	61.14	68.20	-7.06	53.86	3	Horizontal	34	2.89	-	33.82	5.60	32.14
PK	5.781G	108.24	Inf	-Inf	101.05	3	Horizontal	34	2.89	-	33.74	5.60	32.15
AV	5.7798G	96.37	Inf	-Inf	89.18	3	Horizontal	34	2.89	-	33.74	5.60	32.15
PK	6.0498G	57.62	68.20	-10.58	49.68	3	Horizontal	34	2.89	-	34.30	5.80	32.16

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5465G	51.41	74.00	-22.59	37.58	3	Vertical	314	1.38	-	39.14	7.92	33.23
AV	11.54728G	37.58	54.00	-16.42	23.75	3	Vertical	314	1.38	-	39.14	7.92	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT X_4TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54976G	51.49	74.00	-22.51	37.65	3	Horizontal	201	1.99	-	39.15	7.92	33.23
AV	11.55172G	37.58	54.00	-16.42	23.73	3	Horizontal	201	1.99	-	39.16	7.92	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.895G	109.25	110.20	-0.95	3	Vertical	290	1.68	-

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	58.20	68.20	-10.00	50.86	3	Vertical	290	2.95	-	33.88	5.60	32.14
PK	5.852G	115.33	Inf	-Inf	108.02	3	Vertical	290	2.95	-	33.81	5.65	32.15
AV	5.852G	104.86	Inf	-Inf	97.55	3	Vertical	290	2.95	-	33.81	5.65	32.15
PK	5.921G	63.07	91.13	-28.06	55.47	3	Vertical	290	2.95	-	34.04	5.72	32.16

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	58.05	68.20	-10.15	50.71	3	Horizontal	360	2.96	-	33.88	5.60	32.14
PK	5.853G	112.65	Inf	-Inf	105.34	3	Horizontal	360	2.96	-	33.81	5.65	32.15
AV	5.852G	102.27	Inf	-Inf	94.96	3	Horizontal	360	2.96	-	33.81	5.65	32.15
PK	5.961G	58.86	88.20	-29.34	51.16	3	Horizontal	360	2.96	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69334G	52.52	74.00	-21.48	38.42	3	Vertical	64	2.67	-	39.39	7.98	33.27
AV	11.69404G	39.92	54.00	-14.08	25.82	3	Vertical	64	2.67	-	39.39	7.98	33.27

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.692G	52.83	74.00	-21.17	38.73	3	Horizontal	295	2.80	-	39.39	7.98	33.27
AV	11.68734G	39.85	54.00	-14.15	25.76	3	Horizontal	295	2.80	-	39.39	7.97	33.27

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.11	68.20	-9.09	51.78	3	Vertical	291	1.70	-	33.87	5.60	32.14
PK	5.858G	115.49	Inf	-Inf	108.15	3	Vertical	291	1.70	-	33.83	5.66	32.15
AV	5.858G	105.14	Inf	-Inf	97.80	3	Vertical	291	1.70	-	33.83	5.66	32.15
PK	5.898G	86.80	108.00	-21.20	79.26	3	Vertical	291	1.70	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.74	68.20	-10.46	50.42	3	Horizontal	357	2.96	-	33.86	5.60	32.14
PK	5.873G	113.14	Inf	-Inf	105.73	3	Horizontal	357	2.96	-	33.89	5.67	32.15
AV	5.872G	102.64	Inf	-Inf	95.23	3	Horizontal	357	2.96	-	33.89	5.67	32.15
PK	5.898G	81.84	108.00	-26.16	74.30	3	Horizontal	357	2.96	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7293G	52.96	74.00	-21.04	38.85	3	Vertical	87	2.14	-	39.40	7.99	33.28
AV	11.72826G	39.99	54.00	-14.01	25.88	3	Vertical	87	2.14	-	39.40	7.99	33.28

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72928G	54.22	74.00	-19.78	40.11	3	Horizontal	337	1.63	-	39.40	7.99	33.28
AV	11.72904G	39.89	54.00	-14.11	25.78	3	Horizontal	337	1.63	-	39.40	7.99	33.28

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.38	68.20	-10.82	50.09	3	Vertical	290	1.69	-	33.83	5.60	32.14
PK	5.892G	116.21	Inf	-Inf	108.70	3	Vertical	290	1.69	-	33.97	5.69	32.15
AV	5.878G	105.59	Inf	-Inf	98.15	3	Vertical	290	1.69	-	33.91	5.68	32.15
PK	5.907G	97.69	101.40	-3.71	90.12	3	Vertical	290	1.69	-	34.01	5.71	32.15

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	57.41	68.20	-10.79	50.13	3	Horizontal	30	2.95	-	33.82	5.60	32.14
PK	5.878G	109.48	Inf	-Inf	102.04	3	Horizontal	30	2.95	-	33.91	5.68	32.15
AV	5.878G	99.13	Inf	-Inf	91.69	3	Horizontal	30	2.95	-	33.91	5.68	32.15
PK	5.905G	90.56	102.87	-12.31	83.00	3	Horizontal	30	2.95	-	34.01	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77348G	52.99	74.00	-21.01	38.87	3	Vertical	158	2.54	-	39.40	8.01	33.29
AV	11.76978G	40.01	54.00	-13.99	25.89	3	Vertical	158	2.54	-	39.40	8.01	33.29

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77188G	53.24	74.00	-20.76	39.12	3	Horizontal	168	2.01	-	39.40	8.01	33.29
AV	11.77204G	40.03	54.00	-13.97	25.91	3	Horizontal	168	2.01	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	57.91	68.20	-10.29	50.58	3	Vertical	288	1.70	-	33.87	5.60	32.14
PK	5.85G	116.07	Inf	-Inf	108.77	3	Vertical	288	1.70	-	33.80	5.65	32.15
AV	5.854G	104.26	Inf	-Inf	96.94	3	Vertical	288	1.70	-	33.82	5.65	32.15
PK	5.928G	66.05	88.20	-22.15	58.42	3	Vertical	288	1.70	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.77	68.20	-10.43	50.48	3	Horizontal	40	2.87	-	33.83	5.60	32.14
PK	5.837G	109.04	Inf	-Inf	101.78	3	Horizontal	40	2.87	-	33.77	5.64	32.15
AV	5.836G	96.65	Inf	-Inf	89.39	3	Horizontal	40	2.87	-	33.77	5.64	32.15
PK	5.926G	59.71	88.20	-28.49	52.09	3	Horizontal	40	2.87	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69106G	53.39	74.00	-20.61	39.29	3	Vertical	259	1.06	-	39.39	7.98	33.27
AV	11.6903G	39.44	54.00	-14.56	25.34	3	Vertical	259	1.06	-	39.39	7.98	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6894G	54.01	74.00	-19.99	39.91	3	Horizontal	114	2.97	-	39.39	7.98	33.27
AV	11.68544G	39.48	54.00	-14.52	25.39	3	Horizontal	114	2.97	-	39.39	7.97	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	57.93	68.20	-10.27	50.65	3	Vertical	293	1.71	-	33.82	5.60	32.14
PK	5.861G	116.88	Inf	-Inf	109.53	3	Vertical	293	1.71	-	33.84	5.66	32.15
AV	5.857G	104.29	Inf	-Inf	96.95	3	Vertical	293	1.71	-	33.83	5.66	32.15
PK	5.903G	84.93	104.33	-19.40	77.37	3	Vertical	293	1.71	-	34.01	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.19	68.20	-10.01	50.92	3	Horizontal	0	2.95	-	33.81	5.60	32.14
PK	5.868G	114.33	Inf	-Inf	106.94	3	Horizontal	0	2.95	-	33.87	5.67	32.15
AV	5.874G	101.84	Inf	-Inf	94.42	3	Horizontal	0	2.95	-	33.90	5.67	32.15
PK	5.9G	84.57	106.53	-21.96	77.02	3	Horizontal	0	2.95	-	34.00	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72728G	53.37	74.00	-20.63	39.26	3	Vertical	283	2.68	-	39.40	7.99	33.28
AV	11.73106G	39.54	54.00	-14.46	25.43	3	Vertical	283	2.68	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72666G	53.72	74.00	-20.28	39.61	3	Horizontal	21	2.20	-	39.40	7.99	33.28
AV	11.7329G	39.55	54.00	-14.45	25.44	3	Horizontal	21	2.20	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.29	68.20	-10.91	50.00	3	Vertical	290	1.68	-	33.83	5.60	32.14
PK	5.878G	116.35	Inf	-Inf	108.91	3	Vertical	290	1.68	-	33.91	5.68	32.15
AV	5.877G	102.83	Inf	-Inf	95.39	3	Vertical	290	1.68	-	33.91	5.68	32.15
PK	5.895G	109.25	110.20	-0.95	101.72	3	Vertical	290	1.68	-	33.98	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.82	68.20	-10.38	50.53	3	Horizontal	30	2.95	-	33.83	5.60	32.14
PK	5.877G	108.42	Inf	-Inf	100.98	3	Horizontal	30	2.95	-	33.91	5.68	32.15
AV	5.876G	96.56	Inf	-Inf	89.13	3	Horizontal	30	2.95	-	33.90	5.68	32.15
PK	5.895G	102.94	110.20	-7.26	95.41	3	Horizontal	30	2.95	-	33.98	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77228G	53.78	74.00	-20.22	39.66	3	Vertical	290	1.43	-	39.40	8.01	33.29
AV	11.7652G	39.60	54.00	-14.40	25.48	3	Vertical	290	1.43	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76822G	53.83	74.00	-20.17	39.71	3	Horizontal	221	1.93	-	39.40	8.01	33.29
AV	11.76712G	39.51	54.00	-14.49	25.39	3	Horizontal	221	1.93	-	39.40	8.01	33.29

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.66	68.20	-8.54	52.40	3	Vertical	284	1.80	-	33.80	5.60	32.14
PK	5.833G	115.16	Inf	-Inf	107.91	3	Vertical	284	1.80	-	33.77	5.63	32.15
AV	5.831G	100.98	Inf	-Inf	93.74	3	Vertical	284	1.80	-	33.76	5.63	32.15
PK	5.926G	69.73	88.20	-18.47	62.11	3	Vertical	284	1.80	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	58.01	68.20	-10.19	50.65	3	Horizontal	42	2.88	-	33.90	5.60	32.14
PK	5.828G	106.44	Inf	-Inf	99.20	3	Horizontal	42	2.88	-	33.76	5.63	32.15
AV	5.828G	93.94	Inf	-Inf	86.70	3	Horizontal	42	2.88	-	33.76	5.63	32.15
PK	5.927G	64.03	88.20	-24.17	56.41	3	Horizontal	42	2.88	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67206G	53.80	74.00	-20.20	39.72	3	Vertical	114	2.97	-	39.37	7.97	33.26
AV	11.67216G	39.53	54.00	-14.47	25.45	3	Vertical	114	2.97	-	39.37	7.97	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66502G	53.30	74.00	-20.70	39.22	3	Horizontal	213	1.70	-	39.37	7.97	33.26
AV	11.67342G	39.50	54.00	-14.50	25.43	3	Horizontal	213	1.70	-	39.37	7.97	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.08	68.20	-10.12	50.79	3	Vertical	287	2.32	-	33.83	5.60	32.14
PK	5.878G	113.86	Inf	-Inf	106.42	3	Vertical	287	2.32	-	33.91	5.68	32.15
AV	5.874G	101.11	Inf	-Inf	93.69	3	Vertical	287	2.32	-	33.90	5.67	32.15
PK	5.918G	91.70	93.33	-1.63	84.10	3	Vertical	287	2.32	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	57.68	68.20	-10.52	50.42	3	Horizontal	0	2.94	-	33.80	5.60	32.14
PK	5.878G	111.51	Inf	-Inf	104.07	3	Horizontal	0	2.94	-	33.91	5.68	32.15
AV	5.877G	98.69	Inf	-Inf	91.25	3	Horizontal	0	2.94	-	33.91	5.68	32.15
PK	5.92G	86.72	91.87	-5.15	79.12	3	Horizontal	0	2.94	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7507G	53.64	74.00	-20.36	39.53	3	Vertical	170	1.78	-	39.40	8.00	33.29
AV	11.74512G	39.59	54.00	-14.41	25.47	3	Vertical	170	1.78	-	39.40	8.00	33.28

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75042G	53.01	74.00	-20.99	38.90	3	Horizontal	267	1.37	-	39.40	8.00	33.29
AV	11.74848G	39.56	54.00	-14.44	25.44	3	Horizontal	267	1.37	-	39.40	8.00	33.28

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 21
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	63.50	68.20	-4.70	56.21	3	Vertical	294	1.71	-	33.83	5.60	32.14
PK	5.859G	109.95	Inf	-Inf	102.60	3	Vertical	294	1.71	-	33.84	5.66	32.15
AV	5.854G	97.23	Inf	-Inf	89.91	3	Vertical	294	1.71	-	33.82	5.65	32.15
PK	5.924G	87.51	88.93	-1.42	79.90	3	Vertical	294	1.71	-	34.05	5.72	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT_X_1TX
Setting 21
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.99	68.20	-9.21	51.70	3	Horizontal	25	2.86	-	33.83	5.60	32.14
PK	5.846G	103.44	Inf	-Inf	96.15	3	Horizontal	25	2.86	-	33.79	5.65	32.15
AV	5.851G	90.83	Inf	-Inf	83.53	3	Horizontal	25	2.86	-	33.80	5.65	32.15
PK	5.929G	78.79	88.20	-9.41	71.16	3	Horizontal	25	2.86	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 21
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70652G	53.29	74.00	-20.71	39.18	3	Vertical	201	1.17	-	39.40	7.98	33.27
AV	11.7128G	39.50	54.00	-14.50	25.39	3	Vertical	201	1.17	-	39.40	7.99	33.28

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom



EUT X_1TX
Setting 21
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71088G	53.49	74.00	-20.51	39.38	3	Horizontal	29	2.68	-	39.40	7.98	33.27
AV	11.71478G	39.56	54.00	-14.44	25.45	3	Horizontal	29	2.68	-	39.40	7.99	33.28




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.895G	109.52	110.20	-0.68	3	Vertical	293	1.68	-

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	57.96	68.20	-10.24	50.64	3	Vertical	290	1.92	-	33.86	5.60	32.14
PK	5.838G	119.10	Inf	-Inf	111.83	3	Vertical	290	1.92	-	33.78	5.64	32.15
AV	5.838G	108.92	Inf	-Inf	101.65	3	Vertical	290	1.92	-	33.78	5.64	32.15
PK	5.924G	66.14	88.93	-22.79	58.53	3	Vertical	290	1.92	-	34.05	5.72	32.16

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	57.68	68.20	-10.52	50.37	3	Horizontal	44	2.85	-	33.85	5.60	32.14
PK	5.851G	112.43	Inf	-Inf	105.13	3	Horizontal	44	2.85	-	33.80	5.65	32.15
AV	5.852G	102.66	Inf	-Inf	95.35	3	Horizontal	44	2.85	-	33.81	5.65	32.15
PK	6.047G	58.92	88.20	-29.28	50.99	3	Horizontal	44	2.85	-	34.29	5.80	32.16

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69128G	52.93	74.00	-21.07	38.83	3	Vertical	352	1.99	-	39.39	7.98	33.27
AV	11.69156G	39.88	54.00	-14.12	25.78	3	Vertical	352	1.99	-	39.39	7.98	33.27

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68542G	53.36	74.00	-20.64	39.27	3	Horizontal	246	2.78	-	39.39	7.97	33.27
AV	11.68948G	39.93	54.00	-14.07	25.83	3	Horizontal	246	2.78	-	39.39	7.98	33.27

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.84	68.20	-10.36	50.56	3	Vertical	296	2.21	-	33.82	5.60	32.14
PK	5.858G	118.95	Inf	-Inf	111.61	3	Vertical	296	2.21	-	33.83	5.66	32.15
AV	5.858G	108.92	Inf	-Inf	101.58	3	Vertical	296	2.21	-	33.83	5.66	32.15
PK	5.923G	73.07	89.67	-16.60	65.46	3	Vertical	296	2.21	-	34.05	5.72	32.16

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	57.36	68.20	-10.84	50.03	3	Horizontal	49	2.84	-	33.87	5.60	32.14
PK	5.871G	112.56	Inf	-Inf	105.16	3	Horizontal	49	2.84	-	33.88	5.67	32.15
AV	5.871G	102.56	Inf	-Inf	95.16	3	Horizontal	49	2.84	-	33.88	5.67	32.15
PK	5.927G	61.32	88.20	-26.88	53.70	3	Horizontal	49	2.84	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73362G	53.81	74.00	-20.19	39.70	3	Vertical	39	2.58	-	39.40	7.99	33.28
AV	11.7319G	39.97	54.00	-14.03	25.86	3	Vertical	39	2.58	-	39.40	7.99	33.28

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72596G	53.36	74.00	-20.64	39.25	3	Horizontal	88	2.30	-	39.40	7.99	33.28
AV	11.72812G	40.02	54.00	-13.98	25.91	3	Horizontal	88	2.30	-	39.40	7.99	33.28

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	57.31	68.20	-10.89	50.04	3	Vertical	291	2.32	-	33.81	5.60	32.14
PK	5.878G	120.03	Inf	-Inf	112.59	3	Vertical	291	2.32	-	33.91	5.68	32.15
AV	5.878G	109.96	Inf	-Inf	102.52	3	Vertical	291	2.32	-	33.91	5.68	32.15
PK	5.902G	101.62	105.07	-3.45	94.07	3	Vertical	291	2.32	-	34.00	5.70	32.15

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	57.38	68.20	-10.82	50.11	3	Horizontal	0	2.94	-	33.81	5.60	32.14
PK	5.878G	115.37	Inf	-Inf	107.93	3	Horizontal	0	2.94	-	33.91	5.68	32.15
AV	5.878G	106.28	Inf	-Inf	98.84	3	Horizontal	0	2.94	-	33.91	5.68	32.15
PK	5.898G	101.52	108.00	-6.48	93.98	3	Horizontal	0	2.94	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76754G	53.30	74.00	-20.70	39.18	3	Vertical	16	1.85	-	39.40	8.01	33.29
AV	11.77142G	39.97	54.00	-14.03	25.85	3	Vertical	16	1.85	-	39.40	8.01	33.29

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77318G	52.92	74.00	-21.08	38.80	3	Horizontal	310	2.06	-	39.40	8.01	33.29
AV	11.77362G	39.99	54.00	-14.01	25.87	3	Horizontal	310	2.06	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	57.97	68.20	-10.23	50.67	3	Vertical	294	1.87	-	33.84	5.60	32.14
PK	5.852G	120.18	Inf	-Inf	112.87	3	Vertical	294	1.87	-	33.81	5.65	32.15
AV	5.852G	108.92	Inf	-Inf	101.61	3	Vertical	294	1.87	-	33.81	5.65	32.15
PK	5.931G	67.14	88.20	-21.06	59.51	3	Vertical	294	1.87	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.01	68.20	-10.19	50.74	3	Horizontal	48	2.73	-	33.81	5.60	32.14
PK	5.847G	113.00	Inf	-Inf	105.71	3	Horizontal	48	2.73	-	33.79	5.65	32.15
AV	5.837G	101.96	Inf	-Inf	94.70	3	Horizontal	48	2.73	-	33.77	5.64	32.15
PK	5.928G	60.04	88.20	-28.16	52.41	3	Horizontal	48	2.73	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68878G	53.01	74.00	-20.99	38.91	3	Vertical	99	2.83	-	39.39	7.98	33.27
AV	11.68856G	39.40	54.00	-14.60	25.30	3	Vertical	99	2.83	-	39.39	7.98	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6874G	53.42	74.00	-20.58	39.33	3	Horizontal	309	1.48	-	39.39	7.97	33.27
AV	11.69328G	39.41	54.00	-14.59	25.31	3	Horizontal	309	1.48	-	39.39	7.98	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	57.91	68.20	-10.29	50.61	3	Vertical	292	1.84	-	33.84	5.60	32.14
PK	5.871G	120.26	Inf	-Inf	112.86	3	Vertical	292	1.84	-	33.88	5.67	32.15
AV	5.872G	108.90	Inf	-Inf	101.49	3	Vertical	292	1.84	-	33.89	5.67	32.15
PK	5.924G	71.54	88.93	-17.39	63.93	3	Vertical	292	1.84	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.35	68.20	-10.85	50.03	3	Horizontal	47	2.73	-	33.86	5.60	32.14
PK	5.858G	113.58	Inf	-Inf	106.24	3	Horizontal	47	2.73	-	33.83	5.66	32.15
AV	5.857G	102.03	Inf	-Inf	94.69	3	Horizontal	47	2.73	-	33.83	5.66	32.15
PK	5.929G	62.08	88.20	-26.12	54.45	3	Horizontal	47	2.73	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7312G	53.19	74.00	-20.81	39.08	3	Vertical	310	1.69	-	39.40	7.99	33.28
AV	11.7303G	39.42	54.00	-14.58	25.31	3	Vertical	310	1.69	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73482G	52.80	74.00	-21.20	38.69	3	Horizontal	51	2.33	-	39.40	7.99	33.28
AV	11.72734G	39.40	54.00	-14.60	25.29	3	Horizontal	51	2.33	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 18
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	57.40	68.20	-10.80	50.11	3	Vertical	293	1.68	-	33.83	5.60	32.14
PK	5.892G	116.69	Inf	-Inf	109.18	3	Vertical	293	1.68	-	33.97	5.69	32.15
AV	5.893G	105.02	Inf	-Inf	97.51	3	Vertical	293	1.68	-	33.97	5.69	32.15
PK	5.895G	109.52	110.20	-0.68	101.99	3	Vertical	293	1.68	-	33.98	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 18
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	57.26	68.20	-10.94	49.98	3	Horizontal	50	2.83	-	33.82	5.60	32.14
PK	5.877G	111.17	Inf	-Inf	103.73	3	Horizontal	50	2.83	-	33.91	5.68	32.15
AV	5.877G	98.73	Inf	-Inf	91.29	3	Horizontal	50	2.83	-	33.91	5.68	32.15
PK	5.895G	100.77	110.20	-9.43	93.24	3	Horizontal	50	2.83	-	33.98	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 18
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77106G	52.90	74.00	-21.10	38.78	3	Vertical	259	2.16	-	39.40	8.01	33.29
AV	11.7692G	39.64	54.00	-14.36	25.52	3	Vertical	259	2.16	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 18
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7694G	53.09	74.00	-20.91	38.97	3	Horizontal	306	1.07	-	39.40	8.01	33.29
AV	11.76672G	39.51	54.00	-14.49	25.39	3	Horizontal	306	1.07	-	39.40	8.01	33.29

802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.68	68.20	-4.52	56.41	3	Vertical	285	1.79	-	33.81	5.60	32.14
PK	5.822G	118.30	Inf	-Inf	111.09	3	Vertical	285	1.79	-	33.74	5.62	32.15
AV	5.832G	106.75	Inf	-Inf	99.51	3	Vertical	285	1.79	-	33.76	5.63	32.15
PK	5.921G	79.73	91.13	-11.40	72.13	3	Vertical	285	1.79	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.94	68.20	-9.26	51.68	3	Horizontal	48	2.76	-	33.80	5.60	32.14
PK	5.829G	113.02	Inf	-Inf	105.78	3	Horizontal	48	2.76	-	33.76	5.63	32.15
AV	5.828G	101.03	Inf	-Inf	93.79	3	Horizontal	48	2.76	-	33.76	5.63	32.15
PK	5.928G	70.00	88.20	-18.20	62.37	3	Horizontal	48	2.76	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67032G	53.36	74.00	-20.64	39.28	3	Vertical	60	1.45	-	39.37	7.97	33.26
AV	11.67044G	39.72	54.00	-14.28	25.64	3	Vertical	60	1.45	-	39.37	7.97	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 23
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6699G	53.49	74.00	-20.51	39.41	3	Horizontal	140	1.19	-	39.37	7.97	33.26
AV	11.67344G	39.71	54.00	-14.29	25.64	3	Horizontal	140	1.19	-	39.37	7.97	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 20.5
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	58.23	68.20	-9.97	50.96	3	Vertical	291	1.86	-	33.81	5.60	32.14
PK	5.872G	118.43	Inf	-Inf	111.02	3	Vertical	291	1.86	-	33.89	5.67	32.15
AV	5.872G	105.16	Inf	-Inf	97.75	3	Vertical	291	1.86	-	33.89	5.67	32.15
PK	5.921G	89.89	91.13	-1.24	82.29	3	Vertical	291	1.86	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 20.5
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	57.90	68.20	-10.30	50.63	3	Horizontal	50	2.83	-	33.81	5.60	32.14
PK	5.877G	111.91	Inf	-Inf	104.47	3	Horizontal	50	2.83	-	33.91	5.68	32.15
AV	5.877G	99.01	Inf	-Inf	91.57	3	Horizontal	50	2.83	-	33.91	5.68	32.15
PK	5.917G	82.30	94.07	-11.77	74.71	3	Horizontal	50	2.83	-	34.03	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 20.5
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74524G	54.32	74.00	-19.68	40.20	3	Vertical	179	1.74	-	39.40	8.00	33.28
AV	11.7452G	39.67	54.00	-14.33	25.55	3	Vertical	179	1.74	-	39.40	8.00	33.28

802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT X_2TX
Setting 20.5
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74698G	53.34	74.00	-20.66	39.22	3	Horizontal	62	2.84	-	39.40	8.00	33.28
AV	11.74562G	39.68	54.00	-14.32	25.56	3	Horizontal	62	2.84	-	39.40	8.00	33.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 19
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.52	68.20	-6.68	54.26	3	Vertical	292	1.88	-	33.80	5.60	32.14
PK	5.86G	113.67	Inf	-Inf	106.32	3	Vertical	292	1.88	-	33.84	5.66	32.15
AV	5.851G	100.58	Inf	-Inf	93.28	3	Vertical	292	1.88	-	33.80	5.65	32.15
PK	5.931G	85.31	88.20	-2.89	77.68	3	Vertical	292	1.88	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 19
02-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.06	68.20	-9.14	51.79	3	Horizontal	49	2.86	-	33.81	5.60	32.14
PK	5.868G	106.17	Inf	-Inf	98.78	3	Horizontal	49	2.86	-	33.87	5.67	32.15
AV	5.867G	93.74	Inf	-Inf	86.35	3	Horizontal	49	2.86	-	33.87	5.67	32.15
PK	5.929G	75.19	88.20	-13.01	67.56	3	Horizontal	49	2.86	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 19
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70542G	53.39	74.00	-20.61	39.28	3	Vertical	298	2.56	-	39.40	7.98	33.27
AV	11.70878G	39.74	54.00	-14.26	25.63	3	Vertical	298	2.56	-	39.40	7.98	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TnomVnom



EUT_X_2TX
Setting 19
02-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71218G	54.16	74.00	-19.84	40.06	3	Horizontal	150	2.92	-	39.40	7.98	33.28
AV	11.71152G	39.67	54.00	-14.33	25.56	3	Horizontal	150	2.92	-	39.40	7.98	33.27




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.912G	97.26	97.73	-0.47	3	Vertical	61	1.62	-

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.04	68.20	-10.16	50.77	3	Vertical	60	1.80	-	33.81	5.60	32.14
PK	5.853G	124.31	Inf	-Inf	117.00	3	Vertical	60	1.80	-	33.81	5.65	32.15
AV	5.852G	114.45	Inf	-Inf	107.14	3	Vertical	60	1.80	-	33.81	5.65	32.15
PK	5.932G	70.80	88.20	-17.40	63.17	3	Vertical	60	1.80	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.14	68.20	-10.06	50.88	3	Horizontal	28	2.85	-	33.80	5.60	32.14
PK	5.839G	117.43	Inf	-Inf	110.16	3	Horizontal	28	2.85	-	33.78	5.64	32.15
AV	5.838G	108.22	Inf	-Inf	100.95	3	Horizontal	28	2.85	-	33.78	5.64	32.15
PK	5.921G	68.08	91.13	-23.05	60.48	3	Horizontal	28	2.85	-	34.04	5.72	32.16

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68776G	53.09	74.00	-20.91	38.99	3	Vertical	42	1.80	-	39.39	7.98	33.27
AV	11.68952G	40.59	54.00	-13.41	26.49	3	Vertical	42	1.80	-	39.39	7.98	33.27
PK	17.57116G	63.99	88.20	-24.21	41.85	3	Vertical	19	1.15	-	44.44	10.79	33.09

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7212G	52.71	74.00	-21.29	38.60	3	Horizontal	254	1.80	-	39.40	7.99	33.28
AV	11.66184G	40.01	54.00	-13.99	25.95	3	Horizontal	254	1.80	-	39.36	7.96	33.26
PK	17.57068G	64.64	88.20	-23.56	42.49	3	Horizontal	226	1.80	-	44.44	10.79	33.08

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	58.08	68.20	-10.12	50.76	3	Vertical	60	1.63	-	33.86	5.60	32.14
PK	5.872G	124.55	Inf	-Inf	117.14	3	Vertical	60	1.63	-	33.89	5.67	32.15
AV	5.872G	114.99	Inf	-Inf	107.58	3	Vertical	60	1.63	-	33.89	5.67	32.15
PK	5.933G	74.06	88.20	-14.14	66.42	3	Vertical	60	1.63	-	34.07	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	57.85	68.20	-10.35	50.55	3	Horizontal	30	2.81	-	33.84	5.60	32.14
PK	5.857G	117.02	Inf	-Inf	109.68	3	Horizontal	30	2.81	-	33.83	5.66	32.15
AV	5.858G	107.59	Inf	-Inf	100.25	3	Horizontal	30	2.81	-	33.83	5.66	32.15
PK	5.897G	87.67	108.73	-21.06	80.13	3	Horizontal	30	2.81	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72508G	53.08	74.00	-20.92	38.97	3	Vertical	0	1.72	-	39.40	7.99	33.28
AV	11.7308G	39.90	54.00	-14.10	25.79	3	Vertical	0	1.72	-	39.40	7.99	33.28
PK	17.63036G	64.46	88.20	-23.74	41.82	3	Vertical	33	1.28	-	45.00	10.82	33.18

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73026G	53.78	74.00	-20.22	39.67	3	Horizontal	303	2.77	-	39.40	7.99	33.28
AV	11.72802G	39.93	54.00	-14.07	25.82	3	Horizontal	303	2.77	-	39.40	7.99	33.28
PK	17.62236G	64.83	88.20	-23.37	42.27	3	Horizontal	240	1.03	-	44.92	10.81	33.17

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	57.55	68.20	-10.65	50.29	3	Vertical	61	1.62	-	33.80	5.60	32.14
PK	5.892G	125.40	Inf	-Inf	117.89	3	Vertical	61	1.62	-	33.97	5.69	32.15
AV	5.892G	114.29	Inf	-Inf	106.78	3	Vertical	61	1.62	-	33.97	5.69	32.15
PK	5.912G	97.26	97.73	-0.47	89.68	3	Vertical	61	1.62	-	34.02	5.71	32.15

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	57.33	68.20	-10.87	50.06	3	Horizontal	30	2.81	-	33.81	5.60	32.14
PK	5.878G	117.75	Inf	-Inf	110.31	3	Horizontal	30	2.81	-	33.91	5.68	32.15
AV	5.878G	107.86	Inf	-Inf	100.42	3	Horizontal	30	2.81	-	33.91	5.68	32.15
PK	5.898G	103.92	108.00	-4.08	96.38	3	Horizontal	30	2.81	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76972G	52.96	74.00	-21.04	38.84	3	Vertical	146	1.63	-	39.40	8.01	33.29
AV	11.76612G	39.90	54.00	-14.10	25.78	3	Vertical	146	1.63	-	39.40	8.01	33.29

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77054G	53.18	74.00	-20.82	39.06	3	Horizontal	256	1.13	-	39.40	8.01	33.29
AV	11.7718G	39.88	54.00	-14.12	25.76	3	Horizontal	256	1.13	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	57.80	68.20	-10.40	50.51	3	Vertical	63	1.57	-	33.83	5.60	32.14
PK	5.838G	125.39	Inf	-Inf	118.12	3	Vertical	63	1.57	-	33.78	5.64	32.15
AV	5.839G	113.15	Inf	-Inf	105.88	3	Vertical	63	1.57	-	33.78	5.64	32.15
PK	5.941G	72.85	88.20	-15.35	65.19	3	Vertical	63	1.57	-	34.08	5.74	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	57.68	68.20	-10.52	50.35	3	Horizontal	33	2.85	-	33.87	5.60	32.14
PK	5.849G	116.61	Inf	-Inf	109.31	3	Horizontal	33	2.85	-	33.80	5.65	32.15
AV	5.85G	105.12	Inf	-Inf	97.82	3	Horizontal	33	2.85	-	33.80	5.65	32.15
PK	5.93G	66.87	88.20	-21.33	59.24	3	Horizontal	33	2.85	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69306G	53.03	74.00	-20.97	38.93	3	Vertical	15	1.12	-	39.39	7.98	33.27
AV	11.69242G	39.33	54.00	-14.67	25.23	3	Vertical	15	1.12	-	39.39	7.98	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69242G	52.74	74.00	-21.26	38.64	3	Horizontal	342	1.07	-	39.39	7.98	33.27
AV	11.69318G	39.34	54.00	-14.66	25.24	3	Horizontal	342	1.07	-	39.39	7.98	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.82	68.20	-8.38	52.55	3	Vertical	64	1.66	-	33.81	5.60	32.14
PK	5.859G	125.42	Inf	-Inf	118.07	3	Vertical	64	1.66	-	33.84	5.66	32.15
AV	5.859G	113.53	Inf	-Inf	106.18	3	Vertical	64	1.66	-	33.84	5.66	32.15
PK	5.92G	81.01	91.87	-10.86	73.41	3	Vertical	64	1.66	-	34.04	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

585MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.06	68.20	-9.14	51.79	3	Horizontal	33	2.92	-	33.81	5.60	32.14
PK	5.872G	119.26	Inf	-Inf	111.85	3	Horizontal	33	2.92	-	33.89	5.67	32.15
AV	5.871G	107.51	Inf	-Inf	100.11	3	Horizontal	33	2.92	-	33.88	5.67	32.15
PK	5.912G	79.65	97.73	-18.08	72.07	3	Horizontal	33	2.92	-	34.02	5.71	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72966G	53.03	74.00	-20.97	38.92	3	Vertical	189	2.85	-	39.40	7.99	33.28
AV	11.72908G	39.38	54.00	-14.62	25.27	3	Vertical	189	2.85	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72768G	53.56	74.00	-20.44	39.45	3	Horizontal	13	2.08	-	39.40	7.99	33.28
AV	11.725G	39.42	54.00	-14.58	25.31	3	Horizontal	13	2.08	-	39.40	7.99	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 21.5
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.84	68.20	-10.36	50.55	3	Vertical	58	1.62	-	33.83	5.60	32.14
PK	5.879G	125.12	Inf	-Inf	117.67	3	Vertical	58	1.62	-	33.92	5.68	32.15
AV	5.88G	112.52	Inf	-Inf	105.07	3	Vertical	58	1.62	-	33.92	5.68	32.15
PK	5.899G	104.95	107.27	-2.32	97.40	3	Vertical	58	1.62	-	34.00	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 21.5
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	57.63	68.20	-10.57	50.35	3	Horizontal	47	2.90	-	33.82	5.60	32.14
PK	5.89G	114.42	Inf	-Inf	106.92	3	Horizontal	47	2.90	-	33.96	5.69	32.15
AV	5.891G	102.78	Inf	-Inf	95.28	3	Horizontal	47	2.90	-	33.96	5.69	32.15
PK	5.895G	105.73	110.20	-4.47	98.20	3	Horizontal	47	2.90	-	33.98	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 21.5
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7707G	53.17	74.00	-20.83	39.05	3	Vertical	352	1.54	-	39.40	8.01	33.29
AV	11.7675G	39.39	54.00	-14.61	25.27	3	Vertical	352	1.54	-	39.40	8.01	33.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 21.5
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76772G	53.36	74.00	-20.64	39.24	3	Horizontal	174	2.78	-	39.40	8.01	33.29
AV	11.76524G	39.42	54.00	-14.58	25.30	3	Horizontal	174	2.78	-	39.40	8.01	33.29

802.11ax HEW40_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.11	68.20	-1.09	59.85	3	Vertical	59	1.57	-	33.80	5.60	32.14
PK	5.831G	122.42	Inf	-Inf	115.18	3	Vertical	59	1.57	-	33.76	5.63	32.15
AV	5.829G	110.89	Inf	-Inf	103.65	3	Vertical	59	1.57	-	33.76	5.63	32.15
PK	5.929G	80.44	88.20	-7.76	72.81	3	Vertical	59	1.57	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.42	68.20	-9.78	51.15	3	Horizontal	32	2.96	-	33.81	5.60	32.14
PK	5.841G	117.02	Inf	-Inf	109.75	3	Horizontal	32	2.96	-	33.78	5.64	32.15
AV	5.84G	104.23	Inf	-Inf	96.96	3	Horizontal	32	2.96	-	33.78	5.64	32.15
PK	5.92G	74.29	91.87	-17.58	66.69	3	Horizontal	32	2.96	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67444G	54.05	74.00	-19.95	39.98	3	Vertical	219	1.65	-	39.37	7.97	33.27
AV	11.67192G	39.36	54.00	-14.64	25.28	3	Vertical	219	1.65	-	39.37	7.97	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT X_4TX
Setting 23
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67136G	52.66	74.00	-21.34	38.58	3	Horizontal	273	1.78	-	39.37	7.97	33.26
AV	11.67124G	39.30	54.00	-14.70	25.22	3	Horizontal	273	1.78	-	39.37	7.97	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT_X_4TX
Setting 20
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	57.76	68.20	-10.44	50.45	3	Vertical	61	1.64	-	33.85	5.60	32.14
PK	5.87G	121.20	Inf	-Inf	113.80	3	Vertical	61	1.64	-	33.88	5.67	32.15
AV	5.87G	109.10	Inf	-Inf	101.70	3	Vertical	61	1.64	-	33.88	5.67	32.15
PK	5.91G	98.66	99.20	-0.54	91.08	3	Vertical	61	1.64	-	34.02	5.71	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT X_4TX
Setting 20
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	57.69	68.20	-10.51	50.42	3	Horizontal	29	2.79	-	33.81	5.60	32.14
PK	5.881G	114.35	Inf	-Inf	106.90	3	Horizontal	29	2.79	-	33.92	5.68	32.15
AV	5.881G	103.41	Inf	-Inf	95.96	3	Horizontal	29	2.79	-	33.92	5.68	32.15
PK	5.921G	84.95	91.13	-6.18	77.35	3	Horizontal	29	2.79	-	34.04	5.72	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT X_4TX
Setting 20
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74756G	53.23	74.00	-20.77	39.11	3	Vertical	209	2.56	-	39.40	8.00	33.28
AV	11.74628G	39.42	54.00	-14.58	25.30	3	Vertical	209	2.56	-	39.40	8.00	33.28

802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT X_4TX
Setting 20
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75336G	52.64	74.00	-21.36	38.53	3	Horizontal	124	1.81	-	39.40	8.00	33.29
AV	11.74884G	39.35	54.00	-14.65	25.23	3	Horizontal	124	1.81	-	39.40	8.00	33.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.51	68.20	-6.69	54.24	3	Vertical	64	1.63	-	33.81	5.60	32.14
PK	5.849G	116.23	Inf	-Inf	108.93	3	Vertical	64	1.63	-	33.80	5.65	32.15
AV	5.87G	104.05	Inf	-Inf	96.65	3	Vertical	64	1.63	-	33.88	5.67	32.15
PK	5.929G	87.15	88.20	-1.05	79.52	3	Vertical	64	1.63	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	58.17	68.20	-10.03	50.85	3	Horizontal	31	2.92	-	33.86	5.60	32.14
PK	5.88G	110.38	Inf	-Inf	102.93	3	Horizontal	31	2.92	-	33.92	5.68	32.15
AV	5.86G	98.62	Inf	-Inf	91.27	3	Horizontal	31	2.92	-	33.84	5.66	32.15
PK	5.922G	80.18	90.40	-10.22	72.58	3	Horizontal	31	2.92	-	34.04	5.72	32.16

802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT X_4TX
Setting 18.5
02-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7112G	53.13	74.00	-20.87	39.02	3	Vertical	147	1.20	-	39.40	7.98	33.27
AV	11.71436G	39.35	54.00	-14.65	25.24	3	Vertical	147	1.20	-	39.40	7.99	33.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TnomVnom



EUT X_4TX
Setting 18.5
02-D-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71332G	52.71	74.00	-21.29	38.60	3	Horizontal	159	2.78	-	39.40	7.99	33.28
AV	11.7124G	39.36	54.00	-14.64	25.26	3	Horizontal	159	2.78	-	39.40	7.98	33.28



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	5.00041G	38.71	54.00	-15.29	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	4.99976G	45.57	74.00	-28.43	2.68	3	Vertical	44	2.51	-	42.89	31.90	6.60	35.82
AV	4.99982G	35.41	54.00	-18.59	2.68	3	Vertical	44	2.51	"Worst"	32.73	31.90	6.60	35.82

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	5.00013G	47.49	74.00	-26.51	2.68	3	Horizontal	66	1.23	-	44.81	31.90	6.60	35.82
AV	5.00041G	38.71	54.00	-15.29	2.68	3	Horizontal	66	1.23	"Worst"	36.03	31.90	6.60	35.82