



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-
5745MHz	Pass	6.01	22.87	22.26	25.59	29.99
5785MHz	Pass	6.01	22.81	22.87	25.85	29.99
5825MHz	Pass	6.01	22.42	22.53	25.49	29.99
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-
5755MHz	Pass	6.01	21.86	21.39	24.64	29.99
5795MHz	Pass	6.01	22.71	22.27	25.51	29.99
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-
5775MHz	Pass	6.01	19.15	18.79	21.98	29.99

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	28.58	0.72111
802.11ax HEW20_Nss1,(MCS0)_4TX	28.74	0.74817
802.11ax HEW40_Nss1,(MCS0)_4TX	26.91	0.49091
802.11ax HEW80_Nss1,(MCS0)_4TX	23.51	0.22439



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5745MHz	Pass	4.45	22.55	22.71	22.67	22.29	28.58	30.00
5785MHz	Pass	4.45	22.28	22.58	22.61	22.25	28.45	30.00
5825MHz	Pass	4.45	21.93	22.32	22.29	21.87	28.13	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5745MHz	Pass	4.45	22.89	22.34	22.38	22.19	28.48	30.00
5785MHz	Pass	4.45	22.62	22.88	22.85	22.53	28.74	30.00
5825MHz	Pass	4.45	22.26	22.11	22.39	22.12	28.24	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5755MHz	Pass	4.45	20.24	19.98	19.91	19.68	25.98	30.00
5795MHz	Pass	4.45	21.36	20.83	20.71	20.62	26.91	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	4.45	17.84	17.38	17.47	17.25	23.51	30.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	28.74	0.74817
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	26.91	0.49091
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	23.51	0.22439



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-
5745MHz	Pass	6.75	22.89	22.34	22.38	22.19	28.48	29.25
5785MHz	Pass	6.75	22.62	22.88	22.85	22.53	28.74	29.25
5825MHz	Pass	6.75	22.26	22.11	22.39	22.12	28.24	29.25
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-
5755MHz	Pass	6.75	20.24	19.98	19.91	19.68	25.98	29.25
5795MHz	Pass	6.75	21.36	20.83	20.71	20.62	26.91	29.25
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	6.75	17.84	17.38	17.47	17.25	23.51	29.25

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.725-5.895GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	22.42	0.17458	26.70	0.46774
802.11ax HEW20_Nss1,(MCS0)_1TX	22.58	0.18113	26.86	0.48529
802.11ax HEW40_Nss1,(MCS0)_1TX	22.62	0.18281	26.90	0.48978
802.11ax HEW80_Nss1,(MCS0)_1TX	19.57	0.09057	23.85	0.24266



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.28	22.42	22.42	26.70	36.00
5865MHz	Pass	4.28	22.41	22.41	26.69	36.00
5885MHz	Pass	4.28	19.91	19.91	24.19	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.28	22.55	22.55	26.83	36.00
5865MHz	Pass	4.28	22.58	22.58	26.86	36.00
5885MHz	Pass	4.28	20.10	20.10	24.38	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5835MHz	Pass	4.28	22.62	22.62	26.90	36.00
5875MHz	Pass	4.28	19.56	19.56	23.84	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5855MHz	Pass	4.28	19.57	19.57	23.85	36.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.725-5.895GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	25.07	0.32137	29.91	0.97949
802.11ax HEW20_Nss1,(MCS0)_2TX	25.31	0.33963	30.15	1.03514
802.11ax HEW40_Nss1,(MCS0)_2TX	25.62	0.36475	30.46	1.11173
802.11ax HEW80_Nss1,(MCS0)_2TX	22.32	0.17061	27.16	0.52000



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	4.84	22.16	21.90	25.04	29.88	36.00
5865MHz	Pass	4.84	22.17	21.95	25.07	29.91	36.00
5885MHz	Pass	4.84	19.77	19.36	22.58	27.42	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	4.84	22.46	22.05	25.27	30.11	36.00
5865MHz	Pass	4.84	22.51	22.07	25.31	30.15	36.00
5885MHz	Pass	4.84	18.45	17.93	21.21	26.05	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5835MHz	Pass	4.84	22.53	22.69	25.62	30.46	36.00
5875MHz	Pass	4.84	19.73	19.09	22.43	27.27	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5855MHz	Pass	4.84	19.56	19.04	22.32	27.16	36.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.725-5.895GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	25.31	0.33963	30.88	1.22462
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	25.62	0.36475	31.19	1.31522
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	22.32	0.17061	27.89	0.61518



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	5.57	22.46	22.05	25.27	30.84	36.00
5865MHz	Pass	5.57	22.51	22.07	25.31	30.88	36.00
5885MHz	Pass	5.57	18.45	17.93	21.21	26.78	36.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-	-
5835MHz	Pass	5.57	22.53	22.69	25.62	31.19	36.00
5875MHz	Pass	5.57	19.73	19.09	22.43	28.00	36.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-	-	-	-	-
5855MHz	Pass	5.57	19.56	19.04	22.32	27.89	36.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.725-5.895GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	26.13	0.41020	30.97	1.25026
802.11ax HEW20_Nss1,(MCS0)_4TX	26.64	0.46132	31.48	1.40605
802.11ax HEW40_Nss1,(MCS0)_4TX	28.46	0.70146	33.30	2.13796
802.11ax HEW80_Nss1,(MCS0)_4TX	24.74	0.29785	29.58	0.90782



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	4.84	20.31	19.91	20.13	20.05	26.12	30.96	36.00
5865MHz	Pass	4.84	20.44	19.97	20.13	19.88	26.13	30.97	36.00
5885MHz	Pass	4.84	19.61	19.03	19.15	19.08	25.24	30.08	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	4.84	20.76	20.47	20.67	20.56	26.64	31.48	36.00
5865MHz	Pass	4.84	20.73	20.53	20.70	20.51	26.64	31.48	36.00
5885MHz	Pass	4.84	19.84	19.41	19.38	19.43	25.54	30.38	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5835MHz	Pass	4.84	22.29	22.65	22.60	22.18	28.46	33.30	36.00
5875MHz	Pass	4.84	19.67	19.08	19.25	19.29	25.35	30.19	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5855MHz	Pass	4.84	19.16	18.34	18.74	18.61	24.74	29.58	36.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.725-5.895GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	26.64	0.46132	33.07	2.02768
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	28.46	0.70146	34.89	3.08319
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	24.74	0.29785	31.17	1.30918



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	6.43	20.76	20.47	20.67	20.56	26.64	33.07	36.00
5865MHz	Pass	6.43	20.73	20.53	20.7	20.51	26.64	33.07	36.00
5885MHz	Pass	6.43	19.84	19.41	19.38	19.43	25.54	31.97	36.00
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-	-
5835MHz	Pass	6.43	22.29	22.65	22.6	22.18	28.46	34.89	36.00
5875MHz	Pass	6.43	19.67	19.08	19.25	19.29	25.35	31.78	36.00
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-	-	-	-	-	-	-
5855MHz	Pass	6.43	19.16	18.34	18.74	18.61	24.74	31.17	36.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.94
802.11ax HEW20_Nss1,(MCS0)_1TX	9.20
802.11ax HEW40_Nss1,(MCS0)_1TX	6.15
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.92
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.38
802.11ax HEW20_Nss1,(MCS0)_1TX	7.63
802.11ax HEW40_Nss1,(MCS0)_1TX	4.44
802.11ax HEW80_Nss1,(MCS0)_1TX	0.76

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	1.80	8.36	8.36	17.00
5200MHz	Pass	1.80	9.94	9.94	17.00
5240MHz	Pass	1.80	9.62	9.62	17.00
5745MHz	Pass	1.61	8.38	8.38	30.00
5785MHz	Pass	1.61	7.30	7.30	30.00
5825MHz	Pass	1.61	7.57	7.57	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	1.80	7.35	7.35	17.00
5200MHz	Pass	1.80	9.20	9.20	17.00
5240MHz	Pass	1.80	8.88	8.88	17.00
5745MHz	Pass	1.61	7.63	7.63	30.00
5785MHz	Pass	1.61	6.58	6.58	30.00
5825MHz	Pass	1.61	6.93	6.93	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	1.80	2.47	2.47	17.00
5230MHz	Pass	1.80	6.15	6.15	17.00
5755MHz	Pass	1.61	4.44	4.44	30.00
5795MHz	Pass	1.61	3.91	3.91	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	1.80	-0.92	-0.92	17.00
5775MHz	Pass	1.61	0.76	0.76	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

30/10/2021

CF
5.18GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.36	8.36	8.36

802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

30/10/2021

CF
5.2GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.94	9.94	9.94

802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.62	9.62	9.62

802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.38	8.38	8.38

802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.30	7.30	7.30

802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	7.57

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5180MHz

30/10/2021

CF
5.18GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.35	7.35	7.35

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5200MHz

30/10/2021

CF
5.2GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.20	9.20	9.20

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.88	8.88	8.88

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.63	7.63	7.63

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.58	6.58	6.58

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.93	6.93	6.93

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5190MHz

30/10/2021

CF
5.19GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	2.47

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5230MHz

30/10/2021

CF
5.23GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.15	6.15	6.15

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

30/10/2021

CF
5.755GHz


Span
60MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	4.44

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5795MHz

22/11/2021

CF
5.795GHz


Span
60MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.91	3.91	3.91

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5210MHz

30/10/2021

CF
5.21GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.92	-0.92	-0.92

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5775MHz

30/10/2021

CF
5.775GHz


Span
120MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.76	0.76	0.76



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	12.57
802.11ax HEW20_Nss1,(MCS0)_2TX	11.62
802.11ax HEW40_Nss1,(MCS0)_2TX	8.55
802.11ax HEW80_Nss1,(MCS0)_2TX	1.66
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.70
802.11ax HEW20_Nss1,(MCS0)_2TX	9.87
802.11ax HEW40_Nss1,(MCS0)_2TX	6.74
802.11ax HEW80_Nss1,(MCS0)_2TX	1.69

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.36	7.94	7.59	10.70	17.00
5200MHz	Pass	4.36	9.86	9.29	12.57	17.00
5240MHz	Pass	4.36	9.45	8.98	12.20	17.00
5745MHz	Pass	3.75	8.13	7.37	10.70	30.00
5785MHz	Pass	3.75	7.11	6.94	9.90	30.00
5825MHz	Pass	3.75	7.48	6.74	10.14	30.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.36	7.65	7.05	10.32	17.00
5200MHz	Pass	4.36	8.95	8.44	11.62	17.00
5240MHz	Pass	4.36	8.62	8.16	11.40	17.00
5745MHz	Pass	3.75	7.22	6.60	9.87	30.00
5785MHz	Pass	3.75	6.30	6.01	9.16	30.00
5825MHz	Pass	3.75	6.87	5.84	9.21	30.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.36	2.58	1.97	5.26	17.00
5230MHz	Pass	4.36	5.91	5.49	8.55	17.00
5755MHz	Pass	3.75	4.26	3.37	6.74	30.00
5795MHz	Pass	3.75	3.18	3.11	5.98	30.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.36	-0.85	-1.61	1.66	17.00
5775MHz	Pass	3.75	-0.87	-1.52	1.69	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

30/10/2021

CF
5.18GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.70	10.70	7.94	7.59

802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

30/10/2021

CF
5.2GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.57	12.57	9.86	9.29

802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.20	12.20	9.45	8.98

802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.70	10.70	8.13	7.37

802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.90	9.90	7.11	6.94

802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.14	10.14	7.48	6.74

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

30/10/2021

CF
5.18GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.32	10.32	7.65	7.05

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

30/10/2021

CF
5.2GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.62	11.62	8.95	8.44

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.40	11.40	8.62	8.16

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.87	9.87	7.22	6.60

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.16	9.16	6.30	6.01

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.21	9.21	6.87	5.84


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

30/10/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.26	5.26	2.58	1.97


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

30/10/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.55	8.55	5.91	5.49

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

30/10/2021

CF
5.755GHz


Span
60MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.74	6.74	4.26	3.37

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

30/10/2021

CF
5.795GHz


Span
60MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.98	5.98	3.18	3.11

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

30/10/2021

CF
5.21GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.66	1.66	-0.85	-1.61

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

30/10/2021

CF
5.775GHz


Span
120MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.69	1.69	-0.87	-1.52



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	15.37
802.11ax HEW20_Nss1,(MCS0)_4TX	14.46
802.11ax HEW40_Nss1,(MCS0)_4TX	10.61
802.11ax HEW80_Nss1,(MCS0)_4TX	3.13
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	13.46
802.11ax HEW20_Nss1,(MCS0)_4TX	12.73
802.11ax HEW40_Nss1,(MCS0)_4TX	9.36
802.11ax HEW80_Nss1,(MCS0)_4TX	3.99

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.45	6.41	6.07	6.15	6.29	12.11	16.55
5200MHz	Pass	6.45	9.57	9.04	9.55	9.67	15.37	16.55
5240MHz	Pass	6.45	9.09	8.72	9.08	9.42	14.93	16.55
5745MHz	Pass	5.18	7.54	6.86	7.77	8.06	13.46	30.00
5785MHz	Pass	5.18	6.27	6.15	7.15	7.25	12.52	30.00
5825MHz	Pass	5.18	6.69	5.98	6.53	7.13	12.35	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.45	5.63	5.19	5.21	5.27	11.15	16.55
5200MHz	Pass	6.45	8.43	8.02	8.89	9.06	14.46	16.55
5240MHz	Pass	6.45	8.11	7.59	8.45	8.80	14.12	16.55
5745MHz	Pass	5.18	6.81	6.05	7.11	7.36	12.73	30.00
5785MHz	Pass	5.18	5.42	5.53	6.69	6.49	11.95	30.00
5825MHz	Pass	5.18	6.07	4.83	5.95	6.59	11.77	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.45	2.49	2.10	1.93	2.16	8.01	16.55
5230MHz	Pass	6.45	5.61	4.52	4.53	4.80	10.61	16.55
5755MHz	Pass	5.18	3.43	2.75	4.01	3.85	9.36	30.00
5795MHz	Pass	5.18	2.37	2.18	3.40	3.38	8.62	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.45	-2.29	-2.98	-2.98	-2.63	3.13	16.55
5775MHz	Pass	5.18	-1.53	-1.99	-1.37	-1.87	3.99	30.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.11	12.11	6.41	6.07	6.15	6.29

802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.37	15.37	9.57	9.04	9.55	9.67

802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.93	14.93	9.09	8.72	9.08	9.42

802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.46	13.46	7.54	6.86	7.77	8.06

802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.52	12.52	6.27	6.15	7.15	7.25

802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.35	12.35	6.69	5.98	6.53	7.13

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

30/10/2021

CF
5.18GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.15	11.15	5.63	5.19	5.21	5.27

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

30/10/2021

CF
5.2GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.46	14.46	8.43	8.02	8.89	9.06

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5240MHz

30/10/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.12	14.12	8.11	7.59	8.45	8.80

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5745MHz

30/10/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.73	12.73	6.81	6.05	7.11	7.36

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

30/10/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.95	11.95	5.42	5.53	6.69	6.49

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

30/10/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.77	11.77	6.07	4.83	5.95	6.59

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.01	8.01	2.49	2.10	1.93	2.16

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	5.61	4.52	4.53	4.80


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5755MHz

30/10/2021

CF
5.755GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.36	9.36	3.43	2.75	4.01	3.85


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

30/10/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.62	8.62	2.37	2.18	3.40	3.38

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

30/10/2021

CF
5.21GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.13	3.13	-2.29	-2.98	-2.98	-2.63

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5775MHz

30/10/2021

CF
5.775GHz


Span
120MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	-1.53	-1.99	-1.37	-1.87



Summary

Mode	PD (dBm/RBW)
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.73
802.11ax HEW20_Nss1,(MCS0)_1TX	8.17
802.11ax HEW40_Nss1,(MCS0)_1TX	5.49
802.11ax HEW80_Nss1,(MCS0)_1TX	0.28

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5745MHz	Pass	4.33	8.73	8.73	30.00
5785MHz	Pass	4.33	8.58	8.58	30.00
5825MHz	Pass	4.33	8.14	8.14	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5745MHz	Pass	4.33	8.12	8.12	30.00
5785MHz	Pass	4.33	8.17	8.17	30.00
5825MHz	Pass	4.33	7.69	7.69	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5755MHz	Pass	4.33	4.76	4.76	30.00
5795MHz	Pass	4.33	5.49	5.49	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5775MHz	Pass	4.33	0.28	0.28	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


802.11a_Nss1,(6Mbps)_1TX


PSD

5745MHz

13/11/2021

CF
5.745GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.73	8.73	8.73


802.11a_Nss1,(6Mbps)_1TX


PSD

5785MHz

13/11/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.58	8.58	8.58

802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.14	8.14	8.14

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

13/11/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.12	8.12	8.12

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5785MHz

13/11/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.17	8.17	8.17

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.69	7.69	7.69

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

13/11/2021

CF
5.755GHz


Span
60MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.76	4.76	4.76

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5795MHz

13/11/2021

CF
5.795GHz


Span
60MHz

RBW
500kHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.49	5.49	5.49





Summary

Mode	PD (dBm/RBW)
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	11.65
802.11ax HEW20_Nss1,(MCS0)_2TX	11.04
802.11ax HEW40_Nss1,(MCS0)_2TX	7.83
802.11ax HEW80_Nss1,(MCS0)_2TX	1.25

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5745MHz	Pass	6.01	8.86	8.46	11.65	29.99
5785MHz	Pass	6.01	8.55	8.75	11.61	29.99
5825MHz	Pass	6.01	8.03	8.22	11.10	29.99
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5745MHz	Pass	6.01	8.09	7.73	10.83	29.99
5785MHz	Pass	6.01	8.01	8.06	11.04	29.99
5825MHz	Pass	6.01	7.49	7.72	10.55	29.99
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5755MHz	Pass	6.01	4.17	3.90	7.04	29.99
5795MHz	Pass	6.01	5.06	4.65	7.83	29.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5775MHz	Pass	6.01	-1.54	-1.87	1.25	29.99

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

13/11/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.65	11.65	8.86	8.46

802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

13/11/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.61	11.61	8.55	8.75

802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.10	11.10	8.03	8.22

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

13/11/2021

CF
5.745GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.83	10.83	8.09	7.73

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

13/11/2021

CF
5.785GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.04	11.04	8.01	8.06

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.55	10.55	7.49	7.72

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

13/11/2021

CF
5.755GHz


Span
60MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.04	7.04	4.17	3.90

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

13/11/2021

CF
5.795GHz


Span
60MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.83	7.83	5.06	4.65

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

13/11/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.25	1.25	-1.54	-1.87



Summary

Mode	PD (dBm/RBW)
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	14.61
802.11ax HEW20_Nss1,(MCS0)_4TX	13.88
802.11ax HEW40_Nss1,(MCS0)_4TX	9.20
802.11ax HEW80_Nss1,(MCS0)_4TX	2.73

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5745MHz	Pass	6.75	8.70	8.69	8.75	8.38	14.61	29.25
5785MHz	Pass	6.75	8.25	8.55	8.50	8.28	14.35	29.25
5825MHz	Pass	6.75	7.85	8.16	7.92	7.71	13.89	29.25
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5745MHz	Pass	6.75	8.24	7.58	7.76	7.37	13.61	29.25
5785MHz	Pass	6.75	7.70	8.13	8.26	7.70	13.88	29.25
5825MHz	Pass	6.75	7.43	7.63	7.70	7.24	13.38	29.25
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5755MHz	Pass	6.75	2.56	2.40	2.71	2.29	8.35	29.25
5795MHz	Pass	6.75	3.77	3.13	3.36	3.02	9.20	29.25
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	6.75	-2.81	-3.26	-2.99	-3.36	2.73	29.25

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

13/11/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.61	14.61	8.70	8.69	8.75	8.38

802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

13/11/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.35	14.35	8.25	8.55	8.50	8.28

802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.89	13.89	7.85	8.16	7.92	7.71

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5745MHz

13/11/2021

CF
5.745GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.61	13.61	8.24	7.58	7.76	7.37

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

13/11/2021

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.88	13.88	7.70	8.13	8.26	7.70

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

13/11/2021

CF
5.825GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.38	13.38	7.43	7.63	7.70	7.24


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5755MHz

13/11/2021

CF
5.755GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.35	8.35	2.56	2.40	2.71	2.29


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5795MHz

13/11/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.20	9.20	3.77	3.13	3.36	3.02

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5775MHz

13/11/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.73	2.73	-2.81	-3.26	-2.99	-3.36



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.60	13.88
802.11ax HEW20_Nss1,(MCS0)_1TX	9.06	13.34
802.11ax HEW40_Nss1,(MCS0)_1TX	4.57	8.85
802.11ax HEW80_Nss1,(MCS0)_1TX	0.36	4.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.28	9.51	9.51	13.79	20.00
5865MHz	Pass	4.28	9.60	9.60	13.88	20.00
5885MHz	Pass	4.28	7.28	7.28	11.56	20.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.28	8.96	8.96	13.24	20.00
5865MHz	Pass	4.28	9.06	9.06	13.34	20.00
5885MHz	Pass	4.28	6.88	6.88	11.16	20.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5835MHz	Pass	4.28	4.57	4.57	8.85	20.00
5875MHz	Pass	4.28	3.51	3.51	7.79	20.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5855MHz	Pass	4.28	0.36	0.36	4.64	20.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


802.11a_Nss1,(6Mbps)_1TX


PSD

5845MHz

13/11/2021

CF
5.845GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.51	9.51	9.51


802.11a_Nss1,(6Mbps)_1TX


PSD

5865MHz

13/11/2021

CF
5.865GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.60	9.60	9.60

802.11a_Nss1,(6Mbps)_1TX

PSD

5885MHz

13/11/2021

CF
5.885GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.28	7.28	7.28

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

13/11/2021

CF
5.845GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.96	8.96	8.96

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

13/11/2021

CF
5.865GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.06	9.06	9.06

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

13/11/2021

CF
5.885GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.88	6.88	6.88

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5835MHz

13/11/2021

CF
5.835GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	4.57

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5875MHz

13/11/2021

CF
5.875GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.51	3.51	3.51

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5855MHz

13/11/2021

CF
5.855GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.36	0.36	0.36



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	12.31	17.88
802.11ax HEW20_Nss1,(MCS0)_2TX	11.84	17.41
802.11ax HEW40_Nss1,(MCS0)_2TX	7.65	13.22
802.11ax HEW80_Nss1,(MCS0)_2TX	3.00	8.57

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	5.57	9.46	9.10	12.28	17.85	20.00
5865MHz	Pass	5.57	9.47	9.30	12.31	17.88	20.00
5885MHz	Pass	5.57	7.20	6.79	9.96	15.53	20.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	5.57	9.04	8.63	11.83	17.40	20.00
5865MHz	Pass	5.57	9.03	8.72	11.84	17.41	20.00
5885MHz	Pass	5.57	5.17	4.55	7.87	13.44	20.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5835MHz	Pass	5.57	4.55	4.81	7.65	13.22	20.00
5875MHz	Pass	5.57	3.58	2.97	6.21	11.78	20.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5855MHz	Pass	5.57	0.39	-0.17	3.00	8.57	20.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5845MHz

13/11/2021

CF
5.845GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.28	12.28	9.46	9.10

802.11a_Nss1,(6Mbps)_2TX

PSD

5865MHz

13/11/2021

CF
5.865GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.31	12.31	9.47	9.30

802.11a_Nss1,(6Mbps)_2TX

PSD

5885MHz

13/11/2021

CF
5.885GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.96	9.96	7.20	6.79

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

13/11/2021

CF
5.845GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.83	11.83	9.04	8.63

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

13/11/2021

CF
5.865GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.84	11.84	9.03	8.72

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5885MHz

13/11/2021

CF
5.885GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.87	7.87	5.17	4.55

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5835MHz

13/11/2021

CF
5.835GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.65	7.65	4.55	4.81

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5875MHz

13/11/2021

CF
5.875GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.21	6.21	3.58	2.97

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5855MHz

13/11/2021

CF
5.855GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.00	3.00	0.39	-0.17



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	13.46	19.89
802.11ax HEW20_Nss1,(MCS0)_4TX	13.31	19.74
802.11ax HEW40_Nss1,(MCS0)_4TX	10.59	17.02
802.11ax HEW80_Nss1,(MCS0)_4TX	5.43	11.86

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	6.43	7.63	7.17	7.34	7.27	13.31	19.74	20.00
5865MHz	Pass	6.43	7.83	7.30	7.38	7.27	13.46	19.89	20.00
5885MHz	Pass	6.43	7.01	6.44	6.49	6.42	12.54	18.97	20.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	6.43	7.45	7.24	7.45	7.20	13.25	19.68	20.00
5865MHz	Pass	6.43	7.65	7.40	7.52	7.27	13.31	19.74	20.00
5885MHz	Pass	6.43	6.61	6.37	6.26	6.10	12.26	18.69	20.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5835MHz	Pass	6.43	4.46	4.80	4.79	4.37	10.59	17.02	20.00
5875MHz	Pass	6.43	3.45	2.86	3.25	3.04	8.98	15.41	20.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5855MHz	Pass	6.43	-0.19	-0.62	-0.41	-0.56	5.43	11.86	20.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5845MHz

13/11/2021

CF
5.845GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.31	13.31	7.63	7.17	7.34	7.27

802.11a_Nss1,(6Mbps)_4TX

PSD

5865MHz

13/11/2021

CF
5.865GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.46	13.46	7.83	7.30	7.38	7.27

802.11a_Nss1,(6Mbps)_4TX

PSD

5885MHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.54	12.54	7.01	6.44	6.49	6.42

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5845MHz

13/11/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.25	13.25	7.45	7.24	7.45	7.20

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5865MHz

13/11/2021

CF
5.865GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.31	13.31	7.65	7.40	7.52	7.27

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5885MHz

13/11/2021

CF
5.885GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.26	12.26	6.61	6.37	6.26	6.10

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5835MHz

13/11/2021

CF
5.835GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	4.46	4.80	4.79	4.37

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5875MHz

13/11/2021

CF
5.875GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.98	8.98	3.45	2.86	3.25	3.04

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5855MHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.43	5.43	-0.19	-0.62	-0.41	-0.56



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 7	Pass	QP	56.19M	35.99	40.00	-4.01	Vertical

Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	38.73M	34.86	40.00	-5.14	-11.36	3	Vertical	303	1.00	-	46.22	19.38	0.90	31.64
QP	56.19M	35.99	40.00	-4.01	-18.19	3	Vertical	303	1.00	"Worst"	54.18	12.51	1.12	31.82
QP	76.56M	32.86	40.00	-7.14	-18.20	3	Vertical	303	1.00	-	51.06	12.41	1.30	31.91
QP	102.75M	30.10	43.50	-13.40	-13.34	3	Vertical	360	1.00	-	43.44	17.03	1.51	31.88
QP	155.13M	29.89	43.50	-13.61	-14.14	3	Vertical	20	1.00	-	44.03	15.94	1.88	31.96
QP	262.8M	29.57	46.00	-16.43	-10.29	3	Vertical	186	1.00	-	39.86	19.26	2.48	32.03

Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	34.13	40.00	-5.87	-9.71	3	Horizontal	314	1.25	-	43.84	20.99	0.90	31.60
QP	58.13M	28.02	40.00	-11.98	-18.34	3	Horizontal	157	2.00	-	46.36	12.33	1.16	31.83
QP	75.59M	34.70	40.00	-5.30	-18.28	3	Horizontal	18	1.00	"Worst"	52.98	12.32	1.30	31.90
QP	87.23M	26.69	40.00	-13.31	-16.46	3	Horizontal	166	2.00	-	43.15	14.05	1.40	31.91
QP	929.19M	31.69	46.00	-14.31	-1.40	3	Horizontal	140	1.50	-	33.09	26.21	5.00	32.61
QP	950.53M	32.14	46.00	-13.86	-1.10	3	Horizontal	27	1.00	-	33.24	26.47	5.00	32.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	267	2.30	-

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	59.44	68.20	-8.76	53.26	3	Vertical	337	1.80	-	34.10	5.30	33.22
PK	5.739G	112.48	Inf	-Inf	106.46	3	Vertical	337	1.80	-	34.00	5.30	33.28
AV	5.742G	102.94	Inf	-Inf	96.92	3	Vertical	337	1.80	-	34.00	5.30	33.28
PK	5.939G	57.88	68.20	-10.32	51.47	3	Vertical	337	1.80	-	34.40	5.37	33.36

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	58.36	68.20	-9.84	52.01	3	Horizontal	96	2.04	-	34.30	5.25	33.20
PK	5.743G	105.56	Inf	-Inf	99.54	3	Horizontal	96	2.04	-	34.00	5.30	33.28
AV	5.742G	96.15	Inf	-Inf	90.13	3	Horizontal	96	2.04	-	34.00	5.30	33.28
PK	5.935G	57.91	68.20	-10.29	51.49	3	Horizontal	96	2.04	-	34.40	5.37	33.35

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49G	57.73	74.00	-16.27	43.27	3	Vertical	160	2.21	-	38.40	8.87	32.81
AV	11.48988G	47.35	54.00	-6.65	32.89	3	Vertical	160	2.21	-	38.40	8.87	32.81

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49124G	55.98	74.00	-18.02	41.52	3	Horizontal	13	1.80	-	38.40	8.87	32.81
AV	11.48996G	43.10	54.00	-10.90	28.64	3	Horizontal	13	1.80	-	38.40	8.87	32.81

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	58.91	68.20	-9.29	52.69	3	Vertical	337	1.71	-	34.15	5.29	33.22
PK	5.779G	110.91	Inf	-Inf	104.84	3	Vertical	337	1.71	-	34.06	5.30	33.29
AV	5.787G	101.53	Inf	-Inf	95.45	3	Vertical	337	1.71	-	34.07	5.30	33.29
PK	6.03G	58.72	68.20	-9.48	52.15	3	Vertical	337	1.71	-	34.50	5.43	33.36

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	59.23	68.20	-8.97	53.06	3	Horizontal	99	2.37	-	34.10	5.30	33.23
PK	5.783G	103.89	Inf	-Inf	97.81	3	Horizontal	99	2.37	-	34.07	5.30	33.29
AV	5.784G	94.22	Inf	-Inf	88.14	3	Horizontal	99	2.37	-	34.07	5.30	33.29
PK	5.93G	58.36	68.20	-9.84	51.94	3	Horizontal	99	2.37	-	34.40	5.37	33.35

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57G	56.93	74.00	-17.07	42.46	3	Vertical	45	1.07	-	38.40	8.89	32.82
AV	11.56992G	47.21	54.00	-6.79	32.74	3	Vertical	45	1.07	-	38.40	8.89	32.82

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57932G	55.22	74.00	-18.78	40.75	3	Horizontal	141	1.87	-	38.40	8.89	32.82
AV	11.56996G	43.11	54.00	-10.89	28.64	3	Horizontal	141	1.87	-	38.40	8.89	32.82

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.78	68.20	-9.42	52.61	3	Vertical	338	1.79	-	34.10	5.30	33.23
PK	5.828G	111.57	Inf	-Inf	105.36	3	Vertical	338	1.79	-	34.21	5.31	33.31
AV	5.828G	102.50	Inf	-Inf	96.29	3	Vertical	338	1.79	-	34.21	5.31	33.31
PK	5.925G	58.97	68.20	-9.23	52.56	3	Vertical	338	1.79	-	34.40	5.36	33.35

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.81	68.20	-9.39	52.65	3	Horizontal	99	2.36	-	34.10	5.30	33.24
PK	5.829G	105.04	Inf	-Inf	98.82	3	Horizontal	99	2.36	-	34.22	5.31	33.31
AV	5.828G	95.52	Inf	-Inf	89.31	3	Horizontal	99	2.36	-	34.21	5.31	33.31
PK	6.052G	59.02	68.20	-9.18	52.41	3	Horizontal	99	2.36	-	34.50	5.45	33.34

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64952G	56.16	74.00	-17.84	41.63	3	Vertical	46	1.80	-	38.45	8.91	32.83
AV	11.64992G	45.10	54.00	-8.90	30.57	3	Vertical	46	1.80	-	38.45	8.91	32.83

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.652G	55.14	74.00	-18.86	40.61	3	Horizontal	350	2.13	-	38.45	8.91	32.83
AV	11.64968G	42.26	54.00	-11.74	27.73	3	Horizontal	350	2.13	-	38.45	8.91	32.83

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.574G	59.97	68.20	-8.23	53.71	3	Vertical	337	2.21	-	34.20	5.27	33.21
PK	5.74G	116.09	Inf	-Inf	110.07	3	Vertical	337	2.21	-	34.00	5.30	33.28
AV	5.742G	102.56	Inf	-Inf	96.54	3	Vertical	337	2.21	-	34.00	5.30	33.28
PK	5.933G	58.73	68.20	-9.47	52.31	3	Vertical	337	2.21	-	34.40	5.37	33.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.543G	59.99	68.20	-8.21	53.66	3	Horizontal	96	2.49	-	34.29	5.24	33.20
PK	5.74G	109.32	Inf	-Inf	103.30	3	Horizontal	96	2.49	-	34.00	5.30	33.28
AV	5.742G	95.72	Inf	-Inf	89.70	3	Horizontal	96	2.49	-	34.00	5.30	33.28
PK	5.973G	58.86	68.20	-9.34	52.39	3	Horizontal	96	2.49	-	34.45	5.39	33.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4898G	57.35	74.00	-16.65	42.89	3	Vertical	163	2.21	-	38.40	8.87	32.81
AV	11.48984G	47.57	54.00	-6.43	33.11	3	Vertical	163	2.21	-	38.40	8.87	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4902G	56.05	74.00	-17.95	41.59	3	Horizontal	128	1.92	-	38.40	8.87	32.81
AV	11.48972G	42.59	54.00	-11.41	28.13	3	Horizontal	128	1.92	-	38.40	8.87	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	59.87	68.20	-8.33	53.64	3	Vertical	337	2.20	-	34.16	5.28	33.21
PK	5.783G	113.64	Inf	-Inf	107.56	3	Vertical	337	2.20	-	34.07	5.30	33.29
AV	5.783G	100.30	Inf	-Inf	94.22	3	Vertical	337	2.20	-	34.07	5.30	33.29
PK	5.948G	58.93	68.20	-9.27	52.52	3	Vertical	337	2.20	-	34.40	5.37	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	59.86	68.20	-8.34	53.57	3	Horizontal	85	2.31	-	34.24	5.26	33.21
PK	5.784G	106.14	Inf	-Inf	100.06	3	Horizontal	85	2.31	-	34.07	5.30	33.29
AV	5.788G	92.96	Inf	-Inf	86.88	3	Horizontal	85	2.31	-	34.08	5.30	33.30
PK	5.965G	59.11	68.20	-9.09	52.67	3	Horizontal	85	2.31	-	34.43	5.38	33.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56972G	56.72	74.00	-17.28	42.25	3	Vertical	162	1.63	-	38.40	8.89	32.82
AV	11.56988G	42.86	54.00	-11.14	28.39	3	Vertical	162	1.63	-	38.40	8.89	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5682G	55.39	74.00	-18.61	40.92	3	Horizontal	8	2.58	-	38.40	8.89	32.82
AV	11.56972G	42.08	54.00	-11.92	27.61	3	Horizontal	8	2.58	-	38.40	8.89	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	59.77	68.20	-8.43	53.58	3	Vertical	337	2.25	-	34.12	5.29	33.22
PK	5.818G	115.21	Inf	-Inf	109.04	3	Vertical	337	2.25	-	34.17	5.31	33.31
AV	5.828G	103.08	Inf	-Inf	96.87	3	Vertical	337	2.25	-	34.21	5.31	33.31
PK	6.038G	59.89	68.20	-8.31	53.30	3	Vertical	337	2.25	-	34.50	5.44	33.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	59.91	68.20	-8.29	53.68	3	Horizontal	85	2.45	-	34.16	5.28	33.21
PK	5.827G	109.23	Inf	-Inf	103.02	3	Horizontal	85	2.45	-	34.21	5.31	33.31
AV	5.827G	96.06	Inf	-Inf	89.85	3	Horizontal	85	2.45	-	34.21	5.31	33.31
PK	6.045G	60.55	68.20	-7.65	53.95	3	Horizontal	85	2.45	-	34.50	5.45	33.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	57.69	74.00	-16.31	43.16	3	Vertical	46	1.10	-	38.45	8.91	32.83
AV	11.64984G	46.23	54.00	-7.77	31.70	3	Vertical	46	1.10	-	38.45	8.91	32.83

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64644G	55.95	74.00	-18.05	41.42	3	Horizontal	222	2.92	-	38.45	8.91	32.83
AV	11.64992G	44.09	54.00	-9.91	29.56	3	Horizontal	222	2.92	-	38.45	8.91	32.83

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	62.71	68.20	-5.49	56.54	3	Vertical	338	2.18	-	34.10	5.30	33.23
PK	5.738G	113.00	Inf	-Inf	106.98	3	Vertical	338	2.18	-	34.00	5.30	33.28
AV	5.744G	99.58	Inf	-Inf	93.56	3	Vertical	338	2.18	-	34.00	5.30	33.28
PK	5.958G	59.08	68.20	-9.12	52.64	3	Vertical	338	2.18	-	34.42	5.38	33.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.553G	59.68	68.20	-8.52	53.34	3	Horizontal	98	2.97	-	34.29	5.25	33.20
PK	5.743G	105.06	Inf	-Inf	99.04	3	Horizontal	98	2.97	-	34.00	5.30	33.28
AV	5.753G	92.43	Inf	-Inf	86.40	3	Horizontal	98	2.97	-	34.01	5.30	33.28
PK	5.95G	59.35	68.20	-8.85	52.94	3	Horizontal	98	2.97	-	34.40	5.37	33.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50948G	57.51	74.00	-16.49	43.04	3	Vertical	161	2.18	-	38.40	8.88	32.81
AV	11.50988G	47.65	54.00	-6.35	33.18	3	Vertical	161	2.18	-	38.40	8.88	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50996G	55.77	74.00	-18.23	41.30	3	Horizontal	356	1.35	-	38.40	8.88	32.81
AV	11.5098G	42.86	54.00	-11.14	28.39	3	Horizontal	356	1.35	-	38.40	8.88	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.67	68.20	-8.53	53.50	3	Vertical	336	2.26	-	34.10	5.30	33.23
PK	5.792G	111.04	Inf	-Inf	104.96	3	Vertical	336	2.26	-	34.08	5.30	33.30
AV	5.797G	98.17	Inf	-Inf	92.08	3	Vertical	336	2.26	-	34.09	5.30	33.30
PK	5.928G	59.73	68.20	-8.47	53.32	3	Vertical	336	2.26	-	34.40	5.36	33.35

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	59.16	68.20	-9.04	52.89	3	Horizontal	86	2.31	-	34.20	5.28	33.21
PK	5.797G	103.18	Inf	-Inf	97.09	3	Horizontal	86	2.31	-	34.09	5.30	33.30
AV	5.796G	90.58	Inf	-Inf	84.49	3	Horizontal	86	2.31	-	34.09	5.30	33.30
PK	6.002G	59.64	68.20	-8.56	53.12	3	Horizontal	86	2.31	-	34.50	5.40	33.38

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58996G	57.29	74.00	-16.71	42.81	3	Vertical	140	1.94	-	38.40	8.90	32.82
AV	11.58984G	45.46	54.00	-8.54	30.98	3	Vertical	140	1.94	-	38.40	8.90	32.82

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59836G	55.06	74.00	-18.94	40.58	3	Horizontal	14	1.15	-	38.40	8.90	32.82
AV	11.59821G	41.83	54.00	-12.17	27.35	3	Horizontal	14	1.15	-	38.40	8.90	32.82

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	68.14	68.35	-0.21	61.98	3	Vertical	338	2.27	-	34.10	5.30	33.24
PK	5.7522G	109.61	Inf	-Inf	103.59	3	Vertical	338	2.27	-	34.00	5.30	33.28
AV	5.7546G	96.47	Inf	-Inf	90.44	3	Vertical	338	2.27	-	34.01	5.30	33.28
PK	6.069G	59.90	68.20	-8.30	53.30	3	Vertical	338	2.27	-	34.46	5.47	33.33

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6466G	62.91	68.20	-5.29	56.75	3	Horizontal	95	2.97	-	34.10	5.30	33.24
PK	5.7462G	102.87	Inf	-Inf	96.85	3	Horizontal	95	2.97	-	34.00	5.30	33.28
AV	5.7522G	89.63	Inf	-Inf	83.61	3	Horizontal	95	2.97	-	34.00	5.30	33.28
PK	6.0534G	61.09	68.20	-7.11	54.49	3	Horizontal	95	2.97	-	34.49	5.45	33.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 21
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54648G	56.19	74.00	-17.81	41.72	3	Vertical	160	2.18	-	38.40	8.89	32.82
AV	11.54988G	45.93	54.00	-8.07	31.46	3	Vertical	160	2.18	-	38.40	8.89	32.82

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT_Z_1TX
Setting 21
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54552G	55.07	74.00	-18.93	40.60	3	Horizontal	218	1.70	-	38.40	8.89	32.82
AV	11.54984G	42.98	54.00	-11.02	28.51	3	Horizontal	218	1.70	-	38.40	8.89	32.82




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1474G	53.99	54.00	-0.01	3	Horizontal	297	2.32	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.22	74.00	-6.78	60.74	3	Vertical	20	3.00	-	34.60	5.05	33.17
AV	5.15G	51.64	54.00	-2.36	45.16	3	Vertical	20	3.00	-	34.60	5.05	33.17
PK	5.1856G	112.65	Inf	-Inf	106.06	3	Vertical	20	3.00	-	34.67	5.09	33.17
AV	5.181G	103.29	Inf	-Inf	96.72	3	Vertical	20	3.00	-	34.66	5.08	33.17

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	69.28	74.00	-4.72	62.81	3	Horizontal	297	2.32	-	34.59	5.05	33.17
AV	5.1474G	53.99	54.00	-0.01	47.52	3	Horizontal	297	2.32	-	34.59	5.05	33.17
PK	5.1822G	117.36	Inf	-Inf	110.79	3	Horizontal	297	2.32	-	34.66	5.08	33.17
AV	5.1824G	107.69	Inf	-Inf	101.12	3	Horizontal	297	2.32	-	34.66	5.08	33.17

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53544G	60.66	74.00	-13.34	45.13	3	Vertical	2	2.14	-	41.68	8.98	35.13
AV	15.543G	47.64	54.00	-6.36	32.06	3	Vertical	2	2.14	-	41.72	8.99	35.13

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54252G	60.68	74.00	-13.32	45.11	3	Horizontal	25	2.54	-	41.71	8.99	35.13
AV	15.54434G	47.54	54.00	-6.46	31.96	3	Horizontal	25	2.54	-	41.72	8.99	35.13

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.16	74.00	-13.84	53.68	3	Vertical	21	3.00	-	34.60	5.05	33.17
AV	5.1484G	47.93	54.00	-6.07	41.46	3	Vertical	21	3.00	-	34.59	5.05	33.17
PK	5.198G	114.73	Inf	-Inf	108.10	3	Vertical	21	3.00	-	34.70	5.10	33.17
AV	5.2028G	104.86	Inf	-Inf	98.24	3	Vertical	21	3.00	-	34.69	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.58	74.00	-12.42	55.12	3	Horizontal	284	1.61	-	34.58	5.05	33.17
AV	5.1468G	48.99	54.00	-5.01	42.52	3	Horizontal	284	1.61	-	34.59	5.05	33.17
PK	5.1968G	117.41	Inf	-Inf	110.79	3	Horizontal	284	1.61	-	34.69	5.10	33.17
AV	5.2012G	108.34	Inf	-Inf	101.71	3	Horizontal	284	1.61	-	34.70	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6G	60.87	74.00	-13.13	45.01	3	Vertical	157	1.38	-	42.00	9.00	35.14
AV	15.60404G	47.48	54.00	-6.52	31.61	3	Vertical	157	1.38	-	42.01	9.00	35.14

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59618G	60.69	74.00	-13.31	44.85	3	Horizontal	76	1.08	-	41.98	9.00	35.14
AV	15.60476G	47.67	54.00	-6.33	31.80	3	Horizontal	76	1.08	-	42.01	9.00	35.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.70	74.00	-14.30	53.23	3	Vertical	12	2.93	-	34.59	5.05	33.17
AV	5.1494G	46.92	54.00	-7.08	40.44	3	Vertical	12	2.93	-	34.60	5.05	33.17
PK	5.243G	115.02	Inf	-Inf	108.48	3	Vertical	12	2.93	-	34.61	5.10	33.17
AV	5.243G	105.45	Inf	-Inf	98.91	3	Vertical	12	2.93	-	34.61	5.10	33.17
PK	5.3666G	60.48	74.00	-13.52	53.95	3	Vertical	12	2.93	-	34.60	5.10	33.17
AV	5.3708G	47.56	54.00	-6.44	41.03	3	Vertical	12	2.93	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	60.56	74.00	-13.44	54.16	3	Horizontal	298	2.31	-	34.54	5.03	33.17
AV	5.1362G	47.46	54.00	-6.54	41.05	3	Horizontal	298	2.31	-	34.54	5.04	33.17
PK	5.2394G	117.72	Inf	-Inf	111.17	3	Horizontal	298	2.31	-	34.62	5.10	33.17
AV	5.2346G	108.78	Inf	-Inf	102.22	3	Horizontal	298	2.31	-	34.63	5.10	33.17
PK	5.3708G	61.26	74.00	-12.74	54.73	3	Horizontal	298	2.31	-	34.60	5.10	33.17
AV	5.375G	47.92	54.00	-6.08	41.39	3	Horizontal	298	2.31	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71772G	63.13	74.00	-10.87	46.97	3	Vertical	283	1.44	-	42.27	9.03	35.14
AV	15.72454G	48.57	54.00	-5.43	32.38	3	Vertical	283	1.44	-	42.30	9.03	35.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7156G	61.49	74.00	-12.51	45.34	3	Horizontal	123	1.06	-	42.26	9.03	35.14
AV	15.7186G	48.59	54.00	-5.41	32.43	3	Horizontal	123	1.06	-	42.27	9.03	35.14

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	59.61	68.20	-8.59	53.29	3	Vertical	349	2.87	-	34.27	5.24	33.19
PK	5.742G	113.99	Inf	-Inf	107.97	3	Vertical	349	2.87	-	34.00	5.30	33.28
AV	5.741G	103.89	Inf	-Inf	97.87	3	Vertical	349	2.87	-	34.00	5.30	33.28
PK	5.946G	59.86	68.20	-8.34	53.45	3	Vertical	349	2.87	-	34.40	5.37	33.36

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	60.75	68.20	-7.45	54.40	3	Horizontal	303	2.91	-	34.30	5.25	33.20
PK	5.742G	117.60	Inf	-Inf	111.58	3	Horizontal	303	2.91	-	34.00	5.30	33.28
AV	5.746G	108.12	Inf	-Inf	102.10	3	Horizontal	303	2.91	-	34.00	5.30	33.28
PK	5.942G	59.90	68.20	-8.30	53.49	3	Horizontal	303	2.91	-	34.40	5.37	33.36

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49352G	58.71	74.00	-15.29	42.83	3	Vertical	227	2.84	-	41.99	8.65	34.76
AV	11.49426G	45.02	54.00	-8.98	29.14	3	Vertical	227	2.84	-	41.99	8.65	34.76

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49304G	59.08	74.00	-14.92	43.20	3	Horizontal	120	1.57	-	41.99	8.65	34.76
AV	11.49422G	47.76	54.00	-6.24	31.88	3	Horizontal	120	1.57	-	41.99	8.65	34.76

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.52	68.20	-8.68	53.36	3	Vertical	352	2.70	-	34.10	5.30	33.24
PK	5.788G	113.01	Inf	-Inf	106.93	3	Vertical	352	2.70	-	34.08	5.30	33.30
AV	5.788G	103.38	Inf	-Inf	97.30	3	Vertical	352	2.70	-	34.08	5.30	33.30
PK	5.944G	60.02	68.20	-8.18	53.61	3	Vertical	352	2.70	-	34.40	5.37	33.36

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.559G	61.04	68.20	-7.16	54.72	3	Horizontal	306	2.73	-	34.26	5.26	33.20
PK	5.788G	117.30	Inf	-Inf	111.22	3	Horizontal	306	2.73	-	34.08	5.30	33.30
AV	5.788G	107.54	Inf	-Inf	101.46	3	Horizontal	306	2.73	-	34.08	5.30	33.30
PK	6.027G	60.09	68.20	-8.11	53.52	3	Horizontal	306	2.73	-	34.50	5.43	33.36

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57104G	60.00	74.00	-14.00	43.88	3	Vertical	20	1.90	-	42.21	8.70	34.79
AV	11.56636G	45.95	54.00	-8.05	29.84	3	Vertical	20	1.90	-	42.20	8.70	34.79

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56718G	59.56	74.00	-14.44	43.45	3	Horizontal	87	1.92	-	42.20	8.70	34.79
AV	11.57492G	47.98	54.00	-6.02	31.85	3	Horizontal	87	1.92	-	42.22	8.70	34.79

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.01	68.20	-8.19	53.76	3	Vertical	314	1.80	-	34.18	5.28	33.21
PK	5.828G	112.07	Inf	-Inf	105.86	3	Vertical	314	1.80	-	34.21	5.31	33.31
AV	5.828G	102.25	Inf	-Inf	96.04	3	Vertical	314	1.80	-	34.21	5.31	33.31
PK	6.031G	60.50	68.20	-7.70	53.93	3	Vertical	314	1.80	-	34.50	5.43	33.36

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.08	68.20	-8.12	53.91	3	Horizontal	306	2.84	-	34.10	5.30	33.23
PK	5.826G	117.79	Inf	-Inf	111.59	3	Horizontal	306	2.84	-	34.20	5.31	33.31
AV	5.826G	108.48	Inf	-Inf	102.28	3	Horizontal	306	2.84	-	34.20	5.31	33.31
PK	6.074G	59.69	68.20	-8.51	53.10	3	Horizontal	306	2.84	-	34.45	5.47	33.33

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64994G	60.79	74.00	-13.21	44.46	3	Vertical	2	1.20	-	42.40	8.75	34.82
AV	11.64996G	48.06	54.00	-5.94	31.73	3	Vertical	2	1.20	-	42.40	8.75	34.82

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64978G	61.05	74.00	-12.95	44.72	3	Horizontal	83	1.67	-	42.40	8.75	34.82
AV	11.6499G	48.02	54.00	-5.98	31.69	3	Horizontal	83	1.67	-	42.40	8.75	34.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUTX_2TX
Setting 20.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	69.44	74.00	-4.56	62.96	3	Vertical	16	3.00	-	34.60	5.05	33.17
AV	5.15G	53.24	54.00	-0.76	46.76	3	Vertical	16	3.00	-	34.60	5.05	33.17
PK	5.1808G	117.28	Inf	-Inf	110.71	3	Vertical	16	3.00	-	34.66	5.08	33.17
AV	5.1812G	103.18	Inf	-Inf	96.61	3	Vertical	16	3.00	-	34.66	5.08	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUTX_2TX
Setting 20.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	69.37	74.00	-4.63	62.91	3	Horizontal	84	1.15	-	34.58	5.05	33.17
AV	5.1466G	53.54	54.00	-0.46	47.07	3	Horizontal	84	1.15	-	34.59	5.05	33.17
PK	5.1754G	116.87	Inf	-Inf	110.31	3	Horizontal	84	1.15	-	34.65	5.08	33.17
AV	5.1848G	103.09	Inf	-Inf	96.51	3	Horizontal	84	1.15	-	34.67	5.08	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5415G	60.27	74.00	-13.73	44.70	3	Vertical	123	1.58	-	41.71	8.99	35.13
AV	15.5446G	46.80	54.00	-7.20	31.22	3	Vertical	123	1.58	-	41.72	8.99	35.13

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53832G	60.32	74.00	-13.68	44.78	3	Horizontal	237	2.45	-	41.69	8.98	35.13
AV	15.5382G	46.65	54.00	-7.35	31.11	3	Horizontal	237	2.45	-	41.69	8.98	35.13

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	60.05	74.00	-13.95	53.62	3	Vertical	14	2.96	-	34.56	5.04	33.17
AV	5.1472G	47.29	54.00	-6.71	40.82	3	Vertical	14	2.96	-	34.59	5.05	33.17
PK	5.1948G	117.01	Inf	-Inf	110.40	3	Vertical	14	2.96	-	34.69	5.09	33.17
AV	5.206G	103.82	Inf	-Inf	97.20	3	Vertical	14	2.96	-	34.69	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.32	74.00	-8.68	58.84	3	Horizontal	288	1.17	-	34.60	5.05	33.17
AV	5.1492G	50.22	54.00	-3.78	43.74	3	Horizontal	288	1.17	-	34.60	5.05	33.17
PK	5.1988G	120.16	Inf	-Inf	113.53	3	Horizontal	288	1.17	-	34.70	5.10	33.17
AV	5.1988G	107.20	Inf	-Inf	100.57	3	Horizontal	288	1.17	-	34.70	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59596G	60.67	74.00	-13.33	44.83	3	Vertical	304	2.60	-	41.98	9.00	35.14
AV	15.60344G	47.18	54.00	-6.82	31.31	3	Vertical	304	2.60	-	42.01	9.00	35.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60076G	61.33	74.00	-12.67	45.47	3	Horizontal	256	1.85	-	42.00	9.00	35.14
AV	15.60466G	47.08	54.00	-6.92	31.21	3	Horizontal	256	1.85	-	42.01	9.00	35.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1002G	59.86	74.00	-14.14	53.62	3	Vertical	102	1.05	-	34.40	5.00	33.16
AV	5.1278G	46.57	54.00	-7.43	40.20	3	Vertical	102	1.05	-	34.51	5.03	33.17
PK	5.2424G	114.62	Inf	-Inf	108.07	3	Vertical	102	1.05	-	34.62	5.10	33.17
AV	5.2424G	100.60	Inf	-Inf	94.05	3	Vertical	102	1.05	-	34.62	5.10	33.17
PK	5.3834G	60.40	74.00	-13.60	53.88	3	Vertical	102	1.05	-	34.60	5.10	33.18
AV	5.39G	47.02	54.00	-6.98	40.50	3	Vertical	102	1.05	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	60.46	74.00	-13.54	54.08	3	Horizontal	287	1.22	-	34.52	5.03	33.17
AV	5.1488G	46.96	54.00	-7.04	40.48	3	Horizontal	287	1.22	-	34.60	5.05	33.17
PK	5.2394G	120.30	Inf	-Inf	113.75	3	Horizontal	287	1.22	-	34.62	5.10	33.17
AV	5.2388G	106.70	Inf	-Inf	100.15	3	Horizontal	287	1.22	-	34.62	5.10	33.17
PK	5.3702G	60.59	74.00	-13.41	54.06	3	Horizontal	287	1.22	-	34.60	5.10	33.17
AV	5.3888G	47.31	54.00	-6.69	40.79	3	Horizontal	287	1.22	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71678G	61.17	74.00	-12.83	45.01	3	Vertical	347	1.77	-	42.27	9.03	35.14
AV	15.71686G	47.65	54.00	-6.35	31.49	3	Vertical	347	1.77	-	42.27	9.03	35.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7194G	60.95	74.00	-13.05	44.78	3	Horizontal	97	2.01	-	42.28	9.03	35.14
AV	15.71986G	47.59	54.00	-6.41	31.42	3	Horizontal	97	2.01	-	42.28	9.03	35.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.564G	59.99	68.20	-8.21	53.70	3	Vertical	309	1.80	-	34.24	5.26	33.21
PK	5.742G	113.77	Inf	-Inf	107.75	3	Vertical	309	1.80	-	34.00	5.30	33.28
AV	5.742G	100.94	Inf	-Inf	94.92	3	Vertical	309	1.80	-	34.00	5.30	33.28
PK	5.977G	59.91	68.20	-8.29	53.44	3	Vertical	309	1.80	-	34.45	5.39	33.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.547G	60.11	68.20	-8.09	53.77	3	Horizontal	299	1.84	-	34.29	5.25	33.20
PK	5.747G	120.15	Inf	-Inf	114.13	3	Horizontal	299	1.84	-	34.00	5.30	33.28
AV	5.746G	107.04	Inf	-Inf	101.02	3	Horizontal	299	1.84	-	34.00	5.30	33.28
PK	5.953G	60.00	68.20	-8.20	53.57	3	Horizontal	299	1.84	-	34.41	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49216G	57.77	74.00	-16.23	41.90	3	Vertical	186	2.09	-	41.99	8.64	34.76
AV	11.49418G	43.91	54.00	-10.09	28.03	3	Vertical	186	2.09	-	41.99	8.65	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49346G	58.30	74.00	-15.70	42.42	3	Horizontal	179	1.57	-	41.99	8.65	34.76
AV	11.49396G	46.86	54.00	-7.14	30.98	3	Horizontal	179	1.57	-	41.99	8.65	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	59.73	68.20	-8.47	53.41	3	Vertical	321	1.17	-	34.26	5.26	33.20
PK	5.777G	112.98	Inf	-Inf	106.92	3	Vertical	321	1.17	-	34.05	5.30	33.29
AV	5.786G	100.61	Inf	-Inf	94.53	3	Vertical	321	1.17	-	34.07	5.30	33.29
PK	5.971G	59.95	68.20	-8.25	53.49	3	Vertical	321	1.17	-	34.44	5.39	33.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	60.08	68.20	-8.12	53.74	3	Horizontal	302	2.85	-	34.29	5.25	33.20
PK	5.787G	119.79	Inf	-Inf	113.71	3	Horizontal	302	2.85	-	34.07	5.30	33.29
AV	5.786G	106.71	Inf	-Inf	100.63	3	Horizontal	302	2.85	-	34.07	5.30	33.29
PK	6.008G	59.72	68.20	-8.48	53.18	3	Horizontal	302	2.85	-	34.50	5.41	33.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57364G	58.96	74.00	-15.04	42.83	3	Vertical	297	1.99	-	42.22	8.70	34.79
AV	11.57298G	44.72	54.00	-9.28	28.59	3	Vertical	297	1.99	-	42.22	8.70	34.79

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56926G	58.87	74.00	-15.13	42.75	3	Horizontal	35	2.90	-	42.21	8.70	34.79
AV	11.57496G	46.65	54.00	-7.35	30.52	3	Horizontal	35	2.90	-	42.22	8.70	34.79

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	59.54	68.20	-8.66	53.29	3	Vertical	360	2.79	-	34.18	5.28	33.21
PK	5.827G	115.18	Inf	-Inf	108.97	3	Vertical	360	2.79	-	34.21	5.31	33.31
AV	5.828G	102.69	Inf	-Inf	96.48	3	Vertical	360	2.79	-	34.21	5.31	33.31
PK	5.972G	59.77	68.20	-8.43	53.31	3	Vertical	360	2.79	-	34.44	5.39	33.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.11	68.20	-8.09	53.94	3	Horizontal	307	2.84	-	34.10	5.30	33.23
PK	5.828G	118.98	Inf	-Inf	112.77	3	Horizontal	307	2.84	-	34.21	5.31	33.31
AV	5.827G	107.12	Inf	-Inf	100.91	3	Horizontal	307	2.84	-	34.21	5.31	33.31
PK	6.056G	59.57	68.20	-8.63	52.96	3	Horizontal	307	2.84	-	34.49	5.46	33.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64932G	59.35	74.00	-14.65	43.02	3	Vertical	241	2.12	-	42.40	8.75	34.82
AV	11.64994G	46.08	54.00	-7.92	29.75	3	Vertical	241	2.12	-	42.40	8.75	34.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64968G	59.97	74.00	-14.03	43.64	3	Horizontal	62	1.11	-	42.40	8.75	34.82
AV	11.64986G	46.06	54.00	-7.94	29.73	3	Horizontal	62	1.11	-	42.40	8.75	34.82

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	66.06	74.00	-7.94	59.59	3	Vertical	13	3.00	-	34.59	5.05	33.17
AV	5.1456G	49.37	54.00	-4.63	42.91	3	Vertical	13	3.00	-	34.58	5.05	33.17
PK	5.196G	111.04	Inf	-Inf	104.42	3	Vertical	13	3.00	-	34.69	5.10	33.17
AV	5.1868G	98.26	Inf	-Inf	91.67	3	Vertical	13	3.00	-	34.67	5.09	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUTX_2TX
Setting 18
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.86	74.00	-5.14	62.39	3	Horizontal	293	2.30	-	34.59	5.05	33.17
AV	5.1496G	53.51	54.00	-0.49	47.03	3	Horizontal	293	2.30	-	34.60	5.05	33.17
PK	5.1892G	114.53	Inf	-Inf	107.93	3	Horizontal	293	2.30	-	34.68	5.09	33.17
AV	5.1888G	101.29	Inf	-Inf	94.69	3	Horizontal	293	2.30	-	34.68	5.09	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37987G	55.83	68.20	-12.37	42.78	3	Vertical	332	1.92	-	39.18	7.87	34.00
PK	15.57025G	61.30	74.00	-12.70	45.59	3	Vertical	95	1.00	-	41.85	8.99	35.13
AV	15.56832G	47.48	54.00	-6.52	31.78	3	Vertical	95	1.00	-	41.84	8.99	35.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37994G	55.05	68.20	-13.15	42.00	3	Horizontal	273	1.87	-	39.18	7.87	34.00
PK	15.57109G	61.80	74.00	-12.20	46.08	3	Horizontal	135	1.80	-	41.86	8.99	35.13
AV	15.5694G	47.51	54.00	-6.49	31.80	3	Horizontal	135	1.80	-	41.85	8.99	35.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	62.97	74.00	-11.03	56.53	3	Vertical	98	1.00	-	34.57	5.04	33.17
AV	5.15G	48.96	54.00	-5.04	42.48	3	Vertical	98	1.00	-	34.60	5.05	33.17
PK	5.221G	109.93	Inf	-Inf	103.34	3	Vertical	98	1.00	-	34.66	5.10	33.17
AV	5.2312G	97.63	Inf	-Inf	91.06	3	Vertical	98	1.00	-	34.64	5.10	33.17
PK	5.3686G	59.67	74.00	-14.33	53.14	3	Vertical	98	1.00	-	34.60	5.10	33.17
AV	5.3722G	46.92	54.00	-7.08	40.39	3	Vertical	98	1.00	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.13	74.00	-6.87	60.65	3	Horizontal	291	1.21	-	34.60	5.05	33.17
AV	5.149G	53.23	54.00	-0.77	46.75	3	Horizontal	291	1.21	-	34.60	5.05	33.17
PK	5.239G	118.05	Inf	-Inf	111.50	3	Horizontal	291	1.21	-	34.62	5.10	33.17
AV	5.2288G	104.43	Inf	-Inf	97.86	3	Horizontal	291	1.21	-	34.64	5.10	33.17
PK	5.3572G	61.11	74.00	-12.89	54.58	3	Horizontal	291	1.21	-	34.60	5.10	33.17
AV	5.3596G	47.76	54.00	-6.24	41.23	3	Horizontal	291	1.21	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46149G	55.07	68.20	-13.13	41.91	3	Vertical	332	1.86	-	39.32	7.92	34.08
PK	15.69122G	61.60	74.00	-12.40	45.54	3	Vertical	360	1.80	-	42.18	9.02	35.14
AV	15.6925G	47.21	54.00	-6.79	31.14	3	Vertical	360	1.80	-	42.19	9.02	35.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45979G	55.18	68.20	-13.02	42.02	3	Horizontal	273	1.80	-	39.32	7.92	34.08
PK	15.69207G	61.85	74.00	-12.15	45.79	3	Horizontal	12	1.80	-	42.18	9.02	35.14
AV	15.6887G	47.22	54.00	-6.78	31.16	3	Horizontal	12	1.80	-	42.18	9.02	35.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	61.57	68.20	-6.63	55.40	3	Vertical	353	2.72	-	34.10	5.30	33.23
PK	5.747G	112.60	Inf	-Inf	106.58	3	Vertical	353	2.72	-	34.00	5.30	33.28
AV	5.757G	99.97	Inf	-Inf	93.94	3	Vertical	353	2.72	-	34.01	5.30	33.28
PK	5.947G	59.68	68.20	-8.52	53.27	3	Vertical	353	2.72	-	34.40	5.37	33.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.51	68.20	-4.69	57.35	3	Horizontal	303	2.89	-	34.10	5.30	33.24
PK	5.748G	115.71	Inf	-Inf	109.69	3	Horizontal	303	2.89	-	34.00	5.30	33.28
AV	5.747G	103.75	Inf	-Inf	97.73	3	Horizontal	303	2.89	-	34.00	5.30	33.28
PK	5.927G	59.31	68.20	-8.89	52.90	3	Horizontal	303	2.89	-	34.40	5.36	33.35

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51011G	58.72	74.00	-15.28	42.79	3	Vertical	350	1.80	-	42.03	8.66	34.76
AV	11.50983G	45.37	54.00	-8.63	29.44	3	Vertical	350	1.80	-	42.03	8.66	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50982G	59.71	74.00	-14.29	43.78	3	Horizontal	296	2.04	-	42.03	8.66	34.76
AV	11.50986G	47.71	54.00	-6.29	31.78	3	Horizontal	296	2.04	-	42.03	8.66	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	60.27	68.20	-7.93	53.98	3	Vertical	356	2.68	-	34.24	5.26	33.21
PK	5.796G	111.33	Inf	-Inf	105.24	3	Vertical	356	2.68	-	34.09	5.30	33.30
AV	5.796G	99.15	Inf	-Inf	93.06	3	Vertical	356	2.68	-	34.09	5.30	33.30
PK	5.963G	59.52	68.20	-8.68	53.08	3	Vertical	356	2.68	-	34.43	5.38	33.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	60.00	68.20	-8.20	53.83	3	Horizontal	307	2.74	-	34.10	5.30	33.23
PK	5.784G	114.69	Inf	-Inf	108.61	3	Horizontal	307	2.74	-	34.07	5.30	33.29
AV	5.796G	103.06	Inf	-Inf	96.97	3	Horizontal	307	2.74	-	34.09	5.30	33.30
PK	5.946G	59.59	68.20	-8.61	53.18	3	Horizontal	307	2.74	-	34.40	5.37	33.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59001G	58.67	74.00	-15.33	42.48	3	Vertical	312	1.80	-	42.27	8.71	34.79
AV	11.58989G	44.72	54.00	-9.28	28.53	3	Vertical	312	1.80	-	42.27	8.71	34.79

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58946G	59.13	74.00	-14.87	42.94	3	Horizontal	260	1.86	-	42.27	8.71	34.79
AV	11.58985G	46.07	54.00	-7.93	29.88	3	Horizontal	260	1.86	-	42.27	8.71	34.79

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	62.56	74.00	-11.44	56.11	3	Vertical	95	1.12	-	34.58	5.04	33.17
AV	5.1436G	48.32	54.00	-5.68	41.88	3	Vertical	95	1.12	-	34.57	5.04	33.17
PK	5.2028G	103.23	Inf	-Inf	96.61	3	Vertical	95	1.12	-	34.69	5.10	33.17
AV	5.2036G	90.45	Inf	-Inf	83.83	3	Vertical	95	1.12	-	34.69	5.10	33.17
PK	5.3764G	58.69	74.00	-15.31	52.17	3	Vertical	95	1.12	-	34.60	5.10	33.18
AV	5.3804G	46.29	54.00	-7.71	39.77	3	Vertical	95	1.12	-	34.60	5.10	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.54	74.00	-4.46	63.06	3	Horizontal	290	1.35	-	34.60	5.05	33.17
AV	5.1492G	52.87	54.00	-1.13	46.39	3	Horizontal	290	1.35	-	34.60	5.05	33.17
PK	5.1996G	108.38	Inf	-Inf	101.75	3	Horizontal	290	1.35	-	34.70	5.10	33.17
AV	5.2196G	96.57	Inf	-Inf	89.98	3	Horizontal	290	1.35	-	34.66	5.10	33.17
PK	5.3692G	59.69	74.00	-14.31	53.16	3	Horizontal	290	1.35	-	34.60	5.10	33.17
AV	5.35G	46.70	54.00	-7.30	40.17	3	Horizontal	290	1.35	-	34.60	5.10	33.17

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41879G	55.16	68.20	-13.04	42.07	3	Vertical	332	1.95	-	39.24	7.89	34.04
PK	15.62975G	62.08	74.00	-11.92	46.15	3	Vertical	181	2.82	-	42.06	9.01	35.14
AV	15.62982G	47.54	54.00	-6.46	31.61	3	Vertical	181	2.82	-	42.06	9.01	35.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41998G	55.16	68.20	-13.04	42.07	3	Horizontal	269	1.80	-	39.24	7.89	34.04
PK	15.62756G	62.27	74.00	-11.73	46.34	3	Horizontal	228	1.00	-	42.06	9.01	35.14
AV	15.63215G	47.55	54.00	-6.45	31.62	3	Horizontal	228	1.00	-	42.06	9.01	35.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




28/10/2021

EUTX_2TX
Setting 19
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	62.77	68.35	-5.58	56.61	3	Vertical	318	1.50	-	34.10	5.30	33.24
PK	5.7498G	106.41	Inf	-Inf	100.39	3	Vertical	318	1.50	-	34.00	5.30	33.28
AV	5.7594G	93.36	Inf	-Inf	87.32	3	Vertical	318	1.50	-	34.02	5.30	33.28
PK	5.9634G	59.11	68.20	-9.09	52.67	3	Vertical	318	1.50	-	34.43	5.38	33.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUTX_2TX
Setting 19
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6466G	66.57	68.20	-1.63	60.41	3	Horizontal	306	2.79	-	34.10	5.30	33.24
PK	5.7762G	112.04	Inf	-Inf	105.98	3	Horizontal	306	2.79	-	34.05	5.30	33.29
AV	5.7558G	99.21	Inf	-Inf	93.18	3	Horizontal	306	2.79	-	34.01	5.30	33.28
PK	6.0102G	59.77	68.20	-8.43	53.23	3	Horizontal	306	2.79	-	34.50	5.41	33.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 19
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54988G	59.27	74.00	-14.73	43.22	3	Vertical	360	1.86	-	42.15	8.68	34.78
AV	11.54998G	46.16	54.00	-7.84	30.11	3	Vertical	360	1.86	-	42.15	8.68	34.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT X_2TX
Setting 19
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54998G	58.98	74.00	-15.02	42.93	3	Horizontal	226	1.74	-	42.15	8.68	34.78
AV	11.54992G	47.22	54.00	-6.78	31.17	3	Horizontal	226	1.74	-	42.15	8.68	34.78




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.1368G	53.88	54.00	-0.12	3	Vertical	243	2.55	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 19
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.42	74.00	-7.58	59.95	3	Vertical	266	2.33	-	34.59	5.05	33.17
AV	5.148G	53.61	54.00	-0.39	47.14	3	Vertical	266	2.33	-	34.59	5.05	33.17
PK	5.187G	115.31	Inf	-Inf	108.72	3	Vertical	266	2.33	-	34.67	5.09	33.17
AV	5.1872G	106.82	Inf	-Inf	100.23	3	Vertical	266	2.33	-	34.67	5.09	33.17

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.81	74.00	-14.19	53.33	3	Horizontal	19	1.07	-	34.60	5.05	33.17
AV	5.1476G	48.80	54.00	-5.20	42.33	3	Horizontal	19	1.07	-	34.59	5.05	33.17
PK	5.1822G	107.97	Inf	-Inf	101.40	3	Horizontal	19	1.07	-	34.66	5.08	33.17
AV	5.1828G	99.94	Inf	-Inf	93.36	3	Horizontal	19	1.07	-	34.67	5.08	33.17

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53946G	58.33	74.00	-15.67	42.78	3	Vertical	333	2.00	-	41.70	8.98	35.13
AV	15.54486G	46.55	54.00	-7.45	30.97	3	Vertical	333	2.00	-	41.72	8.99	35.13

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54098G	58.56	74.00	-15.44	43.00	3	Horizontal	25	2.63	-	41.70	8.99	35.13
AV	15.54442G	46.55	54.00	-7.45	30.97	3	Horizontal	25	2.63	-	41.72	8.99	35.13

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.77	74.00	-9.23	58.30	3	Vertical	47	2.33	-	34.59	5.05	33.17
AV	5.1452G	51.44	54.00	-2.56	44.98	3	Vertical	47	2.33	-	34.58	5.05	33.17
PK	5.204G	121.47	Inf	-Inf	114.85	3	Vertical	47	2.33	-	34.69	5.10	33.17
AV	5.204G	113.29	Inf	-Inf	106.67	3	Vertical	47	2.33	-	34.69	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	59.80	74.00	-14.20	53.35	3	Horizontal	178	2.25	-	34.58	5.04	33.17
AV	5.1488G	48.28	54.00	-5.72	41.80	3	Horizontal	178	2.25	-	34.60	5.05	33.17
PK	5.2016G	110.81	Inf	-Inf	104.18	3	Horizontal	178	2.25	-	34.70	5.10	33.17
AV	5.2016G	102.77	Inf	-Inf	96.14	3	Horizontal	178	2.25	-	34.70	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59792G	58.60	74.00	-15.40	42.75	3	Vertical	215	2.79	-	41.99	9.00	35.14
AV	15.60294G	46.83	54.00	-7.17	30.96	3	Vertical	215	2.79	-	42.01	9.00	35.14

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60446G	58.66	74.00	-15.34	42.79	3	Horizontal	277	2.03	-	42.01	9.00	35.14
AV	15.6032G	46.76	54.00	-7.24	30.89	3	Horizontal	277	2.03	-	42.01	9.00	35.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	60.48	74.00	-13.52	54.06	3	Vertical	279	2.26	-	34.55	5.04	33.17
AV	5.1344G	48.47	54.00	-5.53	42.07	3	Vertical	279	2.26	-	34.54	5.03	33.17
PK	5.237G	121.09	Inf	-Inf	114.53	3	Vertical	279	2.26	-	34.63	5.10	33.17
AV	5.2364G	112.90	Inf	-Inf	106.34	3	Vertical	279	2.26	-	34.63	5.10	33.17
PK	5.387G	59.46	74.00	-14.54	52.94	3	Vertical	279	2.26	-	34.60	5.10	33.18
AV	5.36G	48.80	54.00	-5.20	42.27	3	Vertical	279	2.26	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	59.50	74.00	-14.50	53.25	3	Horizontal	182	2.24	-	34.41	5.00	33.16
AV	5.1446G	48.22	54.00	-5.78	41.77	3	Horizontal	182	2.24	-	34.58	5.04	33.17
PK	5.2328G	109.90	Inf	-Inf	103.34	3	Horizontal	182	2.24	-	34.63	5.10	33.17
AV	5.2328G	101.64	Inf	-Inf	95.08	3	Horizontal	182	2.24	-	34.63	5.10	33.17
PK	5.35G	59.80	74.00	-14.20	53.27	3	Horizontal	182	2.24	-	34.60	5.10	33.17
AV	5.3612G	48.25	54.00	-5.75	41.72	3	Horizontal	182	2.24	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7237G	58.88	74.00	-15.12	42.70	3	Vertical	287	2.27	-	42.29	9.03	35.14
AV	15.72288G	46.91	54.00	-7.09	30.73	3	Vertical	287	2.27	-	42.29	9.03	35.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7154G	58.43	74.00	-15.57	42.28	3	Horizontal	344	1.83	-	42.26	9.03	35.14
AV	15.7193G	46.95	54.00	-7.05	30.78	3	Horizontal	344	1.83	-	42.28	9.03	35.14

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.73	68.20	-8.47	53.47	3	Vertical	245	2.35	-	34.19	5.28	33.21
PK	5.743G	120.44	Inf	-Inf	114.42	3	Vertical	245	2.35	-	34.00	5.30	33.28
AV	5.743G	111.88	Inf	-Inf	105.86	3	Vertical	245	2.35	-	34.00	5.30	33.28
PK	5.977G	59.52	68.20	-8.68	53.05	3	Vertical	245	2.35	-	34.45	5.39	33.37

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	59.89	68.20	-8.31	53.65	3	Horizontal	174	2.76	-	34.16	5.29	33.21
PK	5.748G	110.45	Inf	-Inf	104.43	3	Horizontal	174	2.76	-	34.00	5.30	33.28
AV	5.748G	102.23	Inf	-Inf	96.21	3	Horizontal	174	2.76	-	34.00	5.30	33.28
PK	5.954G	59.39	68.20	-8.81	52.96	3	Horizontal	174	2.76	-	34.41	5.38	33.36

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49146G	57.48	74.00	-16.52	41.61	3	Vertical	353	2.93	-	41.99	8.64	34.76
AV	11.49304G	45.66	54.00	-8.34	29.78	3	Vertical	353	2.93	-	41.99	8.65	34.76

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48702G	57.93	74.00	-16.07	42.05	3	Horizontal	21	1.00	-	41.99	8.64	34.75
AV	11.49336G	45.59	54.00	-8.41	29.71	3	Horizontal	21	1.00	-	41.99	8.65	34.76

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	60.14	68.20	-8.06	53.95	3	Vertical	235	2.51	-	34.12	5.29	33.22
PK	5.786G	118.45	Inf	-Inf	112.37	3	Vertical	235	2.51	-	34.07	5.30	33.29
AV	5.786G	110.44	Inf	-Inf	104.36	3	Vertical	235	2.51	-	34.07	5.30	33.29
PK	5.938G	60.18	68.20	-8.02	53.77	3	Vertical	235	2.51	-	34.40	5.37	33.36

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	59.88	68.20	-8.32	53.54	3	Horizontal	173	2.75	-	34.28	5.26	33.20
PK	5.781G	108.39	Inf	-Inf	102.32	3	Horizontal	173	2.75	-	34.06	5.30	33.29
AV	5.782G	100.23	Inf	-Inf	94.16	3	Horizontal	173	2.75	-	34.06	5.30	33.29
PK	5.934G	60.49	68.20	-7.71	54.07	3	Horizontal	173	2.75	-	34.40	5.37	33.35

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57474G	57.84	74.00	-16.16	41.71	3	Vertical	273	1.55	-	42.22	8.70	34.79
AV	11.57188G	45.83	54.00	-8.17	29.70	3	Vertical	273	1.55	-	42.22	8.70	34.79

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56812G	57.84	74.00	-16.16	41.73	3	Horizontal	124	1.98	-	42.20	8.70	34.79
AV	11.56518G	45.85	54.00	-8.15	29.73	3	Horizontal	124	1.98	-	42.20	8.70	34.78

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	59.91	68.20	-8.29	53.72	3	Vertical	232	2.36	-	34.11	5.30	33.22
PK	5.828G	119.33	Inf	-Inf	113.12	3	Vertical	232	2.36	-	34.21	5.31	33.31
AV	5.828G	110.53	Inf	-Inf	104.32	3	Vertical	232	2.36	-	34.21	5.31	33.31
PK	6.035G	60.21	68.20	-7.99	53.63	3	Vertical	232	2.36	-	34.50	5.44	33.36

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.70	68.20	-8.50	53.53	3	Horizontal	184	2.64	-	34.10	5.30	33.23
PK	5.828G	111.73	Inf	-Inf	105.52	3	Horizontal	184	2.64	-	34.21	5.31	33.31
AV	5.828G	103.29	Inf	-Inf	97.08	3	Horizontal	184	2.64	-	34.21	5.31	33.31
PK	6.007G	59.88	68.20	-8.32	53.35	3	Horizontal	184	2.64	-	34.50	5.41	33.38

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64908G	58.78	74.00	-15.22	42.45	3	Vertical	252	1.42	-	42.40	8.75	34.82
AV	11.6476G	46.52	54.00	-7.48	30.19	3	Vertical	252	1.42	-	42.40	8.75	34.82

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64528G	58.60	74.00	-15.40	42.28	3	Horizontal	34	2.99	-	42.39	8.75	34.82
AV	11.64724G	46.39	54.00	-7.61	30.07	3	Horizontal	34	2.99	-	42.39	8.75	34.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 18.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.43	74.00	-6.57	60.95	3	Vertical	264	2.29	-	34.60	5.05	33.17
AV	5.1488G	53.53	54.00	-0.47	47.05	3	Vertical	264	2.29	-	34.60	5.05	33.17
PK	5.1878G	118.77	Inf	-Inf	112.17	3	Vertical	264	2.29	-	34.68	5.09	33.17
AV	5.1876G	107.71	Inf	-Inf	101.11	3	Vertical	264	2.29	-	34.68	5.09	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 18.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	61.33	74.00	-12.67	54.85	3	Horizontal	176	2.56	-	34.60	5.05	33.17
AV	5.15G	49.33	54.00	-4.67	42.85	3	Horizontal	176	2.56	-	34.60	5.05	33.17
PK	5.1772G	110.65	Inf	-Inf	104.09	3	Horizontal	176	2.56	-	34.65	5.08	33.17
AV	5.1776G	98.57	Inf	-Inf	92.00	3	Horizontal	176	2.56	-	34.66	5.08	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 18.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54352G	59.15	74.00	-14.85	43.57	3	Vertical	123	1.54	-	41.72	8.99	35.13
AV	15.5432G	46.12	54.00	-7.88	30.54	3	Vertical	123	1.54	-	41.72	8.99	35.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUTZ_4TX
Setting 18.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53912G	59.68	74.00	-14.32	44.13	3	Horizontal	52	2.75	-	41.70	8.98	35.13
AV	15.54334G	46.19	54.00	-7.81	30.61	3	Horizontal	52	2.75	-	41.72	8.99	35.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.15	74.00	-8.85	58.67	3	Vertical	286	2.54	-	34.60	5.05	33.17
AV	5.148G	51.47	54.00	-2.53	45.00	3	Vertical	286	2.54	-	34.59	5.05	33.17
PK	5.2028G	120.30	Inf	-Inf	113.68	3	Vertical	286	2.54	-	34.69	5.10	33.17
AV	5.202G	108.80	Inf	-Inf	102.17	3	Vertical	286	2.54	-	34.70	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.29	74.00	-13.71	53.81	3	Horizontal	182	2.48	-	34.60	5.05	33.17
AV	5.15G	48.10	54.00	-5.90	41.62	3	Horizontal	182	2.48	-	34.60	5.05	33.17
PK	5.1976G	114.33	Inf	-Inf	107.70	3	Horizontal	182	2.48	-	34.70	5.10	33.17
AV	5.1984G	102.04	Inf	-Inf	95.41	3	Horizontal	182	2.48	-	34.70	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60028G	58.43	74.00	-15.57	42.57	3	Vertical	1	2.64	-	42.00	9.00	35.14
AV	15.59732G	46.38	54.00	-7.62	30.53	3	Vertical	1	2.64	-	41.99	9.00	35.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60456G	59.04	74.00	-14.96	43.17	3	Horizontal	64	2.73	-	42.01	9.00	35.14
AV	15.59948G	46.39	54.00	-7.61	30.53	3	Horizontal	64	2.73	-	42.00	9.00	35.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0984G	60.25	74.00	-13.75	54.02	3	Vertical	116	2.50	-	34.39	5.00	33.16
AV	5.1494G	48.10	54.00	-5.90	41.62	3	Vertical	116	2.50	-	34.60	5.05	33.17
PK	5.2406G	121.02	Inf	-Inf	114.47	3	Vertical	116	2.50	-	34.62	5.10	33.17
AV	5.2406G	109.48	Inf	-Inf	102.93	3	Vertical	116	2.50	-	34.62	5.10	33.17
PK	5.3888G	59.90	74.00	-14.10	53.38	3	Vertical	116	2.50	-	34.60	5.10	33.18
AV	5.3552G	48.05	54.00	-5.95	41.52	3	Vertical	116	2.50	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	59.75	74.00	-14.25	53.40	3	Horizontal	172	2.55	-	34.49	5.02	33.16
AV	5.1368G	47.57	54.00	-6.43	41.15	3	Horizontal	172	2.55	-	34.55	5.04	33.17
PK	5.237G	112.56	Inf	-Inf	106.00	3	Horizontal	172	2.55	-	34.63	5.10	33.17
AV	5.2376G	100.57	Inf	-Inf	94.02	3	Horizontal	172	2.55	-	34.62	5.10	33.17
PK	5.369G	59.33	74.00	-14.67	52.80	3	Horizontal	172	2.55	-	34.60	5.10	33.17
AV	5.3594G	47.67	54.00	-6.33	41.14	3	Horizontal	172	2.55	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.721G	59.32	74.00	-14.68	43.15	3	Vertical	243	1.70	-	42.28	9.03	35.14
AV	15.71554G	46.47	54.00	-7.53	30.32	3	Vertical	243	1.70	-	42.26	9.03	35.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71776G	58.89	74.00	-15.11	42.73	3	Horizontal	173	1.94	-	42.27	9.03	35.14
AV	15.71592G	46.47	54.00	-7.53	30.32	3	Horizontal	173	1.94	-	42.26	9.03	35.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.54	68.20	-8.66	53.37	3	Vertical	326	2.22	-	34.10	5.30	33.23
PK	5.743G	121.04	Inf	-Inf	115.02	3	Vertical	326	2.22	-	34.00	5.30	33.28
AV	5.742G	109.69	Inf	-Inf	103.67	3	Vertical	326	2.22	-	34.00	5.30	33.28
PK	5.959G	60.35	68.20	-7.85	53.91	3	Vertical	326	2.22	-	34.42	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	59.32	68.20	-8.88	53.15	3	Horizontal	195	2.67	-	34.10	5.30	33.23
PK	5.738G	112.24	Inf	-Inf	106.22	3	Horizontal	195	2.67	-	34.00	5.30	33.28
AV	5.738G	100.68	Inf	-Inf	94.66	3	Horizontal	195	2.67	-	34.00	5.30	33.28
PK	5.953G	60.01	68.20	-8.19	53.58	3	Horizontal	195	2.67	-	34.41	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49138G	57.80	74.00	-16.20	41.93	3	Vertical	93	1.29	-	41.99	8.64	34.76
AV	11.49236G	45.01	54.00	-8.99	29.14	3	Vertical	93	1.29	-	41.99	8.64	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49414G	57.59	74.00	-16.41	41.71	3	Horizontal	339	2.56	-	41.99	8.65	34.76
AV	11.4929G	45.10	54.00	-8.90	29.22	3	Horizontal	339	2.56	-	41.99	8.65	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.68	68.20	-8.52	53.42	3	Vertical	240	2.28	-	34.19	5.28	33.21
PK	5.779G	119.81	Inf	-Inf	113.74	3	Vertical	240	2.28	-	34.06	5.30	33.29
AV	5.779G	108.38	Inf	-Inf	102.31	3	Vertical	240	2.28	-	34.06	5.30	33.29
PK	6.034G	60.19	68.20	-8.01	53.62	3	Vertical	240	2.28	-	34.50	5.43	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	59.37	68.20	-8.83	53.10	3	Horizontal	24	2.92	-	34.21	5.27	33.21
PK	5.78G	112.08	Inf	-Inf	106.01	3	Horizontal	24	2.92	-	34.06	5.30	33.29
AV	5.781G	101.10	Inf	-Inf	95.03	3	Horizontal	24	2.92	-	34.06	5.30	33.29
PK	5.998G	61.39	68.20	-6.81	54.87	3	Horizontal	24	2.92	-	34.50	5.40	33.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56536G	57.66	74.00	-16.34	41.54	3	Vertical	291	2.01	-	42.20	8.70	34.78
AV	11.56576G	45.36	54.00	-8.64	29.24	3	Vertical	291	2.01	-	42.20	8.70	34.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57192G	58.66	74.00	-15.34	42.53	3	Horizontal	165	1.70	-	42.22	8.70	34.79
AV	11.56806G	45.43	54.00	-8.57	29.32	3	Horizontal	165	1.70	-	42.20	8.70	34.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	59.32	68.20	-8.88	53.13	3	Vertical	222	2.11	-	34.11	5.30	33.22
PK	5.822G	116.72	Inf	-Inf	110.53	3	Vertical	222	2.11	-	34.19	5.31	33.31
AV	5.821G	106.34	Inf	-Inf	100.16	3	Vertical	222	2.11	-	34.18	5.31	33.31
PK	6.035G	59.63	68.20	-8.57	53.05	3	Vertical	222	2.11	-	34.50	5.44	33.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	59.35	68.20	-8.85	53.18	3	Horizontal	353	2.60	-	34.10	5.30	33.23
PK	5.827G	113.52	Inf	-Inf	107.31	3	Horizontal	353	2.60	-	34.21	5.31	33.31
AV	5.826G	102.28	Inf	-Inf	96.08	3	Horizontal	353	2.60	-	34.20	5.31	33.31
PK	5.99G	60.31	68.20	-7.89	53.81	3	Horizontal	353	2.60	-	34.48	5.40	33.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65354G	58.57	74.00	-15.43	42.22	3	Vertical	356	1.08	-	42.41	8.76	34.82
AV	11.65048G	45.99	54.00	-8.01	29.65	3	Vertical	356	1.08	-	42.40	8.76	34.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64858G	58.79	74.00	-15.21	42.46	3	Horizontal	60	2.26	-	42.40	8.75	34.82
AV	11.64816G	45.97	54.00	-8.03	29.64	3	Horizontal	60	2.26	-	42.40	8.75	34.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	66.90	74.00	-7.10	60.48	3	Vertical	243	2.55	-	34.55	5.04	33.17
AV	5.1368G	53.88	54.00	-0.12	47.46	3	Vertical	243	2.55	-	34.55	5.04	33.17
PK	5.1984G	116.99	Inf	-Inf	110.36	3	Vertical	243	2.55	-	34.70	5.10	33.17
AV	5.1972G	106.11	Inf	-Inf	99.49	3	Vertical	243	2.55	-	34.69	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.31	74.00	-10.69	56.84	3	Horizontal	182	2.80	-	34.59	5.05	33.17
AV	5.1472G	49.93	54.00	-4.07	43.46	3	Horizontal	182	2.80	-	34.59	5.05	33.17
PK	5.188G	107.10	Inf	-Inf	100.50	3	Horizontal	182	2.80	-	34.68	5.09	33.17
AV	5.1876G	95.34	Inf	-Inf	88.74	3	Horizontal	182	2.80	-	34.68	5.09	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57112G	58.58	74.00	-15.42	42.86	3	Vertical	11	1.21	-	41.86	8.99	35.13
AV	15.56844G	46.31	54.00	-7.69	30.61	3	Vertical	11	1.21	-	41.84	8.99	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56898G	58.99	74.00	-15.01	43.29	3	Horizontal	159	1.13	-	41.84	8.99	35.13
AV	15.57432G	46.34	54.00	-7.66	30.61	3	Horizontal	159	1.13	-	41.87	8.99	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 21
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.91	74.00	-8.09	59.45	3	Vertical	170	2.51	-	34.58	5.05	33.17
AV	5.1478G	53.81	54.00	-0.19	47.34	3	Vertical	170	2.51	-	34.59	5.05	33.17
PK	5.2282G	118.00	Inf	-Inf	111.43	3	Vertical	170	2.51	-	34.64	5.10	33.17
AV	5.2276G	105.99	Inf	-Inf	99.42	3	Vertical	170	2.51	-	34.64	5.10	33.17
PK	5.3506G	59.60	74.00	-14.40	53.07	3	Vertical	170	2.51	-	34.60	5.10	33.17
AV	5.35G	48.78	54.00	-5.22	42.25	3	Vertical	170	2.51	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 21
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.104G	59.98	74.00	-14.02	53.72	3	Horizontal	188	2.24	-	34.42	5.00	33.16
AV	5.1418G	48.20	54.00	-5.80	41.76	3	Horizontal	188	2.24	-	34.57	5.04	33.17
PK	5.2408G	108.35	Inf	-Inf	101.80	3	Horizontal	188	2.24	-	34.62	5.10	33.17
AV	5.242G	97.22	Inf	-Inf	90.67	3	Horizontal	188	2.24	-	34.62	5.10	33.17
PK	5.3776G	59.60	74.00	-14.40	53.08	3	Horizontal	188	2.24	-	34.60	5.10	33.18
AV	5.3554G	47.86	54.00	-6.14	41.33	3	Horizontal	188	2.24	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUTZ_4TX
Setting 21
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6856G	58.71	74.00	-15.29	42.66	3	Vertical	241	1.80	-	42.17	9.02	35.14
AV	15.68902G	46.65	54.00	-7.35	30.59	3	Vertical	241	1.80	-	42.18	9.02	35.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUTZ_4TX
Setting 21
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68776G	59.24	74.00	-14.76	43.18	3	Horizontal	67	1.52	-	42.18	9.02	35.14
AV	15.68572G	46.64	54.00	-7.36	30.59	3	Horizontal	67	1.52	-	42.17	9.02	35.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	61.78	68.94	-7.16	55.62	3	Vertical	149	2.73	-	34.10	5.30	33.24
PK	5.751G	116.63	Inf	-Inf	110.61	3	Vertical	149	2.73	-	34.00	5.30	33.28
AV	5.752G	106.32	Inf	-Inf	100.30	3	Vertical	149	2.73	-	34.00	5.30	33.28
PK	5.984G	59.56	68.20	-8.64	53.07	3	Vertical	149	2.73	-	34.47	5.39	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.522G	59.70	68.20	-8.50	53.43	3	Horizontal	20	3.00	-	34.24	5.22	33.19
PK	5.753G	111.02	Inf	-Inf	104.99	3	Horizontal	20	3.00	-	34.01	5.30	33.28
AV	5.753G	99.75	Inf	-Inf	93.72	3	Horizontal	20	3.00	-	34.01	5.30	33.28
PK	5.937G	59.99	68.20	-8.21	53.57	3	Horizontal	20	3.00	-	34.40	5.37	33.35

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51048G	57.36	74.00	-16.64	41.43	3	Vertical	102	2.66	-	42.03	8.66	34.76
AV	11.51366G	45.53	54.00	-8.47	29.60	3	Vertical	102	2.66	-	42.04	8.66	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51142G	57.58	74.00	-16.42	41.65	3	Horizontal	202	1.53	-	42.03	8.66	34.76
AV	11.51492G	45.46	54.00	-8.54	29.53	3	Horizontal	202	1.53	-	42.04	8.66	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	60.59	68.20	-7.61	54.41	3	Vertical	303	2.94	-	34.10	5.30	33.22
PK	5.798G	115.42	Inf	-Inf	109.32	3	Vertical	303	2.94	-	34.10	5.30	33.30
AV	5.798G	104.47	Inf	-Inf	98.37	3	Vertical	303	2.94	-	34.10	5.30	33.30
PK	5.995G	60.49	68.20	-7.71	53.98	3	Vertical	303	2.94	-	34.49	5.40	33.38

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	59.64	68.20	-8.56	53.30	3	Horizontal	7	2.93	-	34.28	5.26	33.20
PK	5.786G	110.15	Inf	-Inf	104.07	3	Horizontal	7	2.93	-	34.07	5.30	33.29
AV	5.785G	98.70	Inf	-Inf	92.62	3	Horizontal	7	2.93	-	34.07	5.30	33.29
PK	6.036G	60.71	68.20	-7.49	54.13	3	Horizontal	7	2.93	-	34.50	5.44	33.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.595G	59.38	74.00	-14.62	43.18	3	Vertical	107	2.36	-	42.28	8.72	34.80
AV	11.586G	45.52	54.00	-8.48	29.34	3	Vertical	107	2.36	-	42.26	8.71	34.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5862G	58.31	74.00	-15.69	42.13	3	Horizontal	213	1.50	-	42.26	8.71	34.79
AV	11.58892G	45.49	54.00	-8.51	29.30	3	Horizontal	213	1.50	-	42.27	8.71	34.79

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom



EUT_Z_4TX
Setting 16
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	67.73	74.00	-6.27	61.31	3	Vertical	244	2.62	-	34.55	5.04	33.17
AV	5.136G	53.07	54.00	-0.93	46.66	3	Vertical	244	2.62	-	34.54	5.04	33.17
PK	5.197G	112.23	Inf	-Inf	105.61	3	Vertical	244	2.62	-	34.69	5.10	33.17
AV	5.197G	100.40	Inf	-Inf	93.78	3	Vertical	244	2.62	-	34.69	5.10	33.17
PK	5.374G	60.62	74.00	-13.38	54.09	3	Vertical	244	2.62	-	34.60	5.10	33.17
AV	5.357G	48.06	54.00	-5.94	41.53	3	Vertical	244	2.62	-	34.60	5.10	33.17