


802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	118.37	Inf	-Inf	111.76	3	Vertical	282	2.58	-	34.68	5.10	33.17
AV	5.313G	106.46	Inf	-Inf	99.86	3	Vertical	282	2.58	-	34.67	5.10	33.17
PK	5.3526G	68.06	74.00	-5.94	61.53	3	Vertical	282	2.58	-	34.60	5.10	33.17
AV	5.3524G	53.54	54.00	-0.46	47.01	3	Vertical	282	2.58	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	109.15	Inf	-Inf	102.56	3	Horizontal	200	2.68	-	34.66	5.10	33.17
AV	5.321G	97.13	Inf	-Inf	90.54	3	Horizontal	200	2.68	-	34.66	5.10	33.17
PK	5.3584G	60.26	74.00	-13.74	53.73	3	Horizontal	200	2.68	-	34.60	5.10	33.17
AV	5.3604G	48.06	54.00	-5.94	41.53	3	Horizontal	200	2.68	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.955G	59.53	74.00	-14.47	42.79	3	Vertical	338	2.05	-	42.81	9.09	35.16
AV	15.95892G	47.49	54.00	-6.51	30.74	3	Vertical	338	2.05	-	42.82	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9645G	60.07	74.00	-13.93	43.31	3	Horizontal	359	2.71	-	42.83	9.09	35.16
AV	15.96304G	47.45	54.00	-6.55	30.69	3	Horizontal	359	2.71	-	42.83	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	59.88	74.00	-14.12	53.53	3	Vertical	271	2.18	-	34.37	5.16	33.18
AV	5.4566G	48.19	54.00	-5.81	41.84	3	Vertical	271	2.18	-	34.37	5.16	33.18
PK	5.4692G	68.09	68.20	-0.11	61.78	3	Vertical	271	2.18	-	34.32	5.17	33.18
PK	5.5082G	115.74	Inf	-Inf	109.49	3	Vertical	271	2.18	-	34.22	5.21	33.18
AV	5.5088G	104.26	Inf	-Inf	98.01	3	Vertical	271	2.18	-	34.22	5.21	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	59.02	74.00	-14.98	52.66	3	Horizontal	182	2.62	-	34.38	5.16	33.18
AV	5.4582G	47.45	54.00	-6.55	41.10	3	Horizontal	182	2.62	-	34.37	5.16	33.18
PK	5.469G	59.92	68.20	-8.28	53.61	3	Horizontal	182	2.62	-	34.32	5.17	33.18
PK	5.5016G	110.24	Inf	-Inf	104.02	3	Horizontal	182	2.62	-	34.20	5.20	33.18
AV	5.5018G	97.81	Inf	-Inf	91.59	3	Horizontal	182	2.62	-	34.20	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00058G	56.17	74.00	-17.83	41.78	3	Vertical	171	1.00	-	40.60	8.30	34.51
AV	10.99908G	43.94	54.00	-10.06	29.55	3	Vertical	171	1.00	-	40.60	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9962G	56.07	74.00	-17.93	41.70	3	Horizontal	279	2.15	-	40.58	8.30	34.51
AV	11.00124G	43.96	54.00	-10.04	29.57	3	Horizontal	279	2.15	-	40.60	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	60.09	74.00	-13.91	53.66	3	Vertical	140	2.64	-	34.48	5.13	33.18
AV	5.3944G	47.89	54.00	-6.11	41.37	3	Vertical	140	2.64	-	34.60	5.10	33.18
PK	5.4688G	58.90	68.20	-9.30	52.59	3	Vertical	140	2.64	-	34.32	5.17	33.18
PK	5.5856G	121.37	Inf	-Inf	115.13	3	Vertical	140	2.64	-	34.16	5.29	33.21
AV	5.5856G	109.52	Inf	-Inf	103.28	3	Vertical	140	2.64	-	34.16	5.29	33.21
PK	5.768G	58.90	68.20	-9.30	52.85	3	Vertical	140	2.64	-	34.04	5.30	33.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.30	74.00	-14.70	52.92	3	Horizontal	180	2.60	-	34.41	5.15	33.18
AV	5.38G	47.59	54.00	-6.41	41.07	3	Horizontal	180	2.60	-	34.60	5.10	33.18
PK	5.4696G	58.64	68.20	-9.56	52.33	3	Horizontal	180	2.60	-	34.32	5.17	33.18
PK	5.5824G	113.59	Inf	-Inf	107.35	3	Horizontal	180	2.60	-	34.17	5.28	33.21
AV	5.5832G	102.21	Inf	-Inf	95.97	3	Horizontal	180	2.60	-	34.17	5.28	33.21
PK	5.7696G	60.13	68.20	-8.07	54.08	3	Horizontal	180	2.60	-	34.04	5.30	33.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1633G	57.08	74.00	-16.92	42.21	3	Vertical	172	2.65	-	41.05	8.41	34.59
AV	11.1648G	44.81	54.00	-9.19	29.92	3	Vertical	172	2.65	-	41.06	8.42	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16288G	57.08	74.00	-16.92	42.21	3	Horizontal	177	2.32	-	41.05	8.41	34.59
AV	11.1648G	44.96	54.00	-9.04	30.07	3	Horizontal	177	2.32	-	41.06	8.42	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	117.53	Inf	-Inf	111.49	3	Vertical	239	2.20	-	34.00	5.30	33.26
AV	5.7032G	104.81	Inf	-Inf	98.77	3	Vertical	239	2.20	-	34.00	5.30	33.26
PK	5.725G	67.76	68.20	-0.44	61.73	3	Vertical	239	2.20	-	34.00	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	108.60	Inf	-Inf	102.55	3	Horizontal	19	2.64	-	34.01	5.30	33.26
AV	5.6968G	97.15	Inf	-Inf	91.10	3	Horizontal	19	2.64	-	34.01	5.30	33.26
PK	5.74G	59.49	68.20	-8.71	53.47	3	Horizontal	19	2.64	-	34.00	5.30	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39544G	57.90	74.00	-16.10	42.15	3	Vertical	251	1.42	-	41.88	8.58	34.71
AV	11.399G	45.07	54.00	-8.93	29.30	3	Vertical	251	1.42	-	41.90	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3996G	57.77	74.00	-16.23	42.00	3	Horizontal	316	2.98	-	41.90	8.58	34.71
AV	11.39996G	45.07	54.00	-8.93	29.30	3	Horizontal	316	2.98	-	41.90	8.58	34.71


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 23
 04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	120.41	Inf	-Inf	114.38	3	Vertical	241	2.25	-	34.00	5.30	33.27
AV	5.7232G	109.80	Inf	-Inf	103.77	3	Vertical	241	2.25	-	34.00	5.30	33.27
PK	5.9008G	59.58	68.20	-8.62	53.17	3	Vertical	241	2.25	-	34.40	5.35	33.34

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_4TX
 Setting 23
 04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	113.44	Inf	-Inf	107.41	3	Horizontal	181	2.65	-	34.00	5.30	33.27
AV	5.7192G	102.23	Inf	-Inf	96.20	3	Horizontal	181	2.65	-	34.00	5.30	33.27
PK	5.9192G	61.30	68.20	-6.90	54.89	3	Horizontal	181	2.65	-	34.40	5.36	33.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44354G	56.88	74.00	-17.12	41.06	3	Vertical	145	1.00	-	41.94	8.61	34.73
AV	11.4434G	44.61	54.00	-9.39	28.79	3	Vertical	145	1.00	-	41.94	8.61	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44232G	57.14	74.00	-16.86	41.32	3	Horizontal	200	2.59	-	41.94	8.61	34.73
AV	11.43506G	44.56	54.00	-9.44	28.75	3	Horizontal	200	2.59	-	41.94	8.60	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	60.31	74.00	-13.69	53.88	3	Vertical	282	2.86	-	34.56	5.04	33.17
AV	5.1476G	48.45	54.00	-5.55	41.98	3	Vertical	282	2.86	-	34.59	5.05	33.17
PK	5.273G	116.78	Inf	-Inf	110.20	3	Vertical	282	2.86	-	34.65	5.10	33.17
AV	5.273G	106.04	Inf	-Inf	99.46	3	Vertical	282	2.86	-	34.65	5.10	33.17
PK	5.3528G	66.19	74.00	-7.81	59.66	3	Vertical	282	2.86	-	34.60	5.10	33.17
AV	5.3534G	53.77	54.00	-0.23	47.24	3	Vertical	282	2.86	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	59.10	74.00	-14.90	52.67	3	Horizontal	185	2.35	-	34.56	5.04	33.17
AV	5.1488G	47.71	54.00	-6.29	41.23	3	Horizontal	185	2.35	-	34.60	5.05	33.17
PK	5.2832G	109.28	Inf	-Inf	102.68	3	Horizontal	185	2.35	-	34.67	5.10	33.17
AV	5.282G	98.09	Inf	-Inf	91.50	3	Horizontal	185	2.35	-	34.66	5.10	33.17
PK	5.3624G	60.06	74.00	-13.94	53.53	3	Horizontal	185	2.35	-	34.60	5.10	33.17
AV	5.3606G	48.25	54.00	-5.75	41.72	3	Horizontal	185	2.35	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTZ_4TX
Setting 20.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80866G	58.82	74.00	-15.18	42.31	3	Vertical	161	1.70	-	42.61	9.05	35.15
AV	15.80908G	46.70	54.00	-7.30	30.19	3	Vertical	161	1.70	-	42.61	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTZ_4TX
Setting 20.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80716G	58.84	74.00	-15.16	42.33	3	Horizontal	239	2.00	-	42.61	9.05	35.15
AV	15.81068G	46.68	54.00	-7.32	30.17	3	Horizontal	239	2.00	-	42.61	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	113.42	Inf	-Inf	106.80	3	Vertical	341	2.79	-	34.69	5.10	33.17
AV	5.3128G	103.15	Inf	-Inf	96.55	3	Vertical	341	2.79	-	34.67	5.10	33.17
PK	5.3516G	66.42	74.00	-7.58	59.89	3	Vertical	341	2.79	-	34.60	5.10	33.17
AV	5.352G	53.25	54.00	-0.75	46.72	3	Vertical	341	2.79	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	104.63	Inf	-Inf	98.03	3	Horizontal	173	2.39	-	34.67	5.10	33.17
AV	5.3148G	93.26	Inf	-Inf	86.66	3	Horizontal	173	2.39	-	34.67	5.10	33.17
PK	5.356G	60.01	74.00	-13.99	53.48	3	Horizontal	173	2.39	-	34.60	5.10	33.17
AV	5.3548G	48.43	54.00	-5.57	41.90	3	Horizontal	173	2.39	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92704G	59.52	74.00	-14.48	42.85	3	Vertical	131	1.89	-	42.75	9.08	35.16
AV	15.92742G	47.13	54.00	-6.87	30.46	3	Vertical	131	1.89	-	42.75	9.08	35.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTZ_4TX
Setting 16
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92826G	59.43	74.00	-14.57	42.75	3	Horizontal	243	1.31	-	42.76	9.08	35.16
AV	15.93456G	47.13	54.00	-6.87	30.44	3	Horizontal	243	1.31	-	42.77	9.08	35.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTZ_4TX
Setting 17.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	60.66	74.00	-13.34	54.28	3	Vertical	231	2.52	-	34.41	5.15	33.18
AV	5.4484G	49.07	54.00	-4.93	42.69	3	Vertical	231	2.52	-	34.41	5.15	33.18
PK	5.4684G	67.99	68.20	-0.21	61.67	3	Vertical	231	2.52	-	34.33	5.17	33.18
PK	5.508G	110.66	Inf	-Inf	104.41	3	Vertical	231	2.52	-	34.22	5.21	33.18
AV	5.5084G	100.01	Inf	-Inf	93.76	3	Vertical	231	2.52	-	34.22	5.21	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTZ_4TX
Setting 17.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	59.55	74.00	-14.45	53.08	3	Horizontal	8	2.92	-	34.53	5.12	33.18
AV	5.4112G	47.56	54.00	-6.44	41.07	3	Horizontal	8	2.92	-	34.56	5.11	33.18
PK	5.4648G	59.25	68.20	-8.95	52.93	3	Horizontal	8	2.92	-	34.34	5.16	33.18
PK	5.5132G	105.80	Inf	-Inf	99.55	3	Horizontal	8	2.92	-	34.23	5.21	33.19
AV	5.5132G	94.61	Inf	-Inf	88.36	3	Horizontal	8	2.92	-	34.23	5.21	33.19

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTZ_4TX
Setting 17.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02282G	56.38	74.00	-17.62	41.93	3	Vertical	336	1.32	-	40.65	8.32	34.52
AV	11.02458G	44.00	54.00	-10.00	29.55	3	Vertical	336	1.32	-	40.65	8.32	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTZ_4TX
Setting 17.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02182G	56.46	74.00	-17.54	42.02	3	Horizontal	192	2.93	-	40.64	8.32	34.52
AV	11.02432G	43.93	54.00	-10.07	29.48	3	Horizontal	192	2.93	-	40.65	8.32	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 22
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	65.87	74.00	-8.13	59.51	3	Vertical	281	2.46	-	34.39	5.15	33.18
AV	5.451G	52.25	54.00	-1.75	45.88	3	Vertical	281	2.46	-	34.40	5.15	33.18
PK	5.47G	67.68	68.20	-0.52	61.37	3	Vertical	281	2.46	-	34.32	5.17	33.18
PK	5.541G	115.38	Inf	-Inf	109.06	3	Vertical	281	2.46	-	34.28	5.24	33.20
AV	5.5398G	103.96	Inf	-Inf	97.64	3	Vertical	281	2.46	-	34.28	5.24	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTZ_4TX
Setting 22
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.415G	60.58	74.00	-13.42	54.11	3	Horizontal	177	2.49	-	34.54	5.11	33.18
PK	5.4672G	60.41	68.20	-7.79	54.09	3	Horizontal	177	2.49	-	34.33	5.17	33.18
AV	5.4534G	48.20	54.00	-5.80	41.84	3	Horizontal	177	2.49	-	34.39	5.15	33.18
PK	5.5512G	109.28	Inf	-Inf	102.93	3	Horizontal	177	2.49	-	34.30	5.25	33.20
AV	5.5488G	97.70	Inf	-Inf	91.35	3	Horizontal	177	2.49	-	34.30	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTZ_4TX
Setting 22
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1012G	57.07	74.00	-16.93	42.46	3	Vertical	50	2.03	-	40.80	8.37	34.56
AV	11.0963G	44.33	54.00	-9.67	29.73	3	Vertical	50	2.03	-	40.79	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTZ_4TX
Setting 22
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10112G	56.91	74.00	-17.09	42.30	3	Horizontal	72	2.06	-	40.80	8.37	34.56
AV	11.10088G	44.30	54.00	-9.70	29.69	3	Horizontal	72	2.06	-	40.80	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	115.50	Inf	-Inf	109.39	3	Vertical	146	2.53	-	34.06	5.30	33.25
AV	5.6664G	104.65	Inf	-Inf	98.53	3	Vertical	146	2.53	-	34.07	5.30	33.25
PK	5.7268G	67.92	68.20	-0.28	61.89	3	Vertical	146	2.53	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6692G	109.88	Inf	-Inf	103.77	3	Horizontal	197	3.00	-	34.06	5.30	33.25
AV	5.6688G	98.68	Inf	-Inf	92.57	3	Horizontal	197	3.00	-	34.06	5.30	33.25
PK	5.7292G	61.59	68.20	-6.61	55.56	3	Horizontal	197	3.00	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34472G	57.11	74.00	-16.89	41.57	3	Vertical	357	2.36	-	41.68	8.54	34.68
AV	11.3406G	44.91	54.00	-9.09	29.39	3	Vertical	357	2.36	-	41.66	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33674G	57.23	74.00	-16.77	41.72	3	Horizontal	9	1.91	-	41.65	8.54	34.68
AV	11.3392G	44.84	54.00	-9.16	29.32	3	Horizontal	9	1.91	-	41.66	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	117.73	Inf	-Inf	111.69	3	Vertical	246	2.73	-	34.00	5.30	33.26
AV	5.7116G	107.52	Inf	-Inf	101.48	3	Vertical	246	2.73	-	34.00	5.30	33.26
PK	5.8676G	60.21	68.20	-7.99	53.87	3	Vertical	246	2.73	-	34.34	5.33	33.33

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	111.33	Inf	-Inf	105.29	3	Horizontal	196	2.81	-	34.00	5.30	33.26
AV	5.7092G	100.64	Inf	-Inf	94.60	3	Horizontal	196	2.81	-	34.00	5.30	33.26
PK	5.8628G	60.28	68.20	-7.92	53.95	3	Horizontal	196	2.81	-	34.33	5.33	33.33

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42162G	57.29	74.00	-16.71	41.49	3	Vertical	26	1.44	-	41.92	8.60	34.72
AV	11.41516G	44.87	54.00	-9.13	29.08	3	Vertical	26	1.44	-	41.92	8.59	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42214G	57.29	74.00	-16.71	41.49	3	Horizontal	301	2.75	-	41.92	8.60	34.72
AV	11.41972G	44.77	54.00	-9.23	28.98	3	Horizontal	301	2.75	-	41.92	8.59	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.46	74.00	-14.54	52.98	3	Vertical	339	2.68	-	34.60	5.05	33.17
AV	5.149G	47.90	54.00	-6.10	41.42	3	Vertical	339	2.68	-	34.60	5.05	33.17
PK	5.273G	110.60	Inf	-Inf	104.02	3	Vertical	339	2.68	-	34.65	5.10	33.17
AV	5.293G	99.45	Inf	-Inf	92.83	3	Vertical	339	2.68	-	34.69	5.10	33.17
PK	5.351G	65.99	74.00	-8.01	59.46	3	Vertical	339	2.68	-	34.60	5.10	33.17
AV	5.352G	53.77	54.00	-0.23	47.24	3	Vertical	339	2.68	-	34.60	5.10	33.17
PK	5.467G	59.59	68.20	-8.61	53.27	3	Vertical	339	2.68	-	34.33	5.17	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	59.57	74.00	-14.43	53.24	3	Horizontal	185	2.20	-	34.47	5.02	33.16
AV	5.149G	47.71	54.00	-6.29	41.23	3	Horizontal	185	2.20	-	34.60	5.05	33.17
PK	5.301G	101.32	Inf	-Inf	94.69	3	Horizontal	185	2.20	-	34.70	5.10	33.17
AV	5.282G	89.75	Inf	-Inf	83.16	3	Horizontal	185	2.20	-	34.66	5.10	33.17
PK	5.356G	60.01	74.00	-13.99	53.48	3	Horizontal	185	2.20	-	34.60	5.10	33.17
AV	5.362G	48.43	54.00	-5.57	41.90	3	Horizontal	185	2.20	-	34.60	5.10	33.17
PK	5.509G	59.26	68.20	-8.94	53.01	3	Horizontal	185	2.20	-	34.22	5.21	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTZ_4TX
Setting 15
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86626G	59.22	74.00	-14.78	42.63	3	Vertical	10	1.75	-	42.67	9.07	35.15
AV	15.87344G	47.06	54.00	-6.94	30.47	3	Vertical	10	1.75	-	42.67	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTZ_4TX
Setting 15
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87286G	59.25	74.00	-14.75	42.66	3	Horizontal	343	2.94	-	42.67	9.07	35.15
AV	15.86986G	47.14	54.00	-6.86	30.55	3	Horizontal	343	2.94	-	42.67	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	60.69	68.20	-7.51	54.15	3	Vertical	325	2.43	-	34.61	5.10	33.17
PK	5.453G	67.48	74.00	-6.52	61.12	3	Vertical	325	2.43	-	34.39	5.15	33.18
AV	5.454G	53.18	54.00	-0.82	46.83	3	Vertical	325	2.43	-	34.38	5.15	33.18
PK	5.462G	66.05	68.20	-2.15	59.72	3	Vertical	325	2.43	-	34.35	5.16	33.18
PK	5.533G	110.74	Inf	-Inf	104.43	3	Vertical	325	2.43	-	34.27	5.23	33.19
AV	5.533G	100.17	Inf	-Inf	93.86	3	Vertical	325	2.43	-	34.27	5.23	33.19
PK	5.734G	59.65	68.20	-8.55	53.62	3	Vertical	325	2.43	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	60.11	68.20	-8.09	53.49	3	Horizontal	179	2.64	-	34.69	5.10	33.17
PK	5.448G	60.19	74.00	-13.81	53.81	3	Horizontal	179	2.64	-	34.41	5.15	33.18
AV	5.449G	48.56	54.00	-5.44	42.19	3	Horizontal	179	2.64	-	34.40	5.15	33.18
PK	5.469G	63.06	68.20	-5.14	56.75	3	Horizontal	179	2.64	-	34.32	5.17	33.18
PK	5.509G	102.59	Inf	-Inf	96.34	3	Horizontal	179	2.64	-	34.22	5.21	33.18
AV	5.529G	90.85	Inf	-Inf	84.55	3	Horizontal	179	2.64	-	34.26	5.23	33.19
PK	5.776G	59.68	68.20	-8.52	53.62	3	Horizontal	179	2.64	-	34.05	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0565G	57.00	74.00	-17.00	42.49	3	Vertical	153	2.08	-	40.71	8.34	34.54
AV	11.06166G	44.17	54.00	-9.83	29.65	3	Vertical	153	2.08	-	40.72	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05508G	56.81	74.00	-17.19	42.30	3	Horizontal	171	1.94	-	40.71	8.34	34.54
AV	11.06168G	44.17	54.00	-9.83	29.65	3	Horizontal	171	1.94	-	40.72	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	62.43	74.00	-11.57	56.07	3	Vertical	328	2.43	-	34.39	5.15	33.18
AV	5.452G	50.79	54.00	-3.21	44.43	3	Vertical	328	2.43	-	34.39	5.15	33.18
PK	5.47G	63.83	68.20	-4.37	57.52	3	Vertical	328	2.43	-	34.32	5.17	33.18
PK	5.593G	115.82	Inf	-Inf	109.62	3	Vertical	328	2.43	-	34.13	5.29	33.22
AV	5.613G	103.52	Inf	-Inf	97.35	3	Vertical	328	2.43	-	34.10	5.30	33.23
PK	5.733G	68.13	68.20	-0.07	62.10	3	Vertical	328	2.43	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.368G	59.69	74.00	-14.31	53.16	3	Horizontal	199	3.00	-	34.60	5.10	33.17
PK	5.464G	59.87	68.20	-8.33	53.55	3	Horizontal	199	3.00	-	34.34	5.16	33.18
AV	5.46G	48.70	54.00	-5.30	42.36	3	Horizontal	199	3.00	-	34.36	5.16	33.18
PK	5.615G	106.63	Inf	-Inf	100.46	3	Horizontal	199	3.00	-	34.10	5.30	33.23
AV	5.615G	95.83	Inf	-Inf	89.66	3	Horizontal	199	3.00	-	34.10	5.30	33.23
PK	5.73G	62.47	68.20	-5.73	56.44	3	Horizontal	199	3.00	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22096G	57.44	74.00	-16.56	42.35	3	Vertical	269	1.96	-	41.26	8.45	34.62
AV	11.21798G	45.13	54.00	-8.87	30.05	3	Vertical	269	1.96	-	41.25	8.45	34.62

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTZ_4TX
Setting 19
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22048G	57.72	74.00	-16.28	42.63	3	Horizontal	68	1.74	-	41.26	8.45	34.62
AV	11.21668G	45.00	54.00	-9.00	29.92	3	Horizontal	68	1.74	-	41.25	8.45	34.62

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	60.26	74.00	-13.74	53.82	3	Vertical	323	2.62	-	34.49	5.13	33.18
AV	5.4452G	48.76	54.00	-5.24	42.37	3	Vertical	323	2.62	-	34.42	5.15	33.18
PK	5.468G	62.91	68.20	-5.29	56.59	3	Vertical	323	2.62	-	34.33	5.17	33.18
PK	5.6792G	115.84	Inf	-Inf	109.75	3	Vertical	323	2.62	-	34.04	5.30	33.25
AV	5.6804G	105.19	Inf	-Inf	99.10	3	Vertical	323	2.62	-	34.04	5.30	33.25
PK	5.8544G	65.12	68.20	-3.08	58.80	3	Vertical	323	2.62	-	34.31	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.65	74.00	-14.35	53.30	3	Horizontal	18	3.00	-	34.37	5.16	33.18
AV	5.3948G	47.69	54.00	-6.31	41.17	3	Horizontal	18	3.00	-	34.60	5.10	33.18
PK	5.4692G	59.15	68.20	-9.05	52.84	3	Horizontal	18	3.00	-	34.32	5.17	33.18
PK	5.6876G	108.96	Inf	-Inf	102.90	3	Horizontal	18	3.00	-	34.02	5.30	33.26
AV	5.6876G	97.87	Inf	-Inf	91.81	3	Horizontal	18	3.00	-	34.02	5.30	33.26
PK	5.85G	61.68	68.20	-6.52	55.37	3	Horizontal	18	3.00	-	34.30	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3759G	57.45	74.00	-16.55	41.79	3	Vertical	337	1.62	-	41.80	8.56	34.70
AV	11.38174G	45.09	54.00	-8.91	29.39	3	Vertical	337	1.62	-	41.83	8.57	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom



EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37854G	57.29	74.00	-16.71	41.62	3	Horizontal	172	2.08	-	41.81	8.56	34.70
AV	11.38306G	44.95	54.00	-9.05	29.25	3	Horizontal	172	2.08	-	41.83	8.57	34.70




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.726G	67.80	68.20	-0.40	3	Vertical	297	1.80	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.47G	67.87	68.20	-0.33	3	Vertical	289	1.58	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	68.16	68.20	-0.04	3	Vertical	293	1.67	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.854G	67.98	68.20	-0.22	3	Vertical	294	1.71	-

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	57.47	74.00	-16.53	50.24	3	Vertical	282	1.67	-	33.90	5.46	32.13
AV	5.46G	45.47	54.00	-8.53	38.24	3	Vertical	282	1.67	-	33.90	5.46	32.13
PK	5.4696G	66.70	68.20	-1.50	59.46	3	Vertical	282	1.67	-	33.90	5.47	32.13
PK	5.4932G	110.37	Inf	-Inf	103.11	3	Vertical	282	1.67	-	33.90	5.49	32.13
AV	5.4928G	100.45	Inf	-Inf	93.19	3	Vertical	282	1.67	-	33.90	5.49	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4164G	56.99	74.00	-17.01	49.88	3	Horizontal	19	2.80	-	33.83	5.42	32.14
PK	5.47G	62.02	68.20	-6.18	54.78	3	Horizontal	19	2.80	-	33.90	5.47	32.13
AV	5.4572G	44.68	54.00	-9.32	37.45	3	Horizontal	19	2.80	-	33.90	5.46	32.13
PK	5.4936G	104.57	Inf	-Inf	97.31	3	Horizontal	19	2.80	-	33.90	5.49	32.13
AV	5.4936G	94.87	Inf	-Inf	87.61	3	Horizontal	19	2.80	-	33.90	5.49	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9995G	52.25	74.00	-21.75	39.32	3	Vertical	240	2.68	-	38.50	7.70	33.27
AV	11.0002G	38.55	54.00	-15.45	25.62	3	Vertical	240	2.68	-	38.50	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9995G	52.02	74.00	-21.98	39.09	3	Horizontal	211	1.30	-	38.50	7.70	33.27
AV	10.99982G	39.61	54.00	-14.39	26.68	3	Horizontal	211	1.30	-	38.50	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	57.16	74.00	-16.84	49.93	3	Vertical	292	1.54	-	33.90	5.46	32.13
AV	5.4576G	44.58	54.00	-9.42	37.35	3	Vertical	292	1.54	-	33.90	5.46	32.13
PK	5.4688G	57.27	68.20	-10.93	50.03	3	Vertical	292	1.54	-	33.90	5.47	32.13
PK	5.5872G	114.38	Inf	-Inf	107.03	3	Vertical	292	1.54	-	33.90	5.59	32.14
AV	5.5872G	103.35	Inf	-Inf	96.00	3	Vertical	292	1.54	-	33.90	5.59	32.14
PK	5.7472G	56.86	68.20	-11.34	49.61	3	Vertical	292	1.54	-	33.79	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	56.33	74.00	-17.67	49.10	3	Horizontal	23	2.73	-	33.90	5.46	32.13
AV	5.46G	44.27	54.00	-9.73	37.04	3	Horizontal	23	2.73	-	33.90	5.46	32.13
PK	5.4624G	56.32	68.20	-11.88	49.09	3	Horizontal	23	2.73	-	33.90	5.46	32.13
PK	5.5728G	107.15	Inf	-Inf	99.81	3	Horizontal	23	2.73	-	33.90	5.57	32.13
AV	5.5728G	96.96	Inf	-Inf	89.62	3	Horizontal	23	2.73	-	33.90	5.57	32.13
PK	5.7648G	57.53	68.20	-10.67	50.31	3	Horizontal	23	2.73	-	33.77	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15904G	51.42	74.00	-22.58	38.25	3	Vertical	293	2.73	-	38.66	7.76	33.25
AV	11.15962G	37.62	54.00	-16.38	24.45	3	Vertical	293	2.73	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16438G	51.05	74.00	-22.95	37.87	3	Horizontal	283	1.49	-	38.66	7.77	33.25
AV	11.15672G	37.54	54.00	-16.46	24.37	3	Horizontal	283	1.49	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	108.66	Inf	-Inf	101.49	3	Vertical	297	1.80	-	33.71	5.60	32.14
AV	5.6932G	99.02	Inf	-Inf	91.85	3	Vertical	297	1.80	-	33.71	5.60	32.14
PK	5.726G	67.80	68.20	-0.40	60.59	3	Vertical	297	1.80	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	102.69	Inf	-Inf	95.52	3	Horizontal	36	2.74	-	33.71	5.60	32.14
AV	5.6932G	93.02	Inf	-Inf	85.85	3	Horizontal	36	2.74	-	33.71	5.60	32.14
PK	5.726G	61.62	68.20	-6.58	54.41	3	Horizontal	36	2.74	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39584G	51.15	74.00	-22.85	37.72	3	Vertical	186	2.44	-	38.80	7.86	33.23
AV	11.39718G	37.95	54.00	-16.05	24.52	3	Vertical	186	2.44	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3995G	51.36	74.00	-22.64	37.93	3	Horizontal	70	1.33	-	38.80	7.86	33.23
AV	11.39944G	37.81	54.00	-16.19	24.38	3	Horizontal	70	1.33	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	114.18	Inf	-Inf	106.99	3	Vertical	295	1.67	-	33.73	5.60	32.14
AV	5.7128G	103.79	Inf	-Inf	96.60	3	Vertical	295	1.67	-	33.73	5.60	32.14
PK	5.8952G	57.04	68.20	-11.16	49.51	3	Vertical	295	1.67	-	33.98	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	107.27	Inf	-Inf	100.05	3	Horizontal	35	2.96	-	33.76	5.60	32.14
AV	5.7272G	96.78	Inf	-Inf	89.57	3	Horizontal	35	2.96	-	33.75	5.60	32.14
PK	5.8648G	56.83	68.20	-11.37	49.46	3	Horizontal	35	2.96	-	33.86	5.66	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44428G	51.22	74.00	-22.78	37.68	3	Vertical	10	2.81	-	38.89	7.88	33.23
AV	11.44112G	37.97	54.00	-16.03	24.44	3	Vertical	10	2.81	-	38.88	7.88	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4367G	51.36	74.00	-22.64	37.85	3	Horizontal	166	1.08	-	38.87	7.87	33.23
AV	11.44428G	37.98	54.00	-16.02	24.44	3	Horizontal	166	1.08	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.36	74.00	-13.64	53.13	3	Vertical	289	1.58	-	33.90	5.46	32.13
AV	5.46G	46.61	54.00	-7.39	39.38	3	Vertical	289	1.58	-	33.90	5.46	32.13
PK	5.47G	67.87	68.20	-0.33	60.63	3	Vertical	289	1.58	-	33.90	5.47	32.13
PK	5.4936G	111.53	Inf	-Inf	104.27	3	Vertical	289	1.58	-	33.90	5.49	32.13
AV	5.4912G	98.69	Inf	-Inf	91.43	3	Vertical	289	1.58	-	33.90	5.49	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	57.84	74.00	-16.16	50.61	3	Horizontal	18	2.80	-	33.90	5.46	32.13
AV	5.46G	44.89	54.00	-9.11	37.66	3	Horizontal	18	2.80	-	33.90	5.46	32.13
PK	5.468G	62.80	68.20	-5.40	55.56	3	Horizontal	18	2.80	-	33.90	5.47	32.13
PK	5.4924G	105.37	Inf	-Inf	98.11	3	Horizontal	18	2.80	-	33.90	5.49	32.13
AV	5.4912G	92.70	Inf	-Inf	85.44	3	Horizontal	18	2.80	-	33.90	5.49	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00494G	50.97	74.00	-23.03	38.04	3	Vertical	183	1.98	-	38.50	7.70	33.27
AV	11.00486G	36.56	54.00	-17.44	23.63	3	Vertical	183	1.98	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99794G	50.43	74.00	-23.57	37.50	3	Horizontal	235	2.74	-	38.50	7.70	33.27
AV	11.00312G	36.49	54.00	-17.51	23.56	3	Horizontal	235	2.74	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.57	74.00	-16.43	50.34	3	Vertical	294	1.64	-	33.90	5.46	32.13
AV	5.46G	44.83	54.00	-9.17	37.60	3	Vertical	294	1.64	-	33.90	5.46	32.13
PK	5.4688G	59.18	68.20	-9.02	51.94	3	Vertical	294	1.64	-	33.90	5.47	32.13
PK	5.5728G	114.54	Inf	-Inf	107.20	3	Vertical	294	1.64	-	33.90	5.57	32.13
AV	5.572G	102.16	Inf	-Inf	94.82	3	Vertical	294	1.64	-	33.90	5.57	32.13
PK	5.7632G	57.55	68.20	-10.65	50.33	3	Vertical	294	1.64	-	33.77	5.60	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	56.73	74.00	-17.27	49.53	3	Horizontal	20	2.73	-	33.89	5.44	32.13
AV	5.4552G	44.10	54.00	-9.90	36.87	3	Horizontal	20	2.73	-	33.90	5.46	32.13
PK	5.4672G	57.33	68.20	-10.87	50.09	3	Horizontal	20	2.73	-	33.90	5.47	32.13
PK	5.5728G	108.10	Inf	-Inf	100.76	3	Horizontal	20	2.73	-	33.90	5.57	32.13
AV	5.5712G	95.66	Inf	-Inf	88.32	3	Horizontal	20	2.73	-	33.90	5.57	32.13
PK	5.7376G	57.82	68.20	-10.38	50.58	3	Horizontal	20	2.73	-	33.78	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16058G	51.32	74.00	-22.68	38.15	3	Vertical	175	2.79	-	38.66	7.76	33.25
AV	11.15898G	37.03	54.00	-16.97	23.86	3	Vertical	175	2.79	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16476G	51.54	74.00	-22.46	38.36	3	Horizontal	12	1.33	-	38.66	7.77	33.25
AV	11.16192G	37.01	54.00	-16.99	23.84	3	Horizontal	12	1.33	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6928G	110.65	Inf	-Inf	103.48	3	Vertical	297	1.80	-	33.71	5.60	32.14
AV	5.6912G	97.89	Inf	-Inf	90.71	3	Vertical	297	1.80	-	33.72	5.60	32.14
PK	5.7252G	66.88	68.20	-1.32	59.67	3	Vertical	297	1.80	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	104.75	Inf	-Inf	97.58	3	Horizontal	37	2.73	-	33.71	5.60	32.14
AV	5.708G	91.72	Inf	-Inf	84.54	3	Horizontal	37	2.73	-	33.72	5.60	32.14
PK	5.7268G	60.94	68.20	-7.26	53.73	3	Horizontal	37	2.73	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4006G	51.16	74.00	-22.84	37.73	3	Vertical	132	1.95	-	38.80	7.86	33.23
AV	11.40126G	37.47	54.00	-16.53	24.04	3	Vertical	132	1.95	-	38.80	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT X_1TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39642G	51.67	74.00	-22.33	38.24	3	Horizontal	252	2.94	-	38.80	7.86	33.23
AV	11.40326G	37.27	54.00	-16.73	23.83	3	Horizontal	252	2.94	-	38.81	7.86	33.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_1TX
 Setting 24
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	114.99	Inf	-Inf	107.80	3	Vertical	295	1.67	-	33.73	5.60	32.14
AV	5.7112G	102.75	Inf	-Inf	95.57	3	Vertical	295	1.67	-	33.72	5.60	32.14
PK	5.8656G	58.02	68.20	-10.18	50.64	3	Vertical	295	1.67	-	33.86	5.67	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 24
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	108.37	Inf	-Inf	101.17	3	Horizontal	37	2.73	-	33.74	5.60	32.14
AV	5.7112G	96.63	Inf	-Inf	89.45	3	Horizontal	37	2.73	-	33.72	5.60	32.14
PK	5.8592G	57.11	68.20	-11.09	49.76	3	Horizontal	37	2.73	-	33.84	5.66	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44094G	51.38	74.00	-22.62	37.85	3	Vertical	257	1.21	-	38.88	7.88	33.23
AV	11.44272G	37.41	54.00	-16.59	23.87	3	Vertical	257	1.21	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4405G	51.05	74.00	-22.95	37.52	3	Horizontal	301	1.20	-	38.88	7.88	33.23
AV	11.4444G	37.39	54.00	-16.61	23.85	3	Horizontal	301	1.20	-	38.89	7.88	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_X_1TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	64.56	74.00	-9.44	57.33	3	Vertical	293	1.67	-	33.90	5.46	32.13
AV	5.4596G	49.39	54.00	-4.61	42.16	3	Vertical	293	1.67	-	33.90	5.46	32.13
PK	5.4692G	68.16	68.20	-0.04	60.92	3	Vertical	293	1.67	-	33.90	5.47	32.13
PK	5.5004G	108.96	Inf	-Inf	101.69	3	Vertical	293	1.67	-	33.90	5.50	32.13
AV	5.5072G	96.10	Inf	-Inf	88.82	3	Vertical	293	1.67	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	59.13	74.00	-14.87	51.90	3	Horizontal	33	2.06	-	33.90	5.46	32.13
AV	5.46G	45.74	54.00	-8.26	38.51	3	Horizontal	33	2.06	-	33.90	5.46	32.13
PK	5.4692G	61.47	68.20	-6.73	54.23	3	Horizontal	33	2.06	-	33.90	5.47	32.13
PK	5.496G	100.63	Inf	-Inf	93.36	3	Horizontal	33	2.06	-	33.90	5.50	32.13
AV	5.512G	88.07	Inf	-Inf	80.79	3	Horizontal	33	2.06	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01626G	51.56	74.00	-22.44	38.60	3	Vertical	101	1.25	-	38.52	7.71	33.27
AV	11.01794G	37.86	54.00	-16.14	24.90	3	Vertical	101	1.25	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02372G	51.42	74.00	-22.58	38.46	3	Horizontal	216	1.77	-	38.52	7.71	33.27
AV	11.01662G	37.79	54.00	-16.21	24.83	3	Horizontal	216	1.77	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.85	74.00	-9.15	57.62	3	Vertical	291	1.58	-	33.90	5.46	32.13
AV	5.46G	51.27	54.00	-2.73	44.04	3	Vertical	291	1.58	-	33.90	5.46	32.13
PK	5.47G	67.18	68.20	-1.02	59.94	3	Vertical	291	1.58	-	33.90	5.47	32.13
PK	5.5464G	112.44	Inf	-Inf	105.12	3	Vertical	291	1.58	-	33.90	5.55	32.13
AV	5.5422G	99.89	Inf	-Inf	92.58	3	Vertical	291	1.58	-	33.90	5.54	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	59.10	74.00	-14.90	51.87	3	Horizontal	25	2.73	-	33.90	5.46	32.13
AV	5.46G	46.55	54.00	-7.45	39.32	3	Horizontal	25	2.73	-	33.90	5.46	32.13
PK	5.4624G	60.48	68.20	-7.72	53.25	3	Horizontal	25	2.73	-	33.90	5.46	32.13
PK	5.5458G	105.68	Inf	-Inf	98.36	3	Horizontal	25	2.73	-	33.90	5.55	32.13
AV	5.544G	92.94	Inf	-Inf	85.63	3	Horizontal	25	2.73	-	33.90	5.54	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09744G	51.39	74.00	-22.61	38.31	3	Vertical	187	3.00	-	38.60	7.74	33.26
AV	11.09962G	37.72	54.00	-16.28	24.64	3	Vertical	187	3.00	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09612G	52.25	74.00	-21.75	39.17	3	Horizontal	355	1.55	-	38.60	7.74	33.26
AV	11.10278G	37.80	54.00	-16.20	24.72	3	Horizontal	355	1.55	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 18
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6664G	112.06	Inf	-Inf	104.83	3	Vertical	293	1.52	-	33.77	5.60	32.14
AV	5.6688G	98.67	Inf	-Inf	91.45	3	Vertical	293	1.52	-	33.76	5.60	32.14
PK	5.7252G	66.84	68.20	-1.36	59.63	3	Vertical	293	1.52	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 18
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	104.59	Inf	-Inf	97.37	3	Horizontal	22	2.75	-	33.76	5.60	32.14
AV	5.6716G	91.67	Inf	-Inf	84.45	3	Horizontal	22	2.75	-	33.76	5.60	32.14
PK	5.7644G	60.42	68.20	-7.78	53.20	3	Horizontal	22	2.75	-	33.77	5.60	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 18
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3434G	51.86	74.00	-22.14	38.52	3	Vertical	316	1.08	-	38.74	7.84	33.24
AV	11.33834G	37.44	54.00	-16.56	24.10	3	Vertical	316	1.08	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_X_1TX
Setting 18
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33556G	51.40	74.00	-22.60	38.07	3	Horizontal	118	2.61	-	38.74	7.83	33.24
AV	11.33846G	37.39	54.00	-16.61	24.05	3	Horizontal	118	2.61	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	113.07	Inf	-Inf	105.89	3	Vertical	294	1.77	-	33.72	5.60	32.14
AV	5.7036G	101.14	Inf	-Inf	93.97	3	Vertical	294	1.77	-	33.71	5.60	32.14
PK	5.8508G	64.83	68.20	-3.37	57.53	3	Vertical	294	1.77	-	33.80	5.65	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	111.78	Inf	-Inf	104.60	3	Horizontal	357	2.97	-	33.72	5.60	32.14
AV	5.7052G	98.63	Inf	-Inf	91.46	3	Horizontal	357	2.97	-	33.71	5.60	32.14
PK	5.8516G	62.38	68.20	-5.82	55.07	3	Horizontal	357	2.97	-	33.81	5.65	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz_TnomVnom




EUT_X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41548G	51.80	74.00	-22.20	38.33	3	Vertical	330	2.90	-	38.83	7.87	33.23
AV	11.4206G	38.25	54.00	-15.75	24.77	3	Vertical	330	2.90	-	38.84	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz_TnomVnom




EUT X_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41918G	52.09	74.00	-21.91	38.61	3	Horizontal	114	2.82	-	38.84	7.87	33.23
AV	11.4224G	38.27	54.00	-15.73	24.79	3	Horizontal	114	2.82	-	38.84	7.87	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3348G	56.01	68.20	-12.19	49.08	3	Vertical	288	1.76	-	33.70	5.37	32.14
AV	5.35G	43.52	54.00	-10.48	36.59	3	Vertical	288	1.76	-	33.70	5.37	32.14
PK	5.4596G	65.49	74.00	-8.51	58.26	3	Vertical	288	1.76	-	33.90	5.46	32.13
AV	5.4596G	49.67	54.00	-4.33	42.44	3	Vertical	288	1.76	-	33.90	5.46	32.13
PK	5.4692G	66.80	68.20	-1.40	59.56	3	Vertical	288	1.76	-	33.90	5.47	32.13
PK	5.542G	105.07	Inf	-Inf	97.76	3	Vertical	288	1.76	-	33.90	5.54	32.13
AV	5.5316G	92.11	Inf	-Inf	84.81	3	Vertical	288	1.76	-	33.90	5.53	32.13
PK	5.7284G	56.13	68.20	-12.07	48.91	3	Vertical	288	1.76	-	33.76	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3324G	56.18	68.20	-12.02	49.25	3	Horizontal	18	3.00	-	33.70	5.37	32.14
AV	5.35G	43.58	54.00	-10.42	36.65	3	Horizontal	18	3.00	-	33.70	5.37	32.14
PK	5.4396G	59.41	74.00	-14.59	52.22	3	Horizontal	18	3.00	-	33.88	5.44	32.13
PK	5.4628G	58.39	68.20	-9.81	51.16	3	Horizontal	18	3.00	-	33.90	5.46	32.13
AV	5.4564G	45.56	54.00	-8.44	38.33	3	Horizontal	18	3.00	-	33.90	5.46	32.13
PK	5.522G	97.82	Inf	-Inf	90.53	3	Horizontal	18	3.00	-	33.90	5.52	32.13
AV	5.5284G	85.57	Inf	-Inf	78.27	3	Horizontal	18	3.00	-	33.90	5.53	32.13
PK	5.726G	55.55	68.20	-12.65	48.34	3	Horizontal	18	3.00	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06354G	51.46	74.00	-22.54	38.43	3	Vertical	170	1.29	-	38.56	7.73	33.26
AV	11.06066G	37.32	54.00	-16.68	24.30	3	Vertical	170	1.29	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05726G	51.89	74.00	-22.11	38.87	3	Horizontal	336	2.50	-	38.56	7.72	33.26
AV	11.05794G	37.36	54.00	-16.64	24.34	3	Horizontal	336	2.50	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_X_1TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	63.75	74.00	-10.25	56.56	3	Vertical	288	1.62	-	33.88	5.44	32.13
PK	5.4668G	65.51	68.20	-2.69	58.27	3	Vertical	288	1.62	-	33.90	5.47	32.13
AV	5.4596G	50.59	54.00	-3.41	43.36	3	Vertical	288	1.62	-	33.90	5.46	32.13
PK	5.6244G	107.65	Inf	-Inf	100.34	3	Vertical	288	1.62	-	33.85	5.60	32.14
AV	5.6164G	94.75	Inf	-Inf	87.42	3	Vertical	288	1.62	-	33.87	5.60	32.14
PK	5.7268G	67.09	68.20	-1.11	59.88	3	Vertical	288	1.62	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_X_1TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	59.63	74.00	-14.37	52.40	3	Horizontal	20	2.69	-	33.90	5.46	32.13
AV	5.4596G	47.60	54.00	-6.40	40.37	3	Horizontal	20	2.69	-	33.90	5.46	32.13
PK	5.4692G	60.19	68.20	-8.01	52.95	3	Horizontal	20	2.69	-	33.90	5.47	32.13
PK	5.6172G	100.86	Inf	-Inf	93.53	3	Horizontal	20	2.69	-	33.87	5.60	32.14
AV	5.6172G	88.24	Inf	-Inf	80.91	3	Horizontal	20	2.69	-	33.87	5.60	32.14
PK	5.726G	61.52	68.20	-6.68	54.31	3	Horizontal	20	2.69	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22112G	51.34	74.00	-22.66	38.10	3	Vertical	259	1.20	-	38.70	7.79	33.25
AV	11.21812G	37.76	54.00	-16.24	24.52	3	Vertical	259	1.20	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21602G	51.52	74.00	-22.48	38.28	3	Horizontal	212	2.25	-	38.70	7.79	33.25
AV	11.22148G	37.73	54.00	-16.27	24.49	3	Horizontal	212	2.25	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6868G	110.58	Inf	-Inf	103.39	3	Vertical	294	1.71	-	33.73	5.60	32.14
AV	5.67G	97.89	Inf	-Inf	90.67	3	Vertical	294	1.71	-	33.76	5.60	32.14
PK	5.854G	67.98	68.20	-0.22	60.66	3	Vertical	294	1.71	-	33.82	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	104.21	Inf	-Inf	97.03	3	Horizontal	21	2.74	-	33.72	5.60	32.14
AV	5.6772G	91.09	Inf	-Inf	83.88	3	Horizontal	21	2.74	-	33.75	5.60	32.14
PK	5.8548G	63.81	68.20	-4.39	56.49	3	Horizontal	21	2.74	-	33.82	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz_TnomVnom




EUT X_1TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37862G	52.44	74.00	-21.56	39.04	3	Vertical	2	1.92	-	38.78	7.85	33.23
AV	11.37622G	37.85	54.00	-16.15	24.45	3	Vertical	2	1.92	-	38.78	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz_TnomVnom



EUT X_1TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38106G	52.30	74.00	-21.70	38.90	3	Horizontal	103	1.49	-	38.78	7.85	33.23
AV	11.37988G	37.89	54.00	-16.11	24.49	3	Horizontal	103	1.49	-	38.78	7.85	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height	Comments
									(°)	(m)	
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	67.85	68.20	-0.35	3	Vertical	289	1.76	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4676G	67.83	68.20	-0.37	3	Vertical	291	1.92	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.8564G	68.11	68.20	-0.09	3	Vertical	296	1.99	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.8568G	67.31	68.20	-0.89	3	Vertical	297	1.79	-

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.62	74.00	-15.38	51.39	3	Vertical	289	1.76	-	33.90	5.46	32.13
AV	5.46G	45.58	54.00	-8.42	38.35	3	Vertical	289	1.76	-	33.90	5.46	32.13
PK	5.4696G	67.85	68.20	-0.35	60.61	3	Vertical	289	1.76	-	33.90	5.47	32.13
PK	5.4944G	113.35	Inf	-Inf	106.09	3	Vertical	289	1.76	-	33.90	5.49	32.13
AV	5.4944G	103.92	Inf	-Inf	96.66	3	Vertical	289	1.76	-	33.90	5.49	32.13

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	57.19	74.00	-16.81	49.99	3	Horizontal	32	2.90	-	33.89	5.44	32.13
PK	5.468G	59.80	68.20	-8.40	52.56	3	Horizontal	32	2.90	-	33.90	5.47	32.13
AV	5.4592G	44.65	54.00	-9.35	37.42	3	Horizontal	32	2.90	-	33.90	5.46	32.13
PK	5.4928G	108.31	Inf	-Inf	101.05	3	Horizontal	32	2.90	-	33.90	5.49	32.13
AV	5.4924G	98.50	Inf	-Inf	91.24	3	Horizontal	32	2.90	-	33.90	5.49	32.13

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT X_4TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9986G	55.07	74.00	-18.93	42.14	3	Vertical	70	2.67	-	38.50	7.70	33.27
AV	10.99816G	42.36	54.00	-11.64	29.43	3	Vertical	70	2.67	-	38.50	7.70	33.27

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT X_4TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99742G	55.51	74.00	-18.49	42.58	3	Horizontal	283	1.83	-	38.50	7.70	33.27
AV	10.99818G	41.32	54.00	-12.68	28.39	3	Horizontal	283	1.83	-	38.50	7.70	33.27

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	58.10	74.00	-15.90	50.88	3	Vertical	297	2.24	-	33.90	5.45	32.13
AV	5.4584G	45.27	54.00	-8.73	38.04	3	Vertical	297	2.24	-	33.90	5.46	32.13
PK	5.4688G	59.16	68.20	-9.04	51.92	3	Vertical	297	2.24	-	33.90	5.47	32.13
PK	5.5736G	118.15	Inf	-Inf	110.81	3	Vertical	297	2.24	-	33.90	5.57	32.13
AV	5.5728G	107.83	Inf	-Inf	100.49	3	Vertical	297	2.24	-	33.90	5.57	32.13
PK	5.7328G	58.06	68.20	-10.14	50.83	3	Vertical	297	2.24	-	33.77	5.60	32.14

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.01	74.00	-16.99	49.79	3	Horizontal	10	2.84	-	33.90	5.45	32.13
PK	5.4624G	57.40	68.20	-10.80	50.17	3	Horizontal	10	2.84	-	33.90	5.46	32.13
AV	5.4584G	44.71	54.00	-9.29	37.48	3	Horizontal	10	2.84	-	33.90	5.46	32.13
PK	5.584G	112.56	Inf	-Inf	105.22	3	Horizontal	10	2.84	-	33.90	5.58	32.14
AV	5.5736G	101.70	Inf	-Inf	94.36	3	Horizontal	10	2.84	-	33.90	5.57	32.13
PK	5.7592G	57.01	68.20	-11.19	49.78	3	Horizontal	10	2.84	-	33.78	5.60	32.15

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16378G	51.46	74.00	-22.54	38.28	3	Vertical	286	2.57	-	38.66	7.77	33.25
AV	11.15738G	37.65	54.00	-16.35	24.48	3	Vertical	286	2.57	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15828G	51.25	74.00	-22.75	38.08	3	Horizontal	111	2.39	-	38.66	7.76	33.25
AV	11.15872G	37.70	54.00	-16.30	24.53	3	Horizontal	111	2.39	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	113.95	Inf	-Inf	106.78	3	Vertical	298	1.81	-	33.71	5.60	32.14
AV	5.6932G	103.80	Inf	-Inf	96.63	3	Vertical	298	1.81	-	33.71	5.60	32.14
PK	5.7252G	66.70	68.20	-1.50	59.49	3	Vertical	298	1.81	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	106.22	Inf	-Inf	99.05	3	Horizontal	32	2.98	-	33.71	5.60	32.14
AV	5.6928G	96.54	Inf	-Inf	89.37	3	Horizontal	32	2.98	-	33.71	5.60	32.14
PK	5.7272G	61.25	68.20	-6.95	54.04	3	Horizontal	32	2.98	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40186G	51.60	74.00	-22.40	38.17	3	Vertical	193	2.01	-	38.80	7.86	33.23
AV	11.40472G	38.22	54.00	-15.78	24.78	3	Vertical	193	2.01	-	38.81	7.86	33.23

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39766G	51.30	74.00	-22.70	37.87	3	Horizontal	28	2.00	-	38.80	7.86	33.23
AV	11.40102G	38.15	54.00	-15.85	24.72	3	Horizontal	28	2.00	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	118.72	Inf	-Inf	111.53	3	Vertical	292	1.69	-	33.73	5.60	32.14
AV	5.7136G	108.66	Inf	-Inf	101.47	3	Vertical	292	1.69	-	33.73	5.60	32.14
PK	5.86G	57.89	68.20	-10.31	50.54	3	Vertical	292	1.69	-	33.84	5.66	32.15

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	112.88	Inf	-Inf	105.67	3	Horizontal	39	2.84	-	33.75	5.60	32.14
AV	5.7272G	102.84	Inf	-Inf	95.63	3	Horizontal	39	2.84	-	33.75	5.60	32.14
PK	5.8976G	57.55	68.20	-10.65	50.01	3	Horizontal	39	2.84	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44406G	52.06	74.00	-21.94	38.52	3	Vertical	15	2.21	-	38.89	7.88	33.23
AV	11.4421G	38.52	54.00	-15.48	24.99	3	Vertical	15	2.21	-	38.88	7.88	33.23

802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43868G	52.15	74.00	-21.85	38.62	3	Horizontal	298	1.47	-	38.88	7.88	33.23
AV	11.44292G	38.45	54.00	-15.55	24.91	3	Horizontal	298	1.47	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.39	74.00	-15.61	51.16	3	Vertical	291	1.92	-	33.90	5.46	32.13
AV	5.4588G	45.57	54.00	-8.43	38.34	3	Vertical	291	1.92	-	33.90	5.46	32.13
PK	5.4676G	67.83	68.20	-0.37	60.59	3	Vertical	291	1.92	-	33.90	5.47	32.13
PK	5.508G	114.77	Inf	-Inf	107.49	3	Vertical	291	1.92	-	33.90	5.51	32.13
AV	5.5084G	102.69	Inf	-Inf	95.41	3	Vertical	291	1.92	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.04	74.00	-16.96	49.81	3	Horizontal	20	2.91	-	33.90	5.46	32.13
AV	5.4576G	44.06	54.00	-9.94	36.83	3	Horizontal	20	2.91	-	33.90	5.46	32.13
PK	5.4672G	60.20	68.20	-8.00	52.96	3	Horizontal	20	2.91	-	33.90	5.47	32.13
PK	5.5064G	109.77	Inf	-Inf	102.49	3	Horizontal	20	2.91	-	33.90	5.51	32.13
AV	5.5072G	96.42	Inf	-Inf	89.14	3	Horizontal	20	2.91	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0014G	50.84	74.00	-23.16	37.91	3	Vertical	336	2.03	-	38.50	7.70	33.27
AV	11.00294G	36.76	54.00	-17.24	23.83	3	Vertical	336	2.03	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0041G	51.29	74.00	-22.71	38.36	3	Horizontal	260	1.52	-	38.50	7.70	33.27
AV	11.0043G	36.79	54.00	-17.21	23.86	3	Horizontal	260	1.52	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.83	74.00	-12.17	54.60	3	Vertical	295	1.72	-	33.90	5.46	32.13
AV	5.4584G	46.86	54.00	-7.14	39.63	3	Vertical	295	1.72	-	33.90	5.46	32.13
PK	5.468G	64.37	68.20	-3.83	57.13	3	Vertical	295	1.72	-	33.90	5.47	32.13
PK	5.5888G	119.71	Inf	-Inf	112.36	3	Vertical	295	1.72	-	33.90	5.59	32.14
AV	5.588G	107.72	Inf	-Inf	100.37	3	Vertical	295	1.72	-	33.90	5.59	32.14
PK	5.748G	59.04	68.20	-9.16	51.78	3	Vertical	295	1.72	-	33.80	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	56.98	74.00	-17.02	49.75	3	Horizontal	35	2.84	-	33.90	5.46	32.13
AV	5.456G	44.73	54.00	-9.27	37.50	3	Horizontal	35	2.84	-	33.90	5.46	32.13
PK	5.4664G	58.79	68.20	-9.41	51.55	3	Horizontal	35	2.84	-	33.90	5.47	32.13
PK	5.576G	113.71	Inf	-Inf	106.36	3	Horizontal	35	2.84	-	33.90	5.58	32.13
AV	5.5752G	100.64	Inf	-Inf	93.29	3	Horizontal	35	2.84	-	33.90	5.58	32.13
PK	5.7632G	57.07	68.20	-11.13	49.85	3	Horizontal	35	2.84	-	33.77	5.60	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16328G	51.11	74.00	-22.89	37.93	3	Vertical	357	2.06	-	38.66	7.77	33.25
AV	11.1578G	37.16	54.00	-16.84	23.99	3	Vertical	357	2.06	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16002G	51.00	74.00	-23.00	37.83	3	Horizontal	266	2.66	-	38.66	7.76	33.25
AV	11.16076G	37.13	54.00	-16.87	23.96	3	Horizontal	266	2.66	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	114.22	Inf	-Inf	107.05	3	Vertical	297	1.76	-	33.71	5.60	32.14
AV	5.7076G	102.06	Inf	-Inf	94.88	3	Vertical	297	1.76	-	33.72	5.60	32.14
PK	5.7264G	65.95	68.20	-2.25	58.74	3	Vertical	297	1.76	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	108.77	Inf	-Inf	101.60	3	Horizontal	27	2.87	-	33.71	5.60	32.14
AV	5.6944G	95.61	Inf	-Inf	88.44	3	Horizontal	27	2.87	-	33.71	5.60	32.14
PK	5.7264G	58.10	68.20	-10.10	50.89	3	Horizontal	27	2.87	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3959G	51.97	74.00	-22.03	38.54	3	Vertical	267	2.07	-	38.80	7.86	33.23
AV	11.4024G	37.59	54.00	-16.41	24.16	3	Vertical	267	2.07	-	38.80	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40332G	52.33	74.00	-21.67	38.89	3	Horizontal	27	1.76	-	38.81	7.86	33.23
AV	11.40488G	37.64	54.00	-16.36	24.20	3	Horizontal	27	1.76	-	38.81	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	120.23	Inf	-Inf	113.01	3	Vertical	295	1.80	-	33.76	5.60	32.14
AV	5.7272G	108.37	Inf	-Inf	101.16	3	Vertical	295	1.80	-	33.75	5.60	32.14
PK	5.8552G	59.76	68.20	-8.44	52.43	3	Vertical	295	1.80	-	33.82	5.66	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	115.37	Inf	-Inf	108.18	3	Horizontal	51	2.84	-	33.73	5.60	32.14
AV	5.7136G	102.50	Inf	-Inf	95.31	3	Horizontal	51	2.84	-	33.73	5.60	32.14
PK	5.9024G	57.51	68.20	-10.69	49.96	3	Horizontal	51	2.84	-	34.00	5.70	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43886G	51.92	74.00	-22.08	38.39	3	Vertical	185	1.47	-	38.88	7.88	33.23
AV	11.44038G	37.95	54.00	-16.05	24.42	3	Vertical	185	1.47	-	38.88	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44238G	51.70	74.00	-22.30	38.17	3	Horizontal	237	1.83	-	38.88	7.88	33.23
AV	11.44244G	37.85	54.00	-16.15	24.32	3	Horizontal	237	1.83	-	38.88	7.88	33.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.47	74.00	-10.53	56.24	3	Vertical	292	1.93	-	33.90	5.46	32.13
AV	5.4584G	47.64	54.00	-6.36	40.41	3	Vertical	292	1.93	-	33.90	5.46	32.13
PK	5.47G	67.57	68.20	-0.63	60.33	3	Vertical	292	1.93	-	33.90	5.47	32.13
PK	5.5088G	112.14	Inf	-Inf	104.86	3	Vertical	292	1.93	-	33.90	5.51	32.13
AV	5.508G	98.83	Inf	-Inf	91.55	3	Vertical	292	1.93	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	57.21	74.00	-16.79	49.98	3	Horizontal	16	2.90	-	33.90	5.46	32.13
AV	5.4568G	44.49	54.00	-9.51	37.26	3	Horizontal	16	2.90	-	33.90	5.46	32.13
PK	5.468G	60.98	68.20	-7.22	53.74	3	Horizontal	16	2.90	-	33.90	5.47	32.13
PK	5.5068G	105.94	Inf	-Inf	98.66	3	Horizontal	16	2.90	-	33.90	5.51	32.13
AV	5.5072G	93.07	Inf	-Inf	85.79	3	Horizontal	16	2.90	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02276G	51.05	74.00	-22.95	38.09	3	Vertical	218	1.09	-	38.52	7.71	33.27
AV	11.0156G	37.20	54.00	-16.80	24.24	3	Vertical	218	1.09	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01616G	51.17	74.00	-22.83	38.21	3	Horizontal	172	1.95	-	38.52	7.71	33.27
AV	11.01964G	37.31	54.00	-16.69	24.35	3	Horizontal	172	1.95	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 19
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.96	74.00	-9.04	57.73	3	Vertical	296	1.80	-	33.90	5.46	32.13
AV	5.4576G	48.99	54.00	-5.01	41.76	3	Vertical	296	1.80	-	33.90	5.46	32.13
PK	5.4696G	66.99	68.20	-1.21	59.75	3	Vertical	296	1.80	-	33.90	5.47	32.13
PK	5.5476G	115.80	Inf	-Inf	108.48	3	Vertical	296	1.80	-	33.90	5.55	32.13
AV	5.5476G	102.61	Inf	-Inf	95.29	3	Vertical	296	1.80	-	33.90	5.55	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 19
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4366G	56.80	74.00	-17.20	49.62	3	Horizontal	53	3.00	-	33.87	5.44	32.13
PK	5.47G	57.62	68.20	-10.58	50.38	3	Horizontal	53	3.00	-	33.90	5.47	32.13
AV	5.46G	44.38	54.00	-9.62	37.15	3	Horizontal	53	3.00	-	33.90	5.46	32.13
PK	5.5434G	107.72	Inf	-Inf	100.41	3	Horizontal	53	3.00	-	33.90	5.54	32.13
AV	5.5434G	95.53	Inf	-Inf	88.22	3	Horizontal	53	3.00	-	33.90	5.54	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 19
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10102G	51.77	74.00	-22.23	38.69	3	Vertical	4	2.92	-	38.60	7.74	33.26
AV	11.10038G	37.08	54.00	-16.92	24.00	3	Vertical	4	2.92	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 19
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10288G	51.06	74.00	-22.94	37.98	3	Horizontal	52	1.71	-	38.60	7.74	33.26
AV	11.09994G	37.09	54.00	-16.91	24.01	3	Horizontal	52	1.71	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6586G	113.59	Inf	-Inf	106.35	3	Vertical	295	1.59	-	33.78	5.60	32.14
AV	5.6676G	101.37	Inf	-Inf	94.15	3	Vertical	295	1.59	-	33.76	5.60	32.14
PK	5.7282G	67.62	68.20	-0.58	60.40	3	Vertical	295	1.59	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6658G	106.26	Inf	-Inf	99.03	3	Horizontal	27	2.89	-	33.77	5.60	32.14
AV	5.6658G	94.22	Inf	-Inf	86.99	3	Horizontal	27	2.89	-	33.77	5.60	32.14
PK	5.7258G	58.60	68.20	-9.60	51.39	3	Horizontal	27	2.89	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3375G	50.92	74.00	-23.08	37.58	3	Vertical	151	2.21	-	38.74	7.84	33.24
AV	11.3395G	37.01	54.00	-16.99	23.67	3	Vertical	151	2.21	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT_X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3369G	51.13	74.00	-22.87	37.80	3	Horizontal	28	1.28	-	38.74	7.83	33.24
AV	11.3387G	36.87	54.00	-17.13	23.53	3	Horizontal	28	1.28	-	38.74	7.84	33.24


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 24
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	56.80	74.00	-17.20	49.57	3	Vertical	296	1.99	-	33.90	5.46	32.13
AV	5.4568G	44.64	54.00	-9.36	37.41	3	Vertical	296	1.99	-	33.90	5.46	32.13
PK	5.4688G	57.33	68.20	-10.87	50.09	3	Vertical	296	1.99	-	33.90	5.47	32.13
PK	5.7076G	118.13	Inf	-Inf	110.95	3	Vertical	296	1.99	-	33.72	5.60	32.14
AV	5.7076G	106.06	Inf	-Inf	98.88	3	Vertical	296	1.99	-	33.72	5.60	32.14
PK	5.8564G	68.11	68.20	-0.09	60.77	3	Vertical	296	1.99	-	33.83	5.66	32.15

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 24
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	57.44	74.00	-16.56	50.23	3	Horizontal	52	2.85	-	33.89	5.45	32.13
AV	5.4508G	44.07	54.00	-9.93	36.85	3	Horizontal	52	2.85	-	33.90	5.45	32.13
PK	5.4604G	55.95	68.20	-12.25	48.72	3	Horizontal	52	2.85	-	33.90	5.46	32.13
PK	5.704G	111.75	Inf	-Inf	104.58	3	Horizontal	52	2.85	-	33.71	5.60	32.14
AV	5.7028G	99.39	Inf	-Inf	92.22	3	Horizontal	52	2.85	-	33.71	5.60	32.14
PK	5.854G	62.81	68.20	-5.39	55.49	3	Horizontal	52	2.85	-	33.82	5.65	32.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41814G	51.77	74.00	-22.23	38.29	3	Vertical	242	2.57	-	38.84	7.87	33.23
AV	11.42478G	37.86	54.00	-16.14	24.37	3	Vertical	242	2.57	-	38.85	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT X_2TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42134G	51.54	74.00	-22.46	38.06	3	Horizontal	55	1.79	-	38.84	7.87	33.23
AV	11.42434G	37.80	54.00	-16.20	24.31	3	Horizontal	55	1.79	-	38.85	7.87	33.23

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	56.25	68.20	-11.95	49.32	3	Vertical	295	1.74	-	33.70	5.37	32.14
AV	5.35G	43.56	54.00	-10.44	36.63	3	Vertical	295	1.74	-	33.70	5.37	32.14
PK	5.4596G	66.89	74.00	-7.11	59.66	3	Vertical	295	1.74	-	33.90	5.46	32.13
AV	5.4588G	49.62	54.00	-4.38	42.39	3	Vertical	295	1.74	-	33.90	5.46	32.13
PK	5.47G	66.41	68.20	-1.79	59.17	3	Vertical	295	1.74	-	33.90	5.47	32.13
PK	5.5292G	108.62	Inf	-Inf	101.32	3	Vertical	295	1.74	-	33.90	5.53	32.13
AV	5.5188G	95.53	Inf	-Inf	88.24	3	Vertical	295	1.74	-	33.90	5.52	32.13
PK	5.7292G	56.03	68.20	-12.17	48.81	3	Vertical	295	1.74	-	33.76	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.43	68.20	-11.77	49.50	3	Horizontal	24	3.00	-	33.70	5.37	32.14
AV	5.35G	43.56	54.00	-10.44	36.63	3	Horizontal	24	3.00	-	33.70	5.37	32.14
PK	5.4556G	58.71	74.00	-15.29	51.48	3	Horizontal	24	3.00	-	33.90	5.46	32.13
AV	5.4564G	45.29	54.00	-8.71	38.06	3	Horizontal	24	3.00	-	33.90	5.46	32.13
PK	5.4676G	58.78	68.20	-9.42	51.54	3	Horizontal	24	3.00	-	33.90	5.47	32.13
PK	5.5268G	102.67	Inf	-Inf	95.37	3	Horizontal	24	3.00	-	33.90	5.53	32.13
AV	5.526G	89.83	Inf	-Inf	82.53	3	Horizontal	24	3.00	-	33.90	5.53	32.13
PK	5.7252G	55.58	68.20	-12.62	48.37	3	Horizontal	24	3.00	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0581G	51.91	74.00	-22.09	38.89	3	Vertical	341	1.70	-	38.56	7.72	33.26
AV	11.05608G	36.82	54.00	-17.18	23.80	3	Vertical	341	1.70	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06138G	50.85	74.00	-23.15	37.83	3	Horizontal	181	2.70	-	38.56	7.72	33.26
AV	11.05526G	36.73	54.00	-17.27	23.71	3	Horizontal	181	2.70	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.16	74.00	-12.84	53.93	3	Vertical	292	1.96	-	33.90	5.46	32.13
AV	5.458G	48.29	54.00	-5.71	41.06	3	Vertical	292	1.96	-	33.90	5.46	32.13
PK	5.466G	63.72	68.20	-4.48	56.48	3	Vertical	292	1.96	-	33.90	5.47	32.13
PK	5.6084G	111.20	Inf	-Inf	103.86	3	Vertical	292	1.96	-	33.88	5.60	32.14
AV	5.618G	97.92	Inf	-Inf	90.60	3	Vertical	292	1.96	-	33.86	5.60	32.14
PK	5.7268G	66.40	68.20	-1.80	59.19	3	Vertical	292	1.96	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	57.21	74.00	-16.79	50.00	3	Horizontal	37	2.93	-	33.89	5.45	32.13
AV	5.4556G	44.97	54.00	-9.03	37.74	3	Horizontal	37	2.93	-	33.90	5.46	32.13
PK	5.466G	59.12	68.20	-9.08	51.88	3	Horizontal	37	2.93	-	33.90	5.47	32.13
PK	5.606G	103.18	Inf	-Inf	95.83	3	Horizontal	37	2.93	-	33.89	5.60	32.14
AV	5.6052G	90.90	Inf	-Inf	83.55	3	Horizontal	37	2.93	-	33.89	5.60	32.14
PK	5.726G	60.72	68.20	-7.48	53.51	3	Horizontal	37	2.93	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2161G	51.32	74.00	-22.68	38.08	3	Vertical	119	1.00	-	38.70	7.79	33.25
AV	11.2221G	37.22	54.00	-16.78	23.98	3	Vertical	119	1.00	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT X_2TX
Setting 17
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22076G	51.18	74.00	-22.82	37.94	3	Horizontal	301	2.11	-	38.70	7.79	33.25
AV	11.22452G	37.24	54.00	-16.76	24.00	3	Horizontal	301	2.11	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 21
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	60.44	74.00	-13.56	53.22	3	Vertical	297	1.79	-	33.90	5.45	32.13
PK	5.4608G	62.14	68.20	-6.06	54.91	3	Vertical	297	1.79	-	33.90	5.46	32.13
AV	5.4584G	48.32	54.00	-5.68	41.09	3	Vertical	297	1.79	-	33.90	5.46	32.13
PK	5.6984G	114.18	Inf	-Inf	107.02	3	Vertical	297	1.79	-	33.70	5.60	32.14
AV	5.6876G	101.27	Inf	-Inf	94.09	3	Vertical	297	1.79	-	33.72	5.60	32.14
PK	5.8568G	67.31	68.20	-0.89	59.97	3	Vertical	297	1.79	-	33.83	5.66	32.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	56.67	74.00	-17.33	49.45	3	Horizontal	26	2.87	-	33.90	5.45	32.13
AV	5.4476G	44.67	54.00	-9.33	37.45	3	Horizontal	26	2.87	-	33.90	5.45	32.13
PK	5.462G	56.05	68.20	-12.15	48.82	3	Horizontal	26	2.87	-	33.90	5.46	32.13
PK	5.6864G	106.39	Inf	-Inf	99.20	3	Horizontal	26	2.87	-	33.73	5.60	32.14
AV	5.6948G	94.66	Inf	-Inf	87.49	3	Horizontal	26	2.87	-	33.71	5.60	32.14
PK	5.8544G	62.57	68.20	-5.63	55.25	3	Horizontal	26	2.87	-	33.82	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz_TnomVnom




EUT_X_2TX
Setting 21
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38054G	51.48	74.00	-22.52	38.08	3	Vertical	341	2.86	-	38.78	7.85	33.23
AV	11.38148G	37.46	54.00	-16.54	24.06	3	Vertical	341	2.86	-	38.78	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz_TnomVnom



EUT X_2TX
Setting 21
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38228G	52.16	74.00	-21.84	38.76	3	Horizontal	202	1.68	-	38.78	7.85	33.23
AV	11.37612G	37.44	54.00	-16.56	24.04	3	Horizontal	202	1.68	-	38.78	7.85	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7264G	67.95	68.20	-0.25	3	Vertical	56	1.72	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4628G	68.07	68.20	-0.13	3	Horizontal	41	2.87	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.4652G	67.37	68.20	-0.83	3	Vertical	62	1.79	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.865G	68.09	68.20	-0.11	3	Vertical	61	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	57.74	74.00	-16.26	50.54	3	Vertical	64	1.80	-	33.89	5.44	32.13
AV	5.4504G	44.89	54.00	-9.11	37.67	3	Vertical	64	1.80	-	33.90	5.45	32.13
PK	5.4684G	67.48	68.20	-0.72	60.24	3	Vertical	64	1.80	-	33.90	5.47	32.13
PK	5.5068G	118.48	Inf	-Inf	111.20	3	Vertical	64	1.80	-	33.90	5.51	32.13
AV	5.5072G	109.32	Inf	-Inf	102.04	3	Vertical	64	1.80	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	57.14	74.00	-16.86	49.98	3	Horizontal	15	2.88	-	33.86	5.43	32.13
PK	5.4664G	58.64	68.20	-9.56	51.40	3	Horizontal	15	2.88	-	33.90	5.47	32.13
AV	5.4596G	44.84	54.00	-9.16	37.61	3	Horizontal	15	2.88	-	33.90	5.46	32.13
PK	5.5068G	112.68	Inf	-Inf	105.40	3	Horizontal	15	2.88	-	33.90	5.51	32.13
AV	5.5064G	102.69	Inf	-Inf	95.41	3	Horizontal	15	2.88	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0041G	51.01	74.00	-22.99	38.08	3	Vertical	161	2.39	-	38.50	7.70	33.27
AV	11.00324G	37.25	54.00	-16.75	24.32	3	Vertical	161	2.39	-	38.50	7.70	33.27
PK	11.0206G	51.43	74.00	-22.57	38.47	3	Vertical	179	2.37	-	38.52	7.71	33.27
AV	11.0153G	40.83	54.00	-13.17	27.87	3	Vertical	179	2.37	-	38.52	7.71	33.27

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99798G	50.32	74.00	-23.68	37.39	3	Horizontal	289	1.13	-	38.50	7.70	33.27
AV	11.0047G	37.28	54.00	-16.72	24.35	3	Horizontal	289	1.13	-	38.50	7.70	33.27
PK	11.009G	51.60	74.00	-22.40	38.66	3	Horizontal	172	1.80	-	38.51	7.70	33.27
AV	11.0189G	38.57	54.00	-15.43	25.61	3	Horizontal	172	1.80	-	38.52	7.71	33.27

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	59.96	74.00	-14.04	52.75	3	Vertical	57	1.77	-	33.89	5.45	32.13
AV	5.448G	46.16	54.00	-7.84	38.94	3	Vertical	57	1.77	-	33.90	5.45	32.13
PK	5.468G	63.43	68.20	-4.77	56.19	3	Vertical	57	1.77	-	33.90	5.47	32.13
PK	5.5872G	123.72	Inf	-Inf	116.37	3	Vertical	57	1.77	-	33.90	5.59	32.14
AV	5.5872G	112.66	Inf	-Inf	105.31	3	Vertical	57	1.77	-	33.90	5.59	32.14
PK	5.7272G	60.20	68.20	-8.00	52.99	3	Vertical	57	1.77	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	56.80	74.00	-17.20	49.60	3	Horizontal	17	2.71	-	33.89	5.44	32.13
AV	5.4376G	44.58	54.00	-9.42	37.39	3	Horizontal	17	2.71	-	33.88	5.44	32.13
PK	5.4664G	56.09	68.20	-12.11	48.85	3	Horizontal	17	2.71	-	33.90	5.47	32.13
PK	5.5728G	115.61	Inf	-Inf	108.27	3	Horizontal	17	2.71	-	33.90	5.57	32.13
AV	5.5736G	105.17	Inf	-Inf	97.83	3	Horizontal	17	2.71	-	33.90	5.57	32.13
PK	5.7368G	57.53	68.20	-10.67	50.30	3	Horizontal	17	2.71	-	33.77	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	51.74	74.00	-22.26	38.57	3	Vertical	197	1.26	-	38.66	7.76	33.25
AV	11.16264G	37.74	54.00	-16.26	24.56	3	Vertical	197	1.26	-	38.66	7.77	33.25

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1586G	51.09	74.00	-22.91	37.92	3	Horizontal	290	2.98	-	38.66	7.76	33.25
AV	11.15534G	37.62	54.00	-16.38	24.45	3	Horizontal	290	2.98	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	116.82	Inf	-Inf	109.64	3	Vertical	56	1.72	-	33.72	5.60	32.14
AV	5.7072G	107.49	Inf	-Inf	100.32	3	Vertical	56	1.72	-	33.71	5.60	32.14
PK	5.7264G	67.95	68.20	-0.25	60.74	3	Vertical	56	1.72	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	110.07	Inf	-Inf	102.90	3	Horizontal	22	2.98	-	33.71	5.60	32.14
AV	5.6928G	100.90	Inf	-Inf	93.73	3	Horizontal	22	2.98	-	33.71	5.60	32.14
PK	5.726G	59.07	68.20	-9.13	51.86	3	Horizontal	22	2.98	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40314G	51.30	74.00	-22.70	37.86	3	Vertical	253	2.30	-	38.81	7.86	33.23
AV	11.40302G	37.95	54.00	-16.05	24.51	3	Vertical	253	2.30	-	38.81	7.86	33.23

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40124G	51.89	74.00	-22.11	38.46	3	Horizontal	119	2.77	-	38.80	7.86	33.23
AV	11.4013G	37.94	54.00	-16.06	24.51	3	Horizontal	119	2.77	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	123.04	Inf	-Inf	115.83	3	Vertical	60	1.70	-	33.75	5.60	32.14
AV	5.7272G	113.33	Inf	-Inf	106.12	3	Vertical	60	1.70	-	33.75	5.60	32.14
PK	5.8512G	57.88	68.20	-10.32	50.58	3	Vertical	60	1.70	-	33.80	5.65	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	116.13	Inf	-Inf	108.94	3	Horizontal	23	2.82	-	33.73	5.60	32.14
AV	5.7128G	106.15	Inf	-Inf	98.96	3	Horizontal	23	2.82	-	33.73	5.60	32.14
PK	5.8616G	57.01	68.20	-11.19	49.65	3	Horizontal	23	2.82	-	33.85	5.66	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44308G	51.36	74.00	-22.64	37.82	3	Vertical	140	2.46	-	38.89	7.88	33.23
AV	11.43896G	38.13	54.00	-15.87	24.60	3	Vertical	140	2.46	-	38.88	7.88	33.23

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4414G	52.45	74.00	-21.55	38.92	3	Horizontal	237	1.47	-	38.88	7.88	33.23
AV	11.4448G	38.32	54.00	-15.68	24.78	3	Horizontal	237	1.47	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	69.83	74.00	-4.17	62.61	3	Vertical	62	1.80	-	33.90	5.45	32.13
AV	5.4552G	52.32	54.00	-1.68	45.09	3	Vertical	62	1.80	-	33.90	5.46	32.13
PK	5.4636G	67.81	68.20	-0.39	60.58	3	Vertical	62	1.80	-	33.90	5.46	32.13
PK	5.494G	121.12	Inf	-Inf	113.86	3	Vertical	62	1.80	-	33.90	5.49	32.13
AV	5.494G	108.68	Inf	-Inf	101.42	3	Vertical	62	1.80	-	33.90	5.49	32.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.92	74.00	-13.08	53.69	3	Horizontal	41	2.87	-	33.90	5.46	32.13
AV	5.46G	46.22	54.00	-7.78	38.99	3	Horizontal	41	2.87	-	33.90	5.46	32.13
PK	5.4628G	68.07	68.20	-0.13	60.84	3	Horizontal	41	2.87	-	33.90	5.46	32.13
PK	5.5064G	113.68	Inf	-Inf	106.40	3	Horizontal	41	2.87	-	33.90	5.51	32.13
AV	5.5044G	101.12	Inf	-Inf	93.85	3	Horizontal	41	2.87	-	33.90	5.50	32.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00376G	50.86	74.00	-23.14	37.93	3	Vertical	109	2.69	-	38.50	7.70	33.27
AV	11.00326G	36.63	54.00	-17.37	23.70	3	Vertical	109	2.69	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0013G	50.68	74.00	-23.32	37.75	3	Horizontal	62	1.23	-	38.50	7.70	33.27
AV	11.00476G	36.67	54.00	-17.33	23.74	3	Horizontal	62	1.23	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	62.83	74.00	-11.17	55.61	3	Vertical	63	1.68	-	33.90	5.45	32.13
AV	5.4544G	48.19	54.00	-5.81	40.97	3	Vertical	63	1.68	-	33.90	5.45	32.13
PK	5.4656G	59.88	68.20	-8.32	52.64	3	Vertical	63	1.68	-	33.90	5.47	32.13
PK	5.5752G	123.48	Inf	-Inf	116.13	3	Vertical	63	1.68	-	33.90	5.58	32.13
AV	5.5736G	111.56	Inf	-Inf	104.22	3	Vertical	63	1.68	-	33.90	5.57	32.13
PK	5.7352G	61.27	68.20	-6.93	54.04	3	Vertical	63	1.68	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	57.14	74.00	-16.86	49.94	3	Horizontal	46	2.94	-	33.89	5.44	32.13
AV	5.4432G	45.04	54.00	-8.96	37.84	3	Horizontal	46	2.94	-	33.89	5.44	32.13
PK	5.4656G	61.66	68.20	-6.54	54.42	3	Horizontal	46	2.94	-	33.90	5.47	32.13
PK	5.5848G	116.81	Inf	-Inf	109.47	3	Horizontal	46	2.94	-	33.90	5.58	32.14
AV	5.5848G	103.68	Inf	-Inf	96.34	3	Horizontal	46	2.94	-	33.90	5.58	32.14
PK	5.7312G	57.88	68.20	-10.32	50.66	3	Horizontal	46	2.94	-	33.76	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16334G	50.54	74.00	-23.46	37.36	3	Vertical	15	1.40	-	38.66	7.77	33.25
AV	11.15718G	37.02	54.00	-16.98	23.85	3	Vertical	15	1.40	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15754G	51.06	74.00	-22.94	37.89	3	Horizontal	156	2.63	-	38.66	7.76	33.25
AV	11.16106G	37.05	54.00	-16.95	23.88	3	Horizontal	156	2.63	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	119.50	Inf	-Inf	112.33	3	Vertical	60	1.80	-	33.71	5.60	32.14
AV	5.694G	107.12	Inf	-Inf	99.95	3	Vertical	60	1.80	-	33.71	5.60	32.14
PK	5.734G	67.01	68.20	-1.19	59.78	3	Vertical	60	1.80	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	114.00	Inf	-Inf	106.83	3	Horizontal	27	2.94	-	33.71	5.60	32.14
AV	5.7052G	100.32	Inf	-Inf	93.15	3	Horizontal	27	2.94	-	33.71	5.60	32.14
PK	5.7252G	67.92	68.20	-0.28	60.71	3	Horizontal	27	2.94	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39924G	51.42	74.00	-22.58	37.99	3	Vertical	52	1.56	-	38.80	7.86	33.23
AV	11.40294G	37.44	54.00	-16.56	24.00	3	Vertical	52	1.56	-	38.81	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 16.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39948G	51.71	74.00	-22.29	38.28	3	Horizontal	98	2.71	-	38.80	7.86	33.23
AV	11.40188G	37.49	54.00	-16.51	24.06	3	Horizontal	98	2.71	-	38.80	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	122.98	Inf	-Inf	115.79	3	Vertical	58	1.71	-	33.73	5.60	32.14
AV	5.7136G	111.88	Inf	-Inf	104.69	3	Vertical	58	1.71	-	33.73	5.60	32.14
PK	5.8536G	58.34	68.20	-9.86	51.03	3	Vertical	58	1.71	-	33.81	5.65	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	118.55	Inf	-Inf	111.34	3	Horizontal	25	2.82	-	33.75	5.60	32.14
AV	5.7256G	105.27	Inf	-Inf	98.06	3	Horizontal	25	2.82	-	33.75	5.60	32.14
PK	5.8544G	57.85	68.20	-10.35	50.53	3	Horizontal	25	2.82	-	33.82	5.65	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43562G	51.62	74.00	-22.38	38.11	3	Vertical	47	1.04	-	38.87	7.87	33.23
AV	11.4412G	37.65	54.00	-16.35	24.12	3	Vertical	47	1.04	-	38.88	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44254G	51.83	74.00	-22.17	38.29	3	Horizontal	251	2.90	-	38.89	7.88	33.23
AV	11.4437G	37.60	54.00	-16.40	24.06	3	Horizontal	251	2.90	-	38.89	7.88	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 15
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4434G	59.59	74.00	-14.41	52.39	3	Vertical	63	1.80	-	33.89	5.44	32.13
AV	5.4452G	46.09	54.00	-7.91	38.88	3	Vertical	63	1.80	-	33.89	5.45	32.13
PK	5.465G	66.85	68.20	-1.35	59.62	3	Vertical	63	1.80	-	33.90	5.46	32.13
PK	5.5034G	114.75	Inf	-Inf	107.48	3	Vertical	63	1.80	-	33.90	5.50	32.13
AV	5.5034G	102.36	Inf	-Inf	95.09	3	Vertical	63	1.80	-	33.90	5.50	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 15
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3876G	56.96	74.00	-17.04	49.93	3	Horizontal	47	3.00	-	33.78	5.39	32.14
PK	5.4686G	56.83	68.20	-11.37	49.59	3	Horizontal	47	3.00	-	33.90	5.47	32.13
AV	5.4584G	44.13	54.00	-9.87	36.90	3	Horizontal	47	3.00	-	33.90	5.46	32.13
PK	5.5154G	108.39	Inf	-Inf	101.10	3	Horizontal	47	3.00	-	33.90	5.52	32.13
AV	5.5142G	95.44	Inf	-Inf	88.16	3	Horizontal	47	3.00	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 15
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02416G	50.96	74.00	-23.04	38.00	3	Vertical	256	1.90	-	38.52	7.71	33.27
AV	11.02142G	37.06	54.00	-16.94	24.10	3	Vertical	256	1.90	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 15
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01718G	51.19	74.00	-22.81	38.23	3	Horizontal	297	2.58	-	38.52	7.71	33.27
AV	11.01766G	37.15	54.00	-16.85	24.19	3	Horizontal	297	2.58	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	54.46	74.00	-19.54	47.53	3	Vertical	62	1.79	-	33.70	5.37	32.14
AV	5.35G	43.46	54.00	-10.54	36.53	3	Vertical	62	1.79	-	33.70	5.37	32.14
PK	5.4428G	61.40	74.00	-12.60	54.20	3	Vertical	62	1.79	-	33.89	5.44	32.13
AV	5.4436G	47.06	54.00	-6.94	39.86	3	Vertical	62	1.79	-	33.89	5.44	32.13
PK	5.4652G	67.37	68.20	-0.83	60.13	3	Vertical	62	1.79	-	33.90	5.47	32.13
PK	5.5428G	117.87	Inf	-Inf	110.56	3	Vertical	62	1.79	-	33.90	5.54	32.13
AV	5.5444G	106.25	Inf	-Inf	98.94	3	Vertical	62	1.79	-	33.90	5.54	32.13
PK	5.7268G	57.04	68.20	-11.16	49.83	3	Vertical	62	1.79	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	55.22	74.00	-18.78	48.29	3	Horizontal	35	2.97	-	33.70	5.37	32.14
AV	5.35G	43.51	54.00	-10.49	36.58	3	Horizontal	35	2.97	-	33.70	5.37	32.14
PK	5.4556G	57.77	74.00	-16.23	50.54	3	Horizontal	35	2.97	-	33.90	5.46	32.13
AV	5.4548G	45.24	54.00	-8.76	38.02	3	Horizontal	35	2.97	-	33.90	5.45	32.13
PK	5.4652G	57.84	68.20	-10.36	50.60	3	Horizontal	35	2.97	-	33.90	5.47	32.13
PK	5.5548G	110.93	Inf	-Inf	103.61	3	Horizontal	35	2.97	-	33.90	5.55	32.13
AV	5.5548G	99.12	Inf	-Inf	91.80	3	Horizontal	35	2.97	-	33.90	5.55	32.13
PK	5.7348G	56.43	68.20	-11.77	49.20	3	Horizontal	35	2.97	-	33.77	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1033G	51.39	74.00	-22.61	38.31	3	Vertical	159	2.91	-	38.60	7.74	33.26
AV	11.1048G	37.00	54.00	-17.00	23.92	3	Vertical	159	2.91	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 18.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10366G	51.51	74.00	-22.49	38.43	3	Horizontal	20	2.17	-	38.60	7.74	33.26
AV	11.10482G	37.02	54.00	-16.98	23.94	3	Horizontal	20	2.17	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	115.77	Inf	-Inf	108.54	3	Vertical	58	1.72	-	33.77	5.60	32.14
AV	5.6646G	103.82	Inf	-Inf	96.59	3	Vertical	58	1.72	-	33.77	5.60	32.14
PK	5.7252G	66.33	68.20	-1.87	59.12	3	Vertical	58	1.72	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 15.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6742G	108.02	Inf	-Inf	100.81	3	Horizontal	22	2.96	-	33.75	5.60	32.14
AV	5.6748G	96.96	Inf	-Inf	89.75	3	Horizontal	22	2.96	-	33.75	5.60	32.14
PK	5.8176G	57.91	68.20	-10.29	50.70	3	Horizontal	22	2.96	-	33.74	5.62	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33686G	50.73	74.00	-23.27	37.40	3	Vertical	101	1.63	-	38.74	7.83	33.24
AV	11.34142G	36.76	54.00	-17.24	23.42	3	Vertical	101	1.63	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 15.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34372G	50.94	74.00	-23.06	37.60	3	Horizontal	100	1.79	-	38.74	7.84	33.24
AV	11.3411G	36.76	54.00	-17.24	23.42	3	Horizontal	100	1.79	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	121.83	Inf	-Inf	114.66	3	Vertical	60	1.61	-	33.71	5.60	32.14
AV	5.7036G	109.75	Inf	-Inf	102.58	3	Vertical	60	1.61	-	33.71	5.60	32.14
PK	5.8652G	67.09	68.20	-1.11	59.71	3	Vertical	60	1.61	-	33.86	5.67	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7156G	116.12	Inf	-Inf	108.93	3	Horizontal	22	2.94	-	33.73	5.60	32.14
AV	5.7156G	103.60	Inf	-Inf	96.41	3	Horizontal	22	2.94	-	33.73	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41944G	51.72	74.00	-22.28	38.24	3	Vertical	258	1.39	-	38.84	7.87	33.23
AV	11.4245G	37.68	54.00	-16.32	24.19	3	Vertical	258	1.39	-	38.85	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4159G	51.49	74.00	-22.51	38.02	3	Horizontal	171	1.67	-	38.83	7.87	33.23
AV	11.4241G	37.72	54.00	-16.28	24.23	3	Horizontal	171	1.67	-	38.85	7.87	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 14.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.58	68.20	-11.62	49.65	3	Vertical	62	1.72	-	33.70	5.37	32.14
AV	5.35G	43.52	54.00	-10.48	36.59	3	Vertical	62	1.72	-	33.70	5.37	32.14
PK	5.4428G	62.84	74.00	-11.16	55.64	3	Vertical	62	1.72	-	33.89	5.44	32.13
AV	5.4452G	48.18	54.00	-5.82	40.97	3	Vertical	62	1.72	-	33.89	5.45	32.13
PK	5.4636G	67.94	68.20	-0.26	60.71	3	Vertical	62	1.72	-	33.90	5.46	32.13
PK	5.5252G	112.77	Inf	-Inf	105.47	3	Vertical	62	1.72	-	33.90	5.53	32.13
AV	5.5244G	98.92	Inf	-Inf	91.63	3	Vertical	62	1.72	-	33.90	5.52	32.13
PK	5.7292G	56.37	68.20	-11.83	49.15	3	Vertical	62	1.72	-	33.76	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 14.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3484G	56.95	68.20	-11.25	50.02	3	Horizontal	31	3.00	-	33.70	5.37	32.14
AV	5.35G	43.66	54.00	-10.34	36.73	3	Horizontal	31	3.00	-	33.70	5.37	32.14
PK	5.454G	57.90	74.00	-16.10	50.68	3	Horizontal	31	3.00	-	33.90	5.45	32.13
AV	5.4548G	44.87	54.00	-9.13	37.65	3	Horizontal	31	3.00	-	33.90	5.45	32.13
PK	5.4652G	56.30	68.20	-11.90	49.06	3	Horizontal	31	3.00	-	33.90	5.47	32.13
PK	5.5164G	105.17	Inf	-Inf	97.88	3	Horizontal	31	3.00	-	33.90	5.52	32.13
AV	5.5348G	92.24	Inf	-Inf	84.94	3	Horizontal	31	3.00	-	33.90	5.53	32.13
PK	5.73G	55.72	68.20	-12.48	48.50	3	Horizontal	31	3.00	-	33.76	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 14.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0647G	50.49	74.00	-23.51	37.46	3	Vertical	170	2.82	-	38.56	7.73	33.26
AV	11.05836G	36.69	54.00	-17.31	23.67	3	Vertical	170	2.82	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 14.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06158G	51.10	74.00	-22.90	38.08	3	Horizontal	73	2.67	-	38.56	7.72	33.26
AV	11.0607G	36.71	54.00	-17.29	23.69	3	Horizontal	73	2.67	-	38.56	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	58.81	74.00	-15.19	51.61	3	Vertical	60	1.66	-	33.89	5.44	32.13
AV	5.4436G	45.96	54.00	-8.04	38.76	3	Vertical	60	1.66	-	33.89	5.44	32.13
PK	5.4636G	63.58	68.20	-4.62	56.35	3	Vertical	60	1.66	-	33.90	5.46	32.13
PK	5.6244G	113.60	Inf	-Inf	106.29	3	Vertical	60	1.66	-	33.85	5.60	32.14
AV	5.6036G	101.22	Inf	-Inf	93.87	3	Vertical	60	1.66	-	33.89	5.60	32.14
PK	5.7252G	67.12	68.20	-1.08	59.91	3	Vertical	60	1.66	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 16
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	56.88	74.00	-17.12	49.66	3	Horizontal	49	2.91	-	33.90	5.45	32.13
AV	5.4532G	44.67	54.00	-9.33	37.45	3	Horizontal	49	2.91	-	33.90	5.45	32.13
PK	5.47G	56.05	68.20	-12.15	48.81	3	Horizontal	49	2.91	-	33.90	5.47	32.13
PK	5.6156G	106.00	Inf	-Inf	98.67	3	Horizontal	49	2.91	-	33.87	5.60	32.14
AV	5.6148G	93.91	Inf	-Inf	86.58	3	Horizontal	49	2.91	-	33.87	5.60	32.14
PK	5.7348G	61.04	68.20	-7.16	53.81	3	Horizontal	49	2.91	-	33.77	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21808G	51.27	74.00	-22.73	38.03	3	Vertical	138	2.82	-	38.70	7.79	33.25
AV	11.2246G	37.10	54.00	-16.90	23.86	3	Vertical	138	2.82	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 16
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22442G	51.14	74.00	-22.86	37.90	3	Horizontal	185	2.10	-	38.70	7.79	33.25
AV	11.22142G	37.16	54.00	-16.84	23.92	3	Horizontal	185	2.10	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	60.03	74.00	-13.97	52.82	3	Vertical	61	1.80	-	33.89	5.45	32.13
AV	5.445G	47.30	54.00	-6.70	40.09	3	Vertical	61	1.80	-	33.89	5.45	32.13
PK	5.464G	61.62	68.20	-6.58	54.39	3	Vertical	61	1.80	-	33.90	5.46	32.13
PK	5.685G	116.89	Inf	-Inf	109.70	3	Vertical	61	1.80	-	33.73	5.60	32.14
AV	5.684G	105.14	Inf	-Inf	97.95	3	Vertical	61	1.80	-	33.73	5.60	32.14
PK	5.865G	68.09	68.20	-0.11	60.72	3	Vertical	61	1.80	-	33.86	5.66	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	57.17	74.00	-16.83	49.94	3	Horizontal	27	2.97	-	33.90	5.46	32.13
AV	5.455G	44.93	54.00	-9.07	37.70	3	Horizontal	27	2.97	-	33.90	5.46	32.13
PK	5.468G	57.61	68.20	-10.59	50.37	3	Horizontal	27	2.97	-	33.90	5.47	32.13
PK	5.696G	111.07	Inf	-Inf	103.90	3	Horizontal	27	2.97	-	33.71	5.60	32.14
AV	5.696G	98.88	Inf	-Inf	91.71	3	Horizontal	27	2.97	-	33.71	5.60	32.14
PK	5.856G	65.45	68.20	-2.75	58.12	3	Horizontal	27	2.97	-	33.82	5.66	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38G	51.40	74.00	-22.60	38.00	3	Vertical	268	1.93	-	38.78	7.85	33.23
AV	11.37694G	37.32	54.00	-16.68	23.92	3	Vertical	268	1.93	-	38.78	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom



EUT X_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37878G	51.26	74.00	-22.74	37.86	3	Horizontal	215	2.59	-	38.78	7.85	33.23
AV	11.38114G	37.31	54.00	-16.69	23.91	3	Horizontal	215	2.59	-	38.78	7.85	33.23