

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5260MHz

30/10/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.21	10.21	7.75	6.89

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5300MHz

30/10/2021

CF
5.3GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.50	10.50	8.02	7.33

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

30/10/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.02	9.02	6.42	5.87

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

30/10/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.90	8.90	6.40	5.49

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

30/10/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.70	10.70	8.01	7.40

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

30/10/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.72	7.72	5.19	4.31

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

PSD

30/10/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	8.15	7.24

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.725-5.85GHz

PSD

30/10/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.78	8.78	6.23	5.32

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5270MHz

30/10/2021

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.40	7.40	5.09	3.76

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5310MHz

30/10/2021

CF
5.31GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.01	4.01	1.53	0.74


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

30/10/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.70	4.70	2.20	1.32


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

30/10/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.63	7.63	5.26	4.06

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

30/10/2021

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.01	7.01	4.30	3.96

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/10/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.88	7.88	5.26	4.60

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.725-5.85GHz

PSD

30/10/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.93	4.93	2.31	1.58

802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz

PSD

30/10/2021

CF
5.29GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.60	0.60	-2.02	-2.74

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

30/10/2021

CF
5.53GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.41	1.41	-1.07	-2.13

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

30/10/2021

CF
5.61GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.66	3.66	0.89	0.52

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/10/2021

CF
5.65GHz


Span
300MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
4.89	4.89	2.37	1.56

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/10/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)
1.30	1.30	-1.20	-2.28



Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.51
802.11ax HEW20_Nss1,(MCS0)_4TX	10.54
802.11ax HEW40_Nss1,(MCS0)_4TX	7.77
802.11ax HEW80_Nss1,(MCS0)_4TX	1.96
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.84
802.11ax HEW20_Nss1,(MCS0)_4TX	10.45
802.11ax HEW40_Nss1,(MCS0)_4TX	7.89
802.11ax HEW80_Nss1,(MCS0)_4TX	4.57
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	8.50
802.11ax HEW20_Nss1,(MCS0)_4TX	8.67
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	0.74

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.36	5.12	4.14	4.58	4.19	10.42	10.64
5300MHz	Pass	6.36	4.75	4.01	4.46	4.47	10.27	10.64
5320MHz	Pass	6.36	4.90	4.52	4.57	4.77	10.51	10.64
5500MHz	Pass	5.06	5.42	4.74	5.17	4.76	10.83	11.00
5580MHz	Pass	5.06	4.91	4.60	5.49	5.01	10.84	11.00
5700MHz	Pass	5.06	5.01	4.13	4.61	4.75	10.42	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.06	5.06	4.35	4.70	4.38	10.35	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.18	2.93	1.82	3.30	2.29	8.50	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.36	5.12	4.17	4.36	4.32	10.32	10.64
5300MHz	Pass	6.36	4.77	4.22	4.39	4.58	10.37	10.64
5320MHz	Pass	6.36	4.98	4.50	4.88	4.62	10.54	10.64
5500MHz	Pass	5.06	4.87	4.01	4.43	4.26	10.25	11.00
5580MHz	Pass	5.06	4.51	3.92	5.05	4.43	10.42	11.00
5700MHz	Pass	5.06	4.67	4.08	4.40	4.29	10.08	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.06	5.07	4.27	4.73	4.70	10.45	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.18	2.68	2.09	3.35	2.57	8.67	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.36	2.51	1.52	1.79	1.56	7.77	10.64
5310MHz	Pass	6.36	0.53	-0.13	0.04	0.14	6.02	10.64
5510MHz	Pass	5.06	1.77	0.77	1.77	1.10	7.10	11.00
5550MHz	Pass	5.06	2.19	1.22	2.09	1.50	7.42	11.00
5670MHz	Pass	5.06	1.81	1.51	1.83	2.04	7.50	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.06	2.54	1.76	2.03	1.98	7.89	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.18	-0.55	-1.28	-0.77	-1.17	4.95	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.36	-3.62	-4.17	-3.77	-3.87	1.96	10.64
5530MHz	Pass	5.06	-1.60	-2.50	-1.59	-2.30	3.68	11.00
5610MHz	Pass	5.06	-1.48	-1.56	-1.04	-1.57	4.33	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.06	-0.87	-1.66	-1.21	-1.38	4.57	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.18	-4.45	-5.49	-4.95	-5.48	0.74	30.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	5.12	4.14	4.58	4.19

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.27	10.27	4.75	4.01	4.46	4.47

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

30/10/2021

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.51	10.51	4.90	4.52	4.57	4.77

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

30/10/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.83	10.83	5.42	4.74	5.17	4.76

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

30/10/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.84	10.84	4.91	4.60	5.49	5.01

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

30/10/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	5.01	4.13	4.61	4.75

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

30/10/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.35	10.35	5.06	4.35	4.70	4.38

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

30/10/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.50	8.50	2.93	1.82	3.30	2.29

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.32	10.32	5.12	4.17	4.36	4.32

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.37	10.37	4.77	4.22	4.39	4.58

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.54	10.54	4.98	4.50	4.88	4.62

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	4.87	4.01	4.43	4.26

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	4.51	3.92	5.05	4.43

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.08	10.08	4.67	4.08	4.40	4.29

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz

PSD

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.45	10.45	5.07	4.27	4.73	4.70

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.67	8.67	2.68	2.09	3.35	2.57


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5270MHz

30/10/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.77	7.77	2.51	1.52	1.79	1.56


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5310MHz

30/10/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.02	6.02	0.53	-0.13	0.04	0.14

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	1.77	0.77	1.77	1.10

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.42	7.42	2.19	1.22	2.09	1.50


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5670MHz

30/10/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.50	7.50	1.81	1.51	1.83	2.04


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5710MHz Straddle 5.47-5.725GHz

30/10/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.89	7.89	2.54	1.76	2.03	1.98

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.725-5.85GHz

PSD

30/10/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.95	4.95	-0.55	-1.28	-0.77	-1.17

802.11ax HEW80_Nss1,(MCS0)_4TX
5290MHz

PSD

30/10/2021

CF
5.29GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.96	1.96	-3.62	-4.17	-3.77	-3.87

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.68	3.68	-1.60	-2.50	-1.59	-2.30

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.33	4.33	-1.48	-1.56	-1.04	-1.57

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-0.87	-1.66	-1.21	-1.38

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.74	0.74	-4.45	-5.49	-4.95	-5.48



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	7.29
802.11ax HEW20_Nss1,(MCS0)_1TX	6.70
802.11ax HEW40_Nss1,(MCS0)_1TX	4.72
802.11ax HEW80_Nss1,(MCS0)_1TX	0.50
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.71
802.11ax HEW20_Nss1,(MCS0)_1TX	5.05
802.11ax HEW40_Nss1,(MCS0)_1TX	1.66
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5500MHz	Pass	3.54	5.05	5.05	11.00
5580MHz	Pass	3.54	5.32	5.32	11.00
5700MHz	Pass	3.54	5.39	5.39	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.54	7.29	7.29	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.33	5.71	5.71	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5500MHz	Pass	3.54	4.94	4.94	11.00
5580MHz	Pass	3.54	5.11	5.11	11.00
5700MHz	Pass	3.54	4.71	4.71	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.54	6.70	6.70	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.33	5.05	5.05	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5510MHz	Pass	3.54	1.33	1.33	11.00
5550MHz	Pass	3.54	3.35	3.35	11.00
5670MHz	Pass	3.54	2.88	2.88	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.54	4.72	4.72	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.33	1.66	1.66	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5530MHz	Pass	3.54	-2.60	-2.60	11.00
5610MHz	Pass	3.54	-1.08	-1.08	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.54	0.50	0.50	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.33	-3.38	-3.38	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

13/11/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.05	5.05	5.05

802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

13/11/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.32	5.32	5.32

802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

13/11/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.39	5.39	5.39

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.29	7.29	7.29

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	5.71

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5500MHz

13/11/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.94	4.94	4.94

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5580MHz

13/11/2021

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.11	5.11	5.11

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

13/11/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.71	4.71	4.71

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz

PSD

13/11/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	6.70

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.725-5.85GHz

PSD

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.05	5.05	5.05

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5510MHz

13/11/2021

CF
5.51GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.33	1.33	1.33

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5550MHz

13/11/2021

CF
5.55GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.35	3.35	3.35

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5670MHz

13/11/2021

CF
5.67GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.88	2.88	2.88

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.72	4.72	4.72

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.66	1.66	1.66

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5530MHz

13/11/2021

CF
5.53GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.60	-2.60	-2.60

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5610MHz

13/11/2021

CF
5.61GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-1.08

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.65GHz


Span
300MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.50	0.50	0.50

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.38	-3.38	-3.38



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.10
802.11ax HEW20_Nss1,(MCS0)_2TX	9.08
802.11ax HEW40_Nss1,(MCS0)_2TX	6.77
802.11ax HEW80_Nss1,(MCS0)_2TX	2.98
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.54
802.11ax HEW20_Nss1,(MCS0)_2TX	7.77
802.11ax HEW40_Nss1,(MCS0)_2TX	3.75
802.11ax HEW80_Nss1,(MCS0)_2TX	-0.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5500MHz	Pass	5.32	4.60	4.02	7.28	11.00
5580MHz	Pass	5.32	5.47	5.07	8.25	11.00
5700MHz	Pass	5.32	4.94	4.10	7.54	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.32	7.45	6.70	10.10	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.01	5.86	5.34	8.54	29.99
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5500MHz	Pass	5.32	3.75	3.39	6.56	11.00
5580MHz	Pass	5.32	5.16	4.68	7.88	11.00
5700MHz	Pass	5.32	3.63	3.04	6.32	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.32	6.45	5.84	9.08	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.01	5.01	4.60	7.77	29.99
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5510MHz	Pass	5.32	0.08	-0.61	2.72	11.00
5550MHz	Pass	5.32	3.10	2.14	5.52	11.00
5670MHz	Pass	5.32	1.49	0.96	4.21	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.32	4.21	3.31	6.77	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.01	1.14	0.37	3.75	29.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5530MHz	Pass	5.32	-3.22	-4.03	-0.63	11.00
5610MHz	Pass	5.32	-1.76	-2.36	0.93	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.32	0.38	-0.36	2.98	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.01	-3.54	-4.21	-0.85	29.99

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

13/11/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.28	7.28	4.60	4.02

802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

13/11/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.25	8.25	5.47	5.07

802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

13/11/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.54	7.54	4.94	4.10

802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.10	10.10	7.45	6.70

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.54	8.54	5.86	5.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

13/11/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.56	6.56	3.75	3.39

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

13/11/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.88	7.88	5.16	4.68

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

13/11/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	3.63	3.04


802.11ax HEW20_Nss1,(MCS0)_2TX




PSD

5720MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.08	9.08	6.45	5.84


802.11ax HEW20_Nss1,(MCS0)_2TX




PSD

5720MHz Straddle 5.725-5.85GHz

13/11/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.77	7.77	5.01	4.60


802.11ax HEW40_Nss1,(MCS0)_2TX




PSD

5510MHz

13/11/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	0.08	-0.61


802.11ax HEW40_Nss1,(MCS0)_2TX




PSD

5550MHz

13/11/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	3.10	2.14

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

13/11/2021

CF
5.67GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.21	4.21	1.49	0.96

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.69GHz


Span
140MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.77	6.77	4.21	3.31

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

13/11/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.75	3.75	1.14	0.37

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

13/11/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.63	-0.63	-3.22	-4.03

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

13/11/2021

CF
5.61GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.93	0.93	-1.76	-2.36

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.65GHz


Span
300MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	0.38	-0.36

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/11/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.85	-0.85	-3.54	-4.21



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.95
802.11ax HEW20_Nss1,(MCS0)_4TX	10.78
802.11ax HEW40_Nss1,(MCS0)_4TX	8.15
802.11ax HEW80_Nss1,(MCS0)_4TX	4.99
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.00
802.11ax HEW20_Nss1,(MCS0)_4TX	9.30
802.11ax HEW40_Nss1,(MCS0)_4TX	5.02
802.11ax HEW80_Nss1,(MCS0)_4TX	1.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	5.65	4.34	3.44	3.77	3.69	9.75	11.00
5580MHz	Pass	5.65	5.60	4.82	4.76	4.98	10.95	11.00
5700MHz	Pass	5.65	4.24	3.23	3.49	2.99	9.48	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.65	5.24	4.57	4.50	4.15	10.59	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.75	3.76	2.89	2.70	2.71	9.00	29.25
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	5.65	5.24	4.83	4.58	4.71	10.78	11.00
5580MHz	Pass	5.65	5.05	4.65	4.38	4.66	10.61	11.00
5700MHz	Pass	5.65	4.32	3.52	3.51	2.99	9.44	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.65	5.34	4.69	4.50	4.14	10.62	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.75	3.92	3.34	3.38	2.81	9.30	29.25
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	5.65	-0.39	-1.18	-1.16	-1.13	4.94	11.00
5550MHz	Pass	5.65	2.44	1.80	1.76	1.67	7.82	11.00
5670MHz	Pass	5.65	0.18	-0.24	-0.25	-0.57	5.68	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.65	2.86	1.96	2.16	1.61	8.15	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.75	-0.40	-1.24	-0.95	-1.25	5.02	29.25
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.65	-4.31	-4.87	-4.95	-4.92	1.13	11.00
5610MHz	Pass	5.65	-2.54	-3.13	-3.31	-3.50	2.72	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.65	-0.55	-1.11	-1.02	-1.42	4.99	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.75	-4.51	-5.11	-4.72	-5.23	1.05	29.25


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.75	9.75	4.34	3.44	3.77	3.69

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

13/11/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.95	10.95	5.60	4.82	4.76	4.98

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

13/11/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.48	9.48	4.24	3.23	3.49	2.99

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	5.24	4.57	4.50	4.15

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.00	9.00	3.76	2.89	2.70	2.71

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.78	10.78	5.24	4.83	4.58	4.71

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

13/11/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	5.05	4.65	4.38	4.66

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

13/11/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.44	9.44	4.32	3.52	3.51	2.99

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz

PSD

13/11/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.62	10.62	5.34	4.69	4.50	4.14

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.30	9.30	3.92	3.34	3.38	2.81

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

13/11/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

13/11/2021




802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5670MHz

13/11/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.68	5.68	0.18	-0.24	-0.25	-0.57


802.11ax HEW40_Nss1,(MCS0)_4TX






PSD

5710MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
Port 1 
Port 2 
Port 3 
Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.15	8.15	2.86	1.96	2.16	1.61

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

13/11/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.02	5.02	-0.40	-1.24	-0.95	-1.25

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

13/11/2021

CF
5.53GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.13	1.13	-4.31	-4.87	-4.95	-4.92

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

13/11/2021

CF
5.61GHz


Span
120MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	-2.54	-3.13	-3.31	-3.50

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/11/2021

CF
5.65GHz


Span
300MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	-0.55	-1.11	-1.02	-1.42

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/11/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.05	1.05	-4.51	-5.11	-4.72	-5.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3502G	53.86	54.00	-0.14	3	Vertical	27	1.95	-

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.91	74.00	-15.09	52.57	3	Vertical	273	1.94	-	34.48	5.02	33.16
AV	5.1388G	46.62	54.00	-7.38	40.19	3	Vertical	273	1.94	-	34.56	5.04	33.17
PK	5.263G	112.96	Inf	-Inf	106.40	3	Vertical	273	1.94	-	34.63	5.10	33.17
AV	5.263G	103.65	Inf	-Inf	97.09	3	Vertical	273	1.94	-	34.63	5.10	33.17
PK	5.377G	59.34	74.00	-14.66	52.82	3	Vertical	273	1.94	-	34.60	5.10	33.18
AV	5.3788G	46.65	54.00	-7.35	40.13	3	Vertical	273	1.94	-	34.60	5.10	33.18

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	57.90	74.00	-16.10	51.42	3	Horizontal	289	2.79	-	34.60	5.05	33.17
AV	5.1304G	46.14	54.00	-7.86	39.76	3	Horizontal	289	2.79	-	34.52	5.03	33.17
PK	5.2624G	107.87	Inf	-Inf	101.32	3	Horizontal	289	2.79	-	34.62	5.10	33.17
AV	5.263G	97.48	Inf	-Inf	90.92	3	Horizontal	289	2.79	-	34.63	5.10	33.17
PK	5.3836G	59.14	74.00	-14.86	52.62	3	Horizontal	289	2.79	-	34.60	5.10	33.18
AV	5.3956G	46.60	54.00	-7.40	40.08	3	Horizontal	289	2.79	-	34.60	5.10	33.18

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78388G	60.82	74.00	-13.18	44.75	3	Vertical	224	2.16	-	38.40	10.44	32.77
AV	15.78632G	47.51	54.00	-6.49	31.44	3	Vertical	224	2.16	-	38.40	10.44	32.77

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78348G	60.55	74.00	-13.45	44.48	3	Horizontal	168	1.42	-	38.40	10.44	32.77
AV	15.78068G	47.47	54.00	-6.53	31.42	3	Horizontal	168	1.42	-	38.40	10.43	32.78

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	115.01	Inf	-Inf	108.38	3	Vertical	26	2.05	-	34.70	5.10	33.17
AV	5.3032G	105.11	Inf	-Inf	98.49	3	Vertical	26	2.05	-	34.69	5.10	33.17
PK	5.3516G	62.66	74.00	-11.34	56.13	3	Vertical	26	2.05	-	34.60	5.10	33.17
AV	5.35G	48.97	54.00	-5.03	42.44	3	Vertical	26	2.05	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	109.12	Inf	-Inf	102.49	3	Horizontal	267	2.56	-	34.70	5.10	33.17
AV	5.3032G	99.33	Inf	-Inf	92.71	3	Horizontal	267	2.56	-	34.69	5.10	33.17
PK	5.3576G	59.83	74.00	-14.17	53.30	3	Horizontal	267	2.56	-	34.60	5.10	33.17
AV	5.35G	47.17	54.00	-6.83	40.64	3	Horizontal	267	2.56	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89344G	60.64	74.00	-13.36	44.34	3	Vertical	299	2.63	-	38.59	10.47	32.76
AV	15.89732G	47.96	54.00	-6.04	31.66	3	Vertical	299	2.63	-	38.59	10.47	32.76

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9056G	61.24	74.00	-12.76	44.92	3	Horizontal	208	1.19	-	38.61	10.47	32.76
AV	15.90544G	47.85	54.00	-6.15	31.53	3	Horizontal	208	1.19	-	38.61	10.47	32.76

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	113.12	Inf	-Inf	106.53	3	Vertical	27	1.95	-	34.66	5.10	33.17
AV	5.3168G	103.17	Inf	-Inf	96.57	3	Vertical	27	1.95	-	34.67	5.10	33.17
PK	5.3528G	69.23	74.00	-4.77	62.70	3	Vertical	27	1.95	-	34.60	5.10	33.17
AV	5.3502G	53.86	54.00	-0.14	47.33	3	Vertical	27	1.95	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	106.98	Inf	-Inf	100.39	3	Horizontal	268	2.74	-	34.66	5.10	33.17
AV	5.3166G	96.99	Inf	-Inf	90.39	3	Horizontal	268	2.74	-	34.67	5.10	33.17
PK	5.353G	63.54	74.00	-10.46	57.01	3	Horizontal	268	2.74	-	34.60	5.10	33.17
AV	5.3502G	49.54	54.00	-4.46	43.01	3	Horizontal	268	2.74	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95408G	60.71	74.00	-13.29	44.32	3	Vertical	131	1.15	-	38.65	10.49	32.75
AV	15.95852G	48.07	54.00	-5.93	31.67	3	Vertical	131	1.15	-	38.66	10.49	32.75

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95276G	60.82	74.00	-13.18	44.43	3	Horizontal	84	1.61	-	38.65	10.49	32.75
AV	15.95776G	47.97	54.00	-6.03	31.57	3	Horizontal	84	1.61	-	38.66	10.49	32.75

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.75	74.00	-13.25	54.40	3	Vertical	25	2.03	-	34.38	5.15	33.18
AV	5.4598G	48.06	54.00	-5.94	41.72	3	Vertical	25	2.03	-	34.36	5.16	33.18
PK	5.4694G	67.98	68.20	-0.22	61.67	3	Vertical	25	2.03	-	34.32	5.17	33.18
PK	5.5022G	111.85	Inf	-Inf	105.63	3	Vertical	25	2.03	-	34.20	5.20	33.18
AV	5.5024G	102.16	Inf	-Inf	95.94	3	Vertical	25	2.03	-	34.20	5.20	33.18

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	58.92	74.00	-15.08	52.57	3	Horizontal	101	2.49	-	34.38	5.15	33.18
AV	5.4554G	46.51	54.00	-7.49	40.15	3	Horizontal	101	2.49	-	34.38	5.16	33.18
PK	5.4684G	60.98	68.20	-7.22	54.66	3	Horizontal	101	2.49	-	34.33	5.17	33.18
PK	5.5026G	104.21	Inf	-Inf	97.98	3	Horizontal	101	2.49	-	34.21	5.20	33.18
AV	5.5032G	94.03	Inf	-Inf	87.80	3	Horizontal	101	2.49	-	34.21	5.20	33.18

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 21
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9926G	55.62	74.00	-18.38	41.41	3	Vertical	7	1.34	-	38.21	8.75	32.75
AV	10.9944G	42.88	54.00	-11.12	28.67	3	Vertical	7	1.34	-	38.21	8.75	32.75

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 21
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99716G	55.54	74.00	-18.46	41.34	3	Horizontal	306	1.21	-	38.20	8.75	32.75
AV	10.99752G	42.80	54.00	-11.20	28.60	3	Horizontal	306	1.21	-	38.20	8.75	32.75

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	59.10	74.00	-14.90	52.70	3	Vertical	239	2.29	-	34.44	5.14	33.18
AV	5.3816G	46.78	54.00	-7.22	40.26	3	Vertical	239	2.29	-	34.60	5.10	33.18
PK	5.4648G	58.78	68.20	-9.42	52.46	3	Vertical	239	2.29	-	34.34	5.16	33.18
PK	5.5768G	114.78	Inf	-Inf	108.52	3	Vertical	239	2.29	-	34.19	5.28	33.21
AV	5.5768G	104.93	Inf	-Inf	98.67	3	Vertical	239	2.29	-	34.19	5.28	33.21
PK	5.744G	57.98	68.20	-10.22	51.96	3	Vertical	239	2.29	-	34.00	5.30	33.28

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.31	74.00	-14.69	52.95	3	Horizontal	94	1.80	-	34.39	5.15	33.18
AV	5.3872G	46.46	54.00	-7.54	39.94	3	Horizontal	94	1.80	-	34.60	5.10	33.18
PK	5.4696G	57.61	68.20	-10.59	51.30	3	Horizontal	94	1.80	-	34.32	5.17	33.18
PK	5.5832G	105.51	Inf	-Inf	99.27	3	Horizontal	94	1.80	-	34.17	5.28	33.21
AV	5.5832G	95.64	Inf	-Inf	89.40	3	Horizontal	94	1.80	-	34.17	5.28	33.21
PK	5.7576G	58.39	68.20	-9.81	52.35	3	Horizontal	94	1.80	-	34.02	5.30	33.28

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15992G	56.16	74.00	-17.84	41.90	3	Vertical	147	1.04	-	38.24	8.79	32.77
AV	11.15992G	46.51	54.00	-7.49	32.25	3	Vertical	147	1.04	-	38.24	8.79	32.77

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	55.92	74.00	-18.08	41.66	3	Horizontal	112	2.04	-	38.24	8.79	32.77
AV	11.15992G	44.09	54.00	-9.91	29.83	3	Horizontal	112	2.04	-	38.24	8.79	32.77

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUTZ_1TX
Setting 18.5
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	109.74	Inf	-Inf	103.70	3	Vertical	334	1.80	-	34.00	5.30	33.26
AV	5.7024G	100.33	Inf	-Inf	94.29	3	Vertical	334	1.80	-	34.00	5.30	33.26
PK	5.7266G	67.73	68.20	-0.47	61.70	3	Vertical	334	1.80	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	103.29	Inf	-Inf	97.25	3	Horizontal	105	2.48	-	34.00	5.30	33.26
AV	5.702G	93.38	Inf	-Inf	87.34	3	Horizontal	105	2.48	-	34.00	5.30	33.26
PK	5.726G	61.80	68.20	-6.40	55.77	3	Horizontal	105	2.48	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4048G	55.89	74.00	-18.11	41.44	3	Vertical	319	2.38	-	38.40	8.85	32.80
AV	11.4035G	43.20	54.00	-10.80	28.75	3	Vertical	319	2.38	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4014G	56.51	74.00	-17.49	42.06	3	Horizontal	271	2.25	-	38.40	8.85	32.80
AV	11.40212G	43.22	54.00	-10.78	28.77	3	Horizontal	271	2.25	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.67	74.00	-15.33	52.30	3	Vertical	338	1.80	-	34.40	5.15	33.18
AV	5.4404G	46.43	54.00	-7.57	40.03	3	Vertical	338	1.80	-	34.44	5.14	33.18
PK	5.4656G	58.12	68.20	-10.08	51.79	3	Vertical	338	1.80	-	34.34	5.17	33.18
PK	5.7236G	113.10	Inf	-Inf	107.07	3	Vertical	338	1.80	-	34.00	5.30	33.27
AV	5.7224G	103.69	Inf	-Inf	97.66	3	Vertical	338	1.80	-	34.00	5.30	33.27
PK	5.8916G	58.66	68.20	-9.54	52.27	3	Vertical	338	1.80	-	34.38	5.35	33.34

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	58.02	74.00	-15.98	51.59	3	Horizontal	92	1.80	-	34.48	5.13	33.18
AV	5.4284G	46.26	54.00	-7.74	39.82	3	Horizontal	92	1.80	-	34.49	5.13	33.18
PK	5.468G	58.59	68.20	-9.61	52.27	3	Horizontal	92	1.80	-	34.33	5.17	33.18
PK	5.7236G	105.75	Inf	-Inf	99.72	3	Horizontal	92	1.80	-	34.00	5.30	33.27
AV	5.7236G	96.51	Inf	-Inf	90.48	3	Horizontal	92	1.80	-	34.00	5.30	33.27
PK	5.9216G	58.91	68.20	-9.29	52.50	3	Horizontal	92	1.80	-	34.40	5.36	33.35

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44044G	56.99	74.00	-17.01	42.53	3	Vertical	162	2.26	-	38.40	8.86	32.80
AV	11.43984G	47.60	54.00	-6.40	33.14	3	Vertical	162	2.26	-	38.40	8.86	32.80

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43988G	56.28	74.00	-17.72	41.82	3	Horizontal	45	1.00	-	38.40	8.86	32.80
AV	11.43988G	45.73	54.00	-8.27	31.27	3	Horizontal	45	1.00	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	59.10	74.00	-14.90	52.72	3	Vertical	23	2.26	-	34.52	5.03	33.17
AV	5.1268G	46.06	54.00	-7.94	39.69	3	Vertical	23	2.26	-	34.51	5.03	33.17
PK	5.2624G	115.43	Inf	-Inf	108.88	3	Vertical	23	2.26	-	34.62	5.10	33.17
AV	5.263G	102.75	Inf	-Inf	96.19	3	Vertical	23	2.26	-	34.63	5.10	33.17
PK	5.3716G	59.25	74.00	-14.75	52.72	3	Vertical	23	2.26	-	34.60	5.10	33.17
AV	5.3986G	46.62	54.00	-7.38	40.10	3	Vertical	23	2.26	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	59.10	74.00	-14.90	52.69	3	Horizontal	277	2.86	-	34.54	5.04	33.17
AV	5.1274G	45.88	54.00	-8.12	39.51	3	Horizontal	277	2.86	-	34.51	5.03	33.17
PK	5.2606G	108.32	Inf	-Inf	101.77	3	Horizontal	277	2.86	-	34.62	5.10	33.17
AV	5.2624G	95.69	Inf	-Inf	89.14	3	Horizontal	277	2.86	-	34.62	5.10	33.17
PK	5.374G	59.71	74.00	-14.29	53.18	3	Horizontal	277	2.86	-	34.60	5.10	33.17
AV	5.3758G	46.35	54.00	-7.65	39.83	3	Horizontal	277	2.86	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78168G	60.82	74.00	-13.18	44.76	3	Vertical	295	2.02	-	38.40	10.43	32.77
AV	15.77004G	46.68	54.00	-7.32	30.63	3	Vertical	295	2.02	-	38.40	10.43	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77628G	60.14	74.00	-13.86	44.09	3	Horizontal	310	2.22	-	38.40	10.43	32.78
AV	15.78832G	46.60	54.00	-7.40	30.53	3	Horizontal	310	2.22	-	38.40	10.44	32.77

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	117.81	Inf	-Inf	111.19	3	Vertical	240	2.54	-	34.69	5.10	33.17
AV	5.303G	104.20	Inf	-Inf	97.58	3	Vertical	240	2.54	-	34.69	5.10	33.17
PK	5.351G	65.12	74.00	-8.88	58.59	3	Vertical	240	2.54	-	34.60	5.10	33.17
AV	5.35G	50.23	54.00	-3.77	43.70	3	Vertical	240	2.54	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	111.08	Inf	-Inf	104.46	3	Horizontal	266	2.96	-	34.69	5.10	33.17
AV	5.303G	97.67	Inf	-Inf	91.05	3	Horizontal	266	2.96	-	34.69	5.10	33.17
PK	5.3768G	59.44	74.00	-14.56	52.92	3	Horizontal	266	2.96	-	34.60	5.10	33.18
AV	5.35G	47.01	54.00	-6.99	40.48	3	Horizontal	266	2.96	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89532G	60.38	74.00	-13.62	44.08	3	Vertical	316	2.94	-	38.59	10.47	32.76
AV	15.89744G	46.98	54.00	-7.02	30.68	3	Vertical	316	2.94	-	38.59	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90808G	60.25	74.00	-13.75	43.92	3	Horizontal	348	2.94	-	38.61	10.47	32.75
AV	15.89712G	46.95	54.00	-7.05	30.65	3	Horizontal	348	2.94	-	38.59	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTZ_1TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	114.96	Inf	-Inf	108.37	3	Vertical	238	2.37	-	34.66	5.10	33.17
AV	5.316G	101.73	Inf	-Inf	95.13	3	Vertical	238	2.37	-	34.67	5.10	33.17
PK	5.35G	69.00	74.00	-5.00	62.47	3	Vertical	238	2.37	-	34.60	5.10	33.17
AV	5.35G	52.97	54.00	-1.03	46.44	3	Vertical	238	2.37	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTZ_1TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	108.15	Inf	-Inf	101.55	3	Horizontal	271	2.97	-	34.67	5.10	33.17
AV	5.3156G	94.56	Inf	-Inf	87.96	3	Horizontal	271	2.97	-	34.67	5.10	33.17
PK	5.3516G	60.90	74.00	-13.10	54.37	3	Horizontal	271	2.97	-	34.60	5.10	33.17
AV	5.35G	48.61	54.00	-5.39	42.08	3	Horizontal	271	2.97	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95092G	61.38	74.00	-12.62	44.99	3	Vertical	337	1.18	-	38.65	10.49	32.75
AV	15.9518G	47.24	54.00	-6.76	30.85	3	Vertical	337	1.18	-	38.65	10.49	32.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 19.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9502G	60.48	74.00	-13.52	44.09	3	Horizontal	35	1.92	-	38.65	10.49	32.75
AV	15.95436G	47.15	54.00	-6.85	30.76	3	Horizontal	35	1.92	-	38.65	10.49	32.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.24	74.00	-13.76	53.90	3	Vertical	249	2.05	-	34.36	5.16	33.18
AV	5.46G	47.74	54.00	-6.26	41.40	3	Vertical	249	2.05	-	34.36	5.16	33.18
PK	5.47G	67.06	68.20	-1.14	60.75	3	Vertical	249	2.05	-	34.32	5.17	33.18
PK	5.5008G	113.47	Inf	-Inf	107.25	3	Vertical	249	2.05	-	34.20	5.20	33.18
AV	5.5016G	99.78	Inf	-Inf	93.56	3	Vertical	249	2.05	-	34.20	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.408G	59.36	74.00	-14.64	52.86	3	Horizontal	93	2.93	-	34.57	5.11	33.18
PK	5.466G	61.21	68.20	-6.99	54.88	3	Horizontal	93	2.93	-	34.34	5.17	33.18
AV	5.4592G	46.32	54.00	-7.68	39.98	3	Horizontal	93	2.93	-	34.36	5.16	33.18
PK	5.4948G	105.68	Inf	-Inf	99.45	3	Horizontal	93	2.93	-	34.22	5.19	33.18
AV	5.5016G	91.99	Inf	-Inf	85.77	3	Horizontal	93	2.93	-	34.20	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99408G	55.99	74.00	-18.01	41.78	3	Vertical	258	1.43	-	38.21	8.75	32.75
AV	10.99468G	41.95	54.00	-12.05	27.74	3	Vertical	258	1.43	-	38.21	8.75	32.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00268G	55.84	74.00	-18.16	41.64	3	Horizontal	185	2.40	-	38.20	8.75	32.75
AV	11.002G	41.88	54.00	-12.12	27.68	3	Horizontal	185	2.40	-	38.20	8.75	32.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3872G	60.07	74.00	-13.93	53.55	3	Vertical	264	2.18	-	34.60	5.10	33.18
AV	5.3856G	46.57	54.00	-7.43	40.05	3	Vertical	264	2.18	-	34.60	5.10	33.18
PK	5.4608G	58.98	68.20	-9.22	52.64	3	Vertical	264	2.18	-	34.36	5.16	33.18
PK	5.5824G	115.52	Inf	-Inf	109.28	3	Vertical	264	2.18	-	34.17	5.28	33.21
AV	5.5768G	102.83	Inf	-Inf	96.57	3	Vertical	264	2.18	-	34.19	5.28	33.21
PK	5.7744G	58.65	68.20	-9.55	52.59	3	Vertical	264	2.18	-	34.05	5.30	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3832G	59.14	74.00	-14.86	52.62	3	Horizontal	111	3.00	-	34.60	5.10	33.18
AV	5.388G	46.40	54.00	-7.60	39.88	3	Horizontal	111	3.00	-	34.60	5.10	33.18
PK	5.4664G	58.57	68.20	-9.63	52.25	3	Horizontal	111	3.00	-	34.33	5.17	33.18
PK	5.5752G	109.42	Inf	-Inf	103.15	3	Horizontal	111	3.00	-	34.20	5.28	33.21
AV	5.576G	95.53	Inf	-Inf	89.26	3	Horizontal	111	3.00	-	34.20	5.28	33.21
PK	5.7512G	59.25	68.20	-8.95	53.23	3	Horizontal	111	3.00	-	34.00	5.30	33.28

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16012G	57.03	74.00	-16.97	42.77	3	Vertical	148	1.00	-	38.24	8.79	32.77
AV	11.15988G	46.92	54.00	-7.08	32.66	3	Vertical	148	1.00	-	38.24	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	56.79	74.00	-17.21	42.53	3	Horizontal	320	1.03	-	38.24	8.79	32.77
AV	11.1664G	43.78	54.00	-10.22	29.53	3	Horizontal	320	1.03	-	38.23	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.704G	112.52	Inf	-Inf	106.48	3	Vertical	249	2.63	-	34.00	5.30	33.26
AV	5.7032G	99.19	Inf	-Inf	93.15	3	Vertical	249	2.63	-	34.00	5.30	33.26
PK	5.7252G	67.53	68.20	-0.67	61.50	3	Vertical	249	2.63	-	34.00	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	106.90	Inf	-Inf	100.86	3	Horizontal	94	2.88	-	34.00	5.30	33.26
AV	5.7032G	92.85	Inf	-Inf	86.81	3	Horizontal	94	2.88	-	34.00	5.30	33.26
PK	5.7252G	63.51	68.20	-4.69	57.48	3	Horizontal	94	2.88	-	34.00	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40032G	56.77	74.00	-17.23	42.32	3	Vertical	162	1.80	-	38.40	8.85	32.80
AV	11.39992G	44.64	54.00	-9.36	30.19	3	Vertical	162	1.80	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39556G	56.47	74.00	-17.53	42.02	3	Horizontal	14	2.34	-	38.40	8.85	32.80
AV	11.3998G	42.69	54.00	-11.31	28.24	3	Horizontal	14	2.34	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 23
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.722G	116.30	Inf	-Inf	110.27	3	Vertical	333	2.28	-	34.00	5.30	33.27
AV	5.722G	103.15	Inf	-Inf	97.12	3	Vertical	333	2.28	-	34.00	5.30	33.27
PK	5.873G	59.01	68.20	-9.19	52.65	3	Vertical	333	2.28	-	34.35	5.34	33.33

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.715G	108.92	Inf	-Inf	102.89	3	Horizontal	109	2.90	-	34.00	5.30	33.27
AV	5.723G	95.69	Inf	-Inf	89.66	3	Horizontal	109	2.90	-	34.00	5.30	33.27
PK	5.868G	59.27	68.20	-8.93	52.93	3	Horizontal	109	2.90	-	34.34	5.33	33.33

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 23
 01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43996G	57.66	74.00	-16.34	43.20	3	Vertical	162	2.26	-	38.40	8.86	32.80
AV	11.43992G	47.35	54.00	-6.65	32.89	3	Vertical	162	2.26	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43056G	56.03	74.00	-17.97	41.57	3	Horizontal	331	1.70	-	38.40	8.86	32.80
AV	11.4338G	42.36	54.00	-11.64	27.90	3	Horizontal	331	1.70	-	38.40	8.86	32.80

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.94	74.00	-10.06	57.47	3	Vertical	27	2.62	-	34.59	5.05	33.17
AV	5.1482G	47.78	54.00	-6.22	41.31	3	Vertical	27	2.62	-	34.59	5.05	33.17
PK	5.2778G	114.97	Inf	-Inf	108.38	3	Vertical	27	2.62	-	34.66	5.10	33.17
AV	5.2742G	101.74	Inf	-Inf	95.16	3	Vertical	27	2.62	-	34.65	5.10	33.17
PK	5.35G	65.84	74.00	-8.16	59.31	3	Vertical	27	2.62	-	34.60	5.10	33.17
AV	5.3504G	51.97	54.00	-2.03	45.44	3	Vertical	27	2.62	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	59.93	74.00	-14.07	53.56	3	Horizontal	267	2.98	-	34.51	5.03	33.17
AV	5.1446G	46.49	54.00	-7.51	40.04	3	Horizontal	267	2.98	-	34.58	5.04	33.17
PK	5.2658G	107.85	Inf	-Inf	101.29	3	Horizontal	267	2.98	-	34.63	5.10	33.17
AV	5.2742G	95.26	Inf	-Inf	88.68	3	Horizontal	267	2.98	-	34.65	5.10	33.17
PK	5.351G	62.53	74.00	-11.47	56.00	3	Horizontal	267	2.98	-	34.60	5.10	33.17
AV	5.35G	48.42	54.00	-5.58	41.89	3	Horizontal	267	2.98	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81036G	60.70	74.00	-13.30	44.61	3	Vertical	332	1.70	-	38.42	10.44	32.77
AV	15.81096G	46.63	54.00	-7.37	30.54	3	Vertical	332	1.70	-	38.42	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81892G	60.55	74.00	-13.45	44.43	3	Horizontal	138	2.33	-	38.44	10.45	32.77
AV	15.80052G	46.53	54.00	-7.47	30.46	3	Horizontal	138	2.33	-	38.40	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUTZ_1TX
Setting 17
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	110.19	Inf	-Inf	103.57	3	Vertical	238	2.38	-	34.69	5.10	33.17
AV	5.3136G	97.26	Inf	-Inf	90.66	3	Vertical	238	2.38	-	34.67	5.10	33.17
PK	5.3508G	67.29	74.00	-6.71	60.76	3	Vertical	238	2.38	-	34.60	5.10	33.17
AV	5.35G	51.83	54.00	-2.17	45.30	3	Vertical	238	2.38	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUTZ_1TX
Setting 17
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	103.87	Inf	-Inf	97.25	3	Horizontal	269	2.97	-	34.69	5.10	33.17
AV	5.3052G	90.62	Inf	-Inf	84.00	3	Horizontal	269	2.97	-	34.69	5.10	33.17
PK	5.3508G	62.13	74.00	-11.87	55.60	3	Horizontal	269	2.97	-	34.60	5.10	33.17
AV	5.35G	48.03	54.00	-5.97	41.50	3	Horizontal	269	2.97	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 17
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92716G	60.91	74.00	-13.09	44.55	3	Vertical	4	2.40	-	38.63	10.48	32.75
AV	15.93628G	47.05	54.00	-6.95	30.68	3	Vertical	4	2.40	-	38.64	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 17
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93812G	60.73	74.00	-13.27	44.36	3	Horizontal	119	2.97	-	38.64	10.48	32.75
AV	15.93828G	46.97	54.00	-7.03	30.60	3	Horizontal	119	2.97	-	38.64	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.83	74.00	-11.17	56.49	3	Vertical	240	2.41	-	34.36	5.16	33.18
AV	5.46G	49.24	54.00	-4.76	42.90	3	Vertical	240	2.41	-	34.36	5.16	33.18
PK	5.468G	67.10	68.20	-1.10	60.78	3	Vertical	240	2.41	-	34.33	5.17	33.18
PK	5.522G	110.11	Inf	-Inf	103.84	3	Vertical	240	2.41	-	34.24	5.22	33.19
AV	5.5124G	96.44	Inf	-Inf	90.19	3	Vertical	240	2.41	-	34.22	5.21	33.18

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.94	74.00	-14.06	53.60	3	Horizontal	94	2.43	-	34.36	5.16	33.18
AV	5.46G	46.70	54.00	-7.30	40.36	3	Horizontal	94	2.43	-	34.36	5.16	33.18
PK	5.4692G	60.68	68.20	-7.52	54.37	3	Horizontal	94	2.43	-	34.32	5.17	33.18
PK	5.5166G	102.18	Inf	-Inf	95.92	3	Horizontal	94	2.43	-	34.23	5.22	33.19
AV	5.5136G	88.70	Inf	-Inf	82.45	3	Horizontal	94	2.43	-	34.23	5.21	33.19

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02188G	54.89	74.00	-19.11	40.66	3	Vertical	96	2.67	-	38.22	8.76	32.75
AV	11.02104G	41.41	54.00	-12.59	27.18	3	Vertical	96	2.67	-	38.22	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0236G	54.46	74.00	-19.54	40.23	3	Horizontal	91	2.05	-	38.22	8.76	32.75
AV	11.0222G	41.43	54.00	-12.57	27.20	3	Horizontal	91	2.05	-	38.22	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUTZ_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.50	74.00	-9.50	58.16	3	Vertical	261	2.26	-	34.36	5.16	33.18
AV	5.46G	50.11	54.00	-3.89	43.77	3	Vertical	261	2.26	-	34.36	5.16	33.18
PK	5.47G	66.53	68.20	-1.67	60.22	3	Vertical	261	2.26	-	34.32	5.17	33.18
PK	5.5452G	112.61	Inf	-Inf	106.27	3	Vertical	261	2.26	-	34.29	5.25	33.20
AV	5.5476G	99.85	Inf	-Inf	93.50	3	Vertical	261	2.26	-	34.30	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




29/10/2021

EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4498G	60.12	74.00	-13.88	53.75	3	Horizontal	88	2.34	-	34.40	5.15	33.18
PK	5.463G	61.09	68.20	-7.11	54.76	3	Horizontal	88	2.34	-	34.35	5.16	33.18
AV	5.46G	47.21	54.00	-6.79	40.87	3	Horizontal	88	2.34	-	34.36	5.16	33.18
PK	5.553G	105.09	Inf	-Inf	98.75	3	Horizontal	88	2.34	-	34.29	5.25	33.20
AV	5.5482G	92.12	Inf	-Inf	85.77	3	Horizontal	88	2.34	-	34.30	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10932G	54.89	74.00	-19.11	40.58	3	Vertical	305	1.90	-	38.29	8.78	32.76
AV	11.10188G	41.11	54.00	-12.89	26.79	3	Vertical	305	1.90	-	38.30	8.78	32.76

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1004G	54.87	74.00	-19.13	40.55	3	Horizontal	120	1.81	-	38.30	8.78	32.76
AV	11.10212G	41.21	54.00	-12.79	26.89	3	Horizontal	120	1.81	-	38.30	8.78	32.76

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUTZ_1TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	110.97	Inf	-Inf	104.83	3	Vertical	264	2.65	-	34.08	5.30	33.24
AV	5.6604G	98.14	Inf	-Inf	92.00	3	Vertical	264	2.65	-	34.08	5.30	33.24
PK	5.73G	67.85	68.20	-0.35	61.82	3	Vertical	264	2.65	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	104.48	Inf	-Inf	98.38	3	Horizontal	107	2.64	-	34.05	5.30	33.25
AV	5.6604G	91.41	Inf	-Inf	85.27	3	Horizontal	107	2.64	-	34.08	5.30	33.24
PK	5.726G	63.46	68.20	-4.74	57.43	3	Horizontal	107	2.64	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34124G	56.44	74.00	-17.56	42.05	3	Vertical	122	1.10	-	38.34	8.84	32.79
AV	11.33988G	43.72	54.00	-10.28	29.34	3	Vertical	122	1.10	-	38.34	8.83	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34984G	55.26	74.00	-18.74	40.86	3	Horizontal	310	1.85	-	38.35	8.84	32.79
AV	11.34324G	42.27	54.00	-11.73	27.88	3	Horizontal	310	1.85	-	38.34	8.84	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	59.34	74.00	-14.66	52.97	3	Vertical	335	2.20	-	34.40	5.15	33.18
PK	5.4616G	59.39	68.20	-8.81	53.06	3	Vertical	335	2.20	-	34.35	5.16	33.18
AV	5.458G	46.57	54.00	-7.43	40.22	3	Vertical	335	2.20	-	34.37	5.16	33.18
PK	5.722G	112.56	Inf	-Inf	106.53	3	Vertical	335	2.20	-	34.00	5.30	33.27
AV	5.7124G	100.49	Inf	-Inf	94.45	3	Vertical	335	2.20	-	34.00	5.30	33.26
PK	5.9764G	59.28	68.20	-8.92	52.81	3	Vertical	335	2.20	-	34.45	5.39	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 23
 04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	59.59	74.00	-14.41	53.14	3	Horizontal	94	2.90	-	34.51	5.12	33.18
AV	5.428G	46.42	54.00	-7.58	39.98	3	Horizontal	94	2.90	-	34.49	5.13	33.18
PK	5.4688G	58.64	68.20	-9.56	52.33	3	Horizontal	94	2.90	-	34.32	5.17	33.18
PK	5.7112G	105.98	Inf	-Inf	99.94	3	Horizontal	94	2.90	-	34.00	5.30	33.26
AV	5.7124G	93.55	Inf	-Inf	87.51	3	Horizontal	94	2.90	-	34.00	5.30	33.26
PK	5.9272G	60.19	68.20	-8.01	53.78	3	Horizontal	94	2.90	-	34.40	5.36	33.35

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4202G	57.44	74.00	-16.56	42.98	3	Vertical	122	1.13	-	38.40	8.86	32.80
AV	11.41996G	43.70	54.00	-10.30	29.25	3	Vertical	122	1.13	-	38.40	8.85	32.80

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4198G	55.63	74.00	-18.37	41.18	3	Horizontal	91	1.54	-	38.40	8.85	32.80
AV	11.41688G	42.53	54.00	-11.47	28.08	3	Horizontal	91	1.54	-	38.40	8.85	32.80

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 17
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.055G	59.86	74.00	-14.14	53.93	3	Vertical	237	2.54	-	34.13	4.96	33.16
AV	5.128G	46.62	54.00	-7.38	40.25	3	Vertical	237	2.54	-	34.51	5.03	33.17
PK	5.297G	107.99	Inf	-Inf	101.37	3	Vertical	237	2.54	-	34.69	5.10	33.17
AV	5.294G	94.41	Inf	-Inf	87.79	3	Vertical	237	2.54	-	34.69	5.10	33.17
PK	5.351G	69.39	74.00	-4.61	62.86	3	Vertical	237	2.54	-	34.60	5.10	33.17
AV	5.35G	53.72	54.00	-0.28	47.19	3	Vertical	237	2.54	-	34.60	5.10	33.17
PK	5.484G	59.62	68.20	-8.58	53.36	3	Vertical	237	2.54	-	34.26	5.18	33.18

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUTZ_1TX
Setting 17
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	59.49	74.00	-14.51	53.05	3	Horizontal	269	2.79	-	34.57	5.04	33.17
AV	5.128G	46.27	54.00	-7.73	39.90	3	Horizontal	269	2.79	-	34.51	5.03	33.17
PK	5.288G	100.67	Inf	-Inf	94.06	3	Horizontal	269	2.79	-	34.68	5.10	33.17
AV	5.284G	87.91	Inf	-Inf	81.31	3	Horizontal	269	2.79	-	34.67	5.10	33.17
PK	5.352G	62.95	74.00	-11.05	56.42	3	Horizontal	269	2.79	-	34.60	5.10	33.17
AV	5.352G	48.77	54.00	-5.23	42.24	3	Horizontal	269	2.79	-	34.60	5.10	33.17
PK	5.531G	59.45	68.20	-8.75	53.15	3	Horizontal	269	2.79	-	34.26	5.23	33.19

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 17
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86852G	59.99	74.00	-14.01	43.75	3	Vertical	59	1.71	-	38.54	10.46	32.76
AV	15.87844G	47.01	54.00	-6.99	30.75	3	Vertical	59	1.71	-	38.56	10.46	32.76

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 17
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87604G	60.66	74.00	-13.34	44.41	3	Horizontal	316	2.36	-	38.55	10.46	32.76
AV	15.87812G	46.97	54.00	-7.03	30.71	3	Horizontal	316	2.36	-	38.56	10.46	32.76

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUTZ_1TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	59.92	68.20	-8.28	53.34	3	Vertical	237	2.38	-	34.65	5.10	33.17
PK	5.459G	65.93	74.00	-8.07	59.59	3	Vertical	237	2.38	-	34.36	5.16	33.18
AV	5.46G	50.95	54.00	-3.05	44.61	3	Vertical	237	2.38	-	34.36	5.16	33.18
PK	5.469G	67.67	68.20	-0.53	61.36	3	Vertical	237	2.38	-	34.32	5.17	33.18
PK	5.55G	105.90	Inf	-Inf	99.55	3	Vertical	237	2.38	-	34.30	5.25	33.20
AV	5.534G	93.72	Inf	-Inf	87.41	3	Vertical	237	2.38	-	34.27	5.23	33.19
PK	5.735G	59.90	68.20	-8.30	53.87	3	Vertical	237	2.38	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUTZ_1TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	59.54	68.20	-8.66	52.93	3	Horizontal	92	2.41	-	34.68	5.10	33.17
PK	5.458G	59.88	74.00	-14.12	53.53	3	Horizontal	92	2.41	-	34.37	5.16	33.18
AV	5.46G	47.11	54.00	-6.89	40.77	3	Horizontal	92	2.41	-	34.36	5.16	33.18
PK	5.47G	60.41	68.20	-7.79	54.10	3	Horizontal	92	2.41	-	34.32	5.17	33.18
PK	5.542G	98.36	Inf	-Inf	92.04	3	Horizontal	92	2.41	-	34.28	5.24	33.20
AV	5.523G	85.48	Inf	-Inf	79.20	3	Horizontal	92	2.41	-	34.25	5.22	33.19
PK	5.767G	58.71	68.20	-9.49	52.67	3	Horizontal	92	2.41	-	34.03	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05988G	55.99	74.00	-18.01	41.73	3	Vertical	148	1.03	-	38.26	8.76	32.76
AV	11.05988G	45.87	54.00	-8.13	31.61	3	Vertical	148	1.03	-	38.26	8.76	32.76

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06012G	54.78	74.00	-19.22	40.51	3	Horizontal	53	2.48	-	38.26	8.77	32.76
AV	11.06092G	41.44	54.00	-12.56	27.17	3	Horizontal	53	2.48	-	38.26	8.77	32.76

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.82	74.00	-9.18	58.48	3	Vertical	265	2.36	-	34.36	5.16	33.18
AV	5.46G	50.70	54.00	-3.30	44.36	3	Vertical	265	2.36	-	34.36	5.16	33.18
PK	5.468G	65.08	68.20	-3.12	58.76	3	Vertical	265	2.36	-	34.33	5.17	33.18
PK	5.6G	110.17	Inf	-Inf	103.99	3	Vertical	265	2.36	-	34.10	5.30	33.22
AV	5.609G	97.00	Inf	-Inf	90.82	3	Vertical	265	2.36	-	34.10	5.30	33.22
PK	5.727G	67.03	68.20	-1.17	61.00	3	Vertical	265	2.36	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUTZ_1TX
Setting 20.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	61.63	74.00	-12.37	55.26	3	Horizontal	108	2.65	-	34.40	5.15	33.18
AV	5.457G	47.35	54.00	-6.65	41.00	3	Horizontal	108	2.65	-	34.37	5.16	33.18
PK	5.465G	59.87	68.20	-8.33	53.55	3	Horizontal	108	2.65	-	34.34	5.16	33.18
PK	5.627G	103.74	Inf	-Inf	97.57	3	Horizontal	108	2.65	-	34.10	5.30	33.23
AV	5.617G	90.51	Inf	-Inf	84.34	3	Horizontal	108	2.65	-	34.10	5.30	33.23
PK	5.725G	62.50	68.20	-5.70	56.47	3	Horizontal	108	2.65	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22012G	56.94	74.00	-17.06	42.69	3	Vertical	149	1.03	-	38.22	8.81	32.78
AV	11.21984G	47.69	54.00	-6.31	33.45	3	Vertical	149	1.03	-	38.22	8.80	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 20.5
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22504G	55.51	74.00	-18.49	41.25	3	Horizontal	15	2.40	-	38.23	8.81	32.78
AV	11.21992G	42.35	54.00	-11.65	28.11	3	Horizontal	15	2.40	-	38.22	8.80	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	59.90	74.00	-14.10	53.42	3	Vertical	266	2.74	-	34.54	5.12	33.18
PK	5.47G	61.61	68.20	-6.59	55.30	3	Vertical	266	2.74	-	34.32	5.17	33.18
AV	5.4596G	47.56	54.00	-6.44	41.22	3	Vertical	266	2.74	-	34.36	5.16	33.18
PK	5.7236G	109.31	Inf	-Inf	103.28	3	Vertical	266	2.74	-	34.00	5.30	33.27
AV	5.6924G	96.88	Inf	-Inf	90.82	3	Vertical	266	2.74	-	34.02	5.30	33.26
PK	5.85G	62.91	68.20	-5.29	56.60	3	Vertical	266	2.74	-	34.30	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.26	74.00	-13.74	53.90	3	Horizontal	94	2.88	-	34.39	5.15	33.18
AV	5.4572G	46.66	54.00	-7.34	40.31	3	Horizontal	94	2.88	-	34.37	5.16	33.18
PK	5.4692G	58.67	68.20	-9.53	52.36	3	Horizontal	94	2.88	-	34.32	5.17	33.18
PK	5.7044G	103.43	Inf	-Inf	97.39	3	Horizontal	94	2.88	-	34.00	5.30	33.26
AV	5.7032G	90.25	Inf	-Inf	84.21	3	Horizontal	94	2.88	-	34.00	5.30	33.26
PK	5.852G	60.66	68.20	-7.54	54.35	3	Horizontal	94	2.88	-	34.30	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37336G	57.23	74.00	-16.77	42.81	3	Vertical	150	1.07	-	38.37	8.84	32.79
AV	11.37984G	44.37	54.00	-9.63	29.95	3	Vertical	150	1.07	-	38.38	8.84	32.80

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 23
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37556G	55.99	74.00	-18.01	41.57	3	Horizontal	273	2.73	-	38.38	8.84	32.80
AV	11.38944G	42.55	54.00	-11.45	28.11	3	Horizontal	273	2.73	-	38.39	8.85	32.80




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4698G	68.01	68.20	-0.19	3	Horizontal	300	1.76	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1124G	59.58	74.00	-14.42	53.28	3	Vertical	98	1.00	-	34.45	5.01	33.16
AV	5.1286G	47.02	54.00	-6.98	40.65	3	Vertical	98	1.00	-	34.51	5.03	33.17
PK	5.263G	111.63	Inf	-Inf	105.07	3	Vertical	98	1.00	-	34.63	5.10	33.17
AV	5.263G	102.24	Inf	-Inf	95.68	3	Vertical	98	1.00	-	34.63	5.10	33.17
PK	5.3962G	60.00	74.00	-14.00	53.48	3	Vertical	98	1.00	-	34.60	5.10	33.18
AV	5.3872G	47.65	54.00	-6.35	41.13	3	Vertical	98	1.00	-	34.60	5.10	33.18

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	60.04	74.00	-13.96	53.67	3	Horizontal	292	1.40	-	34.51	5.03	33.17
AV	5.122G	47.42	54.00	-6.58	41.07	3	Horizontal	292	1.40	-	34.49	5.02	33.16
PK	5.2624G	118.03	Inf	-Inf	111.48	3	Horizontal	292	1.40	-	34.62	5.10	33.17
AV	5.2624G	108.17	Inf	-Inf	101.62	3	Horizontal	292	1.40	-	34.62	5.10	33.17
PK	5.4094G	60.19	74.00	-13.81	53.70	3	Horizontal	292	1.40	-	34.56	5.11	33.18
AV	5.3782G	47.83	54.00	-6.17	41.31	3	Horizontal	292	1.40	-	34.60	5.10	33.18

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77766G	61.92	74.00	-12.08	45.52	3	Vertical	233	2.12	-	42.51	9.04	35.15
AV	15.78254G	48.85	54.00	-5.15	32.42	3	Vertical	233	2.12	-	42.53	9.05	35.15

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77582G	62.43	74.00	-11.57	46.04	3	Horizontal	181	1.00	-	42.50	9.04	35.15
AV	15.77794G	49.05	54.00	-4.95	32.65	3	Horizontal	181	1.00	-	42.51	9.04	35.15

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	114.22	Inf	-Inf	107.60	3	Vertical	347	2.96	-	34.69	5.10	33.17
AV	5.3052G	104.83	Inf	-Inf	98.21	3	Vertical	347	2.96	-	34.69	5.10	33.17
PK	5.3512G	62.10	74.00	-11.90	55.57	3	Vertical	347	2.96	-	34.60	5.10	33.17
AV	5.3512G	49.98	54.00	-4.02	43.45	3	Vertical	347	2.96	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	118.74	Inf	-Inf	112.11	3	Horizontal	287	1.27	-	34.70	5.10	33.17
AV	5.2968G	108.89	Inf	-Inf	102.27	3	Horizontal	287	1.27	-	34.69	5.10	33.17
PK	5.352G	64.55	74.00	-9.45	58.02	3	Horizontal	287	1.27	-	34.60	5.10	33.17
AV	5.3512G	51.35	54.00	-2.65	44.82	3	Horizontal	287	1.27	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8988G	62.95	74.00	-11.05	46.33	3	Vertical	78	1.00	-	42.70	9.07	35.15
AV	15.89734G	49.66	54.00	-4.34	33.04	3	Vertical	78	1.00	-	42.70	9.07	35.15

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89778G	62.61	74.00	-11.39	45.99	3	Horizontal	336	2.82	-	42.70	9.07	35.15
AV	15.9036G	49.50	54.00	-4.50	32.86	3	Horizontal	336	2.82	-	42.71	9.08	35.15

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUTX_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	112.85	Inf	-Inf	106.25	3	Vertical	19	2.89	-	34.67	5.10	33.17
AV	5.3152G	103.65	Inf	-Inf	97.05	3	Vertical	19	2.89	-	34.67	5.10	33.17
PK	5.35G	65.16	74.00	-8.84	58.63	3	Vertical	19	2.89	-	34.60	5.10	33.17
AV	5.3502G	50.69	54.00	-3.31	44.16	3	Vertical	19	2.89	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUTX_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	115.99	Inf	-Inf	109.39	3	Horizontal	281	1.26	-	34.67	5.10	33.17
AV	5.3168G	106.66	Inf	-Inf	100.06	3	Horizontal	281	1.26	-	34.67	5.10	33.17
PK	5.3522G	69.37	74.00	-4.63	62.84	3	Horizontal	281	1.26	-	34.60	5.10	33.17
AV	5.3514G	53.32	54.00	-0.68	46.79	3	Horizontal	281	1.26	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96472G	62.07	74.00	-11.93	45.31	3	Vertical	6	2.34	-	42.83	9.09	35.16
AV	15.95774G	49.04	54.00	-4.96	32.29	3	Vertical	6	2.34	-	42.82	9.09	35.16

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96064G	63.18	74.00	-10.82	46.43	3	Horizontal	239	2.33	-	42.82	9.09	35.16
AV	15.95822G	48.91	54.00	-5.09	32.16	3	Horizontal	239	2.33	-	42.82	9.09	35.16

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 20
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.41	74.00	-12.59	55.07	3	Vertical	351	2.81	-	34.36	5.16	33.18
AV	5.459G	47.88	54.00	-6.12	41.54	3	Vertical	351	2.81	-	34.36	5.16	33.18
PK	5.4696G	64.71	68.20	-3.49	58.40	3	Vertical	351	2.81	-	34.32	5.17	33.18
PK	5.499G	110.60	Inf	-Inf	104.38	3	Vertical	351	2.81	-	34.20	5.20	33.18
AV	5.504G	101.30	Inf	-Inf	95.07	3	Vertical	351	2.81	-	34.21	5.20	33.18

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUTX_2TX
Setting 20
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	61.05	74.00	-12.95	54.70	3	Horizontal	298	1.61	-	34.37	5.16	33.18
AV	5.4574G	48.99	54.00	-5.01	42.64	3	Horizontal	298	1.61	-	34.37	5.16	33.18
PK	5.4676G	66.53	68.20	-1.67	60.21	3	Horizontal	298	1.61	-	34.33	5.17	33.18
PK	5.5026G	115.47	Inf	-Inf	109.24	3	Horizontal	298	1.61	-	34.21	5.20	33.18
AV	5.5024G	106.01	Inf	-Inf	99.79	3	Horizontal	298	1.61	-	34.20	5.20	33.18

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 20
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99662G	57.27	74.00	-16.73	42.89	3	Vertical	34	2.53	-	40.59	8.30	34.51
AV	11.00184G	43.55	54.00	-10.45	29.16	3	Vertical	34	2.53	-	40.60	8.30	34.51

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 20
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00334G	57.70	74.00	-16.30	43.30	3	Horizontal	89	2.98	-	40.61	8.30	34.51
AV	11.0017G	46.40	54.00	-7.60	32.01	3	Horizontal	89	2.98	-	40.60	8.30	34.51

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	59.75	74.00	-14.25	53.38	3	Vertical	17	2.89	-	34.40	5.15	33.18
AV	5.4544G	47.64	54.00	-6.36	41.29	3	Vertical	17	2.89	-	34.38	5.15	33.18
PK	5.4664G	58.88	68.20	-9.32	52.56	3	Vertical	17	2.89	-	34.33	5.17	33.18
PK	5.5744G	114.49	Inf	-Inf	108.23	3	Vertical	17	2.89	-	34.20	5.27	33.21
AV	5.5744G	104.87	Inf	-Inf	98.61	3	Vertical	17	2.89	-	34.20	5.27	33.21
PK	5.7272G	59.12	68.20	-9.08	53.09	3	Vertical	17	2.89	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3816G	59.87	74.00	-14.13	53.35	3	Horizontal	308	1.80	-	34.60	5.10	33.18
AV	5.3864G	47.69	54.00	-6.31	41.17	3	Horizontal	308	1.80	-	34.60	5.10	33.18
PK	5.4696G	59.40	68.20	-8.80	53.09	3	Horizontal	308	1.80	-	34.32	5.17	33.18
PK	5.5832G	117.76	Inf	-Inf	111.52	3	Horizontal	308	1.80	-	34.17	5.28	33.21
AV	5.5832G	107.84	Inf	-Inf	101.60	3	Horizontal	308	1.80	-	34.17	5.28	33.21
PK	5.7752G	60.02	68.20	-8.18	53.96	3	Horizontal	308	1.80	-	34.05	5.30	33.29

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16422G	58.40	74.00	-15.60	43.52	3	Vertical	306	1.62	-	41.06	8.41	34.59
AV	11.15506G	45.23	54.00	-8.77	30.39	3	Vertical	306	1.62	-	41.02	8.41	34.59

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15682G	58.37	74.00	-15.63	43.52	3	Horizontal	283	1.64	-	41.03	8.41	34.59
AV	11.16164G	46.22	54.00	-7.78	31.35	3	Horizontal	283	1.64	-	41.05	8.41	34.59

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




27/10/2021

EUT_X_2TX
Setting 17.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.701G	109.93	Inf	-Inf	103.89	3	Vertical	351	2.64	-	34.00	5.30	33.26
AV	5.7008G	100.84	Inf	-Inf	94.80	3	Vertical	351	2.64	-	34.00	5.30	33.26
PK	5.7258G	66.16	68.20	-2.04	60.13	3	Vertical	351	2.64	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.701G	114.50	Inf	-Inf	108.46	3	Horizontal	304	2.81	-	34.00	5.30	33.26
AV	5.701G	104.86	Inf	-Inf	98.82	3	Horizontal	304	2.81	-	34.00	5.30	33.26
PK	5.7262G	67.65	68.20	-0.55	61.62	3	Horizontal	304	2.81	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40344G	58.04	74.00	-15.96	42.27	3	Vertical	106	2.50	-	41.90	8.58	34.71
AV	11.39904G	45.08	54.00	-8.92	29.31	3	Vertical	106	2.50	-	41.90	8.58	34.71

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40418G	59.69	74.00	-14.31	43.92	3	Horizontal	64	1.18	-	41.90	8.58	34.71
AV	11.40402G	45.26	54.00	-8.74	29.49	3	Horizontal	64	1.18	-	41.90	8.58	34.71

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	114.82	Inf	-Inf	108.79	3	Vertical	360	2.89	-	34.00	5.30	33.27
AV	5.7224G	105.04	Inf	-Inf	99.01	3	Vertical	360	2.89	-	34.00	5.30	33.27
PK	5.8816G	59.60	68.20	-8.60	53.23	3	Vertical	360	2.89	-	34.36	5.34	33.33

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	119.12	Inf	-Inf	113.09	3	Horizontal	296	2.81	-	34.00	5.30	33.27
AV	5.7208G	109.52	Inf	-Inf	103.49	3	Horizontal	296	2.81	-	34.00	5.30	33.27
PK	5.8552G	59.76	68.20	-8.44	53.44	3	Horizontal	296	2.81	-	34.31	5.33	33.32

802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44412G	58.65	74.00	-15.35	42.83	3	Vertical	81	1.70	-	41.94	8.61	34.73
AV	11.44278G	45.30	54.00	-8.70	29.48	3	Vertical	81	1.70	-	41.94	8.61	34.73

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44254G	58.47	74.00	-15.53	42.65	3	Horizontal	176	1.88	-	41.94	8.61	34.73
AV	11.43508G	46.50	54.00	-7.50	30.69	3	Horizontal	176	1.88	-	41.94	8.60	34.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.54	74.00	-14.46	53.12	3	Vertical	98	1.01	-	34.55	5.04	33.17
AV	5.1262G	46.61	54.00	-7.39	40.25	3	Vertical	98	1.01	-	34.50	5.03	33.17
PK	5.2624G	113.17	Inf	-Inf	106.62	3	Vertical	98	1.01	-	34.62	5.10	33.17
AV	5.2618G	100.95	Inf	-Inf	94.40	3	Vertical	98	1.01	-	34.62	5.10	33.17
PK	5.3548G	60.44	74.00	-13.56	53.91	3	Vertical	98	1.01	-	34.60	5.10	33.17
AV	5.3884G	47.09	54.00	-6.91	40.57	3	Vertical	98	1.01	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.19	74.00	-13.81	53.72	3	Horizontal	295	1.23	-	34.59	5.05	33.17
AV	5.122G	46.77	54.00	-7.23	40.42	3	Horizontal	295	1.23	-	34.49	5.02	33.16
PK	5.2588G	119.28	Inf	-Inf	112.73	3	Horizontal	295	1.23	-	34.62	5.10	33.17
AV	5.2588G	106.81	Inf	-Inf	100.26	3	Horizontal	295	1.23	-	34.62	5.10	33.17
PK	5.3686G	60.34	74.00	-13.66	53.81	3	Horizontal	295	1.23	-	34.60	5.10	33.17
AV	5.3758G	47.34	54.00	-6.66	40.82	3	Horizontal	295	1.23	-	34.60	5.10	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77842G	60.81	74.00	-13.19	44.41	3	Vertical	144	2.77	-	42.51	9.04	35.15
AV	15.7824G	47.46	54.00	-6.54	31.03	3	Vertical	144	2.77	-	42.53	9.05	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77922G	60.47	74.00	-13.53	44.06	3	Horizontal	110	1.96	-	42.52	9.04	35.15
AV	15.77642G	47.37	54.00	-6.63	30.97	3	Horizontal	110	1.96	-	42.51	9.04	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	118.99	Inf	-Inf	112.37	3	Vertical	10	2.88	-	34.69	5.10	33.17
AV	5.296G	105.47	Inf	-Inf	98.85	3	Vertical	10	2.88	-	34.69	5.10	33.17
PK	5.3552G	61.22	74.00	-12.78	54.69	3	Vertical	10	2.88	-	34.60	5.10	33.17
AV	5.3548G	48.38	54.00	-5.62	41.85	3	Vertical	10	2.88	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUTX_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	121.15	Inf	-Inf	114.52	3	Horizontal	283	1.09	-	34.70	5.10	33.17
AV	5.2972G	108.09	Inf	-Inf	101.47	3	Horizontal	283	1.09	-	34.69	5.10	33.17
PK	5.3504G	64.22	74.00	-9.78	57.69	3	Horizontal	283	1.09	-	34.60	5.10	33.17
AV	5.35G	50.64	54.00	-3.36	44.11	3	Horizontal	283	1.09	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89722G	61.05	74.00	-12.95	44.43	3	Vertical	218	2.51	-	42.70	9.07	35.15
AV	15.9025G	47.61	54.00	-6.39	30.97	3	Vertical	218	2.51	-	42.71	9.08	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89756G	61.08	74.00	-12.92	44.46	3	Horizontal	13	1.41	-	42.70	9.07	35.15
AV	15.89958G	47.62	54.00	-6.38	31.00	3	Horizontal	13	1.41	-	42.70	9.07	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUTX_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	117.10	Inf	-Inf	110.50	3	Vertical	17	2.89	-	34.67	5.10	33.17
AV	5.3158G	103.41	Inf	-Inf	96.81	3	Vertical	17	2.89	-	34.67	5.10	33.17
PK	5.3534G	64.05	74.00	-9.95	57.52	3	Vertical	17	2.89	-	34.60	5.10	33.17
AV	5.3548G	49.36	54.00	-4.64	42.83	3	Vertical	17	2.89	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUTX_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	118.87	Inf	-Inf	112.28	3	Horizontal	276	1.08	-	34.66	5.10	33.17
AV	5.3166G	105.77	Inf	-Inf	99.17	3	Horizontal	276	1.08	-	34.67	5.10	33.17
PK	5.3564G	67.67	74.00	-6.33	61.14	3	Horizontal	276	1.08	-	34.60	5.10	33.17
AV	5.35G	53.30	54.00	-0.70	46.77	3	Horizontal	276	1.08	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95864G	60.74	74.00	-13.26	43.99	3	Vertical	293	2.36	-	42.82	9.09	35.16
AV	15.955G	47.43	54.00	-6.57	30.69	3	Vertical	293	2.36	-	42.81	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95676G	61.05	74.00	-12.95	44.31	3	Horizontal	25	1.00	-	42.81	9.09	35.16
AV	15.95538G	47.19	54.00	-6.81	30.45	3	Horizontal	25	1.00	-	42.81	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.36	74.00	-13.64	54.01	3	Vertical	335	2.90	-	34.37	5.16	33.18
AV	5.4578G	47.13	54.00	-6.87	40.78	3	Vertical	335	2.90	-	34.37	5.16	33.18
PK	5.4686G	63.32	68.20	-4.88	57.00	3	Vertical	335	2.90	-	34.33	5.17	33.18
PK	5.5022G	112.65	Inf	-Inf	106.43	3	Vertical	335	2.90	-	34.20	5.20	33.18
AV	5.5032G	99.39	Inf	-Inf	93.16	3	Vertical	335	2.90	-	34.21	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.84	74.00	-12.16	55.49	3	Horizontal	300	1.76	-	34.37	5.16	33.18
AV	5.46G	48.70	54.00	-5.30	42.36	3	Horizontal	300	1.76	-	34.36	5.16	33.18
PK	5.4698G	68.01	68.20	-0.19	61.70	3	Horizontal	300	1.76	-	34.32	5.17	33.18
PK	5.501G	118.21	Inf	-Inf	111.99	3	Horizontal	300	1.76	-	34.20	5.20	33.18
AV	5.5014G	104.51	Inf	-Inf	98.29	3	Horizontal	300	1.76	-	34.20	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00308G	56.36	74.00	-17.64	41.96	3	Vertical	28	1.84	-	40.61	8.30	34.51
AV	11.00182G	42.15	54.00	-11.85	27.76	3	Vertical	28	1.84	-	40.60	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00344G	56.08	74.00	-17.92	41.68	3	Horizontal	240	1.39	-	40.61	8.30	34.51
AV	11.0039G	44.13	54.00	-9.87	29.73	3	Horizontal	240	1.39	-	40.61	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3864G	60.30	74.00	-13.70	53.78	3	Vertical	341	2.70	-	34.60	5.10	33.18
AV	5.3952G	47.17	54.00	-6.83	40.65	3	Vertical	341	2.70	-	34.60	5.10	33.18
PK	5.4648G	59.71	68.20	-8.49	53.39	3	Vertical	341	2.70	-	34.34	5.16	33.18
PK	5.5776G	116.66	Inf	-Inf	110.40	3	Vertical	341	2.70	-	34.19	5.28	33.21
AV	5.576G	103.81	Inf	-Inf	97.54	3	Vertical	341	2.70	-	34.20	5.28	33.21
PK	5.768G	59.30	68.20	-8.90	53.25	3	Vertical	341	2.70	-	34.04	5.30	33.29

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3824G	60.49	74.00	-13.51	53.97	3	Horizontal	293	2.91	-	34.60	5.10	33.18
AV	5.3848G	47.35	54.00	-6.65	40.83	3	Horizontal	293	2.91	-	34.60	5.10	33.18
PK	5.4672G	59.21	68.20	-8.99	52.89	3	Horizontal	293	2.91	-	34.33	5.17	33.18
PK	5.5792G	120.59	Inf	-Inf	114.34	3	Horizontal	293	2.91	-	34.18	5.28	33.21
AV	5.5784G	108.10	Inf	-Inf	101.84	3	Horizontal	293	2.91	-	34.19	5.28	33.21
PK	5.7472G	59.49	68.20	-8.71	53.47	3	Horizontal	293	2.91	-	34.00	5.30	33.28

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15742G	57.69	74.00	-16.31	42.84	3	Vertical	71	1.80	-	41.03	8.41	34.59
AV	11.16386G	43.56	54.00	-10.44	28.68	3	Vertical	71	1.80	-	41.06	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15818G	57.51	74.00	-16.49	42.66	3	Horizontal	90	2.45	-	41.03	8.41	34.59
AV	11.16364G	46.62	54.00	-7.38	31.75	3	Horizontal	90	2.45	-	41.05	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	113.15	Inf	-Inf	107.10	3	Vertical	350	2.64	-	34.01	5.30	33.26
AV	5.6958G	100.04	Inf	-Inf	93.99	3	Vertical	350	2.64	-	34.01	5.30	33.26
PK	5.7262G	64.72	68.20	-3.48	58.69	3	Vertical	350	2.64	-	34.00	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	118.28	Inf	-Inf	112.23	3	Horizontal	297	2.80	-	34.01	5.30	33.26
AV	5.696G	104.08	Inf	-Inf	98.03	3	Horizontal	297	2.80	-	34.01	5.30	33.26
PK	5.7268G	67.90	68.20	-0.30	61.87	3	Horizontal	297	2.80	-	34.00	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40154G	57.82	74.00	-16.18	42.05	3	Vertical	241	2.88	-	41.90	8.58	34.71
AV	11.40042G	43.87	54.00	-10.13	28.10	3	Vertical	241	2.88	-	41.90	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TnomVnom



EUT_X_2TX
Setting 17.5
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4013G	57.83	74.00	-16.17	42.06	3	Horizontal	103	1.90	-	41.90	8.58	34.71
AV	11.39586G	44.87	54.00	-9.13	29.12	3	Horizontal	103	1.90	-	41.88	8.58	34.71


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 23
 04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	114.18	Inf	-Inf	108.15	3	Vertical	311	1.80	-	34.00	5.30	33.27
AV	5.7168G	102.00	Inf	-Inf	95.97	3	Vertical	311	1.80	-	34.00	5.30	33.27
PK	5.892G	60.04	68.20	-8.16	53.65	3	Vertical	311	1.80	-	34.38	5.35	33.34

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 23
 04-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	121.54	Inf	-Inf	115.51	3	Horizontal	297	2.77	-	34.00	5.30	33.27
AV	5.7216G	108.44	Inf	-Inf	102.41	3	Horizontal	297	2.77	-	34.00	5.30	33.27
PK	5.9176G	59.75	68.20	-8.45	53.34	3	Horizontal	297	2.77	-	34.40	5.36	33.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44224G	58.02	74.00	-15.98	42.20	3	Vertical	173	1.69	-	41.94	8.61	34.73
AV	11.44244G	43.87	54.00	-10.13	28.05	3	Vertical	173	1.69	-	41.94	8.61	34.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44358G	58.42	74.00	-15.58	42.60	3	Horizontal	277	2.70	-	41.94	8.61	34.73
AV	11.44238G	46.96	54.00	-7.04	31.14	3	Horizontal	277	2.70	-	41.94	8.61	34.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	59.56	74.00	-14.44	53.13	3	Vertical	96	1.07	-	34.56	5.04	33.17
AV	5.144G	46.53	54.00	-7.47	40.08	3	Vertical	96	1.07	-	34.58	5.04	33.17
PK	5.2814G	110.31	Inf	-Inf	103.72	3	Vertical	96	1.07	-	34.66	5.10	33.17
AV	5.2718G	97.68	Inf	-Inf	91.11	3	Vertical	96	1.07	-	34.64	5.10	33.17
PK	5.351G	63.48	74.00	-10.52	56.95	3	Vertical	96	1.07	-	34.60	5.10	33.17
AV	5.3516G	49.34	54.00	-4.66	42.81	3	Vertical	96	1.07	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	61.89	74.00	-12.11	55.41	3	Horizontal	290	1.19	-	34.60	5.05	33.17
AV	5.1482G	47.88	54.00	-6.12	41.41	3	Horizontal	290	1.19	-	34.59	5.05	33.17
PK	5.279G	117.47	Inf	-Inf	110.88	3	Horizontal	290	1.19	-	34.66	5.10	33.17
AV	5.2778G	104.20	Inf	-Inf	97.61	3	Horizontal	290	1.19	-	34.66	5.10	33.17
PK	5.3576G	68.05	74.00	-5.95	61.52	3	Horizontal	290	1.19	-	34.60	5.10	33.17
AV	5.355G	53.57	54.00	-0.43	47.04	3	Horizontal	290	1.19	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53982G	56.24	68.20	-11.96	42.93	3	Vertical	4	1.87	-	39.48	7.98	34.15
PK	15.81204G	60.46	74.00	-13.54	43.95	3	Vertical	259	1.80	-	42.61	9.05	35.15
AV	15.81006G	45.99	54.00	-8.01	29.48	3	Vertical	259	1.80	-	42.61	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting
04-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53974G	55.75	68.20	-12.45	42.44	3	Horizontal	254	2.83	-	39.48	7.98	34.15
PK	15.80855G	60.23	74.00	-13.77	43.72	3	Horizontal	93	1.80	-	42.61	9.05	35.15
AV	15.81049G	46.25	54.00	-7.75	29.74	3	Horizontal	93	1.80	-	42.61	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUTX_2TX
Setting 17
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	111.28	Inf	-Inf	104.66	3	Vertical	13	2.89	-	34.69	5.10	33.17
AV	5.3056G	97.52	Inf	-Inf	90.90	3	Vertical	13	2.89	-	34.69	5.10	33.17
PK	5.3548G	61.60	74.00	-12.40	55.07	3	Vertical	13	2.89	-	34.60	5.10	33.17
AV	5.3556G	48.29	54.00	-5.71	41.76	3	Vertical	13	2.89	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUTX_2TX
Setting 17
04-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	112.57	Inf	-Inf	105.94	3	Horizontal	296	1.37	-	34.70	5.10	33.17
AV	5.3092G	99.96	Inf	-Inf	93.35	3	Horizontal	296	1.37	-	34.68	5.10	33.17
PK	5.3512G	67.98	74.00	-6.02	61.45	3	Horizontal	296	1.37	-	34.60	5.10	33.17
AV	5.3504G	53.58	54.00	-0.42	47.05	3	Horizontal	296	1.37	-	34.60	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 17
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6194G	55.99	74.00	-18.01	42.51	3	Vertical	168	2.41	-	39.66	8.03	34.21
AV	10.61998G	41.64	54.00	-12.36	28.16	3	Vertical	168	2.41	-	39.66	8.03	34.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 17
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62138G	55.19	74.00	-18.81	41.71	3	Horizontal	254	1.62	-	39.66	8.03	34.21
AV	10.61989G	42.16	54.00	-11.84	28.68	3	Horizontal	254	1.62	-	39.66	8.03	34.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	59.23	74.00	-14.77	52.86	3	Vertical	333	2.76	-	34.40	5.15	33.18
PK	5.4672G	61.85	68.20	-6.35	55.53	3	Vertical	333	2.76	-	34.33	5.17	33.18
AV	5.46G	46.71	54.00	-7.29	40.37	3	Vertical	333	2.76	-	34.36	5.16	33.18
PK	5.5112G	107.75	Inf	-Inf	101.50	3	Vertical	333	2.76	-	34.22	5.21	33.18
AV	5.5112G	95.00	Inf	-Inf	88.75	3	Vertical	333	2.76	-	34.22	5.21	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUTX_2TX
Setting 18
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	61.28	74.00	-12.72	54.92	3	Horizontal	299	1.79	-	34.39	5.15	33.18
AV	5.46G	48.27	54.00	-5.73	41.93	3	Horizontal	299	1.79	-	34.36	5.16	33.18
PK	5.47G	66.25	68.20	-1.95	59.94	3	Horizontal	299	1.79	-	34.32	5.17	33.18
PK	5.5208G	112.30	Inf	-Inf	106.03	3	Horizontal	299	1.79	-	34.24	5.22	33.19
AV	5.5112G	99.44	Inf	-Inf	93.19	3	Horizontal	299	1.79	-	34.22	5.21	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01968G	56.33	74.00	-17.67	41.90	3	Vertical	340	2.51	-	40.64	8.31	34.52
AV	11.01987G	44.67	54.00	-9.33	30.24	3	Vertical	340	2.51	-	40.64	8.31	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 18
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01976G	56.69	74.00	-17.31	42.26	3	Horizontal	333	1.46	-	40.64	8.31	34.52
AV	11.01982G	44.16	54.00	-9.84	29.73	3	Horizontal	333	1.46	-	40.64	8.31	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.02	74.00	-11.98	55.67	3	Vertical	342	2.73	-	34.37	5.16	33.18
AV	5.4522G	48.76	54.00	-5.24	42.40	3	Vertical	342	2.73	-	34.39	5.15	33.18
PK	5.47G	64.07	68.20	-4.13	57.76	3	Vertical	342	2.73	-	34.32	5.17	33.18
PK	5.5542G	111.45	Inf	-Inf	105.12	3	Vertical	342	2.73	-	34.28	5.25	33.20
AV	5.553G	99.36	Inf	-Inf	93.02	3	Vertical	342	2.73	-	34.29	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	63.18	74.00	-10.82	56.82	3	Horizontal	301	2.97	-	34.38	5.16	33.18
AV	5.4552G	49.59	54.00	-4.41	43.23	3	Horizontal	301	2.97	-	34.38	5.16	33.18
PK	5.4654G	65.55	68.20	-2.65	59.22	3	Horizontal	301	2.97	-	34.34	5.17	33.18
PK	5.5446G	115.33	Inf	-Inf	109.00	3	Horizontal	301	2.97	-	34.29	5.24	33.20
AV	5.544G	103.10	Inf	-Inf	96.77	3	Horizontal	301	2.97	-	34.29	5.24	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10024G	56.71	74.00	-17.29	42.10	3	Vertical	16	1.80	-	40.80	8.37	34.56
AV	11.09984G	43.47	54.00	-10.53	28.86	3	Vertical	16	1.80	-	40.80	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10073G	57.07	74.00	-16.93	42.46	3	Horizontal	198	1.80	-	40.80	8.37	34.56
AV	11.09986G	44.04	54.00	-9.96	29.43	3	Horizontal	198	1.80	-	40.80	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6644G	108.37	Inf	-Inf	102.25	3	Vertical	327	1.45	-	34.07	5.30	33.25
AV	5.6644G	96.43	Inf	-Inf	90.31	3	Vertical	327	1.45	-	34.07	5.30	33.25
PK	5.7252G	65.24	68.20	-2.96	59.21	3	Vertical	327	1.45	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6716G	114.68	Inf	-Inf	108.57	3	Horizontal	297	2.84	-	34.06	5.30	33.25
AV	5.6716G	102.48	Inf	-Inf	96.37	3	Horizontal	297	2.84	-	34.06	5.30	33.25
PK	5.7252G	67.78	68.20	-0.42	61.75	3	Horizontal	297	2.84	-	34.00	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 19.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34218G	56.49	74.00	-17.51	40.96	3	Vertical	28	1.80	-	41.67	8.54	34.68
AV	11.33978G	42.83	54.00	-11.17	27.31	3	Vertical	28	1.80	-	41.66	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34002G	57.94	74.00	-16.06	42.42	3	Horizontal	294	1.89	-	41.66	8.54	34.68
AV	11.33986G	44.39	54.00	-9.61	28.87	3	Horizontal	294	1.89	-	41.66	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7236G	110.52	Inf	-Inf	104.49	3	Vertical	327	1.43	-	34.00	5.30	33.27
AV	5.7148G	98.70	Inf	-Inf	92.67	3	Vertical	327	1.43	-	34.00	5.30	33.27
PK	5.8596G	58.21	68.20	-9.99	51.88	3	Vertical	327	1.43	-	34.32	5.33	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	116.91	Inf	-Inf	110.87	3	Horizontal	296	2.82	-	34.00	5.30	33.26
AV	5.7116G	104.96	Inf	-Inf	98.92	3	Horizontal	296	2.82	-	34.00	5.30	33.26
PK	5.8692G	58.43	68.20	-9.77	52.09	3	Horizontal	296	2.82	-	34.34	5.33	33.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4211G	59.43	74.00	-14.57	43.64	3	Vertical	349	1.80	-	41.92	8.59	34.72
AV	11.41989G	45.28	54.00	-8.72	29.49	3	Vertical	349	1.80	-	41.92	8.59	34.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42016G	59.27	74.00	-14.73	43.48	3	Horizontal	169	1.80	-	41.92	8.59	34.72
AV	11.41995G	46.16	54.00	-7.84	30.37	3	Horizontal	169	1.80	-	41.92	8.59	34.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 16.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.54	74.00	-15.46	52.11	3	Vertical	95	1.05	-	34.56	5.04	33.17
AV	5.13G	46.01	54.00	-7.99	39.63	3	Vertical	95	1.05	-	34.52	5.03	33.17
PK	5.2916G	102.80	Inf	-Inf	96.19	3	Vertical	95	1.05	-	34.68	5.10	33.17
AV	5.2924G	90.43	Inf	-Inf	83.82	3	Vertical	95	1.05	-	34.68	5.10	33.17
PK	5.3524G	62.44	74.00	-11.56	55.91	3	Vertical	95	1.05	-	34.60	5.10	33.17
AV	5.3508G	48.51	54.00	-5.49	41.98	3	Vertical	95	1.05	-	34.60	5.10	33.17
PK	5.4652G	59.35	68.20	-8.85	53.02	3	Vertical	95	1.05	-	34.34	5.17	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 16.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	59.38	74.00	-14.62	52.95	3	Horizontal	295	1.16	-	34.56	5.04	33.17
AV	5.1388G	46.19	54.00	-7.81	39.76	3	Horizontal	295	1.16	-	34.56	5.04	33.17
PK	5.2772G	107.86	Inf	-Inf	101.28	3	Horizontal	295	1.16	-	34.65	5.10	33.17
AV	5.298G	96.46	Inf	-Inf	89.83	3	Horizontal	295	1.16	-	34.70	5.10	33.17
PK	5.3572G	67.55	74.00	-6.45	61.02	3	Horizontal	295	1.16	-	34.60	5.10	33.17
AV	5.3572G	52.23	54.00	-1.77	45.70	3	Horizontal	295	1.16	-	34.60	5.10	33.17
PK	5.4724G	59.64	68.20	-8.56	53.34	3	Horizontal	295	1.16	-	34.31	5.17	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUTX_2TX
Setting 16.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57983G	57.01	68.20	-11.19	43.62	3	Vertical	171	1.75	-	39.56	8.01	34.18
PK	15.87163G	61.73	74.00	-12.27	45.14	3	Vertical	178	1.93	-	42.67	9.07	35.15
AV	15.86769G	47.39	54.00	-6.61	30.80	3	Vertical	178	1.93	-	42.67	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 16.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57999G	55.29	68.20	-12.91	41.90	3	Horizontal	24	1.80	-	39.56	8.01	34.18
PK	15.87153G	61.27	74.00	-12.73	44.68	3	Horizontal	133	1.82	-	42.67	9.07	35.15
AV	15.86761G	47.28	54.00	-6.72	30.69	3	Horizontal	133	1.82	-	42.67	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	59.33	68.20	-8.87	52.71	3	Vertical	350	2.76	-	34.69	5.10	33.17
PK	5.455G	61.43	74.00	-12.57	55.08	3	Vertical	350	2.76	-	34.38	5.15	33.18
AV	5.454G	48.78	54.00	-5.22	42.43	3	Vertical	350	2.76	-	34.38	5.15	33.18
PK	5.464G	64.75	68.20	-3.45	58.43	3	Vertical	350	2.76	-	34.34	5.16	33.18
PK	5.543G	105.30	Inf	-Inf	98.97	3	Vertical	350	2.76	-	34.29	5.24	33.20
AV	5.523G	92.22	Inf	-Inf	85.94	3	Vertical	350	2.76	-	34.25	5.22	33.19
PK	5.753G	58.56	68.20	-9.64	52.53	3	Vertical	350	2.76	-	34.01	5.30	33.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	60.06	68.20	-8.14	53.49	3	Horizontal	299	3.00	-	34.64	5.10	33.17
PK	5.454G	64.31	74.00	-9.69	57.96	3	Horizontal	299	3.00	-	34.38	5.15	33.18
AV	5.455G	50.77	54.00	-3.23	44.42	3	Horizontal	299	3.00	-	34.38	5.15	33.18
PK	5.466G	66.65	68.20	-1.55	60.32	3	Horizontal	299	3.00	-	34.34	5.17	33.18
PK	5.535G	109.47	Inf	-Inf	103.15	3	Horizontal	299	3.00	-	34.27	5.24	33.19
AV	5.535G	96.13	Inf	-Inf	89.81	3	Horizontal	299	3.00	-	34.27	5.24	33.19
PK	5.758G	58.45	68.20	-9.75	52.41	3	Horizontal	299	3.00	-	34.02	5.30	33.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05987G	57.75	74.00	-16.25	43.23	3	Vertical	334	2.13	-	40.72	8.34	34.54
AV	11.0599G	46.02	54.00	-7.98	31.50	3	Vertical	334	2.13	-	40.72	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 17.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05972G	58.23	74.00	-15.77	43.71	3	Horizontal	332	1.88	-	40.72	8.34	34.54
AV	11.05993G	44.98	54.00	-9.02	30.46	3	Horizontal	332	1.88	-	40.72	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4G	60.28	74.00	-13.72	53.76	3	Vertical	325	1.46	-	34.60	5.10	33.18
PK	5.467G	62.41	68.20	-5.79	56.09	3	Vertical	325	1.46	-	34.33	5.17	33.18
AV	5.457G	47.39	54.00	-6.61	41.04	3	Vertical	325	1.46	-	34.37	5.16	33.18
PK	5.625G	108.00	Inf	-Inf	101.83	3	Vertical	325	1.46	-	34.10	5.30	33.23
AV	5.615G	94.93	Inf	-Inf	88.76	3	Vertical	325	1.46	-	34.10	5.30	33.23
PK	5.734G	63.43	68.20	-4.77	57.40	3	Vertical	325	1.46	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUTX_2TX
Setting 19.5
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.04	74.00	-11.96	55.68	3	Horizontal	293	2.89	-	34.39	5.15	33.18
AV	5.452G	49.30	54.00	-4.70	42.94	3	Horizontal	293	2.89	-	34.39	5.15	33.18
PK	5.463G	64.52	68.20	-3.68	58.19	3	Horizontal	293	2.89	-	34.35	5.16	33.18
PK	5.632G	112.57	Inf	-Inf	106.40	3	Horizontal	293	2.89	-	34.10	5.30	33.23
AV	5.622G	100.07	Inf	-Inf	93.90	3	Horizontal	293	2.89	-	34.10	5.30	33.23
PK	5.732G	67.37	68.20	-0.83	61.34	3	Horizontal	293	2.89	-	34.00	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22014G	57.68	74.00	-16.32	42.59	3	Vertical	115	2.74	-	41.26	8.45	34.62
AV	11.21979G	45.16	54.00	-8.84	30.07	3	Vertical	115	2.74	-	41.26	8.45	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 19.5
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21975G	57.78	74.00	-16.22	42.69	3	Horizontal	194	1.87	-	41.26	8.45	34.62
AV	11.21987G	46.93	54.00	-7.07	31.84	3	Horizontal	194	1.87	-	41.26	8.45	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.49	74.00	-14.51	53.15	3	Vertical	320	1.99	-	34.36	5.16	33.18
AV	5.4596G	46.65	54.00	-7.35	40.31	3	Vertical	320	1.99	-	34.36	5.16	33.18
PK	5.462G	59.46	68.20	-8.74	53.13	3	Vertical	320	1.99	-	34.35	5.16	33.18
PK	5.7008G	107.63	Inf	-Inf	101.59	3	Vertical	320	1.99	-	34.00	5.30	33.26
AV	5.6996G	94.84	Inf	-Inf	88.80	3	Vertical	320	1.99	-	34.00	5.30	33.26
PK	5.858G	61.38	68.20	-6.82	55.05	3	Vertical	320	1.99	-	34.32	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	61.01	74.00	-12.99	54.62	3	Horizontal	299	2.82	-	34.42	5.15	33.18
PK	5.4608G	60.11	68.20	-8.09	53.77	3	Horizontal	299	2.82	-	34.36	5.16	33.18
AV	5.4536G	47.33	54.00	-6.67	40.97	3	Horizontal	299	2.82	-	34.39	5.15	33.18
PK	5.672G	114.54	Inf	-Inf	108.43	3	Horizontal	299	2.82	-	34.06	5.30	33.25
AV	5.6912G	101.85	Inf	-Inf	95.79	3	Horizontal	299	2.82	-	34.02	5.30	33.26
PK	5.8532G	66.34	68.20	-1.86	60.02	3	Horizontal	299	2.82	-	34.31	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38198G	57.43	74.00	-16.57	41.73	3	Vertical	134	1.80	-	41.83	8.57	34.70
AV	11.37982G	44.09	54.00	-9.91	28.40	3	Vertical	134	1.80	-	41.82	8.57	34.70

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
Setting 23
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37946G	58.44	74.00	-15.56	42.75	3	Horizontal	36	1.77	-	41.82	8.57	34.70
AV	11.37979G	45.07	54.00	-8.93	29.38	3	Horizontal	36	1.77	-	41.82	8.57	34.70




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.47G	68.13	68.20	-0.07	3	Vertical	253	2.32	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	59.64	74.00	-14.36	53.20	3	Vertical	246	2.58	-	34.57	5.04	33.17
AV	5.146G	48.43	54.00	-5.57	41.97	3	Vertical	246	2.58	-	34.58	5.05	33.17
PK	5.2606G	121.46	Inf	-Inf	114.91	3	Vertical	246	2.58	-	34.62	5.10	33.17
AV	5.2594G	113.27	Inf	-Inf	106.72	3	Vertical	246	2.58	-	34.62	5.10	33.17
PK	5.356G	59.81	74.00	-14.19	53.28	3	Vertical	246	2.58	-	34.60	5.10	33.17
AV	5.359G	48.98	54.00	-5.02	42.45	3	Vertical	246	2.58	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	59.66	74.00	-14.34	53.25	3	Horizontal	185	2.23	-	34.54	5.04	33.17
AV	5.143G	48.02	54.00	-5.98	41.58	3	Horizontal	185	2.23	-	34.57	5.04	33.17
PK	5.2648G	111.08	Inf	-Inf	104.52	3	Horizontal	185	2.23	-	34.63	5.10	33.17
AV	5.2648G	102.81	Inf	-Inf	96.25	3	Horizontal	185	2.23	-	34.63	5.10	33.17
PK	5.4052G	60.24	74.00	-13.76	53.73	3	Horizontal	185	2.23	-	34.58	5.11	33.18
AV	5.3698G	48.22	54.00	-5.78	41.69	3	Horizontal	185	2.23	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78456G	58.39	74.00	-15.61	41.95	3	Vertical	168	2.67	-	42.54	9.05	35.15
AV	15.78106G	47.17	54.00	-6.83	30.75	3	Vertical	168	2.67	-	42.52	9.05	35.15

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77518G	59.38	74.00	-14.62	42.99	3	Horizontal	3	1.69	-	42.50	9.04	35.15
AV	15.77714G	47.15	54.00	-6.85	30.75	3	Horizontal	3	1.69	-	42.51	9.04	35.15

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	122.08	Inf	-Inf	115.46	3	Vertical	360	2.56	-	34.69	5.10	33.17
AV	5.2944G	113.69	Inf	-Inf	107.07	3	Vertical	360	2.56	-	34.69	5.10	33.17
PK	5.3536G	66.92	74.00	-7.08	60.39	3	Vertical	360	2.56	-	34.60	5.10	33.17
AV	5.354G	53.77	54.00	-0.23	47.24	3	Vertical	360	2.56	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	111.94	Inf	-Inf	105.31	3	Horizontal	189	2.22	-	34.70	5.10	33.17
AV	5.2984G	103.32	Inf	-Inf	96.69	3	Horizontal	189	2.22	-	34.70	5.10	33.17
PK	5.3596G	60.90	74.00	-13.10	54.37	3	Horizontal	189	2.22	-	34.60	5.10	33.17
AV	5.3584G	48.80	54.00	-5.20	42.27	3	Horizontal	189	2.22	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89728G	59.36	74.00	-14.64	42.74	3	Vertical	158	2.31	-	42.70	9.07	35.15
AV	15.9012G	47.57	54.00	-6.43	30.94	3	Vertical	158	2.31	-	42.70	9.08	35.15

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89948G	59.87	74.00	-14.13	43.25	3	Horizontal	174	1.52	-	42.70	9.07	35.15
AV	15.8963G	47.56	54.00	-6.44	30.94	3	Horizontal	174	1.52	-	42.70	9.07	35.15

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	114.35	Inf	-Inf	107.76	3	Vertical	349	2.42	-	34.66	5.10	33.17
AV	5.3186G	106.27	Inf	-Inf	99.68	3	Vertical	349	2.42	-	34.66	5.10	33.17
PK	5.351G	66.11	74.00	-7.89	59.58	3	Vertical	349	2.42	-	34.60	5.10	33.17
AV	5.35G	53.56	54.00	-0.44	47.03	3	Vertical	349	2.42	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	107.65	Inf	-Inf	101.06	3	Horizontal	198	2.29	-	34.66	5.10	33.17
AV	5.3222G	99.36	Inf	-Inf	92.77	3	Horizontal	198	2.29	-	34.66	5.10	33.17
PK	5.3672G	60.33	74.00	-13.67	53.80	3	Horizontal	198	2.29	-	34.60	5.10	33.17
AV	5.35G	48.60	54.00	-5.40	42.07	3	Horizontal	198	2.29	-	34.60	5.10	33.17

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95748G	59.75	74.00	-14.25	43.01	3	Vertical	90	1.18	-	42.81	9.09	35.16
AV	15.9641G	47.87	54.00	-6.13	31.11	3	Vertical	90	1.18	-	42.83	9.09	35.16

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTZ_4TX
Setting 18
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9605G	59.61	74.00	-14.39	42.86	3	Horizontal	70	1.52	-	42.82	9.09	35.16
AV	15.95554G	47.94	54.00	-6.06	31.20	3	Horizontal	70	1.52	-	42.81	9.09	35.16

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 19.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.77	74.00	-13.23	54.41	3	Vertical	253	2.32	-	34.39	5.15	33.18
AV	5.4526G	48.89	54.00	-5.11	42.53	3	Vertical	253	2.32	-	34.39	5.15	33.18
PK	5.47G	68.13	68.20	-0.07	61.82	3	Vertical	253	2.32	-	34.32	5.17	33.18
PK	5.4928G	116.99	Inf	-Inf	110.75	3	Vertical	253	2.32	-	34.23	5.19	33.18
AV	5.4926G	109.11	Inf	-Inf	102.87	3	Vertical	253	2.32	-	34.23	5.19	33.18

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 19.5
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	60.35	74.00	-13.65	53.98	3	Horizontal	168	2.23	-	34.40	5.15	33.18
AV	5.4506G	47.67	54.00	-6.33	41.30	3	Horizontal	168	2.23	-	34.40	5.15	33.18
PK	5.4632G	59.87	68.20	-8.33	53.54	3	Horizontal	168	2.23	-	34.35	5.16	33.18
PK	5.505G	105.82	Inf	-Inf	99.59	3	Horizontal	168	2.23	-	34.21	5.20	33.18
AV	5.5056G	97.41	Inf	-Inf	91.17	3	Horizontal	168	2.23	-	34.21	5.21	33.18

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0043G	56.30	74.00	-17.70	41.90	3	Vertical	63	2.68	-	40.61	8.30	34.51
AV	11.00118G	44.31	54.00	-9.69	29.92	3	Vertical	63	2.68	-	40.60	8.30	34.51

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTZ_4TX
Setting 19.5
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99758G	56.33	74.00	-17.67	41.95	3	Horizontal	40	2.89	-	40.59	8.30	34.51
AV	11.0048G	44.41	54.00	-9.59	30.01	3	Horizontal	40	2.89	-	40.61	8.30	34.51

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4224G	59.55	74.00	-14.45	53.10	3	Vertical	334	2.43	-	34.51	5.12	33.18
AV	5.384G	48.34	54.00	-5.66	41.82	3	Vertical	334	2.43	-	34.60	5.10	33.18
PK	5.4648G	59.40	68.20	-8.80	53.08	3	Vertical	334	2.43	-	34.34	5.16	33.18
PK	5.5832G	120.96	Inf	-Inf	114.72	3	Vertical	334	2.43	-	34.17	5.28	33.21
AV	5.5832G	112.20	Inf	-Inf	105.96	3	Vertical	334	2.43	-	34.17	5.28	33.21
PK	5.7688G	59.26	68.20	-8.94	53.21	3	Vertical	334	2.43	-	34.04	5.30	33.29

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3808G	59.38	74.00	-14.62	52.86	3	Horizontal	180	2.36	-	34.60	5.10	33.18
AV	5.3832G	47.97	54.00	-6.03	41.45	3	Horizontal	180	2.36	-	34.60	5.10	33.18
PK	5.4632G	58.85	68.20	-9.35	52.52	3	Horizontal	180	2.36	-	34.35	5.16	33.18
PK	5.5864G	112.02	Inf	-Inf	105.79	3	Horizontal	180	2.36	-	34.15	5.29	33.21
AV	5.5864G	103.21	Inf	-Inf	96.98	3	Horizontal	180	2.36	-	34.15	5.29	33.21
PK	5.7432G	59.48	68.20	-8.72	53.46	3	Horizontal	180	2.36	-	34.00	5.30	33.28

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16176G	56.65	74.00	-17.35	41.78	3	Vertical	277	2.79	-	41.05	8.41	34.59
AV	11.1646G	45.17	54.00	-8.83	30.28	3	Vertical	277	2.79	-	41.06	8.42	34.59

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15798G	57.50	74.00	-16.50	42.65	3	Horizontal	34	1.36	-	41.03	8.41	34.59
AV	11.16466G	45.17	54.00	-8.83	30.28	3	Horizontal	34	1.36	-	41.06	8.42	34.59

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	115.00	Inf	-Inf	108.96	3	Vertical	161	2.57	-	34.00	5.30	33.26
AV	5.7052G	106.89	Inf	-Inf	100.85	3	Vertical	161	2.57	-	34.00	5.30	33.26
PK	5.7256G	68.08	68.20	-0.12	62.05	3	Vertical	161	2.57	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6986G	108.15	Inf	-Inf	102.11	3	Horizontal	165	2.35	-	34.00	5.30	33.26
AV	5.699G	100.17	Inf	-Inf	94.13	3	Horizontal	165	2.35	-	34.00	5.30	33.26
PK	5.7344G	59.45	68.20	-8.75	53.42	3	Horizontal	165	2.35	-	34.00	5.30	33.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40442G	57.71	74.00	-16.29	41.94	3	Vertical	175	2.18	-	41.90	8.58	34.71
AV	11.40202G	45.56	54.00	-8.44	29.79	3	Vertical	175	2.18	-	41.90	8.58	34.71

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTZ_4TX
Setting 17
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3975G	57.14	74.00	-16.86	41.38	3	Horizontal	233	2.24	-	41.89	8.58	34.71
AV	11.40144G	45.57	54.00	-8.43	29.80	3	Horizontal	233	2.24	-	41.90	8.58	34.71

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	118.64	Inf	-Inf	112.61	3	Vertical	276	2.03	-	34.00	5.30	33.27
AV	5.7184G	109.95	Inf	-Inf	103.92	3	Vertical	276	2.03	-	34.00	5.30	33.27
PK	5.9016G	60.24	68.20	-7.96	53.83	3	Vertical	276	2.03	-	34.40	5.35	33.34

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	113.14	Inf	-Inf	107.11	3	Horizontal	165	2.62	-	34.00	5.30	33.27
AV	5.7184G	105.01	Inf	-Inf	98.98	3	Horizontal	165	2.62	-	34.00	5.30	33.27
PK	5.9072G	59.84	68.20	-8.36	53.43	3	Horizontal	165	2.62	-	34.40	5.35	33.34

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43594G	57.49	74.00	-16.51	41.67	3	Vertical	246	2.28	-	41.94	8.61	34.73
AV	11.43614G	45.02	54.00	-8.98	29.20	3	Vertical	246	2.28	-	41.94	8.61	34.73

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4429G	56.93	74.00	-17.07	41.11	3	Horizontal	351	1.10	-	41.94	8.61	34.73
AV	11.4449G	44.97	54.00	-9.03	29.15	3	Horizontal	351	1.10	-	41.94	8.61	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	59.03	74.00	-14.97	52.73	3	Vertical	51	2.22	-	34.45	5.01	33.16
AV	5.1454G	47.86	54.00	-6.14	41.40	3	Vertical	51	2.22	-	34.58	5.05	33.17
PK	5.2576G	120.71	Inf	-Inf	114.16	3	Vertical	51	2.22	-	34.62	5.10	33.17
AV	5.2582G	109.34	Inf	-Inf	102.79	3	Vertical	51	2.22	-	34.62	5.10	33.17
PK	5.374G	60.12	74.00	-13.88	53.59	3	Vertical	51	2.22	-	34.60	5.10	33.17
AV	5.353G	48.24	54.00	-5.76	41.71	3	Vertical	51	2.22	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	60.20	74.00	-13.80	53.86	3	Horizontal	171	2.71	-	34.48	5.02	33.16
AV	5.1376G	47.58	54.00	-6.42	41.16	3	Horizontal	171	2.71	-	34.55	5.04	33.17
PK	5.2606G	111.15	Inf	-Inf	104.60	3	Horizontal	171	2.71	-	34.62	5.10	33.17
AV	5.2612G	100.33	Inf	-Inf	93.78	3	Horizontal	171	2.71	-	34.62	5.10	33.17
PK	5.3644G	60.38	74.00	-13.62	53.85	3	Horizontal	171	2.71	-	34.60	5.10	33.17
AV	5.3608G	47.67	54.00	-6.33	41.14	3	Horizontal	171	2.71	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78434G	59.15	74.00	-14.85	42.71	3	Vertical	122	2.66	-	42.54	9.05	35.15
AV	15.7831G	46.72	54.00	-7.28	30.29	3	Vertical	122	2.66	-	42.53	9.05	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78324G	59.07	74.00	-14.93	42.64	3	Horizontal	74	2.55	-	42.53	9.05	35.15
AV	15.78036G	46.79	54.00	-7.21	30.37	3	Horizontal	74	2.55	-	42.52	9.05	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	121.12	Inf	-Inf	114.49	3	Vertical	278	2.43	-	34.70	5.10	33.17
AV	5.2968G	109.20	Inf	-Inf	102.58	3	Vertical	278	2.43	-	34.69	5.10	33.17
PK	5.3508G	68.60	74.00	-5.40	62.07	3	Vertical	278	2.43	-	34.60	5.10	33.17
AV	5.35G	53.66	54.00	-0.34	47.13	3	Vertical	278	2.43	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	112.36	Inf	-Inf	105.74	3	Horizontal	182	2.68	-	34.69	5.10	33.17
AV	5.3044G	101.37	Inf	-Inf	94.75	3	Horizontal	182	2.68	-	34.69	5.10	33.17
PK	5.3536G	60.24	74.00	-13.76	53.71	3	Horizontal	182	2.68	-	34.60	5.10	33.17
AV	5.3568G	48.06	54.00	-5.94	41.53	3	Horizontal	182	2.68	-	34.60	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9049G	59.08	74.00	-14.92	42.44	3	Vertical	218	1.73	-	42.71	9.08	35.15
AV	15.90286G	47.15	54.00	-6.85	30.51	3	Vertical	218	1.73	-	42.71	9.08	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom



EUTZ_4TX
Setting 23
04-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90254G	59.39	74.00	-14.61	42.75	3	Horizontal	132	1.71	-	42.71	9.08	35.15
AV	15.9G	47.08	54.00	-6.92	30.45	3	Horizontal	132	1.71	-	42.70	9.08	35.15