


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24667G	58.16	88.20	-30.04	39.05	3	Vertical	351	1.67	-	40.25	9.60	30.74
RMS	13.24971G	45.04	68.20	-23.16	25.93	3	Vertical	351	1.67	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24727G	58.63	88.20	-29.57	39.52	3	Horizontal	317	2.51	-	40.25	9.60	30.74
RMS	13.24736G	44.99	68.20	-23.21	25.88	3	Horizontal	317	2.51	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87246G	47.69	83.54	-35.85	44.55	1	Vertical	356	1.53	-	37.70	17.21	51.77
AV	19.87084G	34.78	63.54	-28.76	31.63	1	Vertical	356	1.53	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87022G	48.14	83.54	-35.40	44.99	1	Horizontal	158	1.54	-	37.71	17.21	51.77
AV	19.87355G	34.59	63.54	-28.95	31.45	1	Horizontal	158	1.54	-	37.70	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4076G	60.44	88.20	-27.76	40.89	3	Vertical	14	2.53	-	40.40	9.66	30.51
RMS	13.40883G	46.72	68.20	-21.48	27.16	3	Vertical	14	2.53	-	40.40	9.66	30.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41266G	60.21	88.20	-27.99	40.64	3	Horizontal	133	1.26	-	40.40	9.67	30.50
EMS	13.41385G	46.66	68.20	-21.54	27.09	3	Horizontal	133	1.26	-	40.40	9.67	30.50

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11264G	46.93	83.54	-36.61	43.99	1	Vertical	330	1.50	-	37.55	17.31	51.92
AV	20.11756G	34.03	63.54	-29.51	31.09	1	Vertical	330	1.50	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11601G	47.85	83.54	-35.69	44.91	1	Horizontal	142	1.51	-	37.55	17.31	51.92
AV	20.1157G	34.08	63.54	-29.46	31.14	1	Horizontal	142	1.51	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56826G	59.60	88.20	-28.60	39.86	3	Vertical	187	1.86	-	40.40	9.73	30.39
RMS	13.56244G	46.30	68.20	-21.90	26.56	3	Vertical	187	1.86	-	40.40	9.72	30.38

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56457G	58.95	88.20	-29.25	39.20	3	Horizontal	17	1.86	-	40.40	9.73	30.38
RMS	13.55677G	46.16	68.20	-22.04	26.42	3	Horizontal	17	1.86	-	40.40	9.72	30.38

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35331G	48.24	83.54	-35.30	45.12	1	Vertical	175	1.56	-	37.68	17.41	51.97
AV	20.35912G	35.16	63.54	-28.38	32.02	1	Vertical	175	1.56	-	37.69	17.42	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3557G	47.97	83.54	-35.57	44.85	1	Horizontal	225	1.56	-	37.68	17.41	51.97
AV	20.35603G	34.96	63.54	-28.58	31.84	1	Horizontal	225	1.56	-	37.68	17.41	51.97

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
 Setting 17.5
 01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	79.66	88.20	-8.54	70.94	3	Vertical	68	1.80	-	35.34	6.35	32.97
RMS	5.9225G	66.78	68.20	-1.42	58.00	3	Vertical	68	1.80	-	35.39	6.36	32.97
PK	6.041G	109.60	Inf	-Inf	100.60	3	Vertical	68	1.80	-	35.58	6.42	33.00
RMS	6.0125G	98.56	Inf	-Inf	89.63	3	Vertical	68	1.80	-	35.52	6.41	33.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 17.5
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9135G	72.33	88.20	-15.87	63.59	3	Horizontal	24	3.00	-	35.35	6.36	32.97
RMS	5.9245G	60.47	68.20	-7.73	51.68	3	Horizontal	24	3.00	-	35.40	6.36	32.97
PK	6.0535G	102.87	Inf	-Inf	93.85	3	Horizontal	24	3.00	-	35.60	6.43	33.01
RMS	6.044G	92.10	Inf	-Inf	83.09	3	Horizontal	24	3.00	-	35.59	6.42	33.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05369G	56.26	74.00	-17.74	40.69	3	Vertical	1	1.36	-	38.85	9.12	32.40
AV	12.04627G	42.79	54.00	-11.21	27.23	3	Vertical	1	1.36	-	38.85	9.12	32.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0473G	56.95	74.00	-17.05	41.38	3	Horizontal	220	2.53	-	38.85	9.12	32.40
AV	12.05432G	42.89	54.00	-11.11	27.32	3	Horizontal	220	2.53	-	38.85	9.12	32.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
 Setting 17.5
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07217G	47.02	83.54	-36.52	42.92	1	Vertical	289	1.55	-	37.33	16.47	49.70
AV	18.07G	34.28	63.54	-29.26	30.18	1	Vertical	289	1.55	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07015G	47.66	83.54	-35.88	43.56	1	Horizontal	224	1.50	-	37.33	16.47	49.70
AV	18.07078G	34.11	63.54	-29.43	30.01	1	Horizontal	224	1.50	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36634G	56.82	74.00	-17.18	40.74	3	Vertical	180	2.31	-	38.93	9.25	32.10
AV	12.37229G	43.72	54.00	-10.28	27.62	3	Vertical	180	2.31	-	38.94	9.25	32.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37416G	57.87	74.00	-16.13	41.76	3	Horizontal	29	2.49	-	38.95	9.25	32.09
AV	12.37435G	43.69	54.00	-10.31	27.58	3	Horizontal	29	2.49	-	38.95	9.25	32.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55612G	47.65	83.54	-35.89	43.64	1	Vertical	89	1.54	-	37.70	16.67	50.36
AV	18.5563G	34.47	63.54	-29.07	30.46	1	Vertical	89	1.54	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55534G	48.16	83.54	-35.38	44.15	1	Horizontal	107	1.50	-	37.70	16.67	50.36
AV	18.55546G	34.47	63.54	-29.07	30.46	1	Horizontal	107	1.50	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68918G	57.23	74.00	-16.77	40.11	3	Vertical	238	2.02	-	39.38	9.38	31.64
AV	12.68944G	44.07	54.00	-9.93	26.95	3	Vertical	238	2.02	-	39.38	9.38	31.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69398G	57.33	74.00	-16.67	40.20	3	Horizontal	352	1.44	-	39.39	9.38	31.64
AV	12.69483G	44.06	54.00	-9.94	26.92	3	Horizontal	352	1.44	-	39.39	9.38	31.63

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03668G	47.57	83.54	-35.97	43.75	1	Vertical	144	1.57	-	37.79	16.87	50.84
AV	19.03998G	34.44	63.54	-29.10	30.64	1	Vertical	144	1.57	-	37.78	16.87	50.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03942G	47.89	83.54	-35.65	44.09	1	Horizontal	12	1.53	-	37.78	16.87	50.85
AV	19.03979G	34.40	63.54	-29.14	30.60	1	Horizontal	12	1.53	-	37.78	16.87	50.85

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32953G	59.47	74.00	-14.53	40.13	3	Vertical	267	2.42	-	40.33	9.63	30.62
AV	13.33068G	45.96	54.00	-8.04	26.62	3	Vertical	267	2.42	-	40.33	9.63	30.62

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33221G	59.05	74.00	-14.95	39.71	3	Horizontal	2	2.84	-	40.33	9.63	30.62
AV	13.32966G	45.91	54.00	-8.09	26.57	3	Horizontal	2	2.84	-	40.33	9.63	30.62

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99797G	47.68	83.54	-35.86	44.82	1	Vertical	236	1.52	-	37.50	17.26	51.90
AV	19.99665G	34.05	63.54	-29.49	31.18	1	Vertical	236	1.52	-	37.51	17.26	51.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9927G	47.42	83.54	-36.12	44.54	1	Horizontal	52	1.53	-	37.51	17.26	51.89
AV	19.99124G	34.12	63.54	-29.42	31.24	1	Horizontal	52	1.53	-	37.51	17.26	51.89

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
 Setting 20.5
 01-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9088G	78.90	88.20	-9.30	70.18	3	Vertical	58.8	2.03	-	35.34	6.35	32.97
RMS	5.9222G	66.88	68.20	-1.32	58.10	3	Vertical	58.8	2.03	-	35.39	6.36	32.97
PK	5.9478G	123.59	Inf	-Inf	114.71	3	Vertical	58.8	2.03	-	35.49	6.37	32.98
RMS	5.9488G	113.70	Inf	-Inf	104.81	3	Vertical	58.8	2.03	-	35.50	6.37	32.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 20.5
01-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9184G	70.47	88.20	-17.73	61.71	3	Horizontal	317	1.73	-	35.37	6.36	32.97
RMS	5.918G	59.42	68.20	-8.78	50.66	3	Horizontal	317	1.73	-	35.37	6.36	32.97
PK	5.959G	114.02	Inf	-Inf	105.13	3	Horizontal	317	1.73	-	35.50	6.38	32.99
RMS	5.9582G	103.23	Inf	-Inf	94.34	3	Horizontal	317	1.73	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91225G	56.28	74.00	-17.72	40.87	3	Vertical	284	1.76	-	38.81	9.06	32.46
AV	11.91096G	42.45	54.00	-11.55	27.04	3	Vertical	284	1.76	-	38.81	9.06	32.46
PK	17.86617G	62.71	74.00	-11.29	38.87	3	Vertical	232	1.88	-	42.70	11.45	30.31
AV	17.87835G	49.89	54.00	-4.11	25.98	3	Vertical	232	1.88	-	42.74	11.45	30.28

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
 Setting 20.5
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90742G	56.14	74.00	-17.86	40.73	3	Horizontal	65	2.19	-	38.81	9.06	32.46
AV	11.90745G	42.42	54.00	-11.58	27.01	3	Horizontal	65	2.19	-	38.81	9.06	32.46
PK	17.85213G	62.81	74.00	-11.19	39.05	3	Horizontal	255	1.75	-	42.66	11.44	30.34
AV	17.86758G	49.89	54.00	-4.11	26.04	3	Horizontal	255	1.75	-	42.70	11.45	30.30

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38991G	55.75	74.00	-18.25	39.59	3	Vertical	62	2.17	-	38.98	9.26	32.08
AV	12.38919G	42.17	54.00	-11.83	26.01	3	Vertical	62	2.17	-	38.98	9.26	32.08

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39233G	57.56	74.00	-16.44	41.39	3	Horizontal	9	2.63	-	38.98	9.26	32.07
AV	12.38996G	43.49	54.00	-10.51	27.33	3	Horizontal	9	2.63	-	38.98	9.26	32.08

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58346G	47.73	83.54	-35.81	43.73	1	Vertical	319	1.58	-	37.70	16.68	50.38
AV	18.5805G	34.20	63.54	-29.34	30.20	1	Vertical	319	1.58	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58251G	47.71	83.54	-35.83	43.71	1	Horizontal	126	1.56	-	37.70	16.68	50.38
AV	18.58227G	34.25	63.54	-29.29	30.25	1	Horizontal	126	1.56	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83301G	57.93	88.20	-30.27	40.27	3	Vertical	212	2.42	-	39.63	9.43	31.40
AV	12.83078G	44.31	68.20	-23.89	26.65	3	Vertical	212	2.42	-	39.63	9.43	31.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82519G	57.68	88.20	-30.52	40.03	3	Horizontal	211	2.09	-	39.63	9.43	31.41
AV	12.83344G	44.29	68.20	-23.91	26.63	3	Horizontal	211	2.09	-	39.63	9.43	31.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24317G	46.77	83.54	-36.77	43.21	1	Vertical	15	1.56	-	37.70	16.95	51.09
AV	19.2439G	33.81	63.54	-29.73	30.25	1	Vertical	15	1.56	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24049G	46.96	83.54	-36.58	43.40	1	Horizontal	322	1.57	-	37.70	16.95	51.09
AV	19.24206G	33.88	63.54	-29.66	30.32	1	Horizontal	322	1.57	-	37.70	16.95	51.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07176G	58.68	88.20	-29.52	40.18	3	Vertical	207	1.54	-	39.97	9.53	31.00
RMS	13.06758G	45.20	68.20	-23.00	26.71	3	Vertical	207	1.54	-	39.97	9.53	31.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06958G	58.29	88.20	-29.91	39.80	3	Horizontal	203	1.84	-	39.97	9.53	31.01
RMS	13.05902G	45.50	68.20	-22.70	27.04	3	Horizontal	203	1.84	-	39.96	9.52	31.02

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60578G	47.32	83.54	-36.22	43.89	1	Vertical	154	1.53	-	37.84	17.10	51.51
AV	19.60644G	33.93	63.54	-29.61	30.50	1	Vertical	154	1.53	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60515G	47.79	83.54	-35.75	44.36	1	Horizontal	224	1.55	-	37.84	17.10	51.51
AV	19.60184G	34.06	63.54	-29.48	30.62	1	Horizontal	224	1.55	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39041G	60.12	74.00	-13.88	40.60	3	Vertical	284	1.91	-	40.39	9.66	30.53
AV	13.39462G	46.77	54.00	-7.23	27.25	3	Vertical	284	1.91	-	40.39	9.66	30.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38866G	60.48	74.00	-13.52	40.96	3	Horizontal	28	2.40	-	40.39	9.66	30.53
AV	13.38947G	46.65	54.00	-7.35	27.13	3	Horizontal	28	2.40	-	40.39	9.66	30.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08375G	47.27	83.54	-36.27	44.36	1	Vertical	1	1.58	-	37.53	17.30	51.92
AV	20.0832G	33.97	63.54	-29.57	31.06	1	Vertical	1	1.58	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08591G	47.11	83.54	-36.43	44.20	1	Horizontal	106	1.54	-	37.53	17.30	51.92
AV	20.08886G	34.05	63.54	-29.49	31.13	1	Horizontal	106	1.54	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71115G	61.94	88.20	-26.26	42.15	3	Vertical	228	1.80	-	40.43	9.78	30.42
RMS	13.70647G	48.90	68.20	-19.30	29.12	3	Vertical	228	1.80	-	40.42	9.78	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71337G	62.66	88.20	-25.54	42.85	3	Horizontal	243	2.09	-	40.44	9.79	30.42
RMS	13.71475G	49.02	68.20	-19.18	29.21	3	Horizontal	243	2.09	-	40.44	9.79	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56821G	48.40	83.54	-35.14	45.18	1	Vertical	122	1.56	-	37.72	17.51	52.01
AV	20.56032G	34.90	63.54	-28.64	31.68	1	Vertical	122	1.56	-	37.73	17.50	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56632G	48.19	83.54	-35.35	44.97	1	Horizontal	211	1.58	-	37.72	17.51	52.01
AV	20.56031G	34.92	63.54	-28.62	31.70	1	Horizontal	211	1.58	-	37.73	17.50	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
 Setting 17.5
 01-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9204G	80.48	88.20	-7.72	71.71	3	Vertical	52	1.80	-	35.38	6.36	32.97
RMS	5.9202G	67.66	68.20	-0.54	58.89	3	Vertical	52	1.80	-	35.38	6.36	32.97
PK	5.98G	116.21	Inf	-Inf	107.31	3	Vertical	52	1.80	-	35.50	6.39	32.99
RMS	5.9594G	107.58	Inf	-Inf	98.69	3	Vertical	52	1.80	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
 Setting 17.5
 01-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	77.03	88.20	-11.17	68.26	3	Horizontal	355	2.92	-	35.38	6.36	32.97
RMS	5.9216G	65.09	68.20	-3.11	56.31	3	Horizontal	355	2.92	-	35.39	6.36	32.97
PK	5.9612G	113.03	Inf	-Inf	104.14	3	Horizontal	355	2.92	-	35.50	6.38	32.99
RMS	5.9616G	103.33	Inf	-Inf	94.44	3	Horizontal	355	2.92	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92585G	56.73	74.00	-17.27	41.29	3	Vertical	189	2.04	-	38.83	9.07	32.46
AV	11.93409G	42.43	54.00	-11.57	26.99	3	Vertical	189	2.04	-	38.83	9.07	32.46
PK	17.89653G	63.74	74.00	-10.26	39.73	3	Vertical	90	1.91	-	42.79	11.46	30.24
AV	17.90652G	50.55	54.00	-3.45	26.47	3	Vertical	90	1.91	-	42.83	11.46	30.21

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93068G	55.91	74.00	-18.09	40.47	3	Horizontal	3	1.18	-	38.83	9.07	32.46
AV	11.92543G	42.57	54.00	-11.43	27.13	3	Horizontal	3	1.18	-	38.83	9.07	32.46
PK	17.90625G	63.25	74.00	-10.75	39.17	3	Horizontal	300	1.40	-	42.83	11.46	30.21
AV	17.90658G	50.51	54.00	-3.49	26.43	3	Horizontal	300	1.40	-	42.83	11.46	30.21

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.89912G	48.59	83.54	-34.95	44.42	1	Vertical	226	1.55	-	37.09	16.40	49.32
AV	17.89798G	35.25	63.54	-28.29	31.08	1	Vertical	226	1.55	-	37.09	16.40	49.32

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.89402G	48.68	83.54	-34.86	44.51	1	Horizontal	341	1.58	-	37.08	16.40	49.31
AV	17.89018G	35.14	63.54	-28.40	30.97	1	Horizontal	341	1.58	-	37.07	16.40	49.30

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40998G	56.35	74.00	-17.65	40.14	3	Vertical	49	1.94	-	39.01	9.26	32.06
AV	12.40666G	43.35	54.00	-10.65	27.14	3	Vertical	49	1.94	-	39.01	9.26	32.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40736G	56.98	74.00	-17.02	40.77	3	Horizontal	9	1.88	-	39.01	9.26	32.06
AV	12.40706G	43.35	54.00	-10.65	27.14	3	Horizontal	9	1.88	-	39.01	9.26	32.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61488G	47.09	83.54	-36.45	43.11	1	Vertical	198	1.57	-	37.70	16.69	50.41
AV	18.61339G	34.11	63.54	-29.43	30.13	1	Vertical	198	1.57	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61731G	47.21	83.54	-36.33	43.24	1	Horizontal	36	1.53	-	37.70	16.69	50.42
AV	18.6172G	34.15	63.54	-29.39	30.18	1	Horizontal	36	1.53	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80794G	57.61	88.20	-30.59	40.02	3	Vertical	177	2.71	-	39.61	9.42	31.44
RMS	12.81373G	43.95	68.20	-24.25	26.34	3	Vertical	177	2.71	-	39.61	9.43	31.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81076G	56.46	88.20	-31.74	40.11	3	Horizontal	222	1.61	-	39.61	8.18	31.44
RMS	12.80545G	42.67	68.20	-25.53	26.32	3	Horizontal	222	1.61	-	39.61	8.18	31.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21593G	47.25	83.54	-36.29	43.66	1	Vertical	334	1.54	-	37.71	16.94	51.06
AV	19.21548G	33.80	63.54	-29.74	30.21	1	Vertical	334	1.54	-	37.71	16.94	51.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21605G	47.94	83.54	-35.60	44.35	1	Horizontal	5	1.52	-	37.71	16.94	51.06
AV	19.21947G	33.90	63.54	-29.64	30.31	1	Horizontal	5	1.52	-	37.71	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13014G	59.19	88.20	-29.01	40.50	3	Vertical	323	2.24	-	40.06	9.55	30.92
RMS	13.13272G	45.44	68.20	-22.76	26.73	3	Vertical	323	2.24	-	40.07	9.55	30.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13173G	58.79	88.20	-29.41	40.10	3	Horizontal	188	1.45	-	40.06	9.55	30.92
RMS	13.1338G	45.46	68.20	-22.74	26.75	3	Horizontal	188	1.45	-	40.07	9.55	30.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69146G	47.01	83.54	-36.53	43.59	1	Vertical	360	1.51	-	37.88	17.13	51.59
AV	19.69461G	33.91	63.54	-29.63	30.49	1	Vertical	360	1.51	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69216G	46.98	83.54	-36.56	43.56	1	Horizontal	161	1.52	-	37.88	17.13	51.59
AV	19.69014G	33.99	63.54	-29.55	30.57	1	Horizontal	161	1.52	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36883G	60.01	74.00	-13.99	40.55	3	Vertical	6	1.64	-	40.37	9.65	30.56
AV	13.37181G	46.20	54.00	-7.80	26.74	3	Vertical	6	1.64	-	40.37	9.65	30.56

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36753G	59.91	74.00	-14.09	40.46	3	Horizontal	58	2.13	-	40.37	9.65	30.57
AV	13.37455G	46.08	54.00	-7.92	26.62	3	Horizontal	58	2.13	-	40.37	9.65	30.56

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 23
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05108G	47.58	83.54	-35.96	44.69	1	Vertical	295	1.50	-	37.52	17.28	51.91
AV	20.05425G	34.01	63.54	-29.53	31.12	1	Vertical	295	1.50	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05702G	47.45	83.54	-36.09	44.56	1	Horizontal	173	1.50	-	37.52	17.28	51.91
AV	20.0536G	34.05	63.54	-29.49	31.16	1	Horizontal	173	1.50	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68954G	62.71	88.20	-25.49	42.94	3	Vertical	40	2.05	-	40.40	9.78	30.41
RMS	13.68624G	48.99	68.20	-19.21	29.23	3	Vertical	40	2.05	-	40.40	9.77	30.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69042G	62.76	88.20	-25.44	42.99	3	Horizontal	80	1.13	-	40.40	9.78	30.41
RMS	13.69329G	49.11	68.20	-19.09	29.34	3	Horizontal	80	1.13	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53786G	48.38	83.54	-35.16	45.15	1	Vertical	149	1.53	-	37.75	17.49	52.01
AV	20.53141G	35.06	63.54	-28.48	31.82	1	Vertical	149	1.53	-	37.76	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53877G	47.84	83.54	-35.70	44.61	1	Horizontal	158	1.53	-	37.75	17.49	52.01
AV	20.53517G	35.06	63.54	-28.48	31.82	1	Horizontal	158	1.53	-	37.76	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
 Setting 16.5
 01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	77.86	88.20	-10.34	69.09	3	Vertical	55	1.80	-	35.38	6.36	32.97
RMS	5.9195G	65.71	68.20	-2.49	56.94	3	Vertical	55	1.80	-	35.38	6.36	32.97
PK	6.019G	113.33	Inf	-Inf	104.38	3	Vertical	55	1.80	-	35.54	6.41	33.00
RMS	5.9795G	103.70	Inf	-Inf	94.80	3	Vertical	55	1.80	-	35.50	6.39	32.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 16.5
01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	70.26	88.20	-17.94	61.51	3	Horizontal	16	3.00	-	35.36	6.36	32.97
RMS	5.913G	58.14	68.20	-10.06	49.40	3	Horizontal	16	3.00	-	35.35	6.36	32.97
PK	5.974G	108.18	Inf	-Inf	99.28	3	Horizontal	16	3.00	-	35.50	6.39	32.99
RMS	5.9935G	98.74	Inf	-Inf	89.84	3	Horizontal	16	3.00	-	35.50	6.40	33.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
 Setting 16.5
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97477G	56.89	74.00	-17.11	41.38	3	Vertical	59	1.76	-	38.87	9.09	32.45
AV	11.97321G	42.32	54.00	-11.68	26.81	3	Vertical	59	1.76	-	38.87	9.09	32.45
PK	17.94882G	63.78	74.00	-10.22	39.38	3	Vertical	21	1.75	-	43.04	11.48	30.12
AV	17.96958G	50.49	54.00	-3.51	25.92	3	Vertical	21	1.75	-	43.15	11.49	30.07

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 16.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96737G	55.65	74.00	-18.35	40.14	3	Horizontal	122	1.84	-	38.87	9.09	32.45
AV	11.96978G	42.47	54.00	-11.53	26.96	3	Horizontal	122	1.84	-	38.87	9.09	32.45
PK	17.9685G	63.35	74.00	-10.65	38.79	3	Horizontal	121	1.70	-	43.14	11.49	30.07
AV	17.96181G	50.23	54.00	-3.77	25.73	3	Horizontal	121	1.70	-	43.11	11.48	30.09

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 16.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95475G	48.68	83.54	-34.86	44.53	1	Vertical	29	1.56	-	37.21	16.42	49.48
AV	17.95669G	35.31	63.54	-28.23	31.16	1	Vertical	29	1.56	-	37.21	16.42	49.48

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95018G	48.92	83.54	-34.62	44.76	1	Horizontal	160	1.51	-	37.20	16.42	49.46
AV	17.95518G	35.26	63.54	-28.28	31.11	1	Horizontal	160	1.51	-	37.21	16.42	49.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45178G	57.21	74.00	-16.79	40.90	3	Vertical	360	2.74	-	39.05	9.28	32.02
AV	12.45398G	43.15	54.00	-10.85	26.83	3	Vertical	360	2.74	-	39.05	9.28	32.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44997G	57.45	74.00	-16.55	41.14	3	Horizontal	222	2.08	-	39.05	9.28	32.02
AV	12.44789G	43.16	54.00	-10.84	26.85	3	Horizontal	222	2.08	-	39.05	9.28	32.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67146G	47.61	83.54	-35.93	43.66	1	Vertical	254	1.53	-	37.70	16.72	50.47
AV	18.67272G	33.97	63.54	-29.57	30.02	1	Vertical	254	1.53	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67841G	47.21	83.54	-36.33	43.27	1	Horizontal	56	1.50	-	37.70	16.72	50.48
AV	18.67234G	33.97	63.54	-29.57	30.02	1	Horizontal	56	1.50	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX








EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77176G	57.58	88.20	-30.62	40.13	3	Vertical	28	1.68	-	39.54	9.41	31.50
RMS	12.77492G	43.59	68.20	-24.61	26.13	3	Vertical	28	1.68	-	39.55	9.41	31.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


07/09/2023

EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77326G	57.46	88.20	-30.74	40.00	3	Horizontal	323	1.76	-	39.55	9.41	31.50
RMS	12.76652G	43.60	68.20	-24.60	26.17	3	Horizontal	323	1.76	-	39.53	9.41	31.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15935G	46.59	83.54	-36.95	42.92	1	Vertical	217	1.54	-	37.74	16.92	50.99
AV	19.15997G	34.02	63.54	-29.52	30.35	1	Vertical	217	1.54	-	37.74	16.92	50.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15253G	46.63	83.54	-36.91	42.96	1	Horizontal	99	1.52	-	37.74	16.91	50.98
AV	19.15645G	33.92	63.54	-29.62	30.26	1	Horizontal	99	1.52	-	37.74	16.91	50.99

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25008G	58.67	74.00	-15.33	39.56	3	Vertical	112	1.25	-	40.25	9.60	30.74
AV	13.25107G	45.63	54.00	-8.37	26.52	3	Vertical	112	1.25	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25154G	58.96	74.00	-15.04	39.85	3	Horizontal	323	2.30	-	40.25	9.60	30.74
AV	13.25038G	45.61	54.00	-8.39	26.50	3	Horizontal	323	2.30	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8729G	48.73	83.54	-34.81	45.59	1	Vertical	112	1.52	-	37.70	17.21	51.77
AV	19.87058G	34.69	63.54	-28.85	31.54	1	Vertical	112	1.52	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87759G	48.19	83.54	-35.35	45.06	1	Horizontal	159	1.58	-	37.70	17.21	51.78
AV	19.87894G	34.73	63.54	-28.81	31.61	1	Horizontal	159	1.58	-	37.69	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4139G	59.61	88.20	-28.59	40.04	3	Vertical	245	2.12	-	40.40	9.67	30.50
RMS	13.40834G	46.47	68.20	-21.73	26.92	3	Vertical	245	2.12	-	40.40	9.66	30.51

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40587G	59.76	88.20	-28.44	40.21	3	Horizontal	53	1.86	-	40.40	9.66	30.51
RMS	13.41166G	46.57	68.20	-21.63	27.01	3	Horizontal	53	1.86	-	40.40	9.66	30.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11475G	47.58	83.54	-35.96	44.64	1	Vertical	277	1.54	-	37.55	17.31	51.92
AV	20.11615G	34.06	63.54	-29.48	31.12	1	Vertical	277	1.54	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11774G	46.86	83.54	-36.68	43.92	1	Horizontal	262	1.55	-	37.55	17.31	51.92
AV	20.11592G	34.06	63.54	-29.48	31.12	1	Horizontal	262	1.55	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57016G	59.96	88.20	-28.24	40.22	3	Vertical	37	1.37	-	40.40	9.73	30.39
RMS	13.56529G	46.23	68.20	-21.97	26.48	3	Vertical	37	1.37	-	40.40	9.73	30.38

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57053G	59.57	88.20	-28.63	39.83	3	Horizontal	317	1.19	-	40.40	9.73	30.39
RMS	13.56511G	46.25	68.20	-21.95	26.50	3	Horizontal	317	1.19	-	40.40	9.73	30.38

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35931G	47.71	83.54	-35.83	44.57	1	Vertical	353	1.52	-	37.69	17.42	51.97
AV	20.35909G	35.04	63.54	-28.50	31.90	1	Vertical	353	1.52	-	37.69	17.42	51.97

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35293G	48.23	83.54	-35.31	45.11	1	Horizontal	349	1.58	-	37.68	17.41	51.97
AV	20.35912G	34.95	63.54	-28.59	31.81	1	Horizontal	349	1.58	-	37.69	17.42	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
 Setting 17
 01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	74.78	88.20	-13.42	66.10	3	Vertical	40	1.80	-	35.30	6.35	32.97
AV	5.9202G	64.85	68.20	-3.35	56.08	3	Vertical	40	1.80	-	35.38	6.36	32.97
PK	5.9602G	110.26	Inf	-Inf	101.37	3	Vertical	40	1.80	-	35.50	6.38	32.99
AV	6.0602G	101.24	Inf	-Inf	92.22	3	Vertical	40	1.80	-	35.60	6.43	33.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 17
01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	69.30	88.20	-18.90	60.55	3	Horizontal	21	2.93	-	35.36	6.36	32.97
AV	5.913G	59.71	68.20	-8.49	50.97	3	Horizontal	21	2.93	-	35.35	6.36	32.97
PK	6.073G	103.01	Inf	-Inf	93.98	3	Horizontal	21	2.93	-	35.60	6.44	33.01
AV	6.0538G	94.97	Inf	-Inf	85.95	3	Horizontal	21	2.93	-	35.60	6.43	33.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04902G	56.34	74.00	-17.66	40.77	3	Vertical	348	2.97	-	38.85	9.12	32.40
AV	12.05441G	42.70	54.00	-11.30	27.13	3	Vertical	348	2.97	-	38.85	9.12	32.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 17
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04842G	56.61	74.00	-17.39	41.04	3	Horizontal	276	2.78	-	38.85	9.12	32.40
AV	12.04851G	42.66	54.00	-11.34	27.09	3	Horizontal	276	2.78	-	38.85	9.12	32.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 17
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07908G	47.65	83.54	-35.89	43.56	1	Vertical	1	1.57	-	37.33	16.47	49.71
AV	18.0706G	34.19	63.54	-29.35	30.09	1	Vertical	1	1.57	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07933G	47.62	83.54	-35.92	43.53	1	Horizontal	320	1.52	-	37.33	16.47	49.71
AV	18.07397G	34.11	63.54	-29.43	30.01	1	Horizontal	320	1.52	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36734G	57.14	74.00	-16.86	41.06	3	Vertical	221	2.52	-	38.93	9.25	32.10
AV	12.37104G	43.67	54.00	-10.33	27.57	3	Vertical	221	2.52	-	38.94	9.25	32.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36946G	57.80	74.00	-16.20	41.71	3	Horizontal	188	2.20	-	38.94	9.25	32.10
AV	12.37286G	43.73	54.00	-10.27	27.62	3	Horizontal	188	2.20	-	38.95	9.25	32.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55185G	48.02	83.54	-35.52	44.00	1	Vertical	182	1.53	-	37.70	16.67	50.35
AV	18.55121G	34.45	63.54	-29.09	30.43	1	Vertical	182	1.53	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55533G	48.05	83.54	-35.49	44.04	1	Horizontal	280	1.50	-	37.70	16.67	50.36
AV	18.55092G	34.49	63.54	-29.05	30.47	1	Horizontal	280	1.50	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69206G	58.01	74.00	-15.99	40.89	3	Vertical	57	1.48	-	39.38	9.38	31.64
AV	12.6894G	43.85	54.00	-10.15	26.73	3	Vertical	57	1.48	-	39.38	9.38	31.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68792G	57.29	74.00	-16.71	40.18	3	Horizontal	107	2.68	-	39.38	9.38	31.65
AV	12.69039G	43.87	54.00	-10.13	26.75	3	Horizontal	107	2.68	-	39.38	9.38	31.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03152G	48.59	83.54	-34.95	44.78	1	Vertical	36	1.50	-	37.79	16.86	50.84
AV	19.03546G	34.56	63.54	-28.98	30.75	1	Vertical	36	1.50	-	37.79	16.86	50.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03507G	48.21	83.54	-35.33	44.40	1	Horizontal	145	1.51	-	37.79	16.86	50.84
AV	19.03613G	34.62	63.54	-28.92	30.81	1	Horizontal	145	1.51	-	37.79	16.86	50.84

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33341G	59.66	74.00	-14.34	40.32	3	Vertical	83	1.82	-	40.33	9.63	30.62
AV	13.32749G	45.94	54.00	-8.06	26.61	3	Vertical	83	1.82	-	40.33	9.63	30.63

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33442G	59.35	74.00	-14.65	40.01	3	Horizontal	168	2.46	-	40.33	9.63	30.62
AV	13.32716G	46.10	54.00	-7.90	26.77	3	Horizontal	168	2.46	-	40.33	9.63	30.63

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99893G	47.40	83.54	-36.14	44.54	1	Vertical	322	1.54	-	37.50	17.26	51.90
AV	19.9905G	34.04	63.54	-29.50	31.15	1	Vertical	322	1.54	-	37.52	17.26	51.89

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX



EUT Y_4TX
 Setting 23
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99503G	46.77	83.54	-36.77	43.90	1	Horizontal	325	1.55	-	37.51	17.26	51.90
AV	19.99042G	34.05	63.54	-29.49	31.16	1	Horizontal	325	1.55	-	37.52	17.26	51.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	Pass	AV	17.95746G	50.47	54.00	-3.53	3	Vertical	128	1.61	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20
03-E-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.93	88.20	-27.27	54.22	3	Vertical	298	2.04	-	34.55	7.26	35.10
RMS	5.805G	51.33	68.20	-16.87	44.88	3	Vertical	298	2.04	-	34.30	7.20	35.05
PK	5.9634G	110.59	Inf	-Inf	103.80	3	Vertical	298	2.04	-	34.63	7.28	35.12
RMS	5.964G	100.16	Inf	-Inf	93.37	3	Vertical	298	2.04	-	34.63	7.28	35.12

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
03-E-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8062G	65.30	88.20	-22.90	58.85	3	Horizontal	1	2.95	-	34.30	7.20	35.05
RMS	5.925G	46.98	68.20	-21.22	40.27	3	Horizontal	1	2.95	-	34.55	7.26	35.10
PK	5.9484G	106.92	Inf	-Inf	100.17	3	Horizontal	1	2.95	-	34.60	7.27	35.12
RMS	5.964G	94.60	Inf	-Inf	87.81	3	Horizontal	1	2.95	-	34.63	7.28	35.12

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89596G	55.95	74.00	-18.05	40.55	3	Vertical	255	1.67	-	38.80	9.06	32.46
AV	11.90946G	43.52	54.00	-10.48	28.11	3	Vertical	255	1.67	-	38.81	9.06	32.46
PK	17.86698G	61.35	74.00	-12.65	37.50	3	Vertical	293	1.56	-	42.70	11.45	30.30
AV	17.8779G	50.44	54.00	-3.56	26.54	3	Vertical	293	1.56	-	42.73	11.45	30.28

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90388G	55.99	74.00	-18.01	40.59	3	Horizontal	265	1.83	-	38.80	9.06	32.46
AV	11.9151G	43.50	54.00	-10.50	28.07	3	Horizontal	265	1.83	-	38.82	9.07	32.46
PK	17.85486G	61.73	74.00	-12.27	37.96	3	Horizontal	5	1.99	-	42.66	11.44	30.33
AV	17.87556G	50.43	54.00	-3.57	26.53	3	Horizontal	5	1.99	-	42.73	11.45	30.28

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38052G	57.90	74.00	-16.10	41.77	3	Vertical	14	1.83	-	38.96	9.25	32.08
AV	12.38418G	44.29	54.00	-9.71	28.15	3	Vertical	14	1.83	-	38.97	9.25	32.08

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38214G	56.71	74.00	-17.29	40.58	3	Horizontal	89	2.00	-	38.96	9.25	32.08
AV	12.40404G	44.34	54.00	-9.66	28.14	3	Horizontal	89	2.00	-	39.00	9.26	32.06

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58622G	47.56	83.54	-35.98	43.57	1	Vertical	198	1.50	-	37.70	16.68	50.39
AV	18.58596G	34.82	63.54	-28.72	30.83	1	Vertical	198	1.50	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5894G	47.76	83.54	-35.78	43.77	1	Horizontal	332	1.58	-	37.70	16.68	50.39
AV	18.58678G	34.76	63.54	-28.78	30.77	1	Horizontal	332	1.58	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8417G	57.44	88.20	-30.76	39.74	3	Vertical	314	1.49	-	39.64	9.44	31.38
RMS	12.84212G	45.06	68.20	-23.14	27.36	3	Vertical	314	1.49	-	39.64	9.44	31.38

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8399G	57.87	88.20	-30.33	40.18	3	Horizontal	212	1.85	-	39.64	9.44	31.39
RMS	12.83G	45.17	68.20	-23.03	27.51	3	Horizontal	212	1.85	-	39.63	9.43	31.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2496G	47.05	83.54	-36.49	43.50	1	Vertical	15	1.56	-	37.70	16.95	51.10
AV	19.24768G	34.32	63.54	-29.22	30.77	1	Vertical	15	1.56	-	37.70	16.95	51.10

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24498G	47.51	83.54	-36.03	43.95	1	Horizontal	48	1.55	-	37.70	16.95	51.09
AV	19.2401G	34.31	63.54	-29.23	30.75	1	Horizontal	48	1.55	-	37.70	16.95	51.09

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07096G	58.10	88.20	-30.10	40.86	3	Vertical	256	1.93	-	39.97	8.27	31.00
RMS	13.05956G	45.40	68.20	-22.80	28.19	3	Vertical	256	1.93	-	39.96	8.27	31.02

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05926G	58.64	88.20	-29.56	41.43	3	Horizontal	45	1.94	-	39.96	8.27	31.02
RMS	13.0583G	45.20	68.20	-23.00	27.99	3	Horizontal	45	1.94	-	39.96	8.27	31.02

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60598G	47.21	83.54	-36.33	43.78	1	Vertical	351	1.53	-	37.84	17.10	51.51
AV	19.60272G	34.43	63.54	-29.11	30.99	1	Vertical	351	1.53	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60166G	47.17	83.54	-36.37	43.73	1	Horizontal	203	1.51	-	37.84	17.10	51.50
AV	19.60954G	34.47	63.54	-29.07	31.04	1	Horizontal	203	1.51	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39042G	60.65	74.00	-13.35	41.13	3	Vertical	308	1.54	-	40.39	9.66	30.53
AV	13.38772G	47.23	54.00	-6.77	27.72	3	Vertical	308	1.54	-	40.39	9.66	30.54

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3924G	60.71	74.00	-13.29	41.19	3	Horizontal	223	1.40	-	40.39	9.66	30.53
AV	13.3968G	47.38	54.00	-6.62	27.84	3	Horizontal	223	1.40	-	40.40	9.66	30.52

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0826G	48.02	83.54	-35.52	45.11	1	Vertical	341	1.55	-	37.53	17.30	51.92
AV	20.0864G	34.47	63.54	-29.07	31.56	1	Vertical	341	1.55	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08496G	48.34	83.54	-35.20	45.43	1	Horizontal	335	1.55	-	37.53	17.30	51.92
AV	20.0802G	34.56	63.54	-28.98	31.66	1	Horizontal	335	1.55	-	37.53	17.29	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71297G	62.02	88.20	-26.18	42.21	3	Vertical	338	1.46	-	40.44	9.79	30.42
RMS	13.71438G	49.61	68.20	-18.59	29.80	3	Vertical	338	1.46	-	40.44	9.79	30.42

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71798G	62.62	88.20	-25.58	42.80	3	Horizontal	149	1.48	-	40.45	9.79	30.42
RMS	13.69866G	49.71	68.20	-18.49	29.94	3	Horizontal	149	1.48	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56436G	48.05	83.54	-35.49	44.83	1	Vertical	113	1.54	-	37.72	17.51	52.01
AV	20.56322G	35.19	63.54	-28.35	31.97	1	Vertical	113	1.54	-	37.72	17.51	52.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56296G	48.71	83.54	-34.83	45.50	1	Horizontal	83	1.57	-	37.72	17.50	52.01
AV	20.5601G	35.41	63.54	-28.13	32.19	1	Horizontal	83	1.57	-	37.73	17.50	52.01

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT Y_2TX
Setting 20
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	66.10	88.20	-22.10	57.34	3	Vertical	64	1.80	-	35.37	6.36	32.97
AV	5.9244G	54.46	68.20	-13.74	45.67	3	Vertical	64	1.80	-	35.40	6.36	32.97
PK	5.9754G	112.56	Inf	-Inf	103.66	3	Vertical	64	1.80	-	35.50	6.39	32.99
AV	5.9736G	102.43	Inf	-Inf	93.53	3	Vertical	64	1.80	-	35.50	6.39	32.99

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT Y_2TX
Setting 20
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	63.71	88.20	-24.49	54.95	3	Horizontal	33	2.76	-	35.37	6.36	32.97
AV	5.9212G	50.40	68.20	-17.80	41.63	3	Horizontal	33	2.76	-	35.38	6.36	32.97
PK	5.9586G	102.60	Inf	-Inf	93.71	3	Horizontal	33	2.76	-	35.50	6.38	32.99
AV	5.9604G	93.93	Inf	-Inf	85.04	3	Horizontal	33	2.76	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line with square markers)
- PK (Blue line with square markers)
- Lim.AV (Magenta line with square markers)
- AV (Green line with square markers)


07/09/2023

EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9291G	55.81	74.00	-18.19	40.37	3	Vertical	135	1.68	-	38.83	9.07	32.46
AV	11.92898G	43.73	54.00	-10.27	28.29	3	Vertical	135	1.68	-	38.83	9.07	32.46
PK	17.89368G	62.34	74.00	-11.66	38.34	3	Vertical	29	1.83	-	42.78	11.46	30.24
AV	17.90352G	50.11	54.00	-3.89	26.05	3	Vertical	29	1.83	-	42.82	11.46	30.22

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93648G	57.05	74.00	-16.95	41.60	3	Horizontal	7	1.54	-	38.84	9.07	32.46
AV	11.9411G	43.48	54.00	-10.52	28.02	3	Horizontal	7	1.54	-	38.84	9.08	32.46
PK	17.88612G	61.83	74.00	-12.17	37.88	3	Horizontal	97	1.48	-	42.76	11.45	30.26
AV	17.9076G	49.83	54.00	-4.17	25.74	3	Horizontal	97	1.48	-	42.84	11.46	30.21

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40214G	57.22	74.00	-16.78	41.02	3	Vertical	323	1.64	-	39.00	9.26	32.06
AV	12.40484G	44.37	54.00	-9.63	28.17	3	Vertical	323	1.64	-	39.00	9.26	32.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
 Setting 20
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4022G	56.92	74.00	-17.08	40.72	3	Horizontal	313	1.70	-	39.00	9.26	32.06
AV	12.40358G	44.16	54.00	-9.84	27.96	3	Horizontal	313	1.70	-	39.00	9.26	32.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6193G	47.40	83.54	-36.14	43.43	1	Vertical	96	1.53	-	37.70	16.69	50.42
AV	18.61564G	34.64	63.54	-28.90	30.67	1	Vertical	96	1.53	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6169G	47.65	83.54	-35.89	43.68	1	Horizontal	120	1.53	-	37.70	16.69	50.42
AV	18.61958G	34.63	63.54	-28.91	30.66	1	Horizontal	120	1.53	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81804G	57.67	88.20	-30.53	40.04	3	Vertical	237	1.48	-	39.62	9.43	31.42
RMS	12.8112G	44.91	68.20	-23.29	27.31	3	Vertical	237	1.48	-	39.61	9.42	31.43

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82212G	57.53	88.20	-30.67	39.90	3	Horizontal	287	1.33	-	39.62	9.43	31.42
RMS	12.81012G	44.94	68.20	-23.26	27.35	3	Horizontal	287	1.33	-	39.61	9.42	31.44

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21342G	47.48	83.54	-36.06	43.89	1	Vertical	267	1.51	-	37.71	16.94	51.06
AV	19.2174G	34.33	63.54	-29.21	30.74	1	Vertical	267	1.51	-	37.71	16.94	51.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2151G	46.99	83.54	-36.55	43.40	1	Horizontal	104	1.51	-	37.71	16.94	51.06
AV	19.21928G	34.61	63.54	-28.93	31.02	1	Horizontal	104	1.51	-	37.71	16.94	51.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12724G	59.95	88.20	-28.25	41.27	3	Vertical	38	1.83	-	40.05	9.55	30.92
RMS	13.14254G	46.46	68.20	-21.74	27.71	3	Vertical	38	1.83	-	40.09	9.56	30.90

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13054G	59.19	88.20	-29.01	40.50	3	Horizontal	237	1.52	-	40.06	9.55	30.92
RMS	13.14476G	46.46	68.20	-21.74	27.71	3	Horizontal	237	1.52	-	40.09	9.56	30.90

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69312G	47.13	83.54	-36.41	43.71	1	Vertical	347	1.53	-	37.88	17.13	51.59
AV	19.6958G	34.59	63.54	-28.95	31.17	1	Vertical	347	1.53	-	37.88	17.14	51.60

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6947G	48.21	83.54	-35.33	44.79	1	Horizontal	16	1.50	-	37.88	17.13	51.59
AV	19.6913G	34.49	63.54	-29.05	31.07	1	Horizontal	16	1.50	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37666G	59.57	74.00	-14.43	40.09	3	Vertical	197	1.86	-	40.38	9.65	30.55
AV	13.37546G	47.16	54.00	-6.84	27.68	3	Vertical	197	1.86	-	40.38	9.65	30.55

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36526G	59.40	74.00	-14.60	39.95	3	Horizontal	271	1.43	-	40.37	9.65	30.57
AV	13.3619G	47.04	54.00	-6.96	27.61	3	Horizontal	271	1.43	-	40.36	9.64	30.57

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05602G	47.29	83.54	-36.25	44.40	1	Vertical	234	1.50	-	37.52	17.28	51.91
AV	20.05268G	34.36	63.54	-29.18	31.47	1	Vertical	234	1.50	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05104G	47.28	83.54	-36.26	44.39	1	Horizontal	219	1.57	-	37.52	17.28	51.91
AV	20.05004G	34.40	63.54	-29.14	31.51	1	Horizontal	219	1.57	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68796G	62.26	88.20	-25.94	42.49	3	Vertical	202	1.44	-	40.40	9.78	30.41
RMS	13.69228G	49.90	68.20	-18.30	30.13	3	Vertical	202	1.44	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69456G	62.90	88.20	-25.30	43.13	3	Horizontal	87	1.55	-	40.40	9.78	30.41
RMS	13.69252G	49.92	68.20	-18.28	30.15	3	Horizontal	87	1.55	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53378G	48.73	83.54	-34.81	45.49	1	Vertical	328	1.53	-	37.76	17.49	52.01
AV	20.53026G	35.46	63.54	-28.08	32.22	1	Vertical	328	1.53	-	37.76	17.49	52.01

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53676G	49.04	83.54	-34.50	45.80	1	Horizontal	32	1.58	-	37.76	17.49	52.01
AV	20.53062G	35.71	63.54	-27.83	32.47	1	Horizontal	32	1.58	-	37.76	17.49	52.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT Y_2TX
Setting 20
01-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	64.40	88.20	-23.80	55.63	3	Vertical	301	1.78	-	35.38	6.36	32.97
RMS	5.9226G	53.72	68.20	-14.48	44.94	3	Vertical	301	1.78	-	35.39	6.36	32.97
PK	5.9858G	108.47	Inf	-Inf	99.58	3	Vertical	301	1.78	-	35.50	6.39	33.00
RMS	5.9862G	98.53	Inf	-Inf	89.64	3	Vertical	301	1.78	-	35.50	6.39	33.00

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT Y_2TX
Setting 20
01-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	61.40	88.20	-26.80	52.65	3	Horizontal	0	3.00	-	35.36	6.36	32.97
RMS	5.9194G	50.44	68.20	-17.76	41.67	3	Horizontal	0	3.00	-	35.38	6.36	32.97
PK	5.9842G	106.04	Inf	-Inf	97.14	3	Horizontal	0	3.00	-	35.50	6.39	32.99
RMS	5.9826G	96.22	Inf	-Inf	87.32	3	Horizontal	0	3.00	-	35.50	6.39	32.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95848G	56.15	74.00	-17.85	40.67	3	Vertical	168	1.93	-	38.86	9.08	32.46
AV	11.97846G	43.78	54.00	-10.22	28.26	3	Vertical	168	1.93	-	38.88	9.09	32.45
PK	17.96898G	63.84	74.00	-10.16	39.28	3	Vertical	128	1.61	-	43.14	11.49	30.07
AV	17.95746G	50.47	54.00	-3.53	26.00	3	Vertical	128	1.61	-	43.09	11.48	30.10

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97978G	57.20	74.00	-16.80	41.68	3	Horizontal	307	1.65	-	38.88	9.09	32.45
AV	11.9829G	43.78	54.00	-10.22	28.26	3	Horizontal	307	1.65	-	38.88	9.09	32.45
PK	17.94798G	62.19	74.00	-11.81	37.79	3	Horizontal	297	1.42	-	43.04	11.48	30.12
AV	17.96928G	50.08	54.00	-3.92	25.51	3	Horizontal	297	1.42	-	43.15	11.49	30.07

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45096G	57.36	74.00	-16.64	41.05	3	Vertical	22	1.49	-	39.05	9.28	32.02
AV	12.45366G	44.43	54.00	-9.57	28.11	3	Vertical	22	1.49	-	39.05	9.28	32.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
 Setting 20
 01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43848G	56.85	74.00	-17.15	40.56	3	Horizontal	12	1.65	-	39.04	9.28	32.03
AV	12.45348G	44.35	54.00	-9.65	28.03	3	Horizontal	12	1.65	-	39.05	9.28	32.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6714G	47.53	83.54	-36.01	43.58	1	Vertical	249	1.55	-	37.70	16.72	50.47
AV	18.67708G	34.37	63.54	-29.17	30.43	1	Vertical	249	1.55	-	37.70	16.72	50.48

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67704G	47.41	83.54	-36.13	43.47	1	Horizontal	354	1.57	-	37.70	16.72	50.48
AV	18.67414G	34.45	63.54	-29.09	30.50	1	Horizontal	354	1.57	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77948G	57.32	88.20	-30.88	39.84	3	Vertical	43	1.46	-	39.56	9.41	31.49
RMS	12.77438G	44.55	68.20	-23.65	27.09	3	Vertical	43	1.46	-	39.55	9.41	31.50

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77558G	57.11	88.20	-31.09	39.65	3	Horizontal	66	1.93	-	39.55	9.41	31.50
RMS	12.78044G	44.54	68.20	-23.66	27.06	3	Horizontal	66	1.93	-	39.56	9.41	31.49

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15576G	47.12	83.54	-36.42	43.46	1	Vertical	339	1.56	-	37.74	16.91	50.99
AV	19.15772G	34.35	63.54	-29.19	30.69	1	Vertical	339	1.56	-	37.74	16.91	50.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1515G	46.98	83.54	-36.56	43.31	1	Horizontal	273	1.53	-	37.74	16.91	50.98
AV	19.15354G	34.55	63.54	-28.99	30.88	1	Horizontal	273	1.53	-	37.74	16.91	50.98

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24082G	58.38	88.20	-29.82	39.29	3	Vertical	297	1.36	-	40.24	9.60	30.75
RMS	13.23962G	46.31	68.20	-21.89	27.23	3	Vertical	297	1.36	-	40.24	9.60	30.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25834G	59.10	74.00	-14.90	39.97	3	Horizontal	135	1.83	-	40.26	9.60	30.73
RMS	13.23686G	46.43	68.20	-21.77	27.36	3	Horizontal	135	1.83	-	40.24	9.59	30.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87082G	47.94	83.54	-35.60	44.79	1	Vertical	101	1.57	-	37.71	17.21	51.77
AV	19.87316G	35.20	63.54	-28.34	32.06	1	Vertical	101	1.57	-	37.70	17.21	51.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87708G	48.23	83.54	-35.31	45.10	1	Horizontal	59	1.55	-	37.70	17.21	51.78
AV	19.87072G	35.26	63.54	-28.28	32.11	1	Horizontal	59	1.55	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39728G	60.35	74.00	-13.65	40.81	3	Vertical	8	1.56	-	40.40	9.66	30.52
RMS	13.40802G	47.45	68.20	-20.75	27.90	3	Vertical	8	1.56	-	40.40	9.66	30.51

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40724G	59.94	88.20	-28.26	40.39	3	Horizontal	333	1.96	-	40.40	9.66	30.51
RMS	13.40674G	47.39	68.20	-20.81	27.84	3	Horizontal	333	1.96	-	40.40	9.66	30.51

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11326G	47.59	83.54	-35.95	44.65	1	Vertical	189	1.51	-	37.55	17.31	51.92
AV	20.11458G	34.64	63.54	-28.90	31.70	1	Vertical	189	1.51	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11792G	47.74	83.54	-35.80	44.80	1	Horizontal	63	1.53	-	37.55	17.31	51.92
AV	20.11426G	34.69	63.54	-28.85	31.75	1	Horizontal	63	1.53	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55914G	59.12	88.20	-29.08	39.38	3	Vertical	331	1.82	-	40.40	9.72	30.38
RMS	13.57396G	47.32	68.20	-20.88	27.58	3	Vertical	331	1.82	-	40.40	9.73	30.39

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58362G	60.01	88.20	-28.19	40.27	3	Horizontal	186	1.51	-	40.40	9.73	30.39
RMS	13.56448G	47.10	68.20	-21.10	27.35	3	Horizontal	186	1.51	-	40.40	9.73	30.38

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35854G	48.40	83.54	-35.14	45.26	1	Vertical	104	1.57	-	37.69	17.42	51.97
AV	20.35894G	35.63	63.54	-27.91	32.49	1	Vertical	104	1.57	-	37.69	17.42	51.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35838G	47.97	83.54	-35.57	44.83	1	Horizontal	319	1.53	-	37.69	17.42	51.97
AV	20.35734G	35.47	63.54	-28.07	32.33	1	Horizontal	319	1.53	-	37.69	17.42	51.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8874G	76.92	88.20	-11.28	68.34	3	Vertical	290	1.80	-	35.20	6.34	32.96
RMS	5.917G	58.87	68.20	-9.33	50.11	3	Vertical	290	1.80	-	35.37	6.36	32.97
PK	6.0314G	104.83	Inf	-Inf	95.85	3	Vertical	290	1.80	-	35.56	6.42	33.00
RMS	6.0418G	94.61	Inf	-Inf	85.61	3	Vertical	290	1.80	-	35.58	6.42	33.00

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	66.61	88.20	-21.59	57.97	3	Horizontal	0	2.85	-	35.25	6.35	32.96
RMS	5.9186G	53.86	68.20	-14.34	45.10	3	Horizontal	0	2.85	-	35.37	6.36	32.97
PK	6.041G	99.71	Inf	-Inf	90.71	3	Horizontal	0	2.85	-	35.58	6.42	33.00
RMS	6.0594G	90.71	Inf	-Inf	81.69	3	Horizontal	0	2.85	-	35.60	6.43	33.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06086G	57.14	74.00	-16.86	41.57	3	Vertical	337	1.54	-	38.84	9.12	32.39
AV	12.05042G	44.23	54.00	-9.77	28.66	3	Vertical	337	1.54	-	38.85	9.12	32.40

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0545G	56.80	74.00	-17.20	41.23	3	Horizontal	347	1.92	-	38.85	9.12	32.40
AV	12.04964G	44.16	54.00	-9.84	28.59	3	Horizontal	347	1.92	-	38.85	9.12	32.40

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07474G	48.15	83.54	-35.39	44.05	1	Vertical	268	1.51	-	37.33	16.47	49.70
AV	18.07396G	34.65	63.54	-28.89	30.55	1	Vertical	268	1.51	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07274G	47.78	83.54	-35.76	43.68	1	Horizontal	37	1.52	-	37.33	16.47	49.70
AV	18.07058G	34.62	63.54	-28.92	30.52	1	Horizontal	37	1.52	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38398G	57.22	74.00	-16.78	41.08	3	Vertical	305	1.87	-	38.97	9.25	32.08
AV	12.38284G	44.31	54.00	-9.69	28.17	3	Vertical	305	1.87	-	38.97	9.25	32.08

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37336G	56.86	74.00	-17.14	40.75	3	Horizontal	134	1.38	-	38.95	9.25	32.09
AV	12.37912G	44.40	54.00	-9.60	28.28	3	Horizontal	134	1.38	-	38.96	9.25	32.09

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55452G	47.49	83.54	-36.05	43.47	1	Vertical	214	1.51	-	37.70	16.67	50.35
AV	18.55586G	34.99	63.54	-28.55	30.98	1	Vertical	214	1.51	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55774G	48.41	83.54	-35.13	44.40	1	Horizontal	217	1.52	-	37.70	16.67	50.36
AV	18.55514G	34.92	63.54	-28.62	30.91	1	Horizontal	217	1.52	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7008G	58.20	88.20	-30.00	41.04	3	Vertical	63	1.32	-	39.40	9.38	31.62
RMS	12.70032G	44.87	68.20	-23.33	27.72	3	Vertical	63	1.32	-	39.40	9.38	31.63

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT Y_2TX
Setting 20
01-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.7036G	57.52	88.20	-30.68	40.35	3	Horizontal	182	1.78	-	39.41	9.38	31.62
RMS	12.7023G	44.81	68.20	-23.39	27.65	3	Horizontal	182	1.78	-	39.40	9.38	31.62

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03286G	48.24	83.54	-35.30	44.43	1	Vertical	288	1.55	-	37.79	16.86	50.84
AV	19.0376G	34.88	63.54	-28.66	31.08	1	Vertical	288	1.55	-	37.78	16.87	50.85

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03668G	47.55	83.54	-35.99	43.73	1	Horizontal	233	1.56	-	37.79	16.87	50.84
AV	19.03386G	34.90	63.54	-28.64	31.09	1	Horizontal	233	1.56	-	37.79	16.86	50.84

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33768G	59.23	74.00	-14.77	39.86	3	Vertical	284	1.81	-	40.34	9.64	30.61
AV	13.32376G	46.92	54.00	-7.08	27.60	3	Vertical	284	1.81	-	40.32	9.63	30.63

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3249G	60.17	74.00	-13.83	40.85	3	Horizontal	167	1.46	-	40.32	9.63	30.63
AV	13.32718G	46.93	54.00	-7.07	27.60	3	Horizontal	167	1.46	-	40.33	9.63	30.63

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99184G	47.83	83.54	-35.71	44.95	1	Vertical	265	1.53	-	37.51	17.26	51.89
AV	19.99056G	34.54	63.54	-29.00	31.65	1	Vertical	265	1.53	-	37.52	17.26	51.89

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99794G	47.34	83.54	-36.20	44.48	1	Horizontal	334	1.55	-	37.50	17.26	51.90
AV	19.99256G	34.52	63.54	-29.02	31.64	1	Horizontal	334	1.55	-	37.51	17.26	51.89

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TX




EUT Y_4TX
 Setting 23
 05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.88	88.20	-15.32	67.80	3	Vertical	64	1.65	-	34.20	6.46	35.58
RMS	5.9244G	59.77	68.20	-8.43	54.69	3	Vertical	64	1.65	-	34.20	6.46	35.58
PK	5.9502G	122.00	Inf	-Inf	116.91	3	Vertical	64	1.65	-	34.20	6.48	35.59
RMS	5.9463G	111.44	Inf	-Inf	106.36	3	Vertical	64	1.65	-	34.20	6.47	35.59

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8884G	60.56	88.20	-27.64	54.68	3	Horizontal	351	1.66	-	34.15	6.44	34.71
RMS	5.9232G	49.14	68.20	-19.06	43.22	3	Horizontal	351	1.66	-	34.20	6.46	34.74
PK	5.9628G	110.39	Inf	-Inf	104.51	3	Horizontal	351	1.66	-	34.17	6.48	34.77
RMS	5.9637G	101.33	Inf	-Inf	95.45	3	Horizontal	351	1.66	-	34.17	6.48	34.77

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91316G	55.84	74.00	-18.16	41.47	3	Vertical	6	1.80	-	38.53	9.37	33.53
AV	11.91956G	43.80	54.00	-10.20	29.43	3	Vertical	6	1.80	-	38.54	9.37	33.54
PK	17.87128G	61.88	74.00	-12.12	40.88	3	Vertical	317	2.71	-	41.66	11.65	32.31
AV	17.87384G	50.15	54.00	-3.85	29.13	3	Vertical	317	2.71	-	41.69	11.65	32.32

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

5955MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91984G	56.61	74.00	-17.39	42.24	3	Horizontal	48	1.80	-	38.54	9.37	33.54
AV	11.91864G	43.81	54.00	-10.19	29.44	3	Horizontal	48	1.80	-	38.54	9.37	33.54
PK	17.86784G	62.03	74.00	-11.97	41.08	3	Horizontal	75	2.48	-	41.61	11.65	32.31
AV	17.87128G	50.03	54.00	-3.97	29.03	3	Horizontal	75	2.48	-	41.66	11.65	32.31

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38536G	56.09	74.00	-17.91	40.91	3	Vertical	231	1.37	-	38.90	9.57	33.29
AV	12.38832G	45.27	54.00	-8.73	30.08	3	Vertical	231	1.37	-	38.90	9.57	33.28

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38056G	56.72	74.00	-17.28	41.54	3	Horizontal	299	2.81	-	38.90	9.57	33.29
AV	12.38424G	44.76	54.00	-9.24	29.58	3	Horizontal	299	2.81	-	38.90	9.57	33.29

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59436G	45.53	83.54	-38.01	41.54	1	Vertical	100	1.32	-	37.70	16.68	50.39
AV	18.57168G	34.31	63.54	-29.23	30.31	1	Vertical	100	1.32	-	37.70	16.67	50.37

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6195MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58008G	45.50	83.54	-38.04	41.50	1	Horizontal	33	1.40	-	37.70	16.68	50.38
AV	18.58458G	34.28	63.54	-29.26	30.28	1	Horizontal	33	1.40	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83592G	56.80	88.20	-31.40	40.91	3	Vertical	302	1.38	-	39.60	9.78	33.49
RMS	12.83124G	45.29	68.20	-22.91	29.40	3	Vertical	302	1.38	-	39.60	9.77	33.48

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83336G	57.45	88.20	-30.75	41.56	3	Horizontal	170	1.78	-	39.60	9.78	33.49
RMS	12.83164G	45.46	68.20	-22.74	29.58	3	Horizontal	170	1.78	-	39.60	9.77	33.49

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24296G	45.98	83.54	-37.56	42.42	1	Vertical	82	2.05	-	37.70	16.95	51.09
AV	19.2393G	34.37	63.54	-29.17	30.81	1	Vertical	82	2.05	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

6415MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23534G	45.87	74.00	-28.13	42.29	1	Horizontal	323	2.61	-	37.71	16.95	51.08
AV	19.23534G	34.71	54.00	-19.29	31.13	1	Horizontal	323	2.61	-	37.71	16.95	51.08

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07508G	56.46	88.20	-31.74	40.44	3	Vertical	219	2.23	-	39.70	9.88	33.56
RMS	13.07872G	45.08	68.20	-23.12	29.04	3	Vertical	219	2.23	-	39.70	9.89	33.55

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07744G	56.90	88.20	-31.30	40.87	3	Horizontal	353	2.49	-	39.70	9.88	33.55
AV	13.07704G	45.03	68.20	-23.17	29.01	3	Horizontal	353	2.49	-	39.70	9.88	33.56

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TX




EUT Y_4TX
 Setting 23
 05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61304G	46.59	83.54	-36.95	43.15	1	Vertical	22	2.00	-	37.85	17.10	51.51
AV	19.60458G	34.37	63.54	-29.17	30.93	1	Vertical	22	2.00	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

6535MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61454G	55.94	83.54	-27.60	52.50	1	Horizontal	236	2.78	-	37.85	17.10	51.51
AV	19.59846G	44.60	63.54	-18.94	41.16	1	Horizontal	236	2.78	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38284G	57.99	74.00	-16.01	40.90	3	Vertical	245	2.35	-	40.27	10.03	33.21
AV	13.38248G	45.70	54.00	-8.30	28.67	3	Vertical	245	2.35	-	40.23	10.02	33.22

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39912G	56.86	74.00	-17.14	39.73	3	Horizontal	216	1.40	-	40.30	10.03	33.20
AV	13.38612G	45.64	54.00	-8.36	28.60	3	Horizontal	216	1.40	-	40.24	10.02	33.22

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09388G	56.13	83.54	-27.41	53.21	1	Vertical	128	2.52	-	37.54	17.30	51.92
AV	20.08806G	44.70	63.54	-18.84	41.78	1	Vertical	128	2.52	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6695MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08134G	51.28	83.54	-32.26	48.37	1	Horizontal	25	1.48	-	37.53	17.30	51.92
AV	20.07528G	38.67	63.54	-24.87	35.77	1	Horizontal	25	1.48	-	37.53	17.29	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70876G	59.56	88.20	-28.64	41.81	3	Vertical	359.9	2.03	-	40.42	10.17	32.84
RMS	13.70144G	47.63	68.20	-20.57	29.91	3	Vertical	359.9	1.77	-	40.40	10.17	32.85

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70372G	59.12	88.20	-29.08	41.39	3	Horizontal	6	2.63	-	40.41	10.17	32.85
RMS	13.70028G	47.64	68.20	-20.56	29.92	3	Horizontal	6	2.63	-	40.40	10.17	32.85

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5594G	59.21	83.54	-24.33	55.99	1	Vertical	226	1.59	-	37.73	17.50	52.01
AV	20.5593G	47.90	63.54	-15.64	44.68	1	Vertical	226	1.59	-	37.73	17.50	52.01

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

6855MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5822G	63.50	83.54	-20.04	60.31	1	Horizontal	241	1.59	-	37.70	17.51	52.02
AV	20.5796G	49.55	63.54	-13.99	46.36	1	Horizontal	241	1.59	-	37.70	17.51	52.02

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	72.78	88.20	-15.42	67.70	3	Vertical	65	1.72	-	34.20	6.46	35.58
RMS	5.9246G	53.83	68.20	-14.37	48.75	3	Vertical	65	1.72	-	34.20	6.46	35.58
PK	5.9818G	115.23	Inf	-Inf	110.20	3	Vertical	65	1.72	-	34.14	6.49	35.60
RMS	5.9826G	105.75	Inf	-Inf	100.73	3	Vertical	65	1.72	-	34.13	6.49	35.60

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	63.53	88.20	-24.67	57.60	3	Horizontal	48	3.00	-	34.20	6.46	34.73
RMS	5.925G	50.77	68.20	-17.43	44.85	3	Horizontal	48	3.00	-	34.20	6.46	34.74
PK	5.9706G	107.96	Inf	-Inf	102.09	3	Horizontal	48	3.00	-	34.16	6.49	34.78
RMS	5.955G	95.92	Inf	-Inf	90.01	3	Horizontal	48	3.00	-	34.19	6.48	34.76

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.93628G	55.43	74.00	-18.57	41.05	3	Vertical	267	1.76	-	38.57	9.37	33.56
AV	11.93548G	44.14	54.00	-9.86	29.76	3	Vertical	267	1.76	-	38.57	9.37	33.56

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

5965MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93668G	55.50	74.00	-18.50	41.12	3	Horizontal	93	2.89	-	38.57	9.37	33.56
AV	11.93824G	44.12	54.00	-9.88	29.72	3	Horizontal	93	2.89	-	38.58	9.38	33.56

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4168G	56.20	74.00	-17.80	41.00	3	Vertical	319	2.16	-	38.87	9.59	33.26
AV	12.41584G	44.87	54.00	-9.13	29.67	3	Vertical	319	2.16	-	38.87	9.59	33.26

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40596G	55.66	74.00	-18.34	40.46	3	Horizontal	355	1.11	-	38.89	9.58	33.27
AV	12.40836G	44.95	54.00	-9.05	29.75	3	Horizontal	355	1.11	-	38.88	9.58	33.26

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61704G	44.89	83.54	-38.65	40.92	1	Vertical	191	1.94	-	37.70	16.69	50.42
AV	18.62826G	33.89	63.54	-29.65	29.92	1	Vertical	191	1.94	-	37.70	16.70	50.43

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6205MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62628G	45.28	83.54	-38.26	41.31	1	Horizontal	302	1.22	-	37.70	16.70	50.43			
AV	18.62646G	33.97	63.54	-29.57	30.00	1	Horizontal	302	1.22	-	37.70	16.70	50.43			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8122G	57.26	88.20	-30.94	41.36	3	Vertical	197	2.18	-	39.60	9.77	33.47
RMS	12.81068G	45.29	68.20	-22.91	29.40	3	Vertical	197	2.18	-	39.60	9.76	33.47

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80604G	56.32	88.20	-31.88	40.42	3	Horizontal	5	2.30	-	39.60	9.76	33.46
RMS	12.80744G	45.15	68.20	-23.05	29.25	3	Horizontal	5	2.30	-	39.60	9.76	33.46

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21674G	45.76	83.54	-37.78	42.17	1	Vertical	140	1.48	-	37.71	16.94	51.06
AV	19.2282G	34.00	63.54	-29.54	30.42	1	Vertical	140	1.48	-	37.71	16.94	51.07

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21212G	45.70	83.54	-37.84	42.09	1	Horizontal	284	2.32	-	37.72	16.94	51.05
AV	19.2285G	33.92	63.54	-29.62	30.34	1	Horizontal	284	2.32	-	37.71	16.94	51.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1268G	56.89	88.20	-31.31	40.73	3	Vertical	280	2.60	-	39.75	9.91	33.50
RMS	13.133G	45.69	68.20	-22.51	29.50	3	Vertical	280	2.60	-	39.77	9.91	33.49

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12984G	57.55	88.20	-30.65	41.38	3	Horizontal	343	3.00	-	39.76	9.91	33.50
RMS	13.13036G	45.62	68.20	-22.58	29.45	3	Horizontal	343	3.00	-	39.76	9.91	33.50

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70226G	46.18	83.54	-37.36	42.76	1	Vertical	280	1.64	-	37.88	17.14	51.60
AV	19.70526G	34.16	63.54	-29.38	30.75	1	Vertical	280	1.64	-	37.88	17.14	51.61

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69674G	45.83	83.54	-37.71	42.41	1	Horizontal	123	1.87	-	37.88	17.14	51.60
AV	19.68924G	34.51	63.54	-29.03	31.09	1	Horizontal	123	1.87	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37692G	58.22	74.00	-15.78	41.22	3	Vertical	159	2.27	-	40.21	10.02	33.23
AV	13.36212G	46.22	54.00	-7.78	29.30	3	Vertical	159	2.27	-	40.15	10.01	33.24

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.361G	57.93	74.00	-16.07	41.02	3	Horizontal	338	1.51	-	40.14	10.01	33.24
AV	13.3692G	46.38	54.00	-7.62	29.41	3	Horizontal	338	1.51	-	40.18	10.02	33.23

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05374G	44.96	83.54	-38.58	42.07	1	Vertical	23	1.97	-	37.52	17.28	51.91
AV	20.04894G	33.96	63.54	-29.58	31.07	1	Vertical	23	1.97	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6685MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06712G	45.42	83.54	-38.12	42.51	1	Horizontal	9	1.84	-	37.53	17.29	51.91
AV	20.05746G	33.84	63.54	-29.70	30.95	1	Horizontal	9	1.84	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69196G	58.89	88.20	-29.31	41.22	3	Vertical	317	1.36	-	40.37	10.16	32.86
RMS	13.68052G	47.70	68.20	-20.50	30.10	3	Vertical	317	1.36	-	40.32	10.16	32.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69768G	59.87	88.20	-28.33	42.18	3	Horizontal	156	2.75	-	40.39	10.16	32.86
RMS	13.68188G	47.71	68.20	-20.49	30.10	3	Horizontal	156	2.75	-	40.33	10.16	32.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5209G	44.95	83.54	-38.59	41.69	1	Vertical	109	2.59	-	37.77	17.49	52.00
AV	20.52186G	33.31	63.54	-30.23	30.05	1	Vertical	109	2.59	-	37.77	17.49	52.00

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_4TX

6845MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52318G	45.47	83.54	-38.07	42.21	1	Horizontal	168	2.28	-	37.77	17.49	52.00
AV	20.52786G	33.50	63.54	-30.04	30.25	1	Horizontal	168	2.28	-	37.77	17.49	52.01

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	65.45	88.20	-22.75	60.37	3	Vertical	71	1.67	-	34.20	6.46	35.58
RMS	5.925G	57.81	68.20	-10.39	52.73	3	Vertical	71	1.67	-	34.20	6.46	35.58
PK	6.011G	109.00	Inf	-Inf	103.98	3	Vertical	71	1.67	-	34.10	6.51	35.59
RMS	5.984G	103.84	Inf	-Inf	98.82	3	Vertical	71	1.67	-	34.13	6.49	35.60

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	61.87	88.20	-26.33	55.94	3	Horizontal	1	3.00	-	34.20	6.46	34.73
RMS	5.917G	51.83	68.20	-16.37	45.90	3	Horizontal	1	3.00	-	34.20	6.46	34.73
PK	6.016G	105.37	Inf	-Inf	99.53	3	Horizontal	1	3.00	-	34.10	6.52	34.78
RMS	5.9535G	97.89	Inf	-Inf	91.98	3	Horizontal	1	3.00	-	34.19	6.48	34.76

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97408G	55.44	74.00	-18.56	40.96	3	Vertical	65	2.06	-	38.70	9.39	33.61
AV	11.96192G	43.92	54.00	-10.08	29.48	3	Vertical	65	2.06	-	38.65	9.38	33.59

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

5985MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96932G	55.48	74.00	-18.52	41.01	3	Horizontal	355	2.41	-	38.68	9.39	33.60
AV	11.97484G	43.79	54.00	-10.21	29.31	3	Horizontal	355	2.41	-	38.70	9.39	33.61

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45976G	56.81	74.00	-17.19	41.62	3	Vertical	181	1.33	-	38.80	9.61	33.22
AV	12.44612G	45.15	54.00	-8.85	29.97	3	Vertical	181	1.33	-	38.81	9.60	33.23

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45236G	56.80	74.00	-17.20	41.62	3	Horizontal	219	2.54	-	38.80	9.60	33.22
AV	12.4534G	45.29	54.00	-8.71	30.11	3	Horizontal	219	2.54	-	38.80	9.60	33.22

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67416G	45.74	83.54	-37.80	41.79	1	Vertical	271	2.33	-	37.70	16.72	50.47
AV	18.66012G	34.13	63.54	-29.41	30.18	1	Vertical	271	2.33	-	37.70	16.71	50.46

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6225MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66762G	45.27	83.54	-38.27	41.33	1	Horizontal	247	1.19	-	37.70	16.71	50.47
AV	18.6606G	34.04	63.54	-29.50	30.09	1	Horizontal	247	1.19	-	37.70	16.71	50.46

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77592G	56.17	88.20	-32.03	40.30	3	Vertical	120	2.81	-	39.55	9.75	33.43
RMS	12.77988G	44.79	68.20	-23.41	28.92	3	Vertical	120	2.81	-	39.56	9.75	33.44

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77848G	56.48	88.20	-31.72	40.61	3	Horizontal	247	2.31	-	39.56	9.75	33.44
RMS	12.77716G	44.79	68.20	-23.41	28.92	3	Horizontal	247	2.31	-	39.55	9.75	33.43

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1409G	46.01	83.54	-37.53	42.33	1	Vertical	62	1.51	-	37.74	16.91	50.97
AV	19.1424G	33.78	63.54	-29.76	30.10	1	Vertical	62	1.51	-	37.74	16.91	50.97

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6385MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14456G	45.37	83.54	-38.17	41.69	1	Horizontal	102	1.82	-	37.74	16.91	50.97
AV	19.14336G	33.79	63.54	-29.75	30.11	1	Horizontal	102	1.82	-	37.74	16.91	50.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25196G	57.57	74.00	-16.43	40.97	3	Vertical	126	1.48	-	40.00	9.96	33.36
AV	13.25668G	46.15	54.00	-7.85	29.55	3	Vertical	126	1.48	-	39.99	9.97	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24504G	58.20	88.20	-30.00	41.62	3	Horizontal	264	2.32	-	39.99	9.96	33.37
RMS	13.24076G	46.15	68.20	-22.05	29.59	3	Horizontal	264	2.32	-	39.98	9.96	33.38

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88328G	46.10	83.54	-37.44	42.98	1	Vertical	201	2.46	-	37.69	17.21	51.78
AV	19.86654G	33.89	63.54	-29.65	30.74	1	Vertical	201	2.46	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8612G	45.03	83.54	-38.51	41.87	1	Horizontal	34	2.97	-	37.72	17.20	51.76
AV	19.86192G	33.88	63.54	-29.66	30.72	1	Horizontal	34	2.97	-	37.72	17.20	51.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40244G	56.88	88.20	-31.32	39.75	3	Vertical	227	1.67	-	40.30	10.03	33.20
RMS	13.4164G	45.53	68.20	-22.67	28.40	3	Vertical	227	1.67	-	40.27	10.04	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40728G	57.84	88.20	-30.36	40.71	3	Horizontal	304	2.92	-	40.29	10.03	33.19
RMS	13.41924G	45.53	68.20	-22.67	28.41	3	Horizontal	304	2.92	-	40.26	10.04	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1045G	45.24	83.54	-38.30	42.31	1	Vertical	183	1.38	-	37.54	17.31	51.92
AV	20.1165G	33.74	63.54	-29.80	30.80	1	Vertical	183	1.38	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6705MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11014G	45.55	83.54	-37.99	42.62	1	Horizontal	35	2.82	-	37.54	17.31	51.92
AV	20.12754G	33.70	63.54	-29.84	30.76	1	Horizontal	35	2.82	-	37.55	17.32	51.93

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6785MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56652G	57.92	88.20	-30.28	40.30	3	Vertical	22	2.79	-	40.53	10.10	33.01
RMS	13.56904G	46.53	68.20	-21.67	28.91	3	Vertical	22	2.79	-	40.52	10.11	33.01

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_4TX

6785MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5602G	58.73	88.20	-29.47	41.09	3	Horizontal	85	1.10	-	40.56	10.10	33.02
RMS	13.568G	46.62	68.20	-21.58	28.99	3	Horizontal	85	1.10	-	40.53	10.11	33.01

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6785MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36088G	45.58	83.54	-37.96	42.44	1	Vertical	300	2.36	-	37.69	17.42	51.97
AV	20.36898G	33.63	63.54	-29.91	30.48	1	Vertical	300	2.36	-	37.70	17.42	51.97

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34702G	45.01	83.54	-38.53	41.89	1	Horizontal	37	1.41	-	37.68	17.41	51.97
AV	20.3622G	33.73	63.54	-29.81	30.59	1	Horizontal	37	1.41	-	37.69	17.42	51.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 23
 05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	73.72	88.20	-14.48	68.75	3	Vertical	66	1.80	-	34.09	6.44	35.56
RMS	5.913G	60.08	68.20	-8.12	55.00	3	Vertical	66	1.80	-	34.20	6.46	35.58
PK	5.9946G	108.79	Inf	-Inf	103.79	3	Vertical	66	1.80	-	34.11	6.50	35.61
RMS	6.0514G	99.77	Inf	-Inf	94.63	3	Vertical	66	1.80	-	34.10	6.55	35.51

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT Y_4TX
Setting 23
05-M-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8394G	59.43	88.20	-28.77	53.70	3	Horizontal	14	2.97	-	33.98	6.42	34.67
RMS	5.9202G	59.62	68.20	-8.58	53.70	3	Horizontal	14	2.97	-	34.20	6.46	34.74
PK	6.073G	104.01	Inf	-Inf	98.07	3	Horizontal	14	2.97	-	34.10	6.57	34.73
RMS	6.0706G	94.74	Inf	-Inf	88.80	3	Horizontal	14	2.97	-	34.10	6.57	34.73

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04764G	56.34	74.00	-17.66	41.62	3	Vertical	229	1.22	-	38.90	9.42	33.60
AV	12.04896G	44.38	54.00	-9.62	29.65	3	Vertical	229	1.22	-	38.90	9.42	33.59

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04728G	55.77	74.00	-18.23	41.06	3	Horizontal	13	2.78	-	38.89	9.42	33.60
AV	12.04084G	44.47	54.00	-9.53	29.77	3	Horizontal	13	2.78	-	38.88	9.42	33.60

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0888G	44.74	74.00	-29.26	40.64	1	Vertical	340	2.86	-	37.34	16.48	49.72
AV	18.08112G	33.64	54.00	-20.36	29.55	1	Vertical	340	2.86	-	37.33	16.47	49.71

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6025MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07134G	45.54	74.00	-28.46	41.44	1	Horizontal	339	2.86	-	37.33	16.47	49.70
AV	18.07032G	33.58	54.00	-20.42	29.48	1	Horizontal	339	2.86	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6185MHz_TX



EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36936G	56.99	74.00	-17.01	41.82	3	Vertical	297	2.37	-	38.90	9.57	33.30
AV	12.3778G	44.80	54.00	-9.20	29.62	3	Vertical	297	2.37	-	38.90	9.57	33.29