



Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	16.96	0.04966
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	29.69	0.93111
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	21.49	0.14093
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	28.02	0.63387
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	21.87	0.15382
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	28.52	0.71121
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	20.36	0.10864
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	26.68	0.46559
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	19.29	0.08492
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	27.38	0.54702
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	19.81	0.09572
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	25.61	0.36392
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	20.30	0.10715
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	25.71	0.37239
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	17.24	0.05297
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	24.70	0.29512






Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-
595MHz	Pass	12.90	36.00
6195MHz	Pass	15.32	36.00
6415MHz	Pass	16.96	36.00
6535MHz	Pass	19.29	36.00
6695MHz	Pass	18.51	36.00
6855MHz	Pass	16.86	36.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-
5965MHz	Pass	21.49	36.00
6205MHz	Pass	20.66	36.00
6405MHz	Pass	19.02	36.00
6565MHz	Pass	19.24	36.00
6685MHz	Pass	19.74	36.00
6845MHz	Pass	19.81	36.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-
5985MHz	Pass	21.87	36.00
6225MHz	Pass	20.80	36.00
6385MHz	Pass	19.57	36.00
6625MHz	Pass	19.76	36.00
6705MHz	Pass	20.30	36.00
6785MHz	Pass	19.88	36.00
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-	-	-
6025MHz	Pass	20.36	36.00
6185MHz	Pass	19.55	36.00
6345MHz	Pass	17.85	36.00
6665MHz	Pass	17.24	36.00
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-
595MHz	Pass	29.69	36.00
6195MHz	Pass	28.67	36.00
6415MHz	Pass	27.33	36.00
6535MHz	Pass	27.38	36.00
6695MHz	Pass	26.22	36.00
6855MHz	Pass	24.31	36.00
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-
5965MHz	Pass	28.02	36.00
6205MHz	Pass	27.68	36.00
6405MHz	Pass	25.83	36.00
6565MHz	Pass	25.61	36.00
6685MHz	Pass	24.30	36.00
6845MHz	Pass	23.34	36.00
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-
5985MHz	Pass	28.52	36.00
6225MHz	Pass	27.61	36.00
6385MHz	Pass	26.99	36.00
6625MHz	Pass	25.71	36.00
6705MHz	Pass	25.02	36.00
6785MHz	Pass	25.46	36.00
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	-	-	-
6025MHz	Pass	26.68	36.00
6185MHz	Pass	26.30	36.00
6345MHz	Pass	24.81	36.00
6665MHz	Pass	24.70	36.00



DG = Directional Gain; Port X = Port X output power

















































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.11
802.11ax HEW20_Nss1,(MCS0)_2TX	15.49
802.11ax HEW20_Nss1,(MCS0)_4TX	19.32
802.11ax HEW40_Nss1,(MCS0)_1TX	7.70
802.11ax HEW40_Nss1,(MCS0)_2TX	12.71
802.11ax HEW40_Nss1,(MCS0)_4TX	16.56
802.11ax HEW80_Nss1,(MCS0)_1TX	4.47
802.11ax HEW80_Nss1,(MCS0)_2TX	9.09
802.11ax HEW80_Nss1,(MCS0)_4TX	13.96
802.11ax HEW160_Nss1,(MCS0)_1TX	2.05
802.11ax HEW160_Nss1,(MCS0)_2TX	6.99
802.11ax HEW160_Nss1,(MCS0)_4TX	10.06
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.55
802.11ax HEW20_Nss1,(MCS0)_2TX	14.40
802.11ax HEW20_Nss1,(MCS0)_4TX	18.02
802.11ax HEW40_Nss1,(MCS0)_1TX	6.63
802.11ax HEW40_Nss1,(MCS0)_2TX	12.01
802.11ax HEW40_Nss1,(MCS0)_4TX	14.99
802.11ax HEW80_Nss1,(MCS0)_1TX	3.95
802.11ax HEW80_Nss1,(MCS0)_2TX	8.02
802.11ax HEW80_Nss1,(MCS0)_4TX	11.70
802.11ax HEW160_Nss1,(MCS0)_1TX	0.71
802.11ax HEW160_Nss1,(MCS0)_2TX	5.42
802.11ax HEW160_Nss1,(MCS0)_4TX	8.43

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	10.36	23.00
6195MHz	Pass	11.11	23.00
6415MHz	Pass	9.95	23.00
6535MHz	Pass	9.53	23.00
6695MHz	Pass	9.55	23.00
6855MHz	Pass	9.48	23.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.93	23.00
6205MHz	Pass	7.70	23.00
6405MHz	Pass	6.84	23.00
6565MHz	Pass	5.96	23.00
6685MHz	Pass	6.63	23.00
6845MHz	Pass	6.29	23.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	2.24	23.00
6225MHz	Pass	4.47	23.00
6385MHz	Pass	4.29	23.00
6625MHz	Pass	3.65	23.00
6705MHz	Pass	3.25	23.00
6785MHz	Pass	3.95	23.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	-0.62	23.00
6185MHz	Pass	2.05	23.00
6345MHz	Pass	1.66	23.00
6665MHz	Pass	0.71	23.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	11.75	23.00
6195MHz	Pass	15.49	23.00
6415MHz	Pass	13.81	23.00
6535MHz	Pass	14.18	23.00
6695MHz	Pass	14.40	23.00
6855MHz	Pass	13.07	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	9.77	23.00
6205MHz	Pass	12.71	23.00
6405MHz	Pass	11.67	23.00
6565MHz	Pass	12.01	23.00
6685MHz	Pass	11.73	23.00
6845MHz	Pass	10.20	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	6.36	23.00
6225MHz	Pass	9.09	23.00
6385MHz	Pass	8.90	23.00
6625MHz	Pass	7.84	23.00
6705MHz	Pass	8.02	23.00
6785MHz	Pass	7.78	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	3.51	23.00
6185MHz	Pass	6.99	23.00
6345MHz	Pass	6.50	23.00
6665MHz	Pass	5.42	23.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	18.09	23.00
6195MHz	Pass	19.32	23.00







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6415MHz	Pass	17.46	23.00
6535MHz	Pass	17.98	23.00
6695MHz	Pass	18.02	23.00
6855MHz	Pass	17.86	23.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	12.31	23.00
6205MHz	Pass	16.56	23.00
6405MHz	Pass	15.50	23.00
6565MHz	Pass	14.99	23.00
6685MHz	Pass	14.70	23.00
6845MHz	Pass	14.58	23.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	7.56	23.00
6225MHz	Pass	13.96	23.00
6385MHz	Pass	12.28	23.00
6625MHz	Pass	10.65	23.00
6705MHz	Pass	11.62	23.00
6785MHz	Pass	11.70	23.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	5.41	23.00
6185MHz	Pass	10.06	23.00
6345MHz	Pass	9.46	23.00
6665MHz	Pass	8.43	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





























































































































Summary



Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	8.47
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	16.01
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	6.90
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	12.13
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	3.20
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	9.97
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-0.69
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	4.39
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	8.02
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	14.96
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.89
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	10.80
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	2.87
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	7.53
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-2.80
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	2.26



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-
5955MHz	Pass	6.59	23.00
6195MHz	Pass	8.47	23.00
6415MHz	Pass	5.13	23.00
6535MHz	Pass	7.06	23.00
6695MHz	Pass	8.02	23.00
6855MHz	Pass	4.09	23.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-
5965MHz	Pass	6.90	23.00
6205MHz	Pass	5.21	23.00
6405MHz	Pass	4.53	23.00
6565MHz	Pass	4.75	23.00
6685MHz	Pass	4.64	23.00
6845MHz	Pass	4.89	23.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-
5985MHz	Pass	3.20	23.00
6225MHz	Pass	3.02	23.00
6385MHz	Pass	-0.14	23.00
6625MHz	Pass	1.06	23.00
6705MHz	Pass	2.87	23.00
6785MHz	Pass	0.64	23.00
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-	-	-
6025MHz	Pass	-0.69	23.00
6185MHz	Pass	-2.01	23.00
6345MHz	Pass	-3.15	23.00
6665MHz	Pass	-2.80	23.00
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-
5955MHz	Pass	16.01	23.00
6195MHz	Pass	15.89	23.00
6415MHz	Pass	15.06	23.00
6535MHz	Pass	14.96	23.00
6695MHz	Pass	12.53	23.00
6855MHz	Pass	13.15	23.00
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-
5965MHz	Pass	12.13	23.00
6205MHz	Pass	12.04	23.00
6405MHz	Pass	9.95	23.00
6565MHz	Pass	10.07	23.00
6685MHz	Pass	9.99	23.00
6845MHz	Pass	10.80	23.00
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-
5985MHz	Pass	9.97	23.00
6225MHz	Pass	8.22	23.00
6385MHz	Pass	6.98	23.00
6625MHz	Pass	6.58	23.00
6705MHz	Pass	7.53	23.00
6785MHz	Pass	4.97	23.00
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	-	-	-
6025MHz	Pass	4.39	23.00
6185MHz	Pass	3.74	23.00
6345MHz	Pass	3.75	23.00
6665MHz	Pass	2.26	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


















































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	RMS	5.9242G	67.90	68.20	-0.30	3	Vertical	295	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 21
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.50	88.20	-10.70	68.71	3	Vertical	295	1.80	-	35.40	6.36	32.97
RMS	5.925G	65.26	68.20	-2.94	56.47	3	Vertical	295	1.80	-	35.40	6.36	32.97
PK	5.9604G	115.25	Inf	-Inf	106.36	3	Vertical	295	1.80	-	35.50	6.38	32.99
RMS	5.9462G	104.70	Inf	-Inf	95.83	3	Vertical	295	1.80	-	35.48	6.37	32.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 21
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	71.33	88.20	-16.87	62.54	3	Horizontal	23	2.94	-	35.40	6.36	32.97
RMS	5.9248G	58.86	68.20	-9.34	50.07	3	Horizontal	23	2.94	-	35.40	6.36	32.97
PK	5.9464G	109.78	Inf	-Inf	100.90	3	Horizontal	23	2.94	-	35.49	6.37	32.98
RMS	5.9462G	98.81	Inf	-Inf	89.94	3	Horizontal	23	2.94	-	35.48	6.37	32.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX



Lim.PK
PK
Lim.AV
AV


07/09/2023

EUT Y_1TX
Setting 21
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91193G	56.47	74.00	-17.53	41.06	3	Vertical	347	1.99	-	38.81	9.06	32.46
AV	11.90738G	42.45	54.00	-11.55	27.04	3	Vertical	347	1.99	-	38.81	9.06	32.46
PK	17.85126G	62.43	74.00	-11.57	38.68	3	Vertical	240	1.50	-	42.65	11.44	30.34
AV	17.87799G	50.14	54.00	-3.86	26.24	3	Vertical	240	1.50	-	42.73	11.45	30.28

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 21
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91327G	55.83	74.00	-18.17	40.41	3	Horizontal	350	2.67	-	38.81	9.07	32.46
AV	11.90568G	42.41	54.00	-11.59	27.00	3	Horizontal	350	2.67	-	38.81	9.06	32.46
PK	17.87592G	63.10	74.00	-10.90	39.20	3	Horizontal	329	1.84	-	42.73	11.45	30.28
AV	17.87886G	50.25	54.00	-3.75	26.34	3	Horizontal	329	1.84	-	42.74	11.45	30.28

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38508G	57.14	74.00	-16.86	41.00	3	Vertical	331	2.82	-	38.97	9.25	32.08			
AV	12.38752G	43.61	54.00	-10.39	27.45	3	Vertical	331	2.82	-	38.98	9.26	32.08			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38715G	56.94	74.00	-17.06	40.80	3	Horizontal	117	2.57	-	38.97	9.25	32.08
AV	12.38578G	43.66	54.00	-10.34	27.52	3	Horizontal	117	2.57	-	38.97	9.25	32.08

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58734G	47.65	83.54	-35.89	43.66	1	Vertical	4	1.57	-	37.70	16.68	50.39
AV	18.58007G	34.26	63.54	-29.28	30.26	1	Vertical	4	1.57	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58233G	48.08	83.54	-35.46	44.08	1	Horizontal	73	1.53	-	37.70	16.68	50.38
AV	18.58338G	34.54	63.54	-29.00	30.54	1	Horizontal	73	1.53	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83412G	57.30	88.20	-30.90	39.64	3	Vertical	138	1.65	-	39.63	9.43	31.40
RMS	12.83434G	44.31	68.20	-23.89	26.64	3	Vertical	138	1.65	-	39.63	9.43	31.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8307G	57.91	88.20	-30.29	40.25	3	Horizontal	233	2.28	-	39.63	9.43	31.40
RMS	12.83258G	44.38	68.20	-23.82	26.72	3	Horizontal	233	2.28	-	39.63	9.43	31.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24774G	47.42	83.54	-36.12	43.87	1	Vertical	307	1.51	-	37.70	16.95	51.10
AV	19.24715G	33.92	63.54	-29.62	30.37	1	Vertical	307	1.51	-	37.70	16.95	51.10

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24684G	47.71	83.54	-35.83	44.16	1	Horizontal	96	1.58	-	37.70	16.95	51.10
AV	19.24173G	33.83	63.54	-29.71	30.27	1	Horizontal	96	1.58	-	37.70	16.95	51.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07417G	59.55	88.20	-28.65	41.05	3	Vertical	4	2.47	-	39.97	9.53	31.00
RMS	13.06743G	45.44	68.20	-22.76	26.95	3	Vertical	4	2.47	-	39.97	9.53	31.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07407G	59.52	88.20	-28.68	41.02	3	Horizontal	205	2.78	-	39.97	9.53	31.00
RMS	13.07032G	45.56	68.20	-22.64	27.07	3	Horizontal	205	2.78	-	39.97	9.53	31.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60785G	48.28	83.54	-35.26	44.85	1	Vertical	251	1.55	-	37.84	17.10	51.51
AV	19.60044G	34.03	63.54	-29.51	30.59	1	Vertical	251	1.55	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60278G	47.72	83.54	-35.82	44.28	1	Horizontal	350	1.54	-	37.84	17.10	51.50
AV	19.60709G	34.00	63.54	-29.54	30.57	1	Horizontal	350	1.54	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38586G	60.14	74.00	-13.86	40.64	3	Vertical	97	1.36	-	40.39	9.65	30.54
AV	13.38599G	46.53	54.00	-7.47	27.03	3	Vertical	97	1.36	-	40.39	9.65	30.54

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39299G	60.96	74.00	-13.04	41.44	3	Horizontal	48	2.55	-	40.39	9.66	30.53
AV	13.3898G	46.59	54.00	-7.41	27.07	3	Horizontal	48	2.55	-	40.39	9.66	30.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08899G	47.13	83.54	-36.41	44.21	1	Vertical	295	1.53	-	37.54	17.30	51.92
AV	20.08052G	34.04	63.54	-29.50	31.13	1	Vertical	295	1.53	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08828G	47.43	83.54	-36.11	44.51	1	Horizontal	6	1.53	-	37.54	17.30	51.92
AV	20.08152G	34.11	63.54	-29.43	31.20	1	Horizontal	6	1.53	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71429G	62.81	88.20	-25.39	43.00	3	Vertical	232	1.97	-	40.44	9.79	30.42
RMS	13.71436G	49.00	68.20	-19.20	29.19	3	Vertical	232	1.97	-	40.44	9.79	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71216G	62.68	88.20	-25.52	42.88	3	Horizontal	34	2.55	-	40.44	9.78	30.42
RMS	13.71008G	49.06	68.20	-19.14	29.27	3	Horizontal	34	2.55	-	40.43	9.78	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56804G	48.70	83.54	-34.84	45.48	1	Vertical	20	1.51	-	37.72	17.51	52.01
AV	20.56049G	34.90	63.54	-28.64	31.68	1	Vertical	20	1.51	-	37.73	17.50	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5699G	48.02	83.54	-35.52	44.80	1	Horizontal	7	1.57	-	37.72	17.51	52.01
AV	20.56146G	34.88	63.54	-28.66	31.66	1	Horizontal	7	1.57	-	37.73	17.50	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 18
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	78.38	88.20	-9.82	69.61	3	Vertical	296	1.80	-	35.38	6.36	32.97
RMS	5.925G	66.05	68.20	-2.15	57.26	3	Vertical	296	1.80	-	35.40	6.36	32.97
PK	5.9728G	111.48	Inf	-Inf	102.58	3	Vertical	296	1.80	-	35.50	6.39	32.99
RMS	5.9684G	99.19	Inf	-Inf	90.30	3	Vertical	296	1.80	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 18
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	71.95	88.20	-16.25	63.17	3	Horizontal	23	2.92	-	35.39	6.36	32.97
RMS	5.925G	59.52	68.20	-8.68	50.73	3	Horizontal	23	2.92	-	35.40	6.36	32.97
PK	5.967G	105.00	Inf	-Inf	96.11	3	Horizontal	23	2.92	-	35.50	6.38	32.99
RMS	5.9668G	93.42	Inf	-Inf	84.53	3	Horizontal	23	2.92	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92694G	55.39	74.00	-18.61	39.95	3	Vertical	166	2.90	-	38.83	9.07	32.46
AV	11.935G	42.55	54.00	-11.45	27.11	3	Vertical	166	2.90	-	38.83	9.07	32.46
PK	17.88927G	62.96	74.00	-11.04	38.98	3	Vertical	312	1.71	-	42.77	11.46	30.25
AV	17.90934G	50.49	54.00	-3.51	26.39	3	Vertical	312	1.71	-	42.85	11.46	30.21

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92624G	56.19	74.00	-17.81	40.75	3	Horizontal	308	2.62	-	38.83	9.07	32.46
AV	11.92948G	42.56	54.00	-11.44	27.12	3	Horizontal	308	2.62	-	38.83	9.07	32.46
PK	17.88522G	63.16	74.00	-10.84	39.21	3	Horizontal	348	1.57	-	42.76	11.45	30.26
AV	17.90442G	50.37	54.00	-3.63	26.31	3	Horizontal	348	1.57	-	42.82	11.46	30.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40818G	57.05	74.00	-16.95	40.84	3	Vertical	8	1.51	-	39.01	9.26	32.06
AV	12.4135G	43.56	54.00	-10.44	27.33	3	Vertical	8	1.51	-	39.01	9.27	32.05

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.40702G	57.20	74.00	-16.80	40.99	3	Horizontal	167	2.56	-	39.01	9.26	32.06
AV	12.41073G	43.52	54.00	-10.48	27.31	3	Horizontal	167	2.56	-	39.01	9.26	32.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61002G	47.79	83.54	-35.75	43.82	1	Vertical	18	1.55	-	37.70	16.69	50.42
AV	18.6109G	34.20	63.54	-29.34	30.22	1	Vertical	18	1.55	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61302G	47.56	83.54	-35.98	43.58	1	Horizontal	20	1.53	-	37.70	16.69	50.41
AV	18.61678G	34.23	63.54	-29.31	30.26	1	Horizontal	20	1.53	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80635G	57.95	88.20	-30.25	40.36	3	Vertical	250	2.06	-	39.61	9.42	31.44
RMS	12.80786G	44.26	68.20	-23.94	26.67	3	Vertical	250	2.06	-	39.61	9.42	31.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.809G	58.09	88.20	-30.11	40.50	3	Horizontal	164	2.91	-	39.61	9.42	31.44
RMS	12.80697G	44.28	68.20	-23.92	26.69	3	Horizontal	164	2.91	-	39.61	9.42	31.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21367G	46.94	83.54	-36.60	43.35	1	Vertical	281	1.50	-	37.71	16.94	51.06
AV	19.21958G	33.85	63.54	-29.69	30.26	1	Vertical	281	1.50	-	37.71	16.94	51.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2193G	46.82	83.54	-36.72	43.23	1	Horizontal	62	1.56	-	37.71	16.94	51.06
AV	19.21053G	33.86	63.54	-29.68	30.25	1	Horizontal	62	1.56	-	37.72	16.94	51.05

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.131G	58.93	88.20	-29.27	40.24	3	Vertical	283	1.68	-	40.06	9.55	30.92
RMS	13.13223G	45.37	68.20	-22.83	26.67	3	Vertical	283	1.68	-	40.06	9.55	30.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12977G	59.78	88.20	-28.42	41.09	3	Horizontal	89	1.28	-	40.06	9.55	30.92
RMS	13.13119G	45.42	68.20	-22.78	26.73	3	Horizontal	89	1.28	-	40.06	9.55	30.92

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69698G	47.75	83.54	-35.79	44.33	1	Vertical	238	1.51	-	37.88	17.14	51.60
AV	19.69032G	34.01	63.54	-29.53	30.59	1	Vertical	238	1.51	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69745G	46.84	83.54	-36.70	43.42	1	Horizontal	76	1.53	-	37.88	17.14	51.60
AV	19.69127G	34.02	63.54	-29.52	30.60	1	Horizontal	76	1.53	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36986G	60.46	74.00	-13.54	41.00	3	Vertical	287	1.70	-	40.37	9.65	30.56
AV	13.36647G	46.56	54.00	-7.44	27.11	3	Vertical	287	1.70	-	40.37	9.65	30.57

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36875G	59.78	74.00	-14.22	40.32	3	Horizontal	330	2.01	-	40.37	9.65	30.56
AV	13.36939G	46.64	54.00	-7.36	27.18	3	Horizontal	330	2.01	-	40.37	9.65	30.56

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05131G	47.41	83.54	-36.13	44.52	1	Vertical	26	1.55	-	37.52	17.28	51.91
AV	20.05583G	33.98	63.54	-29.56	31.09	1	Vertical	26	1.55	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05833G	47.36	83.54	-36.18	44.46	1	Horizontal	239	1.56	-	37.52	17.29	51.91
AV	20.05351G	34.16	63.54	-29.38	31.27	1	Horizontal	239	1.56	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68857G	62.65	88.20	-25.55	42.88	3	Vertical	91	1.69	-	40.40	9.78	30.41
RMS	13.6936G	49.11	68.20	-19.09	29.34	3	Vertical	91	1.69	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6881G	63.19	88.20	-25.01	43.42	3	Horizontal	182	1.69	-	40.40	9.78	30.41
RMS	13.6927G	49.06	68.20	-19.14	29.29	3	Horizontal	182	1.69	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53984G	48.19	83.54	-35.35	44.96	1	Vertical	340	1.55	-	37.75	17.49	52.01
AV	20.53008G	35.13	63.54	-28.41	31.89	1	Vertical	340	1.55	-	37.76	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53069G	48.30	83.54	-35.24	45.06	1	Horizontal	44	1.53	-	37.76	17.49	52.01
AV	20.53891G	35.16	63.54	-28.38	31.93	1	Horizontal	44	1.53	-	37.75	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 18
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	78.61	88.20	-9.59	69.83	3	Vertical	295	1.80	-	35.39	6.36	32.97
RMS	5.9242G	67.90	68.20	-0.30	59.11	3	Vertical	295	1.80	-	35.40	6.36	32.97
PK	5.9738G	108.51	Inf	-Inf	99.61	3	Vertical	295	1.80	-	35.50	6.39	32.99
RMS	5.9858G	96.87	Inf	-Inf	87.98	3	Vertical	295	1.80	-	35.50	6.39	33.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 18
01-L-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	71.04	88.20	-17.16	62.25	3	Horizontal	24	3.00	-	35.40	6.36	32.97
RMS	5.925G	60.43	68.20	-7.77	51.64	3	Horizontal	24	3.00	-	35.40	6.36	32.97
PK	5.9894G	100.04	Inf	-Inf	91.15	3	Horizontal	24	3.00	-	35.50	6.39	33.00
RMS	5.9866G	88.81	Inf	-Inf	79.92	3	Horizontal	24	3.00	-	35.50	6.39	33.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97073G	56.06	74.00	-17.94	40.55	3	Vertical	25	1.49	-	38.87	9.09	32.45
AV	11.96504G	42.56	54.00	-11.44	27.05	3	Vertical	25	1.49	-	38.87	9.09	32.45
PK	17.94615G	62.43	74.00	-11.57	38.04	3	Vertical	64	2.00	-	43.03	11.48	30.12
AV	17.96739G	49.88	54.00	-4.12	25.32	3	Vertical	64	2.00	-	43.14	11.49	30.07

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97394G	56.53	74.00	-17.47	41.02	3	Horizontal	15	2.31	-	38.87	9.09	32.45
AV	11.96779G	42.47	54.00	-11.53	26.96	3	Horizontal	15	2.31	-	38.87	9.09	32.45
PK	17.96424G	64.13	74.00	-9.87	39.60	3	Horizontal	240	1.39	-	43.12	11.49	30.08
AV	17.96709G	50.56	54.00	-3.44	26.01	3	Horizontal	240	1.39	-	43.14	11.49	30.08

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44731G	56.76	74.00	-17.24	40.45	3	Vertical	330	1.64	-	39.05	9.28	32.02
AV	12.45065G	43.22	54.00	-10.78	26.91	3	Vertical	330	1.64	-	39.05	9.28	32.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45088G	56.87	74.00	-17.13	40.56	3	Horizontal	301	1.23	-	39.05	9.28	32.02
AV	12.45365G	43.23	54.00	-10.77	26.91	3	Horizontal	301	1.23	-	39.05	9.28	32.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67684G	47.32	83.54	-36.22	43.38	1	Vertical	243	1.52	-	37.70	16.72	50.48
AV	18.67223G	33.95	63.54	-29.59	30.00	1	Vertical	243	1.52	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67364G	47.44	83.54	-36.10	43.49	1	Horizontal	208	1.51	-	37.70	16.72	50.47
AV	18.67262G	33.99	63.54	-29.55	30.04	1	Horizontal	208	1.51	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76905G	57.48	88.20	-30.72	40.04	3	Vertical	78	1.16	-	39.54	9.41	31.51
RMS	12.77479G	43.94	68.20	-24.26	26.48	3	Vertical	78	1.16	-	39.55	9.41	31.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76932G	57.83	88.20	-30.37	40.39	3	Horizontal	272	1.91	-	39.54	9.41	31.51
RMS	12.76589G	43.88	68.20	-24.32	26.45	3	Horizontal	272	1.91	-	39.53	9.41	31.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15469G	47.68	83.54	-35.86	44.02	1	Vertical	132	1.56	-	37.74	16.91	50.99
AV	19.15308G	33.95	63.54	-29.59	30.28	1	Vertical	132	1.56	-	37.74	16.91	50.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15611G	46.79	83.54	-36.75	43.13	1	Horizontal	211	1.57	-	37.74	16.91	50.99
AV	19.15287G	33.91	63.54	-29.63	30.24	1	Horizontal	211	1.57	-	37.74	16.91	50.98

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24764G	59.01	88.20	-29.19	39.90	3	Vertical	317	2.84	-	40.25	9.60	30.74
RMS	13.24695G	45.63	68.20	-22.57	26.52	3	Vertical	317	2.84	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25359G	58.75	74.00	-15.25	39.63	3	Horizontal	134	2.33	-	40.25	9.60	30.73
RMS	13.24729G	45.71	68.20	-22.49	26.60	3	Horizontal	134	2.33	-	40.25	9.60	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87214G	47.53	83.54	-36.01	44.39	1	Vertical	215	1.51	-	37.70	17.21	51.77
AV	19.87355G	34.81	63.54	-28.73	31.67	1	Vertical	215	1.51	-	37.70	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87088G	47.99	83.54	-35.55	44.84	1	Horizontal	12	1.54	-	37.71	17.21	51.77
AV	19.87918G	34.82	63.54	-28.72	31.70	1	Horizontal	12	1.54	-	37.69	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41288G	60.89	88.20	-27.31	41.32	3	Vertical	85	1.33	-	40.40	9.67	30.50
RMS	13.40856G	46.71	68.20	-21.49	27.16	3	Vertical	85	1.33	-	40.40	9.66	30.51

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40909G	59.86	88.20	-28.34	40.30	3	Horizontal	115	1.23	-	40.40	9.66	30.50
RMS	13.41127G	46.73	68.20	-21.47	27.17	3	Horizontal	115	1.23	-	40.40	9.66	30.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11882G	47.00	83.54	-36.54	44.06	1	Vertical	30	1.53	-	37.55	17.31	51.92
AV	20.11173G	34.29	63.54	-29.25	31.36	1	Vertical	30	1.53	-	37.54	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_4TX
Setting 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11631G	47.43	83.54	-36.11	44.49	1	Horizontal	12	1.52	-	37.55	17.31	51.92
AV	20.1162G	34.18	63.54	-29.36	31.24	1	Horizontal	12	1.52	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57165G	59.98	88.20	-28.22	40.24	3	Vertical	218	1.05	-	40.40	9.73	30.39
RMS	13.57028G	46.18	68.20	-22.02	26.44	3	Vertical	218	1.05	-	40.40	9.73	30.39

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56865G	59.79	88.20	-28.41	40.05	3	Horizontal	336	1.46	-	40.40	9.73	30.39
RMS	13.56674G	46.36	68.20	-21.84	26.61	3	Horizontal	336	1.46	-	40.40	9.73	30.38

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35376G	48.44	83.54	-35.10	45.32	1	Vertical	298	1.51	-	37.68	17.41	51.97
AV	20.35926G	34.91	63.54	-28.63	31.77	1	Vertical	298	1.51	-	37.69	17.42	51.97

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35133G	47.79	83.54	-35.75	44.67	1	Horizontal	281	1.58	-	37.68	17.41	51.97
AV	20.35905G	34.89	63.54	-28.65	31.75	1	Horizontal	281	1.58	-	37.69	17.42	51.97

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 17.5
 01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	76.87	88.20	-11.33	68.15	3	Vertical	298	1.80	-	35.34	6.35	32.97
RMS	5.925G	65.07	68.20	-3.13	56.28	3	Vertical	298	1.80	-	35.40	6.36	32.97
PK	6.01G	105.20	Inf	-Inf	96.27	3	Vertical	298	1.80	-	35.52	6.41	33.00
RMS	6.0135G	94.55	Inf	-Inf	85.61	3	Vertical	298	1.80	-	35.53	6.41	33.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 17.5
 01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9185G	69.93	88.20	-18.27	61.17	3	Horizontal	24	3.00	-	35.37	6.36	32.97
RMS	5.923G	59.06	68.20	-9.14	50.28	3	Horizontal	24	3.00	-	35.39	6.36	32.97
PK	6.0155G	96.79	Inf	-Inf	87.85	3	Horizontal	24	3.00	-	35.53	6.41	33.00
RMS	6.0275G	87.08	Inf	-Inf	78.12	3	Horizontal	24	3.00	-	35.55	6.41	33.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04934G	56.41	74.00	-17.59	40.84	3	Vertical	39	2.72	-	38.85	9.12	32.40
AV	12.05163G	42.96	54.00	-11.04	27.39	3	Vertical	39	2.72	-	38.85	9.12	32.40
PK	18.07848G	64.10	74.00	-9.90	38.70	3	Vertical	319	1.60	-	43.69	11.53	29.82
AV	18.08598G	50.96	54.00	-3.04	25.50	3	Vertical	319	1.60	-	43.73	11.53	29.80

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05482G	56.26	74.00	-17.74	40.69	3	Horizontal	176	1.54	-	38.85	9.12	32.40
AV	12.04812G	42.86	54.00	-11.14	27.29	3	Horizontal	176	1.54	-	38.85	9.12	32.40
PK	18.06351G	64.24	74.00	-9.76	38.95	3	Horizontal	237	1.59	-	43.62	11.53	29.86
AV	18.07266G	50.48	54.00	-3.52	25.12	3	Horizontal	237	1.59	-	43.66	11.53	29.83

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07983G	47.67	83.54	-35.87	43.58	1	Vertical	222	1.53	-	37.33	16.47	49.71
AV	18.07121G	34.28	63.54	-29.26	30.18	1	Vertical	222	1.53	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07101G	47.36	83.54	-36.18	43.26	1	Horizontal	215	1.57	-	37.33	16.47	49.70
AV	18.0706G	34.12	63.54	-29.42	30.02	1	Horizontal	215	1.57	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37263G	57.40	74.00	-16.60	41.29	3	Vertical	268	2.94	-	38.95	9.25	32.09
AV	12.37269G	43.70	54.00	-10.30	27.59	3	Vertical	268	2.94	-	38.95	9.25	32.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36902G	57.16	74.00	-16.84	41.07	3	Horizontal	13	1.78	-	38.94	9.25	32.10
AV	12.36695G	43.74	54.00	-10.26	27.66	3	Horizontal	13	1.78	-	38.93	9.25	32.10

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55813G	47.96	83.54	-35.58	43.95	1	Vertical	280	1.57	-	37.70	16.67	50.36
AV	18.55858G	34.51	63.54	-29.03	30.50	1	Vertical	280	1.57	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55039G	48.14	83.54	-35.40	44.12	1	Horizontal	193	1.50	-	37.70	16.67	50.35
AV	18.55269G	34.54	63.54	-29.00	30.52	1	Horizontal	193	1.50	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69073G	57.41	74.00	-16.59	40.29	3	Vertical	314	2.98	-	39.38	9.38	31.64
AV	12.69231G	44.01	54.00	-9.99	26.89	3	Vertical	314	2.98	-	39.38	9.38	31.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68659G	57.84	74.00	-16.16	40.75	3	Horizontal	288	2.57	-	39.37	9.37	31.65
AV	12.6888G	44.00	54.00	-10.00	26.89	3	Horizontal	288	2.57	-	39.38	9.38	31.65

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03608G	47.62	83.54	-35.92	43.81	1	Vertical	52	1.54	-	37.79	16.86	50.84
AV	19.03307G	34.39	63.54	-29.15	30.58	1	Vertical	52	1.54	-	37.79	16.86	50.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03952G	47.97	83.54	-35.57	44.17	1	Horizontal	238	1.54	-	37.78	16.87	50.85
AV	19.03832G	34.49	63.54	-29.05	30.69	1	Horizontal	238	1.54	-	37.78	16.87	50.85

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32732G	52.65	74.00	-21.35	41.06	3	Vertical	116	2.69	-	27.77	14.45	30.63
AV	13.33309G	38.47	54.00	-15.53	26.86	3	Vertical	116	2.69	-	27.78	14.45	30.62

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32728G	52.17	74.00	-21.83	40.58	3	Horizontal	291	2.23	-	27.77	14.45	30.63
AV	13.32992G	38.49	54.00	-15.51	26.89	3	Horizontal	291	2.23	-	27.77	14.45	30.62

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99565G	47.39	83.54	-36.15	44.52	1	Vertical	357	1.53	-	37.51	17.26	51.90
AV	19.9905G	34.14	63.54	-29.40	31.25	1	Vertical	357	1.53	-	37.52	17.26	51.89

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99991G	47.89	83.54	-35.65	45.03	1	Horizontal	284	1.50	-	37.50	17.26	51.90
AV	19.99312G	34.15	63.54	-29.39	31.27	1	Horizontal	284	1.50	-	37.51	17.26	51.89

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 21
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	80.56	88.20	-7.64	71.80	3	Vertical	296	1.80	-	35.37	6.36	32.97
RMS	5.925G	66.98	68.20	-1.22	58.19	3	Vertical	296	1.80	-	35.40	6.36	32.97
PK	5.9468G	120.95	Inf	-Inf	112.07	3	Vertical	296	1.80	-	35.49	6.37	32.98
RMS	5.9472G	110.60	Inf	-Inf	101.72	3	Vertical	296	1.80	-	35.49	6.37	32.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 21
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	76.68	88.20	-11.52	67.90	3	Horizontal	360	2.95	-	35.39	6.36	32.97
RMS	5.9224G	64.51	68.20	-3.69	55.73	3	Horizontal	360	2.95	-	35.39	6.36	32.97
PK	5.9614G	117.56	Inf	-Inf	108.67	3	Horizontal	360	2.95	-	35.50	6.38	32.99
RMS	5.9616G	106.86	Inf	-Inf	97.97	3	Horizontal	360	2.95	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 21
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9079G	55.80	74.00	-18.20	40.39	3	Vertical	173	2.83	-	38.81	9.06	32.46
AV	11.90904G	42.44	54.00	-11.56	27.03	3	Vertical	173	2.83	-	38.81	9.06	32.46
PK	17.8761G	62.59	74.00	-11.41	38.69	3	Vertical	8	1.51	-	42.73	11.45	30.28
AV	17.87169G	49.89	54.00	-4.11	26.01	3	Vertical	8	1.51	-	42.72	11.45	30.29

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 21
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90933G	55.78	74.00	-18.22	40.37	3	Horizontal	92	1.17	-	38.81	9.06	32.46
AV	11.90993G	42.43	54.00	-11.57	27.02	3	Horizontal	92	1.17	-	38.81	9.06	32.46
PK	17.87388G	62.91	74.00	-11.09	39.03	3	Horizontal	201	1.99	-	42.72	11.45	30.29
AV	17.87712G	49.92	54.00	-4.08	26.02	3	Horizontal	201	1.99	-	42.73	11.45	30.28

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38879G	56.99	74.00	-17.01	40.83	3	Vertical	176	1.15	-	38.98	9.26	32.08			
AV	12.38502G	43.65	54.00	-10.35	27.51	3	Vertical	176	1.15	-	38.97	9.25	32.08			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39076G	57.58	74.00	-16.42	41.41	3	Horizontal	260	2.85	-	38.98	9.26	32.07
AV	12.38557G	43.66	54.00	-10.34	27.52	3	Horizontal	260	2.85	-	38.97	9.25	32.08

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5831G	48.11	83.54	-35.43	44.11	1	Vertical	52	1.54	-	37.70	16.68	50.38
AV	18.58071G	34.39	63.54	-29.15	30.39	1	Vertical	52	1.54	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58651G	47.51	83.54	-36.03	43.52	1	Horizontal	193	1.56	-	37.70	16.68	50.39
AV	18.58855G	34.23	63.54	-29.31	30.24	1	Horizontal	193	1.56	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83188G	57.61	88.20	-30.59	39.95	3	Vertical	69	2.94	-	39.63	9.43	31.40
RMS	12.82727G	44.33	68.20	-23.87	26.68	3	Vertical	69	2.94	-	39.63	9.43	31.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83408G	58.70	88.20	-29.50	41.04	3	Horizontal	266	1.19	-	39.63	9.43	31.40
RMS	12.82708G	44.36	68.20	-23.84	26.71	3	Horizontal	266	1.19	-	39.63	9.43	31.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24624G	47.52	83.54	-36.02	43.97	1	Vertical	20	1.53	-	37.70	16.95	51.10
AV	19.24197G	33.83	63.54	-29.71	30.27	1	Vertical	20	1.53	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24364G	47.29	83.54	-36.25	43.73	1	Horizontal	285	1.58	-	37.70	16.95	51.09
AV	19.24487G	33.87	63.54	-29.67	30.31	1	Horizontal	285	1.58	-	37.70	16.95	51.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07381G	58.78	88.20	-29.42	40.28	3	Vertical	85	1.18	-	39.97	9.53	31.00
RMS	13.07294G	45.45	68.20	-22.75	26.95	3	Vertical	85	1.18	-	39.97	9.53	31.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07037G	58.99	88.20	-29.21	40.50	3	Horizontal	120	1.54	-	39.97	9.53	31.01
RMS	13.06682G	45.34	68.20	-22.86	26.85	3	Horizontal	120	1.54	-	39.97	9.53	31.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60249G	47.49	83.54	-36.05	44.05	1	Vertical	324	1.54	-	37.84	17.10	51.50
AV	19.6047G	33.98	63.54	-29.56	30.54	1	Vertical	324	1.54	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_4TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60684G	47.49	83.54	-36.05	44.06	1	Horizontal	89	1.55	-	37.84	17.10	51.51
AV	19.6063G	34.16	63.54	-29.38	30.73	1	Horizontal	89	1.55	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38765G	58.80	74.00	-15.20	40.56	3	Vertical	283	2.42	-	40.39	8.39	30.54
AV	13.39369G	45.29	54.00	-8.71	27.04	3	Vertical	283	2.42	-	40.39	8.39	30.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3875G	58.90	74.00	-15.10	40.66	3	Horizontal	210	2.04	-	40.39	8.39	30.54
AV	13.38667G	45.42	54.00	-8.58	27.18	3	Horizontal	210	2.04	-	40.39	8.39	30.54

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08338G	46.68	83.54	-36.86	43.77	1	Vertical	231	1.56	-	37.53	17.30	51.92
AV	20.08936G	33.97	63.54	-29.57	31.05	1	Vertical	231	1.56	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.086G	47.03	83.54	-36.51	44.12	1	Horizontal	19	1.52	-	37.53	17.30	51.92
AV	20.08675G	33.95	63.54	-29.59	31.04	1	Horizontal	19	1.52	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7056G	62.73	88.20	-25.47	42.95	3	Vertical	147	1.11	-	40.42	9.78	30.42
RMS	13.71486G	49.05	68.20	-19.15	29.24	3	Vertical	147	1.11	-	40.44	9.79	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71222G	62.78	88.20	-25.42	42.98	3	Horizontal	271	1.55	-	40.44	9.78	30.42
RMS	13.71316G	49.03	68.20	-19.17	29.22	3	Horizontal	271	1.55	-	40.44	9.79	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56651G	48.39	83.54	-35.15	45.17	1	Vertical	320	1.55	-	37.72	17.51	52.01
AV	20.5602G	34.90	63.54	-28.64	31.68	1	Vertical	320	1.55	-	37.73	17.50	52.01

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56395G	48.52	83.54	-35.02	45.30	1	Horizontal	105	1.58	-	37.72	17.51	52.01
AV	20.56354G	34.85	63.54	-28.69	31.63	1	Horizontal	105	1.58	-	37.72	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 18
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.59	88.20	-7.61	71.80	3	Vertical	298	1.80	-	35.40	6.36	32.97
RMS	5.925G	67.64	68.20	-0.56	58.85	3	Vertical	298	1.80	-	35.40	6.36	32.97
PK	5.978G	115.55	Inf	-Inf	106.65	3	Vertical	298	1.80	-	35.50	6.39	32.99
RMS	5.9578G	104.79	Inf	-Inf	95.90	3	Vertical	298	1.80	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 18
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	75.08	88.20	-13.12	66.29	3	Horizontal	22	3.00	-	35.40	6.36	32.97
RMS	5.925G	63.19	68.20	-5.01	54.40	3	Horizontal	22	3.00	-	35.40	6.36	32.97
PK	5.9548G	107.71	Inf	-Inf	98.81	3	Horizontal	22	3.00	-	35.50	6.38	32.98
RMS	5.964G	97.11	Inf	-Inf	88.22	3	Horizontal	22	3.00	-	35.50	6.38	32.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92789G	56.22	74.00	-17.78	40.78	3	Vertical	40	1.16	-	38.83	9.07	32.46
AV	11.92514G	42.42	54.00	-11.58	26.98	3	Vertical	40	1.16	-	38.83	9.07	32.46
PK	17.90019G	63.22	74.00	-10.78	39.19	3	Vertical	148	1.33	-	42.80	11.46	30.23
AV	17.90334G	50.38	54.00	-3.62	26.32	3	Vertical	148	1.33	-	42.82	11.46	30.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 18
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9295G	57.06	74.00	-16.94	41.62	3	Horizontal	230	1.95	-	38.83	9.07	32.46
AV	11.93164G	42.52	54.00	-11.48	27.08	3	Horizontal	230	1.95	-	38.83	9.07	32.46
PK	17.90913G	64.55	74.00	-9.45	40.45	3	Horizontal	301	1.83	-	42.85	11.46	30.21
AV	17.90853G	50.50	54.00	-3.50	26.41	3	Horizontal	301	1.83	-	42.84	11.46	30.21

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40698G	56.79	74.00	-17.21	40.58	3	Vertical	76	1.66	-	39.01	9.26	32.06
AV	12.40757G	43.55	54.00	-10.45	27.34	3	Vertical	76	1.66	-	39.01	9.26	32.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4116G	56.76	74.00	-17.24	40.54	3	Horizontal	32	2.17	-	39.01	9.26	32.05
AV	12.41272G	43.52	54.00	-10.48	27.29	3	Horizontal	32	2.17	-	39.01	9.27	32.05

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61446G	47.06	83.54	-36.48	43.08	1	Vertical	324	1.58	-	37.70	16.69	50.41
AV	18.61049G	34.10	63.54	-29.44	30.12	1	Vertical	324	1.58	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61914G	47.83	83.54	-35.71	43.86	1	Horizontal	20	1.54	-	37.70	16.69	50.42
AV	18.61443G	34.13	63.54	-29.41	30.15	1	Horizontal	20	1.54	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80932G	58.16	88.20	-30.04	40.57	3	Vertical	205	1.51	-	39.61	9.42	31.44
RMS	12.80789G	44.37	68.20	-23.83	26.78	3	Vertical	205	1.51	-	39.61	9.42	31.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81406G	57.69	88.20	-30.51	40.08	3	Horizontal	349	1.44	-	39.61	9.43	31.43
RMS	12.81071G	44.30	68.20	-23.90	26.71	3	Horizontal	349	1.44	-	39.61	9.42	31.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21869G	47.22	83.54	-36.32	43.63	1	Vertical	330	1.50	-	37.71	16.94	51.06
AV	19.21394G	33.82	63.54	-29.72	30.23	1	Vertical	330	1.50	-	37.71	16.94	51.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21555G	47.80	83.54	-35.74	44.21	1	Horizontal	188	1.56	-	37.71	16.94	51.06
AV	19.21429G	33.76	63.54	-29.78	30.17	1	Horizontal	188	1.56	-	37.71	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13362G	58.41	88.20	-29.79	39.70	3	Vertical	220	2.04	-	40.07	9.55	30.91
RMS	13.13345G	45.53	68.20	-22.67	26.82	3	Vertical	220	2.04	-	40.07	9.55	30.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1316G	58.86	88.20	-29.34	40.17	3	Horizontal	226	1.45	-	40.06	9.55	30.92
RMS	13.13406G	45.52	68.20	-22.68	26.81	3	Horizontal	226	1.45	-	40.07	9.55	30.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69678G	47.51	83.54	-36.03	44.09	1	Vertical	285	1.57	-	37.88	17.14	51.60
AV	19.69563G	33.96	63.54	-29.58	30.54	1	Vertical	285	1.57	-	37.88	17.14	51.60

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69607G	48.17	83.54	-35.37	44.75	1	Horizontal	215	1.53	-	37.88	17.14	51.60
AV	19.69901G	34.06	63.54	-29.48	30.64	1	Horizontal	215	1.53	-	37.88	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37012G	52.71	74.00	-21.29	40.96	3	Vertical	290	1.81	-	27.85	14.46	30.56
AV	13.37495G	38.83	54.00	-15.17	27.07	3	Vertical	290	1.81	-	27.86	14.46	30.56

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37495G	52.46	74.00	-21.54	40.70	3	Horizontal	199	3.00	-	27.86	14.46	30.56
AV	13.37463G	38.88	54.00	-15.12	27.12	3	Horizontal	199	3.00	-	27.86	14.46	30.56

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05601G	47.53	83.54	-36.01	44.64	1	Vertical	139	1.52	-	37.52	17.28	51.91
AV	20.05211G	34.09	63.54	-29.45	31.20	1	Vertical	139	1.52	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05717G	47.76	83.54	-35.78	44.87	1	Horizontal	303	1.57	-	37.52	17.28	51.91
AV	20.0522G	33.94	63.54	-29.60	31.05	1	Horizontal	303	1.57	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 23
01-L-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69337G	62.54	88.20	-25.66	42.77	3	Vertical	205	2.69	-	40.40	9.78	30.41
RMS	13.68996G	49.13	68.20	-19.07	29.36	3	Vertical	205	2.69	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68983G	63.71	88.20	-24.49	43.94	3	Horizontal	75	1.14	-	40.40	9.78	30.41
RMS	13.6934G	49.05	68.20	-19.15	29.28	3	Horizontal	75	1.14	-	40.40	9.78	30.41

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53924G	48.44	83.54	-35.10	45.21	1	Vertical	9	1.50	-	37.75	17.49	52.01
AV	20.53952G	35.06	63.54	-28.48	31.83	1	Vertical	9	1.50	-	37.75	17.49	52.01

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53905G	48.20	83.54	-35.34	44.97	1	Horizontal	101	1.56	-	37.75	17.49	52.01
AV	20.53097G	35.04	63.54	-28.50	31.80	1	Horizontal	101	1.56	-	37.76	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 17.5
01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	81.95	88.20	-6.25	73.19	3	Vertical	297	1.80	-	35.37	6.36	32.97
RMS	5.9178G	67.67	68.20	-0.53	58.91	3	Vertical	297	1.80	-	35.37	6.36	32.97
PK	5.9686G	111.99	Inf	-Inf	103.10	3	Vertical	297	1.80	-	35.50	6.38	32.99
RMS	5.9874G	100.82	Inf	-Inf	91.93	3	Vertical	297	1.80	-	35.50	6.39	33.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
 Setting 17.5
 01-L-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	71.47	88.20	-16.73	62.68	3	Horizontal	25	3.00	-	35.40	6.36	32.97
RMS	5.9246G	61.00	68.20	-7.20	52.21	3	Horizontal	25	3.00	-	35.40	6.36	32.97
PK	5.9842G	103.17	Inf	-Inf	94.27	3	Horizontal	25	3.00	-	35.50	6.39	32.99
RMS	6.0042G	92.87	Inf	-Inf	83.96	3	Horizontal	25	3.00	-	35.51	6.40	33.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97259G	55.85	74.00	-18.15	40.34	3	Vertical	111	1.34	-	38.87	9.09	32.45
AV	11.96823G	42.51	54.00	-11.49	27.00	3	Vertical	111	1.34	-	38.87	9.09	32.45
PK	17.94207G	63.14	74.00	-10.86	38.78	3	Vertical	291	1.71	-	43.01	11.48	30.13
AV	17.96766G	50.25	54.00	-3.75	25.69	3	Vertical	291	1.71	-	43.14	11.49	30.07

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 17.5
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96655G	57.26	74.00	-16.74	41.75	3	Horizontal	250	1.83	-	38.87	9.09	32.45
AV	11.9705G	42.50	54.00	-11.50	26.99	3	Horizontal	250	1.83	-	38.87	9.09	32.45
PK	17.94378G	61.95	74.00	-12.05	37.58	3	Horizontal	59	1.44	-	43.02	11.48	30.13
AV	17.96307G	49.84	54.00	-4.16	25.31	3	Horizontal	59	1.44	-	43.12	11.49	30.08

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4527G	57.24	74.00	-16.76	40.93	3	Vertical	142	2.91	-	39.05	9.28	32.02
AV	12.44836G	43.16	54.00	-10.84	26.85	3	Vertical	142	2.91	-	39.05	9.28	32.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 23
01-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.44946G	56.61	74.00	-17.39	40.30	3	Horizontal	33	1.10	-	39.05	9.28	32.02
AV	12.44717G	43.22	54.00	-10.78	26.91	3	Horizontal	33	1.10	-	39.05	9.28	32.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67042G	47.21	83.54	-36.33	43.27	1	Vertical	72	1.54	-	37.70	16.71	50.47
AV	18.67326G	34.07	63.54	-29.47	30.12	1	Vertical	72	1.54	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67299G	47.38	83.54	-36.16	43.43	1	Horizontal	256	1.56	-	37.70	16.72	50.47
AV	18.67061G	34.08	63.54	-29.46	30.14	1	Horizontal	256	1.56	-	37.70	16.71	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77061G	58.46	88.20	-29.74	41.01	3	Vertical	184	1.16	-	39.54	9.41	31.50
RMS	12.77396G	43.89	68.20	-24.31	26.43	3	Vertical	184	1.16	-	39.55	9.41	31.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77215G	57.64	88.20	-30.56	40.19	3	Horizontal	202	2.65	-	39.54	9.41	31.50
RMS	12.76575G	43.96	68.20	-24.24	26.53	3	Horizontal	202	2.65	-	39.53	9.41	31.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1507G	46.89	83.54	-36.65	43.22	1	Vertical	101	1.56	-	37.74	16.91	50.98
AV	19.15317G	34.00	63.54	-29.54	30.33	1	Vertical	101	1.56	-	37.74	16.91	50.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX



EUT_V_2TX
Setting 23
01-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15503G	47.50	83.54	-36.04	43.84	1	Horizontal	161	1.54	-	37.74	16.91	50.99
AV	19.15787G	33.88	63.54	-29.66	30.22	1	Horizontal	161	1.54	-	37.74	16.91	50.99