




802.11n HT40_Nss1,(MCS0)_1TX

06/06/2020

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3474G	48.88	54.00	-5.12	35.51	3	Vertical	268	2.52	-	13.37	29.59	5.92	-
AV	2.439G	90.65	Inf	-Inf	35.90	3	Vertical	268	2.52	-	54.75	29.89	6.01	-
AV	2.4838G	50.31	54.00	-3.69	36.18	3	Vertical	268	2.52	-	14.13	30.12	6.06	-
PK	2.3806G	59.91	74.00	-14.09	35.61	3	Vertical	268	2.52	-	24.30	29.66	5.95	-
PK	2.4402G	99.73	Inf	-Inf	35.91	3	Vertical	268	2.52	-	63.82	29.90	6.01	-
PK	2.485G	60.54	74.00	-13.46	36.18	3	Vertical	268	2.52	-	24.36	30.12	6.06	-



802.11n HT40_Nss1,(MCS0)_1TX

06/06/2020

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.355G	50.10	54.00	-3.90	35.54	3	Horizontal	341	1.35	-	14.56	29.61	5.93	-
AV	2.4406G	96.57	Inf	-Inf	35.91	3	Horizontal	341	1.35	-	60.66	29.90	6.01	-
AV	2.4842G	53.56	54.00	-0.44	36.18	3	Horizontal	341	1.35	-	17.38	30.12	6.06	-
PK	2.351G	61.73	74.00	-12.27	35.52	3	Horizontal	341	1.35	-	26.21	29.60	5.92	-
PK	2.4446G	106.23	Inf	-Inf	35.93	3	Horizontal	341	1.35	-	70.30	29.92	6.01	-
PK	2.4838G	65.41	74.00	-8.59	36.18	3	Horizontal	341	1.35	-	29.23	30.12	6.06	-



802.11n HT40_Nss1,(MCS0)_1TX

06/06/2020

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3528G	48.72	54.00	-5.28	35.53	3	Vertical	242	2.73	-	13.19	29.61	5.92	-
AV	2.4456G	90.78	Inf	-Inf	35.94	3	Vertical	242	2.73	-	54.84	29.93	6.01	-
AV	2.4844G	50.20	54.00	-3.80	36.18	3	Vertical	242	2.73	-	14.02	30.12	6.06	-
PK	2.3616G	59.56	74.00	-14.44	35.55	3	Vertical	242	2.73	-	24.01	29.62	5.93	-
PK	2.444G	99.60	Inf	-Inf	35.93	3	Vertical	242	2.73	-	63.67	29.92	6.01	-
PK	2.4868G	61.25	74.00	-12.75	36.19	3	Vertical	242	2.73	-	25.06	30.13	6.06	-



802.11n HT40_Nss1,(MCS0)_1TX

06/06/2020

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.354G	49.39	54.00	-4.61	35.54	3	Horizontal	332	1.34	-	13.85	29.61	5.93	-
AV	2.4448G	94.54	Inf	-Inf	35.93	3	Horizontal	332	1.34	-	58.61	29.92	6.01	-
AV	2.484G	53.93	54.00	-0.07	36.18	3	Horizontal	332	1.34	-	17.75	30.12	6.06	-
PK	2.3636G	60.47	74.00	-13.53	35.56	3	Horizontal	332	1.34	-	24.91	29.63	5.93	-
PK	2.4444G	104.13	Inf	-Inf	35.93	3	Horizontal	332	1.34	-	68.20	29.92	6.01	-
PK	2.4844G	64.63	74.00	-9.37	36.18	3	Horizontal	332	1.34	-	28.45	30.12	6.06	-



802.11n HT40_Nss1,(MCS0)_1TX

16/04/2020

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91072G	33.13	54.00	-20.87	6.01	3	Vertical	177	1.00	-	27.12	31.54	8.32	33.85
PK	4.90748G	45.38	74.00	-28.62	5.99	3	Vertical	177	1.00	-	39.39	31.53	8.32	33.86



802.11n HT40_Nss1,(MCS0)_1TX

16/04/2020

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91132G	33.00	54.00	-21.00	6.01	3	Horizontal	298	2.00	-	26.99	31.54	8.32	33.85
PK	4.90334G	46.10	74.00	-27.90	5.99	3	Horizontal	298	2.00	-	40.11	31.53	8.32	33.86



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	QP	45.52M	35.87	40.00	-4.13	3	Vertical	238	1.10	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	101.78M	32.41	43.50	-11.09	3	Vertical	360	1.00	-
2437MHz	Pass	PK	423.82M	32.15	46.00	-13.85	3	Vertical	360	1.00	-
2437MHz	Pass	PK	899.12M	38.94	46.00	-7.06	3	Vertical	360	1.00	-
2437MHz	Pass	PK	934.04M	36.31	46.00	-9.69	3	Vertical	360	1.00	-
2437MHz	Pass	QP	31.94M	32.58	40.00	-7.42	3	Vertical	135	1.03	-
2437MHz	Pass	QP	45.52M	35.87	40.00	-4.13	3	Vertical	238	1.10	-
2437MHz	Pass	PK	37.76M	33.87	40.00	-6.13	3	Vertical	0	1.00	-
2437MHz	Pass	PK	268.62M	29.92	46.00	-16.08	3	Vertical	0	1.00	-
2437MHz	Pass	PK	280.26M	30.27	46.00	-15.73	3	Vertical	0	1.00	-
2437MHz	Pass	PK	427.7M	33.66	46.00	-12.34	3	Vertical	0	1.00	-
2437MHz	Pass	PK	856.44M	38.12	46.00	-7.88	3	Vertical	0	1.00	-
2437MHz	Pass	PK	901.06M	37.42	46.00	-8.58	3	Vertical	0	1.00	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/05/2020

2437MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	101.78M	32.41	43.50	-11.09	-10.01	3	Vertical	360	1.00	-	42.42	16.26	1.49	27.76
PK	423.82M	32.15	46.00	-13.85	-3.08	3	Vertical	360	1.00	-	35.23	21.82	3.18	28.08
PK	899.12M	38.94	46.00	-7.06	2.63	3	Vertical	360	1.00	-	36.31	25.53	4.80	27.70
PK	934.04M	36.31	46.00	-9.69	3.04	3	Vertical	360	1.00	-	33.27	25.80	4.88	27.64
QP	31.94M	32.58	40.00	-7.42	-4.66	3	Vertical	135	1.03	-	37.24	22.23	0.80	27.69
QP	45.52M	35.87	40.00	-4.13	-11.63	3	Vertical	238	1.10	-	47.50	15.06	0.99	27.68



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/05/2020

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	33.87	40.00	-6.13	-7.77	3	Vertical	0	1.00	-	41.64	19.02	0.89	27.68
PK	268.62M	29.92	46.00	-16.08	-6.38	3	Vertical	0	1.00	-	36.30	18.30	2.50	27.18
PK	280.26M	30.27	46.00	-15.73	-6.51	3	Vertical	0	1.00	-	36.78	18.10	2.56	27.17
PK	427.7M	33.66	46.00	-12.34	-3.16	3	Vertical	0	1.00	-	36.82	21.76	3.19	28.11
PK	856.44M	38.12	46.00	-7.88	2.19	3	Vertical	0	1.00	-	35.93	25.50	4.70	28.01
PK	901.06M	37.42	46.00	-8.58	2.64	3	Vertical	0	1.00	-	34.78	25.53	4.80	27.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3892G	53.91	54.00	-0.09	3	Horizontal	71	2.59	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3882G	53.93	54.00	-0.07	3	Horizontal	56	2.42	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.61	54.00	-6.39	3	Vertical	52	1.09	-
2412MHz	Pass	AV	2.4112G	103.96	Inf	-Inf	3	Vertical	52	1.09	-
2412MHz	Pass	PK	2.3894G	62.63	74.00	-11.37	3	Vertical	52	1.09	-
2412MHz	Pass	PK	2.4138G	108.96	Inf	-Inf	3	Vertical	52	1.09	-
2412MHz	Pass	AV	2.3892G	49.94	54.00	-4.06	3	Horizontal	59	1.00	-
2412MHz	Pass	AV	2.4112G	111.64	Inf	-Inf	3	Horizontal	59	1.00	-
2412MHz	Pass	PK	2.39G	64.78	74.00	-9.22	3	Horizontal	59	1.00	-
2412MHz	Pass	PK	2.413G	116.23	Inf	-Inf	3	Horizontal	59	1.00	-
2412MHz	Pass	AV	4.8223G	34.42	54.00	-19.58	3	Vertical	253	2.44	-
2412MHz	Pass	PK	4.82166G	46.81	74.00	-27.19	3	Vertical	253	2.44	-
2412MHz	Pass	AV	4.8218G	34.53	54.00	-19.47	3	Horizontal	29	1.50	-
2412MHz	Pass	PK	4.82161G	46.93	74.00	-27.07	3	Horizontal	29	1.50	-
2417MHz	Pass	AV	2.389G	50.06	54.00	-3.94	3	Vertical	51	1.88	-
2417MHz	Pass	AV	2.4162G	105.58	Inf	-Inf	3	Vertical	51	1.88	-
2417MHz	Pass	PK	2.3894G	62.82	74.00	-11.18	3	Vertical	51	1.88	-
2417MHz	Pass	PK	2.4196G	110.40	Inf	-Inf	3	Vertical	51	1.88	-
2417MHz	Pass	AV	2.3892G	53.91	54.00	-0.09	3	Horizontal	71	2.59	-
2417MHz	Pass	AV	2.4182G	111.61	Inf	-Inf	3	Horizontal	71	2.59	-
2417MHz	Pass	PK	2.3894G	69.51	74.00	-4.49	3	Horizontal	71	2.59	-
2417MHz	Pass	PK	2.418G	117.50	Inf	-Inf	3	Horizontal	71	2.59	-
2437MHz	Pass	AV	2.367G	46.50	54.00	-7.50	3	Vertical	50	2.26	-
2437MHz	Pass	AV	2.4378G	100.79	Inf	-Inf	3	Vertical	50	2.26	-
2437MHz	Pass	AV	2.4866G	47.05	54.00	-6.95	3	Vertical	50	2.26	-
2437MHz	Pass	PK	2.3498G	57.58	74.00	-16.42	3	Vertical	50	2.26	-
2437MHz	Pass	PK	2.4386G	110.78	Inf	-Inf	3	Vertical	50	2.26	-
2437MHz	Pass	PK	2.487G	57.90	74.00	-16.10	3	Vertical	50	2.26	-
2437MHz	Pass	AV	2.3898G	47.58	54.00	-6.42	3	Horizontal	73	2.80	-
2437MHz	Pass	AV	2.4378G	106.44	Inf	-Inf	3	Horizontal	73	2.80	-
2437MHz	Pass	AV	2.4858G	47.57	54.00	-6.43	3	Horizontal	73	2.80	-
2437MHz	Pass	PK	2.3574G	58.04	74.00	-15.96	3	Horizontal	73	2.80	-
2437MHz	Pass	PK	2.4382G	117.14	Inf	-Inf	3	Horizontal	73	2.80	-
2437MHz	Pass	PK	2.4958G	60.25	74.00	-13.75	3	Horizontal	73	2.80	-
2437MHz	Pass	AV	4.87394G	32.98	54.00	-21.02	3	Vertical	345	1.82	-
2437MHz	Pass	PK	4.87448G	44.49	74.00	-29.51	3	Vertical	345	1.82	-
2437MHz	Pass	AV	4.87406G	33.87	54.00	-20.13	3	Horizontal	324	2.02	-
2437MHz	Pass	PK	4.87346G	44.74	74.00	-29.26	3	Horizontal	324	2.02	-
2457MHz	Pass	AV	2.4578G	105.96	Inf	-Inf	3	Vertical	35	3.00	-
2457MHz	Pass	AV	2.485G	51.84	54.00	-2.16	3	Vertical	35	3.00	-
2457MHz	Pass	PK	2.456G	111.64	Inf	-Inf	3	Vertical	35	3.00	-
2457MHz	Pass	PK	2.4854G	65.81	74.00	-8.19	3	Vertical	35	3.00	-
2457MHz	Pass	AV	2.4562G	111.17	Inf	-Inf	3	Horizontal	64	2.63	-
2457MHz	Pass	AV	2.4866G	52.77	54.00	-1.23	3	Horizontal	64	2.63	-
2457MHz	Pass	PK	2.4558G	116.39	Inf	-Inf	3	Horizontal	64	2.63	-
2457MHz	Pass	PK	2.487G	67.67	74.00	-6.33	3	Horizontal	64	2.63	-
2462MHz	Pass	AV	2.4614G	104.20	Inf	-Inf	3	Vertical	33	2.98	-
2462MHz	Pass	AV	2.4835G	49.60	54.00	-4.40	3	Vertical	33	2.98	-
2462MHz	Pass	PK	2.4632G	108.63	Inf	-Inf	3	Vertical	33	2.98	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

041301



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.484G	61.29	74.00	-12.71	3	Vertical	33	2.98	-
2462MHz	Pass	AV	2.4614G	109.10	Inf	-Inf	3	Horizontal	57	1.00	-
2462MHz	Pass	AV	2.4835G	51.90	54.00	-2.10	3	Horizontal	57	1.00	-
2462MHz	Pass	PK	2.463G	114.02	Inf	-Inf	3	Horizontal	57	1.00	-
2462MHz	Pass	PK	2.4838G	63.71	74.00	-10.29	3	Horizontal	57	1.00	-
2462MHz	Pass	AV	4.92517G	33.88	54.00	-20.12	3	Vertical	132	1.50	-
2462MHz	Pass	PK	4.92379G	45.42	74.00	-28.58	3	Vertical	132	1.50	-
2462MHz	Pass	AV	4.92186G	33.90	54.00	-20.10	3	Horizontal	155	1.50	-
2462MHz	Pass	PK	4.92261G	45.66	74.00	-28.34	3	Horizontal	155	1.50	-
802.11ax HEW40-BF_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	47.94	54.00	-6.06	3	Vertical	54	1.04	-
2422MHz	Pass	AV	2.4112G	101.56	Inf	-Inf	3	Vertical	54	1.04	-
2422MHz	Pass	AV	2.4908G	45.97	54.00	-8.03	3	Vertical	54	1.04	-
2422MHz	Pass	PK	2.39G	61.46	74.00	-12.54	3	Vertical	54	1.04	-
2422MHz	Pass	PK	2.4116G	103.54	Inf	-Inf	3	Vertical	54	1.04	-
2422MHz	Pass	PK	2.4936G	58.50	74.00	-15.50	3	Vertical	54	1.04	-
2422MHz	Pass	AV	2.3832G	51.07	54.00	-2.93	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	2.412G	100.01	Inf	-Inf	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	2.484G	46.82	54.00	-7.18	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.3844G	66.15	74.00	-7.85	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.412G	111.05	Inf	-Inf	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.5G	58.79	74.00	-15.21	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	4.84287G	33.20	54.00	-20.80	3	Vertical	116	2.77	-
2422MHz	Pass	PK	4.84339G	46.49	74.00	-27.51	3	Vertical	116	2.77	-
2422MHz	Pass	AV	4.84162G	33.18	54.00	-20.82	3	Horizontal	30	1.50	-
2422MHz	Pass	PK	4.84175G	46.06	74.00	-27.94	3	Horizontal	30	1.50	-
2427MHz	Pass	AV	2.3894G	48.03	54.00	-5.97	3	Vertical	33	2.76	-
2427MHz	Pass	AV	2.4162G	102.14	Inf	-Inf	3	Vertical	33	2.76	-
2427MHz	Pass	AV	2.4954G	46.53	54.00	-7.47	3	Vertical	33	2.76	-
2427MHz	Pass	PK	2.3874G	61.66	74.00	-12.34	3	Vertical	33	2.76	-
2427MHz	Pass	PK	2.417G	104.44	Inf	-Inf	3	Vertical	33	2.76	-
2427MHz	Pass	PK	2.4866G	58.02	74.00	-15.98	3	Vertical	33	2.76	-
2427MHz	Pass	AV	2.389G	51.21	54.00	-2.79	3	Horizontal	59	1.03	-
2427MHz	Pass	AV	2.4162G	108.12	Inf	-Inf	3	Horizontal	59	1.03	-
2427MHz	Pass	AV	2.495G	47.87	54.00	-6.13	3	Horizontal	59	1.03	-
2427MHz	Pass	PK	2.3894G	65.99	74.00	-8.01	3	Horizontal	59	1.03	-
2427MHz	Pass	PK	2.417G	110.38	Inf	-Inf	3	Horizontal	59	1.03	-
2427MHz	Pass	PK	2.4974G	58.73	74.00	-15.27	3	Horizontal	59	1.03	-
2437MHz	Pass	AV	2.389G	49.69	54.00	-4.31	3	Vertical	53	1.00	-
2437MHz	Pass	AV	2.4278G	102.21	Inf	-Inf	3	Vertical	53	1.00	-
2437MHz	Pass	AV	2.4838G	49.22	54.00	-4.78	3	Vertical	53	1.00	-
2437MHz	Pass	PK	2.3894G	61.28	74.00	-12.72	3	Vertical	53	1.00	-
2437MHz	Pass	PK	2.4454G	104.18	Inf	-Inf	3	Vertical	53	1.00	-
2437MHz	Pass	PK	2.4838G	60.79	74.00	-13.21	3	Vertical	53	1.00	-
2437MHz	Pass	AV	2.3882G	53.93	54.00	-0.07	3	Horizontal	56	2.42	-
2437MHz	Pass	AV	2.4262G	109.90	Inf	-Inf	3	Horizontal	56	2.42	-
2437MHz	Pass	AV	2.487G	51.13	54.00	-2.87	3	Horizontal	56	2.42	-
2437MHz	Pass	PK	2.3894G	66.33	74.00	-7.67	3	Horizontal	56	2.42	-
2437MHz	Pass	PK	2.427G	111.32	Inf	-Inf	3	Horizontal	56	2.42	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4838G	66.75	74.00	-7.25	3	Horizontal	56	2.42	-
2437MHz	Pass	AV	4.87286G	33.19	54.00	-20.81	3	Vertical	353	1.14	-
2437MHz	Pass	PK	4.87212G	46.38	74.00	-27.62	3	Vertical	353	1.14	-
2437MHz	Pass	AV	4.87503G	33.89	54.00	-20.11	3	Horizontal	308	1.08	-
2437MHz	Pass	PK	4.87396G	46.55	74.00	-27.45	3	Horizontal	308	1.08	-
2447MHz	Pass	AV	2.3838G	45.68	54.00	-8.32	3	Vertical	26	2.99	-
2447MHz	Pass	AV	2.4378G	102.61	Inf	-Inf	3	Vertical	26	2.99	-
2447MHz	Pass	AV	2.4854G	51.23	54.00	-2.77	3	Vertical	26	2.99	-
2447MHz	Pass	PK	2.3582G	58.75	74.00	-15.25	3	Vertical	26	2.99	-
2447MHz	Pass	PK	2.4562G	106.65	Inf	-Inf	3	Vertical	26	2.99	-
2447MHz	Pass	PK	2.485G	67.00	74.00	-7.00	3	Vertical	26	2.99	-
2447MHz	Pass	AV	2.387G	47.37	54.00	-6.63	3	Horizontal	56	1.00	-
2447MHz	Pass	AV	2.4362G	108.82	Inf	-Inf	3	Horizontal	56	1.00	-
2447MHz	Pass	AV	2.4862G	53.54	54.00	-0.46	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.3862G	59.39	74.00	-14.61	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.4482G	110.94	Inf	-Inf	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.4835G	69.08	74.00	-4.92	3	Horizontal	56	1.00	-
2452MHz	Pass	AV	2.3552G	45.44	54.00	-8.56	3	Vertical	81	2.44	-
2452MHz	Pass	AV	2.4428G	99.93	Inf	-Inf	3	Vertical	81	2.44	-
2452MHz	Pass	AV	2.4835G	48.67	54.00	-5.33	3	Vertical	81	2.44	-
2452MHz	Pass	PK	2.376G	58.58	74.00	-15.42	3	Vertical	81	2.44	-
2452MHz	Pass	PK	2.4424G	101.58	Inf	-Inf	3	Vertical	81	2.44	-
2452MHz	Pass	PK	2.4856G	62.39	74.00	-11.61	3	Vertical	81	2.44	-
2452MHz	Pass	AV	2.3624G	45.70	54.00	-8.30	3	Horizontal	42	2.82	-
2452MHz	Pass	AV	2.4428G	105.17	Inf	-Inf	3	Horizontal	42	2.82	-
2452MHz	Pass	AV	2.4856G	50.71	54.00	-3.29	3	Horizontal	42	2.82	-
2452MHz	Pass	PK	2.3792G	58.45	74.00	-15.55	3	Horizontal	42	2.82	-
2452MHz	Pass	PK	2.46G	108.19	Inf	-Inf	3	Horizontal	42	2.82	-
2452MHz	Pass	PK	2.4844G	63.71	74.00	-10.29	3	Horizontal	42	2.82	-
2452MHz	Pass	AV	4.90562G	32.89	54.00	-21.11	3	Vertical	181	1.50	-
2452MHz	Pass	PK	4.9045G	45.78	74.00	-28.22	3	Vertical	181	1.50	-
2452MHz	Pass	AV	4.90548G	32.97	54.00	-21.03	3	Horizontal	313	2.35	-
2452MHz	Pass	PK	4.90182G	45.59	74.00	-28.41	3	Horizontal	313	2.35	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.61	54.00	-6.39	32.72	3	Vertical	52	1.09	-	14.89	27.64	5.08	-
AV	2.4112G	103.96	Inf	-Inf	32.71	3	Vertical	52	1.09	-	71.25	27.59	5.12	-
PK	2.3894G	62.63	74.00	-11.37	32.72	3	Vertical	52	1.09	-	29.91	27.64	5.08	-
PK	2.4138G	108.96	Inf	-Inf	32.71	3	Vertical	52	1.09	-	76.25	27.59	5.12	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.94	54.00	-4.06	32.72	3	Horizontal	59	1.00	-	17.22	27.64	5.08	-
AV	2.4112G	111.64	Inf	-Inf	32.71	3	Horizontal	59	1.00	-	78.93	27.59	5.12	-
PK	2.39G	64.78	74.00	-9.22	32.72	3	Horizontal	59	1.00	-	32.06	27.64	5.08	-
PK	2.413G	116.23	Inf	-Inf	32.71	3	Horizontal	59	1.00	-	83.52	27.59	5.12	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8223G	34.42	54.00	-19.58	4.37	3	Vertical	253	2.44	-	30.05	31.10	7.32	34.05
PK	4.82166G	46.81	74.00	-27.19	4.37	3	Vertical	253	2.44	-	42.44	31.10	7.32	34.05



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8218G	34.53	54.00	-19.47	4.37	3	Horizontal	29	1.50	-	30.16	31.10	7.32	34.05
PK	4.82161G	46.93	74.00	-27.07	4.37	3	Horizontal	29	1.50	-	42.56	31.10	7.32	34.05



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.06	54.00	-3.94	33.32	3	Vertical	51	1.88	-	16.74	27.37	5.95	-
AV	2.4162G	105.58	Inf	-Inf	33.43	3	Vertical	51	1.88	-	72.15	27.45	5.98	-
PK	2.3894G	62.82	74.00	-11.18	33.32	3	Vertical	51	1.88	-	29.50	27.37	5.95	-
PK	2.4196G	110.40	Inf	-Inf	33.44	3	Vertical	51	1.88	-	76.96	27.46	5.98	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

12/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.91	54.00	-0.09	33.32	3	Horizontal	71	2.59	-	20.59	27.37	5.95	-
AV	2.4182G	111.61	Inf	-Inf	33.43	3	Horizontal	71	2.59	-	78.18	27.45	5.98	-
PK	2.3894G	69.51	74.00	-4.49	33.32	3	Horizontal	71	2.59	-	36.19	27.37	5.95	-
PK	2.418G	117.50	Inf	-Inf	33.43	3	Horizontal	71	2.59	-	84.07	27.45	5.98	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.367G	46.50	54.00	-7.50	33.24	3	Vertical	50	2.26	-	13.26	27.30	5.94	-
AV	2.4378G	100.79	Inf	-Inf	33.52	3	Vertical	50	2.26	-	67.27	27.51	6.01	-
AV	2.4866G	47.05	54.00	-6.95	33.72	3	Vertical	50	2.26	-	13.33	27.66	6.06	-
PK	2.3498G	57.58	74.00	-16.42	33.17	3	Vertical	50	2.26	-	24.41	27.25	5.92	-
PK	2.4386G	110.78	Inf	-Inf	33.53	3	Vertical	50	2.26	-	77.25	27.52	6.01	-
PK	2.487G	57.90	74.00	-16.10	33.72	3	Vertical	50	2.26	-	24.18	27.66	6.06	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


041301



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.58	54.00	-6.42	33.32	3	Horizontal	73	2.80	-	14.26	27.37	5.95	-
AV	2.4378G	106.44	Inf	-Inf	33.52	3	Horizontal	73	2.80	-	72.92	27.51	6.01	-
AV	2.4858G	47.57	54.00	-6.43	33.72	3	Horizontal	73	2.80	-	13.85	27.66	6.06	-
PK	2.3574G	58.04	74.00	-15.96	33.20	3	Horizontal	73	2.80	-	24.84	27.27	5.93	-
PK	2.4382G	117.14	Inf	-Inf	33.52	3	Horizontal	73	2.80	-	83.62	27.51	6.01	-
PK	2.4958G	60.25	74.00	-13.75	33.76	3	Horizontal	73	2.80	-	26.49	27.69	6.07	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


041301



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	32.98	54.00	-21.02	5.90	3	Vertical	345	1.82	-	27.08	31.47	8.30	33.87
PK	4.87448G	44.49	74.00	-29.51	5.90	3	Vertical	345	1.82	-	38.59	31.47	8.30	33.87



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	33.87	54.00	-20.13	5.90	3	Horizontal	324	2.02	-	27.97	31.47	8.30	33.87
PK	4.87346G	44.74	74.00	-29.26	5.90	3	Horizontal	324	2.02	-	38.84	31.47	8.30	33.87



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	111.64	Inf	-Inf	33.60	3	Vertical	35	3.00	-	78.04	27.57	6.03	-
AV	2.4578G	105.96	Inf	-Inf	33.60	3	Vertical	35	3.00	-	72.36	27.57	6.03	-
PK	2.4854G	65.81	74.00	-8.19	33.72	3	Vertical	35	3.00	-	32.09	27.66	6.06	-
AV	2.485G	51.84	54.00	-2.16	33.71	3	Vertical	35	3.00	-	18.13	27.65	6.06	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/05/2020

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	111.17	Inf	-Inf	33.60	3	Horizontal	64	2.63	-	77.57	27.57	6.03	-
AV	2.4866G	52.77	54.00	-1.23	33.72	3	Horizontal	64	2.63	-	19.05	27.66	6.06	-
PK	2.4558G	116.39	Inf	-Inf	33.60	3	Horizontal	64	2.63	-	82.79	27.57	6.03	-
PK	2.487G	67.67	74.00	-6.33	33.72	3	Horizontal	64	2.63	-	33.95	27.66	6.06	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	104.20	Inf	-Inf	32.73	3	Vertical	33	2.98	-	71.47	27.54	5.19	-
AV	2.4835G	49.60	54.00	-4.40	32.75	3	Vertical	33	2.98	-	16.85	27.52	5.23	-
PK	2.4632G	108.63	Inf	-Inf	32.73	3	Vertical	33	2.98	-	75.90	27.54	5.19	-
PK	2.484G	61.29	74.00	-12.71	32.75	3	Vertical	33	2.98	-	28.54	27.52	5.23	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	109.10	Inf	-Inf	32.73	3	Horizontal	57	1.00	-	76.37	27.54	5.19	-
AV	2.4835G	51.90	54.00	-2.10	32.75	3	Horizontal	57	1.00	-	19.15	27.52	5.23	-
PK	2.463G	114.02	Inf	-Inf	32.73	3	Horizontal	57	1.00	-	81.29	27.54	5.19	-
PK	2.4838G	63.71	74.00	-10.29	32.75	3	Horizontal	57	1.00	-	30.96	27.52	5.23	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92517G	33.88	54.00	-20.12	4.58	3	Vertical	132	1.50	-	29.30	31.20	7.43	34.05
PK	4.92379G	45.42	74.00	-28.58	4.57	3	Vertical	132	1.50	-	40.85	31.20	7.42	34.05



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

04/05/2020

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92186G	33.90	54.00	-20.10	4.56	3	Horizontal	155	1.50	-	29.34	31.19	7.42	34.05
PK	4.92261G	45.66	74.00	-28.34	4.56	3	Horizontal	155	1.50	-	41.10	31.19	7.42	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.94	54.00	-6.06	32.72	3	Vertical	54	1.04	-	15.22	27.64	5.08	-
AV	2.4112G	101.56	Inf	-Inf	32.71	3	Vertical	54	1.04	-	68.85	27.59	5.12	-
AV	2.4908G	45.97	54.00	-8.03	32.75	3	Vertical	54	1.04	-	13.22	27.51	5.24	-
PK	2.39G	61.46	74.00	-12.54	32.72	3	Vertical	54	1.04	-	28.74	27.64	5.08	-
PK	2.4116G	103.54	Inf	-Inf	32.71	3	Vertical	54	1.04	-	70.83	27.59	5.12	-
PK	2.4936G	58.50	74.00	-15.50	32.75	3	Vertical	54	1.04	-	25.75	27.51	5.24	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3832G	51.07	54.00	-2.93	32.74	3	Horizontal	56	1.50	-	18.33	27.67	5.07	-
AV	2.412G	100.01	Inf	-Inf	32.71	3	Horizontal	56	1.50	-	67.30	27.59	5.12	-
AV	2.484G	46.82	54.00	-7.18	32.75	3	Horizontal	56	1.50	-	14.07	27.52	5.23	-
PK	2.3844G	66.15	74.00	-7.85	32.73	3	Horizontal	56	1.50	-	33.42	27.66	5.07	-
PK	2.412G	111.05	Inf	-Inf	32.71	3	Horizontal	56	1.50	-	78.34	27.59	5.12	-
PK	2.5G	58.79	74.00	-15.21	32.75	3	Horizontal	56	1.50	-	26.04	27.50	5.25	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


041301



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84287G	33.20	54.00	-20.80	4.39	3	Vertical	116	2.77	-	28.81	31.10	7.34	34.05
PK	4.84339G	46.49	74.00	-27.51	4.39	3	Vertical	116	2.77	-	42.10	31.10	7.34	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84162G	33.18	54.00	-20.82	4.39	3	Horizontal	30	1.50	-	28.79	31.10	7.34	34.05
PK	4.84175G	46.06	74.00	-27.94	4.39	3	Horizontal	30	1.50	-	41.67	31.10	7.34	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.03	54.00	-5.97	32.72	3	Vertical	33	2.76	-	15.31	27.64	5.08	-
AV	2.4162G	102.14	Inf	-Inf	32.70	3	Vertical	33	2.76	-	69.44	27.58	5.12	-
AV	2.4954G	46.53	54.00	-7.47	32.74	3	Vertical	33	2.76	-	13.79	27.50	5.24	-
PK	2.3874G	61.66	74.00	-12.34	32.72	3	Vertical	33	2.76	-	28.94	27.65	5.07	-
PK	2.417G	104.44	Inf	-Inf	32.71	3	Vertical	33	2.76	-	71.73	27.58	5.13	-
PK	2.4866G	58.02	74.00	-15.98	32.74	3	Vertical	33	2.76	-	25.28	27.51	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.21	54.00	-2.79	32.72	3	Horizontal	59	1.03	-	18.49	27.64	5.08	-
AV	2.4162G	108.12	Inf	-Inf	32.70	3	Horizontal	59	1.03	-	75.42	27.58	5.12	-
AV	2.495G	47.87	54.00	-6.13	32.74	3	Horizontal	59	1.03	-	15.13	27.50	5.24	-
PK	2.3894G	65.99	74.00	-8.01	32.72	3	Horizontal	59	1.03	-	33.27	27.64	5.08	-
PK	2.417G	110.38	Inf	-Inf	32.71	3	Horizontal	59	1.03	-	77.67	27.58	5.13	-
PK	2.4974G	58.73	74.00	-15.27	32.75	3	Horizontal	59	1.03	-	25.98	27.50	5.25	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	49.69	54.00	-4.31	32.72	3	Vertical	53	1.00	-	16.97	27.64	5.08	-
AV	2.4278G	102.21	Inf	-Inf	32.71	3	Vertical	53	1.00	-	69.50	27.57	5.14	-
AV	2.4838G	49.22	54.00	-4.78	32.75	3	Vertical	53	1.00	-	16.47	27.52	5.23	-
PK	2.3894G	61.28	74.00	-12.72	32.72	3	Vertical	53	1.00	-	28.56	27.64	5.08	-
PK	2.4454G	104.18	Inf	-Inf	32.72	3	Vertical	53	1.00	-	71.46	27.55	5.17	-
PK	2.4838G	60.79	74.00	-13.21	32.75	3	Vertical	53	1.00	-	28.04	27.52	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	53.93	54.00	-0.07	32.73	3	Horizontal	56	2.42	-	21.20	27.65	5.08	-
AV	2.4262G	109.90	Inf	-Inf	32.71	3	Horizontal	56	2.42	-	77.19	27.57	5.14	-
AV	2.487G	51.13	54.00	-2.87	32.74	3	Horizontal	56	2.42	-	18.39	27.51	5.23	-
PK	2.3894G	66.33	74.00	-7.67	32.72	3	Horizontal	56	2.42	-	33.61	27.64	5.08	-
PK	2.427G	111.32	Inf	-Inf	32.71	3	Horizontal	56	2.42	-	78.61	27.57	5.14	-
PK	2.4838G	66.75	74.00	-7.25	32.75	3	Horizontal	56	2.42	-	34.00	27.52	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87286G	33.19	54.00	-20.81	4.42	3	Vertical	353	1.14	-	28.77	31.10	7.37	34.05
PK	4.87212G	46.38	74.00	-27.62	4.42	3	Vertical	353	1.14	-	41.96	31.10	7.37	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87503G	33.89	54.00	-20.11	4.43	3	Horizontal	308	1.08	-	29.46	31.10	7.38	34.05
PK	4.87396G	46.55	74.00	-27.45	4.42	3	Horizontal	308	1.08	-	42.13	31.10	7.37	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3838G	45.68	54.00	-8.32	32.73	3	Vertical	26	2.99	-	12.95	27.66	5.07	-
AV	2.4378G	102.61	Inf	-Inf	32.72	3	Vertical	26	2.99	-	69.89	27.56	5.16	-
AV	2.4854G	51.23	54.00	-2.77	32.74	3	Vertical	26	2.99	-	18.49	27.51	5.23	-
PK	2.3582G	58.75	74.00	-15.25	32.79	3	Vertical	26	2.99	-	25.96	27.77	5.02	-
PK	2.4562G	106.65	Inf	-Inf	32.72	3	Vertical	26	2.99	-	73.93	27.54	5.18	-
PK	2.485G	67.00	74.00	-7.00	32.75	3	Vertical	26	2.99	-	34.25	27.52	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	47.37	54.00	-6.63	32.72	3	Horizontal	56	1.00	-	14.65	27.65	5.07	-
AV	2.4362G	108.82	Inf	-Inf	32.71	3	Horizontal	56	1.00	-	76.11	27.56	5.15	-
AV	2.4862G	53.54	54.00	-0.46	32.74	3	Horizontal	56	1.00	-	20.80	27.51	5.23	-
PK	2.3862G	59.39	74.00	-14.61	32.73	3	Horizontal	56	1.00	-	26.66	27.66	5.07	-
PK	2.4482G	110.94	Inf	-Inf	32.72	3	Horizontal	56	1.00	-	78.22	27.55	5.17	-
PK	2.4835G	69.08	74.00	-4.92	32.75	3	Horizontal	56	1.00	-	36.33	27.52	5.23	-

Remark :


Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

041301



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

04/05/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3552G	45.44	54.00	-8.56	32.79	3	Vertical	81	2.44	-	12.65	27.78	5.01	-
AV	2.4428G	99.93	Inf	-Inf	32.72	3	Vertical	81	2.44	-	67.21	27.56	5.16	-
AV	2.4835G	48.67	54.00	-5.33	32.75	3	Vertical	81	2.44	-	15.92	27.52	5.23	-
PK	2.376G	58.58	74.00	-15.42	32.75	3	Vertical	81	2.44	-	25.83	27.70	5.05	-
PK	2.4424G	101.58	Inf	-Inf	32.72	3	Vertical	81	2.44	-	68.86	27.56	5.16	-
PK	2.4856G	62.39	74.00	-11.61	32.74	3	Vertical	81	2.44	-	29.65	27.51	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3624G	45.70	54.00	-8.30	32.77	3	Horizontal	42	2.82	-	12.93	27.75	5.02	-
AV	2.4428G	105.17	Inf	-Inf	32.72	3	Horizontal	42	2.82	-	72.45	27.56	5.16	-
AV	2.4856G	50.71	54.00	-3.29	32.74	3	Horizontal	42	2.82	-	17.97	27.51	5.23	-
PK	2.3792G	58.45	74.00	-15.55	32.74	3	Horizontal	42	2.82	-	25.71	27.68	5.06	-
PK	2.46G	108.19	Inf	-Inf	32.73	3	Horizontal	42	2.82	-	75.46	27.54	5.19	-
PK	2.4844G	63.71	74.00	-10.29	32.75	3	Horizontal	42	2.82	-	30.96	27.52	5.23	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90562G	32.89	54.00	-21.11	4.48	3	Vertical	181	1.50	-	28.41	31.12	7.41	34.05
PK	4.9045G	45.78	74.00	-28.22	4.47	3	Vertical	181	1.50	-	41.31	31.12	7.40	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

04/05/2020

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90548G	32.97	54.00	-21.03	4.48	3	Horizontal	313	2.35	-	28.49	31.12	7.41	34.05
PK	4.90182G	45.59	74.00	-28.41	4.46	3	Horizontal	313	2.35	-	41.13	31.11	7.40	34.05