




802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	85.17	Inf	-Inf	7.48	3	Vertical	200	1.84	-	77.69	32.36	9.09	33.97
PK	5.5574G	58.58	68.20	-9.62	6.89	3	Vertical	200	1.84	-	51.69	31.98	8.84	33.93
PK	5.8286G	95.69	Inf	-Inf	7.48	3	Vertical	200	1.84	-	88.21	32.36	9.09	33.97
PK	6.0482G	58.80	68.20	-9.40	7.95	3	Vertical	200	1.84	-	50.85	32.74	9.21	34.00

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


041301



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	95.23	Inf	-Inf	7.47	3	Horizontal	172	1.13	-	87.76	32.35	9.09	33.97
PK	5.6078G	58.02	68.20	-10.18	7.02	3	Horizontal	172	1.13	-	51.00	32.05	8.91	33.94
PK	5.8214G	105.50	Inf	-Inf	7.47	3	Horizontal	172	1.13	-	98.03	32.35	9.09	33.97
PK	6.0086G	58.95	68.20	-9.25	7.81	3	Horizontal	172	1.13	-	51.14	32.63	9.18	34.00



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6509G	53.88	54.00	-0.12	19.78	3	Vertical	147	1.88	-	34.10	40.90	12.83	33.95
PK	11.65714G	67.81	74.00	-6.19	19.79	3	Vertical	147	1.88	-	48.02	40.91	12.84	33.96



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	52.62	54.00	-1.38	19.78	3	Horizontal	311	1.52	-	32.84	40.90	12.83	33.95
PK	11.65414G	65.96	74.00	-8.04	19.80	3	Horizontal	311	1.52	-	46.16	40.91	12.84	33.95



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.12	54.00	-2.88	8.88	3	Vertical	84	2.35	-	42.24	34.20	8.52	33.84
AV	5.2032G	90.62	Inf	-Inf	8.93	3	Vertical	84	2.35	-	81.69	34.21	8.57	33.85
PK	5.1492G	61.98	74.00	-12.02	8.89	3	Vertical	84	2.35	-	53.09	34.20	8.52	33.83
PK	5.2036G	100.10	Inf	-Inf	8.93	3	Vertical	84	2.35	-	91.17	34.21	8.57	33.85



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	8.88	3	Horizontal	345	2.54	-	44.72	34.20	8.52	33.84
AV	5.1864G	93.57	Inf	-Inf	8.91	3	Horizontal	345	2.54	-	84.66	34.20	8.56	33.85
PK	5.1492G	65.43	74.00	-8.57	8.89	3	Horizontal	345	2.54	-	56.54	34.20	8.52	33.83
PK	5.1828G	103.66	Inf	-Inf	8.91	3	Horizontal	345	2.54	-	94.75	34.20	8.55	33.84



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37988G	55.30	68.20	-12.90	17.30	3	Vertical	219	1.78	-	38.00	39.39	12.19	34.28



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37754G	54.52	68.20	-13.68	17.29	3	Horizontal	75	1.40	-	37.23	39.39	12.19	34.29



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.33	54.00	-2.67	8.88	3	Vertical	87	2.22	-	42.45	34.20	8.52	33.84
AV	5.2436G	97.71	Inf	-Inf	9.01	3	Vertical	87	2.22	-	88.70	34.29	8.58	33.86
PK	5.1496G	65.23	74.00	-8.77	8.89	3	Vertical	87	2.22	-	56.34	34.20	8.52	33.83
PK	5.242G	107.90	Inf	-Inf	9.00	3	Vertical	87	2.22	-	98.90	34.28	8.58	33.86



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.50	54.00	-0.50	8.89	3	Horizontal	344	2.92	-	44.61	34.20	8.52	33.83
AV	5.2456G	101.27	Inf	-Inf	9.01	3	Horizontal	344	2.92	-	92.26	34.29	8.58	33.86
PK	5.1492G	66.97	74.00	-7.03	8.89	3	Horizontal	344	2.92	-	58.08	34.20	8.52	33.83
PK	5.22G	112.18	Inf	-Inf	8.96	3	Horizontal	344	2.92	-	103.22	34.24	8.57	33.85



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45478G	56.20	68.20	-12.00	17.49	3	Vertical	79	1.92	-	38.71	39.49	12.23	34.23



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44596G	56.42	68.20	-11.78	17.47	3	Horizontal	136	1.12	-	38.95	39.48	12.23	34.24



802.11ac VHT40_Nss1,(MCS0)_1TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	46.09	54.00	-7.91	6.66	3	Vertical	2	3.03	-	39.43	31.88	8.69	33.91
AV	5.7418G	91.69	Inf	-Inf	7.31	3	Vertical	2	3.03	-	84.38	32.24	9.03	33.96
PK	5.6494G	58.78	68.20	-9.42	7.11	3	Vertical	2	3.03	-	51.67	32.11	8.94	33.94
PK	5.7406G	101.51	Inf	-Inf	7.31	3	Vertical	2	3.03	-	94.20	32.24	9.03	33.96
PK	6.025G	59.29	68.20	-8.91	7.86	3	Vertical	2	3.03	-	51.43	32.67	9.19	34.00



802.11ac VHT40_Nss1,(MCS0)_1TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.94	54.00	-8.06	6.67	3	Horizontal	172	2.35	-	39.27	31.88	8.70	33.91
AV	5.743G	95.38	Inf	-Inf	7.31	3	Horizontal	172	2.35	-	88.07	32.24	9.03	33.96
PK	5.6494G	62.60	68.20	-5.60	7.11	3	Horizontal	172	2.35	-	55.49	32.11	8.94	33.94
PK	5.7406G	105.06	Inf	-Inf	7.31	3	Horizontal	172	2.35	-	97.75	32.24	9.03	33.96
PK	6.0346G	59.02	68.20	-9.18	7.90	3	Horizontal	172	2.35	-	51.12	32.70	9.20	34.00



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5134G	53.65	54.00	-0.35	19.46	3	Vertical	142	2.14	-	34.19	40.63	12.76	33.93
PK	11.5185G	66.58	74.00	-7.42	19.48	3	Vertical	142	2.14	-	47.10	40.64	12.77	33.93



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51256G	52.89	54.00	-1.11	19.46	3	Horizontal	53	1.01	-	33.43	40.63	12.76	33.93
PK	11.51524G	65.75	74.00	-8.25	19.47	3	Horizontal	53	1.01	-	46.28	40.63	12.77	33.93



802.11ac VHT40_Nss1,(MCS0)_1TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	90.56	Inf	-Inf	7.40	3	Vertical	0	3.15	-	83.16	32.30	9.07	33.97
PK	5.6462G	58.21	68.20	-9.99	7.10	3	Vertical	0	3.15	-	51.11	32.10	8.94	33.94
PK	5.7854G	100.66	Inf	-Inf	7.40	3	Vertical	0	3.15	-	93.26	32.30	9.07	33.97
PK	6.0758G	59.03	68.20	-9.17	8.06	3	Vertical	0	3.15	-	50.97	32.83	9.23	34.00



802.11ac VHT40_Nss1,(MCS0)_1TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.783G	94.04	Inf	-Inf	7.39	3	Horizontal	173	2.30	-	86.65	32.30	9.06	33.97
PK	5.5634G	59.00	68.20	-9.20	6.91	3	Horizontal	173	2.30	-	52.09	31.99	8.85	33.93
PK	5.7878G	103.61	Inf	-Inf	7.40	3	Horizontal	173	2.30	-	96.21	32.30	9.07	33.97
PK	6.083G	59.25	68.20	-8.95	8.09	3	Horizontal	173	2.30	-	51.16	32.85	9.24	34.00



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5942G	53.51	54.00	-0.49	19.65	3	Vertical	155	2.22	-	33.86	40.79	12.81	33.95
PK	11.5924G	65.82	74.00	-8.18	19.64	3	Vertical	155	2.22	-	46.18	40.78	12.80	33.94



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5924G	52.51	54.00	-1.49	19.64	3	Horizontal	17	1.14	-	32.87	40.78	12.80	33.94
PK	11.5974G	64.09	74.00	-9.91	19.65	3	Horizontal	17	1.14	-	44.44	40.79	12.81	33.95



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.42	54.00	-2.58	8.88	3	Vertical	84	2.23	-	42.54	34.20	8.52	33.84
AV	5.237G	83.88	Inf	-Inf	8.99	3	Vertical	84	2.23	-	74.89	34.27	8.58	33.86
AV	5.352G	48.52	54.00	-5.48	9.01	3	Vertical	84	2.23	-	39.51	34.30	8.60	33.89
PK	5.15G	62.28	74.00	-11.72	8.88	3	Vertical	84	2.23	-	53.40	34.20	8.52	33.84
PK	5.199G	94.51	Inf	-Inf	8.92	3	Vertical	84	2.23	-	85.59	34.20	8.57	33.85
PK	5.359G	60.54	74.00	-13.46	8.99	3	Vertical	84	2.23	-	51.55	34.28	8.60	33.89

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


041301



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	8.88	3	Horizontal	333	2.72	-	44.99	34.20	8.52	33.84
AV	5.232G	86.85	Inf	-Inf	8.98	3	Horizontal	333	2.72	-	77.87	34.26	8.58	33.86
AV	5.374G	49.14	54.00	-4.86	8.96	3	Horizontal	333	2.72	-	40.18	34.25	8.60	33.89
PK	5.149G	66.77	74.00	-7.23	8.89	3	Horizontal	333	2.72	-	57.88	34.20	8.52	33.83
PK	5.199G	97.73	Inf	-Inf	8.92	3	Horizontal	333	2.72	-	88.81	34.20	8.57	33.85
PK	5.378G	60.23	74.00	-13.77	8.96	3	Horizontal	333	2.72	-	51.27	34.24	8.61	33.89



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43182G	54.95	68.20	-13.25	17.43	3	Vertical	216	1.25	-	37.52	39.46	12.22	34.25



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40986G	55.15	68.20	-13.05	17.38	3	Horizontal	193	1.93	-	37.77	39.43	12.21	34.26



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	85.21	Inf	-Inf	9.06	3	Vertical	82	2.18	-	76.15	33.99	9.03	33.96
PK	5.643G	60.91	68.20	-7.29	9.01	3	Vertical	82	2.18	-	51.90	34.01	8.94	33.94
PK	5.763G	95.85	Inf	-Inf	9.12	3	Vertical	82	2.18	-	86.73	34.03	9.05	33.96
PK	5.925G	60.88	68.20	-7.32	9.81	3	Vertical	82	2.18	-	51.07	34.65	9.14	33.98



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	92.65	Inf	-Inf	9.05	3	Horizontal	340	2.38	-	83.60	33.98	9.03	33.96
PK	5.6478G	67.84	68.20	-0.36	9.00	3	Horizontal	340	2.38	-	58.84	34.00	8.94	33.94
PK	5.7606G	102.71	Inf	-Inf	9.10	3	Horizontal	340	2.38	-	93.61	34.02	9.04	33.96
PK	6.0654G	61.75	68.20	-6.45	10.15	3	Horizontal	340	2.38	-	51.60	34.93	9.22	34.00



802.11ac VHT80_Nss1,(MCS0)_1TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5521G	50.85	54.00	-3.15	18.38	3	Vertical	150	1.11	-	32.47	39.54	12.78	33.94
PK	11.56224G	64.46	74.00	-9.54	18.38	3	Vertical	150	1.11	-	46.08	39.53	12.79	33.94



802.11ac VHT80_Nss1,(MCS0)_1TX

12/05/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54994G	48.19	54.00	-5.81	18.38	3	Horizontal	23	1.00	-	29.81	39.54	12.78	33.94
PK	11.56224G	61.39	74.00	-12.61	18.38	3	Horizontal	23	1.00	-	43.01	39.53	12.79	33.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	QP	45.52M	35.98	40.00	-4.02	3	Vertical	225	1.00	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	148.34M	31.90	43.50	-11.60	3	Vertical	360	1.00	-
5775MHz	Pass	PK	423.82M	32.72	46.00	-13.28	3	Vertical	360	1.00	-
5775MHz	Pass	PK	600.36M	34.01	46.00	-11.99	3	Vertical	360	1.00	-
5775MHz	Pass	PK	901.06M	36.16	46.00	-9.84	3	Vertical	360	1.00	-
5775MHz	Pass	QP	35.82M	32.64	40.00	-7.36	3	Vertical	144	1.00	-
5775MHz	Pass	QP	45.52M	35.98	40.00	-4.02	3	Vertical	225	1.00	-
5775MHz	Pass	PK	30M	34.05	40.00	-5.95	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	35.82M	35.35	40.00	-4.65	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	105.66M	33.88	43.50	-9.62	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	425.76M	35.11	46.00	-10.89	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	840.92M	41.79	46.00	-4.21	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	901.06M	39.92	46.00	-6.08	3	Horizontal	0	1.00	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/05/2020

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	148.34M	31.90	43.50	-11.60	-10.17	3	Vertical	360	1.00	-	42.07	15.67	1.80	27.64
PK	423.82M	32.72	46.00	-13.28	-3.08	3	Vertical	360	1.00	-	35.80	21.82	3.18	28.08
PK	600.36M	34.01	46.00	-11.99	-0.85	3	Vertical	360	1.00	-	34.86	23.77	3.89	28.51
PK	901.06M	36.16	46.00	-9.84	2.64	3	Vertical	360	1.00	-	33.52	25.53	4.80	27.69
QP	35.82M	32.64	40.00	-7.36	-6.72	3	Vertical	144	1.00	-	39.36	20.10	0.86	27.68
QP	45.52M	35.98	40.00	-4.02	-11.63	3	Vertical	225	1.00	-	47.61	15.06	0.99	27.68



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

28/05/2020

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	34.05	40.00	-5.95	-3.45	3	Horizontal	0	1.00	-	37.50	23.48	0.77	27.70
PK	35.82M	35.35	40.00	-4.65	-6.72	3	Horizontal	0	1.00	-	42.07	20.10	0.86	27.68
PK	105.66M	33.88	43.50	-9.62	-9.50	3	Horizontal	0	1.00	-	43.38	16.73	1.52	27.75
PK	425.76M	35.11	46.00	-10.89	-3.12	3	Horizontal	0	1.00	-	38.23	21.80	3.18	28.10
PK	840.92M	41.79	46.00	-4.21	1.99	3	Horizontal	0	1.00	-	39.80	25.41	4.66	28.08
PK	901.06M	39.92	46.00	-6.08	2.64	3	Horizontal	0	1.00	-	37.28	25.53	4.80	27.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1498G	50.21	54.00	-3.79	3	Horizontal	317	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.94	54.00	-1.06	3	Horizontal	313	2.34	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	297	1.98	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.36112G	67.32	68.20	-0.88	3	Horizontal	6	1.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	17.3878G	65.13	68.20	-3.07	3	Vertical	307	1.43	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.649G	67.88	68.20	-0.32	3	Horizontal	285	1.49	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.146G	46.27	54.00	-7.73	3	Vertical	11	1.24	-
5180MHz	Pass	AV	5.1838G	102.23	Inf	-Inf	3	Vertical	11	1.24	-
5180MHz	Pass	PK	5.147G	60.80	74.00	-13.20	3	Vertical	11	1.24	-
5180MHz	Pass	PK	5.1848G	114.03	Inf	-Inf	3	Vertical	11	1.24	-
5180MHz	Pass	AV	5.1498G	50.21	54.00	-3.79	3	Horizontal	317	1.49	-
5180MHz	Pass	AV	5.182G	108.88	Inf	-Inf	3	Horizontal	317	1.49	-
5180MHz	Pass	PK	5.15G	66.92	74.00	-7.08	3	Horizontal	317	1.49	-
5180MHz	Pass	PK	5.1826G	121.35	Inf	-Inf	3	Horizontal	317	1.49	-
5180MHz	Pass	AV	15.5397G	44.43	54.00	-9.57	3	Vertical	321	1.49	-
5180MHz	Pass	PK	10.35825G	54.95	68.20	-13.25	3	Vertical	38	2.43	-
5180MHz	Pass	PK	15.5398G	60.76	74.00	-13.24	3	Vertical	321	1.49	-
5180MHz	Pass	AV	15.5397G	45.72	54.00	-8.28	3	Horizontal	296	1.39	-
5180MHz	Pass	PK	10.36007G	56.00	68.20	-12.20	3	Horizontal	360	1.35	-
5180MHz	Pass	PK	15.5419G	61.80	74.00	-12.20	3	Horizontal	296	1.39	-
5200MHz	Pass	AV	5.1464G	45.73	54.00	-8.27	3	Vertical	0	0.99	-
5200MHz	Pass	AV	5.206G	104.78	Inf	-Inf	3	Vertical	0	0.99	-
5200MHz	Pass	PK	5.1476G	58.17	74.00	-15.83	3	Vertical	0	0.99	-
5200MHz	Pass	PK	5.206G	116.03	Inf	-Inf	3	Vertical	0	0.99	-
5200MHz	Pass	AV	5.15G	48.35	54.00	-5.65	3	Horizontal	293	1.59	-
5200MHz	Pass	AV	5.1924G	110.86	Inf	-Inf	3	Horizontal	293	1.59	-
5200MHz	Pass	PK	5.15G	62.19	74.00	-11.81	3	Horizontal	293	1.59	-
5200MHz	Pass	PK	5.1924G	122.81	Inf	-Inf	3	Horizontal	293	1.59	-
5200MHz	Pass	AV	15.60215G	47.90	54.00	-6.10	3	Vertical	31	1.04	-
5200MHz	Pass	PK	10.3999G	54.53	68.20	-13.67	3	Vertical	118	2.16	-
5200MHz	Pass	PK	15.60022G	63.95	74.00	-10.05	3	Vertical	31	1.04	-
5200MHz	Pass	AV	15.604G	48.85	54.00	-5.15	3	Horizontal	73	1.04	-
5200MHz	Pass	PK	10.40018G	55.85	68.20	-12.35	3	Horizontal	192	1.62	-
5200MHz	Pass	PK	15.6031G	64.39	74.00	-9.61	3	Horizontal	73	1.04	-
5240MHz	Pass	AV	5.1488G	45.23	54.00	-8.77	3	Vertical	341	1.00	-
5240MHz	Pass	AV	5.2454G	103.78	Inf	-Inf	3	Vertical	341	1.00	-
5240MHz	Pass	AV	5.357G	45.22	54.00	-8.78	3	Vertical	341	1.00	-
5240MHz	Pass	PK	5.1326G	57.77	74.00	-16.23	3	Vertical	341	1.00	-
5240MHz	Pass	PK	5.2454G	115.26	Inf	-Inf	3	Vertical	341	1.00	-
5240MHz	Pass	PK	5.36G	57.86	74.00	-16.14	3	Vertical	341	1.00	-
5240MHz	Pass	AV	5.1464G	46.97	54.00	-7.03	3	Horizontal	319	1.48	-
5240MHz	Pass	AV	5.2424G	110.13	Inf	-Inf	3	Horizontal	319	1.48	-
5240MHz	Pass	AV	5.3762G	45.79	54.00	-8.21	3	Horizontal	319	1.48	-
5240MHz	Pass	PK	5.1458G	59.33	74.00	-14.67	3	Horizontal	319	1.48	-
5240MHz	Pass	PK	5.2418G	121.77	Inf	-Inf	3	Horizontal	319	1.48	-
5240MHz	Pass	PK	5.3828G	58.20	74.00	-15.80	3	Horizontal	319	1.48	-
5240MHz	Pass	AV	15.71761G	48.54	54.00	-5.46	3	Vertical	25	1.62	-
5240MHz	Pass	PK	10.48089G	53.50	68.20	-14.70	3	Vertical	65	1.58	-
5240MHz	Pass	PK	15.71766G	65.57	74.00	-8.43	3	Vertical	25	1.62	-
5240MHz	Pass	AV	15.7279G	49.50	54.00	-4.50	3	Horizontal	73	1.52	-
5240MHz	Pass	PK	10.48018G	56.10	68.20	-12.10	3	Horizontal	168	1.50	-
5240MHz	Pass	PK	15.728G	66.43	74.00	-7.57	3	Horizontal	73	1.52	-
5745MHz	Pass	AV	5.7474G	103.89	Inf	-Inf	3	Vertical	357	1.01	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



RSE TX above 1GHz_Beamforming Radio 1_4T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.559G	57.96	68.20	-10.24	3	Vertical	357	1.01	-
5745MHz	Pass	PK	5.7486G	115.30	Inf	-Inf	3	Vertical	357	1.01	-
5745MHz	Pass	PK	5.9382G	59.18	68.20	-9.02	3	Vertical	357	1.01	-
5745MHz	Pass	AV	5.7498G	109.43	Inf	-Inf	3	Horizontal	310	1.65	-
5745MHz	Pass	PK	5.5374G	59.93	68.20	-8.27	3	Horizontal	310	1.65	-
5745MHz	Pass	PK	5.7486G	121.09	Inf	-Inf	3	Horizontal	310	1.65	-
5745MHz	Pass	PK	5.9538G	58.69	68.20	-9.51	3	Horizontal	310	1.65	-
5745MHz	Pass	AV	11.48838G	46.16	54.00	-7.84	3	Vertical	226	1.57	-
5745MHz	Pass	PK	11.48892G	60.49	74.00	-13.51	3	Vertical	226	1.57	-
5745MHz	Pass	PK	17.23626G	65.11	68.20	-3.09	3	Vertical	333	1.48	-
5745MHz	Pass	AV	11.48682G	45.57	54.00	-8.43	3	Horizontal	282	1.52	-
5745MHz	Pass	PK	11.48646G	59.84	74.00	-14.16	3	Horizontal	282	1.52	-
5745MHz	Pass	PK	17.23716G	66.09	68.20	-2.11	3	Horizontal	7	1.00	-
5785MHz	Pass	AV	5.7934G	103.02	Inf	-Inf	3	Vertical	358	1.00	-
5785MHz	Pass	PK	5.5678G	58.24	68.20	-9.96	3	Vertical	358	1.00	-
5785MHz	Pass	PK	5.7814G	114.45	Inf	-Inf	3	Vertical	358	1.00	-
5785MHz	Pass	PK	5.959G	58.24	68.20	-9.96	3	Vertical	358	1.00	-
5785MHz	Pass	AV	5.7802G	107.63	Inf	-Inf	3	Horizontal	284	1.48	-
5785MHz	Pass	PK	5.647G	58.66	68.20	-9.54	3	Horizontal	284	1.48	-
5785MHz	Pass	PK	5.7802G	118.68	Inf	-Inf	3	Horizontal	284	1.48	-
5785MHz	Pass	PK	5.9266G	58.34	68.20	-9.86	3	Horizontal	284	1.48	-
5785MHz	Pass	AV	11.56844G	47.66	54.00	-6.34	3	Vertical	226	1.48	-
5785MHz	Pass	PK	11.5685G	61.54	74.00	-12.46	3	Vertical	226	1.48	-
5785MHz	Pass	PK	17.36112G	65.51	68.20	-2.69	3	Vertical	355	1.48	-
5785MHz	Pass	AV	11.567G	47.56	54.00	-6.44	3	Horizontal	279	1.49	-
5785MHz	Pass	PK	11.56778G	61.93	74.00	-12.07	3	Horizontal	279	1.49	-
5785MHz	Pass	PK	17.36112G	67.32	68.20	-0.88	3	Horizontal	6	1.00	-
5825MHz	Pass	AV	5.8286G	103.44	Inf	-Inf	3	Vertical	51	1.47	-
5825MHz	Pass	PK	5.6126G	57.97	68.20	-10.23	3	Vertical	51	1.47	-
5825MHz	Pass	PK	5.8286G	113.74	Inf	-Inf	3	Vertical	51	1.47	-
5825MHz	Pass	PK	5.9822G	58.59	68.20	-9.61	3	Vertical	51	1.47	-
5825MHz	Pass	AV	5.8286G	110.52	Inf	-Inf	3	Horizontal	307	2.14	-
5825MHz	Pass	PK	5.6378G	59.76	68.20	-8.44	3	Horizontal	307	2.14	-
5825MHz	Pass	PK	5.8286G	121.18	Inf	-Inf	3	Horizontal	307	2.14	-
5825MHz	Pass	PK	5.927G	59.43	68.20	-8.77	3	Horizontal	307	2.14	-
5825MHz	Pass	AV	11.64886G	48.88	54.00	-5.12	3	Vertical	225	1.49	-
5825MHz	Pass	PK	11.64916G	62.87	74.00	-11.13	3	Vertical	225	1.49	-
5825MHz	Pass	PK	17.47944G	67.31	68.20	-0.89	3	Vertical	313	2.11	-
5825MHz	Pass	AV	11.64748G	48.06	54.00	-5.94	3	Horizontal	281	1.49	-
5825MHz	Pass	PK	11.6464G	61.76	74.00	-12.24	3	Horizontal	281	1.49	-
5825MHz	Pass	PK	17.4714G	65.67	68.20	-2.53	3	Horizontal	6	1.43	-
802.11ax HEW40-BF_Nss1 (MCSO)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.146G	48.23	54.00	-5.77	3	Vertical	358	1.00	-
5190MHz	Pass	AV	5.1868G	96.65	Inf	-Inf	3	Vertical	358	1.00	-
5190MHz	Pass	PK	5.1464G	60.20	74.00	-13.80	3	Vertical	358	1.00	-
5190MHz	Pass	PK	5.2016G	106.87	Inf	-Inf	3	Vertical	358	1.00	-
5190MHz	Pass	AV	5.1492G	52.44	54.00	-1.56	3	Horizontal	299	2.11	-
5190MHz	Pass	AV	5.204G	102.65	Inf	-Inf	3	Horizontal	299	2.11	-
5190MHz	Pass	PK	5.148G	65.88	74.00	-8.12	3	Horizontal	299	2.11	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1988G	111.83	Inf	-Inf	3	Horizontal	299	2.11	-
5190MHz	Pass	AV	15.56202G	43.98	54.00	-10.02	3	Vertical	314	3.00	-
5190MHz	Pass	PK	10.3833G	56.20	68.20	-12.00	3	Vertical	3	1.50	-
5190MHz	Pass	PK	15.56262G	56.37	74.00	-17.63	3	Vertical	314	3.00	-
5190MHz	Pass	AV	15.56688G	44.14	54.00	-9.86	3	Horizontal	293	1.49	-
5190MHz	Pass	PK	10.389G	55.43	68.20	-12.77	3	Horizontal	66	1.50	-
5190MHz	Pass	PK	15.57168G	57.26	74.00	-16.74	3	Horizontal	293	1.49	-
5230MHz	Pass	AV	5.1444G	47.05	54.00	-6.95	3	Vertical	22	1.49	-
5230MHz	Pass	AV	5.2268G	101.64	Inf	-Inf	3	Vertical	22	1.49	-
5230MHz	Pass	PK	5.142G	59.59	74.00	-14.41	3	Vertical	22	1.49	-
5230MHz	Pass	PK	5.2236G	111.87	Inf	-Inf	3	Vertical	22	1.49	-
5230MHz	Pass	AV	5.15G	52.94	54.00	-1.06	3	Horizontal	313	2.34	-
5230MHz	Pass	AV	5.2212G	110.13	Inf	-Inf	3	Horizontal	313	2.34	-
5230MHz	Pass	PK	5.1488G	66.18	74.00	-7.82	3	Horizontal	313	2.34	-
5230MHz	Pass	PK	5.2316G	120.41	Inf	-Inf	3	Horizontal	313	2.34	-
5230MHz	Pass	AV	15.6934G	49.79	54.00	-4.21	3	Vertical	21	1.49	-
5230MHz	Pass	PK	10.4238G	53.77	68.20	-14.43	3	Vertical	109	2.37	-
5230MHz	Pass	PK	15.6938G	63.36	74.00	-10.64	3	Vertical	21	1.49	-
5230MHz	Pass	AV	15.6866G	50.05	54.00	-3.95	3	Horizontal	78	1.55	-
5230MHz	Pass	PK	10.463G	53.97	68.20	-14.23	3	Horizontal	13	2.31	-
5230MHz	Pass	PK	15.687G	63.47	74.00	-10.53	3	Horizontal	78	1.55	-
5755MHz	Pass	AV	5.7442G	102.62	Inf	-Inf	3	Vertical	355	1.00	-
5755MHz	Pass	PK	5.5438G	58.31	68.20	-9.89	3	Vertical	355	1.00	-
5755MHz	Pass	PK	5.7418G	114.16	Inf	-Inf	3	Vertical	355	1.00	-
5755MHz	Pass	PK	5.9818G	58.64	68.20	-9.56	3	Vertical	355	1.00	-
5755MHz	Pass	AV	5.7466G	109.07	Inf	-Inf	3	Horizontal	310	2.14	-
5755MHz	Pass	PK	5.5258G	59.57	68.20	-8.63	3	Horizontal	310	2.14	-
5755MHz	Pass	PK	5.7442G	119.41	Inf	-Inf	3	Horizontal	310	2.14	-
5755MHz	Pass	PK	5.9758G	58.55	68.20	-9.65	3	Horizontal	310	2.14	-
5755MHz	Pass	AV	11.5092G	44.74	54.00	-9.26	3	Vertical	225	1.06	-
5755MHz	Pass	PK	11.5084G	58.43	74.00	-15.57	3	Vertical	225	1.06	-
5755MHz	Pass	PK	17.2882G	62.28	68.20	-5.92	3	Vertical	306	1.48	-
5755MHz	Pass	AV	11.5068G	45.27	54.00	-8.73	3	Horizontal	283	1.49	-
5755MHz	Pass	PK	11.505G	58.44	74.00	-15.56	3	Horizontal	283	1.49	-
5755MHz	Pass	PK	17.2722G	62.57	68.20	-5.63	3	Horizontal	66	1.49	-
5795MHz	Pass	AV	5.7806G	103.42	Inf	-Inf	3	Vertical	354	1.01	-
5795MHz	Pass	PK	5.6114G	58.31	68.20	-9.89	3	Vertical	354	1.01	-
5795MHz	Pass	PK	5.8046G	114.24	Inf	-Inf	3	Vertical	354	1.01	-
5795MHz	Pass	PK	5.9354G	58.97	68.20	-9.23	3	Vertical	354	1.01	-
5795MHz	Pass	AV	5.789G	105.91	Inf	-Inf	3	Horizontal	296	1.68	-
5795MHz	Pass	PK	5.5994G	59.04	68.20	-9.16	3	Horizontal	296	1.68	-
5795MHz	Pass	PK	5.7902G	116.97	Inf	-Inf	3	Horizontal	296	1.68	-
5795MHz	Pass	PK	5.9654G	59.42	68.20	-8.78	3	Horizontal	296	1.68	-
5795MHz	Pass	AV	11.5696G	47.68	54.00	-6.32	3	Vertical	223	1.11	-
5795MHz	Pass	PK	11.5886G	60.41	74.00	-13.59	3	Vertical	223	1.11	-
5795MHz	Pass	PK	17.3878G	65.13	68.20	-3.07	3	Vertical	307	1.43	-
5795MHz	Pass	AV	11.5874G	46.42	54.00	-7.58	3	Horizontal	278	1.48	-
5795MHz	Pass	PK	11.5866G	59.51	74.00	-14.49	3	Horizontal	278	1.48	-
5795MHz	Pass	PK	17.3864G	64.72	68.20	-3.48	3	Horizontal	8	1.00	-



RSE TX above 1GHz_Beamforming Radio 1_4T1S

Appendix E.6


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	49.04	54.00	-4.96	3	Vertical	360	1.12	-
5210MHz	Pass	AV	5.196G	91.82	Inf	-Inf	3	Vertical	360	1.12	-
5210MHz	Pass	AV	5.452G	44.35	54.00	-9.65	3	Vertical	360	1.12	-
5210MHz	Pass	PK	5.147G	63.16	74.00	-10.84	3	Vertical	360	1.12	-
5210MHz	Pass	PK	5.206G	101.66	Inf	-Inf	3	Vertical	360	1.12	-
5210MHz	Pass	PK	5.416G	57.24	74.00	-16.76	3	Vertical	360	1.12	-
5210MHz	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	297	1.98	-
5210MHz	Pass	AV	5.219G	97.30	Inf	-Inf	3	Horizontal	297	1.98	-
5210MHz	Pass	AV	5.457G	44.97	54.00	-9.03	3	Horizontal	297	1.98	-
5210MHz	Pass	PK	5.149G	64.93	74.00	-9.07	3	Horizontal	297	1.98	-
5210MHz	Pass	PK	5.209G	108.43	Inf	-Inf	3	Horizontal	297	1.98	-
5210MHz	Pass	PK	5.46G	57.10	74.00	-16.90	3	Horizontal	297	1.98	-
5210MHz	Pass	AV	15.65144G	43.86	54.00	-10.14	3	Vertical	234	1.11	-
5210MHz	Pass	PK	10.45232G	55.56	68.20	-12.64	3	Vertical	19	1.46	-
5210MHz	Pass	PK	15.63896G	56.13	74.00	-17.87	3	Vertical	234	1.11	-
5210MHz	Pass	AV	15.6388G	43.85	54.00	-10.15	3	Horizontal	51	1.44	-
5210MHz	Pass	PK	10.40896G	55.52	68.20	-12.68	3	Horizontal	163	1.47	-
5210MHz	Pass	PK	15.59736G	56.28	74.00	-17.72	3	Horizontal	51	1.44	-
5775MHz	Pass	AV	5.7402G	102.26	Inf	-Inf	3	Vertical	358	1.00	-
5775MHz	Pass	PK	5.643G	63.37	68.20	-4.83	3	Vertical	358	1.00	-
5775MHz	Pass	PK	5.7834G	109.66	Inf	-Inf	3	Vertical	358	1.00	-
5775MHz	Pass	PK	5.9442G	59.23	68.20	-8.97	3	Vertical	358	1.00	-
5775MHz	Pass	AV	5.739G	103.91	Inf	-Inf	3	Horizontal	285	1.49	-
5775MHz	Pass	PK	5.649G	67.88	68.20	-0.32	3	Horizontal	285	1.49	-
5775MHz	Pass	PK	5.7894G	113.69	Inf	-Inf	3	Horizontal	285	1.49	-
5775MHz	Pass	PK	5.9322G	60.57	68.20	-7.63	3	Horizontal	285	1.49	-
5775MHz	Pass	AV	11.548G	43.90	54.00	-10.10	3	Vertical	227	1.49	-
5775MHz	Pass	PK	11.5688G	56.83	74.00	-17.17	3	Vertical	227	1.49	-
5775MHz	Pass	PK	17.2892G	60.16	68.20	-8.04	3	Vertical	310	1.49	-
5775MHz	Pass	AV	11.5468G	43.43	54.00	-10.57	3	Horizontal	279	1.47	-
5775MHz	Pass	PK	11.527G	57.12	74.00	-16.88	3	Horizontal	279	1.47	-
5775MHz	Pass	PK	17.2954G	61.51	68.20	-6.69	3	Horizontal	6	1.00	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.27	54.00	-7.73	6.45	3	Vertical	11	1.24	-	39.82	31.76	8.52	33.83
AV	5.1838G	102.23	Inf	-Inf	6.47	3	Vertical	11	1.24	-	95.76	31.77	8.55	33.85
PK	5.147G	60.80	74.00	-13.20	6.45	3	Vertical	11	1.24	-	54.35	31.76	8.52	33.83
PK	5.1848G	114.03	Inf	-Inf	6.48	3	Vertical	11	1.24	-	107.55	31.77	8.56	33.85



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	50.21	54.00	-3.79	6.45	3	Horizontal	317	1.49	-	43.76	31.76	8.52	33.83
AV	5.182G	108.88	Inf	-Inf	6.48	3	Horizontal	317	1.49	-	102.40	31.77	8.55	33.84
PK	5.15G	66.92	74.00	-7.08	6.45	3	Horizontal	317	1.49	-	60.47	31.76	8.52	33.83
PK	5.1826G	121.35	Inf	-Inf	6.48	3	Horizontal	317	1.49	-	114.87	31.77	8.55	33.84



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5397G	44.43	54.00	-9.57	0.43	3	Vertical	321	1.49	-	44.00	38.80	14.61	52.98
PK	10.35825G	54.95	68.20	-13.25	-2.92	3	Vertical	38	2.43	-	57.87	39.37	12.18	54.47
PK	15.5398G	60.76	74.00	-13.24	0.43	3	Vertical	321	1.49	-	60.33	38.80	14.61	52.98



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5397G	45.72	54.00	-8.28	0.43	3	Horizontal	296	1.39	-	45.29	38.80	14.61	52.98
PK	10.36007G	56.00	68.20	-12.20	-2.92	3	Horizontal	360	1.35	-	58.92	39.37	12.18	54.47
PK	15.5419G	61.80	74.00	-12.20	0.41	3	Horizontal	296	1.39	-	61.39	38.79	14.61	52.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	45.73	54.00	-8.27	6.45	3	Vertical	0	0.99	-	39.28	31.76	8.52	33.83
AV	5.206G	104.78	Inf	-Inf	6.50	3	Vertical	0	0.99	-	98.28	31.78	8.57	33.85
PK	5.1476G	58.17	74.00	-15.83	6.45	3	Vertical	0	0.99	-	51.72	31.76	8.52	33.83
PK	5.206G	116.03	Inf	-Inf	6.50	3	Vertical	0	0.99	-	109.53	31.78	8.57	33.85



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.35	54.00	-5.65	6.45	3	Horizontal	293	1.59	-	41.90	31.76	8.52	33.83
AV	5.1924G	110.86	Inf	-Inf	6.49	3	Horizontal	293	1.59	-	104.37	31.78	8.56	33.85
PK	5.15G	62.19	74.00	-11.81	6.45	3	Horizontal	293	1.59	-	55.74	31.76	8.52	33.83
PK	5.1924G	122.81	Inf	-Inf	6.49	3	Horizontal	293	1.59	-	116.32	31.78	8.56	33.85



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60215G	47.90	54.00	-6.10	0.14	3	Vertical	31	1.04	-	47.76	38.57	14.62	53.05
PK	10.3999G	54.53	68.20	-13.67	-2.83	3	Vertical	118	2.16	-	57.36	39.42	12.20	54.45
PK	15.60022G	63.95	74.00	-10.05	0.15	3	Vertical	31	1.04	-	63.80	38.58	14.62	53.05



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.604G	48.85	54.00	-5.15	0.13	3	Horizontal	73	1.04	-	48.72	38.57	14.62	53.06
PK	10.40018G	55.85	68.20	-12.35	-2.83	3	Horizontal	192	1.62	-	58.68	39.42	12.20	54.45
PK	15.6031G	64.39	74.00	-9.61	0.13	3	Horizontal	73	1.04	-	64.26	38.57	14.62	53.06



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.23	54.00	-8.77	6.45	3	Vertical	341	1.00	-	38.78	31.76	8.52	33.83
AV	5.2454G	103.78	Inf	-Inf	6.52	3	Vertical	341	1.00	-	97.26	31.80	8.58	33.86
AV	5.357G	45.22	54.00	-8.78	6.55	3	Vertical	341	1.00	-	38.67	31.84	8.60	33.89
PK	5.1326G	57.77	74.00	-16.23	6.43	3	Vertical	341	1.00	-	51.34	31.75	8.51	33.83
PK	5.2454G	115.26	Inf	-Inf	6.52	3	Vertical	341	1.00	-	108.74	31.80	8.58	33.86
PK	5.36G	57.86	74.00	-16.14	6.55	3	Vertical	341	1.00	-	51.31	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	46.97	54.00	-7.03	6.45	3	Horizontal	319	1.48	-	40.52	31.76	8.52	33.83
AV	5.2424G	110.13	Inf	-Inf	6.52	3	Horizontal	319	1.48	-	103.61	31.80	8.58	33.86
AV	5.3762G	45.79	54.00	-8.21	6.57	3	Horizontal	319	1.48	-	39.22	31.85	8.61	33.89
PK	5.1458G	59.33	74.00	-14.67	6.45	3	Horizontal	319	1.48	-	52.88	31.76	8.52	33.83
PK	5.2418G	121.77	Inf	-Inf	6.52	3	Horizontal	319	1.48	-	115.25	31.80	8.58	33.86
PK	5.3828G	58.20	74.00	-15.80	6.57	3	Horizontal	319	1.48	-	51.63	31.85	8.61	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71761G	48.54	54.00	-5.46	-0.39	3	Vertical	25	1.62	-	48.93	38.14	14.65	53.18
PK	10.48089G	53.50	68.20	-14.70	-2.65	3	Vertical	65	1.58	-	56.15	39.53	12.24	54.42
PK	15.71766G	65.57	74.00	-8.43	-0.39	3	Vertical	25	1.62	-	65.96	38.14	14.65	53.18



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7279G	49.50	54.00	-4.50	-0.44	3	Horizontal	73	1.52	-	49.94	38.11	14.65	53.20
PK	10.48018G	56.10	68.20	-12.10	-2.66	3	Horizontal	168	1.50	-	58.76	39.52	12.24	54.42
PK	15.728G	66.43	74.00	-7.57	-0.44	3	Horizontal	73	1.52	-	66.87	38.11	14.65	53.20



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.89	Inf	-Inf	7.32	3	Vertical	357	1.01	-	96.57	32.25	9.03	33.96
PK	5.559G	57.96	68.20	-10.24	6.89	3	Vertical	357	1.01	-	51.07	31.98	8.84	33.93
PK	5.7486G	115.30	Inf	-Inf	7.32	3	Vertical	357	1.01	-	107.98	32.25	9.03	33.96
PK	5.9382G	59.18	68.20	-9.02	7.66	3	Vertical	357	1.01	-	51.52	32.51	9.14	33.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	109.43	Inf	-Inf	7.32	3	Horizontal	310	1.65	-	102.11	32.25	9.03	33.96
PK	5.5374G	59.93	68.20	-8.27	6.83	3	Horizontal	310	1.65	-	53.10	31.95	8.81	33.93
PK	5.7486G	121.09	Inf	-Inf	7.32	3	Horizontal	310	1.65	-	113.77	32.25	9.03	33.96
PK	5.9538G	58.69	68.20	-9.51	7.70	3	Horizontal	310	1.65	-	50.99	32.54	9.15	33.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48838G	46.16	54.00	-7.84	-1.87	3	Vertical	226	1.57	-	48.03	39.61	12.75	54.23
PK	11.48892G	60.49	74.00	-13.51	-1.87	3	Vertical	226	1.57	-	62.36	39.61	12.75	54.23
PK	17.23626G	65.11	68.20	-3.09	3.91	3	Vertical	333	1.48	-	61.20	41.56	15.04	52.69



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48682G	45.57	54.00	-8.43	-1.86	3	Horizontal	282	1.52	-	47.43	39.62	12.75	54.23
PK	11.48646G	59.84	74.00	-14.16	-1.86	3	Horizontal	282	1.52	-	61.70	39.62	12.75	54.23
PK	17.23716G	66.09	68.20	-2.11	3.92	3	Horizontal	7	1.00	-	62.17	41.57	15.04	52.69



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	103.02	Inf	-Inf	7.41	3	Vertical	358	1.00	-	95.61	32.31	9.07	33.97
PK	5.5678G	58.24	68.20	-9.96	6.91	3	Vertical	358	1.00	-	51.33	31.99	8.85	33.93
PK	5.7814G	114.45	Inf	-Inf	7.38	3	Vertical	358	1.00	-	107.07	32.29	9.06	33.97
PK	5.959G	58.24	68.20	-9.96	7.70	3	Vertical	358	1.00	-	50.54	32.54	9.15	33.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	107.63	Inf	-Inf	7.38	3	Horizontal	284	1.48	-	100.25	32.29	9.06	33.97
PK	5.647G	58.66	68.20	-9.54	7.11	3	Horizontal	284	1.48	-	51.55	32.11	8.94	33.94
PK	5.7802G	118.68	Inf	-Inf	7.38	3	Horizontal	284	1.48	-	111.30	32.29	9.06	33.97
PK	5.9266G	58.34	68.20	-9.86	7.65	3	Horizontal	284	1.48	-	50.69	32.50	9.14	33.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56844G	47.66	54.00	-6.34	-1.84	3	Vertical	226	1.48	-	49.50	39.52	12.79	54.15
PK	11.5685G	61.54	74.00	-12.46	-1.84	3	Vertical	226	1.48	-	63.38	39.52	12.79	54.15
PK	17.36112G	65.51	68.20	-2.69	4.68	3	Vertical	355	1.48	-	60.83	42.38	15.07	52.77



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.567G	47.56	54.00	-6.44	-1.84	3	Horizontal	279	1.49	-	49.40	39.52	12.79	54.15
PK	11.56778G	61.93	74.00	-12.07	-1.84	3	Horizontal	279	1.49	-	63.77	39.52	12.79	54.15
PK	17.36112G	67.32	68.20	-0.88	4.68	3	Horizontal	6	1.00	-	62.64	42.38	15.07	52.77



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	103.44	Inf	-Inf	7.48	3	Vertical	51	1.47	-	95.96	32.36	9.09	33.97
PK	5.6126G	57.97	68.20	-10.23	7.03	3	Vertical	51	1.47	-	50.94	32.06	8.91	33.94
PK	5.8286G	113.74	Inf	-Inf	7.48	3	Vertical	51	1.47	-	106.26	32.36	9.09	33.97
PK	5.9822G	58.59	68.20	-9.61	7.74	3	Vertical	51	1.47	-	50.85	32.58	9.16	34.00



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	110.52	Inf	-Inf	7.48	3	Horizontal	307	2.14	-	103.04	32.36	9.09	33.97
PK	5.6378G	59.76	68.20	-8.44	7.08	3	Horizontal	307	2.14	-	52.68	32.09	8.93	33.94
PK	5.8286G	121.18	Inf	-Inf	7.48	3	Horizontal	307	2.14	-	113.70	32.36	9.09	33.97
PK	5.927G	59.43	68.20	-8.77	7.65	3	Horizontal	307	2.14	-	51.78	32.50	9.14	33.99



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64886G	48.88	54.00	-5.12	-1.81	3	Vertical	225	1.49	-	50.69	39.42	12.83	54.06
PK	11.64916G	62.87	74.00	-11.13	-1.81	3	Vertical	225	1.49	-	64.68	39.42	12.83	54.06
PK	17.47944G	67.31	68.20	-0.89	5.41	3	Vertical	313	2.11	-	61.90	43.16	15.10	52.85



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64748G	48.06	54.00	-5.94	-1.81	3	Horizontal	281	1.49	-	49.87	39.42	12.83	54.06
PK	11.6464G	61.76	74.00	-12.24	-1.81	3	Horizontal	281	1.49	-	63.57	39.42	12.83	54.06
PK	17.4714G	65.67	68.20	-2.53	5.37	3	Horizontal	6	1.43	-	60.30	43.11	15.10	52.84



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.23	54.00	-5.77	5.34	3	Vertical	358	1.00	-	42.89	31.82	7.57	34.05
AV	5.1868G	96.65	Inf	-Inf	5.19	3	Vertical	358	1.00	-	91.46	31.65	7.59	34.05
PK	5.1464G	60.20	74.00	-13.80	5.33	3	Vertical	358	1.00	-	54.87	31.81	7.57	34.05
PK	5.2016G	106.87	Inf	-Inf	5.14	3	Vertical	358	1.00	-	101.73	31.59	7.60	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.44	54.00	-1.56	5.32	3	Horizontal	299	2.11	-	47.12	31.80	7.57	34.05
AV	5.204G	102.65	Inf	-Inf	5.13	3	Horizontal	299	2.11	-	97.52	31.58	7.60	34.05
PK	5.148G	65.88	74.00	-8.12	5.33	3	Horizontal	299	2.11	-	60.55	31.81	7.57	34.05
PK	5.1988G	111.83	Inf	-Inf	5.15	3	Horizontal	299	2.11	-	106.68	31.60	7.60	34.05



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56202G	43.98	54.00	-10.02	15.74	3	Vertical	314	3.00	-	28.24	38.86	10.91	34.03
PK	10.3833G	56.20	68.20	-12.00	14.57	3	Vertical	3	1.50	-	41.63	39.40	9.70	34.53
PK	15.56262G	56.37	74.00	-17.63	15.74	3	Vertical	314	3.00	-	40.63	38.86	10.91	34.03



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56688G	44.14	54.00	-9.86	15.71	3	Horizontal	293	1.49	-	28.43	38.84	10.91	34.04
PK	10.389G	55.43	68.20	-12.77	14.58	3	Horizontal	66	1.50	-	40.85	39.41	9.70	34.53
PK	15.57168G	57.26	74.00	-16.74	15.70	3	Horizontal	293	1.49	-	41.56	38.83	10.91	34.04



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	47.05	54.00	-6.95	6.45	3	Vertical	22	1.49	-	40.60	31.76	8.52	33.83
AV	5.2268G	101.64	Inf	-Inf	6.51	3	Vertical	22	1.49	-	95.13	31.79	8.58	33.86
PK	5.142G	59.59	74.00	-14.41	6.44	3	Vertical	22	1.49	-	53.15	31.76	8.51	33.83
PK	5.2236G	111.87	Inf	-Inf	6.51	3	Vertical	22	1.49	-	105.36	31.79	8.57	33.85



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.94	54.00	-1.06	6.45	3	Horizontal	313	2.34	-	46.49	31.76	8.52	33.83
AV	5.2212G	110.13	Inf	-Inf	6.51	3	Horizontal	313	2.34	-	103.62	31.79	8.57	33.85
PK	5.1488G	66.18	74.00	-7.82	6.45	3	Horizontal	313	2.34	-	59.73	31.76	8.52	33.83
PK	5.2316G	120.41	Inf	-Inf	6.51	3	Horizontal	313	2.34	-	113.90	31.79	8.58	33.86



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6934G	49.79	54.00	-4.21	-0.29	3	Vertical	21	1.49	-	50.08	38.23	14.64	53.16
PK	10.4238G	53.77	68.20	-14.43	-2.78	3	Vertical	109	2.37	-	56.55	39.45	12.21	54.44
PK	15.6938G	63.36	74.00	-10.64	-0.29	3	Vertical	21	1.49	-	63.65	38.23	14.64	53.16



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6866G	50.05	54.00	-3.95	-0.25	3	Horizontal	78	1.55	-	50.30	38.26	14.64	53.15
PK	10.463G	53.97	68.20	-14.23	-2.70	3	Horizontal	13	2.31	-	56.67	39.50	12.23	54.43
PK	15.687G	63.47	74.00	-10.53	-0.25	3	Horizontal	78	1.55	-	63.72	38.26	14.64	53.15



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	102.62	Inf	-Inf	7.31	3	Vertical	355	1.00	-	95.31	32.24	9.03	33.96
PK	5.5438G	58.31	68.20	-9.89	6.85	3	Vertical	355	1.00	-	51.46	31.96	8.82	33.93
PK	5.7418G	114.16	Inf	-Inf	7.31	3	Vertical	355	1.00	-	106.85	32.24	9.03	33.96
PK	5.9818G	58.64	68.20	-9.56	7.73	3	Vertical	355	1.00	-	50.91	32.57	9.16	34.00



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	109.07	Inf	-Inf	7.32	3	Horizontal	310	2.14	-	101.75	32.25	9.03	33.96
PK	5.5258G	59.57	68.20	-8.63	6.80	3	Horizontal	310	2.14	-	52.77	31.94	8.79	33.93
PK	5.7442G	119.41	Inf	-Inf	7.31	3	Horizontal	310	2.14	-	112.10	32.24	9.03	33.96
PK	5.9758G	58.55	68.20	-9.65	7.73	3	Horizontal	310	2.14	-	50.82	32.57	9.16	34.00



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5092G	44.74	54.00	-9.26	-1.86	3	Vertical	225	1.06	-	46.60	39.59	12.76	54.21
PK	11.5084G	58.43	74.00	-15.57	-1.86	3	Vertical	225	1.06	-	60.29	39.59	12.76	54.21
PK	17.2882G	62.28	68.20	-5.92	4.23	3	Vertical	306	1.48	-	58.05	41.90	15.05	52.72



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5068G	45.27	54.00	-8.73	-1.86	3	Horizontal	283	1.49	-	47.13	39.59	12.76	54.21
PK	11.505G	58.44	74.00	-15.56	-1.86	3	Horizontal	283	1.49	-	60.30	39.59	12.76	54.21
PK	17.2722G	62.57	68.20	-5.63	4.13	3	Horizontal	66	1.49	-	58.44	41.80	15.04	52.71



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	103.42	Inf	-Inf	7.38	3	Vertical	354	1.01	-	96.04	32.29	9.06	33.97
PK	5.6114G	58.31	68.20	-9.89	7.03	3	Vertical	354	1.01	-	51.28	32.06	8.91	33.94
PK	5.8046G	114.24	Inf	-Inf	7.44	3	Vertical	354	1.01	-	106.80	32.33	9.08	33.97
PK	5.9354G	58.97	68.20	-9.23	7.66	3	Vertical	354	1.01	-	51.31	32.51	9.14	33.99



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	105.91	Inf	-Inf	7.40	3	Horizontal	296	1.68	-	98.51	32.30	9.07	33.97
PK	5.5994G	59.04	68.20	-9.16	7.00	3	Horizontal	296	1.68	-	52.04	32.04	8.90	33.94
PK	5.7902G	116.97	Inf	-Inf	7.41	3	Horizontal	296	1.68	-	109.56	32.31	9.07	33.97
PK	5.9654G	59.42	68.20	-8.78	7.71	3	Horizontal	296	1.68	-	51.71	32.55	9.15	33.99



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5696G	47.68	54.00	-6.32	-1.83	3	Vertical	223	1.11	-	49.51	39.52	12.79	54.14
PK	11.5886G	60.41	74.00	-13.59	-1.83	3	Vertical	223	1.11	-	62.24	39.49	12.80	54.12
PK	17.3878G	65.13	68.20	-3.07	4.84	3	Vertical	307	1.43	-	60.29	42.56	15.07	52.79



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5874G	46.42	54.00	-7.58	-1.83	3	Horizontal	278	1.48	-	48.25	39.50	12.80	54.13
PK	11.5866G	59.51	74.00	-14.49	-1.83	3	Horizontal	278	1.48	-	61.34	39.50	12.80	54.13
PK	17.3864G	64.72	68.20	-3.48	4.83	3	Horizontal	8	1.00	-	59.89	42.55	15.07	52.79



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	49.04	54.00	-4.96	5.34	3	Vertical	360	1.12	-	43.70	31.82	7.57	34.05
AV	5.196G	91.82	Inf	-Inf	5.17	3	Vertical	360	1.12	-	86.65	31.62	7.60	34.05
AV	5.452G	44.35	54.00	-9.65	5.32	3	Vertical	360	1.12	-	39.03	31.66	7.73	34.07
PK	5.147G	63.16	74.00	-10.84	5.33	3	Vertical	360	1.12	-	57.83	31.81	7.57	34.05
PK	5.206G	101.66	Inf	-Inf	5.13	3	Vertical	360	1.12	-	96.53	31.58	7.60	34.05
PK	5.416G	57.24	74.00	-16.76	5.20	3	Vertical	360	1.12	-	52.04	31.55	7.71	34.06



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	5.32	3	Horizontal	297	1.98	-	48.00	31.80	7.57	34.05
AV	5.219G	97.30	Inf	-Inf	5.08	3	Horizontal	297	1.98	-	92.22	31.52	7.61	34.05
AV	5.457G	44.97	54.00	-9.03	5.33	3	Horizontal	297	1.98	-	39.64	31.67	7.73	34.07
PK	5.149G	64.93	74.00	-9.07	5.32	3	Horizontal	297	1.98	-	59.61	31.80	7.57	34.05
PK	5.209G	108.43	Inf	-Inf	5.11	3	Horizontal	297	1.98	-	103.32	31.56	7.60	34.05
PK	5.46G	57.10	74.00	-16.90	5.34	3	Horizontal	297	1.98	-	51.76	31.68	7.73	34.07



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65144G	43.86	54.00	-10.14	15.39	3	Vertical	234	1.11	-	28.47	38.58	10.93	34.12
PK	10.45232G	55.56	68.20	-12.64	14.71	3	Vertical	19	1.46	-	40.85	39.49	9.71	34.49
PK	15.63896G	56.13	74.00	-17.87	15.44	3	Vertical	234	1.11	-	40.69	38.62	10.93	34.11



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63888G	43.85	54.00	-10.15	15.44	3	Horizontal	51	1.44	-	28.41	38.62	10.93	34.11
PK	10.40896G	55.52	68.20	-12.68	14.62	3	Horizontal	163	1.47	-	40.90	39.43	9.70	34.51
PK	15.59736G	56.28	74.00	-17.72	15.60	3	Horizontal	51	1.44	-	40.68	38.75	10.92	34.07



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	102.26	Inf	-Inf	7.31	3	Vertical	358	1.00	-	94.95	32.24	9.03	33.96
PK	5.643G	63.37	68.20	-4.83	7.10	3	Vertical	358	1.00	-	56.27	32.10	8.94	33.94
PK	5.7834G	109.66	Inf	-Inf	7.40	3	Vertical	358	1.00	-	102.26	32.30	9.07	33.97
PK	5.9442G	59.23	68.20	-8.97	7.67	3	Vertical	358	1.00	-	51.56	32.52	9.14	33.99



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	103.91	Inf	-Inf	7.30	3	Horizontal	285	1.49	-	96.61	32.23	9.03	33.96
PK	5.649G	67.88	68.20	-0.32	7.11	3	Horizontal	285	1.49	-	60.77	32.11	8.94	33.94
PK	5.7894G	113.69	Inf	-Inf	7.41	3	Horizontal	285	1.49	-	106.28	32.31	9.07	33.97
PK	5.9322G	60.57	68.20	-7.63	7.66	3	Horizontal	285	1.49	-	52.91	32.51	9.14	33.99



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.548G	43.90	54.00	-10.10	-1.85	3	Vertical	227	1.49	-	45.75	39.54	12.78	54.17
PK	11.5688G	56.83	74.00	-17.17	-1.84	3	Vertical	227	1.49	-	58.67	39.52	12.79	54.15
PK	17.2892G	60.16	68.20	-8.04	4.23	3	Vertical	310	1.49	-	55.93	41.91	15.05	52.73



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5468G	43.43	54.00	-10.57	-1.85	3	Horizontal	279	1.47	-	45.28	39.54	12.78	54.17
PK	11.527G	57.12	74.00	-16.88	-1.85	3	Horizontal	279	1.47	-	58.97	39.57	12.77	54.19
PK	17.2954G	61.51	68.20	-6.69	4.27	3	Horizontal	6	1.00	-	57.24	41.95	15.05	52.73