




802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78084G	51.86	54.00	-2.14	25.39	3	Vertical	348	2.34	-	26.47	43.13	14.67	32.41
PK	10.52047G	56.60	68.20	-11.60	17.33	3	Vertical	312	1.97	-	39.27	39.26	12.26	34.19
PK	15.78069G	62.00	74.00	-12.00	25.39	3	Vertical	348	2.34	-	36.61	43.13	14.67	32.41



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77941G	53.62	54.00	-0.38	25.39	3	Horizontal	32	1.53	-	28.23	43.13	14.67	32.41
PK	10.52138G	56.12	68.20	-12.08	17.33	3	Horizontal	102	1.05	-	38.79	39.26	12.26	34.19
PK	15.77821G	67.04	74.00	-6.96	25.39	3	Horizontal	32	1.53	-	41.65	43.13	14.67	32.41



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	108.81	Inf	-Inf	9.08	3	Vertical	21	3.00	-	99.73	34.37	8.59	33.88
AV	5.35G	52.43	54.00	-1.57	9.02	3	Vertical	21	3.00	-	43.41	34.30	8.60	33.88
PK	5.3166G	118.72	Inf	-Inf	9.09	3	Vertical	21	3.00	-	109.63	34.37	8.59	33.87
PK	5.3502G	67.55	74.00	-6.45	9.01	3	Vertical	21	3.00	-	58.54	34.30	8.60	33.89



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	110.12	Inf	-Inf	9.08	3	Horizontal	314	1.08	-	101.04	34.37	8.59	33.88
AV	5.3544G	53.12	54.00	-0.88	9.00	3	Horizontal	314	1.08	-	44.12	34.29	8.60	33.89
PK	5.317G	119.86	Inf	-Inf	9.08	3	Horizontal	314	1.08	-	110.78	34.37	8.59	33.88
PK	5.355G	69.66	74.00	-4.34	9.00	3	Horizontal	314	1.08	-	60.66	34.29	8.60	33.89



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	46.84	54.00	-7.16	17.95	3	Vertical	337	1.46	-	28.89	39.73	12.32	34.10
AV	15.96726G	50.68	54.00	-3.32	19.38	3	Vertical	360	2.33	-	31.30	37.22	14.71	32.55
PK	10.64006G	57.59	74.00	-16.41	17.95	3	Vertical	337	1.46	-	39.64	39.73	12.32	34.10
PK	15.966G	64.14	74.00	-9.86	19.39	3	Vertical	360	2.33	-	44.75	37.23	14.71	32.55



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	47.19	54.00	-6.81	17.95	3	Horizontal	333	2.55	-	29.24	39.73	12.32	34.10
AV	15.95514G	52.76	54.00	-1.24	19.43	3	Horizontal	284	2.34	-	33.33	37.27	14.71	32.55
PK	10.64018G	56.93	74.00	-17.07	17.95	3	Horizontal	333	2.55	-	38.98	39.73	12.32	34.10
PK	15.95538G	66.55	74.00	-7.45	19.43	3	Horizontal	284	2.34	-	47.12	37.27	14.71	32.55



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	49.36	54.00	-4.64	8.98	3	Vertical	7	2.93	-	40.38	34.20	8.69	33.91
AV	5.4948G	109.54	Inf	-Inf	9.03	3	Vertical	7	2.93	-	100.51	34.20	8.75	33.92
PK	5.4696G	66.03	68.20	-2.17	9.00	3	Vertical	7	2.93	-	57.03	34.20	8.71	33.91
PK	5.4966G	118.81	Inf	-Inf	9.03	3	Vertical	7	2.93	-	109.78	34.20	8.75	33.92



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	64.19	74.00	-9.81	8.98	3	Horizontal	85	1.02	-	55.21	34.20	8.69	33.91
PK	5.47G	67.98	68.20	-0.22	9.00	3	Horizontal	85	1.02	-	58.98	34.20	8.71	33.91
PK	5.4938G	122.29	Inf	-Inf	9.03	3	Horizontal	85	1.02	-	113.26	34.20	8.75	33.92
AV	5.4942G	112.42	Inf	-Inf	9.03	3	Horizontal	85	1.02	-	103.39	34.20	8.75	33.92



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	48.31	54.00	-5.69	18.85	3	Vertical	338	1.48	-	29.46	40.20	12.50	33.85
PK	10.99994G	57.85	74.00	-16.15	18.85	3	Vertical	338	1.48	-	39.00	40.20	12.50	33.85
PK	16.50534G	64.46	68.20	-3.74	21.51	3	Vertical	347	1.49	-	42.95	38.57	14.85	31.91



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	47.45	54.00	-6.55	18.85	3	Horizontal	36	1.49	-	28.60	40.20	12.50	33.85
PK	11.00012G	57.23	74.00	-16.77	18.86	3	Horizontal	36	1.49	-	38.37	40.20	12.51	33.85
PK	16.50192G	65.39	68.20	-2.81	21.50	3	Horizontal	337	2.05	-	43.89	38.56	14.85	31.91



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4312G	46.15	54.00	-7.85	6.62	3	Vertical	331	3.00	-	39.53	31.87	8.66	33.91
AV	5.5788G	110.30	Inf	-Inf	6.94	3	Vertical	331	3.00	-	103.36	32.01	8.87	33.94
PK	5.4684G	57.42	68.20	-10.78	6.69	3	Vertical	331	3.00	-	50.73	31.89	8.71	33.91
PK	5.5794G	119.99	Inf	-Inf	6.94	3	Vertical	331	3.00	-	113.05	32.01	8.87	33.94
PK	5.7288G	58.26	68.20	-9.94	7.28	3	Vertical	331	3.00	-	50.98	32.22	9.02	33.96



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	46.43	54.00	-7.57	6.62	3	Horizontal	309	1.00	-	39.81	31.87	8.66	33.91
AV	5.5728G	112.50	Inf	-Inf	6.93	3	Horizontal	309	1.00	-	105.57	32.00	8.86	33.93
PK	5.463G	57.99	68.20	-10.21	6.68	3	Horizontal	309	1.00	-	51.31	31.89	8.70	33.91
PK	5.574G	122.32	Inf	-Inf	6.93	3	Horizontal	309	1.00	-	115.39	32.00	8.86	33.93
PK	5.7252G	58.02	68.20	-10.18	7.27	3	Horizontal	309	1.00	-	50.75	32.22	9.01	33.96



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16006G	45.54	54.00	-8.46	18.72	3	Vertical	246	2.91	-	26.82	40.01	12.59	33.88
PK	11.166G	56.74	74.00	-17.26	18.71	3	Vertical	246	2.91	-	38.03	40.00	12.59	33.88
PK	16.7403G	67.98	68.20	-0.22	22.56	3	Vertical	20	2.93	-	45.42	39.25	14.91	31.60



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16006G	46.01	54.00	-7.99	18.72	3	Horizontal	33	1.50	-	27.29	40.01	12.59	33.88
PK	11.1597G	57.43	74.00	-16.57	18.72	3	Horizontal	33	1.50	-	38.71	40.01	12.59	33.88
PK	16.74528G	65.86	68.20	-2.34	22.58	3	Horizontal	30	1.49	-	43.28	39.26	14.91	31.59



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	106.23	Inf	-Inf	8.95	3	Vertical	352	2.88	-	97.28	33.91	8.99	33.95
PK	5.7028G	115.89	Inf	-Inf	8.95	3	Vertical	352	2.88	-	106.94	33.91	8.99	33.95
PK	5.7268G	65.21	68.20	-2.99	9.00	3	Vertical	352	2.88	-	56.21	33.95	9.01	33.96



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6944G	110.17	Inf	-Inf	8.94	3	Horizontal	323	2.64	-	101.23	33.91	8.98	33.95
PK	5.6948G	119.87	Inf	-Inf	8.95	3	Horizontal	323	2.64	-	110.92	33.91	8.99	33.95
PK	5.7336G	62.50	68.20	-5.70	9.03	3	Horizontal	323	2.64	-	53.47	33.97	9.02	33.96



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40007G	46.09	54.00	-7.91	18.52	3	Vertical	25	1.54	-	27.57	39.72	12.71	33.91
PK	11.40109G	59.82	74.00	-14.18	18.52	3	Vertical	25	1.54	-	41.30	39.72	12.71	33.91
PK	17.10045G	66.17	68.20	-2.03	24.40	3	Vertical	246	1.11	-	41.77	40.66	15.00	31.26



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39789G	49.12	54.00	-4.88	18.52	3	Horizontal	299	1.12	-	30.60	39.72	12.71	33.91
PK	11.39752G	62.05	74.00	-11.95	18.52	3	Horizontal	299	1.12	-	43.53	39.72	12.71	33.91
PK	17.09999G	66.70	68.20	-1.50	24.40	3	Horizontal	342	2.12	-	42.30	40.66	15.00	31.26



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	46.08	54.00	-7.92	6.62	3	Vertical	5	3.00	-	39.46	31.87	8.66	33.91
AV	5.7176G	110.25	Inf	-Inf	7.26	3	Vertical	5	3.00	-	102.99	32.20	9.01	33.95
PK	5.468G	57.35	68.20	-10.85	6.69	3	Vertical	5	3.00	-	50.66	31.89	8.71	33.91
PK	5.7176G	119.41	Inf	-Inf	7.26	3	Vertical	5	3.00	-	112.15	32.20	9.01	33.95
PK	5.9372G	58.94	68.20	-9.26	7.66	3	Vertical	5	3.00	-	51.28	32.51	9.14	33.99



802.11a_Nss1,(6Mbps)_4TX

24/04/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	46.27	54.00	-7.73	6.64	3	Horizontal	67	1.00	-	39.63	31.88	8.67	33.91
AV	5.7176G	113.83	Inf	-Inf	7.26	3	Horizontal	67	1.00	-	106.57	32.20	9.01	33.95
PK	5.4656G	57.62	68.20	-10.58	6.69	3	Horizontal	67	1.00	-	50.93	31.89	8.71	33.91
PK	5.7164G	123.39	Inf	-Inf	7.25	3	Horizontal	67	1.00	-	116.14	32.20	9.00	33.95
PK	5.9048G	58.73	68.20	-9.47	7.62	3	Horizontal	67	1.00	-	51.11	32.47	9.13	33.98



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44391G	47.19	54.00	-6.81	19.30	3	Vertical	28	1.54	-	27.89	40.49	12.73	33.92
PK	11.44012G	61.30	74.00	-12.70	19.29	3	Vertical	28	1.54	-	42.01	40.48	12.73	33.92
PK	17.16461G	66.16	68.20	-2.04	29.44	3	Vertical	348	2.11	-	36.72	45.69	15.02	31.27



802.11a_Nss1,(6Mbps)_4TX

05/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43784G	49.45	54.00	-4.55	19.29	3	Horizontal	274	1.12	-	30.16	40.48	12.73	33.92
PK	11.439G	62.41	74.00	-11.59	19.29	3	Horizontal	274	1.12	-	43.12	40.48	12.73	33.92
PK	17.16291G	67.95	68.20	-0.25	29.43	3	Horizontal	339	2.05	-	38.52	45.68	15.02	31.27



802.11ax HEW20_Nss1,(MCS0)_4TX

25/04/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	45.53	54.00	-8.47	6.45	3	Vertical	358	2.83	-	39.08	31.76	8.52	33.83
AV	5.266G	106.36	Inf	-Inf	6.53	3	Vertical	358	2.83	-	99.83	31.81	8.58	33.86
AV	5.3614G	45.69	54.00	-8.31	6.55	3	Vertical	358	2.83	-	39.14	31.84	8.60	33.89
PK	5.1346G	57.79	74.00	-16.21	6.43	3	Vertical	358	2.83	-	51.36	31.75	8.51	33.83
PK	5.266G	118.72	Inf	-Inf	6.53	3	Vertical	358	2.83	-	112.19	31.81	8.58	33.86
PK	5.3602G	57.93	74.00	-16.07	6.55	3	Vertical	358	2.83	-	51.38	31.84	8.60	33.89



802.11ax HEW20_Nss1,(MCS0)_4TX

25/04/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	45.89	54.00	-8.11	6.43	3	Horizontal	312	1.05	-	39.46	31.75	8.51	33.83
AV	5.2618G	111.58	Inf	-Inf	6.52	3	Horizontal	312	1.05	-	105.06	31.80	8.58	33.86
AV	5.35G	46.18	54.00	-7.82	6.56	3	Horizontal	312	1.05	-	39.62	31.84	8.60	33.88
PK	5.1382G	58.41	74.00	-15.59	6.44	3	Horizontal	312	1.05	-	51.97	31.76	8.51	33.83
PK	5.2624G	123.72	Inf	-Inf	6.52	3	Horizontal	312	1.05	-	117.20	31.80	8.58	33.86
PK	5.359G	58.80	74.00	-15.20	6.55	3	Horizontal	312	1.05	-	52.25	31.84	8.60	33.89



802.11ax HEW20_Nss1,(MCS0)_4TX

25/04/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77946G	50.86	54.00	-3.14	20.18	3	Vertical	349	2.32	-	30.68	37.92	14.67	32.41
PK	10.51997G	56.55	68.20	-11.65	17.65	3	Vertical	342	1.47	-	38.90	39.58	12.26	34.19
PK	15.77946G	65.43	74.00	-8.57	20.18	3	Vertical	349	2.32	-	45.25	37.92	14.67	32.41



802.11ax HEW20_Nss1,(MCS0)_4TX

25/04/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77424G	52.67	54.00	-1.33	20.19	3	Horizontal	359	1.49	-	32.48	37.94	14.66	32.41
PK	10.51964G	56.05	68.20	-12.15	17.65	3	Horizontal	253	1.47	-	38.40	39.58	12.26	34.19
PK	15.77478G	68.49	74.00	-5.51	20.18	3	Horizontal	359	1.49	-	48.31	37.93	14.66	32.41



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	107.44	Inf	-Inf	6.54	3	Vertical	14	3.00	-	100.90	31.82	8.59	33.87
AV	5.3564G	47.70	54.00	-6.30	6.55	3	Vertical	14	3.00	-	41.15	31.84	8.60	33.89
PK	5.2984G	119.71	Inf	-Inf	6.54	3	Vertical	14	3.00	-	113.17	31.82	8.59	33.87
PK	5.35G	60.52	74.00	-13.48	6.56	3	Vertical	14	3.00	-	53.96	31.84	8.60	33.88



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	111.00	Inf	-Inf	6.54	3	Horizontal	71	2.12	-	104.46	31.82	8.59	33.87
AV	5.362G	48.81	54.00	-5.19	6.55	3	Horizontal	71	2.12	-	42.26	31.84	8.60	33.89
PK	5.3024G	124.70	Inf	-Inf	6.54	3	Horizontal	71	2.12	-	118.16	31.82	8.59	33.87
PK	5.3548G	62.06	74.00	-11.94	6.55	3	Horizontal	71	2.12	-	55.51	31.84	8.60	33.89



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60534G	42.39	54.00	-11.61	17.50	3	Vertical	355	2.77	-	24.89	39.32	12.31	34.13
AV	15.89369G	51.93	54.00	-2.07	25.05	3	Vertical	348	2.44	-	26.88	42.86	14.69	32.50
PK	10.59874G	55.67	68.20	-12.53	17.49	3	Vertical	355	2.77	-	38.18	39.32	12.30	34.13
PK	15.89298G	67.05	74.00	-6.95	25.05	3	Vertical	348	2.44	-	42.00	42.86	14.69	32.50



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60142G	44.00	54.00	-10.00	17.49	3	Horizontal	331	2.63	-	26.51	39.32	12.30	34.13
AV	15.90328G	53.53	54.00	-0.47	25.02	3	Horizontal	279	1.98	-	28.51	42.83	14.70	32.51
PK	10.59861G	55.61	68.20	-12.59	17.49	3	Horizontal	331	2.63	-	38.12	39.32	12.30	34.13
PK	15.90182G	71.18	74.00	-2.82	25.04	3	Horizontal	279	1.98	-	46.14	42.84	14.70	32.50



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3166G	105.95	Inf	-Inf	9.09	3	Vertical	0	3.00	-	96.86	34.37	8.59	33.87
AV	5.3572G	49.50	54.00	-4.50	9.00	3	Vertical	0	3.00	-	40.50	34.29	8.60	33.89
PK	5.3168G	118.59	Inf	-Inf	9.08	3	Vertical	0	3.00	-	109.51	34.37	8.59	33.88
PK	5.3556G	62.72	74.00	-11.28	9.00	3	Vertical	0	3.00	-	53.72	34.29	8.60	33.89



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	108.06	Inf	-Inf	9.09	3	Horizontal	72	1.03	-	98.97	34.37	8.59	33.87
AV	5.3534G	53.26	54.00	-0.74	9.00	3	Horizontal	72	1.03	-	44.26	34.29	8.60	33.89
PK	5.3148G	121.84	Inf	-Inf	9.09	3	Horizontal	72	1.03	-	112.75	34.37	8.59	33.87
PK	5.3532G	69.23	74.00	-4.77	9.00	3	Horizontal	72	1.03	-	60.23	34.29	8.60	33.89



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	44.34	54.00	-9.66	17.95	3	Vertical	341	1.31	-	26.39	39.73	12.32	34.10
AV	15.9625G	49.94	54.00	-4.06	19.40	3	Vertical	320	1.22	-	30.54	37.24	14.71	32.55
PK	10.63974G	56.09	74.00	-17.91	17.95	3	Vertical	341	1.31	-	38.14	39.73	12.32	34.10
PK	15.96184G	64.67	74.00	-9.33	19.40	3	Vertical	320	1.22	-	45.27	37.24	14.71	32.55



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64005G	45.11	54.00	-8.89	17.95	3	Horizontal	329	2.67	-	27.16	39.73	12.32	34.10
AV	15.96246G	52.42	54.00	-1.58	19.40	3	Horizontal	359	1.49	-	33.02	37.24	14.71	32.55
PK	10.64013G	57.87	74.00	-16.13	17.95	3	Horizontal	329	2.67	-	39.92	39.73	12.32	34.10
PK	15.96384G	68.03	74.00	-5.97	19.39	3	Horizontal	359	1.49	-	48.64	37.23	14.71	32.55



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.01	54.00	-5.99	8.99	3	Vertical	30	2.95	-	39.02	34.20	8.70	33.91
AV	5.5084G	105.92	Inf	-Inf	9.04	3	Vertical	30	2.95	-	96.88	34.19	8.77	33.92
PK	5.4684G	66.58	68.20	-1.62	9.00	3	Vertical	30	2.95	-	57.58	34.20	8.71	33.91
PK	5.5084G	118.45	Inf	-Inf	9.04	3	Vertical	30	2.95	-	109.41	34.19	8.77	33.92



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.48	54.00	-5.52	8.98	3	Horizontal	317	1.06	-	39.50	34.20	8.69	33.91
AV	5.4966G	108.16	Inf	-Inf	9.03	3	Horizontal	317	1.06	-	99.13	34.20	8.75	33.92
PK	5.4692G	67.54	68.20	-0.66	9.00	3	Horizontal	317	1.06	-	58.54	34.20	8.71	33.91
PK	5.4964G	121.59	Inf	-Inf	9.03	3	Horizontal	317	1.06	-	112.56	34.20	8.75	33.92



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00003G	46.67	54.00	-7.33	18.86	3	Vertical	343	1.54	-	27.81	40.20	12.51	33.85
PK	10.99986G	57.78	74.00	-16.22	18.85	3	Vertical	343	1.54	-	38.93	40.20	12.50	33.85
PK	16.50088G	63.89	68.20	-4.31	21.49	3	Vertical	3	1.40	-	42.40	38.55	14.85	31.91



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00007G	46.00	54.00	-8.00	18.86	3	Horizontal	42	1.48	-	27.14	40.20	12.51	33.85
PK	10.99997G	57.52	74.00	-16.48	18.85	3	Horizontal	42	1.48	-	38.67	40.20	12.50	33.85
PK	16.49753G	64.96	68.20	-3.24	21.47	3	Horizontal	351	1.65	-	43.49	38.54	14.85	31.92



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	45.34	54.00	-8.66	6.64	3	Vertical	7	3.00	-	38.70	31.88	8.67	33.91
AV	5.5842G	109.68	Inf	-Inf	6.96	3	Vertical	7	3.00	-	102.72	32.02	8.88	33.94
PK	5.4618G	57.32	68.20	-10.88	6.67	3	Vertical	7	3.00	-	50.65	31.88	8.70	33.91
PK	5.5848G	122.69	Inf	-Inf	6.96	3	Vertical	7	3.00	-	115.73	32.02	8.88	33.94
PK	5.727G	58.41	68.20	-9.79	7.27	3	Vertical	7	3.00	-	51.14	32.22	9.01	33.96



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.95	54.00	-8.05	6.67	3	Horizontal	83	1.00	-	39.28	31.88	8.70	33.91
AV	5.583G	112.76	Inf	-Inf	6.96	3	Horizontal	83	1.00	-	105.80	32.02	8.88	33.94
PK	5.469G	58.45	68.20	-9.75	6.69	3	Horizontal	83	1.00	-	51.76	31.89	8.71	33.91
PK	5.583G	124.84	Inf	-Inf	6.96	3	Horizontal	83	1.00	-	117.88	32.02	8.88	33.94
PK	5.7282G	58.55	68.20	-9.65	7.28	3	Horizontal	83	1.00	-	51.27	32.22	9.02	33.96



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	45.78	54.00	-8.22	18.72	3	Vertical	0	2.47	-	27.06	40.01	12.59	33.88
PK	11.16006G	58.02	74.00	-15.98	18.72	3	Vertical	0	2.47	-	39.30	40.01	12.59	33.88
PK	16.74144G	65.14	68.20	-3.06	22.57	3	Vertical	54	1.24	-	42.57	39.25	14.91	31.59



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16018G	43.94	54.00	-10.06	18.72	3	Horizontal	40	2.85	-	25.22	40.01	12.59	33.88
PK	11.16078G	57.53	74.00	-16.47	18.72	3	Horizontal	40	2.85	-	38.81	40.01	12.59	33.88
PK	16.7397G	67.72	68.20	-0.48	22.56	3	Horizontal	19	1.46	-	45.16	39.25	14.91	31.60



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	106.38	Inf	-Inf	8.95	3	Vertical	351	2.88	-	97.43	33.91	8.99	33.95
PK	5.6972G	118.25	Inf	-Inf	8.95	3	Vertical	351	2.88	-	109.30	33.91	8.99	33.95
PK	5.726G	61.98	68.20	-6.22	9.00	3	Vertical	351	2.88	-	52.98	33.95	9.01	33.96



802.11ax HEW20_Nss1,(MCS0)_4TX

05/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	109.26	Inf	-Inf	8.94	3	Horizontal	326	2.40	-	100.32	33.90	8.99	33.95
PK	5.7024G	122.92	Inf	-Inf	8.94	3	Horizontal	326	2.40	-	113.98	33.90	8.99	33.95
PK	5.7256G	68.12	68.20	-0.08	9.00	3	Horizontal	326	2.40	-	59.12	33.95	9.01	33.96



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40636G	44.37	54.00	-9.63	18.50	3	Vertical	18	2.09	-	25.87	39.71	12.71	33.92
PK	11.40642G	57.30	74.00	-16.70	18.50	3	Vertical	18	2.09	-	38.80	39.71	12.71	33.92
PK	17.10158G	65.71	68.20	-2.49	24.41	3	Vertical	67	1.86	-	41.30	40.67	15.00	31.26



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39766G	46.39	54.00	-7.61	18.52	3	Horizontal	292	1.71	-	27.87	39.72	12.71	33.91
PK	11.39652G	60.21	74.00	-13.79	18.52	3	Horizontal	292	1.71	-	41.69	39.72	12.71	33.91
PK	17.10012G	66.04	68.20	-2.16	24.40	3	Horizontal	246	1.49	-	41.64	40.66	15.00	31.26



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	45.09	54.00	-8.91	6.64	3	Vertical	9	3.00	-	38.45	31.88	8.67	33.91
AV	5.7188G	108.00	Inf	-Inf	7.27	3	Vertical	9	3.00	-	100.73	32.21	9.01	33.95
PK	5.468G	56.55	68.20	-11.65	6.69	3	Vertical	9	3.00	-	49.86	31.89	8.71	33.91
PK	5.7176G	120.12	Inf	-Inf	7.26	3	Vertical	9	3.00	-	112.86	32.20	9.01	33.95
PK	5.9564G	58.84	68.20	-9.36	7.70	3	Vertical	9	3.00	-	51.14	32.54	9.15	33.99



802.11ax HEW20_Nss1,(MCS0)_4TX

27/04/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	45.69	54.00	-8.31	6.62	3	Horizontal	76	1.00	-	39.07	31.87	8.66	33.91
AV	5.7176G	112.73	Inf	-Inf	7.26	3	Horizontal	76	1.00	-	105.47	32.20	9.01	33.95
PK	5.4644G	57.60	68.20	-10.60	6.68	3	Horizontal	76	1.00	-	50.92	31.89	8.70	33.91
PK	5.7176G	124.12	Inf	-Inf	7.26	3	Horizontal	76	1.00	-	116.86	32.20	9.01	33.95
PK	5.942G	58.96	68.20	-9.24	7.67	3	Horizontal	76	1.00	-	51.29	32.52	9.14	33.99



802.11ax HEW20_Nss1,(MCS0)_4TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44233G	44.68	54.00	-9.32	19.29	3	Vertical	11	1.17	-	25.39	40.48	12.73	33.92
PK	11.44311G	57.57	74.00	-16.43	19.30	3	Vertical	11	1.17	-	38.27	40.49	12.73	33.92
PK	17.16417G	64.39	68.20	-3.81	29.43	3	Vertical	299	1.46	-	34.96	45.68	15.02	31.27



802.11ax HEW20_Nss1,(MCS0)_4TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43447G	45.60	54.00	-8.40	19.27	3	Horizontal	301	1.72	-	26.33	40.47	12.72	33.92
PK	11.4388G	58.73	74.00	-15.27	19.29	3	Horizontal	301	1.72	-	39.44	40.48	12.73	33.92
PK	17.15641G	67.49	68.20	-0.71	29.37	3	Horizontal	281	2.41	-	38.12	45.63	15.01	31.27



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	104.43	Inf	-Inf	9.07	3	Vertical	0	2.81	-	95.36	34.35	8.59	33.87
AV	5.3528G	52.77	54.00	-1.23	9.00	3	Vertical	0	2.81	-	43.77	34.29	8.60	33.89
PK	5.276G	116.10	Inf	-Inf	9.07	3	Vertical	0	2.81	-	107.03	34.35	8.59	33.87
PK	5.3524G	68.86	74.00	-5.14	9.01	3	Vertical	0	2.81	-	59.85	34.30	8.60	33.89



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2648G	108.35	Inf	-Inf	9.05	3	Horizontal	315	3.00	-	99.30	34.33	8.58	33.86
AV	5.3648G	53.03	54.00	-0.97	8.98	3	Horizontal	315	3.00	-	44.05	34.27	8.60	33.89
PK	5.264G	119.67	Inf	-Inf	9.05	3	Horizontal	315	3.00	-	110.62	34.33	8.58	33.86
PK	5.3652G	67.90	74.00	-6.10	8.98	3	Horizontal	315	3.00	-	58.92	34.27	8.60	33.89



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8145G	50.44	54.00	-3.56	20.02	3	Vertical	336	2.32	-	30.42	37.79	14.67	32.44
PK	10.53982G	56.53	68.20	-11.67	17.70	3	Vertical	342	1.47	-	38.83	39.60	12.27	34.17
PK	15.79566G	64.62	74.00	-9.38	20.11	3	Vertical	336	2.32	-	44.51	37.86	14.67	32.42



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80808G	50.14	54.00	-3.86	20.05	3	Horizontal	359	1.48	-	30.09	37.81	14.67	32.43
PK	10.53994G	56.27	68.20	-11.93	17.70	3	Horizontal	328	2.80	-	38.57	39.60	12.27	34.17
PK	15.80868G	64.01	74.00	-9.99	20.05	3	Horizontal	359	1.48	-	43.96	37.81	14.67	32.43



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	100.74	Inf	-Inf	9.09	3	Vertical	358	2.77	-	91.65	34.37	8.59	33.87
AV	5.3532G	52.49	54.00	-1.51	9.00	3	Vertical	358	2.77	-	43.49	34.29	8.60	33.89
PK	5.3164G	113.62	Inf	-Inf	9.09	3	Vertical	358	2.77	-	104.53	34.37	8.59	33.87
PK	5.356G	67.64	74.00	-6.36	9.00	3	Vertical	358	2.77	-	58.64	34.29	8.60	33.89



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	104.87	Inf	-Inf	9.11	3	Horizontal	315	2.15	-	95.76	34.39	8.59	33.87
AV	5.35G	52.73	54.00	-1.27	9.02	3	Horizontal	315	2.15	-	43.71	34.30	8.60	33.88
PK	5.3068G	116.34	Inf	-Inf	9.11	3	Horizontal	315	2.15	-	107.23	34.39	8.59	33.87
PK	5.3664G	67.35	74.00	-6.65	8.98	3	Horizontal	315	2.15	-	58.37	34.27	8.60	33.89



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	45.02	54.00	-8.98	17.90	3	Vertical	340	1.50	-	27.12	39.71	12.31	34.12
AV	15.94398G	47.48	54.00	-6.52	19.48	3	Vertical	119	1.87	-	28.00	37.31	14.71	32.54
PK	10.60626G	55.61	74.00	-18.39	17.87	3	Vertical	340	1.50	-	37.74	39.69	12.31	34.13
PK	15.93246G	61.14	74.00	-12.86	19.52	3	Vertical	119	1.87	-	41.62	37.35	14.70	32.53



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	46.50	54.00	-7.50	17.90	3	Horizontal	326	2.52	-	28.60	39.71	12.31	34.12
AV	15.93378G	47.45	54.00	-6.55	19.52	3	Horizontal	346	2.33	-	27.93	37.35	14.70	32.53
PK	10.62006G	57.12	74.00	-16.88	17.90	3	Horizontal	326	2.52	-	39.22	39.71	12.31	34.12
PK	15.94302G	61.10	74.00	-12.90	19.48	3	Horizontal	346	2.33	-	41.62	37.31	14.71	32.54



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.00	54.00	-8.00	6.67	3	Vertical	0	2.91	-	39.33	31.88	8.70	33.91
AV	5.5036G	103.15	Inf	-Inf	6.75	3	Vertical	0	2.91	-	96.40	31.91	8.76	33.92
PK	5.4644G	65.58	68.20	-2.62	6.68	3	Vertical	0	2.91	-	58.90	31.89	8.70	33.91
PK	5.504G	116.10	Inf	-Inf	6.75	3	Vertical	0	2.91	-	109.35	31.91	8.76	33.92



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.99	54.00	-4.01	6.67	3	Horizontal	72	1.01	-	43.32	31.88	8.70	33.91
AV	5.5008G	105.43	Inf	-Inf	6.74	3	Horizontal	72	1.01	-	98.69	31.90	8.76	33.92
PK	5.4612G	66.58	68.20	-1.62	6.67	3	Horizontal	72	1.01	-	59.91	31.88	8.70	33.91
PK	5.5212G	118.17	Inf	-Inf	6.80	3	Horizontal	72	1.01	-	111.37	31.93	8.79	33.92



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	46.67	54.00	-7.33	18.85	3	Vertical	343	1.42	-	27.82	40.18	12.52	33.85
PK	11.02024G	57.31	74.00	-16.69	18.85	3	Vertical	343	1.42	-	38.46	40.18	12.52	33.85
PK	16.5297G	63.64	68.20	-4.56	21.62	3	Vertical	337	2.05	-	42.02	38.64	14.86	31.88



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	47.16	54.00	-6.84	18.85	3	Horizontal	41	1.44	-	28.31	40.18	12.52	33.85
PK	11.0203G	57.12	74.00	-16.88	18.85	3	Horizontal	41	1.44	-	38.27	40.18	12.52	33.85
PK	16.51908G	63.36	68.20	-4.84	21.57	3	Horizontal	122	2.12	-	41.79	38.61	14.85	31.89



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.96	54.00	-7.04	6.66	3	Vertical	0	3.00	-	40.30	31.88	8.69	33.91
AV	5.554G	106.65	Inf	-Inf	6.88	3	Vertical	0	3.00	-	99.77	31.98	8.83	33.93
PK	5.47G	60.09	68.20	-8.11	6.69	3	Vertical	0	3.00	-	53.40	31.89	8.71	33.91
PK	5.5536G	119.26	Inf	-Inf	6.88	3	Vertical	0	3.00	-	112.38	31.98	8.83	33.93



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	48.17	54.00	-5.83	6.65	3	Horizontal	76	1.00	-	41.52	31.88	8.68	33.91
AV	5.5512G	108.45	Inf	-Inf	6.87	3	Horizontal	76	1.00	-	101.58	31.97	8.83	33.93
PK	5.4696G	67.14	68.20	-1.06	6.69	3	Horizontal	76	1.00	-	60.45	31.89	8.71	33.91
PK	5.5512G	120.98	Inf	-Inf	6.87	3	Horizontal	76	1.00	-	114.11	31.97	8.83	33.93



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09994G	44.55	54.00	-9.45	18.77	3	Vertical	349	1.49	-	25.78	40.08	12.56	33.87
PK	11.09976G	56.66	74.00	-17.34	18.77	3	Vertical	349	1.49	-	37.89	40.08	12.56	33.87
PK	16.63506G	63.27	68.20	-4.93	22.08	3	Vertical	228	1.09	-	41.19	38.94	14.88	31.74



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10006G	45.12	54.00	-8.88	18.77	3	Horizontal	27	1.82	-	26.35	40.08	12.56	33.87
PK	11.10486G	56.68	74.00	-17.32	18.76	3	Horizontal	27	1.82	-	37.92	40.07	12.56	33.87
PK	16.6587G	64.22	68.20	-3.98	22.20	3	Horizontal	171	2.30	-	42.02	39.01	14.89	31.70



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	104.24	Inf	-Inf	8.97	3	Vertical	29	2.91	-	95.27	33.95	8.97	33.95
PK	5.673G	116.23	Inf	-Inf	8.97	3	Vertical	29	2.91	-	107.26	33.95	8.97	33.95
PK	5.7324G	65.96	68.20	-2.24	9.02	3	Vertical	29	2.91	-	56.94	33.96	9.02	33.96



802.11ax HEW40_Nss1,(MCS0)_4TX

06/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.661G	106.52	Inf	-Inf	8.98	3	Horizontal	75	1.02	-	97.54	33.98	8.95	33.95
PK	5.6796G	118.86	Inf	-Inf	8.96	3	Horizontal	75	1.02	-	109.90	33.94	8.97	33.95
PK	5.7252G	66.39	68.20	-1.81	9.00	3	Horizontal	75	1.02	-	57.39	33.95	9.01	33.96



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	45.41	54.00	-8.59	18.57	3	Vertical	175	1.00	-	26.84	39.79	12.68	33.90
PK	11.33694G	56.99	74.00	-17.01	18.58	3	Vertical	175	1.00	-	38.41	39.80	12.68	33.90
PK	17.02422G	65.74	68.20	-2.46	23.89	3	Vertical	220	1.47	-	41.85	40.16	14.98	31.25



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33736G	45.76	54.00	-8.24	18.58	3	Horizontal	293	1.71	-	27.18	39.80	12.68	33.90
PK	11.33694G	59.72	74.00	-14.28	18.58	3	Horizontal	293	1.71	-	41.14	39.80	12.68	33.90
PK	17.01108G	65.81	68.20	-2.39	23.80	3	Horizontal	331	3.00	-	42.01	40.07	14.98	31.25



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	45.49	54.00	-8.51	6.61	3	Vertical	360	3.00	-	38.88	31.87	8.65	33.91
AV	5.7124G	107.57	Inf	-Inf	7.25	3	Vertical	360	3.00	-	100.32	32.20	9.00	33.95
PK	5.4652G	56.89	68.20	-11.31	6.68	3	Vertical	360	3.00	-	50.21	31.89	8.70	33.91
PK	5.7124G	118.50	Inf	-Inf	7.25	3	Vertical	360	3.00	-	111.25	32.20	9.00	33.95
PK	5.8516G	59.01	68.20	-9.19	7.51	3	Vertical	360	3.00	-	51.50	32.39	9.10	33.98



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4472G	45.77	54.00	-8.23	6.65	3	Horizontal	81	2.15	-	39.12	31.88	8.68	33.91
AV	5.7076G	109.56	Inf	-Inf	7.24	3	Horizontal	81	2.15	-	102.32	32.19	9.00	33.95
PK	5.4628G	57.10	68.20	-11.10	6.68	3	Horizontal	81	2.15	-	50.42	31.89	8.70	33.91
PK	5.71G	122.00	Inf	-Inf	7.24	3	Horizontal	81	2.15	-	114.76	32.19	9.00	33.95
PK	5.902G	60.09	68.20	-8.11	7.61	3	Horizontal	81	2.15	-	52.48	32.46	9.13	33.98



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42012G	44.17	54.00	-9.83	18.50	3	Vertical	20	1.48	-	25.67	39.70	12.72	33.92
PK	11.41994G	58.19	74.00	-15.81	18.50	3	Vertical	20	1.48	-	39.69	39.70	12.72	33.92
PK	17.13552G	66.22	68.20	-1.98	24.64	3	Vertical	320	2.07	-	41.58	40.89	15.01	31.26



802.11ax HEW40_Nss1,(MCS0)_4TX

27/04/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41778G	46.59	54.00	-7.41	18.50	3	Horizontal	288	1.63	-	28.09	39.70	12.72	33.92
PK	11.41718G	59.51	74.00	-14.49	18.50	3	Horizontal	288	1.63	-	41.01	39.70	12.72	33.92
PK	17.12508G	67.58	68.20	-0.62	24.58	3	Horizontal	288	1.12	-	43.00	40.83	15.01	31.26



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.63	54.00	-6.37	8.89	3	Vertical	344	3.00	-	38.74	34.20	8.52	33.83
AV	5.302G	96.89	Inf	-Inf	9.12	3	Vertical	344	3.00	-	87.77	34.40	8.59	33.87
AV	5.363G	49.53	54.00	-4.47	8.98	3	Vertical	344	3.00	-	40.55	34.27	8.60	33.89
PK	5.15G	60.95	74.00	-13.05	8.89	3	Vertical	344	3.00	-	52.06	34.20	8.52	33.83
PK	5.302G	109.17	Inf	-Inf	9.12	3	Vertical	344	3.00	-	100.05	34.40	8.59	33.87
PK	5.49G	60.14	68.20	-8.06	9.02	3	Vertical	344	3.00	-	51.12	34.20	8.74	33.92



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.85	54.00	-6.15	8.89	3	Horizontal	315	1.02	-	38.96	34.20	8.52	33.83
AV	5.289G	99.20	Inf	-Inf	9.10	3	Horizontal	315	1.02	-	90.10	34.38	8.59	33.87
AV	5.35G	53.72	54.00	-0.28	9.02	3	Horizontal	315	1.02	-	44.70	34.30	8.60	33.88
PK	5.122G	59.97	74.00	-14.03	8.87	3	Horizontal	315	1.02	-	51.10	34.20	8.50	33.83
PK	5.291G	111.68	Inf	-Inf	9.10	3	Horizontal	315	1.02	-	102.58	34.38	8.59	33.87
PK	5.472G	59.93	68.20	-8.27	9.00	3	Horizontal	315	1.02	-	50.93	34.20	8.71	33.91



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87966G	47.30	54.00	-6.70	19.75	3	Vertical	317	2.30	-	27.55	37.55	14.69	32.49
PK	10.58012G	55.90	68.20	-12.30	17.80	3	Vertical	245	1.26	-	38.10	39.65	12.29	34.14
PK	15.87822G	61.39	74.00	-12.61	19.75	3	Vertical	317	2.30	-	41.64	37.55	14.69	32.49



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.885G	47.28	54.00	-6.72	19.73	3	Horizontal	116	1.86	-	27.55	37.53	14.69	32.49
PK	10.57988G	55.48	68.20	-12.72	17.80	3	Horizontal	326	2.70	-	37.68	39.65	12.29	34.14
PK	15.86886G	60.78	74.00	-13.22	19.80	3	Horizontal	116	1.86	-	40.98	37.59	14.69	32.48



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.443G	49.03	54.00	-4.97	8.96	3	Vertical	328	2.89	-	40.07	34.20	8.67	33.91
AV	5.543G	98.10	Inf	-Inf	9.05	3	Vertical	328	2.89	-	89.05	34.16	8.82	33.93
PK	5.462G	62.91	68.20	-5.29	8.99	3	Vertical	328	2.89	-	53.92	34.20	8.70	33.91
PK	5.542G	109.92	Inf	-Inf	9.05	3	Vertical	328	2.89	-	100.87	34.16	8.82	33.93
PK	5.744G	59.34	68.20	-8.86	9.06	3	Vertical	328	2.89	-	50.28	33.99	9.03	33.96



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	53.51	54.00	-0.49	8.97	3	Horizontal	321	1.00	-	44.54	34.20	8.68	33.91
AV	5.546G	101.44	Inf	-Inf	9.04	3	Horizontal	321	1.00	-	92.40	34.15	8.82	33.93
PK	5.465G	68.07	68.20	-0.13	8.99	3	Horizontal	321	1.00	-	59.08	34.20	8.70	33.91
PK	5.527G	114.38	Inf	-Inf	9.03	3	Horizontal	321	1.00	-	105.35	34.17	8.79	33.93
PK	5.757G	59.89	68.20	-8.31	9.09	3	Horizontal	321	1.00	-	50.80	34.01	9.04	33.96



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05994G	43.84	54.00	-10.16	18.81	3	Vertical	28	2.07	-	25.03	40.13	12.54	33.86
PK	11.04998G	56.21	74.00	-17.79	18.81	3	Vertical	28	2.07	-	37.40	40.14	12.53	33.86
PK	16.59546G	63.28	68.20	-4.92	21.91	3	Vertical	40	2.27	-	41.37	38.83	14.87	31.79



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05994G	46.32	54.00	-7.68	18.81	3	Horizontal	132	1.64	-	27.51	40.13	12.54	33.86
PK	11.05574G	56.72	74.00	-17.28	18.80	3	Horizontal	132	1.64	-	37.92	40.13	12.53	33.86
PK	16.5756G	63.11	68.20	-5.09	21.83	3	Horizontal	309	2.11	-	41.28	38.77	14.87	31.81



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.56	54.00	-6.44	6.66	3	Vertical	30	3.00	-	40.90	31.88	8.69	33.91
AV	5.613G	101.43	Inf	-Inf	7.03	3	Vertical	30	3.00	-	94.40	32.06	8.91	33.94
PK	5.465G	61.61	68.20	-6.59	6.68	3	Vertical	30	3.00	-	54.93	31.89	8.70	33.91
PK	5.614G	112.79	Inf	-Inf	7.03	3	Vertical	30	3.00	-	105.76	32.06	8.91	33.94
PK	5.733G	65.94	68.20	-2.26	7.29	3	Vertical	30	3.00	-	58.65	32.23	9.02	33.96



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.27	54.00	-2.73	6.67	3	Horizontal	77	1.00	-	44.60	31.88	8.70	33.91
AV	5.601G	103.47	Inf	-Inf	7.00	3	Horizontal	77	1.00	-	96.47	32.04	8.90	33.94
PK	5.461G	64.07	68.20	-4.13	6.67	3	Horizontal	77	1.00	-	57.40	31.88	8.70	33.91
PK	5.601G	115.75	Inf	-Inf	7.00	3	Horizontal	77	1.00	-	108.75	32.04	8.90	33.94
PK	5.741G	67.64	68.20	-0.56	7.31	3	Horizontal	77	1.00	-	60.33	32.24	9.03	33.96



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	47.65	54.00	-6.35	18.67	3	Vertical	56	1.33	-	28.98	39.94	12.62	33.89
PK	11.21998G	57.82	74.00	-16.18	18.67	3	Vertical	56	1.33	-	39.15	39.94	12.62	33.89
PK	16.82872G	63.74	68.20	-4.46	22.95	3	Vertical	6	1.00	-	40.79	39.50	14.93	31.48



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21998G	44.92	54.00	-9.08	18.67	3	Horizontal	49	2.35	-	26.25	39.94	12.62	33.89
PK	11.22003G	57.05	74.00	-16.95	18.67	3	Horizontal	49	2.35	-	38.38	39.94	12.62	33.89
PK	16.83092G	64.25	68.20	-3.95	22.97	3	Horizontal	67	3.00	-	41.28	39.51	14.93	31.47



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	47.59	54.00	-6.41	8.96	3	Vertical	346	1.04	-	38.63	34.20	8.67	33.91
AV	5.684G	101.30	Inf	-Inf	8.96	3	Vertical	346	1.04	-	92.34	33.93	8.98	33.95
PK	5.4656G	60.47	68.20	-7.73	9.00	3	Vertical	346	1.04	-	51.47	34.20	8.71	33.91
PK	5.684G	114.54	Inf	-Inf	8.96	3	Vertical	346	1.04	-	105.58	33.93	8.98	33.95
PK	5.8664G	62.95	68.20	-5.25	9.56	3	Vertical	346	1.04	-	53.39	34.43	9.11	33.98



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	48.52	54.00	-5.48	8.97	3	Horizontal	331	2.40	-	39.55	34.20	8.68	33.91
AV	5.6876G	106.14	Inf	-Inf	8.95	3	Horizontal	331	2.40	-	97.19	33.92	8.98	33.95
PK	5.468G	61.48	68.20	-6.72	9.00	3	Horizontal	331	2.40	-	52.48	34.20	8.71	33.91
PK	5.6876G	118.00	Inf	-Inf	8.95	3	Horizontal	331	2.40	-	109.05	33.92	8.98	33.95
PK	5.8664G	67.97	68.20	-0.23	9.56	3	Horizontal	331	2.40	-	58.41	34.43	9.11	33.98



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37998G	45.80	54.00	-8.20	18.53	3	Vertical	53	1.35	-	27.27	39.74	12.70	33.91
PK	11.37945G	57.23	74.00	-16.77	18.53	3	Vertical	53	1.35	-	38.70	39.74	12.70	33.91
PK	17.06841G	66.59	68.20	-1.61	24.18	3	Vertical	30	2.80	-	42.41	40.45	14.99	31.26



802.11ax HEW80_Nss1,(MCS0)_4TX

28/04/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	45.12	54.00	-8.88	18.53	3	Horizontal	318	2.50	-	26.59	39.74	12.70	33.91
PK	11.38023G	57.54	74.00	-16.46	18.53	3	Horizontal	318	2.50	-	39.01	39.74	12.70	33.91
PK	17.07012G	66.18	68.20	-2.02	24.19	3	Horizontal	332	1.48	-	41.99	40.46	14.99	31.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	10.5201G	68.00	68.20	-0.20	3	Vertical	70	1.03	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.81	54.00	-0.19	3	Horizontal	347	2.85	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.54	54.00	-0.46	3	Horizontal	345	2.91	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	347	3.14	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	11.4406G	53.88	54.00	-0.12	3	Vertical	122	1.07	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.83	68.20	-0.37	3	Horizontal	343	2.32	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	5.47G	68.01	68.20	-0.19	3	Horizontal	339	2.82	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.725G	68.10	68.20	-0.10	3	Horizontal	183	1.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1484G	45.47	54.00	-8.53	3	Vertical	264	2.92	-
5260MHz	Pass	AV	5.2654G	101.48	Inf	-Inf	3	Vertical	264	2.92	-
5260MHz	Pass	AV	5.3506G	47.59	54.00	-6.41	3	Vertical	264	2.92	-
5260MHz	Pass	PK	5.113G	57.96	74.00	-16.04	3	Vertical	264	2.92	-
5260MHz	Pass	PK	5.2582G	112.50	Inf	-Inf	3	Vertical	264	2.92	-
5260MHz	Pass	PK	5.3518G	62.20	74.00	-11.80	3	Vertical	264	2.92	-
5260MHz	Pass	AV	5.1496G	46.04	54.00	-7.96	3	Horizontal	158	2.65	-
5260MHz	Pass	AV	5.2534G	104.76	Inf	-Inf	3	Horizontal	158	2.65	-
5260MHz	Pass	AV	5.35G	49.78	54.00	-4.22	3	Horizontal	158	2.65	-
5260MHz	Pass	PK	5.1472G	59.00	74.00	-15.00	3	Horizontal	158	2.65	-
5260MHz	Pass	PK	5.2534G	115.70	Inf	-Inf	3	Horizontal	158	2.65	-
5260MHz	Pass	PK	5.35G	65.98	74.00	-8.02	3	Horizontal	158	2.65	-
5260MHz	Pass	PK	10.5201G	68.00	68.20	-0.20	3	Vertical	70	1.03	-
5260MHz	Pass	PK	10.5234G	62.02	68.20	-6.18	3	Horizontal	49	1.22	-
5300MHz	Pass	AV	5.2952G	97.76	Inf	-Inf	3	Vertical	93	2.28	-
5300MHz	Pass	AV	5.35G	50.37	54.00	-3.63	3	Vertical	93	2.28	-
5300MHz	Pass	PK	5.2944G	108.43	Inf	-Inf	3	Vertical	93	2.28	-
5300MHz	Pass	PK	5.3512G	63.84	74.00	-10.16	3	Vertical	93	2.28	-
5300MHz	Pass	AV	5.2948G	104.33	Inf	-Inf	3	Horizontal	346	3.18	-
5300MHz	Pass	AV	5.35G	53.76	54.00	-0.24	3	Horizontal	346	3.18	-
5300MHz	Pass	PK	5.2944G	114.79	Inf	-Inf	3	Horizontal	346	3.18	-
5300MHz	Pass	PK	5.3504G	70.02	74.00	-3.98	3	Horizontal	346	3.18	-
5300MHz	Pass	AV	10.6011G	49.98	54.00	-4.02	3	Vertical	72	1.02	-
5300MHz	Pass	PK	10.6005G	64.09	74.00	-9.91	3	Vertical	72	1.02	-
5300MHz	Pass	AV	10.60245G	45.48	54.00	-8.52	3	Horizontal	311	2.39	-
5300MHz	Pass	PK	10.60032G	58.12	74.00	-15.88	3	Horizontal	311	2.39	-
5320MHz	Pass	AV	5.3148G	95.99	Inf	-Inf	3	Vertical	85	2.30	-
5320MHz	Pass	AV	5.35G	50.13	54.00	-3.87	3	Vertical	85	2.30	-
5320MHz	Pass	PK	5.3144G	105.81	Inf	-Inf	3	Vertical	85	2.30	-
5320MHz	Pass	PK	5.3506G	63.52	74.00	-10.48	3	Vertical	85	2.30	-
5320MHz	Pass	AV	5.3134G	100.35	Inf	-Inf	3	Horizontal	337	3.14	-
5320MHz	Pass	AV	5.3502G	52.63	54.00	-1.37	3	Horizontal	337	3.14	-
5320MHz	Pass	PK	5.3176G	110.54	Inf	-Inf	3	Horizontal	337	3.14	-
5320MHz	Pass	PK	5.3502G	67.26	74.00	-6.74	3	Horizontal	337	3.14	-
5320MHz	Pass	AV	10.63974G	45.12	54.00	-8.88	3	Vertical	184	1.80	-
5320MHz	Pass	PK	10.6394G	57.99	74.00	-16.01	3	Vertical	184	1.80	-
5320MHz	Pass	AV	10.64106G	43.81	54.00	-10.19	3	Horizontal	267	2.31	-
5320MHz	Pass	PK	10.64038G	56.87	74.00	-17.13	3	Horizontal	267	2.31	-
5500MHz	Pass	AV	5.4592G	47.52	54.00	-6.48	3	Vertical	82	2.19	-
5500MHz	Pass	AV	5.4932G	94.59	Inf	-Inf	3	Vertical	82	2.19	-
5500MHz	Pass	PK	5.47G	64.68	68.20	-3.52	3	Vertical	82	2.19	-
5500MHz	Pass	PK	5.4942G	105.03	Inf	-Inf	3	Vertical	82	2.19	-
5500MHz	Pass	AV	5.4598G	48.24	54.00	-5.76	3	Horizontal	339	2.82	-
5500MHz	Pass	AV	5.4938G	100.09	Inf	-Inf	3	Horizontal	339	2.82	-
5500MHz	Pass	PK	5.4668G	67.57	68.20	-0.63	3	Horizontal	339	2.82	-
5500MHz	Pass	PK	5.4974G	110.10	Inf	-Inf	3	Horizontal	339	2.82	-
5500MHz	Pass	AV	10.99841G	45.51	54.00	-8.49	3	Vertical	110	1.02	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	11.00113G	59.54	74.00	-14.46	3	Vertical	110	1.02	-
5500MHz	Pass	AV	11.00102G	42.52	54.00	-11.48	3	Horizontal	42	2.13	-
5500MHz	Pass	PK	11.00058G	56.45	74.00	-17.55	3	Horizontal	42	2.13	-
5580MHz	Pass	AV	5.4504G	43.89	54.00	-10.11	3	Vertical	258	2.76	-
5580MHz	Pass	AV	5.574G	94.52	Inf	-Inf	3	Vertical	258	2.76	-
5580MHz	Pass	PK	5.469G	56.02	68.20	-12.18	3	Vertical	258	2.76	-
5580MHz	Pass	PK	5.5752G	105.43	Inf	-Inf	3	Vertical	258	2.76	-
5580MHz	Pass	PK	5.7294G	56.43	68.20	-11.77	3	Vertical	258	2.76	-
5580MHz	Pass	AV	5.4474G	45.63	54.00	-8.37	3	Horizontal	346	3.15	-
5580MHz	Pass	AV	5.574G	103.23	Inf	-Inf	3	Horizontal	346	3.15	-
5580MHz	Pass	PK	5.4642G	58.15	68.20	-10.05	3	Horizontal	346	3.15	-
5580MHz	Pass	PK	5.5788G	113.44	Inf	-Inf	3	Horizontal	346	3.15	-
5580MHz	Pass	PK	5.7276G	58.24	68.20	-9.96	3	Horizontal	346	3.15	-
5580MHz	Pass	AV	11.1604G	53.56	54.00	-0.44	3	Vertical	318	1.07	-
5580MHz	Pass	PK	11.1604G	66.91	74.00	-7.09	3	Vertical	318	1.07	-
5580MHz	Pass	AV	11.1607G	53.21	54.00	-0.79	3	Horizontal	116	1.07	-
5580MHz	Pass	PK	11.1609G	66.35	74.00	-7.65	3	Horizontal	116	1.07	-
5700MHz	Pass	AV	5.6936G	91.40	Inf	-Inf	3	Vertical	87	2.18	-
5700MHz	Pass	PK	5.694G	101.45	Inf	-Inf	3	Vertical	87	2.18	-
5700MHz	Pass	PK	5.7252G	62.16	68.20	-6.04	3	Vertical	87	2.18	-
5700MHz	Pass	AV	5.6932G	98.75	Inf	-Inf	3	Horizontal	342	2.53	-
5700MHz	Pass	PK	5.6948G	108.47	Inf	-Inf	3	Horizontal	342	2.53	-
5700MHz	Pass	PK	5.7256G	67.94	68.20	-0.26	3	Horizontal	342	2.53	-
5700MHz	Pass	AV	11.40045G	46.77	54.00	-7.23	3	Vertical	190	1.46	-
5700MHz	Pass	PK	11.40027G	60.55	74.00	-13.45	3	Vertical	190	1.46	-
5700MHz	Pass	AV	11.40045G	45.54	54.00	-8.46	3	Horizontal	338	2.26	-
5700MHz	Pass	PK	11.40177G	59.34	74.00	-14.66	3	Horizontal	338	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.15	54.00	-8.85	3	Vertical	224	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	92.24	Inf	-Inf	3	Vertical	224	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.88	68.20	-11.32	3	Vertical	224	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	102.58	Inf	-Inf	3	Vertical	224	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9456G	58.62	68.20	-9.58	3	Vertical	224	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	45.48	54.00	-8.52	3	Horizontal	347	3.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	99.10	Inf	-Inf	3	Horizontal	347	3.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.04	68.20	-11.16	3	Horizontal	347	3.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	109.23	Inf	-Inf	3	Horizontal	347	3.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9852G	58.08	68.20	-10.12	3	Horizontal	347	3.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4406G	53.88	54.00	-0.12	3	Vertical	122	1.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4403G	66.21	74.00	-7.79	3	Vertical	122	1.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4412G	53.13	54.00	-0.87	3	Horizontal	151	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4349G	66.21	74.00	-7.79	3	Horizontal	151	1.20	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	45.72	54.00	-8.28	3	Vertical	282	3.11	-
5260MHz	Pass	AV	5.266G	100.39	Inf	-Inf	3	Vertical	282	3.11	-
5260MHz	Pass	AV	5.35G	47.90	54.00	-6.10	3	Vertical	282	3.11	-
5260MHz	Pass	PK	5.137G	58.18	74.00	-15.82	3	Vertical	282	3.11	-
5260MHz	Pass	PK	5.2564G	111.14	Inf	-Inf	3	Vertical	282	3.11	-
5260MHz	Pass	PK	5.3548G	62.19	74.00	-11.81	3	Vertical	282	3.11	-
5260MHz	Pass	AV	5.1496G	47.22	54.00	-6.78	3	Horizontal	348	3.07	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.266G	105.24	Inf	-Inf	3	Horizontal	348	3.07	-
5260MHz	Pass	AV	5.35G	52.83	54.00	-1.17	3	Horizontal	348	3.07	-
5260MHz	Pass	PK	5.1448G	61.60	74.00	-12.40	3	Horizontal	348	3.07	-
5260MHz	Pass	PK	5.2636G	116.56	Inf	-Inf	3	Horizontal	348	3.07	-
5260MHz	Pass	PK	5.3536G	68.98	74.00	-5.02	3	Horizontal	348	3.07	-
5260MHz	Pass	PK	10.52528G	67.50	68.20	-0.70	3	Vertical	353	1.06	-
5260MHz	Pass	PK	10.52348G	61.32	68.20	-6.88	3	Horizontal	49	1.04	-
5300MHz	Pass	AV	5.2944G	97.27	Inf	-Inf	3	Vertical	92	2.28	-
5300MHz	Pass	AV	5.35G	50.53	54.00	-3.47	3	Vertical	92	2.28	-
5300MHz	Pass	PK	5.2928G	107.58	Inf	-Inf	3	Vertical	92	2.28	-
5300MHz	Pass	PK	5.352G	64.52	74.00	-9.48	3	Vertical	92	2.28	-
5300MHz	Pass	AV	5.294G	103.70	Inf	-Inf	3	Horizontal	347	2.85	-
5300MHz	Pass	AV	5.35G	53.81	54.00	-0.19	3	Horizontal	347	2.85	-
5300MHz	Pass	PK	5.2924G	114.18	Inf	-Inf	3	Horizontal	347	2.85	-
5300MHz	Pass	PK	5.3508G	68.05	74.00	-5.95	3	Horizontal	347	2.85	-
5300MHz	Pass	AV	10.60036G	48.47	54.00	-5.53	3	Vertical	354	1.00	-
5300MHz	Pass	PK	10.60126G	62.00	74.00	-12.00	3	Vertical	354	1.00	-
5300MHz	Pass	AV	10.60222G	44.56	54.00	-9.44	3	Horizontal	45	1.11	-
5300MHz	Pass	PK	10.60312G	58.66	74.00	-15.34	3	Horizontal	45	1.11	-
5320MHz	Pass	AV	5.3128G	95.48	Inf	-Inf	3	Vertical	84	2.31	-
5320MHz	Pass	AV	5.3504G	50.19	54.00	-3.81	3	Vertical	84	2.31	-
5320MHz	Pass	PK	5.3132G	105.59	Inf	-Inf	3	Vertical	84	2.31	-
5320MHz	Pass	PK	5.35G	63.54	74.00	-10.46	3	Vertical	84	2.31	-
5320MHz	Pass	AV	5.3158G	99.69	Inf	-Inf	3	Horizontal	339	3.16	-
5320MHz	Pass	AV	5.35G	53.32	54.00	-0.68	3	Horizontal	339	3.16	-
5320MHz	Pass	PK	5.3136G	110.24	Inf	-Inf	3	Horizontal	339	3.16	-
5320MHz	Pass	PK	5.3502G	67.54	74.00	-6.46	3	Horizontal	339	3.16	-
5320MHz	Pass	AV	10.64186G	44.29	54.00	-9.71	3	Vertical	70	1.16	-
5320MHz	Pass	PK	10.64126G	57.73	74.00	-16.27	3	Vertical	70	1.16	-
5320MHz	Pass	AV	10.6511G	42.90	54.00	-11.10	3	Horizontal	28	1.50	-
5320MHz	Pass	PK	10.64168G	56.55	74.00	-17.45	3	Horizontal	28	1.50	-
5500MHz	Pass	AV	5.4518G	47.68	54.00	-6.32	3	Vertical	83	2.16	-
5500MHz	Pass	AV	5.494G	94.02	Inf	-Inf	3	Vertical	83	2.16	-
5500MHz	Pass	PK	5.4698G	63.74	68.20	-4.46	3	Vertical	83	2.16	-
5500MHz	Pass	PK	5.4972G	104.23	Inf	-Inf	3	Vertical	83	2.16	-
5500MHz	Pass	AV	5.4588G	48.25	54.00	-5.75	3	Horizontal	349	2.82	-
5500MHz	Pass	AV	5.4932G	99.43	Inf	-Inf	3	Horizontal	349	2.82	-
5500MHz	Pass	PK	5.4698G	67.34	68.20	-0.86	3	Horizontal	349	2.82	-
5500MHz	Pass	PK	5.4938G	109.82	Inf	-Inf	3	Horizontal	349	2.82	-
5500MHz	Pass	AV	11.00024G	45.78	54.00	-8.22	3	Vertical	137	1.03	-
5500MHz	Pass	PK	10.99412G	58.97	74.00	-15.03	3	Vertical	137	1.03	-
5500MHz	Pass	AV	11.00042G	45.47	54.00	-8.53	3	Horizontal	139	1.00	-
5500MHz	Pass	PK	10.99526G	58.97	74.00	-15.03	3	Horizontal	139	1.00	-
5580MHz	Pass	AV	5.4414G	45.42	54.00	-8.58	3	Vertical	251	3.20	-
5580MHz	Pass	AV	5.574G	97.55	Inf	-Inf	3	Vertical	251	3.20	-
5580MHz	Pass	PK	5.4678G	56.77	68.20	-11.43	3	Vertical	251	3.20	-
5580MHz	Pass	PK	5.5824G	107.97	Inf	-Inf	3	Vertical	251	3.20	-
5580MHz	Pass	PK	5.73G	58.04	68.20	-10.16	3	Vertical	251	3.20	-
5580MHz	Pass	AV	5.4366G	45.82	54.00	-8.18	3	Horizontal	182	3.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.5746G	101.92	Inf	-Inf	3	Horizontal	182	3.00	-
5580MHz	Pass	PK	5.4666G	57.71	68.20	-10.49	3	Horizontal	182	3.00	-
5580MHz	Pass	PK	5.5758G	112.32	Inf	-Inf	3	Horizontal	182	3.00	-
5580MHz	Pass	PK	5.727G	58.38	68.20	-9.82	3	Horizontal	182	3.00	-
5580MHz	Pass	AV	11.16174G	53.44	54.00	-0.56	3	Vertical	285	1.87	-
5580MHz	Pass	PK	11.16864G	66.28	74.00	-7.72	3	Vertical	285	1.87	-
5580MHz	Pass	AV	11.16G	52.13	54.00	-1.87	3	Horizontal	181	1.14	-
5580MHz	Pass	PK	11.14986G	65.17	74.00	-8.83	3	Horizontal	181	1.14	-
5700MHz	Pass	AV	5.6936G	89.44	Inf	-Inf	3	Vertical	88	2.18	-
5700MHz	Pass	PK	5.6924G	99.51	Inf	-Inf	3	Vertical	88	2.18	-
5700MHz	Pass	PK	5.7252G	61.71	68.20	-6.49	3	Vertical	88	2.18	-
5700MHz	Pass	AV	5.6932G	96.83	Inf	-Inf	3	Horizontal	343	2.32	-
5700MHz	Pass	PK	5.6968G	106.81	Inf	-Inf	3	Horizontal	343	2.32	-
5700MHz	Pass	PK	5.7252G	67.83	68.20	-0.37	3	Horizontal	343	2.32	-
5700MHz	Pass	AV	11.40014G	44.08	54.00	-9.92	3	Vertical	194	1.49	-
5700MHz	Pass	PK	11.39944G	57.26	74.00	-16.74	3	Vertical	194	1.49	-
5700MHz	Pass	AV	11.40042G	43.99	54.00	-10.01	3	Horizontal	338	2.34	-
5700MHz	Pass	PK	11.3994G	57.36	74.00	-16.64	3	Horizontal	338	2.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	45.42	54.00	-8.58	3	Vertical	360	3.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	94.06	Inf	-Inf	3	Vertical	360	3.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.46	68.20	-10.74	3	Vertical	360	3.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	104.77	Inf	-Inf	3	Vertical	360	3.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	58.39	68.20	-9.81	3	Vertical	360	3.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	45.49	54.00	-8.51	3	Horizontal	180	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	98.41	Inf	-Inf	3	Horizontal	180	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.77	68.20	-11.43	3	Horizontal	180	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	108.30	Inf	-Inf	3	Horizontal	180	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9564G	58.91	68.20	-9.29	3	Horizontal	180	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44138G	53.01	54.00	-0.99	3	Vertical	132	1.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44132G	67.18	74.00	-6.82	3	Vertical	132	1.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4391G	52.74	54.00	-1.26	3	Horizontal	152	1.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44294G	65.14	74.00	-8.86	3	Horizontal	152	1.21	-
802.11ac VHT40_Nss1,(MCS0)_TTX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2596G	96.22	Inf	-Inf	3	Vertical	83	2.19	-
5270MHz	Pass	AV	5.35G	50.89	54.00	-3.11	3	Vertical	83	2.19	-
5270MHz	Pass	PK	5.262G	106.56	Inf	-Inf	3	Vertical	83	2.19	-
5270MHz	Pass	PK	5.35G	63.61	74.00	-10.39	3	Vertical	83	2.19	-
5270MHz	Pass	AV	5.2536G	99.74	Inf	-Inf	3	Horizontal	345	2.91	-
5270MHz	Pass	AV	5.35G	53.54	54.00	-0.46	3	Horizontal	345	2.91	-
5270MHz	Pass	PK	5.262G	109.60	Inf	-Inf	3	Horizontal	345	2.91	-
5270MHz	Pass	PK	5.3516G	67.27	74.00	-6.73	3	Horizontal	345	2.91	-
5270MHz	Pass	PK	10.55176G	56.89	68.20	-11.31	3	Vertical	13	1.50	-
5270MHz	Pass	PK	10.5382G	56.31	68.20	-11.89	3	Horizontal	54	2.26	-
5310MHz	Pass	AV	5.296G	87.09	Inf	-Inf	3	Vertical	82	2.18	-
5310MHz	Pass	AV	5.35G	50.63	54.00	-3.37	3	Vertical	82	2.18	-
5310MHz	Pass	PK	5.304G	96.89	Inf	-Inf	3	Vertical	82	2.18	-
5310MHz	Pass	PK	5.3512G	62.88	74.00	-11.12	3	Vertical	82	2.18	-
5310MHz	Pass	AV	5.298G	91.38	Inf	-Inf	3	Horizontal	345	3.14	-
5310MHz	Pass	AV	5.35G	53.43	54.00	-0.57	3	Horizontal	345	3.14	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	5.316G	101.16	Inf	-Inf	3	Horizontal	345	3.14	-
5310MHz	Pass	PK	5.3512G	65.14	74.00	-8.86	3	Horizontal	345	3.14	-
5310MHz	Pass	AV	10.62702G	43.00	54.00	-11.00	3	Vertical	183	1.04	-
5310MHz	Pass	PK	10.60752G	55.40	74.00	-18.60	3	Vertical	183	1.04	-
5310MHz	Pass	AV	10.6242G	42.63	54.00	-11.37	3	Horizontal	194	2.04	-
5310MHz	Pass	PK	10.61406G	54.99	74.00	-19.01	3	Horizontal	194	2.04	-
5510MHz	Pass	AV	5.46G	47.63	54.00	-6.37	3	Vertical	75	2.28	-
5510MHz	Pass	AV	5.4996G	86.14	Inf	-Inf	3	Vertical	75	2.28	-
5510MHz	Pass	PK	5.4688G	62.64	68.20	-5.56	3	Vertical	75	2.28	-
5510MHz	Pass	PK	5.5004G	95.42	Inf	-Inf	3	Vertical	75	2.28	-
5510MHz	Pass	AV	5.46G	50.43	54.00	-3.57	3	Horizontal	339	2.82	-
5510MHz	Pass	AV	5.4972G	91.38	Inf	-Inf	3	Horizontal	339	2.82	-
5510MHz	Pass	PK	5.47G	68.01	68.20	-0.19	3	Horizontal	339	2.82	-
5510MHz	Pass	PK	5.4956G	101.13	Inf	-Inf	3	Horizontal	339	2.82	-
5510MHz	Pass	AV	11.00602G	43.47	54.00	-10.53	3	Vertical	257	2.29	-
5510MHz	Pass	PK	11.02606G	55.86	74.00	-18.14	3	Vertical	257	2.29	-
5510MHz	Pass	AV	11.0161G	43.27	54.00	-10.73	3	Horizontal	169	1.18	-
5510MHz	Pass	PK	11.0137G	56.39	74.00	-17.61	3	Horizontal	169	1.18	-
5550MHz	Pass	AV	5.4584G	50.30	54.00	-3.70	3	Vertical	86	2.17	-
5550MHz	Pass	AV	5.5376G	94.11	Inf	-Inf	3	Vertical	86	2.17	-
5550MHz	Pass	PK	5.4688G	65.68	68.20	-2.52	3	Vertical	86	2.17	-
5550MHz	Pass	PK	5.5408G	103.75	Inf	-Inf	3	Vertical	86	2.17	-
5550MHz	Pass	AV	5.46G	52.07	54.00	-1.93	3	Horizontal	183	1.39	-
5550MHz	Pass	AV	5.546G	97.97	Inf	-Inf	3	Horizontal	183	1.39	-
5550MHz	Pass	PK	5.4696G	67.55	68.20	-0.65	3	Horizontal	183	1.39	-
5550MHz	Pass	PK	5.546G	107.99	Inf	-Inf	3	Horizontal	183	1.39	-
5550MHz	Pass	AV	11.09922G	50.60	54.00	-3.40	3	Vertical	314	1.02	-
5550MHz	Pass	PK	11.10174G	63.22	74.00	-10.78	3	Vertical	314	1.02	-
5550MHz	Pass	AV	11.10084G	49.30	54.00	-4.70	3	Horizontal	139	1.00	-
5550MHz	Pass	PK	11.10144G	61.85	74.00	-12.15	3	Horizontal	139	1.00	-
5670MHz	Pass	AV	5.6604G	91.19	Inf	-Inf	3	Vertical	81	2.29	-
5670MHz	Pass	PK	5.6622G	101.21	Inf	-Inf	3	Vertical	81	2.29	-
5670MHz	Pass	PK	5.7252G	61.17	68.20	-7.03	3	Vertical	81	2.29	-
5670MHz	Pass	AV	5.6574G	98.09	Inf	-Inf	3	Horizontal	342	2.57	-
5670MHz	Pass	PK	5.6604G	107.07	Inf	-Inf	3	Horizontal	342	2.57	-
5670MHz	Pass	PK	5.7252G	67.33	68.20	-0.87	3	Horizontal	342	2.57	-
5670MHz	Pass	AV	11.34528G	48.39	54.00	-5.61	3	Vertical	149	1.27	-
5670MHz	Pass	PK	11.33964G	60.82	74.00	-13.18	3	Vertical	149	1.27	-
5670MHz	Pass	AV	11.33838G	49.47	54.00	-4.53	3	Horizontal	137	1.00	-
5670MHz	Pass	PK	11.34174G	62.47	74.00	-11.53	3	Horizontal	137	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.422G	46.26	54.00	-7.74	3	Vertical	360	2.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	92.89	Inf	-Inf	3	Vertical	360	2.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	57.98	74.00	-16.02	3	Vertical	360	2.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	102.98	Inf	-Inf	3	Vertical	360	2.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9176G	58.69	68.20	-9.51	3	Vertical	360	2.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4172G	46.75	54.00	-7.25	3	Horizontal	343	3.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	99.23	Inf	-Inf	3	Horizontal	343	3.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	57.24	68.20	-10.96	3	Horizontal	343	3.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	108.93	Inf	-Inf	3	Horizontal	343	3.06	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8804G	58.81	68.20	-9.39	3	Horizontal	343	3.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4235G	53.52	54.00	-0.48	3	Vertical	182	1.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4222G	66.36	74.00	-7.64	3	Vertical	182	1.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4225G	53.22	54.00	-0.78	3	Horizontal	130	1.12	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4212G	66.02	74.00	-7.98	3	Horizontal	130	1.12	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.045G	48.24	54.00	-5.76	3	Vertical	84	2.19	-
5290MHz	Pass	AV	5.262G	81.71	Inf	-Inf	3	Vertical	84	2.19	-
5290MHz	Pass	AV	5.35G	51.07	54.00	-2.93	3	Vertical	84	2.19	-
5290MHz	Pass	PK	5.069G	60.63	74.00	-13.37	3	Vertical	84	2.19	-
5290MHz	Pass	PK	5.279G	92.60	Inf	-Inf	3	Vertical	84	2.19	-
5290MHz	Pass	PK	5.52G	59.71	68.20	-8.49	3	Vertical	84	2.19	-
5290MHz	Pass	AV	5.139G	48.53	54.00	-5.47	3	Horizontal	347	3.14	-
5290MHz	Pass	AV	5.313G	85.72	Inf	-Inf	3	Horizontal	347	3.14	-
5290MHz	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	347	3.14	-
5290MHz	Pass	PK	5.106G	60.27	74.00	-13.73	3	Horizontal	347	3.14	-
5290MHz	Pass	PK	5.298G	95.95	Inf	-Inf	3	Horizontal	347	3.14	-
5290MHz	Pass	PK	5.5G	59.75	68.20	-8.45	3	Horizontal	347	3.14	-
5290MHz	Pass	PK	10.57466G	54.65	68.20	-13.55	3	Vertical	174	2.41	-
5290MHz	Pass	PK	10.58672G	55.08	68.20	-13.12	3	Horizontal	181	1.47	-
5530MHz	Pass	AV	5.459G	48.42	54.00	-5.58	3	Vertical	74	2.38	-
5530MHz	Pass	AV	5.533G	79.14	Inf	-Inf	3	Vertical	74	2.38	-
5530MHz	Pass	PK	5.47G	61.03	68.20	-7.17	3	Vertical	74	2.38	-
5530MHz	Pass	PK	5.519G	90.24	Inf	-Inf	3	Vertical	74	2.38	-
5530MHz	Pass	PK	5.755G	61.01	68.20	-7.19	3	Vertical	74	2.38	-
5530MHz	Pass	AV	5.46G	51.57	54.00	-2.43	3	Horizontal	346	2.69	-
5530MHz	Pass	AV	5.509G	85.86	Inf	-Inf	3	Horizontal	346	2.69	-
5530MHz	Pass	PK	5.469G	67.75	68.20	-0.45	3	Horizontal	346	2.69	-
5530MHz	Pass	PK	5.518G	95.97	Inf	-Inf	3	Horizontal	346	2.69	-
5530MHz	Pass	PK	5.77G	59.27	68.20	-8.93	3	Horizontal	346	2.69	-
5530MHz	Pass	AV	11.04872G	43.18	54.00	-10.82	3	Vertical	312	2.32	-
5530MHz	Pass	PK	11.04698G	55.52	74.00	-18.48	3	Vertical	312	2.32	-
5530MHz	Pass	AV	11.04722G	43.25	54.00	-10.75	3	Horizontal	14	1.19	-
5530MHz	Pass	PK	11.06396G	55.73	74.00	-18.27	3	Horizontal	14	1.19	-
5610MHz	Pass	AV	5.456G	51.55	54.00	-2.45	3	Vertical	79	2.20	-
5610MHz	Pass	AV	5.581G	90.98	Inf	-Inf	3	Vertical	79	2.20	-
5610MHz	Pass	PK	5.47G	65.97	68.20	-2.23	3	Vertical	79	2.20	-
5610MHz	Pass	PK	5.599G	101.16	Inf	-Inf	3	Vertical	79	2.20	-
5610MHz	Pass	PK	5.725G	62.15	68.20	-6.05	3	Vertical	79	2.20	-
5610MHz	Pass	AV	5.459G	51.96	54.00	-2.04	3	Horizontal	183	1.00	-
5610MHz	Pass	AV	5.58G	94.92	Inf	-Inf	3	Horizontal	183	1.00	-
5610MHz	Pass	PK	5.465G	65.28	68.20	-2.92	3	Horizontal	183	1.00	-
5610MHz	Pass	PK	5.599G	105.54	Inf	-Inf	3	Horizontal	183	1.00	-
5610MHz	Pass	PK	5.725G	68.10	68.20	-0.10	3	Horizontal	183	1.00	-
5610MHz	Pass	AV	11.2275G	48.24	54.00	-5.76	3	Vertical	316	2.07	-
5610MHz	Pass	PK	11.23224G	62.39	74.00	-11.61	3	Vertical	316	2.07	-
5610MHz	Pass	AV	11.22558G	46.65	54.00	-7.35	3	Horizontal	110	1.00	-
5610MHz	Pass	PK	11.23218G	60.52	74.00	-13.48	3	Horizontal	110	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.46	54.00	-3.54	3	Vertical	80	2.30	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.65888G	91.73	Inf	-Inf	3	Vertical	80	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	64.20	68.20	-4.00	3	Vertical	80	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	102.53	Inf	-Inf	3	Vertical	80	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	64.38	68.20	-3.82	3	Vertical	80	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	51.28	54.00	-2.72	3	Horizontal	184	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.666G	95.46	Inf	-Inf	3	Horizontal	184	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	64.51	68.20	-3.69	3	Horizontal	184	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	106.64	Inf	-Inf	3	Horizontal	184	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	67.65	68.20	-0.55	3	Horizontal	184	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3815G	53.82	54.00	-0.18	3	Vertical	330	1.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3862G	67.26	74.00	-6.74	3	Vertical	330	1.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38214G	52.81	54.00	-1.19	3	Horizontal	128	1.07	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38416G	65.84	74.00	-8.16	3	Horizontal	128	1.07	-



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.47	54.00	-8.53	6.45	3	Vertical	264	2.92	-	39.02	31.76	8.52	33.83
AV	5.2654G	101.48	Inf	-Inf	6.53	3	Vertical	264	2.92	-	94.95	31.81	8.58	33.86
AV	5.3506G	47.59	54.00	-6.41	6.55	3	Vertical	264	2.92	-	41.04	31.84	8.60	33.89
PK	5.113G	57.96	74.00	-16.04	6.42	3	Vertical	264	2.92	-	51.54	31.75	8.49	33.82
PK	5.2582G	112.50	Inf	-Inf	6.52	3	Vertical	264	2.92	-	105.98	31.80	8.58	33.86
PK	5.3518G	62.20	74.00	-11.80	6.55	3	Vertical	264	2.92	-	55.65	31.84	8.60	33.89



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.04	54.00	-7.96	6.45	3	Horizontal	158	2.65	-	39.59	31.76	8.52	33.83
AV	5.2534G	104.76	Inf	-Inf	6.52	3	Horizontal	158	2.65	-	98.24	31.80	8.58	33.86
AV	5.35G	49.78	54.00	-4.22	6.56	3	Horizontal	158	2.65	-	43.22	31.84	8.60	33.88
PK	5.1472G	59.00	74.00	-15.00	6.45	3	Horizontal	158	2.65	-	52.55	31.76	8.52	33.83
PK	5.2534G	115.70	Inf	-Inf	6.52	3	Horizontal	158	2.65	-	109.18	31.80	8.58	33.86
PK	5.35G	65.98	74.00	-8.02	6.56	3	Horizontal	158	2.65	-	59.42	31.84	8.60	33.88



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5201G	68.00	68.20	-0.20	17.33	3	Vertical	70	1.03	-	50.67	39.26	12.26	34.19



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5234G	62.02	68.20	-6.18	17.35	3	Horizontal	49	1.22	-	44.67	39.27	12.26	34.18



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	97.76	Inf	-Inf	9.11	3	Vertical	93	2.28	-	88.65	34.39	8.59	33.87
AV	5.35G	50.37	54.00	-3.63	9.02	3	Vertical	93	2.28	-	41.35	34.30	8.60	33.88
PK	5.2944G	108.43	Inf	-Inf	9.11	3	Vertical	93	2.28	-	99.32	34.39	8.59	33.87
PK	5.3512G	63.84	74.00	-10.16	9.01	3	Vertical	93	2.28	-	54.83	34.30	8.60	33.89



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	104.33	Inf	-Inf	9.11	3	Horizontal	346	3.18	-	95.22	34.39	8.59	33.87
AV	5.35G	53.76	54.00	-0.24	9.02	3	Horizontal	346	3.18	-	44.74	34.30	8.60	33.88
PK	5.2944G	114.79	Inf	-Inf	9.11	3	Horizontal	346	3.18	-	105.68	34.39	8.59	33.87
PK	5.3504G	70.02	74.00	-3.98	9.01	3	Horizontal	346	3.18	-	61.01	34.30	8.60	33.89



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6011G	49.98	54.00	-4.02	17.85	3	Vertical	72	1.02	-	32.13	39.68	12.30	34.13
PK	10.6005G	64.09	74.00	-9.91	17.85	3	Vertical	72	1.02	-	46.24	39.68	12.30	34.13



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60245G	45.48	54.00	-8.52	17.85	3	Horizontal	311	2.39	-	27.63	39.68	12.30	34.13
PK	10.60032G	58.12	74.00	-15.88	17.85	3	Horizontal	311	2.39	-	40.27	39.68	12.30	34.13



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	95.99	Inf	-Inf	9.09	3	Vertical	85	2.30	-	86.90	34.37	8.59	33.87
AV	5.35G	50.13	54.00	-3.87	9.02	3	Vertical	85	2.30	-	41.11	34.30	8.60	33.88
PK	5.3144G	105.81	Inf	-Inf	9.09	3	Vertical	85	2.30	-	96.72	34.37	8.59	33.87
PK	5.3506G	63.52	74.00	-10.48	9.01	3	Vertical	85	2.30	-	54.51	34.30	8.60	33.89



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3134G	100.35	Inf	-Inf	9.09	3	Horizontal	337	3.14	-	91.26	34.37	8.59	33.87
AV	5.3502G	52.63	54.00	-1.37	9.01	3	Horizontal	337	3.14	-	43.62	34.30	8.60	33.89
PK	5.3176G	110.54	Inf	-Inf	9.07	3	Horizontal	337	3.14	-	101.47	34.36	8.59	33.88
PK	5.3502G	67.26	74.00	-6.74	9.01	3	Horizontal	337	3.14	-	58.25	34.30	8.60	33.89



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63974G	45.12	54.00	-8.88	17.95	3	Vertical	184	1.80	-	27.17	39.73	12.32	34.10
PK	10.6394G	57.99	74.00	-16.01	17.95	3	Vertical	184	1.80	-	40.04	39.73	12.32	34.10



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64106G	43.81	54.00	-10.19	17.95	3	Horizontal	267	2.31	-	25.86	39.73	12.32	34.10
PK	10.64038G	56.87	74.00	-17.13	17.95	3	Horizontal	267	2.31	-	38.92	39.73	12.32	34.10



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.52	54.00	-6.48	8.99	3	Vertical	82	2.19	-	38.53	34.20	8.70	33.91
AV	5.4932G	94.59	Inf	-Inf	9.03	3	Vertical	82	2.19	-	85.56	34.20	8.75	33.92
PK	5.47G	64.68	68.20	-3.52	9.00	3	Vertical	82	2.19	-	55.68	34.20	8.71	33.91
PK	5.4942G	105.03	Inf	-Inf	9.03	3	Vertical	82	2.19	-	96.00	34.20	8.75	33.92



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.24	54.00	-5.76	8.99	3	Horizontal	339	2.82	-	39.25	34.20	8.70	33.91
AV	5.4938G	100.09	Inf	-Inf	9.03	3	Horizontal	339	2.82	-	91.06	34.20	8.75	33.92
PK	5.4668G	67.57	68.20	-0.63	9.00	3	Horizontal	339	2.82	-	58.57	34.20	8.71	33.91
PK	5.4974G	110.10	Inf	-Inf	9.03	3	Horizontal	339	2.82	-	101.07	34.20	8.75	33.92



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99841G	45.51	54.00	-8.49	18.85	3	Vertical	110	1.02	-	26.66	40.20	12.50	33.85
PK	11.00113G	59.54	74.00	-14.46	18.86	3	Vertical	110	1.02	-	40.68	40.20	12.51	33.85



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00102G	42.52	54.00	-11.48	18.86	3	Horizontal	42	2.13	-	23.66	40.20	12.51	33.85
PK	11.00058G	56.45	74.00	-17.55	18.86	3	Horizontal	42	2.13	-	37.59	40.20	12.51	33.85



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	43.89	54.00	-10.11	6.65	3	Vertical	258	2.76	-	37.24	31.88	8.68	33.91
AV	5.574G	94.52	Inf	-Inf	6.93	3	Vertical	258	2.76	-	87.59	32.00	8.86	33.93
PK	5.469G	56.02	68.20	-12.18	6.69	3	Vertical	258	2.76	-	49.33	31.89	8.71	33.91
PK	5.5752G	105.43	Inf	-Inf	6.93	3	Vertical	258	2.76	-	98.50	32.01	8.86	33.94
PK	5.7294G	56.43	68.20	-11.77	7.28	3	Vertical	258	2.76	-	49.15	32.22	9.02	33.96



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	45.63	54.00	-8.37	6.65	3	Horizontal	346	3.15	-	38.98	31.88	8.68	33.91
AV	5.574G	103.23	Inf	-Inf	6.93	3	Horizontal	346	3.15	-	96.30	32.00	8.86	33.93
PK	5.4642G	58.15	68.20	-10.05	6.68	3	Horizontal	346	3.15	-	51.47	31.89	8.70	33.91
PK	5.5788G	113.44	Inf	-Inf	6.94	3	Horizontal	346	3.15	-	106.50	32.01	8.87	33.94
PK	5.7276G	58.24	68.20	-9.96	7.27	3	Horizontal	346	3.15	-	50.97	32.22	9.01	33.96



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1604G	53.56	54.00	-0.44	18.63	3	Vertical	318	1.07	-	34.93	39.92	12.59	33.88
PK	11.1604G	66.91	74.00	-7.09	18.63	3	Vertical	318	1.07	-	48.28	39.92	12.59	33.88



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1607G	53.21	54.00	-0.79	18.63	3	Horizontal	116	1.07	-	34.58	39.92	12.59	33.88
PK	11.1609G	66.35	74.00	-7.65	18.63	3	Horizontal	116	1.07	-	47.72	39.92	12.59	33.88



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6936G	91.40	Inf	-Inf	8.94	3	Vertical	87	2.18	-	82.46	33.91	8.98	33.95
PK	5.694G	101.45	Inf	-Inf	8.94	3	Vertical	87	2.18	-	92.51	33.91	8.98	33.95
PK	5.7252G	62.16	68.20	-6.04	9.00	3	Vertical	87	2.18	-	53.16	33.95	9.01	33.96



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6932G	98.75	Inf	-Inf	8.94	3	Horizontal	342	2.53	-	89.81	33.91	8.98	33.95
PK	5.6948G	108.47	Inf	-Inf	8.95	3	Horizontal	342	2.53	-	99.52	33.91	8.99	33.95
PK	5.7256G	67.94	68.20	-0.26	9.00	3	Horizontal	342	2.53	-	58.94	33.95	9.01	33.96



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40045G	46.77	54.00	-7.23	18.52	3	Vertical	190	1.46	-	28.25	39.72	12.71	33.91
PK	11.40027G	60.55	74.00	-13.45	18.52	3	Vertical	190	1.46	-	42.03	39.72	12.71	33.91



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40045G	45.54	54.00	-8.46	18.52	3	Horizontal	338	2.26	-	27.02	39.72	12.71	33.91
PK	11.40177G	59.34	74.00	-14.66	18.52	3	Horizontal	338	2.26	-	40.82	39.72	12.71	33.91



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.15	54.00	-8.85	6.67	3	Vertical	224	2.81	-	38.48	31.88	8.70	33.91
AV	5.714G	92.24	Inf	-Inf	7.25	3	Vertical	224	2.81	-	84.99	32.20	9.00	33.95
PK	5.4632G	56.88	68.20	-11.32	6.68	3	Vertical	224	2.81	-	50.20	31.89	8.70	33.91
PK	5.7152G	102.58	Inf	-Inf	7.25	3	Vertical	224	2.81	-	95.33	32.20	9.00	33.95
PK	5.9456G	58.62	68.20	-9.58	7.68	3	Vertical	224	2.81	-	50.94	32.52	9.15	33.99



802.11a_Nss1,(6Mbps)_1TX

10/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	45.48	54.00	-8.52	6.61	3	Horizontal	347	3.03	-	38.87	31.87	8.64	33.90
AV	5.7128G	99.10	Inf	-Inf	7.25	3	Horizontal	347	3.03	-	91.85	32.20	9.00	33.95
PK	5.4644G	57.04	68.20	-11.16	6.68	3	Horizontal	347	3.03	-	50.36	31.89	8.70	33.91
PK	5.714G	109.23	Inf	-Inf	7.25	3	Horizontal	347	3.03	-	101.98	32.20	9.00	33.95
PK	5.9852G	58.08	68.20	-10.12	7.74	3	Horizontal	347	3.03	-	50.34	32.58	9.16	34.00



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4406G	53.88	54.00	-0.12	19.29	3	Vertical	122	1.07	-	34.59	40.48	12.73	33.92
PK	11.4403G	66.21	74.00	-7.79	19.29	3	Vertical	122	1.07	-	46.92	40.48	12.73	33.92



802.11a_Nss1,(6Mbps)_1TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4412G	53.13	54.00	-0.87	19.29	3	Horizontal	151	1.20	-	33.84	40.48	12.73	33.92
PK	11.4349G	66.21	74.00	-7.79	19.27	3	Horizontal	151	1.20	-	46.94	40.47	12.72	33.92



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.72	54.00	-8.28	6.45	3	Vertical	282	3.11	-	39.27	31.76	8.52	33.83
AV	5.266G	100.39	Inf	-Inf	6.53	3	Vertical	282	3.11	-	93.86	31.81	8.58	33.86
AV	5.35G	47.90	54.00	-6.10	6.56	3	Vertical	282	3.11	-	41.34	31.84	8.60	33.88
PK	5.137G	58.18	74.00	-15.82	6.43	3	Vertical	282	3.11	-	51.75	31.75	8.51	33.83
PK	5.2564G	111.14	Inf	-Inf	6.52	3	Vertical	282	3.11	-	104.62	31.80	8.58	33.86
PK	5.3548G	62.19	74.00	-11.81	6.55	3	Vertical	282	3.11	-	55.64	31.84	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.22	54.00	-6.78	6.45	3	Horizontal	348	3.07	-	40.77	31.76	8.52	33.83
AV	5.266G	105.24	Inf	-Inf	6.53	3	Horizontal	348	3.07	-	98.71	31.81	8.58	33.86
AV	5.35G	52.83	54.00	-1.17	6.56	3	Horizontal	348	3.07	-	46.27	31.84	8.60	33.88
PK	5.1448G	61.60	74.00	-12.40	6.45	3	Horizontal	348	3.07	-	55.15	31.76	8.52	33.83
PK	5.2636G	116.56	Inf	-Inf	6.53	3	Horizontal	348	3.07	-	110.03	31.81	8.58	33.86
PK	5.3536G	68.98	74.00	-5.02	6.55	3	Horizontal	348	3.07	-	62.43	31.84	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52528G	67.50	68.20	-0.70	17.67	3	Vertical	353	1.06	-	49.83	39.58	12.27	34.18



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52348G	61.32	68.20	-6.88	17.66	3	Horizontal	49	1.04	-	43.66	39.58	12.26	34.18



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	97.27	Inf	-Inf	9.11	3	Vertical	92	2.28	-	88.16	34.39	8.59	33.87
AV	5.35G	50.53	54.00	-3.47	9.02	3	Vertical	92	2.28	-	41.51	34.30	8.60	33.88
PK	5.2928G	107.58	Inf	-Inf	9.11	3	Vertical	92	2.28	-	98.47	34.39	8.59	33.87
PK	5.352G	64.52	74.00	-9.48	9.01	3	Vertical	92	2.28	-	55.51	34.30	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	103.70	Inf	-Inf	9.11	3	Horizontal	347	2.85	-	94.59	34.39	8.59	33.87
AV	5.35G	53.81	54.00	-0.19	9.02	3	Horizontal	347	2.85	-	44.79	34.30	8.60	33.88
PK	5.2924G	114.18	Inf	-Inf	9.10	3	Horizontal	347	2.85	-	105.08	34.38	8.59	33.87
PK	5.3508G	68.05	74.00	-5.95	9.01	3	Horizontal	347	2.85	-	59.04	34.30	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60036G	48.47	54.00	-5.53	17.85	3	Vertical	354	1.00	-	30.62	39.68	12.30	34.13
PK	10.60126G	62.00	74.00	-12.00	17.85	3	Vertical	354	1.00	-	44.15	39.68	12.30	34.13



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60222G	44.56	54.00	-9.44	17.85	3	Horizontal	45	1.11	-	26.71	39.68	12.30	34.13
PK	10.60312G	58.66	74.00	-15.34	17.85	3	Horizontal	45	1.11	-	40.81	39.68	12.30	34.13



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	95.48	Inf	-Inf	9.09	3	Vertical	84	2.31	-	86.39	34.37	8.59	33.87
AV	5.3504G	50.19	54.00	-3.81	9.01	3	Vertical	84	2.31	-	41.18	34.30	8.60	33.89
PK	5.3132G	105.59	Inf	-Inf	9.09	3	Vertical	84	2.31	-	96.50	34.37	8.59	33.87
PK	5.35G	63.54	74.00	-10.46	9.02	3	Vertical	84	2.31	-	54.52	34.30	8.60	33.88



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3158G	99.69	Inf	-Inf	9.09	3	Horizontal	339	3.16	-	90.60	34.37	8.59	33.87
AV	5.35G	53.32	54.00	-0.68	9.02	3	Horizontal	339	3.16	-	44.30	34.30	8.60	33.88
PK	5.3136G	110.24	Inf	-Inf	9.09	3	Horizontal	339	3.16	-	101.15	34.37	8.59	33.87
PK	5.3502G	67.54	74.00	-6.46	9.01	3	Horizontal	339	3.16	-	58.53	34.30	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64186G	44.29	54.00	-9.71	17.95	3	Vertical	70	1.16	-	26.34	39.73	12.32	34.10
PK	10.64126G	57.73	74.00	-16.27	17.95	3	Vertical	70	1.16	-	39.78	39.73	12.32	34.10



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6511G	42.90	54.00	-11.10	17.99	3	Horizontal	28	1.50	-	24.91	39.75	12.33	34.09
PK	10.64168G	56.55	74.00	-17.45	17.95	3	Horizontal	28	1.50	-	38.60	39.73	12.32	34.10



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4518G	47.68	54.00	-6.32	8.98	3	Vertical	83	2.16	-	38.70	34.20	8.69	33.91
AV	5.494G	94.02	Inf	-Inf	9.03	3	Vertical	83	2.16	-	84.99	34.20	8.75	33.92
PK	5.4698G	63.74	68.20	-4.46	9.00	3	Vertical	83	2.16	-	54.74	34.20	8.71	33.91
PK	5.4972G	104.23	Inf	-Inf	9.03	3	Vertical	83	2.16	-	95.20	34.20	8.75	33.92



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.25	54.00	-5.75	8.99	3	Horizontal	349	2.82	-	39.26	34.20	8.70	33.91
AV	5.4932G	99.43	Inf	-Inf	9.03	3	Horizontal	349	2.82	-	90.40	34.20	8.75	33.92
PK	5.4698G	67.34	68.20	-0.86	9.00	3	Horizontal	349	2.82	-	58.34	34.20	8.71	33.91
PK	5.4938G	109.82	Inf	-Inf	9.03	3	Horizontal	349	2.82	-	100.79	34.20	8.75	33.92



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00024G	45.78	54.00	-8.22	18.86	3	Vertical	137	1.03	-	26.92	40.20	12.51	33.85
PK	10.99412G	58.97	74.00	-15.03	18.84	3	Vertical	137	1.03	-	40.13	40.19	12.50	33.85



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00042G	45.47	54.00	-8.53	18.86	3	Horizontal	139	1.00	-	26.61	40.20	12.51	33.85
PK	10.99526G	58.97	74.00	-15.03	18.84	3	Horizontal	139	1.00	-	40.13	40.19	12.50	33.85



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4414G	45.42	54.00	-8.58	6.64	3	Vertical	251	3.20	-	38.78	31.88	8.67	33.91
AV	5.574G	97.55	Inf	-Inf	6.93	3	Vertical	251	3.20	-	90.62	32.00	8.86	33.93
PK	5.4678G	56.77	68.20	-11.43	6.69	3	Vertical	251	3.20	-	50.08	31.89	8.71	33.91
PK	5.5824G	107.97	Inf	-Inf	6.95	3	Vertical	251	3.20	-	101.02	32.02	8.87	33.94
PK	5.73G	58.04	68.20	-10.16	7.28	3	Vertical	251	3.20	-	50.76	32.22	9.02	33.96



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4366G	45.82	54.00	-8.18	6.62	3	Horizontal	182	3.00	-	39.20	31.87	8.66	33.91
AV	5.5746G	101.92	Inf	-Inf	6.93	3	Horizontal	182	3.00	-	94.99	32.00	8.86	33.93
PK	5.4666G	57.71	68.20	-10.49	6.69	3	Horizontal	182	3.00	-	51.02	31.89	8.71	33.91
PK	5.5758G	112.32	Inf	-Inf	6.93	3	Horizontal	182	3.00	-	105.39	32.01	8.86	33.94
PK	5.727G	58.38	68.20	-9.82	7.27	3	Horizontal	182	3.00	-	51.11	32.22	9.01	33.96



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16174G	53.44	54.00	-0.56	18.63	3	Vertical	285	1.87	-	34.81	39.92	12.59	33.88
PK	11.16864G	66.28	74.00	-7.72	18.65	3	Vertical	285	1.87	-	47.63	39.94	12.59	33.88



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	52.13	54.00	-1.87	18.63	3	Horizontal	181	1.14	-	33.50	39.92	12.59	33.88
PK	11.14986G	65.17	74.00	-8.83	18.61	3	Horizontal	181	1.14	-	46.56	39.90	12.58	33.87



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6936G	89.44	Inf	-Inf	8.94	3	Vertical	88	2.18	-	80.50	33.91	8.98	33.95
PK	5.6924G	99.51	Inf	-Inf	8.95	3	Vertical	88	2.18	-	90.56	33.92	8.98	33.95
PK	5.7252G	61.71	68.20	-6.49	9.00	3	Vertical	88	2.18	-	52.71	33.95	9.01	33.96



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6932G	96.83	Inf	-Inf	8.94	3	Horizontal	343	2.32	-	87.89	33.91	8.98	33.95
PK	5.6968G	106.81	Inf	-Inf	8.95	3	Horizontal	343	2.32	-	97.86	33.91	8.99	33.95
PK	5.7252G	67.83	68.20	-0.37	9.00	3	Horizontal	343	2.32	-	58.83	33.95	9.01	33.96



802.11ac VHT20_Nss1,(MCS0)_1TX

17/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40014G	44.08	54.00	-9.92	18.52	3	Vertical	194	1.49	-	25.56	39.72	12.71	33.91
PK	11.39944G	57.26	74.00	-16.74	18.52	3	Vertical	194	1.49	-	38.74	39.72	12.71	33.91



802.11ac VHT20_Nss1,(MCS0)_1TX

17/04/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40042G	43.99	54.00	-10.01	18.52	3	Horizontal	338	2.34	-	25.47	39.72	12.71	33.91
PK	11.3994G	57.36	74.00	-16.64	18.52	3	Horizontal	338	2.34	-	38.84	39.72	12.71	33.91



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	45.42	54.00	-8.58	6.62	3	Vertical	360	3.07	-	38.80	31.87	8.66	33.91
AV	5.7164G	94.06	Inf	-Inf	7.25	3	Vertical	360	3.07	-	86.81	32.20	9.00	33.95
PK	5.4656G	57.46	68.20	-10.74	6.69	3	Vertical	360	3.07	-	50.77	31.89	8.71	33.91
PK	5.714G	104.77	Inf	-Inf	7.25	3	Vertical	360	3.07	-	97.52	32.20	9.00	33.95
PK	5.9252G	58.39	68.20	-9.81	7.65	3	Vertical	360	3.07	-	50.74	32.50	9.14	33.99



802.11ac VHT20_Nss1,(MCS0)_1TX

11/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	45.49	54.00	-8.51	6.61	3	Horizontal	180	2.47	-	38.88	31.87	8.65	33.91
AV	5.714G	98.41	Inf	-Inf	7.25	3	Horizontal	180	2.47	-	91.16	32.20	9.00	33.95
PK	5.4644G	56.77	68.20	-11.43	6.68	3	Horizontal	180	2.47	-	50.09	31.89	8.70	33.91
PK	5.714G	108.30	Inf	-Inf	7.25	3	Horizontal	180	2.47	-	101.05	32.20	9.00	33.95
PK	5.9564G	58.91	68.20	-9.29	7.70	3	Horizontal	180	2.47	-	51.21	32.54	9.15	33.99



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44138G	53.01	54.00	-0.99	19.29	3	Vertical	132	1.41	-	33.72	40.48	12.73	33.92
PK	11.44132G	67.18	74.00	-6.82	19.29	3	Vertical	132	1.41	-	47.89	40.48	12.73	33.92



802.11ac VHT20_Nss1,(MCS0)_1TX

06/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4391G	52.74	54.00	-1.26	19.29	3	Horizontal	152	1.21	-	33.45	40.48	12.73	33.92
PK	11.44294G	65.14	74.00	-8.86	19.30	3	Horizontal	152	1.21	-	45.84	40.49	12.73	33.92



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2596G	96.22	Inf	-Inf	9.04	3	Vertical	83	2.19	-	87.18	34.32	8.58	33.86
AV	5.35G	50.89	54.00	-3.11	9.02	3	Vertical	83	2.19	-	41.87	34.30	8.60	33.88
PK	5.262G	106.56	Inf	-Inf	9.04	3	Vertical	83	2.19	-	97.52	34.32	8.58	33.86
PK	5.35G	63.61	74.00	-10.39	9.02	3	Vertical	83	2.19	-	54.59	34.30	8.60	33.88



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2536G	99.74	Inf	-Inf	9.03	3	Horizontal	345	2.91	-	90.71	34.31	8.58	33.86
AV	5.35G	53.54	54.00	-0.46	9.02	3	Horizontal	345	2.91	-	44.52	34.30	8.60	33.88
PK	5.262G	109.60	Inf	-Inf	9.04	3	Horizontal	345	2.91	-	100.56	34.32	8.58	33.86
PK	5.3516G	67.27	74.00	-6.73	9.01	3	Horizontal	345	2.91	-	58.26	34.30	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55176G	56.89	68.20	-11.31	17.74	3	Vertical	13	1.50	-	39.15	39.62	12.28	34.16



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5382G	56.31	68.20	-11.89	17.70	3	Horizontal	54	2.26	-	38.61	39.60	12.27	34.17



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	87.09	Inf	-Inf	9.11	3	Vertical	82	2.18	-	77.98	34.39	8.59	33.87
AV	5.35G	50.63	54.00	-3.37	9.02	3	Vertical	82	2.18	-	41.61	34.30	8.60	33.88
PK	5.304G	96.89	Inf	-Inf	9.11	3	Vertical	82	2.18	-	87.78	34.39	8.59	33.87
PK	5.3512G	62.88	74.00	-11.12	9.01	3	Vertical	82	2.18	-	53.87	34.30	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	91.38	Inf	-Inf	9.12	3	Horizontal	345	3.14	-	82.26	34.40	8.59	33.87
AV	5.35G	53.43	54.00	-0.57	9.02	3	Horizontal	345	3.14	-	44.41	34.30	8.60	33.88
PK	5.316G	101.16	Inf	-Inf	9.09	3	Horizontal	345	3.14	-	92.07	34.37	8.59	33.87
PK	5.3512G	65.14	74.00	-8.86	9.01	3	Horizontal	345	3.14	-	56.13	34.30	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62702G	43.00	54.00	-11.00	17.93	3	Vertical	183	1.04	-	25.07	39.72	12.32	34.11
PK	10.60752G	55.40	74.00	-18.60	17.88	3	Vertical	183	1.04	-	37.52	39.69	12.31	34.12



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6242G	42.63	54.00	-11.37	17.92	3	Horizontal	194	2.04	-	24.71	39.71	12.32	34.11
PK	10.61406G	54.99	74.00	-19.01	17.89	3	Horizontal	194	2.04	-	37.10	39.70	12.31	34.12



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.63	54.00	-6.37	8.99	3	Vertical	75	2.28	-	38.64	34.20	8.70	33.91
AV	5.4996G	86.14	Inf	-Inf	9.03	3	Vertical	75	2.28	-	77.11	34.20	8.75	33.92
PK	5.4688G	62.64	68.20	-5.56	9.00	3	Vertical	75	2.28	-	53.64	34.20	8.71	33.91
PK	5.5004G	95.42	Inf	-Inf	9.04	3	Vertical	75	2.28	-	86.38	34.20	8.76	33.92



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.43	54.00	-3.57	8.99	3	Horizontal	339	2.82	-	41.44	34.20	8.70	33.91
AV	5.4972G	91.38	Inf	-Inf	9.03	3	Horizontal	339	2.82	-	82.35	34.20	8.75	33.92
PK	5.47G	68.01	68.20	-0.19	9.00	3	Horizontal	339	2.82	-	59.01	34.20	8.71	33.91
PK	5.4956G	101.13	Inf	-Inf	9.03	3	Horizontal	339	2.82	-	92.10	34.20	8.75	33.92



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00602G	43.47	54.00	-10.53	18.85	3	Vertical	257	2.29	-	24.62	40.19	12.51	33.85
PK	11.02606G	55.86	74.00	-18.14	18.84	3	Vertical	257	2.29	-	37.02	40.17	12.52	33.85



802.11ac VHT40_Nss1,(MCS0)_1TX

17/04/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0161G	43.27	54.00	-10.73	18.84	3	Horizontal	169	1.18	-	24.43	40.18	12.51	33.85
PK	11.0137G	56.39	74.00	-17.61	18.84	3	Horizontal	169	1.18	-	37.55	40.18	12.51	33.85



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.30	54.00	-3.70	8.98	3	Vertical	86	2.17	-	41.32	34.20	8.69	33.91
AV	5.5376G	94.11	Inf	-Inf	9.04	3	Vertical	86	2.17	-	85.07	34.16	8.81	33.93
PK	5.4688G	65.68	68.20	-2.52	9.00	3	Vertical	86	2.17	-	56.68	34.20	8.71	33.91
PK	5.5408G	103.75	Inf	-Inf	9.04	3	Vertical	86	2.17	-	94.71	34.16	8.81	33.93



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.07	54.00	-1.93	8.99	3	Horizontal	183	1.39	-	43.08	34.20	8.70	33.91
AV	5.546G	97.97	Inf	-Inf	9.04	3	Horizontal	183	1.39	-	88.93	34.15	8.82	33.93
PK	5.4696G	67.55	68.20	-0.65	9.00	3	Horizontal	183	1.39	-	58.55	34.20	8.71	33.91
PK	5.546G	107.99	Inf	-Inf	9.04	3	Horizontal	183	1.39	-	98.95	34.15	8.82	33.93



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09922G	50.60	54.00	-3.40	18.77	3	Vertical	314	1.02	-	31.83	40.08	12.56	33.87
PK	11.10174G	63.22	74.00	-10.78	18.77	3	Vertical	314	1.02	-	44.45	40.08	12.56	33.87



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10084G	49.30	54.00	-4.70	18.77	3	Horizontal	139	1.00	-	30.53	40.08	12.56	33.87
PK	11.10144G	61.85	74.00	-12.15	18.77	3	Horizontal	139	1.00	-	43.08	40.08	12.56	33.87



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6604G	91.19	Inf	-Inf	8.98	3	Vertical	81	2.29	-	82.21	33.98	8.95	33.95
PK	5.6622G	101.21	Inf	-Inf	8.99	3	Vertical	81	2.29	-	92.22	33.98	8.96	33.95
PK	5.7252G	61.17	68.20	-7.03	9.00	3	Vertical	81	2.29	-	52.17	33.95	9.01	33.96



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6574G	98.09	Inf	-Inf	8.99	3	Horizontal	342	2.57	-	89.10	33.99	8.95	33.95
PK	5.6604G	107.07	Inf	-Inf	8.98	3	Horizontal	342	2.57	-	98.09	33.98	8.95	33.95
PK	5.7252G	67.33	68.20	-0.87	9.00	3	Horizontal	342	2.57	-	58.33	33.95	9.01	33.96



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34528G	48.39	54.00	-5.61	18.56	3	Vertical	149	1.27	-	29.83	39.79	12.68	33.91
PK	11.33964G	60.82	74.00	-13.18	18.57	3	Vertical	149	1.27	-	42.25	39.79	12.68	33.90



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33838G	49.47	54.00	-4.53	18.57	3	Horizontal	137	1.00	-	30.90	39.79	12.68	33.90
PK	11.34174G	62.47	74.00	-11.53	18.57	3	Horizontal	137	1.00	-	43.90	39.79	12.68	33.90



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.422G	46.26	54.00	-7.74	6.61	3	Vertical	360	2.91	-	39.65	31.87	8.64	33.90
AV	5.6992G	92.89	Inf	-Inf	7.22	3	Vertical	360	2.91	-	85.67	32.18	8.99	33.95
PK	5.46G	57.98	74.00	-16.02	6.67	3	Vertical	360	2.91	-	51.31	31.88	8.70	33.91
PK	5.6968G	102.98	Inf	-Inf	7.22	3	Vertical	360	2.91	-	95.76	32.18	8.99	33.95
PK	5.9176G	58.69	68.20	-9.51	7.63	3	Vertical	360	2.91	-	51.06	32.48	9.13	33.98



802.11ac VHT40_Nss1,(MCS0)_1TX

11/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4172G	46.75	54.00	-7.25	6.60	3	Horizontal	343	3.06	-	40.15	31.87	8.63	33.90
AV	5.698G	99.23	Inf	-Inf	7.22	3	Horizontal	343	3.06	-	92.01	32.18	8.99	33.95
PK	5.4616G	57.24	68.20	-10.96	6.67	3	Horizontal	343	3.06	-	50.57	31.88	8.70	33.91
PK	5.698G	108.93	Inf	-Inf	7.22	3	Horizontal	343	3.06	-	101.71	32.18	8.99	33.95
PK	5.8804G	58.81	68.20	-9.39	7.57	3	Horizontal	343	3.06	-	51.24	32.43	9.12	33.98



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4235G	53.52	54.00	-0.48	19.25	3	Vertical	182	1.52	-	34.27	40.45	12.72	33.92
PK	11.4222G	66.36	74.00	-7.64	19.24	3	Vertical	182	1.52	-	47.12	40.44	12.72	33.92



802.11ac VHT40_Nss1,(MCS0)_1TX

06/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4225G	53.22	54.00	-0.78	19.25	3	Horizontal	130	1.12	-	33.97	40.45	12.72	33.92
PK	11.4212G	66.02	74.00	-7.98	19.24	3	Horizontal	130	1.12	-	46.78	40.44	12.72	33.92



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.045G	48.24	54.00	-5.76	8.70	3	Vertical	84	2.19	-	39.54	34.09	8.42	33.81
AV	5.262G	81.71	Inf	-Inf	9.04	3	Vertical	84	2.19	-	72.67	34.32	8.58	33.86
AV	5.35G	51.07	54.00	-2.93	9.02	3	Vertical	84	2.19	-	42.05	34.30	8.60	33.88
PK	5.069G	60.63	74.00	-13.37	8.78	3	Vertical	84	2.19	-	51.85	34.14	8.45	33.81
PK	5.279G	92.60	Inf	-Inf	9.08	3	Vertical	84	2.19	-	83.52	34.36	8.59	33.87
PK	5.52G	59.71	68.20	-8.49	9.04	3	Vertical	84	2.19	-	50.67	34.18	8.78	33.92



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	48.53	54.00	-5.47	8.88	3	Horizontal	347	3.14	-	39.65	34.20	8.51	33.83
AV	5.313G	85.72	Inf	-Inf	9.09	3	Horizontal	347	3.14	-	76.63	34.37	8.59	33.87
AV	5.35G	53.93	54.00	-0.07	9.02	3	Horizontal	347	3.14	-	44.91	34.30	8.60	33.88
PK	5.106G	60.27	74.00	-13.73	8.86	3	Horizontal	347	3.14	-	51.41	34.20	8.48	33.82
PK	5.298G	95.95	Inf	-Inf	9.12	3	Horizontal	347	3.14	-	86.83	34.40	8.59	33.87
PK	5.5G	59.75	68.20	-8.45	9.03	3	Horizontal	347	3.14	-	50.72	34.20	8.75	33.92



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.574666G	54.65	68.20	-13.55	17.79	3	Vertical	174	2.41	-	36.86	39.65	12.29	34.15



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58672G	55.08	68.20	-13.12	17.82	3	Horizontal	181	1.47	-	37.26	39.66	12.30	34.14



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.42	54.00	-5.58	8.99	3	Vertical	74	2.38	-	39.43	34.20	8.70	33.91
AV	5.533G	79.14	Inf	-Inf	9.04	3	Vertical	74	2.38	-	70.10	34.17	8.80	33.93
PK	5.47G	61.03	68.20	-7.17	9.00	3	Vertical	74	2.38	-	52.03	34.20	8.71	33.91
PK	5.519G	90.24	Inf	-Inf	9.04	3	Vertical	74	2.38	-	81.20	34.18	8.78	33.92
PK	5.755G	61.01	68.20	-7.19	9.09	3	Vertical	74	2.38	-	51.92	34.01	9.04	33.96



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.57	54.00	-2.43	8.99	3	Horizontal	346	2.69	-	42.58	34.20	8.70	33.91
AV	5.509G	85.86	Inf	-Inf	9.04	3	Horizontal	346	2.69	-	76.82	34.19	8.77	33.92
PK	5.469G	67.75	68.20	-0.45	9.00	3	Horizontal	346	2.69	-	58.75	34.20	8.71	33.91
PK	5.518G	95.97	Inf	-Inf	9.04	3	Horizontal	346	2.69	-	86.93	34.18	8.78	33.92
PK	5.77G	59.27	68.20	-8.93	9.13	3	Horizontal	346	2.69	-	50.14	34.04	9.05	33.96



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04872G	43.18	54.00	-10.82	18.81	3	Vertical	312	2.32	-	24.37	40.14	12.53	33.86
PK	11.04698G	55.52	74.00	-18.48	18.81	3	Vertical	312	2.32	-	36.71	40.14	12.53	33.86



802.11ac VHT80_Nss1,(MCS0)_1TX

17/04/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04722G	43.25	54.00	-10.75	18.81	3	Horizontal	14	1.19	-	24.44	40.14	12.53	33.86
PK	11.06396G	55.73	74.00	-18.27	18.80	3	Horizontal	14	1.19	-	36.93	40.12	12.54	33.86



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	51.55	54.00	-2.45	8.98	3	Vertical	79	2.20	-	42.57	34.20	8.69	33.91
AV	5.581G	90.98	Inf	-Inf	9.05	3	Vertical	79	2.20	-	81.93	34.12	8.87	33.94
PK	5.47G	65.97	68.20	-2.23	9.00	3	Vertical	79	2.20	-	56.97	34.20	8.71	33.91
PK	5.599G	101.16	Inf	-Inf	9.06	3	Vertical	79	2.20	-	92.10	34.10	8.90	33.94
PK	5.725G	62.15	68.20	-6.05	9.01	3	Vertical	79	2.20	-	53.14	33.95	9.01	33.95



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.96	54.00	-2.04	8.99	3	Horizontal	183	1.00	-	42.97	34.20	8.70	33.91
AV	5.58G	94.92	Inf	-Inf	9.05	3	Horizontal	183	1.00	-	85.87	34.12	8.87	33.94
PK	5.465G	65.28	68.20	-2.92	8.99	3	Horizontal	183	1.00	-	56.29	34.20	8.70	33.91
PK	5.599G	105.54	Inf	-Inf	9.06	3	Horizontal	183	1.00	-	96.48	34.10	8.90	33.94
PK	5.725G	68.10	68.20	-0.10	9.01	3	Horizontal	183	1.00	-	59.09	33.95	9.01	33.95



802.11ac VHT80_Nss1,(MCS0)_1TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2275G	48.24	54.00	-5.76	18.66	3	Vertical	316	2.07	-	29.58	39.93	12.62	33.89
PK	11.23224G	62.39	74.00	-11.61	18.65	3	Vertical	316	2.07	-	43.74	39.92	12.62	33.89



802.11ac VHT80_Nss1,(MCS0)_1TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22558G	46.65	54.00	-7.35	18.66	3	Horizontal	110	1.00	-	27.99	39.93	12.62	33.89
PK	11.23218G	60.52	74.00	-13.48	18.65	3	Horizontal	110	1.00	-	41.87	39.92	12.62	33.89



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.46	54.00	-3.54	8.99	3	Vertical	80	2.30	-	41.47	34.20	8.70	33.91
AV	5.6588G	91.73	Inf	-Inf	8.98	3	Vertical	80	2.30	-	82.75	33.98	8.95	33.95
PK	5.4692G	64.20	68.20	-4.00	9.00	3	Vertical	80	2.30	-	55.20	34.20	8.71	33.91
PK	5.678G	102.53	Inf	-Inf	8.96	3	Vertical	80	2.30	-	93.57	33.94	8.97	33.95
PK	5.8532G	64.38	68.20	-3.82	9.49	3	Vertical	80	2.30	-	54.89	34.37	9.10	33.98



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.28	54.00	-2.72	8.99	3	Horizontal	184	1.00	-	42.29	34.20	8.70	33.91
AV	5.666G	95.46	Inf	-Inf	8.98	3	Horizontal	184	1.00	-	86.48	33.97	8.96	33.95
PK	5.4644G	64.51	68.20	-3.69	8.99	3	Horizontal	184	1.00	-	55.52	34.20	8.70	33.91
PK	5.678G	106.64	Inf	-Inf	8.96	3	Horizontal	184	1.00	-	97.68	33.94	8.97	33.95
PK	5.8556G	67.65	68.20	-0.55	9.51	3	Horizontal	184	1.00	-	58.14	34.38	9.11	33.98



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3815G	53.82	54.00	-0.18	19.15	3	Vertical	330	1.12	-	34.67	40.36	12.70	33.91
PK	11.3862G	67.26	74.00	-6.74	19.16	3	Vertical	330	1.12	-	48.10	40.37	12.70	33.91



802.11ac VHT80_Nss1,(MCS0)_1TX

06/06/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38214G	52.81	54.00	-1.19	19.15	3	Horizontal	128	1.07	-	33.66	40.36	12.70	33.91
PK	11.38416G	65.84	74.00	-8.16	19.16	3	Horizontal	128	1.07	-	46.68	40.37	12.70	33.91



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.78	54.00	-0.22	3	Horizontal	313	1.47	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.92	54.00	-0.08	3	Horizontal	300	2.24	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.357G	53.41	54.00	-0.59	3	Horizontal	305	2.13	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.76	68.20	-0.44	3	Horizontal	300	1.79	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.58	68.20	-0.62	3	Horizontal	306	1.76	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7372G	68.05	68.20	-0.15	3	Horizontal	301	1.79	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.137G	45.24	54.00	-8.76	3	Vertical	360	1.00	-
5260MHz	Pass	AV	5.2558G	104.84	Inf	-Inf	3	Vertical	360	1.00	-
5260MHz	Pass	AV	5.3596G	45.32	54.00	-8.68	3	Vertical	360	1.00	-
5260MHz	Pass	PK	5.1454G	58.01	74.00	-15.99	3	Vertical	360	1.00	-
5260MHz	Pass	PK	5.2552G	116.34	Inf	-Inf	3	Vertical	360	1.00	-
5260MHz	Pass	PK	5.3836G	57.90	74.00	-16.10	3	Vertical	360	1.00	-
5260MHz	Pass	AV	5.1412G	45.81	54.00	-8.19	3	Horizontal	299	1.77	-
5260MHz	Pass	AV	5.2618G	111.91	Inf	-Inf	3	Horizontal	299	1.77	-
5260MHz	Pass	AV	5.3584G	46.44	54.00	-7.56	3	Horizontal	299	1.77	-
5260MHz	Pass	PK	5.1226G	58.81	74.00	-15.19	3	Horizontal	299	1.77	-
5260MHz	Pass	PK	5.2612G	124.09	Inf	-Inf	3	Horizontal	299	1.77	-
5260MHz	Pass	PK	5.3512G	58.74	74.00	-15.26	3	Horizontal	299	1.77	-
5260MHz	Pass	AV	15.7836G	48.26	54.00	-5.74	3	Vertical	343	1.48	-
5260MHz	Pass	PK	10.52067G	53.74	68.20	-14.46	3	Vertical	352	2.38	-
5260MHz	Pass	PK	15.7838G	64.84	74.00	-9.16	3	Vertical	343	1.48	-
5260MHz	Pass	AV	15.7858G	49.20	54.00	-4.80	3	Horizontal	74	1.49	-
5260MHz	Pass	PK	10.5197G	54.81	68.20	-13.39	3	Horizontal	234	1.49	-
5260MHz	Pass	PK	15.7845G	64.96	74.00	-9.04	3	Horizontal	74	1.49	-
5300MHz	Pass	AV	5.2972G	104.65	Inf	-Inf	3	Vertical	6	1.58	-
5300MHz	Pass	AV	5.356G	45.65	54.00	-8.35	3	Vertical	6	1.58	-
5300MHz	Pass	PK	5.2972G	116.13	Inf	-Inf	3	Vertical	6	1.58	-
5300MHz	Pass	PK	5.3552G	58.29	74.00	-15.71	3	Vertical	6	1.58	-
5300MHz	Pass	AV	5.2996G	111.59	Inf	-Inf	3	Horizontal	305	2.75	-
5300MHz	Pass	AV	5.358G	46.79	54.00	-7.21	3	Horizontal	305	2.75	-
5300MHz	Pass	PK	5.2988G	122.69	Inf	-Inf	3	Horizontal	305	2.75	-
5300MHz	Pass	PK	5.36G	60.11	74.00	-13.89	3	Horizontal	305	2.75	-
5300MHz	Pass	AV	10.6072G	39.57	54.00	-14.43	3	Vertical	255	2.02	-
5300MHz	Pass	AV	15.90242G	47.08	54.00	-6.92	3	Vertical	288	1.57	-
5300MHz	Pass	PK	10.60027G	54.62	74.00	-19.38	3	Vertical	255	2.02	-
5300MHz	Pass	PK	15.90228G	63.36	74.00	-10.64	3	Vertical	288	1.57	-
5300MHz	Pass	AV	10.60003G	40.95	54.00	-13.05	3	Horizontal	223	1.80	-
5300MHz	Pass	AV	15.8968G	48.66	54.00	-5.34	3	Horizontal	68	1.52	-
5300MHz	Pass	PK	10.60203G	55.20	74.00	-18.80	3	Horizontal	223	1.80	-
5300MHz	Pass	PK	15.8958G	64.07	74.00	-9.93	3	Horizontal	68	1.52	-
5320MHz	Pass	AV	5.3162G	103.67	Inf	-Inf	3	Vertical	360	1.00	-
5320MHz	Pass	AV	5.3538G	47.61	54.00	-6.39	3	Vertical	360	1.00	-
5320MHz	Pass	PK	5.316G	115.25	Inf	-Inf	3	Vertical	360	1.00	-
5320MHz	Pass	PK	5.35G	61.97	74.00	-12.03	3	Vertical	360	1.00	-
5320MHz	Pass	AV	5.322G	109.17	Inf	-Inf	3	Horizontal	313	1.47	-
5320MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Horizontal	313	1.47	-
5320MHz	Pass	PK	5.3226G	120.96	Inf	-Inf	3	Horizontal	313	1.47	-
5320MHz	Pass	PK	5.35G	69.08	74.00	-4.92	3	Horizontal	313	1.47	-
5320MHz	Pass	AV	10.63991G	39.44	54.00	-14.56	3	Vertical	49	2.44	-
5320MHz	Pass	AV	15.95979G	49.28	54.00	-4.72	3	Vertical	147	1.96	-
5320MHz	Pass	PK	10.63919G	53.46	74.00	-20.54	3	Vertical	49	2.44	-
5320MHz	Pass	PK	15.95983G	65.65	74.00	-8.35	3	Vertical	147	1.96	-
5320MHz	Pass	AV	10.63977G	41.20	54.00	-12.80	3	Horizontal	304	2.02	-



RSE TX above 1GHz_Beamforming Radio 1_4T1S

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	15.9585G	50.57	54.00	-3.43	3	Horizontal	65	1.48	-
5320MHz	Pass	PK	10.6414G	55.56	74.00	-18.44	3	Horizontal	304	2.02	-
5320MHz	Pass	PK	15.9589G	66.45	74.00	-7.55	3	Horizontal	65	1.48	-
5500MHz	Pass	AV	5.46G	45.85	54.00	-8.15	3	Vertical	0	1.36	-
5500MHz	Pass	AV	5.502G	102.98	Inf	-Inf	3	Vertical	0	1.36	-
5500MHz	Pass	PK	5.454G	58.08	74.00	-15.92	3	Vertical	0	1.36	-
5500MHz	Pass	PK	5.4698G	65.70	68.20	-2.50	3	Vertical	0	1.36	-
5500MHz	Pass	PK	5.503G	114.71	Inf	-Inf	3	Vertical	0	1.36	-
5500MHz	Pass	AV	5.459G	48.62	54.00	-5.38	3	Horizontal	300	1.79	-
5500MHz	Pass	AV	5.498G	110.69	Inf	-Inf	3	Horizontal	300	1.79	-
5500MHz	Pass	PK	5.4576G	63.88	74.00	-10.12	3	Horizontal	300	1.79	-
5500MHz	Pass	PK	5.4696G	67.76	68.20	-0.44	3	Horizontal	300	1.79	-
5500MHz	Pass	PK	5.4986G	122.66	Inf	-Inf	3	Horizontal	300	1.79	-
5500MHz	Pass	AV	11G	41.63	54.00	-12.37	3	Vertical	103	1.49	-
5500MHz	Pass	PK	10.99856G	54.73	74.00	-19.27	3	Vertical	103	1.49	-
5500MHz	Pass	PK	16.4984G	62.05	68.20	-6.15	3	Vertical	33	1.48	-
5500MHz	Pass	AV	10.99994G	43.72	54.00	-10.28	3	Horizontal	89	2.03	-
5500MHz	Pass	PK	10.99992G	56.59	74.00	-17.41	3	Horizontal	89	2.03	-
5500MHz	Pass	PK	16.4988G	67.57	68.20	-0.63	3	Horizontal	309	1.49	-
5580MHz	Pass	AV	5.4486G	44.92	54.00	-9.08	3	Vertical	7	2.10	-
5580MHz	Pass	AV	5.5776G	103.89	Inf	-Inf	3	Vertical	7	2.10	-
5580MHz	Pass	PK	5.4684G	57.98	68.20	-10.22	3	Vertical	7	2.10	-
5580MHz	Pass	PK	5.577G	115.05	Inf	-Inf	3	Vertical	7	2.10	-
5580MHz	Pass	PK	5.7258G	57.67	68.20	-10.53	3	Vertical	7	2.10	-
5580MHz	Pass	AV	5.4336G	45.71	54.00	-8.29	3	Horizontal	316	1.88	-
5580MHz	Pass	AV	5.5878G	109.30	Inf	-Inf	3	Horizontal	316	1.88	-
5580MHz	Pass	PK	5.4618G	57.45	68.20	-10.75	3	Horizontal	316	1.88	-
5580MHz	Pass	PK	5.5878G	121.07	Inf	-Inf	3	Horizontal	316	1.88	-
5580MHz	Pass	PK	5.73G	58.21	68.20	-9.99	3	Horizontal	316	1.88	-
5580MHz	Pass	AV	11.15983G	41.12	54.00	-12.88	3	Vertical	329	1.75	-
5580MHz	Pass	PK	11.16085G	55.90	74.00	-18.10	3	Vertical	329	1.75	-
5580MHz	Pass	PK	16.7407G	62.06	68.20	-6.14	3	Vertical	314	1.66	-
5580MHz	Pass	AV	11.16015G	41.26	54.00	-12.74	3	Horizontal	157	2.48	-
5580MHz	Pass	PK	11.15814G	54.40	74.00	-19.60	3	Horizontal	157	2.48	-
5580MHz	Pass	PK	16.735G	64.52	68.20	-3.68	3	Horizontal	311	1.44	-
5700MHz	Pass	AV	5.7032G	102.65	Inf	-Inf	3	Vertical	342	1.01	-
5700MHz	Pass	PK	5.7036G	113.96	Inf	-Inf	3	Vertical	342	1.01	-
5700MHz	Pass	PK	5.728G	62.86	68.20	-5.34	3	Vertical	342	1.01	-
5700MHz	Pass	AV	5.6928G	108.80	Inf	-Inf	3	Horizontal	302	1.00	-
5700MHz	Pass	PK	5.6932G	120.61	Inf	-Inf	3	Horizontal	302	1.00	-
5700MHz	Pass	PK	5.732G	64.86	68.20	-3.34	3	Horizontal	302	1.00	-
5700MHz	Pass	AV	11.39813G	42.79	54.00	-11.21	3	Vertical	41	1.13	-
5700MHz	Pass	PK	11.39867G	54.72	74.00	-19.28	3	Vertical	41	1.13	-
5700MHz	Pass	PK	17.09946G	62.72	68.20	-5.48	3	Vertical	50	2.27	-
5700MHz	Pass	AV	11.39958G	45.86	54.00	-8.14	3	Horizontal	310	1.61	-
5700MHz	Pass	PK	11.39962G	56.61	74.00	-17.39	3	Horizontal	310	1.61	-
5700MHz	Pass	PK	17.0988G	60.47	68.20	-7.73	3	Horizontal	305	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.724G	103.10	Inf	-Inf	3	Vertical	46	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	114.22	Inf	-Inf	3	Vertical	46	1.34	-



RSE TX above 1GHz_Beamforming Radio 1_4T1S

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.879G	58.84	68.20	-9.36	3	Vertical	46	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.728G	109.08	Inf	-Inf	3	Horizontal	303	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.728G	120.16	Inf	-Inf	3	Horizontal	303	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.869G	59.20	68.20	-9.00	3	Horizontal	303	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43934G	44.42	54.00	-9.58	3	Vertical	27	2.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43776G	57.87	74.00	-16.13	3	Vertical	27	2.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15876G	64.58	68.20	-3.62	3	Vertical	158	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4366G	46.01	54.00	-7.99	3	Horizontal	281	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4367G	59.31	74.00	-14.69	3	Horizontal	281	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1587G	66.22	68.20	-1.98	3	Horizontal	298	2.56	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2752G	103.15	Inf	-Inf	3	Vertical	356	1.01	-
5270MHz	Pass	AV	5.3552G	48.02	54.00	-5.98	3	Vertical	356	1.01	-
5270MHz	Pass	PK	5.2752G	113.84	Inf	-Inf	3	Vertical	356	1.01	-
5270MHz	Pass	PK	5.3544G	60.48	74.00	-13.52	3	Vertical	356	1.01	-
5270MHz	Pass	AV	5.2684G	109.98	Inf	-Inf	3	Horizontal	301	1.86	-
5270MHz	Pass	AV	5.35G	51.61	54.00	-2.39	3	Horizontal	301	1.86	-
5270MHz	Pass	PK	5.2684G	121.32	Inf	-Inf	3	Horizontal	301	1.86	-
5270MHz	Pass	PK	5.3504G	64.37	74.00	-9.63	3	Horizontal	301	1.86	-
5270MHz	Pass	AV	15.787G	48.12	54.00	-5.88	3	Vertical	343	1.49	-
5270MHz	Pass	PK	10.4948G	53.36	68.20	-14.84	3	Vertical	359	2.07	-
5270MHz	Pass	PK	15.8046G	61.61	74.00	-12.39	3	Vertical	343	1.49	-
5270MHz	Pass	AV	15.8062G	49.44	54.00	-4.56	3	Horizontal	69	1.57	-
5270MHz	Pass	PK	10.5216G	53.28	68.20	-14.92	3	Horizontal	233	1.40	-
5270MHz	Pass	PK	15.8054G	63.79	74.00	-10.21	3	Horizontal	69	1.57	-
5310MHz	Pass	AV	5.3012G	98.68	Inf	-Inf	3	Vertical	4	1.57	-
5310MHz	Pass	AV	5.3528G	51.36	54.00	-2.64	3	Vertical	4	1.57	-
5310MHz	Pass	PK	5.2968G	108.23	Inf	-Inf	3	Vertical	4	1.57	-
5310MHz	Pass	PK	5.3516G	64.17	74.00	-9.83	3	Vertical	4	1.57	-
5310MHz	Pass	AV	5.308G	102.45	Inf	-Inf	3	Horizontal	300	2.24	-
5310MHz	Pass	AV	5.35G	53.92	54.00	-0.08	3	Horizontal	300	2.24	-
5310MHz	Pass	PK	5.3172G	113.20	Inf	-Inf	3	Horizontal	300	2.24	-
5310MHz	Pass	PK	5.35G	67.78	74.00	-6.22	3	Horizontal	300	2.24	-
5310MHz	Pass	AV	15.92584G	43.79	54.00	-10.21	3	Vertical	335	1.50	-
5310MHz	Pass	PK	10.62016G	55.67	74.00	-18.33	3	Vertical	288	1.09	-
5310MHz	Pass	PK	15.89688G	56.07	74.00	-17.93	3	Vertical	335	1.50	-
5310MHz	Pass	AV	15.92008G	43.45	54.00	-10.55	3	Horizontal	79	1.50	-
5310MHz	Pass	PK	10.62112G	55.62	74.00	-18.38	3	Horizontal	78	1.50	-
5310MHz	Pass	PK	15.93768G	55.62	74.00	-18.38	3	Horizontal	79	1.50	-
5510MHz	Pass	AV	5.4572G	47.75	54.00	-6.25	3	Vertical	356	1.45	-
5510MHz	Pass	AV	5.5064G	98.00	Inf	-Inf	3	Vertical	356	1.45	-
5510MHz	Pass	PK	5.4564G	61.42	74.00	-12.58	3	Vertical	356	1.45	-
5510MHz	Pass	PK	5.466G	64.51	68.20	-3.69	3	Vertical	356	1.45	-
5510MHz	Pass	PK	5.5064G	108.42	Inf	-Inf	3	Vertical	356	1.45	-
5510MHz	Pass	AV	5.454G	49.52	54.00	-4.48	3	Horizontal	299	1.89	-
5510MHz	Pass	AV	5.5024G	103.25	Inf	-Inf	3	Horizontal	299	1.89	-
5510MHz	Pass	PK	5.4636G	66.05	68.20	-2.15	3	Horizontal	299	1.89	-
5510MHz	Pass	PK	5.5136G	113.38	Inf	-Inf	3	Horizontal	299	1.89	-
5510MHz	Pass	AV	11.02016G	44.31	54.00	-9.69	3	Vertical	359	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	11.04336G	57.06	74.00	-16.94	3	Vertical	359	1.50	-
5510MHz	Pass	PK	16.52184G	58.29	68.20	-9.91	3	Vertical	354	1.45	-
5510MHz	Pass	AV	11.0416G	44.07	54.00	-9.93	3	Horizontal	107	1.50	-
5510MHz	Pass	PK	11.04336G	57.45	74.00	-16.55	3	Horizontal	107	1.50	-
5510MHz	Pass	PK	16.55432G	57.74	68.20	-10.46	3	Horizontal	65	2.13	-
5550MHz	Pass	AV	5.46G	46.27	54.00	-7.73	3	Vertical	6	1.62	-
5550MHz	Pass	AV	5.5516G	102.84	Inf	-Inf	3	Vertical	6	1.62	-
5550MHz	Pass	PK	5.4696G	59.92	68.20	-8.28	3	Vertical	6	1.62	-
5550MHz	Pass	PK	5.5516G	113.46	Inf	-Inf	3	Vertical	6	1.62	-
5550MHz	Pass	AV	5.46G	49.43	54.00	-4.57	3	Horizontal	306	1.76	-
5550MHz	Pass	AV	5.548G	110.19	Inf	-Inf	3	Horizontal	306	1.76	-
5550MHz	Pass	PK	5.4696G	67.58	68.20	-0.62	3	Horizontal	306	1.76	-
5550MHz	Pass	PK	5.5476G	121.16	Inf	-Inf	3	Horizontal	306	1.76	-
5550MHz	Pass	AV	11.0998G	41.67	54.00	-12.33	3	Vertical	103	1.44	-
5550MHz	Pass	PK	11.1158G	53.90	74.00	-20.10	3	Vertical	103	1.44	-
5550MHz	Pass	PK	16.6546G	59.53	68.20	-8.67	3	Vertical	360	2.01	-
5550MHz	Pass	AV	11.113G	41.01	54.00	-12.99	3	Horizontal	279	1.45	-
5550MHz	Pass	PK	11.14G	53.85	74.00	-20.15	3	Horizontal	279	1.45	-
5550MHz	Pass	PK	16.6548G	63.90	68.20	-4.30	3	Horizontal	313	1.99	-
5670MHz	Pass	AV	5.664G	101.70	Inf	-Inf	3	Vertical	353	1.49	-
5670MHz	Pass	PK	5.6616G	112.26	Inf	-Inf	3	Vertical	353	1.49	-
5670MHz	Pass	PK	5.7888G	59.52	68.20	-8.68	3	Vertical	353	1.49	-
5670MHz	Pass	AV	5.6778G	107.38	Inf	-Inf	3	Horizontal	297	1.80	-
5670MHz	Pass	PK	5.6778G	118.42	Inf	-Inf	3	Horizontal	297	1.80	-
5670MHz	Pass	PK	5.7372G	62.00	68.20	-6.20	3	Horizontal	297	1.80	-
5670MHz	Pass	AV	11.3188G	42.38	54.00	-11.62	3	Vertical	311	1.48	-
5670MHz	Pass	PK	11.34G	54.95	74.00	-19.05	3	Vertical	311	1.48	-
5670MHz	Pass	PK	16.9824G	59.10	68.20	-9.10	3	Vertical	319	1.49	-
5670MHz	Pass	AV	11.336G	42.78	54.00	-11.22	3	Horizontal	273	1.59	-
5670MHz	Pass	PK	11.3354G	55.71	74.00	-18.29	3	Horizontal	273	1.59	-
5670MHz	Pass	PK	17.0062G	58.07	68.20	-10.13	3	Horizontal	310	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	45.56	54.00	-8.44	3	Vertical	349	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	102.86	Inf	-Inf	3	Vertical	349	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	57.15	68.20	-11.05	3	Vertical	349	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	113.61	Inf	-Inf	3	Vertical	349	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	59.09	68.20	-9.11	3	Vertical	349	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4172G	46.06	54.00	-7.94	3	Horizontal	311	2.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	108.36	Inf	-Inf	3	Horizontal	311	2.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.65	68.20	-10.55	3	Horizontal	311	2.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	118.33	Inf	-Inf	3	Horizontal	311	2.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8588G	59.09	68.20	-9.11	3	Horizontal	311	2.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4002G	43.69	54.00	-10.31	3	Vertical	307	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.418G	55.62	74.00	-18.38	3	Vertical	307	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.096G	60.72	68.20	-7.48	3	Vertical	321	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4158G	43.92	54.00	-10.08	3	Horizontal	277	1.45	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.417G	57.13	74.00	-16.87	3	Horizontal	277	1.45	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1008G	64.53	68.20	-3.67	3	Horizontal	304	2.66	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.11G	45.19	54.00	-8.81	3	Vertical	0	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.268G	91.54	Inf	-Inf	3	Vertical	0	1.50	-
5290MHz	Pass	AV	5.353G	47.45	54.00	-6.55	3	Vertical	0	1.50	-
5290MHz	Pass	PK	5.079G	57.63	74.00	-16.37	3	Vertical	0	1.50	-
5290MHz	Pass	PK	5.293G	101.12	Inf	-Inf	3	Vertical	0	1.50	-
5290MHz	Pass	PK	5.536G	57.19	68.20	-11.01	3	Vertical	0	1.50	-
5290MHz	Pass	AV	5.265G	102.07	Inf	-Inf	3	Horizontal	305	2.13	-
5290MHz	Pass	AV	5.265G	102.07	Inf	-Inf	3	Horizontal	305	2.13	-
5290MHz	Pass	AV	5.357G	53.41	54.00	-0.59	3	Horizontal	305	2.13	-
5290MHz	Pass	PK	5.096G	59.05	74.00	-14.95	3	Horizontal	305	2.13	-
5290MHz	Pass	PK	5.298G	106.82	Inf	-Inf	3	Horizontal	305	2.13	-
5290MHz	Pass	PK	5.481G	57.75	68.20	-10.45	3	Horizontal	305	2.13	-
5290MHz	Pass	AV	15.84536G	43.30	54.00	-10.70	3	Vertical	291	2.48	-
5290MHz	Pass	PK	10.5992G	55.48	68.20	-12.72	3	Vertical	124	1.58	-
5290MHz	Pass	PK	15.83992G	56.12	74.00	-17.88	3	Vertical	291	2.48	-
5290MHz	Pass	AV	15.83992G	43.67	54.00	-10.33	3	Horizontal	230	1.02	-
5290MHz	Pass	PK	10.56656G	56.12	68.20	-12.08	3	Horizontal	216	1.50	-
5290MHz	Pass	PK	15.8412G	55.85	74.00	-18.15	3	Horizontal	230	1.02	-
5530MHz	Pass	AV	5.46G	49.33	54.00	-4.67	3	Vertical	360	1.61	-
5530MHz	Pass	AV	5.541G	93.51	Inf	-Inf	3	Vertical	360	1.61	-
5530MHz	Pass	PK	5.462G	61.81	68.20	-6.39	3	Vertical	360	1.61	-
5530MHz	Pass	PK	5.512G	103.41	Inf	-Inf	3	Vertical	360	1.61	-
5530MHz	Pass	PK	5.77G	57.26	68.20	-10.94	3	Vertical	360	1.61	-
5530MHz	Pass	AV	5.458G	53.16	54.00	-0.84	3	Horizontal	300	2.27	-
5530MHz	Pass	AV	5.508G	101.62	Inf	-Inf	3	Horizontal	300	2.27	-
5530MHz	Pass	PK	5.466G	66.21	68.20	-1.99	3	Horizontal	300	2.27	-
5530MHz	Pass	PK	5.546G	109.08	Inf	-Inf	3	Horizontal	300	2.27	-
5530MHz	Pass	PK	5.742G	57.14	68.20	-11.06	3	Horizontal	300	2.27	-
5530MHz	Pass	AV	11.06016G	43.63	54.00	-10.37	3	Vertical	144	1.81	-
5530MHz	Pass	PK	11.0864G	56.42	74.00	-17.58	3	Vertical	144	1.81	-
5530MHz	Pass	PK	16.61384G	57.56	68.20	-10.64	3	Vertical	218	2.09	-
5530MHz	Pass	AV	11.06528G	43.61	54.00	-10.39	3	Horizontal	80	1.94	-
5530MHz	Pass	PK	11.02768G	56.37	74.00	-17.63	3	Horizontal	80	1.94	-
5530MHz	Pass	PK	16.62344G	58.02	68.20	-10.18	3	Horizontal	171	1.92	-
5610MHz	Pass	AV	5.453G	45.81	54.00	-8.19	3	Vertical	353	1.49	-
5610MHz	Pass	AV	5.621G	98.38	Inf	-Inf	3	Vertical	353	1.49	-
5610MHz	Pass	PK	5.461G	61.35	68.20	-6.85	3	Vertical	353	1.49	-
5610MHz	Pass	PK	5.621G	109.00	Inf	-Inf	3	Vertical	353	1.49	-
5610MHz	Pass	PK	5.742G	61.41	68.20	-6.79	3	Vertical	353	1.49	-
5610MHz	Pass	AV	5.4588G	48.90	54.00	-5.10	3	Horizontal	301	1.79	-
5610MHz	Pass	AV	5.598G	105.45	Inf	-Inf	3	Horizontal	301	1.79	-
5610MHz	Pass	PK	5.4636G	61.07	68.20	-7.13	3	Horizontal	301	1.79	-
5610MHz	Pass	PK	5.598G	117.26	Inf	-Inf	3	Horizontal	301	1.79	-
5610MHz	Pass	PK	5.7372G	68.05	68.20	-0.15	3	Horizontal	301	1.79	-
5610MHz	Pass	AV	11.21993G	42.09	54.00	-11.91	3	Vertical	226	2.32	-
5610MHz	Pass	PK	11.21828G	54.77	74.00	-19.23	3	Vertical	226	2.32	-
5610MHz	Pass	PK	16.83107G	57.81	68.20	-10.39	3	Vertical	259	1.89	-
5610MHz	Pass	AV	11.22G	42.95	54.00	-11.05	3	Horizontal	198	1.49	-
5610MHz	Pass	PK	11.2212G	54.85	74.00	-19.15	3	Horizontal	198	1.49	-
5610MHz	Pass	PK	16.8358G	58.92	68.20	-9.28	3	Horizontal	312	1.48	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	45.70	54.00	-8.30	3	Vertical	350	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6564G	102.49	Inf	-Inf	3	Vertical	350	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.68	68.20	-11.52	3	Vertical	350	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	110.99	Inf	-Inf	3	Vertical	350	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	59.56	68.20	-8.64	3	Vertical	350	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	46.09	54.00	-7.91	3	Horizontal	300	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6672G	107.25	Inf	-Inf	3	Horizontal	300	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.41	68.20	-9.79	3	Horizontal	300	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	114.94	Inf	-Inf	3	Horizontal	300	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.66	68.20	-7.54	3	Horizontal	300	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3779G	43.64	54.00	-10.36	3	Vertical	195	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38134G	55.80	74.00	-18.20	3	Vertical	195	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0719G	59.67	68.20	-8.53	3	Vertical	281	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37755G	43.19	54.00	-10.81	3	Horizontal	201	1.94	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3819G	56.72	74.00	-17.28	3	Horizontal	201	1.94	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.053G	60.85	68.20	-7.35	3	Horizontal	312	1.48	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	45.24	54.00	-8.76	6.43	3	Vertical	360	1.00	-	38.81	31.75	8.51	33.83
AV	5.2558G	104.84	Inf	-Inf	6.52	3	Vertical	360	1.00	-	98.32	31.80	8.58	33.86
AV	5.3596G	45.32	54.00	-8.68	6.55	3	Vertical	360	1.00	-	38.77	31.84	8.60	33.89
PK	5.1454G	58.01	74.00	-15.99	6.45	3	Vertical	360	1.00	-	51.56	31.76	8.52	33.83
PK	5.2552G	116.34	Inf	-Inf	6.52	3	Vertical	360	1.00	-	109.82	31.80	8.58	33.86
PK	5.3836G	57.90	74.00	-16.10	6.56	3	Vertical	360	1.00	-	51.34	31.85	8.61	33.90



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	45.81	54.00	-8.19	6.44	3	Horizontal	299	1.77	-	39.37	31.76	8.51	33.83
AV	5.2618G	111.91	Inf	-Inf	6.52	3	Horizontal	299	1.77	-	105.39	31.80	8.58	33.86
AV	5.3584G	46.44	54.00	-7.56	6.55	3	Horizontal	299	1.77	-	39.89	31.84	8.60	33.89
PK	5.1226G	58.81	74.00	-15.19	6.42	3	Horizontal	299	1.77	-	52.39	31.75	8.50	33.83
PK	5.2612G	124.09	Inf	-Inf	6.52	3	Horizontal	299	1.77	-	117.57	31.80	8.58	33.86
PK	5.3512G	58.74	74.00	-15.26	6.55	3	Horizontal	299	1.77	-	52.19	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7836G	48.26	54.00	-5.74	-0.69	3	Vertical	343	1.48	-	48.95	37.90	14.67	53.26
PK	10.52067G	53.74	68.20	-14.46	-2.57	3	Vertical	352	2.38	-	56.31	39.58	12.26	54.41
PK	15.7838G	64.84	74.00	-9.16	-0.69	3	Vertical	343	1.48	-	65.53	37.90	14.67	53.26



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7858G	49.20	54.00	-4.80	-0.70	3	Horizontal	74	1.49	-	49.90	37.89	14.67	53.26
PK	10.5197G	54.81	68.20	-13.39	-2.57	3	Horizontal	234	1.49	-	57.38	39.58	12.26	54.41
PK	15.7845G	64.96	74.00	-9.04	-0.69	3	Horizontal	74	1.49	-	65.65	37.90	14.67	53.26



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	104.65	Inf	-Inf	6.54	3	Vertical	6	1.58	-	98.11	31.82	8.59	33.87
AV	5.356G	45.65	54.00	-8.35	6.55	3	Vertical	6	1.58	-	39.10	31.84	8.60	33.89
PK	5.2972G	116.13	Inf	-Inf	6.54	3	Vertical	6	1.58	-	109.59	31.82	8.59	33.87
PK	5.3552G	58.29	74.00	-15.71	6.55	3	Vertical	6	1.58	-	51.74	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2996G	111.59	Inf	-Inf	6.54	3	Horizontal	305	2.75	-	105.05	31.82	8.59	33.87
AV	5.358G	46.79	54.00	-7.21	6.55	3	Horizontal	305	2.75	-	40.24	31.84	8.60	33.89
PK	5.2988G	122.69	Inf	-Inf	6.54	3	Horizontal	305	2.75	-	116.15	31.82	8.59	33.87
PK	5.36G	60.11	74.00	-13.89	6.55	3	Horizontal	305	2.75	-	53.56	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6072G	39.57	54.00	-14.43	-2.43	3	Vertical	255	2.02	-	42.00	39.69	12.31	54.43
AV	15.90242G	47.08	54.00	-6.92	-1.23	3	Vertical	288	1.57	-	48.31	37.46	14.70	53.39
PK	10.60027G	54.62	74.00	-19.38	-2.45	3	Vertical	255	2.02	-	57.07	39.68	12.30	54.43
PK	15.90228G	63.36	74.00	-10.64	-1.23	3	Vertical	288	1.57	-	64.59	37.46	14.70	53.39



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60003G	40.95	54.00	-13.05	-2.45	3	Horizontal	223	1.80	-	43.40	39.68	12.30	54.43
AV	15.8968G	48.66	54.00	-5.34	-1.21	3	Horizontal	68	1.52	-	49.87	37.48	14.69	53.38
PK	10.60203G	55.20	74.00	-18.80	-2.45	3	Horizontal	223	1.80	-	57.65	39.68	12.30	54.43
PK	15.8958G	64.07	74.00	-9.93	-1.20	3	Horizontal	68	1.52	-	65.27	37.49	14.69	53.38



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	103.67	Inf	-Inf	6.55	3	Vertical	360	1.00	-	97.12	31.83	8.59	33.87
AV	5.3538G	47.61	54.00	-6.39	6.55	3	Vertical	360	1.00	-	41.06	31.84	8.60	33.89
PK	5.316G	115.25	Inf	-Inf	6.55	3	Vertical	360	1.00	-	108.70	31.83	8.59	33.87
PK	5.35G	61.97	74.00	-12.03	6.55	3	Vertical	360	1.00	-	55.42	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	109.17	Inf	-Inf	6.54	3	Horizontal	313	1.47	-	102.63	31.83	8.59	33.88
AV	5.35G	53.78	54.00	-0.22	6.55	3	Horizontal	313	1.47	-	47.23	31.84	8.60	33.89
PK	5.3226G	120.96	Inf	-Inf	6.54	3	Horizontal	313	1.47	-	114.42	31.83	8.59	33.88
PK	5.35G	69.08	74.00	-4.92	6.55	3	Horizontal	313	1.47	-	62.53	31.84	8.60	33.89



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63991G	39.44	54.00	-14.56	-2.39	3	Vertical	49	2.44	-	41.83	39.73	12.32	54.44
AV	15.95979G	49.28	54.00	-4.72	-1.49	3	Vertical	147	1.96	-	50.77	37.25	14.71	53.45
PK	10.63919G	53.46	74.00	-20.54	-2.39	3	Vertical	49	2.44	-	55.85	39.73	12.32	54.44
PK	15.95983G	65.65	74.00	-8.35	-1.50	3	Vertical	147	1.96	-	67.15	37.25	14.71	53.46



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63977G	41.20	54.00	-12.80	-2.39	3	Horizontal	304	2.02	-	43.59	39.73	12.32	54.44
AV	15.9585G	50.57	54.00	-3.43	-1.49	3	Horizontal	65	1.48	-	52.06	37.25	14.71	53.45
PK	10.6414G	55.56	74.00	-18.44	-2.39	3	Horizontal	304	2.02	-	57.95	39.73	12.32	54.44
PK	15.9589G	66.45	74.00	-7.55	-1.49	3	Horizontal	65	1.48	-	67.94	37.25	14.71	53.45



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.85	54.00	-8.15	6.67	3	Vertical	0	1.36	-	39.18	31.88	8.70	33.91
AV	5.502G	102.98	Inf	-Inf	6.74	3	Vertical	0	1.36	-	96.24	31.90	8.76	33.92
PK	5.454G	58.08	74.00	-15.92	6.66	3	Vertical	0	1.36	-	51.42	31.88	8.69	33.91
PK	5.4698G	65.70	68.20	-2.50	6.69	3	Vertical	0	1.36	-	59.01	31.89	8.71	33.91
PK	5.503G	114.71	Inf	-Inf	6.74	3	Vertical	0	1.36	-	107.97	31.90	8.76	33.92



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.62	54.00	-5.38	6.67	3	Horizontal	300	1.79	-	41.95	31.88	8.70	33.91
AV	5.498G	110.69	Inf	-Inf	6.73	3	Horizontal	300	1.79	-	103.96	31.90	8.75	33.92
PK	5.4576G	63.88	74.00	-10.12	6.66	3	Horizontal	300	1.79	-	57.22	31.88	8.69	33.91
PK	5.4696G	67.76	68.20	-0.44	6.69	3	Horizontal	300	1.79	-	61.07	31.89	8.71	33.91
PK	5.4986G	122.66	Inf	-Inf	6.73	3	Horizontal	300	1.79	-	115.93	31.90	8.75	33.92



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	41.63	54.00	-12.37	-1.81	3	Vertical	103	1.49	-	43.44	40.20	12.50	54.51
PK	10.99856G	54.73	74.00	-19.27	-1.81	3	Vertical	103	1.49	-	56.54	40.20	12.50	54.51
PK	16.4984G	62.05	68.20	-6.15	1.17	3	Vertical	33	1.48	-	60.88	38.55	14.85	52.23



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	43.72	54.00	-10.28	-1.81	3	Horizontal	89	2.03	-	45.53	40.20	12.50	54.51
PK	10.99992G	56.59	74.00	-17.41	-1.81	3	Horizontal	89	2.03	-	58.40	40.20	12.50	54.51
PK	16.4988G	67.57	68.20	-0.63	1.17	3	Horizontal	309	1.49	-	66.40	38.55	14.85	52.23



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	44.92	54.00	-9.08	6.65	3	Vertical	7	2.10	-	38.27	31.88	8.68	33.91
AV	5.5776G	103.89	Inf	-Inf	6.94	3	Vertical	7	2.10	-	96.95	32.01	8.87	33.94
PK	5.4684G	57.98	68.20	-10.22	6.69	3	Vertical	7	2.10	-	51.29	31.89	8.71	33.91
PK	5.577G	115.05	Inf	-Inf	6.94	3	Vertical	7	2.10	-	108.11	32.01	8.87	33.94
PK	5.7258G	57.67	68.20	-10.53	7.27	3	Vertical	7	2.10	-	50.40	32.22	9.01	33.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4336G	45.71	54.00	-8.29	6.62	3	Horizontal	316	1.88	-	39.09	31.87	8.66	33.91
AV	5.5878G	109.30	Inf	-Inf	6.96	3	Horizontal	316	1.88	-	102.34	32.02	8.88	33.94
PK	5.4618G	57.45	68.20	-10.75	6.67	3	Horizontal	316	1.88	-	50.78	31.88	8.70	33.91
PK	5.5878G	121.07	Inf	-Inf	6.96	3	Horizontal	316	1.88	-	114.11	32.02	8.88	33.94
PK	5.73G	58.21	68.20	-9.99	7.28	3	Horizontal	316	1.88	-	50.93	32.22	9.02	33.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15983G	41.12	54.00	-12.88	-1.82	3	Vertical	329	1.75	-	42.94	40.01	12.59	54.42
PK	11.16085G	55.90	74.00	-18.10	-1.82	3	Vertical	329	1.75	-	57.72	40.01	12.59	54.42
PK	16.7407G	62.06	68.20	-6.14	1.78	3	Vertical	314	1.66	-	60.28	39.25	14.91	52.38



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16015G	41.26	54.00	-12.74	-1.82	3	Horizontal	157	2.48	-	43.08	40.01	12.59	54.42
PK	11.15814G	54.40	74.00	-19.60	-1.83	3	Horizontal	157	2.48	-	56.23	40.01	12.58	54.42
PK	16.735G	64.52	68.20	-3.68	1.76	3	Horizontal	311	1.44	-	62.76	39.23	14.91	52.38



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	102.65	Inf	-Inf	7.22	3	Vertical	342	1.01	-	95.43	32.18	8.99	33.95
PK	5.7036G	113.96	Inf	-Inf	7.23	3	Vertical	342	1.01	-	106.73	32.19	8.99	33.95
PK	5.728G	62.86	68.20	-5.34	7.28	3	Vertical	342	1.01	-	55.58	32.22	9.02	33.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	108.80	Inf	-Inf	7.20	3	Horizontal	302	1.00	-	101.60	32.17	8.98	33.95
PK	5.6932G	120.61	Inf	-Inf	7.20	3	Horizontal	302	1.00	-	113.41	32.17	8.98	33.95
PK	5.732G	64.86	68.20	-3.34	7.28	3	Horizontal	302	1.00	-	57.58	32.22	9.02	33.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39813G	42.79	54.00	-11.21	-1.85	3	Vertical	41	1.13	-	44.64	39.72	12.71	54.28
PK	11.39867G	54.72	74.00	-19.28	-1.85	3	Vertical	41	1.13	-	56.57	39.72	12.71	54.28
PK	17.09946G	62.72	68.20	-5.48	3.06	3	Vertical	50	2.27	-	59.66	40.66	15.00	52.60



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39958G	45.86	54.00	-8.14	-1.85	3	Horizontal	310	1.61	-	47.71	39.72	12.71	54.28
PK	11.39962G	56.61	74.00	-17.39	-1.85	3	Horizontal	310	1.61	-	58.46	39.72	12.71	54.28
PK	17.0988G	60.47	68.20	-7.73	3.05	3	Horizontal	305	2.87	-	57.42	40.65	15.00	52.60



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.724G	103.10	Inf	-Inf	7.27	3	Vertical	46	1.34	-	95.83	32.21	9.01	33.95
PK	5.724G	114.22	Inf	-Inf	7.27	3	Vertical	46	1.34	-	106.95	32.21	9.01	33.95
PK	5.879G	58.84	68.20	-9.36	7.57	3	Vertical	46	1.34	-	51.27	32.43	9.12	33.98



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.728G	109.08	Inf	-Inf	7.28	3	Horizontal	303	1.63	-	101.80	32.22	9.02	33.96
PK	5.728G	120.16	Inf	-Inf	7.28	3	Horizontal	303	1.63	-	112.88	32.22	9.02	33.96
PK	5.869G	59.20	68.20	-9.00	7.55	3	Horizontal	303	1.63	-	51.65	32.42	9.11	33.98



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43934G	44.42	54.00	-9.58	-1.86	3	Vertical	27	2.24	-	46.28	39.67	12.73	54.26
PK	11.43776G	57.87	74.00	-16.13	-1.86	3	Vertical	27	2.24	-	59.73	39.67	12.73	54.26
PK	17.15876G	64.58	68.20	-3.62	3.43	3	Vertical	158	1.70	-	61.15	41.05	15.02	52.64



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4366G	46.01	54.00	-7.99	-1.85	3	Horizontal	281	1.51	-	47.86	39.68	12.73	54.26
PK	11.4367G	59.31	74.00	-14.69	-1.85	3	Horizontal	281	1.51	-	61.16	39.68	12.73	54.26
PK	17.1587G	66.22	68.20	-1.98	3.43	3	Horizontal	298	2.56	-	62.79	41.05	15.02	52.64



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	103.15	Inf	-Inf	6.53	3	Vertical	356	1.01	-	96.62	31.81	8.59	33.87
AV	5.3552G	48.02	54.00	-5.98	6.55	3	Vertical	356	1.01	-	41.47	31.84	8.60	33.89
PK	5.2752G	113.84	Inf	-Inf	6.53	3	Vertical	356	1.01	-	107.31	31.81	8.59	33.87
PK	5.3544G	60.48	74.00	-13.52	6.55	3	Vertical	356	1.01	-	53.93	31.84	8.60	33.89



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	109.98	Inf	-Inf	6.53	3	Horizontal	301	1.86	-	103.45	31.81	8.58	33.86
AV	5.35G	51.61	54.00	-2.39	6.55	3	Horizontal	301	1.86	-	45.06	31.84	8.60	33.89
PK	5.2684G	121.32	Inf	-Inf	6.53	3	Horizontal	301	1.86	-	114.79	31.81	8.58	33.86
PK	5.3504G	64.37	74.00	-9.63	6.55	3	Horizontal	301	1.86	-	57.82	31.84	8.60	33.89



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.787G	48.12	54.00	-5.88	-0.70	3	Vertical	343	1.49	-	48.82	37.89	14.67	53.26
PK	10.4948G	53.36	68.20	-14.84	-2.62	3	Vertical	359	2.07	-	55.98	39.54	12.25	54.41
PK	15.8046G	61.61	74.00	-12.39	-0.79	3	Vertical	343	1.49	-	62.40	37.82	14.67	53.28



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8062G	49.44	54.00	-4.56	-0.79	3	Horizontal	69	1.57	-	50.23	37.82	14.67	53.28
PK	10.5216G	53.28	68.20	-14.92	-2.57	3	Horizontal	233	1.40	-	55.85	39.58	12.26	54.41
PK	15.8054G	63.79	74.00	-10.21	-0.79	3	Horizontal	69	1.57	-	64.58	37.82	14.67	53.28



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	98.68	Inf	-Inf	4.79	3	Vertical	4	1.57	-	93.89	31.20	7.65	34.06
AV	5.3528G	51.36	54.00	-2.64	4.98	3	Vertical	4	1.57	-	46.38	31.36	7.68	34.06
PK	5.2968G	108.23	Inf	-Inf	4.80	3	Vertical	4	1.57	-	103.43	31.21	7.65	34.06
PK	5.3516G	64.17	74.00	-9.83	4.97	3	Vertical	4	1.57	-	59.20	31.35	7.68	34.06



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	102.45	Inf	-Inf	4.81	3	Horizontal	300	2.24	-	97.64	31.22	7.65	34.06
AV	5.35G	53.92	54.00	-0.08	4.97	3	Horizontal	300	2.24	-	48.95	31.35	7.68	34.06
PK	5.3172G	113.20	Inf	-Inf	4.85	3	Horizontal	300	2.24	-	108.35	31.25	7.66	34.06
PK	5.35G	67.78	74.00	-6.22	4.97	3	Horizontal	300	2.24	-	62.81	31.35	7.68	34.06



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.92584G	43.79	54.00	-10.21	14.32	3	Vertical	335	1.50	-	29.47	37.73	10.99	34.40
PK	10.62016G	55.67	74.00	-18.33	15.08	3	Vertical	288	1.09	-	40.59	39.71	9.76	34.39
PK	15.89688G	56.07	74.00	-17.93	14.43	3	Vertical	335	1.50	-	41.64	37.82	10.98	34.37



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.92008G	43.45	54.00	-10.55	14.33	3	Horizontal	79	1.50	-	29.12	37.75	10.98	34.40
PK	10.62112G	55.62	74.00	-18.38	15.08	3	Horizontal	78	1.50	-	40.54	39.71	9.76	34.39
PK	15.93768G	55.62	74.00	-18.38	14.26	3	Horizontal	79	1.50	-	41.36	37.69	10.99	34.42



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.75	54.00	-6.25	5.33	3	Vertical	356	1.45	-	42.42	31.67	7.73	34.07
AV	5.5064G	98.00	Inf	-Inf	5.47	3	Vertical	356	1.45	-	92.53	31.79	7.75	34.07
PK	5.466G	64.51	68.20	-3.69	5.36	3	Vertical	356	1.45	-	59.15	31.70	7.73	34.07
PK	5.5064G	108.42	Inf	-Inf	5.47	3	Vertical	356	1.45	-	102.95	31.79	7.75	34.07



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	49.52	54.00	-4.48	5.32	3	Horizontal	299	1.89	-	44.20	31.66	7.73	34.07
AV	5.5024G	103.25	Inf	-Inf	5.48	3	Horizontal	299	1.89	-	97.77	31.80	7.75	34.07
PK	5.4636G	66.05	68.20	-2.15	5.35	3	Horizontal	299	1.89	-	60.70	31.69	7.73	34.07
PK	5.5136G	113.38	Inf	-Inf	5.46	3	Horizontal	299	1.89	-	107.92	31.77	7.76	34.07



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02016G	44.31	54.00	-9.69	15.87	3	Vertical	359	1.50	-	28.44	40.17	9.86	34.16
PK	11.04336G	57.06	74.00	-16.94	15.84	3	Vertical	359	1.50	-	41.22	40.14	9.86	34.16
PK	16.52184G	58.29	68.20	-9.91	16.21	3	Vertical	354	1.45	-	42.08	38.91	11.23	33.93



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0416G	44.07	54.00	-9.93	15.85	3	Horizontal	107	1.50	-	28.22	40.15	9.86	34.16
PK	11.04336G	57.45	74.00	-16.55	15.84	3	Horizontal	107	1.50	-	41.61	40.14	9.86	34.16
PK	16.55432G	57.74	68.20	-10.46	16.35	3	Horizontal	65	2.13	-	41.39	39.00	11.25	33.90



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.27	54.00	-7.73	6.67	3	Vertical	6	1.62	-	39.60	31.88	8.70	33.91
AV	5.5516G	102.84	Inf	-Inf	6.87	3	Vertical	6	1.62	-	95.97	31.97	8.83	33.93
PK	5.4696G	59.92	68.20	-8.28	6.69	3	Vertical	6	1.62	-	53.23	31.89	8.71	33.91
PK	5.5516G	113.46	Inf	-Inf	6.87	3	Vertical	6	1.62	-	106.59	31.97	8.83	33.93



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.43	54.00	-4.57	6.67	3	Horizontal	306	1.76	-	42.76	31.88	8.70	33.91
AV	5.548G	110.19	Inf	-Inf	6.86	3	Horizontal	306	1.76	-	103.33	31.97	8.82	33.93
PK	5.4696G	67.58	68.20	-0.62	6.69	3	Horizontal	306	1.76	-	60.89	31.89	8.71	33.91
PK	5.5476G	121.16	Inf	-Inf	6.86	3	Horizontal	306	1.76	-	114.30	31.97	8.82	33.93



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0998G	41.67	54.00	-12.33	-1.81	3	Vertical	103	1.44	-	43.48	40.08	12.56	54.45
PK	11.1158G	53.90	74.00	-20.10	-1.82	3	Vertical	103	1.44	-	55.72	40.06	12.56	54.44
PK	16.6546G	59.53	68.20	-8.67	1.56	3	Vertical	360	2.01	-	57.97	39.00	14.89	52.33



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.113G	41.01	54.00	-12.99	-1.82	3	Horizontal	279	1.45	-	42.83	40.06	12.56	54.44
PK	11.14G	53.85	74.00	-20.15	-1.82	3	Horizontal	279	1.45	-	55.67	40.03	12.58	54.43
PK	16.6548G	63.90	68.20	-4.30	1.56	3	Horizontal	313	1.99	-	62.34	39.00	14.89	52.33



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	101.70	Inf	-Inf	7.14	3	Vertical	353	1.49	-	94.56	32.13	8.96	33.95
PK	5.6616G	112.26	Inf	-Inf	7.14	3	Vertical	353	1.49	-	105.12	32.13	8.96	33.95
PK	5.7888G	59.52	68.20	-8.68	7.40	3	Vertical	353	1.49	-	52.12	32.30	9.07	33.97



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6778G	107.38	Inf	-Inf	7.17	3	Horizontal	297	1.80	-	100.21	32.15	8.97	33.95
PK	5.6778G	118.42	Inf	-Inf	7.17	3	Horizontal	297	1.80	-	111.25	32.15	8.97	33.95
PK	5.7372G	62.00	68.20	-6.20	7.29	3	Horizontal	297	1.80	-	54.71	32.23	9.02	33.96



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3188G	42.38	54.00	-11.62	-1.84	3	Vertical	311	1.48	-	44.22	39.82	12.67	54.33
PK	11.34G	54.95	74.00	-19.05	-1.84	3	Vertical	311	1.48	-	56.79	39.79	12.68	54.31
PK	16.9824G	59.10	68.20	-9.10	2.39	3	Vertical	319	1.49	-	56.71	39.95	14.97	52.53



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.336G	42.78	54.00	-11.22	-1.85	3	Horizontal	273	1.59	-	44.63	39.80	12.67	54.32
PK	11.3354G	55.71	74.00	-18.29	-1.85	3	Horizontal	273	1.59	-	57.56	39.80	12.67	54.32
PK	17.0062G	58.07	68.20	-10.13	2.48	3	Horizontal	310	1.49	-	55.59	40.04	14.98	52.54



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	45.56	54.00	-8.44	6.66	3	Vertical	349	1.01	-	38.90	31.88	8.69	33.91
AV	5.7172G	102.86	Inf	-Inf	7.26	3	Vertical	349	1.01	-	95.60	32.20	9.01	33.95
PK	5.4676G	57.15	68.20	-11.05	6.69	3	Vertical	349	1.01	-	50.46	31.89	8.71	33.91
PK	5.698G	113.61	Inf	-Inf	7.22	3	Vertical	349	1.01	-	106.39	32.18	8.99	33.95
PK	5.8612G	59.09	68.20	-9.11	7.54	3	Vertical	349	1.01	-	51.55	32.41	9.11	33.98



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4172G	46.06	54.00	-7.94	6.60	3	Horizontal	311	2.31	-	39.46	31.87	8.63	33.90
AV	5.7088G	108.36	Inf	-Inf	7.24	3	Horizontal	311	2.31	-	101.12	32.19	9.00	33.95
PK	5.4628G	57.65	68.20	-10.55	6.68	3	Horizontal	311	2.31	-	50.97	31.89	8.70	33.91
PK	5.7088G	118.33	Inf	-Inf	7.24	3	Horizontal	311	2.31	-	111.09	32.19	9.00	33.95
PK	5.8588G	59.09	68.20	-9.11	7.53	3	Horizontal	311	2.31	-	51.56	32.40	9.11	33.98



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	43.69	54.00	-10.31	-1.85	3	Vertical	307	1.49	-	45.54	39.72	12.71	54.28
PK	11.418G	55.62	74.00	-18.38	-1.85	3	Vertical	307	1.49	-	57.47	39.70	12.72	54.27
PK	17.096G	60.72	68.20	-7.48	3.03	3	Vertical	321	1.47	-	57.69	40.63	15.00	52.60



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4158G	43.92	54.00	-10.08	-1.86	3	Horizontal	277	1.45	-	45.78	39.70	12.71	54.27
PK	11.417G	57.13	74.00	-16.87	-1.85	3	Horizontal	277	1.45	-	58.98	39.70	12.72	54.27
PK	17.1008G	64.53	68.20	-3.67	3.07	3	Horizontal	304	2.66	-	61.46	40.67	15.00	52.60



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.11G	45.19	54.00	-8.81	5.46	3	Vertical	0	1.50	-	39.73	31.96	7.55	34.05
AV	5.268G	91.54	Inf	-Inf	4.90	3	Vertical	0	1.50	-	86.64	31.33	7.63	34.06
AV	5.353G	47.45	54.00	-6.55	4.98	3	Vertical	0	1.50	-	42.47	31.36	7.68	34.06
PK	5.079G	57.63	74.00	-16.37	5.38	3	Vertical	0	1.50	-	52.25	31.89	7.54	34.05
PK	5.293G	101.12	Inf	-Inf	4.82	3	Vertical	0	1.50	-	96.30	31.23	7.65	34.06
PK	5.536G	57.19	68.20	-11.01	5.43	3	Vertical	0	1.50	-	51.76	31.73	7.77	34.07



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.265G	102.07	Inf	-Inf	4.91	3	Horizontal	305	2.13	-	97.16	31.34	7.63	34.06
AV	5.265G	102.07	Inf	-Inf	4.91	3	Horizontal	305	2.13	-	97.16	31.34	7.63	34.06
AV	5.357G	53.41	54.00	-0.59	4.99	3	Horizontal	305	2.13	-	48.42	31.37	7.68	34.06
PK	5.096G	59.05	74.00	-14.95	5.48	3	Horizontal	305	2.13	-	53.57	31.98	7.55	34.05
PK	5.298G	106.82	Inf	-Inf	4.80	3	Horizontal	305	2.13	-	102.02	31.21	7.65	34.06
PK	5.481G	57.75	68.20	-10.45	5.41	3	Horizontal	305	2.13	-	52.34	31.74	7.74	34.07



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84536G	43.30	54.00	-10.70	14.63	3	Vertical	291	2.48	-	28.67	37.98	10.97	34.32
PK	10.5992G	55.48	68.20	-12.72	15.03	3	Vertical	124	1.58	-	40.45	39.68	9.75	34.40
PK	15.83992G	56.12	74.00	-17.88	14.65	3	Vertical	291	2.48	-	41.47	38.00	10.97	34.32



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83992G	43.67	54.00	-10.33	14.65	3	Horizontal	230	1.02	-	29.02	38.00	10.97	34.32
PK	10.56656G	56.12	68.20	-12.08	14.96	3	Horizontal	216	1.50	-	41.16	39.64	9.74	34.42
PK	15.8412G	55.85	74.00	-18.15	14.64	3	Horizontal	230	1.02	-	41.21	37.99	10.97	34.32



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.33	54.00	-4.67	5.34	3	Vertical	360	1.61	-	43.99	31.68	7.73	34.07
AV	5.541G	93.51	Inf	-Inf	5.42	3	Vertical	360	1.61	-	88.09	31.72	7.77	34.07
PK	5.462G	61.81	68.20	-6.39	5.35	3	Vertical	360	1.61	-	56.46	31.69	7.73	34.07
PK	5.512G	103.41	Inf	-Inf	5.47	3	Vertical	360	1.61	-	97.94	31.78	7.76	34.07
PK	5.77G	57.26	68.20	-10.94	5.82	3	Vertical	360	1.61	-	51.44	32.01	7.89	34.08



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	53.16	54.00	-0.84	5.33	3	Horizontal	300	2.27	-	47.83	31.67	7.73	34.07
AV	5.508G	101.62	Inf	-Inf	5.46	3	Horizontal	300	2.27	-	96.16	31.78	7.75	34.07
PK	5.466G	66.21	68.20	-1.99	5.36	3	Horizontal	300	2.27	-	60.85	31.70	7.73	34.07
PK	5.546G	109.08	Inf	-Inf	5.41	3	Horizontal	300	2.27	-	103.67	31.71	7.77	34.07
PK	5.742G	57.14	68.20	-11.06	5.73	3	Horizontal	300	2.27	-	51.41	31.93	7.87	34.07



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06016G	43.63	54.00	-10.37	15.83	3	Vertical	144	1.81	-	27.80	40.12	9.87	34.16
PK	11.0864G	56.42	74.00	-17.58	15.79	3	Vertical	144	1.81	-	40.63	40.09	9.87	34.17
PK	16.61384G	57.56	68.20	-10.64	16.60	3	Vertical	218	2.09	-	40.96	39.16	11.28	33.84



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06528G	43.61	54.00	-10.39	15.83	3	Horizontal	80	1.94	-	27.78	40.12	9.87	34.16
PK	11.02768G	56.37	74.00	-17.63	15.86	3	Horizontal	80	1.94	-	40.51	40.16	9.86	34.16
PK	16.62344G	58.02	68.20	-10.18	16.63	3	Horizontal	171	1.92	-	41.39	39.18	11.28	33.83



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	45.81	54.00	-8.19	6.66	3	Vertical	353	1.49	-	39.15	31.88	8.69	33.91
AV	5.621G	98.38	Inf	-Inf	7.05	3	Vertical	353	1.49	-	91.33	32.07	8.92	33.94
PK	5.461G	61.35	68.20	-6.85	6.67	3	Vertical	353	1.49	-	54.68	31.88	8.70	33.91
PK	5.621G	109.00	Inf	-Inf	7.05	3	Vertical	353	1.49	-	101.95	32.07	8.92	33.94
PK	5.742G	61.41	68.20	-6.79	7.31	3	Vertical	353	1.49	-	54.10	32.24	9.03	33.96



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.90	54.00	-5.10	6.67	3	Horizontal	301	1.79	-	42.23	31.88	8.70	33.91
AV	5.598G	105.45	Inf	-Inf	7.00	3	Horizontal	301	1.79	-	98.45	32.04	8.90	33.94
PK	5.4636G	61.07	68.20	-7.13	6.68	3	Horizontal	301	1.79	-	54.39	31.89	8.70	33.91
PK	5.598G	117.26	Inf	-Inf	7.00	3	Horizontal	301	1.79	-	110.26	32.04	8.90	33.94
PK	5.7372G	68.05	68.20	-0.15	7.29	3	Horizontal	301	1.79	-	60.76	32.23	9.02	33.96



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21993G	42.09	54.00	-11.91	-1.82	3	Vertical	226	2.32	-	43.91	39.94	12.62	54.38
PK	11.21828G	54.77	74.00	-19.23	-1.82	3	Vertical	226	2.32	-	56.59	39.94	12.62	54.38
PK	16.83107G	57.81	68.20	-10.39	2.00	3	Vertical	259	1.89	-	55.81	39.51	14.93	52.44



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	42.95	54.00	-11.05	-1.82	3	Horizontal	198	1.49	-	44.77	39.94	12.62	54.38
PK	11.2212G	54.85	74.00	-19.15	-1.83	3	Horizontal	198	1.49	-	56.68	39.93	12.62	54.38
PK	16.8358G	58.92	68.20	-9.28	2.01	3	Horizontal	312	1.48	-	56.91	39.52	14.93	52.44



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	45.70	54.00	-8.30	6.64	3	Vertical	350	1.00	-	39.06	31.88	8.67	33.91
AV	5.6564G	102.49	Inf	-Inf	7.12	3	Vertical	350	1.00	-	95.37	32.12	8.95	33.95
PK	5.4668G	56.68	68.20	-11.52	6.69	3	Vertical	350	1.00	-	49.99	31.89	8.71	33.91
PK	5.678G	110.99	Inf	-Inf	7.17	3	Vertical	350	1.00	-	103.82	32.15	8.97	33.95
PK	5.8556G	59.56	68.20	-8.64	7.53	3	Vertical	350	1.00	-	52.03	32.40	9.11	33.98



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	46.09	54.00	-7.91	6.65	3	Horizontal	300	1.47	-	39.44	31.88	8.68	33.91
AV	5.6672G	107.25	Inf	-Inf	7.14	3	Horizontal	300	1.47	-	100.11	32.13	8.96	33.95
PK	5.4608G	58.41	68.20	-9.79	6.67	3	Horizontal	300	1.47	-	51.74	31.88	8.70	33.91
PK	5.7056G	114.94	Inf	-Inf	7.24	3	Horizontal	300	1.47	-	107.70	32.19	9.00	33.95
PK	5.8508G	60.66	68.20	-7.54	7.51	3	Horizontal	300	1.47	-	53.15	32.39	9.10	33.98



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3779G	43.64	54.00	-10.36	-1.84	3	Vertical	195	1.79	-	45.48	39.75	12.70	54.29
PK	11.38134G	55.80	74.00	-18.20	-1.85	3	Vertical	195	1.79	-	57.65	39.74	12.70	54.29
PK	17.0719G	59.67	68.20	-8.53	2.87	3	Vertical	281	1.13	-	56.80	40.47	14.99	52.59



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37755G	43.19	54.00	-10.81	-1.84	3	Horizontal	201	1.94	-	45.03	39.75	12.70	54.29
PK	11.3819G	56.72	74.00	-17.28	-1.85	3	Horizontal	201	1.94	-	58.57	39.74	12.70	54.29
PK	17.053G	60.85	68.20	-7.35	2.77	3	Horizontal	312	1.48	-	58.08	40.35	14.99	52.57