


802.11ax HEW20\_Nss1,(MCS0)\_1TX

2457MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4564G	113.94	Inf	-Inf	83.08	3	Vertical	250	2.69	-	28.43	2.43	-
AV	2.4562G	101.23	Inf	-Inf	70.38	3	Vertical	250	2.69	-	28.42	2.43	-
PK	2.4836G	63.20	74.00	-10.80	32.23	3	Vertical	250	2.69	-	28.53	2.44	-
AV	2.4835G	50.75	54.00	-3.25	19.78	3	Vertical	250	2.69	-	28.53	2.44	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4558G	115.03	Inf	-Inf	84.18	3	Horizontal	35	2.39	-	28.42	2.43	-
AV	2.4564G	101.93	Inf	-Inf	71.07	3	Horizontal	35	2.39	-	28.43	2.43	-
PK	2.4848G	64.86	74.00	-9.14	33.88	3	Horizontal	35	2.39	-	28.54	2.44	-
AV	2.4835G	51.60	54.00	-2.40	20.63	3	Horizontal	35	2.39	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	112.58	Inf	-Inf	81.71	3	Vertical	99	2.38	-	28.44	2.43	-
AV	2.4624G	99.82	Inf	-Inf	68.94	3	Vertical	99	2.38	-	28.45	2.43	-
PK	2.4838G	65.88	74.00	-8.12	34.90	3	Vertical	99	2.38	-	28.54	2.44	-
AV	2.4835G	53.18	54.00	-0.82	22.21	3	Vertical	99	2.38	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4608G	113.52	Inf	-Inf	82.65	3	Horizontal	38	2.39	-	28.44	2.43	-
AV	2.4614G	100.47	Inf	-Inf	69.59	3	Horizontal	38	2.39	-	28.45	2.43	-
PK	2.4835G	66.82	74.00	-7.18	35.85	3	Horizontal	38	2.39	-	28.53	2.44	-
AV	2.4835G	53.14	54.00	-0.86	22.17	3	Horizontal	38	2.39	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.922G	43.09	74.00	-30.91	37.45	3	Vertical	109	1.43	-	33.13	4.70	32.19
AV	4.92502G	29.12	54.00	-24.88	23.46	3	Vertical	109	1.43	-	33.15	4.70	32.19

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92436G	44.06	74.00	-29.94	38.40	3	Horizontal	25	2.56	-	33.15	4.70	32.19
AV	4.92692G	29.11	54.00	-24.89	23.44	3	Horizontal	25	2.56	-	33.16	4.70	32.19

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT V\_1TX  
Setting 18.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	64.38	74.00	-9.62	33.60	3	Vertical	70	2.70	-	28.37	2.41	-
AV	2.39G	52.50	54.00	-1.50	21.71	3	Vertical	70	2.70	-	28.38	2.41	-
PK	2.4252G	109.81	Inf	-Inf	79.00	3	Vertical	70	2.70	-	28.40	2.41	-
AV	2.4232G	97.09	Inf	-Inf	66.28	3	Vertical	70	2.70	-	28.40	2.41	-
PK	2.486G	59.16	74.00	-14.84	28.18	3	Vertical	70	2.70	-	28.54	2.44	-
AV	2.484G	47.13	54.00	-6.87	16.15	3	Vertical	70	2.70	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT V\_1TX  
Setting 18.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	67.12	74.00	-6.88	36.33	3	Horizontal	26	2.46	-	28.38	2.41	-
AV	2.39G	53.50	54.00	-0.50	22.71	3	Horizontal	26	2.46	-	28.38	2.41	-
PK	2.4228G	110.83	Inf	-Inf	80.02	3	Horizontal	26	2.46	-	28.40	2.41	-
AV	2.4236G	97.12	Inf	-Inf	66.31	3	Horizontal	26	2.46	-	28.40	2.41	-
PK	2.4848G	59.04	74.00	-14.96	28.06	3	Horizontal	26	2.46	-	28.54	2.44	-
AV	2.4844G	47.04	54.00	-6.96	16.06	3	Horizontal	26	2.46	-	28.54	2.44	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 18.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84336G	43.57	74.00	-30.43	38.22	3	Vertical	303	1.08	-	32.87	4.70	32.22
AV	4.84448G	29.29	54.00	-24.71	23.93	3	Vertical	303	1.08	-	32.88	4.70	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 18.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84412G	43.80	74.00	-30.20	38.44	3	Horizontal	209	1.97	-	32.88	4.70	32.22
AV	4.84382G	29.32	54.00	-24.68	23.96	3	Horizontal	209	1.97	-	32.88	4.70	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3814G	64.44	74.00	-9.56	33.67	3	Vertical	245	3.00	-	28.36	2.41	-
AV	2.3894G	50.47	54.00	-3.53	19.68	3	Vertical	245	3.00	-	28.38	2.41	-
PK	2.435G	110.39	Inf	-Inf	79.57	3	Vertical	245	3.00	-	28.40	2.42	-
AV	2.4358G	98.02	Inf	-Inf	67.20	3	Vertical	245	3.00	-	28.40	2.42	-
PK	2.4854G	63.18	74.00	-10.82	32.20	3	Vertical	245	3.00	-	28.54	2.44	-
AV	2.4838G	50.85	54.00	-3.15	19.87	3	Vertical	245	3.00	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	64.71	74.00	-9.29	33.93	3	Horizontal	28	1.80	-	28.37	2.41	-
AV	2.3898G	51.57	54.00	-2.43	20.78	3	Horizontal	28	1.80	-	28.38	2.41	-
PK	2.4358G	111.55	Inf	-Inf	80.73	3	Horizontal	28	1.80	-	28.40	2.42	-
AV	2.4358G	98.41	Inf	-Inf	67.59	3	Horizontal	28	1.80	-	28.40	2.42	-
PK	2.4835G	65.45	74.00	-8.55	34.48	3	Horizontal	28	1.80	-	28.53	2.44	-
AV	2.4835G	52.26	54.00	-1.74	21.29	3	Horizontal	28	1.80	-	28.53	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	44.33	74.00	-29.67	38.89	3	Vertical	159	2.43	-	32.95	4.70	32.21
AV	4.87398G	32.11	54.00	-21.89	26.67	3	Vertical	159	2.43	-	32.95	4.70	32.21

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT Y\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87414G	44.64	74.00	-29.36	39.20	3	Horizontal	80	2.08	-	32.95	4.70	32.21
AV	4.87396G	32.10	54.00	-21.90	26.66	3	Horizontal	80	2.08	-	32.95	4.70	32.21

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT\_V\_1TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3704G	58.70	74.00	-15.30	27.95	3	Vertical	249	2.68	-	28.34	2.41	-
AV	2.388G	46.47	54.00	-7.53	15.68	3	Vertical	249	2.68	-	28.38	2.41	-
PK	2.4504G	109.39	Inf	-Inf	78.56	3	Vertical	249	2.68	-	28.40	2.43	-
AV	2.4536G	96.38	Inf	-Inf	65.54	3	Vertical	249	2.68	-	28.41	2.43	-
PK	2.4852G	66.11	74.00	-7.89	35.13	3	Vertical	249	2.68	-	28.54	2.44	-
AV	2.484G	53.05	54.00	-0.95	22.07	3	Vertical	249	2.68	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT\_V\_1TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	58.92	74.00	-15.08	28.13	3	Horizontal	36	2.41	-	28.38	2.41	-
AV	2.3888G	46.42	54.00	-7.58	15.63	3	Horizontal	36	2.41	-	28.38	2.41	-
PK	2.4508G	109.26	Inf	-Inf	78.43	3	Horizontal	36	2.41	-	28.40	2.43	-
AV	2.4512G	97.13	Inf	-Inf	66.30	3	Horizontal	36	2.41	-	28.40	2.43	-
PK	2.4844G	66.32	74.00	-7.68	35.34	3	Horizontal	36	2.41	-	28.54	2.44	-
AV	2.484G	53.60	54.00	-0.40	22.62	3	Horizontal	36	2.41	-	28.54	2.44	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT Y\_1TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90362G	43.47	74.00	-30.53	37.94	3	Vertical	81	1.54	-	33.02	4.70	32.19
AV	4.90416G	29.05	54.00	-24.95	23.52	3	Vertical	81	1.54	-	33.02	4.70	32.19

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX



EUT V\_1TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90054G	43.62	74.00	-30.38	38.12	3	Horizontal	285	2.17	-	33.00	4.70	32.20
AV	4.90408G	29.02	54.00	-24.98	23.49	3	Horizontal	285	2.17	-	33.02	4.70	32.19




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4835G	53.87	54.00	-0.13	3	Vertical	290	2.78	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT\_V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	60.69	74.00	-13.31	29.91	3	Vertical	269	2.98	-	28.37	2.41	-
AV	2.3872G	50.68	54.00	-3.32	19.90	3	Vertical	269	2.98	-	28.37	2.41	-
PK	2.4128G	107.57	Inf	-Inf	76.76	3	Vertical	269	2.98	-	28.40	2.41	-
AV	2.4112G	104.04	Inf	-Inf	73.23	3	Vertical	269	2.98	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	61.48	74.00	-12.52	30.69	3	Horizontal	50	2.50	-	28.38	2.41	-
AV	2.39G	52.76	54.00	-1.24	21.97	3	Horizontal	50	2.50	-	28.38	2.41	-
PK	2.413G	110.56	Inf	-Inf	79.75	3	Horizontal	50	2.50	-	28.40	2.41	-
AV	2.4114G	107.07	Inf	-Inf	76.26	3	Horizontal	50	2.50	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82375G	45.23	74.00	-28.77	39.95	3	Vertical	351	1.93	-	32.80	4.70	32.22
AV	4.82392G	35.93	54.00	-18.07	30.65	3	Vertical	351	1.93	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82387G	45.14	74.00	-28.86	39.86	3	Horizontal	96	2.66	-	32.80	4.70	32.22
AV	4.8239G	35.65	54.00	-18.35	30.37	3	Horizontal	96	2.66	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT\_V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	60.34	74.00	-13.66	29.55	3	Vertical	270	2.67	-	28.38	2.41	-
AV	2.3862G	49.91	54.00	-4.09	19.13	3	Vertical	270	2.67	-	28.37	2.41	-
PK	2.416G	108.09	Inf	-Inf	77.28	3	Vertical	270	2.67	-	28.40	2.41	-
AV	2.4162G	104.74	Inf	-Inf	73.93	3	Vertical	270	2.67	-	28.40	2.41	-



### 802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT\_V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	60.71	74.00	-13.29	29.92	3	Horizontal	50	2.50	-	28.38	2.41	-
AV	2.387G	51.25	54.00	-2.75	20.47	3	Horizontal	50	2.50	-	28.37	2.41	-
PK	2.416G	110.59	Inf	-Inf	79.78	3	Horizontal	50	2.50	-	28.40	2.41	-
AV	2.4164G	107.30	Inf	-Inf	76.49	3	Horizontal	50	2.50	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3754G	59.28	74.00	-14.72	28.52	3	Vertical	245	2.86	-	28.35	2.41	-
AV	2.3854G	47.80	54.00	-6.20	17.02	3	Vertical	245	2.86	-	28.37	2.41	-
PK	2.4378G	109.58	Inf	-Inf	78.76	3	Vertical	245	2.86	-	28.40	2.42	-
AV	2.4362G	106.19	Inf	-Inf	75.37	3	Vertical	245	2.86	-	28.40	2.42	-
PK	2.493G	60.37	74.00	-13.63	29.35	3	Vertical	245	2.86	-	28.57	2.45	-
AV	2.4886G	50.08	54.00	-3.92	19.09	3	Vertical	245	2.86	-	28.55	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	59.74	74.00	-14.26	28.96	3	Horizontal	41	2.06	-	28.37	2.41	-
AV	2.3858G	50.47	54.00	-3.53	19.69	3	Horizontal	41	2.06	-	28.37	2.41	-
PK	2.4362G	112.30	Inf	-Inf	81.48	3	Horizontal	41	2.06	-	28.40	2.42	-
AV	2.4362G	108.96	Inf	-Inf	78.14	3	Horizontal	41	2.06	-	28.40	2.42	-
PK	2.485G	59.49	74.00	-14.51	28.51	3	Horizontal	41	2.06	-	28.54	2.44	-
AV	2.4886G	49.23	54.00	-4.77	18.24	3	Horizontal	41	2.06	-	28.55	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87374G	45.57	74.00	-28.43	40.13	3	Vertical	347	1.70	-	32.95	4.70	32.21
AV	4.87394G	36.63	54.00	-17.37	31.19	3	Vertical	347	1.70	-	32.95	4.70	32.21

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	45.64	74.00	-28.36	40.20	3	Horizontal	263	1.17	-	32.95	4.70	32.21
AV	4.87397G	36.71	54.00	-17.29	31.27	3	Horizontal	263	1.17	-	32.95	4.70	32.21

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2457MHz\_TX




EUT\_V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	110.79	Inf	-Inf	79.94	3	Vertical	305	2.87	-	28.42	2.43	-
AV	2.4562G	107.35	Inf	-Inf	76.50	3	Vertical	305	2.87	-	28.42	2.43	-
PK	2.4836G	62.27	74.00	-11.73	31.30	3	Vertical	305	2.87	-	28.53	2.44	-
AV	2.4835G	53.14	54.00	-0.86	22.17	3	Vertical	305	2.87	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2457MHz\_TX




EUT\_V\_1TX  
Setting 21.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	111.48	Inf	-Inf	80.63	3	Horizontal	49	2.02	-	28.42	2.43	-
AV	2.4558G	108.42	Inf	-Inf	77.57	3	Horizontal	49	2.02	-	28.42	2.43	-
PK	2.4835G	62.14	74.00	-11.86	31.17	3	Horizontal	49	2.02	-	28.53	2.44	-
AV	2.4835G	53.39	54.00	-0.61	22.42	3	Horizontal	49	2.02	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	109.11	Inf	-Inf	78.23	3	Vertical	317	2.59	-	28.45	2.43	-
AV	2.4612G	105.59	Inf	-Inf	74.72	3	Vertical	317	2.59	-	28.44	2.43	-
PK	2.4866G	61.42	74.00	-12.58	30.43	3	Vertical	317	2.59	-	28.55	2.44	-
AV	2.4864G	53.13	54.00	-0.87	22.14	3	Vertical	317	2.59	-	28.55	2.44	-



### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	109.40	Inf	-Inf	78.52	3	Horizontal	45	2.02	-	28.45	2.43	-
AV	2.4614G	106.08	Inf	-Inf	75.20	3	Horizontal	45	2.02	-	28.45	2.43	-
PK	2.4835G	61.41	74.00	-12.59	30.44	3	Horizontal	45	2.02	-	28.53	2.44	-
AV	2.4835G	53.51	54.00	-0.49	22.54	3	Horizontal	45	2.02	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92794G	45.74	74.00	-28.26	40.06	3	Vertical	321	2.59	-	33.17	4.70	32.19
AV	4.92514G	35.85	54.00	-18.15	30.19	3	Vertical	321	2.59	-	33.15	4.70	32.19

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92624G	44.00	74.00	-30.00	38.33	3	Horizontal	224	1.39	-	33.16	4.70	32.19
AV	4.9254G	31.00	54.00	-23.00	25.34	3	Horizontal	224	1.39	-	33.15	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT\_V\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.20	74.00	-9.80	33.41	3	Vertical	301	2.62	-	28.38	2.41	-
AV	2.39G	51.01	54.00	-2.99	20.22	3	Vertical	301	2.62	-	28.38	2.41	-
PK	2.4126G	107.63	Inf	-Inf	76.82	3	Vertical	301	2.62	-	28.40	2.41	-
AV	2.4128G	98.19	Inf	-Inf	67.38	3	Vertical	301	2.62	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT\_V\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.54	74.00	-7.46	35.75	3	Horizontal	47	2.50	-	28.38	2.41	-
AV	2.39G	52.93	54.00	-1.07	22.14	3	Horizontal	47	2.50	-	28.38	2.41	-
PK	2.4116G	110.87	Inf	-Inf	80.06	3	Horizontal	47	2.50	-	28.40	2.41	-
AV	2.413G	101.05	Inf	-Inf	70.24	3	Horizontal	47	2.50	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82376G	43.70	74.00	-30.30	38.42	3	Vertical	44	1.02	-	32.80	4.70	32.22
AV	4.8255G	30.47	54.00	-23.53	25.19	3	Vertical	44	1.02	-	32.80	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8265G	43.99	74.00	-30.01	38.70	3	Horizontal	160	1.49	-	32.81	4.70	32.22
AV	4.82372G	30.40	54.00	-23.60	25.13	3	Horizontal	160	1.49	-	32.79	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	64.20	74.00	-9.80	33.41	3	Vertical	253	1.88	-	28.38	2.41	-
AV	2.3898G	50.74	54.00	-3.26	19.95	3	Vertical	253	1.88	-	28.38	2.41	-
PK	2.4176G	107.71	Inf	-Inf	76.90	3	Vertical	253	1.88	-	28.40	2.41	-
AV	2.4162G	98.44	Inf	-Inf	67.63	3	Vertical	253	1.88	-	28.40	2.41	-



### 802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	67.83	74.00	-6.17	37.04	3	Horizontal	48	2.50	-	28.38	2.41	-
AV	2.39G	53.60	54.00	-0.40	22.81	3	Horizontal	48	2.50	-	28.38	2.41	-
PK	2.416G	111.59	Inf	-Inf	80.78	3	Horizontal	48	2.50	-	28.40	2.41	-
AV	2.4162G	102.14	Inf	-Inf	71.33	3	Horizontal	48	2.50	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	61.07	74.00	-12.93	30.28	3	Vertical	299	2.92	-	28.38	2.41	-
AV	2.3882G	48.67	54.00	-5.33	17.88	3	Vertical	299	2.92	-	28.38	2.41	-
PK	2.4362G	114.01	Inf	-Inf	83.19	3	Vertical	299	2.92	-	28.40	2.42	-
AV	2.4358G	104.23	Inf	-Inf	73.41	3	Vertical	299	2.92	-	28.40	2.42	-
PK	2.4835G	64.88	74.00	-9.12	33.91	3	Vertical	299	2.92	-	28.53	2.44	-
AV	2.4842G	50.29	54.00	-3.71	19.31	3	Vertical	299	2.92	-	28.54	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	63.03	74.00	-10.97	32.24	3	Horizontal	43	2.04	-	28.38	2.41	-
AV	2.3898G	50.05	54.00	-3.95	19.26	3	Horizontal	43	2.04	-	28.38	2.41	-
PK	2.4362G	115.54	Inf	-Inf	84.72	3	Horizontal	43	2.04	-	28.40	2.42	-
AV	2.4362G	104.92	Inf	-Inf	74.10	3	Horizontal	43	2.04	-	28.40	2.42	-
PK	2.485G	64.24	74.00	-9.76	33.26	3	Horizontal	43	2.04	-	28.54	2.44	-
AV	2.4835G	50.95	54.00	-3.05	19.98	3	Horizontal	43	2.04	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	45.22	74.00	-28.78	39.78	3	Vertical	204	1.73	-	32.95	4.70	32.21
AV	4.87402G	32.71	54.00	-21.29	27.27	3	Vertical	204	1.73	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	45.17	74.00	-28.83	39.73	3	Horizontal	196	1.49	-	32.95	4.70	32.21
AV	4.87398G	32.52	54.00	-21.48	27.08	3	Horizontal	196	1.49	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	110.94	Inf	-Inf	80.09	3	Vertical	320	2.84	-	28.42	2.43	-
AV	2.4562G	101.27	Inf	-Inf	70.42	3	Vertical	320	2.84	-	28.42	2.43	-
PK	2.4846G	66.88	74.00	-7.12	35.90	3	Vertical	320	2.84	-	28.54	2.44	-
AV	2.4835G	53.51	54.00	-0.49	22.54	3	Vertical	320	2.84	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	112.15	Inf	-Inf	81.30	3	Horizontal	45	2.04	-	28.42	2.43	-
AV	2.4562G	102.68	Inf	-Inf	71.83	3	Horizontal	45	2.04	-	28.42	2.43	-
PK	2.4844G	64.67	74.00	-9.33	33.69	3	Horizontal	45	2.04	-	28.54	2.44	-
AV	2.4835G	52.10	54.00	-1.90	21.13	3	Horizontal	45	2.04	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	109.99	Inf	-Inf	79.11	3	Vertical	290	2.78	-	28.45	2.43	-
AV	2.4626G	100.20	Inf	-Inf	69.32	3	Vertical	290	2.78	-	28.45	2.43	-
PK	2.484G	66.40	74.00	-7.60	35.42	3	Vertical	290	2.78	-	28.54	2.44	-
AV	2.4835G	53.87	54.00	-0.13	22.90	3	Vertical	290	2.78	-	28.53	2.44	-



### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	110.19	Inf	-Inf	79.32	3	Horizontal	43	2.24	-	28.44	2.43	-
AV	2.4632G	100.84	Inf	-Inf	69.96	3	Horizontal	43	2.24	-	28.45	2.43	-
PK	2.484G	66.22	74.00	-7.78	35.24	3	Horizontal	43	2.24	-	28.54	2.44	-
AV	2.4835G	53.25	54.00	-0.75	22.28	3	Horizontal	43	2.24	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92004G	43.51	74.00	-30.49	37.88	3	Vertical	143	2.70	-	33.12	4.70	32.19
AV	4.9269G	30.13	54.00	-23.87	24.46	3	Vertical	143	2.70	-	33.16	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9285G	44.28	74.00	-29.72	38.60	3	Horizontal	304	1.98	-	33.17	4.70	32.19
AV	4.92618G	30.13	54.00	-23.87	24.46	3	Horizontal	304	1.98	-	33.16	4.70	32.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.30	74.00	-13.70	29.51	3	Vertical	300	2.98	-	28.38	2.41	-
AV	2.39G	47.47	54.00	-6.53	16.68	3	Vertical	300	2.98	-	28.38	2.41	-
PK	2.4136G	112.01	Inf	-Inf	81.20	3	Vertical	300	2.98	-	28.40	2.41	-
AV	2.4126G	98.45	Inf	-Inf	67.64	3	Vertical	300	2.98	-	28.40	2.41	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	60.90	74.00	-13.10	30.11	3	Horizontal	51	2.51	-	28.38	2.41	-
AV	2.3898G	48.12	54.00	-5.88	17.33	3	Horizontal	51	2.51	-	28.38	2.41	-
PK	2.4128G	112.81	Inf	-Inf	82.00	3	Horizontal	51	2.51	-	28.40	2.41	-
AV	2.4126G	99.49	Inf	-Inf	68.68	3	Horizontal	51	2.51	-	28.40	2.41	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2412MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82646G	43.57	74.00	-30.43	38.28	3	Vertical	147	2.25	-	32.81	4.70	32.22
AV	4.82624G	29.88	54.00	-24.12	24.60	3	Vertical	147	2.25	-	32.80	4.70	32.22

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82544G	43.70	74.00	-30.30	38.42	3	Horizontal	64	2.14	-	32.80	4.70	32.22
AV	4.82392G	29.84	54.00	-24.16	24.56	3	Horizontal	64	2.14	-	32.80	4.70	32.22

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2417MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.49	74.00	-6.51	36.70	3	Vertical	302	2.99	-	28.38	2.41	-
AV	2.39G	52.21	54.00	-1.79	21.42	3	Vertical	302	2.99	-	28.38	2.41	-
PK	2.416G	112.74	Inf	-Inf	81.93	3	Vertical	302	2.99	-	28.40	2.41	-
AV	2.4164G	99.99	Inf	-Inf	69.18	3	Vertical	302	2.99	-	28.40	2.41	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

2417MHz\_TX




EUT V\_1TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	68.06	74.00	-5.94	37.27	3	Horizontal	48	2.49	-	28.38	2.41	-
AV	2.3898G	53.09	54.00	-0.91	22.30	3	Horizontal	48	2.49	-	28.38	2.41	-
PK	2.418G	113.52	Inf	-Inf	82.71	3	Horizontal	48	2.49	-	28.40	2.41	-
AV	2.416G	100.71	Inf	-Inf	69.90	3	Horizontal	48	2.49	-	28.40	2.41	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	62.95	74.00	-11.05	32.16	3	Vertical	305	2.92	-	28.38	2.41	-
AV	2.3898G	48.91	54.00	-5.09	18.12	3	Vertical	305	2.92	-	28.38	2.41	-
PK	2.4378G	115.32	Inf	-Inf	84.50	3	Vertical	305	2.92	-	28.40	2.42	-
AV	2.4358G	103.52	Inf	-Inf	72.70	3	Vertical	305	2.92	-	28.40	2.42	-
PK	2.4835G	66.07	74.00	-7.93	35.10	3	Vertical	305	2.92	-	28.53	2.44	-
AV	2.4835G	51.30	54.00	-2.70	20.33	3	Vertical	305	2.92	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT\_V\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	64.39	74.00	-9.61	33.60	3	Horizontal	46	2.27	-	28.38	2.41	-
AV	2.3898G	51.25	54.00	-2.75	20.46	3	Horizontal	46	2.27	-	28.38	2.41	-
PK	2.4362G	115.27	Inf	-Inf	84.45	3	Horizontal	46	2.27	-	28.40	2.42	-
AV	2.4362G	103.12	Inf	-Inf	72.30	3	Horizontal	46	2.27	-	28.40	2.42	-
PK	2.4846G	65.16	74.00	-8.84	34.18	3	Horizontal	46	2.27	-	28.54	2.44	-
AV	2.4835G	51.73	54.00	-2.27	20.76	3	Horizontal	46	2.27	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8739G	45.18	74.00	-28.82	39.74	3	Vertical	141	2.23	-	32.95	4.70	32.21
AV	4.87394G	34.96	54.00	-19.04	29.52	3	Vertical	141	2.23	-	32.95	4.70	32.21

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	46.34	74.00	-27.66	40.90	3	Horizontal	333	2.62	-	32.95	4.70	32.21
AV	4.87392G	34.79	54.00	-19.21	29.35	3	Horizontal	333	2.62	-	32.95	4.70	32.21

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2457MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	113.38	Inf	-Inf	82.53	3	Vertical	305	2.86	-	28.42	2.43	-
AV	2.456G	100.77	Inf	-Inf	69.92	3	Vertical	305	2.86	-	28.42	2.43	-
PK	2.4835G	66.14	74.00	-7.86	35.17	3	Vertical	305	2.86	-	28.53	2.44	-
AV	2.4835G	53.18	54.00	-0.82	22.21	3	Vertical	305	2.86	-	28.53	2.44	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT\_V\_1TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	113.78	Inf	-Inf	82.93	3	Horizontal	46	2.01	-	28.42	2.43	-
AV	2.4564G	101.48	Inf	-Inf	70.62	3	Horizontal	46	2.01	-	28.43	2.43	-
PK	2.4836G	65.88	74.00	-8.12	34.91	3	Horizontal	46	2.01	-	28.53	2.44	-
AV	2.4835G	53.44	54.00	-0.56	22.47	3	Horizontal	46	2.01	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	111.47	Inf	-Inf	80.59	3	Vertical	295	2.88	-	28.45	2.43	-
AV	2.4606G	98.51	Inf	-Inf	67.64	3	Vertical	295	2.88	-	28.44	2.43	-
PK	2.4854G	63.48	74.00	-10.52	32.50	3	Vertical	295	2.88	-	28.54	2.44	-
AV	2.4835G	50.25	54.00	-3.75	19.28	3	Vertical	295	2.88	-	28.53	2.44	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	111.41	Inf	-Inf	80.53	3	Horizontal	47	2.01	-	28.45	2.43	-
AV	2.4614G	99.42	Inf	-Inf	68.54	3	Horizontal	47	2.01	-	28.45	2.43	-
PK	2.4844G	64.44	74.00	-9.56	33.46	3	Horizontal	47	2.01	-	28.54	2.44	-
AV	2.4835G	51.46	54.00	-2.54	20.49	3	Horizontal	47	2.01	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92484G	44.04	74.00	-29.96	38.38	3	Vertical	292	2.28	-	33.15	4.70	32.19
AV	4.92312G	29.58	54.00	-24.42	23.93	3	Vertical	292	2.28	-	33.14	4.70	32.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92214G	43.81	74.00	-30.19	38.17	3	Horizontal	167	2.23	-	33.13	4.70	32.19
AV	4.92686G	29.67	54.00	-24.33	24.00	3	Horizontal	167	2.23	-	33.16	4.70	32.19

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2422MHz\_TX




EUT V\_1TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.41	74.00	-5.59	37.62	3	Vertical	304	2.90	-	28.38	2.41	-
AV	2.3892G	50.11	54.00	-3.89	19.32	3	Vertical	304	2.90	-	28.38	2.41	-
PK	2.4232G	108.18	Inf	-Inf	77.37	3	Vertical	304	2.90	-	28.40	2.41	-
AV	2.4208G	95.38	Inf	-Inf	64.57	3	Vertical	304	2.90	-	28.40	2.41	-
PK	2.4996G	58.82	74.00	-15.18	27.77	3	Vertical	304	2.90	-	28.60	2.45	-
AV	2.4844G	47.40	54.00	-6.60	16.42	3	Vertical	304	2.90	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT V\_1TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	68.00	74.00	-6.00	37.22	3	Horizontal	52	2.51	-	28.37	2.41	-
AV	2.39G	53.25	54.00	-0.75	22.46	3	Horizontal	52	2.51	-	28.38	2.41	-
PK	2.4236G	108.77	Inf	-Inf	77.96	3	Horizontal	52	2.51	-	28.40	2.41	-
AV	2.4232G	96.62	Inf	-Inf	65.81	3	Horizontal	52	2.51	-	28.40	2.41	-
PK	2.4936G	59.05	74.00	-14.95	28.03	3	Horizontal	52	2.51	-	28.57	2.45	-
AV	2.4844G	46.91	54.00	-7.09	15.93	3	Horizontal	52	2.51	-	28.54	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2422MHz\_TX




EUT Y\_1TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8438G	44.12	74.00	-29.88	38.76	3	Vertical	45	2.54	-	32.88	4.70	32.22
AV	4.84376G	29.89	54.00	-24.11	24.53	3	Vertical	45	2.54	-	32.88	4.70	32.22

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2422MHz\_TX




EUT Y\_1TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83926G	43.57	74.00	-30.43	38.23	3	Horizontal	102	2.91	-	32.86	4.70	32.22
AV	4.8414G	29.96	54.00	-24.04	24.61	3	Horizontal	102	2.91	-	32.87	4.70	32.22

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT\_V\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	62.23	74.00	-11.77	31.44	3	Vertical	244	2.85	-	28.38	2.41	-
AV	2.3898G	49.77	54.00	-4.23	18.98	3	Vertical	244	2.85	-	28.38	2.41	-
PK	2.4362G	107.35	Inf	-Inf	76.53	3	Vertical	244	2.85	-	28.40	2.42	-
AV	2.4362G	95.56	Inf	-Inf	64.74	3	Vertical	244	2.85	-	28.40	2.42	-
PK	2.4838G	66.79	74.00	-7.21	35.81	3	Vertical	244	2.85	-	28.54	2.44	-
AV	2.4835G	53.43	54.00	-0.57	22.46	3	Vertical	244	2.85	-	28.53	2.44	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.43	74.00	-6.57	36.64	3	Horizontal	42	2.05	-	28.38	2.41	-
AV	2.3898G	53.64	54.00	-0.36	22.85	3	Horizontal	42	2.05	-	28.38	2.41	-
PK	2.4358G	110.48	Inf	-Inf	79.66	3	Horizontal	42	2.05	-	28.40	2.42	-
AV	2.4358G	98.14	Inf	-Inf	67.32	3	Horizontal	42	2.05	-	28.40	2.42	-
PK	2.4835G	66.47	74.00	-7.53	35.50	3	Horizontal	42	2.05	-	28.53	2.44	-
AV	2.4835G	53.25	54.00	-0.75	22.28	3	Horizontal	42	2.05	-	28.53	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87406G	45.10	74.00	-28.90	39.66	3	Vertical	32	2.57	-	32.95	4.70	32.21
AV	4.87396G	32.96	54.00	-21.04	27.52	3	Vertical	32	2.57	-	32.95	4.70	32.21

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87398G	44.13	74.00	-29.87	38.69	3	Horizontal	256	1.56	-	32.95	4.70	32.21
AV	4.8739G	32.90	54.00	-21.10	27.46	3	Horizontal	256	1.56	-	32.95	4.70	32.21

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT V\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	59.10	74.00	-14.90	28.31	3	Vertical	303	2.93	-	28.38	2.41	-
AV	2.3892G	46.89	54.00	-7.11	16.10	3	Vertical	303	2.93	-	28.38	2.41	-
PK	2.4532G	109.25	Inf	-Inf	78.41	3	Vertical	303	2.93	-	28.41	2.43	-
AV	2.4508G	96.68	Inf	-Inf	65.85	3	Vertical	303	2.93	-	28.40	2.43	-
PK	2.4848G	66.51	74.00	-7.49	35.53	3	Vertical	303	2.93	-	28.54	2.44	-
AV	2.4856G	52.10	54.00	-1.90	21.12	3	Vertical	303	2.93	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT\_V\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	59.35	74.00	-14.65	28.57	3	Horizontal	46	2.03	-	28.37	2.41	-
AV	2.3896G	47.24	54.00	-6.76	16.45	3	Horizontal	46	2.03	-	28.38	2.41	-
PK	2.4548G	110.38	Inf	-Inf	79.53	3	Horizontal	46	2.03	-	28.42	2.43	-
AV	2.4532G	97.93	Inf	-Inf	67.09	3	Horizontal	46	2.03	-	28.41	2.43	-
PK	2.4844G	68.42	74.00	-5.58	37.44	3	Horizontal	46	2.03	-	28.54	2.44	-
AV	2.484G	53.58	54.00	-0.42	22.60	3	Horizontal	46	2.03	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89942G	44.19	74.00	-29.81	38.69	3	Vertical	324	1.42	-	33.00	4.70	32.20
AV	4.90598G	29.59	54.00	-24.41	24.04	3	Vertical	324	1.42	-	33.04	4.70	32.19

802.11ax HEW40\_Nss1,(MCS0)\_1TX

2452MHz\_TX



EUT Y\_1TX  
Setting 19  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90344G	43.45	74.00	-30.55	37.92	3	Horizontal	168	2.40	-	33.02	4.70	32.19
AV	4.906G	29.55	54.00	-24.45	24.00	3	Horizontal	168	2.40	-	33.04	4.70	32.19



**RSE TX above 1GHz<Radio 1: Ant. 1 + Ant. 2> 2TX  
For Non-beamforming**

**Appendix F.4**


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.95	54.00	-0.05	3	Horizontal	39	2.49	-



### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	61.04	74.00	-12.96	30.25	3	Vertical	253	1.80	-	28.38	2.41	-
AV	2.387G	51.68	54.00	-2.32	20.90	3	Vertical	253	1.80	-	28.37	2.41	-
PK	2.413G	112.75	Inf	-Inf	81.94	3	Vertical	253	1.80	-	28.40	2.41	-
AV	2.4128G	109.24	Inf	-Inf	78.43	3	Vertical	253	1.80	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT V\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	61.48	74.00	-12.52	30.70	3	Horizontal	54	2.88	-	28.37	2.41	-
AV	2.387G	53.20	54.00	-0.80	22.42	3	Horizontal	54	2.88	-	28.37	2.41	-
PK	2.413G	109.77	Inf	-Inf	78.96	3	Horizontal	54	2.88	-	28.40	2.41	-
AV	2.4114G	106.14	Inf	-Inf	75.33	3	Horizontal	54	2.88	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82412G	45.64	74.00	-28.36	40.36	3	Vertical	347	1.83	-	32.80	4.70	32.22
AV	4.82391G	34.19	54.00	-19.81	28.91	3	Vertical	347	1.83	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82382G	44.32	74.00	-29.68	39.04	3	Horizontal	38	1.73	-	32.80	4.70	32.22
AV	4.82405G	33.64	54.00	-20.36	28.36	3	Horizontal	38	1.73	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.369G	59.30	74.00	-14.70	28.54	3	Vertical	247	2.04	-	28.34	2.42	-
AV	2.3898G	47.61	54.00	-6.39	16.82	3	Vertical	247	2.04	-	28.38	2.41	-
PK	2.4362G	115.17	Inf	-Inf	84.35	3	Vertical	247	2.04	-	28.40	2.42	-
AV	2.4362G	111.72	Inf	-Inf	80.90	3	Vertical	247	2.04	-	28.40	2.42	-
PK	2.4874G	61.55	74.00	-12.45	30.56	3	Vertical	247	2.04	-	28.55	2.44	-
AV	2.4882G	51.45	54.00	-2.55	20.46	3	Vertical	247	2.04	-	28.55	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	61.29	74.00	-12.71	30.51	3	Horizontal	48	2.34	-	28.37	2.41	-
AV	2.3866G	52.26	54.00	-1.74	21.48	3	Horizontal	48	2.34	-	28.37	2.41	-
PK	2.4378G	112.07	Inf	-Inf	81.25	3	Horizontal	48	2.34	-	28.40	2.42	-
AV	2.4362G	108.73	Inf	-Inf	77.91	3	Horizontal	48	2.34	-	28.40	2.42	-
PK	2.4914G	60.25	74.00	-13.75	29.23	3	Horizontal	48	2.34	-	28.57	2.45	-
AV	2.493G	48.48	54.00	-5.52	17.46	3	Horizontal	48	2.34	-	28.57	2.45	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
Setting 23  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8739G	47.71	74.00	-26.29	42.27	3	Vertical	316	1.82	-	32.95	4.70	32.21
AV	4.87396G	41.74	54.00	-12.26	36.30	3	Vertical	316	1.82	-	32.95	4.70	32.21

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
Setting 23  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	46.62	74.00	-27.38	41.18	3	Horizontal	28	2.70	-	32.95	4.70	32.21
AV	4.87396G	39.20	54.00	-14.80	33.76	3	Horizontal	28	2.70	-	32.95	4.70	32.21



### 802.11b\_Nss1,(1Mbps)\_2TX

### 2457MHz\_TX




EUT Y\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	114.67	Inf	-Inf	83.81	3	Vertical	260	2.26	-	28.43	2.43	-
AV	2.4562G	111.02	Inf	-Inf	80.17	3	Vertical	260	2.26	-	28.42	2.43	-
PK	2.4904G	62.13	74.00	-11.87	31.12	3	Vertical	260	2.26	-	28.56	2.45	-
AV	2.4838G	52.16	54.00	-1.84	21.18	3	Vertical	260	2.26	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2457MHz\_TX




EUT V\_2TX  
Setting 21  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	110.99	Inf	-Inf	80.13	3	Horizontal	54	2.75	-	28.43	2.43	-
AV	2.458G	107.81	Inf	-Inf	76.95	3	Horizontal	54	2.75	-	28.43	2.43	-
PK	2.4926G	59.91	74.00	-14.09	28.89	3	Horizontal	54	2.75	-	28.57	2.45	-
AV	2.4836G	49.07	54.00	-4.93	18.10	3	Horizontal	54	2.75	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT V\_2TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	113.50	Inf	-Inf	82.62	3	Vertical	262	2.23	-	28.45	2.43	-
AV	2.4614G	110.13	Inf	-Inf	79.25	3	Vertical	262	2.23	-	28.45	2.43	-
PK	2.4836G	61.82	74.00	-12.18	30.85	3	Vertical	262	2.23	-	28.53	2.44	-
AV	2.4835G	53.40	54.00	-0.60	22.43	3	Vertical	262	2.23	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	110.43	Inf	-Inf	79.55	3	Horizontal	55	2.76	-	28.45	2.43	-
AV	2.4612G	106.95	Inf	-Inf	76.08	3	Horizontal	55	2.76	-	28.44	2.43	-
PK	2.4948G	59.65	74.00	-14.35	28.62	3	Horizontal	55	2.76	-	28.58	2.45	-
AV	2.4852G	48.07	54.00	-5.93	17.09	3	Horizontal	55	2.76	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92398G	45.26	74.00	-28.74	39.61	3	Vertical	5	2.02	-	33.14	4.70	32.19
AV	4.92394G	35.00	54.00	-19.00	29.35	3	Vertical	5	2.02	-	33.14	4.70	32.19

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
Setting 20  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92398G	45.44	74.00	-28.56	39.79	3	Horizontal	177	2.59	-	33.14	4.70	32.19
AV	4.92404G	35.22	54.00	-18.78	29.57	3	Horizontal	177	2.59	-	33.14	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.39	74.00	-9.61	33.60	3	Vertical	262	2.77	-	28.38	2.41	-
AV	2.3882G	51.49	54.00	-2.51	20.70	3	Vertical	262	2.77	-	28.38	2.41	-
PK	2.4132G	114.04	Inf	-Inf	83.23	3	Vertical	262	2.77	-	28.40	2.41	-
AV	2.413G	104.41	Inf	-Inf	73.60	3	Vertical	262	2.77	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.73	74.00	-7.27	35.94	3	Horizontal	45	2.49	-	28.38	2.41	-
AV	2.39G	53.19	54.00	-0.81	22.40	3	Horizontal	45	2.49	-	28.38	2.41	-
PK	2.4102G	115.68	Inf	-Inf	84.87	3	Horizontal	45	2.49	-	28.40	2.41	-
AV	2.4104G	105.30	Inf	-Inf	74.49	3	Horizontal	45	2.49	-	28.40	2.41	-



### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82674G	44.24	74.00	-29.76	38.95	3	Vertical	129	2.78	-	32.81	4.70	32.22
AV	4.82248G	30.77	54.00	-23.23	25.50	3	Vertical	129	2.78	-	32.79	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82742G	43.77	74.00	-30.23	38.48	3	Horizontal	356	2.48	-	32.81	4.70	32.22
AV	4.8225G	30.81	54.00	-23.19	25.54	3	Horizontal	356	2.48	-	32.79	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2417MHz\_TX




EUT Y\_2TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	63.84	74.00	-10.16	33.05	3	Vertical	253	2.77	-	28.38	2.41	-
AV	2.3888G	50.88	54.00	-3.12	20.09	3	Vertical	253	2.77	-	28.38	2.41	-
PK	2.4178G	114.54	Inf	-Inf	83.73	3	Vertical	253	2.77	-	28.40	2.41	-
AV	2.418G	105.06	Inf	-Inf	74.25	3	Vertical	253	2.77	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2417MHz\_TX




EUT Y\_2TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	69.59	74.00	-4.41	38.80	3	Horizontal	39	2.49	-	28.38	2.41	-
AV	2.39G	53.95	54.00	-0.05	23.16	3	Horizontal	39	2.49	-	28.38	2.41	-
PK	2.415G	116.82	Inf	-Inf	86.01	3	Horizontal	39	2.49	-	28.40	2.41	-
AV	2.415G	106.35	Inf	-Inf	75.54	3	Horizontal	39	2.49	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_V\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	60.86	74.00	-13.14	30.07	3	Vertical	268	3.00	-	28.38	2.41	-
AV	2.3874G	48.90	54.00	-5.10	18.12	3	Vertical	268	3.00	-	28.37	2.41	-
PK	2.4378G	117.75	Inf	-Inf	86.93	3	Vertical	268	3.00	-	28.40	2.42	-
AV	2.4378G	108.11	Inf	-Inf	77.29	3	Vertical	268	3.00	-	28.40	2.42	-
PK	2.4835G	63.43	74.00	-10.57	32.46	3	Vertical	268	3.00	-	28.53	2.44	-
AV	2.4835G	50.92	54.00	-3.08	19.95	3	Vertical	268	3.00	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_V\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.68	74.00	-10.32	32.89	3	Horizontal	36	1.80	-	28.38	2.41	-
AV	2.3898G	50.84	54.00	-3.16	20.05	3	Horizontal	36	1.80	-	28.38	2.41	-
PK	2.435G	118.61	Inf	-Inf	87.79	3	Horizontal	36	1.80	-	28.40	2.42	-
AV	2.435G	108.14	Inf	-Inf	77.32	3	Horizontal	36	1.80	-	28.40	2.42	-
PK	2.485G	65.46	74.00	-8.54	34.48	3	Horizontal	36	1.80	-	28.54	2.44	-
AV	2.4854G	50.95	54.00	-3.05	19.97	3	Horizontal	36	1.80	-	28.54	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	44.76	74.00	-29.24	39.32	3	Vertical	351	1.80	-	32.95	4.70	32.21
AV	4.87404G	32.38	54.00	-21.62	26.94	3	Vertical	351	1.80	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87398G	44.53	74.00	-29.47	39.09	3	Horizontal	168	2.87	-	32.95	4.70	32.21
AV	4.8739G	32.18	54.00	-21.82	26.74	3	Horizontal	168	2.87	-	32.95	4.70	32.21



### 802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	115.57	Inf	-Inf	84.71	3	Vertical	263	2.67	-	28.43	2.43	-
AV	2.458G	106.10	Inf	-Inf	75.24	3	Vertical	263	2.67	-	28.43	2.43	-
PK	2.4835G	65.56	74.00	-8.44	34.59	3	Vertical	263	2.67	-	28.53	2.44	-
AV	2.4835G	52.14	54.00	-1.86	21.17	3	Vertical	263	2.67	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4552G	116.29	Inf	-Inf	85.44	3	Horizontal	45	2.00	-	28.42	2.43	-
AV	2.4548G	105.71	Inf	-Inf	74.86	3	Horizontal	45	2.00	-	28.42	2.43	-
PK	2.4842G	67.33	74.00	-6.67	36.35	3	Horizontal	45	2.00	-	28.54	2.44	-
AV	2.4844G	53.08	54.00	-0.92	22.10	3	Horizontal	45	2.00	-	28.54	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT V\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	113.72	Inf	-Inf	82.84	3	Vertical	294	2.79	-	28.45	2.43	-
AV	2.4628G	104.12	Inf	-Inf	73.24	3	Vertical	294	2.79	-	28.45	2.43	-
PK	2.4835G	66.52	74.00	-7.48	35.55	3	Vertical	294	2.79	-	28.53	2.44	-
AV	2.4835G	53.74	54.00	-0.26	22.77	3	Vertical	294	2.79	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4602G	114.68	Inf	-Inf	83.81	3	Horizontal	46	1.78	-	28.44	2.43	-
AV	2.46G	104.18	Inf	-Inf	73.31	3	Horizontal	46	1.78	-	28.44	2.43	-
PK	2.4835G	64.88	74.00	-9.12	33.91	3	Horizontal	46	1.78	-	28.53	2.44	-
AV	2.4848G	52.44	54.00	-1.56	21.46	3	Horizontal	46	1.78	-	28.54	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9289G	44.71	74.00	-29.29	39.03	3	Vertical	237	1.79	-	33.17	4.70	32.19
AV	4.929G	30.51	54.00	-23.49	24.83	3	Vertical	237	1.79	-	33.17	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92702G	43.85	74.00	-30.15	38.18	3	Horizontal	79	2.04	-	33.16	4.70	32.19
AV	4.92892G	30.58	54.00	-23.42	24.90	3	Horizontal	79	2.04	-	33.17	4.70	32.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	61.84	74.00	-12.16	31.05	3	Vertical	253	2.77	-	28.38	2.41	-
AV	2.3886G	49.16	54.00	-4.84	18.37	3	Vertical	253	2.77	-	28.38	2.41	-
PK	2.4132G	114.86	Inf	-Inf	84.05	3	Vertical	253	2.77	-	28.40	2.41	-
AV	2.4134G	102.99	Inf	-Inf	72.18	3	Vertical	253	2.77	-	28.40	2.41	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.89	74.00	-6.11	37.10	3	Horizontal	48	2.50	-	28.38	2.41	-
AV	2.39G	53.68	54.00	-0.32	22.89	3	Horizontal	48	2.50	-	28.38	2.41	-
PK	2.4096G	115.64	Inf	-Inf	84.84	3	Horizontal	48	2.50	-	28.40	2.40	-
AV	2.4088G	102.61	Inf	-Inf	71.81	3	Horizontal	48	2.50	-	28.40	2.40	-



802.11ax HEW20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




EUT Y\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8224G	44.44	74.00	-29.56	39.17	3	Vertical	57	2.88	-	32.79	4.70	32.22
AV	4.8228G	30.15	54.00	-23.85	24.88	3	Vertical	57	2.88	-	32.79	4.70	32.22

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




EUT Y\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82252G	43.91	74.00	-30.09	38.64	3	Horizontal	213	1.46	-	32.79	4.70	32.22
AV	4.82464G	30.14	54.00	-23.86	24.86	3	Horizontal	213	1.46	-	32.80	4.70	32.22

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2417MHz\_TX




EUT Y\_2TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	62.44	74.00	-11.56	31.65	3	Vertical	240	1.53	-	28.38	2.41	-
AV	2.3888G	49.04	54.00	-4.96	18.25	3	Vertical	240	1.53	-	28.38	2.41	-
PK	2.4176G	117.00	Inf	-Inf	86.19	3	Vertical	240	1.53	-	28.40	2.41	-
AV	2.4178G	103.58	Inf	-Inf	72.77	3	Vertical	240	1.53	-	28.40	2.41	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2417MHz\_TX




EUT Y\_2TX  
Setting 20.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	65.50	74.00	-8.50	34.71	3	Horizontal	42	2.49	-	28.38	2.41	-
AV	2.39G	52.46	54.00	-1.54	21.67	3	Horizontal	42	2.49	-	28.38	2.41	-
PK	2.4144G	117.28	Inf	-Inf	86.47	3	Horizontal	42	2.49	-	28.40	2.41	-
AV	2.4138G	104.01	Inf	-Inf	73.20	3	Horizontal	42	2.49	-	28.40	2.41	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT V\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	63.53	74.00	-10.47	32.74	3	Vertical	264	3.00	-	28.38	2.41	-
AV	2.3886G	49.69	54.00	-4.31	18.90	3	Vertical	264	3.00	-	28.38	2.41	-
PK	2.4378G	118.98	Inf	-Inf	88.16	3	Vertical	264	3.00	-	28.40	2.42	-
AV	2.4382G	106.84	Inf	-Inf	76.02	3	Vertical	264	3.00	-	28.40	2.42	-
PK	2.4886G	63.36	74.00	-10.64	32.37	3	Vertical	264	3.00	-	28.55	2.44	-
AV	2.4882G	50.26	54.00	-3.74	19.27	3	Vertical	264	3.00	-	28.55	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT\_V\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	61.51	74.00	-12.49	30.73	3	Horizontal	46	2.40	-	28.37	2.41	-
AV	2.3898G	49.38	54.00	-4.62	18.59	3	Horizontal	46	2.40	-	28.38	2.41	-
PK	2.4338G	119.30	Inf	-Inf	88.48	3	Horizontal	46	2.40	-	28.40	2.42	-
AV	2.435G	106.47	Inf	-Inf	75.65	3	Horizontal	46	2.40	-	28.40	2.42	-
PK	2.4835G	65.11	74.00	-8.89	34.14	3	Horizontal	46	2.40	-	28.53	2.44	-
AV	2.4835G	53.18	54.00	-0.82	22.21	3	Horizontal	46	2.40	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT Y\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87401G	44.13	74.00	-29.87	38.69	3	Vertical	179	1.97	-	32.95	4.70	32.21
AV	4.874G	31.79	54.00	-22.21	26.35	3	Vertical	179	1.97	-	32.95	4.70	32.21

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT Y\_2TX  
Setting 30  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8731G	44.81	74.00	-29.19	39.37	3	Horizontal	182	2.41	-	32.95	4.70	32.21
AV	4.87393G	32.12	54.00	-21.88	26.68	3	Horizontal	182	2.41	-	32.95	4.70	32.21



802.11ax HEW20\_Nss1,(MCS0)\_2TX

2457MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4582G	117.59	Inf	-Inf	86.73	3	Vertical	288	2.31	-	28.43	2.43	-
AV	2.458G	104.10	Inf	-Inf	73.24	3	Vertical	288	2.31	-	28.43	2.43	-
PK	2.486G	65.08	74.00	-8.92	34.10	3	Vertical	288	2.31	-	28.54	2.44	-
AV	2.4835G	51.52	54.00	-2.48	20.55	3	Vertical	288	2.31	-	28.53	2.44	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2457MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4546G	116.64	Inf	-Inf	85.79	3	Horizontal	50	2.02	-	28.42	2.43	-
AV	2.4542G	103.66	Inf	-Inf	72.81	3	Horizontal	50	2.02	-	28.42	2.43	-
PK	2.4838G	67.88	74.00	-6.12	36.90	3	Horizontal	50	2.02	-	28.54	2.44	-
AV	2.4835G	53.53	54.00	-0.47	22.56	3	Horizontal	50	2.02	-	28.53	2.44	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2462MHz\_TX




EUT V\_2TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4626G	114.50	Inf	-Inf	83.62	3	Vertical	286	2.76	-	28.45	2.43	-
AV	2.4632G	101.98	Inf	-Inf	71.10	3	Vertical	286	2.76	-	28.45	2.43	-
PK	2.4835G	64.47	74.00	-9.53	33.50	3	Vertical	286	2.76	-	28.53	2.44	-
AV	2.4836G	51.60	54.00	-2.40	20.63	3	Vertical	286	2.76	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT V\_2TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4592G	114.86	Inf	-Inf	83.99	3	Horizontal	45	1.76	-	28.44	2.43	-
AV	2.459G	101.51	Inf	-Inf	70.64	3	Horizontal	45	1.76	-	28.44	2.43	-
PK	2.485G	63.56	74.00	-10.44	32.58	3	Horizontal	45	1.76	-	28.54	2.44	-
AV	2.4835G	49.56	54.00	-4.44	18.59	3	Horizontal	45	1.76	-	28.53	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT Y\_2TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92826G	43.72	74.00	-30.28	38.04	3	Vertical	29	1.56	-	33.17	4.70	32.19
AV	4.9254G	30.07	54.00	-23.93	24.41	3	Vertical	29	1.56	-	33.15	4.70	32.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT Y\_2TX  
Setting 17.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92862G	44.60	74.00	-29.40	38.92	3	Horizontal	320	1.74	-	33.17	4.70	32.19
AV	4.92544G	29.99	54.00	-24.01	24.33	3	Horizontal	320	1.74	-	33.15	4.70	32.19

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2422MHz\_TX




EUT Y\_2TX  
Setting 17  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.07	74.00	-9.93	33.28	3	Vertical	250	2.74	-	28.38	2.41	-
AV	2.3856G	50.88	54.00	-3.12	20.10	3	Vertical	250	2.74	-	28.37	2.41	-
PK	2.4228G	111.80	Inf	-Inf	80.99	3	Vertical	250	2.74	-	28.40	2.41	-
AV	2.4232G	99.04	Inf	-Inf	68.23	3	Vertical	250	2.74	-	28.40	2.41	-
PK	2.4996G	58.79	74.00	-15.21	27.74	3	Vertical	250	2.74	-	28.60	2.45	-
AV	2.484G	46.98	54.00	-7.02	16.00	3	Vertical	250	2.74	-	28.54	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2422MHz\_TX




EUT V\_2TX  
Setting 17  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	67.79	74.00	-6.21	37.01	3	Horizontal	45	2.49	-	28.37	2.41	-
AV	2.3892G	53.75	54.00	-0.25	22.96	3	Horizontal	45	2.49	-	28.38	2.41	-
PK	2.4204G	112.00	Inf	-Inf	81.19	3	Horizontal	45	2.49	-	28.40	2.41	-
AV	2.4188G	99.56	Inf	-Inf	68.75	3	Horizontal	45	2.49	-	28.40	2.41	-
PK	2.4856G	60.16	74.00	-13.84	29.18	3	Horizontal	45	2.49	-	28.54	2.44	-
AV	2.4992G	46.87	54.00	-7.13	15.82	3	Horizontal	45	2.49	-	28.60	2.45	-



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2422MHz\_TX




EUT Y\_2TX  
Setting 17  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83982G	44.05	74.00	-29.95	38.71	3	Vertical	205	1.56	-	32.86	4.70	32.22
AV	4.84374G	30.33	54.00	-23.67	24.98	3	Vertical	205	1.56	-	32.87	4.70	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2422MHz\_TX




EUT Y\_2TX  
Setting 17  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84368G	44.65	74.00	-29.35	39.30	3	Horizontal	209	1.46	-	32.87	4.70	32.22
AV	4.8455G	30.26	54.00	-23.74	24.90	3	Horizontal	209	1.46	-	32.88	4.70	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT V\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	63.80	74.00	-10.20	33.01	3	Vertical	267	3.00	-	28.38	2.41	-
AV	2.389G	51.55	54.00	-2.45	20.76	3	Vertical	267	3.00	-	28.38	2.41	-
PK	2.439G	112.74	Inf	-Inf	81.92	3	Vertical	267	3.00	-	28.40	2.42	-
AV	2.4382G	100.84	Inf	-Inf	70.02	3	Vertical	267	3.00	-	28.40	2.42	-
PK	2.4894G	64.05	74.00	-9.95	33.05	3	Vertical	267	3.00	-	28.56	2.44	-
AV	2.487G	51.34	54.00	-2.66	20.35	3	Vertical	267	3.00	-	28.55	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	63.81	74.00	-10.19	33.03	3	Horizontal	37	1.83	-	28.37	2.41	-
AV	2.3898G	51.62	54.00	-2.38	20.83	3	Horizontal	37	1.83	-	28.38	2.41	-
PK	2.4334G	113.61	Inf	-Inf	82.79	3	Horizontal	37	1.83	-	28.40	2.42	-
AV	2.4334G	100.95	Inf	-Inf	70.13	3	Horizontal	37	1.83	-	28.40	2.42	-
PK	2.4838G	66.59	74.00	-7.41	35.61	3	Horizontal	37	1.83	-	28.54	2.44	-
AV	2.4835G	53.32	54.00	-0.68	22.35	3	Horizontal	37	1.83	-	28.53	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT Y\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87572G	44.13	74.00	-29.87	38.68	3	Vertical	156	2.55	-	32.95	4.70	32.20
AV	4.87332G	30.33	54.00	-23.67	24.89	3	Vertical	156	2.55	-	32.95	4.70	32.21

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT Y\_2TX  
Setting 18  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87352G	43.88	74.00	-30.12	38.44	3	Horizontal	3	2.05	-	32.95	4.70	32.21
AV	4.87346G	30.28	54.00	-23.72	24.84	3	Horizontal	3	2.05	-	32.95	4.70	32.21

802.11ax HEW40\_Nss1,(MCS0)\_2TX

2452MHz\_TX




EUT V\_2TX  
Setting 15.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.376G	58.61	74.00	-15.39	27.85	3	Vertical	270	2.65	-	28.35	2.41	-
AV	2.3864G	46.28	54.00	-7.72	15.50	3	Vertical	270	2.65	-	28.37	2.41	-
PK	2.4536G	110.76	Inf	-Inf	79.92	3	Vertical	270	2.65	-	28.41	2.43	-
AV	2.4532G	98.72	Inf	-Inf	67.88	3	Vertical	270	2.65	-	28.41	2.43	-
PK	2.4835G	65.87	74.00	-8.13	34.90	3	Vertical	270	2.65	-	28.53	2.44	-
AV	2.4835G	53.18	54.00	-0.82	22.21	3	Vertical	270	2.65	-	28.53	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2452MHz\_TX




EUT V\_2TX  
Setting 15.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3592G	58.60	74.00	-15.40	27.86	3	Horizontal	44	2.43	-	28.32	2.42	-
AV	2.39G	46.42	54.00	-7.58	15.63	3	Horizontal	44	2.43	-	28.38	2.41	-
PK	2.4472G	110.05	Inf	-Inf	79.23	3	Horizontal	44	2.43	-	28.40	2.42	-
AV	2.448G	98.45	Inf	-Inf	67.63	3	Horizontal	44	2.43	-	28.40	2.42	-
PK	2.4852G	67.46	74.00	-6.54	36.48	3	Horizontal	44	2.43	-	28.54	2.44	-
AV	2.4868G	52.04	54.00	-1.96	21.05	3	Horizontal	44	2.43	-	28.55	2.44	-



802.11ax HEW40\_Nss1,(MCS0)\_2TX

2452MHz\_TX




EUT Y\_2TX  
Setting 15.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90522G	43.91	74.00	-30.09	38.37	3	Vertical	71	2.84	-	33.03	4.70	32.19
AV	4.90412G	30.36	54.00	-23.64	24.83	3	Vertical	71	2.84	-	33.02	4.70	32.19

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 2452MHz\_TX



EUT Y\_2TX  
Setting 15.5  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90626G	43.64	74.00	-30.36	38.09	3	Horizontal	268	1.20	-	33.04	4.70	32.19
AV	4.90418G	30.18	54.00	-23.82	24.64	3	Horizontal	268	1.20	-	33.03	4.70	32.19



**RSE TX above 1GHz**  
**<Radio 1: Ant. 1 + Ant. 2> 2TX / For Beamforming**


**Appendix F.5**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	Pass	PK	2.4842G	73.05	74.00	-0.95	3	Horizontal	36	1.40	-

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2412MHz\_TX




EUT Y\_2TX  
 Setting 17  
 03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.41	74.00	-6.59	35.40	3	Vertical	224	2.25	-	28.32	3.69	-
AV	2.3898G	46.40	54.00	-7.60	14.39	3	Vertical	224	2.25	-	28.32	3.69	-
PK	2.4108G	108.81	Inf	-Inf	76.78	3	Vertical	224	2.25	-	28.32	3.71	-
AV	2.4128G	98.15	Inf	-Inf	66.11	3	Vertical	224	2.25	-	28.33	3.71	-

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2412MHz\_TX




EUT Y\_2TX  
 Setting 17  
 03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	67.40	74.00	-6.60	35.39	3	Horizontal	41.2	2.41	-	28.32	3.69	-
AV	2.3892G	46.00	54.00	-8.00	13.99	3	Horizontal	41.2	2.41	-	28.32	3.69	-
PK	2.4136G	112.97	Inf	-Inf	80.93	3	Horizontal	41.2	2.41	-	28.33	3.71	-
AV	2.4124G	102.14	Inf	-Inf	70.11	3	Horizontal	41.2	2.41	-	28.32	3.71	-

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
 Setting 17  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82188G	45.61	74.00	-28.39	41.35	3	Vertical	209	1.19	-	32.23	5.01	32.98
AV	4.82834G	32.71	54.00	-21.29	28.41	3	Vertical	209	1.19	-	32.27	5.01	32.98

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
 Setting 17  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82816G	45.54	74.00	-28.46	41.24	3	Horizontal	22	1.21	-	32.27	5.01	32.98
AV	4.8226G	32.59	54.00	-21.41	28.32	3	Horizontal	22	1.21	-	32.24	5.01	32.98

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT\_V\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3498G	53.95	74.00	-20.05	24.50	3	Vertical	244	2.10	-	27.30	2.15	-
AV	2.3882G	41.67	54.00	-12.33	12.10	3	Vertical	244	2.10	-	27.38	2.19	-
PK	2.4458G	106.92	Inf	-Inf	77.18	3	Vertical	244	2.10	-	27.49	2.25	-
AV	2.4362G	102.17	Inf	-Inf	72.46	3	Vertical	244	2.10	-	27.47	2.24	-
PK	2.4958G	53.77	74.00	-20.23	23.70	3	Vertical	244	2.10	-	27.77	2.30	-
AV	2.4998G	42.26	54.00	-11.74	12.16	3	Vertical	244	2.10	-	27.80	2.30	-



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT V\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.347G	53.72	74.00	-20.28	24.27	3	Horizontal	43	1.60	-	27.30	2.15	-
AV	2.3846G	41.77	54.00	-12.23	12.22	3	Horizontal	43	1.60	-	27.37	2.18	-
PK	2.4346G	109.41	Inf	-Inf	79.71	3	Horizontal	43	1.60	-	27.47	2.23	-
AV	2.4462G	96.97	Inf	-Inf	67.23	3	Horizontal	43	1.60	-	27.49	2.25	-
PK	2.4922G	56.84	74.00	-17.16	26.80	3	Horizontal	43	1.60	-	27.75	2.29	-
AV	2.4835G	42.68	54.00	-11.32	12.70	3	Horizontal	43	1.60	-	27.70	2.28	-

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87302G	45.93	74.00	-28.07	41.42	3	Vertical	67	1.19	-	32.45	5.04	32.98
AV	4.87414G	33.44	54.00	-20.56	28.93	3	Vertical	67	1.19	-	32.45	5.04	32.98

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	46.38	74.00	-27.62	41.87	3	Horizontal	143	2.22	-	32.45	5.04	32.98
AV	4.874G	33.48	54.00	-20.52	28.97	3	Horizontal	143	2.22	-	32.45	5.04	32.98

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2462MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4602G	109.45	Inf	-Inf	79.63	3	Vertical	297	2.59	-	27.56	2.26	-
AV	2.4612G	99.21	Inf	-Inf	69.38	3	Vertical	297	2.59	-	27.57	2.26	-
PK	2.4866G	65.27	74.00	-8.73	35.26	3	Vertical	297	2.59	-	27.72	2.29	-
AV	2.4836G	44.94	54.00	-9.06	14.96	3	Vertical	297	2.59	-	27.70	2.28	-

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

2462MHz\_TX




EUT V\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	109.97	Inf	-Inf	80.13	3	Horizontal	36	1.40	-	27.58	2.26	-
AV	2.4612G	105.74	Inf	-Inf	75.91	3	Horizontal	36	1.40	-	27.57	2.26	-
PK	2.4842G	73.05	74.00	-0.95	43.06	3	Horizontal	36	1.40	-	27.71	2.28	-
AV	2.484G	45.20	54.00	-8.80	15.22	3	Horizontal	36	1.40	-	27.70	2.28	-

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92042G	46.69	74.00	-27.31	41.98	3	Vertical	114	1.20	-	32.62	5.06	32.97
AV	4.92312G	33.17	54.00	-20.83	28.44	3	Vertical	114	1.20	-	32.64	5.06	32.97

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 2462MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92144G	45.97	74.00	-28.03	41.25	3	Horizontal	242	2.92	-	32.63	5.06	32.97
AV	4.92072G	33.13	54.00	-20.87	28.42	3	Horizontal	242	2.92	-	32.62	5.06	32.97

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

2422MHz\_TX




EUT\_V\_2TX  
 Setting 17  
 03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	69.40	74.00	-4.60	37.39	3	Vertical	256	2.70	-	28.32	3.69	-
AV	2.388G	48.69	54.00	-5.31	16.68	3	Vertical	256	2.70	-	28.32	3.69	-
PK	2.4236G	107.64	Inf	-Inf	75.57	3	Vertical	256	2.70	-	28.35	3.72	-
AV	2.4112G	98.95	Inf	-Inf	66.92	3	Vertical	256	2.70	-	28.32	3.71	-
PK	2.4948G	57.83	74.00	-16.17	25.37	3	Vertical	256	2.70	-	28.67	3.79	-
AV	2.498G	45.48	54.00	-8.52	12.99	3	Vertical	256	2.70	-	28.69	3.80	-



802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

2422MHz\_TX




EUT V\_2TX  
 Setting 17  
 03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	71.74	74.00	-2.26	39.73	3	Horizontal	43.8	2.42	-	28.32	3.69	-
AV	2.3892G	48.31	54.00	-5.69	16.30	3	Horizontal	43.8	2.42	-	28.32	3.69	-
PK	2.4184G	109.31	Inf	-Inf	77.25	3	Horizontal	43.8	2.42	-	28.34	3.72	-
AV	2.4196G	98.78	Inf	-Inf	66.72	3	Horizontal	43.8	2.42	-	28.34	3.72	-
PK	2.4908G	57.76	74.00	-16.24	25.33	3	Horizontal	43.8	2.42	-	28.64	3.79	-
AV	2.496G	45.57	54.00	-8.43	13.09	3	Horizontal	43.8	2.42	-	28.68	3.80	-

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2422MHz\_TX




EUT Y\_2TX  
 Setting 17  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84186G	46.16	74.00	-27.84	41.77	3	Vertical	211	1.11	-	32.35	5.02	32.98
AV	4.84876G	32.57	54.00	-21.43	28.14	3	Vertical	211	1.11	-	32.39	5.02	32.98

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2422MHz\_TX




EUT Y\_2TX  
 Setting 17  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83984G	46.02	74.00	-27.98	41.64	3	Horizontal	208	2.44	-	32.34	5.02	32.98
AV	4.84888G	32.74	54.00	-21.26	28.31	3	Horizontal	208	2.44	-	32.39	5.02	32.98

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT V\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	58.27	74.00	-15.73	28.70	3	Vertical	301	2.70	-	27.38	2.19	-
AV	2.3898G	43.02	54.00	-10.98	13.45	3	Vertical	301	2.70	-	27.38	2.19	-
PK	2.4278G	103.66	Inf	-Inf	73.97	3	Vertical	301	2.70	-	27.46	2.23	-
AV	2.429G	99.18	Inf	-Inf	69.49	3	Vertical	301	2.70	-	27.46	2.23	-
PK	2.4842G	62.62	74.00	-11.38	32.63	3	Vertical	301	2.70	-	27.71	2.28	-
AV	2.4882G	44.81	54.00	-9.19	14.79	3	Vertical	301	2.70	-	27.73	2.29	-

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

2437MHz\_TX




EUT V\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	59.57	74.00	-14.43	30.01	3	Horizontal	41	2.37	-	27.37	2.19	-
AV	2.3886G	45.83	54.00	-8.17	16.26	3	Horizontal	41	2.37	-	27.38	2.19	-
PK	2.4406G	107.57	Inf	-Inf	77.85	3	Horizontal	41	2.37	-	27.48	2.24	-
AV	2.4278G	98.28	Inf	-Inf	68.59	3	Horizontal	41	2.37	-	27.46	2.23	-
PK	2.4858G	63.22	74.00	-10.78	33.22	3	Horizontal	41	2.37	-	27.71	2.29	-
AV	2.4882G	43.64	54.00	-10.36	13.62	3	Horizontal	41	2.37	-	27.73	2.29	-

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87506G	46.61	74.00	-27.39	42.10	3	Vertical	20	1.73	-	32.45	5.04	32.98
AV	4.87384G	33.10	54.00	-20.90	28.59	3	Vertical	20	1.73	-	32.45	5.04	32.98

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
 Setting 20  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.879G	46.23	74.00	-27.77	41.71	3	Horizontal	63	2.07	-	32.46	5.04	32.98
AV	4.87398G	33.25	54.00	-20.75	28.74	3	Horizontal	63	2.07	-	32.45	5.04	32.98

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 2452MHz\_TX




EUT V\_2TX  
 Setting 18  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	55.37	74.00	-18.63	25.80	3	Vertical	306	2.54	-	27.38	2.19	-
AV	2.3872G	41.69	54.00	-12.31	12.13	3	Vertical	306	2.54	-	27.37	2.19	-
PK	2.458G	103.66	Inf	-Inf	73.85	3	Vertical	306	2.54	-	27.55	2.26	-
AV	2.4588G	91.16	Inf	-Inf	61.35	3	Vertical	306	2.54	-	27.55	2.26	-
PK	2.4888G	65.77	74.00	-8.23	35.75	3	Vertical	306	2.54	-	27.73	2.29	-
AV	2.496G	45.74	54.00	-8.26	15.66	3	Vertical	306	2.54	-	27.78	2.30	-



### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2452MHz\_TX




EUT\_V\_2TX  
 Setting 18  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	54.92	74.00	-19.08	25.35	3	Horizontal	26.6	1.45	-	27.38	2.19	-
AV	2.388G	42.06	54.00	-11.94	12.49	3	Horizontal	26.6	1.45	-	27.38	2.19	-
PK	2.4428G	107.03	Inf	-Inf	77.30	3	Horizontal	26.6	1.45	-	27.49	2.24	-
AV	2.4468G	95.43	Inf	-Inf	65.69	3	Horizontal	26.6	1.45	-	27.49	2.25	-
PK	2.486G	71.45	74.00	-2.55	41.44	3	Horizontal	26.6	1.45	-	27.72	2.29	-
AV	2.49G	46.81	54.00	-7.19	16.78	3	Horizontal	26.6	1.45	-	27.74	2.29	-

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

2452MHz\_TX




EUT Y\_2TX  
 Setting 18  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90758G	46.09	74.00	-27.91	41.46	3	Vertical	210	2.86	-	32.55	5.05	32.97
AV	4.90058G	33.32	54.00	-20.68	28.74	3	Vertical	210	2.86	-	32.50	5.05	32.97

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 2452MHz\_TX



EUT Y\_2TX  
 Setting 18  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90846G	46.53	74.00	-27.47	41.90	3	Horizontal	33	1.78	-	32.55	5.05	32.97
AV	4.90274G	33.41	54.00	-20.59	28.81	3	Horizontal	33	1.78	-	32.52	5.05	32.97




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.99	54.00	-0.01	3	Vertical	30	1.02	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	62.45	74.00	-11.55	31.67	3	Vertical	30	1.04	-	28.37	2.41	-
AV	2.3876G	53.92	54.00	-0.08	23.13	3	Vertical	30	1.04	-	28.38	2.41	-
PK	2.413G	109.78	Inf	-Inf	78.97	3	Vertical	30	1.04	-	28.40	2.41	-
AV	2.4112G	106.12	Inf	-Inf	75.31	3	Vertical	30	1.04	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	61.49	74.00	-12.51	30.70	3	Horizontal	26	1.12	-	28.38	2.41	-
AV	2.3876G	52.02	54.00	-1.98	21.23	3	Horizontal	26	1.12	-	28.38	2.41	-
PK	2.4128G	109.82	Inf	-Inf	79.01	3	Horizontal	26	1.12	-	28.40	2.41	-
AV	2.4112G	106.14	Inf	-Inf	75.33	3	Horizontal	26	1.12	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82407G	52.61	74.00	-21.39	47.33	3	Vertical	1	2.60	-	32.80	4.70	32.22
AV	4.82397G	48.84	54.00	-5.16	43.56	3	Vertical	1	2.60	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82392G	50.06	74.00	-23.94	44.78	3	Horizontal	347	2.21	-	32.80	4.70	32.22
AV	4.82397G	44.85	54.00	-9.15	39.57	3	Horizontal	347	2.21	-	32.80	4.70	32.22



### 802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT\_V\_1TX  
Setting 24.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.08	74.00	-12.92	30.29	3	Vertical	23	2.54	-	28.38	2.41	-
AV	2.39G	52.21	54.00	-1.79	21.42	3	Vertical	23	2.54	-	28.38	2.41	-
PK	2.416G	109.82	Inf	-Inf	79.01	3	Vertical	23	2.54	-	28.40	2.41	-
AV	2.4162G	106.07	Inf	-Inf	75.26	3	Vertical	23	2.54	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT\_V\_1TX  
Setting 24.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	61.30	74.00	-12.70	30.51	3	Horizontal	26	1.12	-	28.38	2.41	-
AV	2.39G	52.60	54.00	-1.40	21.81	3	Horizontal	26	1.12	-	28.38	2.41	-
PK	2.416G	110.17	Inf	-Inf	79.36	3	Horizontal	26	1.12	-	28.40	2.41	-
AV	2.4162G	106.45	Inf	-Inf	75.64	3	Horizontal	26	1.12	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 28  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.55	74.00	-14.45	28.76	3	Vertical	39	1.00	-	28.38	2.41	-
AV	2.3898G	48.44	54.00	-5.56	17.65	3	Vertical	39	1.00	-	28.38	2.41	-
PK	2.4362G	111.58	Inf	-Inf	80.76	3	Vertical	39	1.00	-	28.40	2.42	-
AV	2.4362G	107.92	Inf	-Inf	77.10	3	Vertical	39	1.00	-	28.40	2.42	-
PK	2.4842G	62.23	74.00	-11.77	31.25	3	Vertical	39	1.00	-	28.54	2.44	-
AV	2.4842G	53.16	54.00	-0.84	22.18	3	Vertical	39	1.00	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 28  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	59.21	74.00	-14.79	28.43	3	Horizontal	312	1.04	-	28.37	2.41	-
AV	2.3898G	47.98	54.00	-6.02	17.19	3	Horizontal	312	1.04	-	28.38	2.41	-
PK	2.4362G	112.03	Inf	-Inf	81.21	3	Horizontal	312	1.04	-	28.40	2.42	-
AV	2.4362G	108.35	Inf	-Inf	77.53	3	Horizontal	312	1.04	-	28.40	2.42	-
PK	2.4838G	61.59	74.00	-12.41	30.61	3	Horizontal	312	1.04	-	28.54	2.44	-
AV	2.4842G	52.68	54.00	-1.32	21.70	3	Horizontal	312	1.04	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 28  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87408G	49.90	74.00	-24.10	44.46	3	Vertical	63	2.62	-	32.95	4.70	32.21
AV	4.87396G	44.80	54.00	-9.20	39.36	3	Vertical	63	2.62	-	32.95	4.70	32.21
PK	7.31158G	48.32	74.00	-25.68	38.96	3	Vertical	262	2.66	-	36.42	5.76	32.82
AV	7.31019G	35.01	54.00	-18.99	25.65	3	Vertical	262	2.66	-	36.42	5.76	32.82

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 28  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	48.34	74.00	-25.66	42.90	3	Horizontal	79	2.42	-	32.95	4.70	32.21
AV	4.87396G	42.45	54.00	-11.55	37.01	3	Horizontal	79	2.42	-	32.95	4.70	32.21
PK	7.3119G	50.03	74.00	-23.97	40.67	3	Horizontal	58	2.03	-	36.42	5.76	32.82
AV	7.31024G	35.07	54.00	-18.93	25.71	3	Horizontal	58	2.03	-	36.42	5.76	32.82

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2457MHz\_TX




EUT\_V\_1TX  
Setting 23.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	109.93	Inf	-Inf	79.08	3	Vertical	30	1.00	-	28.42	2.43	-
AV	2.4562G	106.26	Inf	-Inf	75.41	3	Vertical	30	1.00	-	28.42	2.43	-
PK	2.4835G	61.98	74.00	-12.02	31.01	3	Vertical	30	1.00	-	28.53	2.44	-
AV	2.4838G	53.67	54.00	-0.33	22.69	3	Vertical	30	1.00	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2457MHz\_TX




EUT\_V\_1TX  
Setting 23.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	110.25	Inf	-Inf	79.40	3	Horizontal	312	2.76	-	28.42	2.43	-
AV	2.4562G	106.66	Inf	-Inf	75.81	3	Horizontal	312	2.76	-	28.42	2.43	-
PK	2.4836G	61.35	74.00	-12.65	30.38	3	Horizontal	312	2.76	-	28.53	2.44	-
AV	2.4838G	51.65	54.00	-2.35	20.67	3	Horizontal	312	2.76	-	28.54	2.44	-



### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	109.53	Inf	-Inf	78.65	3	Vertical	154	2.80	-	28.45	2.43	-
AV	2.4628G	105.81	Inf	-Inf	74.93	3	Vertical	154	2.80	-	28.45	2.43	-
PK	2.485G	61.59	74.00	-12.41	30.61	3	Vertical	154	2.80	-	28.54	2.44	-
AV	2.4862G	52.16	54.00	-1.84	21.18	3	Vertical	154	2.80	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	110.00	Inf	-Inf	79.13	3	Horizontal	311	2.76	-	28.44	2.43	-
AV	2.4612G	106.32	Inf	-Inf	75.45	3	Horizontal	311	2.76	-	28.44	2.43	-
PK	2.4862G	61.59	74.00	-12.41	30.61	3	Horizontal	311	2.76	-	28.54	2.44	-
AV	2.4862G	51.65	54.00	-2.35	20.67	3	Horizontal	311	2.76	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9239G	50.37	74.00	-23.63	44.72	3	Vertical	53	2.85	-	33.14	4.70	32.19
AV	4.92397G	46.22	54.00	-7.78	40.57	3	Vertical	53	2.85	-	33.14	4.70	32.19

### 802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92406G	47.66	74.00	-26.34	42.01	3	Horizontal	299	2.30	-	33.14	4.70	32.19
AV	4.92396G	41.51	54.00	-12.49	35.86	3	Horizontal	299	2.30	-	33.14	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	67.21	74.00	-6.79	36.42	3	Vertical	30	1.02	-	28.38	2.41	-
AV	2.39G	53.99	54.00	-0.01	23.20	3	Vertical	30	1.02	-	28.38	2.41	-
PK	2.408G	107.65	Inf	-Inf	76.85	3	Vertical	30	1.02	-	28.40	2.40	-
AV	2.4058G	97.28	Inf	-Inf	66.48	3	Vertical	30	1.02	-	28.40	2.40	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	65.89	74.00	-8.11	35.10	3	Horizontal	25	1.10	-	28.38	2.41	-
AV	2.39G	52.71	54.00	-1.29	21.92	3	Horizontal	25	1.10	-	28.38	2.41	-
PK	2.4082G	107.02	Inf	-Inf	76.22	3	Horizontal	25	1.10	-	28.40	2.40	-
AV	2.4154G	96.95	Inf	-Inf	66.14	3	Horizontal	25	1.10	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82349G	50.23	74.00	-23.77	44.96	3	Vertical	352	2.59	-	32.79	4.70	32.22
AV	4.82392G	36.92	54.00	-17.08	31.64	3	Vertical	352	2.59	-	32.80	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82424G	47.56	74.00	-26.44	42.28	3	Horizontal	352	2.58	-	32.80	4.70	32.22
AV	4.8239G	33.33	54.00	-20.67	28.05	3	Horizontal	352	2.58	-	32.80	4.70	32.22



### 802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	66.74	74.00	-7.26	35.95	3	Vertical	9	2.84	-	28.38	2.41	-
AV	2.39G	53.05	54.00	-0.95	22.26	3	Vertical	9	2.84	-	28.38	2.41	-
PK	2.4148G	110.55	Inf	-Inf	79.74	3	Vertical	9	2.84	-	28.40	2.41	-
AV	2.4152G	100.02	Inf	-Inf	69.21	3	Vertical	9	2.84	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	66.84	74.00	-7.16	36.05	3	Horizontal	32	1.00	-	28.38	2.41	-
AV	2.3896G	53.70	54.00	-0.30	22.91	3	Horizontal	32	1.00	-	28.38	2.41	-
PK	2.4224G	110.02	Inf	-Inf	79.21	3	Horizontal	32	1.00	-	28.40	2.41	-
AV	2.4234G	100.08	Inf	-Inf	69.27	3	Horizontal	32	1.00	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 26.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	62.70	74.00	-11.30	31.92	3	Vertical	41	1.00	-	28.37	2.41	-
AV	2.3898G	49.58	54.00	-4.42	18.79	3	Vertical	41	1.00	-	28.38	2.41	-
PK	2.4346G	112.65	Inf	-Inf	81.83	3	Vertical	41	1.00	-	28.40	2.42	-
AV	2.4354G	101.74	Inf	-Inf	70.92	3	Vertical	41	1.00	-	28.40	2.42	-
PK	2.4854G	70.14	74.00	-3.86	39.16	3	Vertical	41	1.00	-	28.54	2.44	-
AV	2.4835G	53.82	54.00	-0.18	22.85	3	Vertical	41	1.00	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 26.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	59.62	74.00	-14.38	28.83	3	Horizontal	312	2.75	-	28.38	2.41	-
AV	2.3894G	47.81	54.00	-6.19	17.02	3	Horizontal	312	2.75	-	28.38	2.41	-
PK	2.441G	112.97	Inf	-Inf	82.15	3	Horizontal	312	2.75	-	28.40	2.42	-
AV	2.4426G	102.69	Inf	-Inf	71.87	3	Horizontal	312	2.75	-	28.40	2.42	-
PK	2.4874G	66.37	74.00	-7.63	35.38	3	Horizontal	312	2.75	-	28.55	2.44	-
AV	2.4835G	52.55	54.00	-1.45	21.58	3	Horizontal	312	2.75	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 26.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87374G	48.34	74.00	-25.66	42.90	3	Vertical	71	1.30	-	32.95	4.70	32.21
AV	4.8739G	34.48	54.00	-19.52	29.04	3	Vertical	71	1.30	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 26.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87382G	46.65	74.00	-27.35	41.21	3	Horizontal	296	1.57	-	32.95	4.70	32.21
AV	4.87344G	32.14	54.00	-21.86	26.70	3	Horizontal	296	1.57	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4542G	108.32	Inf	-Inf	77.47	3	Vertical	5	1.11	-	28.42	2.43	-
AV	2.455G	98.22	Inf	-Inf	67.37	3	Vertical	5	1.11	-	28.42	2.43	-
PK	2.4874G	66.46	74.00	-7.54	35.47	3	Vertical	5	1.11	-	28.55	2.44	-
AV	2.4835G	53.68	54.00	-0.32	22.71	3	Vertical	5	1.11	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4558G	109.58	Inf	-Inf	78.73	3	Horizontal	310	2.75	-	28.42	2.43	-
AV	2.4616G	99.46	Inf	-Inf	68.58	3	Horizontal	310	2.75	-	28.45	2.43	-
PK	2.4864G	65.36	74.00	-8.64	34.37	3	Horizontal	310	2.75	-	28.55	2.44	-
AV	2.4836G	53.40	54.00	-0.60	22.43	3	Horizontal	310	2.75	-	28.53	2.44	-



### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.467G	106.75	Inf	-Inf	75.85	3	Vertical	163	2.80	-	28.47	2.43	-
AV	2.465G	96.83	Inf	-Inf	65.94	3	Vertical	163	2.80	-	28.46	2.43	-
PK	2.4836G	66.52	74.00	-7.48	35.55	3	Vertical	163	2.80	-	28.53	2.44	-
AV	2.4835G	52.66	54.00	-1.34	21.69	3	Vertical	163	2.80	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	107.31	Inf	-Inf	76.44	3	Horizontal	312	2.75	-	28.44	2.43	-
AV	2.4582G	97.06	Inf	-Inf	66.20	3	Horizontal	312	2.75	-	28.43	2.43	-
PK	2.4844G	65.17	74.00	-8.83	34.19	3	Horizontal	312	2.75	-	28.54	2.44	-
AV	2.4835G	51.33	54.00	-2.67	20.36	3	Horizontal	312	2.75	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92367G	48.02	74.00	-25.98	42.37	3	Vertical	52	2.46	-	33.14	4.70	32.19
AV	4.92376G	34.70	54.00	-19.30	29.05	3	Vertical	52	2.46	-	33.14	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92355G	45.07	74.00	-28.93	39.42	3	Horizontal	295	2.96	-	33.14	4.70	32.19
AV	4.92383G	31.61	54.00	-22.39	25.96	3	Horizontal	295	2.96	-	33.14	4.70	32.19

### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 18.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.00	74.00	-6.00	37.21	3	Vertical	30	1.03	-	28.38	2.41	-
AV	2.39G	53.90	54.00	-0.10	23.11	3	Vertical	30	1.03	-	28.38	2.41	-
PK	2.4078G	104.96	Inf	-Inf	74.16	3	Vertical	30	1.03	-	28.40	2.40	-
AV	2.4064G	94.55	Inf	-Inf	63.75	3	Vertical	30	1.03	-	28.40	2.40	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 18.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	66.13	74.00	-7.87	35.34	3	Horizontal	27	1.12	-	28.38	2.41	-
AV	2.39G	52.68	54.00	-1.32	21.89	3	Horizontal	27	1.12	-	28.38	2.41	-
PK	2.4138G	104.43	Inf	-Inf	73.62	3	Horizontal	27	1.12	-	28.40	2.41	-
AV	2.4146G	94.24	Inf	-Inf	63.43	3	Horizontal	27	1.12	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 18.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82412G	44.53	74.00	-29.47	39.25	3	Vertical	296	1.93	-	32.80	4.70	32.22
AV	4.82402G	33.38	54.00	-20.62	28.10	3	Vertical	296	1.93	-	32.80	4.70	32.22

### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT V\_1TX  
Setting 18.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	44.88	74.00	-29.12	39.60	3	Horizontal	113	1.34	-	32.80	4.70	32.22
AV	4.82392G	33.07	54.00	-20.93	27.79	3	Horizontal	113	1.34	-	32.80	4.70	32.22



### VHT20\_Nss1,(MCS0)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 21  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.91	74.00	-7.09	36.12	3	Vertical	146	2.84	-	28.38	2.41	-
AV	2.3894G	53.34	54.00	-0.66	22.55	3	Vertical	146	2.84	-	28.38	2.41	-
PK	2.4242G	107.47	Inf	-Inf	76.66	3	Vertical	146	2.84	-	28.40	2.41	-
AV	2.4236G	97.72	Inf	-Inf	66.91	3	Vertical	146	2.84	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2417MHz\_TX




EUT V\_1TX  
Setting 21  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	64.95	74.00	-9.05	34.16	3	Horizontal	28	1.00	-	28.38	2.41	-
AV	2.3896G	52.09	54.00	-1.91	21.30	3	Horizontal	28	1.00	-	28.38	2.41	-
PK	2.4232G	107.87	Inf	-Inf	77.06	3	Horizontal	28	1.00	-	28.40	2.41	-
AV	2.4236G	97.41	Inf	-Inf	66.60	3	Horizontal	28	1.00	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 26  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	62.70	74.00	-11.30	31.92	3	Vertical	149	2.50	-	28.37	2.41	-
AV	2.3898G	49.12	54.00	-4.88	18.33	3	Vertical	149	2.50	-	28.38	2.41	-
PK	2.439G	111.76	Inf	-Inf	80.94	3	Vertical	149	2.50	-	28.40	2.42	-
AV	2.4354G	101.39	Inf	-Inf	70.57	3	Vertical	149	2.50	-	28.40	2.42	-
PK	2.4838G	68.40	74.00	-5.60	37.42	3	Vertical	149	2.50	-	28.54	2.44	-
AV	2.4835G	53.28	54.00	-0.72	22.31	3	Vertical	149	2.50	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 26  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.05	74.00	-13.95	29.26	3	Horizontal	312	2.75	-	28.38	2.41	-
AV	2.3898G	48.07	54.00	-5.93	17.28	3	Horizontal	312	2.75	-	28.38	2.41	-
PK	2.4438G	112.39	Inf	-Inf	81.57	3	Horizontal	312	2.75	-	28.40	2.42	-
AV	2.4442G	102.32	Inf	-Inf	71.50	3	Horizontal	312	2.75	-	28.40	2.42	-
PK	2.4838G	66.98	74.00	-7.02	36.00	3	Horizontal	312	2.75	-	28.54	2.44	-
AV	2.4835G	52.47	54.00	-1.53	21.50	3	Horizontal	312	2.75	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 26  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87768G	43.88	74.00	-30.12	38.42	3	Vertical	289	2.89	-	32.96	4.70	32.20
AV	4.86708G	30.80	54.00	-23.20	25.38	3	Vertical	289	2.89	-	32.93	4.70	32.21
PK	7.31912G	48.09	74.00	-25.91	38.73	3	Vertical	324	2.59	-	36.44	5.76	32.84
AV	7.3194G	34.92	54.00	-19.08	25.56	3	Vertical	324	2.59	-	36.44	5.76	32.84

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 26  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8756G	46.25	74.00	-27.75	40.80	3	Horizontal	301	2.21	-	32.95	4.70	32.20
AV	4.87408G	33.10	54.00	-20.90	27.66	3	Horizontal	301	2.21	-	32.95	4.70	32.21
PK	7.31936G	49.20	74.00	-24.80	39.84	3	Horizontal	28	1.80	-	36.44	5.76	32.84
AV	7.31876G	34.85	54.00	-19.15	25.48	3	Horizontal	28	1.80	-	36.44	5.76	32.83

### VHT20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT V\_1TX  
Setting 21  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.462G	108.25	Inf	-Inf	77.37	3	Vertical	155	2.80	-	28.45	2.43	-
AV	2.4636G	98.27	Inf	-Inf	67.39	3	Vertical	155	2.80	-	28.45	2.43	-
PK	2.484G	65.13	74.00	-8.87	34.15	3	Vertical	155	2.80	-	28.54	2.44	-
AV	2.4835G	53.11	54.00	-0.89	22.14	3	Vertical	155	2.80	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT V\_1TX  
Setting 21  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4532G	109.61	Inf	-Inf	78.77	3	Horizontal	311	2.76	-	28.41	2.43	-
AV	2.4616G	98.70	Inf	-Inf	67.82	3	Horizontal	311	2.76	-	28.45	2.43	-
PK	2.4835G	65.49	74.00	-8.51	34.52	3	Horizontal	311	2.76	-	28.53	2.44	-
AV	2.4835G	52.63	54.00	-1.37	21.66	3	Horizontal	311	2.76	-	28.53	2.44	-



### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT V\_1TX  
Setting 19  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4666G	106.84	Inf	-Inf	75.94	3	Vertical	162	2.81	-	28.47	2.43	-
AV	2.4658G	96.60	Inf	-Inf	65.71	3	Vertical	162	2.81	-	28.46	2.43	-
PK	2.4835G	67.56	74.00	-6.44	36.59	3	Vertical	162	2.81	-	28.53	2.44	-
AV	2.4835G	53.54	54.00	-0.46	22.57	3	Vertical	162	2.81	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT V\_1TX  
Setting 19  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4656G	106.83	Inf	-Inf	75.94	3	Horizontal	310	2.76	-	28.46	2.43	-
AV	2.4564G	96.67	Inf	-Inf	65.81	3	Horizontal	310	2.76	-	28.43	2.43	-
PK	2.4835G	66.01	74.00	-7.99	35.04	3	Horizontal	310	2.76	-	28.53	2.44	-
AV	2.4835G	52.03	54.00	-1.97	21.06	3	Horizontal	310	2.76	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92844G	44.61	74.00	-29.39	38.93	3	Vertical	142	1.42	-	33.17	4.70	32.19
AV	4.92276G	30.78	54.00	-23.22	25.13	3	Vertical	142	1.42	-	33.14	4.70	32.19

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.926G	43.99	74.00	-30.01	38.32	3	Horizontal	325	2.98	-	33.16	4.70	32.19
AV	4.92582G	30.85	54.00	-23.15	25.19	3	Horizontal	325	2.98	-	33.15	4.70	32.19

### VHT40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT\_V\_1TX  
Setting 16  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	65.81	74.00	-8.19	35.02	3	Vertical	34	1.42	-	28.38	2.41	-
AV	2.39G	53.41	54.00	-0.59	22.62	3	Vertical	34	1.42	-	28.38	2.41	-
PK	2.4316G	99.40	Inf	-Inf	68.58	3	Vertical	34	1.42	-	28.40	2.42	-
AV	2.4348G	89.56	Inf	-Inf	58.74	3	Vertical	34	1.42	-	28.40	2.42	-
PK	2.4835G	59.84	74.00	-14.16	28.87	3	Vertical	34	1.42	-	28.53	2.44	-
AV	2.4992G	48.21	54.00	-5.79	17.16	3	Vertical	34	1.42	-	28.60	2.45	-

VHT40\_Nss1,(MCS0)\_1TX

2422MHz\_TX




EUT\_V\_1TX  
Setting 16  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	65.20	74.00	-8.80	34.41	3	Horizontal	312	1.02	-	28.38	2.41	-
AV	2.39G	52.51	54.00	-1.49	21.72	3	Horizontal	312	1.02	-	28.38	2.41	-
PK	2.4352G	99.56	Inf	-Inf	68.74	3	Horizontal	312	1.02	-	28.40	2.42	-
AV	2.4352G	89.70	Inf	-Inf	58.88	3	Horizontal	312	1.02	-	28.40	2.42	-
PK	2.4928G	59.46	74.00	-14.54	28.44	3	Horizontal	312	1.02	-	28.57	2.45	-
AV	2.4992G	48.31	54.00	-5.69	17.26	3	Horizontal	312	1.02	-	28.60	2.45	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84312G	45.46	74.00	-28.54	40.11	3	Vertical	13	2.58	-	32.87	4.70	32.22
AV	4.84598G	32.66	54.00	-21.34	27.30	3	Vertical	13	2.58	-	32.88	4.70	32.22

### VHT40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84544G	45.45	74.00	-28.55	40.09	3	Horizontal	321	2.63	-	32.88	4.70	32.22
AV	4.8481G	32.71	54.00	-21.29	27.33	3	Horizontal	321	2.63	-	32.89	4.70	32.21



### VHT40\_Nss1,(MCS0)\_1TX

### 2427MHz\_TX




EUT V\_1TX  
Setting 17.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.39	74.00	-8.61	34.60	3	Vertical	158	2.48	-	28.38	2.41	-
AV	2.3894G	52.90	54.00	-1.10	22.11	3	Vertical	158	2.48	-	28.38	2.41	-
PK	2.4354G	100.30	Inf	-Inf	69.48	3	Vertical	158	2.48	-	28.40	2.42	-
AV	2.4366G	90.54	Inf	-Inf	59.72	3	Vertical	158	2.48	-	28.40	2.42	-
PK	2.4994G	59.58	74.00	-14.42	28.53	3	Vertical	158	2.48	-	28.60	2.45	-
AV	2.499G	47.96	54.00	-6.04	16.91	3	Vertical	158	2.48	-	28.60	2.45	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2427MHz\_TX




EUT V\_1TX  
Setting 17.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.23	74.00	-6.77	36.44	3	Horizontal	313	1.04	-	28.38	2.41	-
AV	2.3898G	53.54	54.00	-0.46	22.75	3	Horizontal	313	1.04	-	28.38	2.41	-
PK	2.435G	101.02	Inf	-Inf	70.20	3	Horizontal	313	1.04	-	28.40	2.42	-
AV	2.4382G	91.34	Inf	-Inf	60.52	3	Horizontal	313	1.04	-	28.40	2.42	-
PK	2.497G	59.73	74.00	-14.27	28.69	3	Horizontal	313	1.04	-	28.59	2.45	-
AV	2.4978G	48.22	54.00	-5.78	17.18	3	Horizontal	313	1.04	-	28.59	2.45	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	64.18	74.00	-9.82	33.39	3	Vertical	0	1.45	-	28.38	2.41	-
AV	2.3894G	51.33	54.00	-2.67	20.54	3	Vertical	0	1.45	-	28.38	2.41	-
PK	2.4502G	103.86	Inf	-Inf	73.03	3	Vertical	0	1.45	-	28.40	2.43	-
AV	2.453G	93.57	Inf	-Inf	62.73	3	Vertical	0	1.45	-	28.41	2.43	-
PK	2.4846G	64.55	74.00	-9.45	33.57	3	Vertical	0	1.45	-	28.54	2.44	-
AV	2.4835G	52.40	54.00	-1.60	21.43	3	Vertical	0	1.45	-	28.53	2.44	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	63.73	74.00	-10.27	32.94	3	Horizontal	314	2.74	-	28.38	2.41	-
AV	2.3898G	50.44	54.00	-3.56	19.65	3	Horizontal	314	2.74	-	28.38	2.41	-
PK	2.4466G	105.43	Inf	-Inf	74.61	3	Horizontal	314	2.74	-	28.40	2.42	-
AV	2.447G	95.44	Inf	-Inf	64.62	3	Horizontal	314	2.74	-	28.40	2.42	-
PK	2.4838G	64.18	74.00	-9.82	33.20	3	Horizontal	314	2.74	-	28.54	2.44	-
AV	2.4838G	52.00	54.00	-2.00	21.02	3	Horizontal	314	2.74	-	28.54	2.44	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87364G	44.95	74.00	-29.05	39.51	3	Vertical	336	1.75	-	32.95	4.70	32.21
AV	4.87468G	32.35	54.00	-21.65	26.91	3	Vertical	336	1.75	-	32.95	4.70	32.21

### VHT40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87452G	46.01	74.00	-27.99	40.57	3	Horizontal	57	1.77	-	32.95	4.70	32.21
AV	4.87094G	32.42	54.00	-21.58	26.99	3	Horizontal	57	1.77	-	32.94	4.70	32.21

### VHT40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT\_V\_1TX  
Setting 18  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3776G	59.03	74.00	-14.97	28.26	3	Vertical	28	1.00	-	28.36	2.41	-
AV	2.3852G	47.62	54.00	-6.38	16.84	3	Vertical	28	1.00	-	28.37	2.41	-
PK	2.4592G	101.87	Inf	-Inf	71.00	3	Vertical	28	1.00	-	28.44	2.43	-
AV	2.4572G	92.04	Inf	-Inf	61.18	3	Vertical	28	1.00	-	28.43	2.43	-
PK	2.4835G	66.51	74.00	-7.49	35.54	3	Vertical	28	1.00	-	28.53	2.44	-
AV	2.4835G	53.68	54.00	-0.32	22.71	3	Vertical	28	1.00	-	28.53	2.44	-

### VHT40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT V\_1TX  
Setting 18  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	59.12	74.00	-14.88	28.33	3	Horizontal	310	2.76	-	28.38	2.41	-
AV	2.3848G	47.41	54.00	-6.59	16.63	3	Horizontal	310	2.76	-	28.37	2.41	-
PK	2.4656G	102.62	Inf	-Inf	71.73	3	Horizontal	310	2.76	-	28.46	2.43	-
AV	2.4596G	92.68	Inf	-Inf	61.81	3	Horizontal	310	2.76	-	28.44	2.43	-
PK	2.484G	64.03	74.00	-9.97	33.05	3	Horizontal	310	2.76	-	28.54	2.44	-
AV	2.4835G	52.22	54.00	-1.78	21.25	3	Horizontal	310	2.76	-	28.53	2.44	-



### VHT40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT Y\_1TX  
Setting 18  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90666G	43.93	74.00	-30.07	38.38	3	Vertical	2	2.03	-	33.04	4.70	32.19
AV	4.905G	31.50	54.00	-22.50	25.96	3	Vertical	2	2.03	-	33.03	4.70	32.19

### VHT40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX



EUT Y\_1TX  
Setting 18  
02-B-K-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90852G	44.53	74.00	-29.47	38.97	3	Horizontal	184	2.52	-	33.05	4.70	32.19
AV	4.9061G	31.82	54.00	-22.18	26.27	3	Horizontal	184	2.52	-	33.04	4.70	32.19



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.99986G	25.07	54.00	-28.93	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.99414G	36.34	74.00	-37.66	-6.29	3	Vertical	164	1.13	-	42.63	26.18	4.69	37.16
AV	1.99986G	25.07	54.00	-28.93	-6.26	3	Vertical	164	1.13	"Worst"	31.33	26.20	4.70	37.16

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.99458G	36.34	74.00	-37.66	-6.29	3	Horizontal	250	1.03	-	42.63	26.18	4.69	37.16
AV	2.0079G	24.78	54.00	-29.22	-6.19	3	Horizontal	250	1.03	"Worst"	30.97	26.26	4.71	37.16