


802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	56.44	68.20	-11.76	49.52	3	Horizontal	293	2.97	-	33.90	5.15	32.13
PK	5.782G	112.12	Inf	-Inf	105.51	3	Horizontal	293	2.97	-	33.74	5.02	32.15
AV	5.788G	102.02	Inf	-Inf	95.44	3	Horizontal	293	2.97	-	33.72	5.01	32.15
PK	6.013G	57.50	68.20	-10.70	49.93	3	Horizontal	293	2.97	-	34.15	5.58	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5734G	52.77	74.00	-21.23	39.14	3	Vertical	131	1.07	-	39.22	7.65	33.24
AV	11.57398G	38.89	54.00	-15.11	25.26	3	Vertical	131	1.07	-	39.22	7.65	33.24

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56608G	52.29	74.00	-21.71	38.68	3	Horizontal	347	1.46	-	39.20	7.65	33.24
AV	11.57168G	38.83	54.00	-15.17	25.20	3	Horizontal	347	1.46	-	39.22	7.65	33.24

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	57.34	68.20	-10.86	50.53	3	Vertical	14	2.50	-	33.80	5.15	32.14
PK	5.828G	113.47	Inf	-Inf	106.78	3	Vertical	14	2.50	-	33.76	5.08	32.15
AV	5.822G	102.89	Inf	-Inf	96.23	3	Vertical	14	2.50	-	33.74	5.07	32.15
PK	5.932G	57.86	68.20	-10.34	50.56	3	Vertical	14	2.50	-	34.06	5.40	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	56.79	68.20	-11.41	49.86	3	Horizontal	279	2.94	-	33.88	5.19	32.14
PK	5.829G	113.38	Inf	-Inf	106.68	3	Horizontal	279	2.94	-	33.76	5.09	32.15
AV	5.826G	102.91	Inf	-Inf	96.23	3	Horizontal	279	2.94	-	33.75	5.08	32.15
PK	5.954G	57.92	68.20	-10.28	50.52	3	Horizontal	279	2.94	-	34.10	5.46	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64562G	52.38	74.00	-21.62	38.61	3	Vertical	344	1.54	-	39.35	7.68	33.26
AV	11.65196G	39.08	54.00	-14.92	25.31	3	Vertical	344	1.54	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64778G	51.74	74.00	-22.26	37.97	3	Horizontal	108	1.84	-	39.35	7.68	33.26
AV	11.64628G	38.90	54.00	-15.10	25.13	3	Horizontal	108	1.84	-	39.35	7.68	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	67.65	74.00	-6.35	61.30	3	Vertical	351	1.39	-	33.50	5.00	32.15
AV	5.15G	53.88	54.00	-0.12	47.53	3	Vertical	351	1.39	-	33.50	5.00	32.15
PK	5.1768G	112.54	Inf	-Inf	106.14	3	Vertical	351	1.39	-	33.50	5.05	32.15
AV	5.1784G	99.23	Inf	-Inf	92.82	3	Vertical	351	1.39	-	33.50	5.06	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.68	74.00	-6.32	61.33	3	Horizontal	277	1.80	-	33.50	5.00	32.15
AV	5.15G	52.95	54.00	-1.05	46.60	3	Horizontal	277	1.80	-	33.50	5.00	32.15
PK	5.1834G	112.44	Inf	-Inf	106.02	3	Horizontal	277	1.80	-	33.50	5.07	32.15
AV	5.1766G	99.03	Inf	-Inf	92.63	3	Horizontal	277	1.80	-	33.50	5.05	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5374G	52.30	74.00	-21.70	38.66	3	Vertical	215	2.21	-	37.79	9.04	33.19
AV	15.54488G	38.31	54.00	-15.69	24.70	3	Vertical	215	2.21	-	37.77	9.04	33.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53848G	52.00	74.00	-22.00	38.38	3	Horizontal	234	2.90	-	37.78	9.04	33.20
AV	15.53672G	38.25	54.00	-15.75	24.61	3	Horizontal	234	2.90	-	37.79	9.04	33.19

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
 Setting 23.5
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.95	74.00	-7.05	60.60	3	Vertical	311	2.03	-	33.50	5.00	32.15
AV	5.15G	51.29	54.00	-2.71	44.94	3	Vertical	311	2.03	-	33.50	5.00	32.15
PK	5.1976G	113.34	Inf	-Inf	106.89	3	Vertical	311	2.03	-	33.50	5.10	32.15
AV	5.2056G	100.55	Inf	-Inf	94.09	3	Vertical	311	2.03	-	33.51	5.10	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 23.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.67	74.00	-9.33	58.32	3	Horizontal	334	1.80	-	33.50	5.00	32.15
AV	5.15G	50.06	54.00	-3.94	43.71	3	Horizontal	334	1.80	-	33.50	5.00	32.15
PK	5.2064G	112.54	Inf	-Inf	106.08	3	Horizontal	334	1.80	-	33.51	5.10	32.15
AV	5.194G	99.86	Inf	-Inf	93.42	3	Horizontal	334	1.80	-	33.50	5.09	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60186G	51.68	74.00	-22.32	38.29	3	Vertical	276	2.51	-	37.60	9.06	33.27
AV	15.59692G	38.09	54.00	-15.91	24.68	3	Vertical	276	2.51	-	37.61	9.06	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59524G	51.65	74.00	-22.35	38.24	3	Horizontal	12	1.43	-	37.61	9.06	33.26
AV	15.59756G	38.11	54.00	-15.89	24.71	3	Horizontal	12	1.43	-	37.61	9.06	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.27	74.00	-16.73	50.92	3	Vertical	313	2.01	-	33.50	5.00	32.15
AV	5.1488G	44.02	54.00	-9.98	37.67	3	Vertical	313	2.01	-	33.50	5.00	32.15
PK	5.2376G	115.06	Inf	-Inf	108.55	3	Vertical	313	2.01	-	33.58	5.08	32.15
AV	5.2364G	102.45	Inf	-Inf	95.95	3	Vertical	313	2.01	-	33.57	5.08	32.15
PK	5.3678G	56.71	74.00	-17.29	50.09	3	Vertical	313	2.01	-	33.74	5.02	32.14
AV	5.351G	43.88	54.00	-10.12	37.30	3	Vertical	313	2.01	-	33.70	5.02	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	56.85	74.00	-17.15	50.51	3	Horizontal	280	1.96	-	33.50	4.99	32.15
AV	5.15G	44.08	54.00	-9.92	37.73	3	Horizontal	280	1.96	-	33.50	5.00	32.15
PK	5.2424G	114.74	Inf	-Inf	108.23	3	Horizontal	280	1.96	-	33.58	5.08	32.15
AV	5.2448G	101.87	Inf	-Inf	95.35	3	Horizontal	280	1.96	-	33.59	5.08	32.15
PK	5.3768G	56.72	74.00	-17.28	50.10	3	Horizontal	280	1.96	-	33.75	5.01	32.14
AV	5.3672G	43.83	54.00	-10.17	37.22	3	Horizontal	280	1.96	-	33.73	5.02	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7171G	51.98	74.00	-22.02	38.89	3	Vertical	355	2.24	-	37.40	9.10	33.41
AV	15.72282G	37.68	54.00	-16.32	24.59	3	Vertical	355	2.24	-	37.40	9.10	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71874G	51.29	74.00	-22.71	38.20	3	Horizontal	122	2.42	-	37.40	9.10	33.41
AV	15.71788G	37.71	54.00	-16.29	24.62	3	Horizontal	122	2.42	-	37.40	9.10	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	57.62	68.20	-10.58	50.79	3	Vertical	5	1.82	-	33.81	5.16	32.14
PK	5.751G	114.45	Inf	-Inf	107.75	3	Vertical	5	1.82	-	33.80	5.05	32.15
AV	5.743G	101.93	Inf	-Inf	95.22	3	Vertical	5	1.82	-	33.79	5.06	32.14
PK	5.984G	56.71	68.20	-11.49	49.22	3	Vertical	5	1.82	-	34.10	5.55	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	56.94	68.20	-11.26	50.01	3	Horizontal	278	2.88	-	33.90	5.16	32.13
PK	5.75G	112.36	Inf	-Inf	105.65	3	Horizontal	278	2.88	-	33.80	5.05	32.14
AV	5.749G	100.82	Inf	-Inf	94.11	3	Horizontal	278	2.88	-	33.80	5.05	32.14
PK	5.966G	56.98	68.20	-11.22	49.54	3	Horizontal	278	2.88	-	34.10	5.50	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48504G	52.14	74.00	-21.86	38.77	3	Vertical	43	1.22	-	38.97	7.62	33.22
AV	11.48506G	38.31	54.00	-15.69	24.94	3	Vertical	43	1.22	-	38.97	7.62	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48848G	52.66	74.00	-21.34	39.28	3	Horizontal	131	2.61	-	38.98	7.62	33.22
AV	11.48562G	38.15	54.00	-15.85	24.78	3	Horizontal	131	2.61	-	38.97	7.62	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	56.55	68.20	-11.65	49.74	3	Vertical	9	2.11	-	33.80	5.15	32.14
PK	5.787G	113.14	Inf	-Inf	106.55	3	Vertical	9	2.11	-	33.73	5.01	32.15
AV	5.788G	101.29	Inf	-Inf	94.71	3	Vertical	9	2.11	-	33.72	5.01	32.15
PK	5.965G	56.81	68.20	-11.39	49.38	3	Vertical	9	2.11	-	34.10	5.49	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	56.67	68.20	-11.53	49.81	3	Horizontal	268	2.97	-	33.83	5.17	32.14
PK	5.783G	113.24	Inf	-Inf	106.64	3	Horizontal	268	2.97	-	33.73	5.02	32.15
AV	5.782G	101.17	Inf	-Inf	94.56	3	Horizontal	268	2.97	-	33.74	5.02	32.15
PK	5.989G	57.40	68.20	-10.80	49.89	3	Horizontal	268	2.97	-	34.10	5.57	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56882G	52.13	74.00	-21.87	38.51	3	Vertical	26	1.84	-	39.21	7.65	33.24
AV	11.57418G	38.34	54.00	-15.66	24.71	3	Vertical	26	1.84	-	39.22	7.65	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5686G	52.36	74.00	-21.64	38.74	3	Horizontal	280	1.93	-	39.21	7.65	33.24
AV	11.57048G	38.35	54.00	-15.65	24.73	3	Horizontal	280	1.93	-	39.21	7.65	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	56.38	68.20	-11.82	49.53	3	Vertical	15	2.50	-	33.83	5.16	32.14
PK	5.82G	112.43	Inf	-Inf	105.78	3	Vertical	15	2.50	-	33.74	5.06	32.15
AV	5.827G	100.39	Inf	-Inf	93.71	3	Vertical	15	2.50	-	33.75	5.08	32.15
PK	6.014G	57.98	68.20	-10.22	50.40	3	Vertical	15	2.50	-	34.16	5.58	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	56.37	68.20	-11.83	49.45	3	Horizontal	267	2.93	-	33.87	5.19	32.14
PK	5.823G	113.51	Inf	-Inf	106.84	3	Horizontal	267	2.93	-	33.75	5.07	32.15
AV	5.822G	100.84	Inf	-Inf	94.18	3	Horizontal	267	2.93	-	33.74	5.07	32.15
PK	5.95G	57.42	68.20	-10.78	50.03	3	Horizontal	267	2.93	-	34.10	5.45	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6537G	52.43	74.00	-21.57	38.66	3	Vertical	216	2.04	-	39.35	7.68	33.26
AV	11.65066G	38.51	54.00	-15.49	24.74	3	Vertical	216	2.04	-	39.35	7.68	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6548G	51.94	74.00	-22.06	38.17	3	Horizontal	169	2.59	-	39.35	7.68	33.26
AV	11.65224G	38.46	54.00	-15.54	24.69	3	Horizontal	169	2.59	-	39.35	7.68	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.87	74.00	-8.13	59.52	3	Vertical	357	1.32	-	33.50	5.00	32.15
AV	5.15G	52.23	54.00	-1.77	45.88	3	Vertical	357	1.32	-	33.50	5.00	32.15
PK	5.1852G	106.98	Inf	-Inf	100.56	3	Vertical	357	1.32	-	33.50	5.07	32.15
AV	5.1868G	93.58	Inf	-Inf	87.16	3	Vertical	357	1.32	-	33.50	5.07	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.92	74.00	-9.08	58.57	3	Horizontal	294	2.61	-	33.50	5.00	32.15
AV	5.15G	51.38	54.00	-2.62	45.03	3	Horizontal	294	2.61	-	33.50	5.00	32.15
PK	5.1796G	106.44	Inf	-Inf	100.03	3	Horizontal	294	2.61	-	33.50	5.06	32.15
AV	5.1944G	94.41	Inf	-Inf	87.97	3	Horizontal	294	2.61	-	33.50	5.09	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57216G	52.34	74.00	-21.66	38.85	3	Vertical	65	2.22	-	37.68	9.05	33.24
AV	15.57418G	38.43	54.00	-15.57	24.94	3	Vertical	65	2.22	-	37.68	9.05	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57248G	52.18	74.00	-21.82	38.69	3	Horizontal	109	2.62	-	37.68	9.05	33.24
AV	15.57108G	38.52	54.00	-15.48	25.01	3	Horizontal	109	2.62	-	37.69	9.05	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	67.69	74.00	-6.31	61.35	3	Vertical	310	2.00	-	33.50	4.99	32.15
AV	5.15G	53.53	54.00	-0.47	47.18	3	Vertical	310	2.00	-	33.50	5.00	32.15
PK	5.2462G	111.74	Inf	-Inf	105.22	3	Vertical	310	2.00	-	33.59	5.08	32.15
AV	5.2366G	99.12	Inf	-Inf	92.62	3	Vertical	310	2.00	-	33.57	5.08	32.15
PK	5.353G	62.39	74.00	-11.61	55.80	3	Vertical	310	2.00	-	33.71	5.02	32.14
AV	5.3506G	49.37	54.00	-4.63	42.79	3	Vertical	310	2.00	-	33.70	5.02	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_V_1TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.53	74.00	-6.47	61.18	3	Horizontal	276	1.97	-	33.50	5.00	32.15
AV	5.15G	53.57	54.00	-0.43	47.22	3	Horizontal	276	1.97	-	33.50	5.00	32.15
PK	5.2402G	111.78	Inf	-Inf	105.27	3	Horizontal	276	1.97	-	33.58	5.08	32.15
AV	5.2354G	98.68	Inf	-Inf	92.18	3	Horizontal	276	1.97	-	33.57	5.08	32.15
PK	5.365G	62.69	74.00	-11.31	56.08	3	Horizontal	276	1.97	-	33.73	5.02	32.14
AV	5.3506G	48.88	54.00	-5.12	42.30	3	Horizontal	276	1.97	-	33.70	5.02	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69044G	52.12	74.00	-21.88	38.98	3	Vertical	14	1.91	-	37.42	9.09	33.37
AV	15.68848G	38.01	54.00	-15.99	24.87	3	Vertical	14	1.91	-	37.42	9.09	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68666G	51.50	74.00	-22.50	38.35	3	Horizontal	302	1.46	-	37.43	9.09	33.37
AV	15.69046G	38.01	54.00	-15.99	24.87	3	Horizontal	302	1.46	-	37.42	9.09	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 24.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.51	68.20	-0.69	60.68	3	Vertical	13	2.44	-	33.81	5.16	32.14
PK	5.754G	112.48	Inf	-Inf	105.79	3	Vertical	13	2.44	-	33.79	5.05	32.15
AV	5.751G	99.78	Inf	-Inf	93.08	3	Vertical	13	2.44	-	33.80	5.05	32.15
PK	5.951G	58.30	68.20	-9.90	50.91	3	Vertical	13	2.44	-	34.10	5.45	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 24.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	68.18	68.20	-0.02	61.34	3	Horizontal	279	1.80	-	33.82	5.16	32.14
PK	5.764G	111.16	Inf	-Inf	104.50	3	Horizontal	279	1.80	-	33.77	5.04	32.15
AV	5.76G	98.76	Inf	-Inf	92.09	3	Horizontal	279	1.80	-	33.78	5.04	32.15
PK	5.936G	58.39	68.20	-9.81	51.07	3	Horizontal	279	1.80	-	34.07	5.41	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 24.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5148G	52.55	74.00	-21.45	39.10	3	Vertical	61	1.08	-	39.04	7.63	33.22
AV	11.50616G	38.35	54.00	-15.65	24.92	3	Vertical	61	1.08	-	39.02	7.63	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 24.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50674G	52.00	74.00	-22.00	38.57	3	Horizontal	304	2.29	-	39.02	7.63	33.22
AV	11.51226G	38.28	54.00	-15.72	24.83	3	Horizontal	304	2.29	-	39.04	7.63	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	61.74	71.16	-9.42	54.94	3	Vertical	13	2.22	-	33.79	5.15	32.14
PK	5.8G	111.41	Inf	-Inf	104.86	3	Vertical	13	2.22	-	33.70	5.00	32.15
AV	5.792G	98.71	Inf	-Inf	92.13	3	Vertical	13	2.22	-	33.72	5.01	32.15
PK	5.925G	63.30	68.20	-4.90	56.03	3	Vertical	13	2.22	-	34.05	5.38	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.12	68.20	-10.08	51.28	3	Horizontal	281	2.98	-	33.82	5.16	32.14
PK	5.794G	110.80	Inf	-Inf	104.23	3	Horizontal	281	2.98	-	33.71	5.01	32.15
AV	5.798G	98.16	Inf	-Inf	91.61	3	Horizontal	281	2.98	-	33.70	5.00	32.15
PK	5.924G	64.58	68.94	-4.36	57.32	3	Horizontal	281	2.98	-	34.05	5.37	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.591G	52.53	74.00	-21.47	38.84	3	Vertical	14	2.83	-	39.27	7.66	33.24
AV	11.585G	38.62	54.00	-15.38	24.96	3	Vertical	14	2.83	-	39.25	7.65	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 25
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59106G	52.80	74.00	-21.20	39.11	3	Horizontal	96	2.55	-	39.27	7.66	33.24
AV	11.586G	38.56	54.00	-15.44	24.88	3	Horizontal	96	2.55	-	39.26	7.66	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 19.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	66.17	74.00	-7.83	59.84	3	Vertical	309	2.01	-	33.50	4.98	32.15
AV	5.15G	53.09	54.00	-0.91	46.74	3	Vertical	309	2.01	-	33.50	5.00	32.15
PK	5.233G	105.76	Inf	-Inf	99.26	3	Vertical	309	2.01	-	33.57	5.08	32.15
AV	5.233G	91.30	Inf	-Inf	84.80	3	Vertical	309	2.01	-	33.57	5.08	32.15
PK	5.362G	58.48	74.00	-15.52	51.88	3	Vertical	309	2.01	-	33.72	5.02	32.14
AV	5.35G	45.06	54.00	-8.94	38.47	3	Vertical	309	2.01	-	33.70	5.03	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 19.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.76	74.00	-6.24	61.41	3	Horizontal	338	1.99	-	33.50	5.00	32.15
AV	5.15G	52.53	54.00	-1.47	46.18	3	Horizontal	338	1.99	-	33.50	5.00	32.15
PK	5.221G	102.96	Inf	-Inf	96.48	3	Horizontal	338	1.99	-	33.54	5.09	32.15
AV	5.216G	91.00	Inf	-Inf	84.53	3	Horizontal	338	1.99	-	33.53	5.09	32.15
PK	5.352G	57.15	74.00	-16.85	50.57	3	Horizontal	338	1.99	-	33.70	5.02	32.14
AV	5.35G	44.65	54.00	-9.35	38.06	3	Horizontal	338	1.99	-	33.70	5.03	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 19.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62972G	52.39	74.00	-21.61	39.08	3	Vertical	147	1.68	-	37.54	9.07	33.30
AV	15.63456G	38.29	54.00	-15.71	25.00	3	Vertical	147	1.68	-	37.53	9.07	33.31

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 19.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63408G	53.02	74.00	-20.98	39.73	3	Horizontal	1	2.82	-	37.53	9.07	33.31
AV	15.6313G	38.34	54.00	-15.66	25.03	3	Horizontal	1	2.82	-	37.54	9.07	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.30	68.20	-0.90	60.49	3	Vertical	13	2.46	-	33.80	5.15	32.14
PK	5.768G	107.75	Inf	-Inf	101.11	3	Vertical	13	2.46	-	33.76	5.03	32.15
AV	5.768G	95.25	Inf	-Inf	88.61	3	Vertical	13	2.46	-	33.76	5.03	32.15
PK	5.925G	64.05	68.20	-4.15	56.78	3	Vertical	13	2.46	-	34.05	5.38	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	65.12	68.20	-3.08	58.28	3	Horizontal	282	2.98	-	33.82	5.16	32.14
PK	5.786G	106.55	Inf	-Inf	99.96	3	Horizontal	282	2.98	-	33.73	5.01	32.15
AV	5.781G	94.05	Inf	-Inf	87.44	3	Horizontal	282	2.98	-	33.74	5.02	32.15
PK	5.926G	65.29	68.20	-2.91	58.02	3	Horizontal	282	2.98	-	34.05	5.38	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54506G	52.52	74.00	-21.48	38.97	3	Vertical	15	2.41	-	39.14	7.64	33.23
AV	11.55218G	38.47	54.00	-15.53	24.90	3	Vertical	15	2.41	-	39.16	7.64	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT V_1TX
Setting 23
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54692G	52.31	74.00	-21.69	38.76	3	Horizontal	284	1.95	-	39.14	7.64	33.23
AV	11.5521G	38.35	54.00	-15.65	24.78	3	Horizontal	284	1.95	-	39.16	7.64	33.23



RSE TX above 1GHz
<Radio 1: Ant. 1 + Ant. 2> 2TX / For Non-beamforming


Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.646G	67.79	68.20	-0.41	3	Vertical	346	2.81	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 21
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.64	74.00	-7.36	60.29	3	Vertical	340	1.75	-	33.50	5.00	32.15
AV	5.1492G	53.17	54.00	-0.83	46.82	3	Vertical	340	1.75	-	33.50	5.00	32.15
PK	5.1796G	113.38	Inf	-Inf	106.97	3	Vertical	340	1.75	-	33.50	5.06	32.15
AV	5.1792G	103.60	Inf	-Inf	97.19	3	Vertical	340	1.75	-	33.50	5.06	32.15

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 21
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.66	74.00	-9.34	58.31	3	Horizontal	14	2.08	-	33.50	5.00	32.15
AV	5.1492G	51.71	54.00	-2.29	45.36	3	Horizontal	14	2.08	-	33.50	5.00	32.15
PK	5.184G	113.41	Inf	-Inf	106.99	3	Horizontal	14	2.08	-	33.50	5.07	32.15
AV	5.1792G	103.32	Inf	-Inf	96.91	3	Horizontal	14	2.08	-	33.50	5.06	32.15

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 21
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52888G	51.83	74.00	-22.17	38.16	3	Vertical	247	1.80	-	37.81	9.04	33.18
AV	15.54336G	38.35	54.00	-15.65	24.74	3	Vertical	247	1.80	-	37.77	9.04	33.20

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 21
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54064G	51.85	74.00	-22.15	38.23	3	Horizontal	53	1.80	-	37.78	9.04	33.20
AV	15.53728G	38.34	54.00	-15.66	24.70	3	Horizontal	53	1.80	-	37.79	9.04	33.19

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 23.5
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.67	74.00	-6.33	61.32	3	Vertical	342	1.63	-	33.50	5.00	32.15
AV	5.15G	53.53	54.00	-0.47	47.18	3	Vertical	342	1.63	-	33.50	5.00	32.15
PK	5.1968G	117.41	Inf	-Inf	110.97	3	Vertical	342	1.63	-	33.50	5.09	32.15
AV	5.1968G	106.36	Inf	-Inf	99.92	3	Vertical	342	1.63	-	33.50	5.09	32.15

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
 Setting 23.5
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.20	74.00	-6.80	60.85	3	Horizontal	338	1.80	-	33.50	5.00	32.15
AV	5.1484G	51.81	54.00	-2.19	45.46	3	Horizontal	338	1.80	-	33.50	5.00	32.15
PK	5.1936G	115.84	Inf	-Inf	109.40	3	Horizontal	338	1.80	-	33.50	5.09	32.15
AV	5.2032G	105.35	Inf	-Inf	98.89	3	Horizontal	338	1.80	-	33.51	5.10	32.15

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 23.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60864G	51.45	74.00	-22.55	38.09	3	Vertical	139	1.58	-	37.58	9.06	33.28
AV	15.58824G	38.38	54.00	-15.62	24.93	3	Vertical	139	1.58	-	37.64	9.06	33.25

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 23.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58584G	51.36	74.00	-22.64	37.91	3	Horizontal	83	1.80	-	37.64	9.06	33.25
AV	15.58376G	38.30	54.00	-15.70	24.85	3	Horizontal	83	1.80	-	37.65	9.05	33.25

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.16	74.00	-15.84	51.81	3	Vertical	328	1.89	-	33.50	5.00	32.15
AV	5.1476G	44.68	54.00	-9.32	38.33	3	Vertical	328	1.89	-	33.50	5.00	32.15
PK	5.243G	117.62	Inf	-Inf	111.10	3	Vertical	328	1.89	-	33.59	5.08	32.15
AV	5.243G	107.46	Inf	-Inf	100.94	3	Vertical	328	1.89	-	33.59	5.08	32.15
PK	5.3882G	56.49	74.00	-17.51	49.84	3	Vertical	328	1.89	-	33.78	5.01	32.14
AV	5.3648G	44.25	54.00	-9.75	37.64	3	Vertical	328	1.89	-	33.73	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1038G	56.90	74.00	-17.10	50.64	3	Horizontal	14	1.96	-	33.50	4.91	32.15
AV	5.1488G	44.52	54.00	-9.48	38.17	3	Horizontal	14	1.96	-	33.50	5.00	32.15
PK	5.234G	116.90	Inf	-Inf	110.40	3	Horizontal	14	1.96	-	33.57	5.08	32.15
AV	5.2388G	106.64	Inf	-Inf	100.13	3	Horizontal	14	1.96	-	33.58	5.08	32.15
PK	5.3588G	56.25	74.00	-17.75	49.65	3	Horizontal	14	1.96	-	33.72	5.02	32.14
AV	5.3762G	44.29	54.00	-9.71	37.67	3	Horizontal	14	1.96	-	33.75	5.01	32.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71496G	51.05	74.00	-22.95	37.95	3	Vertical	239	2.97	-	37.40	9.10	33.40
AV	15.71304G	37.90	54.00	-16.10	24.80	3	Vertical	239	2.97	-	37.40	9.10	33.40

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.722G	50.96	74.00	-23.04	37.87	3	Horizontal	360	2.34	-	37.40	9.10	33.41
AV	15.72432G	38.15	54.00	-15.85	25.06	3	Horizontal	360	2.34	-	37.40	9.10	33.41

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	57.31	68.20	-10.89	50.48	3	Vertical	347	1.76	-	33.81	5.16	32.14
PK	5.746G	116.55	Inf	-Inf	109.85	3	Vertical	347	1.76	-	33.79	5.05	32.14
AV	5.746G	106.18	Inf	-Inf	99.48	3	Vertical	347	1.76	-	33.79	5.05	32.14
PK	5.993G	57.53	68.20	-10.67	50.01	3	Vertical	347	1.76	-	34.10	5.58	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	57.24	68.20	-10.96	50.29	3	Horizontal	20	2.71	-	33.90	5.19	32.14
PK	5.746G	116.00	Inf	-Inf	109.30	3	Horizontal	20	2.71	-	33.79	5.05	32.14
AV	5.746G	105.76	Inf	-Inf	99.06	3	Horizontal	20	2.71	-	33.79	5.05	32.14
PK	5.939G	57.35	68.20	-10.85	50.01	3	Horizontal	20	2.71	-	34.08	5.42	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49352G	51.73	74.00	-22.27	38.34	3	Vertical	360	1.28	-	38.99	7.62	33.22
AV	11.48912G	38.45	54.00	-15.55	25.07	3	Vertical	360	1.28	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48832G	52.14	74.00	-21.86	38.76	3	Horizontal	6	1.45	-	38.98	7.62	33.22
AV	11.48856G	38.64	54.00	-15.36	25.26	3	Horizontal	6	1.45	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	56.85	68.20	-11.35	49.92	3	Vertical	0	2.12	-	33.88	5.19	32.14
PK	5.788G	115.97	Inf	-Inf	109.39	3	Vertical	0	2.12	-	33.72	5.01	32.15
AV	5.788G	105.53	Inf	-Inf	98.95	3	Vertical	0	2.12	-	33.72	5.01	32.15
PK	5.949G	57.73	68.20	-10.47	50.34	3	Vertical	0	2.12	-	34.10	5.45	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	57.55	68.20	-10.65	50.59	3	Horizontal	18	2.81	-	33.90	5.20	32.14
PK	5.781G	116.15	Inf	-Inf	109.54	3	Horizontal	18	2.81	-	33.74	5.02	32.15
AV	5.781G	105.52	Inf	-Inf	98.91	3	Horizontal	18	2.81	-	33.74	5.02	32.15
PK	5.989G	57.26	68.20	-10.94	49.75	3	Horizontal	18	2.81	-	34.10	5.57	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57048G	52.18	74.00	-21.82	38.56	3	Vertical	360	1.80	-	39.21	7.65	33.24
AV	11.57176G	39.16	54.00	-14.84	25.53	3	Vertical	360	1.80	-	39.22	7.65	33.24

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58976G	52.19	74.00	-21.81	38.50	3	Horizontal	14	1.79	-	39.27	7.66	33.24
AV	11.56936G	38.99	54.00	-15.01	25.37	3	Horizontal	14	1.79	-	39.21	7.65	33.24

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	56.77	68.20	-11.43	49.91	3	Vertical	2	2.20	-	33.83	5.17	32.14
PK	5.823G	114.70	Inf	-Inf	108.03	3	Vertical	2	2.20	-	33.75	5.07	32.15
AV	5.828G	104.70	Inf	-Inf	98.01	3	Vertical	2	2.20	-	33.76	5.08	32.15
PK	5.965G	57.96	68.20	-10.24	50.53	3	Vertical	2	2.20	-	34.10	5.49	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.88	68.20	-10.32	51.04	3	Horizontal	22	1.67	-	33.82	5.16	32.14
PK	5.822G	115.09	Inf	-Inf	108.43	3	Horizontal	22	1.67	-	33.74	5.07	32.15
AV	5.826G	104.96	Inf	-Inf	98.28	3	Horizontal	22	1.67	-	33.75	5.08	32.15
PK	6.047G	58.08	68.20	-10.12	50.42	3	Horizontal	22	1.67	-	34.29	5.53	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64664G	52.72	74.00	-21.28	38.95	3	Vertical	1	1.80	-	39.35	7.68	33.26
AV	11.64968G	40.08	54.00	-13.92	26.31	3	Vertical	1	1.80	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64792G	52.90	74.00	-21.10	39.13	3	Horizontal	76	2.02	-	39.35	7.68	33.26
AV	11.65008G	39.75	54.00	-14.25	25.98	3	Horizontal	76	2.02	-	39.35	7.68	33.26

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.30	74.00	-5.70	61.95	3	Vertical	347	1.39	-	33.50	5.00	32.15
AV	5.1492G	52.21	54.00	-1.79	45.86	3	Vertical	347	1.39	-	33.50	5.00	32.15
PK	5.1788G	115.18	Inf	-Inf	108.77	3	Vertical	347	1.39	-	33.50	5.06	32.15
AV	5.1784G	102.80	Inf	-Inf	96.39	3	Vertical	347	1.39	-	33.50	5.06	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.61	74.00	-9.39	58.26	3	Horizontal	14	2.11	-	33.50	5.00	32.15
AV	5.1488G	50.24	54.00	-3.76	43.89	3	Horizontal	14	2.11	-	33.50	5.00	32.15
PK	5.1772G	114.11	Inf	-Inf	107.71	3	Horizontal	14	2.11	-	33.50	5.05	32.15
AV	5.1784G	101.78	Inf	-Inf	95.37	3	Horizontal	14	2.11	-	33.50	5.06	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54592G	51.78	74.00	-22.22	38.18	3	Vertical	263	1.12	-	37.76	9.04	33.20
AV	15.5208G	37.91	54.00	-16.09	24.21	3	Vertical	263	1.12	-	37.84	9.03	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52256G	51.21	74.00	-22.79	37.53	3	Horizontal	133	1.27	-	37.83	9.03	33.18
AV	15.52224G	37.91	54.00	-16.09	24.23	3	Horizontal	133	1.27	-	37.83	9.03	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 23
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.60	74.00	-11.40	56.25	3	Vertical	345	1.18	-	33.50	5.00	32.15
AV	5.15G	49.16	54.00	-4.84	42.81	3	Vertical	345	1.18	-	33.50	5.00	32.15
PK	5.204G	117.50	Inf	-Inf	111.04	3	Vertical	345	1.18	-	33.51	5.10	32.15
AV	5.2032G	104.49	Inf	-Inf	98.03	3	Vertical	345	1.18	-	33.51	5.10	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
 Setting 23
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.53	74.00	-12.47	55.18	3	Horizontal	340	2.34	-	33.50	5.00	32.15
AV	5.1488G	47.48	54.00	-6.52	41.13	3	Horizontal	340	2.34	-	33.50	5.00	32.15
PK	5.1984G	117.26	Inf	-Inf	110.81	3	Horizontal	340	2.34	-	33.50	5.10	32.15
AV	5.1984G	103.51	Inf	-Inf	97.06	3	Horizontal	340	2.34	-	33.50	5.10	32.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
 Setting 23
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5892G	51.10	74.00	-22.90	37.67	3	Vertical	87	1.47	-	37.63	9.06	33.26
AV	15.58384G	37.82	54.00	-16.18	24.37	3	Vertical	87	1.47	-	37.65	9.05	33.25

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 23
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61896G	51.13	74.00	-22.87	37.79	3	Horizontal	58	2.09	-	37.56	9.07	33.29
AV	15.58392G	37.87	54.00	-16.13	24.42	3	Horizontal	58	2.09	-	37.65	9.05	33.25

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	56.77	74.00	-17.23	50.43	3	Vertical	325	1.80	-	33.50	4.99	32.15
AV	5.147G	44.61	54.00	-9.39	38.27	3	Vertical	325	1.80	-	33.50	4.99	32.15
PK	5.2466G	118.40	Inf	-Inf	111.88	3	Vertical	325	1.80	-	33.59	5.08	32.15
AV	5.2454G	105.86	Inf	-Inf	99.34	3	Vertical	325	1.80	-	33.59	5.08	32.15
PK	5.351G	57.16	74.00	-16.84	50.58	3	Vertical	325	1.80	-	33.70	5.02	32.14
AV	5.3762G	43.86	54.00	-10.14	37.24	3	Vertical	325	1.80	-	33.75	5.01	32.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 25
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.99	74.00	-17.01	50.64	3	Horizontal	16	2.14	-	33.50	5.00	32.15
AV	5.1482G	44.66	54.00	-9.34	38.31	3	Horizontal	16	2.14	-	33.50	5.00	32.15
PK	5.2394G	118.67	Inf	-Inf	112.16	3	Horizontal	16	2.14	-	33.58	5.08	32.15
AV	5.2388G	105.92	Inf	-Inf	99.41	3	Horizontal	16	2.14	-	33.58	5.08	32.15
PK	5.3546G	56.49	74.00	-17.51	49.90	3	Horizontal	16	2.14	-	33.71	5.02	32.14
AV	5.3504G	43.91	54.00	-10.09	37.33	3	Horizontal	16	2.14	-	33.70	5.02	32.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71128G	51.20	74.00	-22.80	38.10	3	Vertical	75	2.48	-	37.40	9.10	33.40
AV	15.72736G	37.42	54.00	-16.58	24.34	3	Vertical	75	2.48	-	37.40	9.10	33.42

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72608G	50.88	74.00	-23.12	37.80	3	Horizontal	133	1.28	-	37.40	9.10	33.42
AV	15.7392G	37.47	54.00	-16.53	24.39	3	Horizontal	133	1.28	-	37.40	9.11	33.43

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	57.89	68.20	-10.31	51.08	3	Vertical	346	1.76	-	33.80	5.15	32.14
PK	5.748G	116.46	Inf	-Inf	109.75	3	Vertical	346	1.76	-	33.80	5.05	32.14
AV	5.747G	104.55	Inf	-Inf	97.85	3	Vertical	346	1.76	-	33.79	5.05	32.14
PK	5.988G	57.13	68.20	-11.07	49.63	3	Vertical	346	1.76	-	34.10	5.56	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	57.55	68.20	-10.65	50.62	3	Horizontal	351	2.73	-	33.90	5.16	32.13
PK	5.751G	117.27	Inf	-Inf	110.57	3	Horizontal	351	2.73	-	33.80	5.05	32.15
AV	5.742G	104.86	Inf	-Inf	98.16	3	Horizontal	351	2.73	-	33.78	5.06	32.14
PK	5.977G	58.31	68.20	-9.89	50.84	3	Horizontal	351	2.73	-	34.10	5.53	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5004G	51.86	74.00	-22.14	38.45	3	Vertical	123	2.60	-	39.00	7.63	33.22
AV	11.49184G	37.73	54.00	-16.27	24.35	3	Vertical	123	2.60	-	38.98	7.62	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47888G	50.76	74.00	-23.24	37.40	3	Horizontal	291	1.47	-	38.96	7.62	33.22
AV	11.47472G	37.78	54.00	-16.22	24.43	3	Horizontal	291	1.47	-	38.95	7.62	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	57.20	68.20	-11.00	50.25	3	Vertical	1	2.22	-	33.90	5.19	32.14
PK	5.791G	115.85	Inf	-Inf	109.27	3	Vertical	1	2.22	-	33.72	5.01	32.15
AV	5.791G	103.42	Inf	-Inf	96.84	3	Vertical	1	2.22	-	33.72	5.01	32.15
PK	5.939G	57.81	68.20	-10.39	50.47	3	Vertical	1	2.22	-	34.08	5.42	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	57.52	68.20	-10.68	50.57	3	Horizontal	22	1.60	-	33.90	5.19	32.14
PK	5.787G	116.15	Inf	-Inf	109.56	3	Horizontal	22	1.60	-	33.73	5.01	32.15
AV	5.787G	103.36	Inf	-Inf	96.77	3	Horizontal	22	1.60	-	33.73	5.01	32.15
PK	5.95G	57.53	68.20	-10.67	50.14	3	Horizontal	22	1.60	-	34.10	5.45	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58224G	51.80	74.00	-22.20	38.14	3	Vertical	290	2.00	-	39.25	7.65	33.24
AV	11.58656G	38.13	54.00	-15.87	24.45	3	Vertical	290	2.00	-	39.26	7.66	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5664G	51.83	74.00	-22.17	38.22	3	Horizontal	339	2.27	-	39.20	7.65	33.24
AV	11.57168G	38.16	54.00	-15.84	24.53	3	Horizontal	339	2.27	-	39.22	7.65	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	57.01	68.20	-11.19	50.05	3	Vertical	57	1.89	-	33.90	5.20	32.14
PK	5.824G	114.41	Inf	-Inf	107.74	3	Vertical	57	1.89	-	33.75	5.07	32.15
AV	5.822G	102.93	Inf	-Inf	96.27	3	Vertical	57	1.89	-	33.74	5.07	32.15
PK	5.932G	57.91	68.20	-10.29	50.61	3	Vertical	57	1.89	-	34.06	5.40	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.14	68.20	-11.06	50.30	3	Horizontal	19	1.66	-	33.82	5.16	32.14
PK	5.822G	115.80	Inf	-Inf	109.14	3	Horizontal	19	1.66	-	33.74	5.07	32.15
AV	5.822G	103.51	Inf	-Inf	96.85	3	Horizontal	19	1.66	-	33.74	5.07	32.15
PK	5.999G	57.68	68.20	-10.52	50.14	3	Horizontal	19	1.66	-	34.10	5.60	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66536G	52.76	74.00	-21.24	38.97	3	Vertical	3	1.25	-	39.37	7.68	33.26
AV	11.64344G	38.32	54.00	-15.68	24.56	3	Vertical	3	1.25	-	39.34	7.68	33.26

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63776G	51.46	74.00	-22.54	37.71	3	Horizontal	116	1.08	-	39.34	7.67	33.26
AV	11.6568G	38.45	54.00	-15.55	24.67	3	Horizontal	116	1.08	-	39.36	7.68	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
 Setting 20
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.68	74.00	-3.32	64.33	3	Vertical	338	1.82	-	33.50	5.00	32.15
AV	5.1484G	53.31	54.00	-0.69	46.96	3	Vertical	338	1.82	-	33.50	5.00	32.15
PK	5.1888G	111.84	Inf	-Inf	105.41	3	Vertical	338	1.82	-	33.50	5.08	32.15
AV	5.1884G	99.01	Inf	-Inf	92.58	3	Vertical	338	1.82	-	33.50	5.08	32.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
 Setting 20
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.17	74.00	-3.83	63.82	3	Horizontal	338	1.78	-	33.50	5.00	32.15
AV	5.15G	52.45	54.00	-1.55	46.10	3	Horizontal	338	1.78	-	33.50	5.00	32.15
PK	5.1824G	110.72	Inf	-Inf	104.31	3	Horizontal	338	1.78	-	33.50	5.06	32.15
AV	5.192G	98.06	Inf	-Inf	91.63	3	Horizontal	338	1.78	-	33.50	5.08	32.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
 Setting 20
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56048G	51.34	74.00	-22.66	37.79	3	Vertical	219	2.20	-	37.72	9.05	33.22
AV	15.56648G	37.99	54.00	-16.01	24.47	3	Vertical	219	2.20	-	37.70	9.05	33.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
 Setting 20
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56872G	51.20	74.00	-22.80	37.69	3	Horizontal	221	2.29	-	37.69	9.05	33.23
AV	15.57248G	37.86	54.00	-16.14	24.37	3	Horizontal	221	2.29	-	37.68	9.05	33.24

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
 Setting 22
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.52	74.00	-8.48	59.17	3	Vertical	344	1.60	-	33.50	5.00	32.15
AV	5.149G	51.24	54.00	-2.76	44.89	3	Vertical	344	1.60	-	33.50	5.00	32.15
PK	5.2282G	112.99	Inf	-Inf	106.49	3	Vertical	344	1.60	-	33.56	5.09	32.15
AV	5.2288G	100.99	Inf	-Inf	94.49	3	Vertical	344	1.60	-	33.56	5.09	32.15
PK	5.3512G	57.15	74.00	-16.85	50.57	3	Vertical	344	1.60	-	33.70	5.02	32.14
AV	5.35G	44.43	54.00	-9.57	37.84	3	Vertical	344	1.60	-	33.70	5.03	32.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
 Setting 22
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.92	74.00	-10.08	57.58	3	Horizontal	11	1.95	-	33.50	4.99	32.15
AV	5.1478G	49.91	54.00	-4.09	43.56	3	Horizontal	11	1.95	-	33.50	5.00	32.15
PK	5.2282G	113.39	Inf	-Inf	106.89	3	Horizontal	11	1.95	-	33.56	5.09	32.15
AV	5.2384G	100.64	Inf	-Inf	94.13	3	Horizontal	11	1.95	-	33.58	5.08	32.15
PK	5.3578G	56.80	74.00	-17.20	50.20	3	Horizontal	11	1.95	-	33.72	5.02	32.14
AV	5.3764G	45.04	54.00	-8.96	38.42	3	Horizontal	11	1.95	-	33.75	5.01	32.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
 Setting 22
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69392G	50.48	74.00	-23.52	37.36	3	Vertical	297	2.27	-	37.41	9.09	33.38
AV	15.67288G	37.47	54.00	-16.53	24.28	3	Vertical	297	2.27	-	37.45	9.09	33.35

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
 Setting 22
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68672G	51.42	74.00	-22.58	38.27	3	Horizontal	298	1.34	-	37.43	9.09	33.37
AV	15.68G	37.40	54.00	-16.60	24.23	3	Horizontal	298	1.34	-	37.44	9.09	33.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
 Setting 23
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	69.00	71.16	-2.16	62.20	3	Vertical	346	1.76	-	33.79	5.15	32.14
PK	5.758G	113.35	Inf	-Inf	106.68	3	Vertical	346	1.76	-	33.78	5.04	32.15
AV	5.757G	101.16	Inf	-Inf	94.48	3	Vertical	346	1.76	-	33.79	5.04	32.15
PK	5.979G	58.32	68.20	-9.88	50.84	3	Vertical	346	1.76	-	34.10	5.54	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
 Setting 23
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.65	68.20	-0.55	60.82	3	Horizontal	15	1.50	-	33.81	5.16	32.14
PK	5.756G	115.37	Inf	-Inf	108.69	3	Horizontal	15	1.50	-	33.79	5.04	32.15
AV	5.756G	101.32	Inf	-Inf	94.64	3	Horizontal	15	1.50	-	33.79	5.04	32.15
PK	5.936G	57.94	68.20	-10.26	50.62	3	Horizontal	15	1.50	-	34.07	5.41	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
 Setting 23
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5036G	50.70	74.00	-23.30	37.28	3	Vertical	121	1.97	-	39.01	7.63	33.22
AV	11.50264G	37.68	54.00	-16.32	24.26	3	Vertical	121	1.97	-	39.01	7.63	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
 Setting 23
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52392G	51.16	74.00	-22.84	37.69	3	Horizontal	124	1.29	-	39.07	7.63	33.23
AV	11.50624G	37.64	54.00	-16.36	24.21	3	Horizontal	124	1.29	-	39.02	7.63	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.90	68.20	-8.30	53.08	3	Vertical	349	1.72	-	33.81	5.15	32.14
PK	5.796G	113.14	Inf	-Inf	106.58	3	Vertical	349	1.72	-	33.71	5.00	32.15
AV	5.787G	100.44	Inf	-Inf	93.85	3	Vertical	349	1.72	-	33.73	5.01	32.15
PK	5.928G	63.83	68.20	-4.37	56.55	3	Vertical	349	1.72	-	34.06	5.38	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 25
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.84	68.20	-7.36	54.02	3	Horizontal	16	2.38	-	33.81	5.15	32.14
PK	5.787G	114.14	Inf	-Inf	107.55	3	Horizontal	16	2.38	-	33.73	5.01	32.15
AV	5.797G	100.72	Inf	-Inf	94.16	3	Horizontal	16	2.38	-	33.71	5.00	32.15
PK	5.928G	62.77	68.20	-5.43	55.49	3	Horizontal	16	2.38	-	34.06	5.38	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59296G	51.76	74.00	-22.24	38.06	3	Vertical	252	1.89	-	39.28	7.66	33.24
AV	11.60768G	38.21	54.00	-15.79	24.49	3	Vertical	252	1.89	-	39.31	7.66	33.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
 Setting 25
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60808G	51.73	74.00	-22.27	38.01	3	Horizontal	172	2.10	-	39.31	7.66	33.25
AV	11.60432G	38.22	54.00	-15.78	24.51	3	Horizontal	172	2.10	-	39.30	7.66	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
 Setting 19.5
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	69.86	74.00	-4.14	63.53	3	Vertical	344	1.01	-	33.50	4.98	32.15
AV	5.1428G	50.96	54.00	-3.04	44.62	3	Vertical	344	1.01	-	33.50	4.99	32.15
PK	5.1924G	106.73	Inf	-Inf	100.30	3	Vertical	344	1.01	-	33.50	5.08	32.15
AV	5.214G	94.67	Inf	-Inf	88.20	3	Vertical	344	1.01	-	33.53	5.09	32.15
PK	5.3524G	62.47	74.00	-11.53	55.89	3	Vertical	344	1.01	-	33.70	5.02	32.14
AV	5.3532G	46.57	54.00	-7.43	39.98	3	Vertical	344	1.01	-	33.71	5.02	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
 Setting 19.5
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	71.36	74.00	-2.64	65.02	3	Horizontal	337	1.78	-	33.50	4.99	32.15
AV	5.1452G	50.90	54.00	-3.10	44.56	3	Horizontal	337	1.78	-	33.50	4.99	32.15
PK	5.2068G	107.78	Inf	-Inf	101.32	3	Horizontal	337	1.78	-	33.51	5.10	32.15
AV	5.2164G	94.33	Inf	-Inf	87.86	3	Horizontal	337	1.78	-	33.53	5.09	32.15
PK	5.3676G	64.11	74.00	-9.89	57.49	3	Horizontal	337	1.78	-	33.74	5.02	32.14
AV	5.35G	46.42	54.00	-7.58	39.83	3	Horizontal	337	1.78	-	33.70	5.03	32.14

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
 Setting 19.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64576G	50.85	74.00	-23.15	37.58	3	Vertical	102	1.15	-	37.51	9.08	33.32
AV	15.61896G	37.75	54.00	-16.25	24.41	3	Vertical	102	1.15	-	37.56	9.07	33.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
 Setting 19.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64872G	50.81	74.00	-23.19	37.56	3	Horizontal	159	2.02	-	37.50	9.08	33.33
AV	15.61616G	37.71	54.00	-16.29	24.36	3	Horizontal	159	2.02	-	37.57	9.07	33.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.79	68.20	-0.41	60.97	3	Vertical	346	2.81	-	33.81	5.15	32.14
PK	5.766G	111.09	Inf	-Inf	104.44	3	Vertical	346	2.81	-	33.77	5.03	32.15
AV	5.767G	97.58	Inf	-Inf	90.93	3	Vertical	346	2.81	-	33.77	5.03	32.15
PK	5.928G	64.66	68.20	-3.54	57.38	3	Vertical	346	2.81	-	34.06	5.38	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.57	68.20	-0.63	60.76	3	Horizontal	14	2.81	-	33.80	5.15	32.14
PK	5.782G	108.87	Inf	-Inf	102.26	3	Horizontal	14	2.81	-	33.74	5.02	32.15
AV	5.782G	95.90	Inf	-Inf	89.29	3	Horizontal	14	2.81	-	33.74	5.02	32.15
PK	5.925G	63.63	68.20	-4.57	56.36	3	Horizontal	14	2.81	-	34.05	5.38	32.16

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.554G	52.23	74.00	-21.77	38.66	3	Vertical	312	1.80	-	39.16	7.64	33.23
AV	11.5676G	38.27	54.00	-15.73	24.66	3	Vertical	312	1.80	-	39.20	7.65	33.24

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT Y_2TX
 Setting 21.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5528G	51.31	74.00	-22.69	37.74	3	Horizontal	266	2.98	-	39.16	7.64	33.23
AV	11.56976G	37.99	54.00	-16.01	24.37	3	Horizontal	266	2.98	-	39.21	7.65	33.24



RSE TX above 1GHz
<Radio 1: Ant. 1 + Ant. 2> 2TX / For beamforming


Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	Pass	PK	5.1376G	71.64	74.00	-2.36	3	Horizontal	337	1.80	-

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 22
 03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	70.86	74.00	-3.14	65.54	3	Vertical	331	1.83	-	34.09	6.57	35.34
AV	5.1476G	49.24	54.00	-4.76	43.92	3	Vertical	331	1.83	-	34.09	6.57	35.34
PK	5.1808G	116.51	Inf	-Inf	111.22	3	Vertical	331	1.83	-	34.04	6.59	35.34
AV	5.1818G	103.90	Inf	-Inf	98.61	3	Vertical	331	1.83	-	34.04	6.59	35.34

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 22
 03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	71.64	74.00	-2.36	66.36	3	Horizontal	337	1.80	-	34.05	6.57	35.34
AV	5.15G	49.47	54.00	-4.53	44.14	3	Horizontal	337	1.80	-	34.10	6.57	35.34
PK	5.1854G	113.46	Inf	-Inf	108.18	3	Horizontal	337	1.80	-	34.03	6.59	35.34
AV	5.1862G	101.09	Inf	-Inf	95.81	3	Horizontal	337	1.80	-	34.03	6.59	35.34

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5425G	59.28	74.00	-14.72	44.69	3	Vertical	146	1.27	-	38.19	9.21	32.81
AV	15.54264G	46.74	54.00	-7.26	32.15	3	Vertical	146	1.27	-	38.19	9.21	32.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54314G	59.85	74.00	-14.15	45.26	3	Horizontal	104	2.32	-	38.19	9.21	32.81
AV	15.5387G	46.86	54.00	-7.14	32.28	3	Horizontal	104	2.32	-	38.18	9.21	32.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1288G	58.92	74.00	-15.08	54.10	3	Vertical	360	1.66	-	32.60	5.16	32.94
AV	5.1016G	45.45	54.00	-8.55	40.65	3	Vertical	360	1.66	-	32.60	5.15	32.95
PK	5.1964G	114.04	Inf	-Inf	109.09	3	Vertical	360	1.66	-	32.69	5.20	32.94
AV	5.1984G	102.27	Inf	-Inf	97.31	3	Vertical	360	1.66	-	32.70	5.20	32.94

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	58.98	74.00	-15.02	54.17	3	Horizontal	339	2.63	-	32.60	5.16	32.95
AV	5.1084G	45.31	54.00	-8.69	40.51	3	Horizontal	339	2.63	-	32.60	5.15	32.95
PK	5.192G	113.27	Inf	-Inf	108.33	3	Horizontal	339	2.63	-	32.68	5.20	32.94
AV	5.1912G	104.19	Inf	-Inf	99.25	3	Horizontal	339	2.63	-	32.68	5.20	32.94

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59732G	59.47	74.00	-14.53	44.76	3	Vertical	11	2.03	-	38.29	9.22	32.80
AV	15.59584G	46.64	54.00	-7.36	31.93	3	Vertical	11	2.03	-	38.29	9.22	32.80

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60192G	59.59	74.00	-14.41	44.87	3	Horizontal	350	2.56	-	38.30	9.22	32.80
AV	15.60182G	46.59	54.00	-7.41	31.87	3	Horizontal	350	2.56	-	38.30	9.22	32.80

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1122G	57.98	74.00	-16.02	53.17	3	Vertical	317	2.15	-	32.60	5.16	32.95
AV	5.138G	45.25	54.00	-8.75	40.42	3	Vertical	317	2.15	-	32.60	5.17	32.94
PK	5.2454G	112.41	Inf	-Inf	107.30	3	Vertical	317	2.15	-	32.79	5.25	32.93
AV	5.2406G	101.83	Inf	-Inf	96.74	3	Vertical	317	2.15	-	32.78	5.24	32.93
PK	5.3606G	59.12	74.00	-14.88	53.72	3	Vertical	317	2.15	-	32.96	5.36	32.92
AV	5.3762G	47.07	54.00	-6.93	41.54	3	Vertical	317	2.15	-	33.06	5.38	32.91

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.51	74.00	-15.49	53.68	3	Horizontal	21	1.88	-	32.60	5.17	32.94
AV	5.1374G	45.37	54.00	-8.63	40.54	3	Horizontal	21	1.88	-	32.60	5.17	32.94
PK	5.2424G	114.09	Inf	-Inf	109.00	3	Horizontal	21	1.88	-	32.78	5.24	32.93
AV	5.2364G	103.52	Inf	-Inf	98.44	3	Horizontal	21	1.88	-	32.77	5.24	32.93
PK	5.3762G	60.07	74.00	-13.93	54.54	3	Horizontal	21	1.88	-	33.06	5.38	32.91
AV	5.3762G	48.17	54.00	-5.83	42.64	3	Horizontal	21	1.88	-	33.06	5.38	32.91

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7164G	59.58	74.00	-14.42	44.73	3	Vertical	228	1.26	-	38.40	9.24	32.79
AV	15.72228G	45.82	54.00	-8.18	30.96	3	Vertical	228	1.26	-	38.40	9.24	32.78

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71694G	59.00	74.00	-15.00	44.15	3	Horizontal	263	2.83	-	38.40	9.24	32.79
AV	15.72168G	45.86	54.00	-8.14	31.00	3	Horizontal	263	2.83	-	38.40	9.24	32.78

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	59.77	68.20	-8.43	53.57	3	Vertical	64	1.93	-	33.71	5.40	32.91
PK	5.75G	113.43	Inf	-Inf	106.78	3	Vertical	64	1.93	-	34.10	5.47	32.92
AV	5.748G	100.78	Inf	-Inf	94.14	3	Vertical	64	1.93	-	34.09	5.47	32.92
PK	5.943G	60.78	68.20	-7.42	53.25	3	Vertical	64	1.93	-	34.97	5.50	32.94

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	59.51	68.20	-8.69	53.22	3	Horizontal	23	1.69	-	33.80	5.40	32.91
PK	5.74G	113.78	Inf	-Inf	107.17	3	Horizontal	23	1.69	-	34.06	5.47	32.92
AV	5.747G	102.00	Inf	-Inf	95.36	3	Horizontal	23	1.69	-	34.09	5.47	32.92
PK	5.989G	60.89	68.20	-7.31	53.18	3	Horizontal	23	1.69	-	35.16	5.50	32.95

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49032G	55.08	74.00	-18.92	41.67	3	Vertical	270	2.27	-	38.40	7.82	32.81
AV	11.48994G	41.00	54.00	-13.00	27.59	3	Vertical	270	2.27	-	38.40	7.82	32.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49264G	54.67	74.00	-19.33	41.26	3	Horizontal	293	2.88	-	38.40	7.82	32.81
AV	11.49352G	41.02	54.00	-12.98	27.61	3	Horizontal	293	2.88	-	38.40	7.82	32.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.574G	59.69	68.20	-8.51	53.45	3	Vertical	4	1.87	-	33.75	5.40	32.91
PK	5.78G	111.42	Inf	-Inf	104.64	3	Vertical	4	1.87	-	34.22	5.49	32.93
AV	5.777G	98.89	Inf	-Inf	92.12	3	Vertical	4	1.87	-	34.21	5.49	32.93
PK	6.014G	60.74	68.20	-7.46	52.96	3	Vertical	4	1.87	-	35.20	5.53	32.95

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.59	68.20	-8.61	53.26	3	Horizontal	24	1.95	-	33.83	5.41	32.91
PK	5.782G	112.72	Inf	-Inf	105.93	3	Horizontal	24	1.95	-	34.23	5.49	32.93
AV	5.78G	100.98	Inf	-Inf	94.20	3	Horizontal	24	1.95	-	34.22	5.49	32.93
PK	6.001G	61.25	68.20	-6.95	53.50	3	Horizontal	24	1.95	-	35.20	5.50	32.95

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5743G	55.44	74.00	-18.56	42.01	3	Vertical	293	1.74	-	38.40	7.85	32.82
AV	11.57382G	41.20	54.00	-12.80	27.77	3	Vertical	293	1.74	-	38.40	7.85	32.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57388G	54.44	74.00	-19.56	41.01	3	Horizontal	250	2.74	-	38.40	7.85	32.82
AV	11.56972G	41.18	54.00	-12.82	27.75	3	Horizontal	250	2.74	-	38.40	7.85	32.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	59.36	68.20	-8.84	53.01	3	Vertical	34	2.05	-	33.85	5.41	32.91
PK	5.82G	110.53	Inf	-Inf	103.58	3	Vertical	34	2.05	-	34.38	5.50	32.93
AV	5.82G	98.91	Inf	-Inf	91.96	3	Vertical	34	2.05	-	34.38	5.50	32.93
PK	6.037G	61.37	68.20	-6.83	53.55	3	Vertical	34	2.05	-	35.20	5.57	32.95

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.14	68.20	-9.06	52.79	3	Horizontal	32	1.66	-	33.85	5.41	32.91
PK	5.832G	110.31	Inf	-Inf	103.31	3	Horizontal	32	1.66	-	34.43	5.50	32.93
AV	5.826G	101.08	Inf	-Inf	94.11	3	Horizontal	32	1.66	-	34.40	5.50	32.93
PK	5.952G	61.31	68.20	-6.89	53.75	3	Horizontal	32	1.66	-	35.01	5.50	32.95

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6537G	54.46	74.00	-19.54	40.96	3	Vertical	233	2.17	-	38.45	7.88	32.83
AV	11.65G	41.66	54.00	-12.34	28.16	3	Vertical	233	2.17	-	38.45	7.88	32.83

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6509G	54.85	74.00	-19.15	41.35	3	Horizontal	136	2.98	-	38.45	7.88	32.83
AV	11.64948G	41.70	54.00	-12.30	28.20	3	Horizontal	136	2.98	-	38.45	7.88	32.83

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	68.58	74.00	-5.42	63.75	3	Vertical	327	1.80	-	32.60	5.17	32.94
AV	5.15G	49.74	54.00	-4.26	44.91	3	Vertical	327	1.80	-	32.60	5.17	32.94
PK	5.2008G	114.94	Inf	-Inf	109.98	3	Vertical	327	1.80	-	32.70	5.20	32.94
AV	5.1876G	101.53	Inf	-Inf	96.60	3	Vertical	327	1.80	-	32.68	5.19	32.94

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TnomVnom




EUT_V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	71.29	74.00	-2.71	66.46	3	Horizontal	330	2.64	-	32.60	5.17	32.94
AV	5.146G	48.78	54.00	-5.22	43.95	3	Horizontal	330	2.64	-	32.60	5.17	32.94
PK	5.1984G	113.67	Inf	-Inf	108.71	3	Horizontal	330	2.64	-	32.70	5.20	32.94
AV	5.198G	102.32	Inf	-Inf	97.36	3	Horizontal	330	2.64	-	32.70	5.20	32.94

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5661G	60.94	74.00	-13.06	46.31	3	Vertical	198	2.49	-	38.23	9.21	32.81
AV	15.568G	46.56	54.00	-7.44	31.92	3	Vertical	198	2.49	-	38.24	9.21	32.81

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56584G	59.48	74.00	-14.52	44.85	3	Horizontal	318	1.22	-	38.23	9.21	32.81
AV	15.56644G	46.71	54.00	-7.29	32.08	3	Horizontal	318	1.22	-	38.23	9.21	32.81

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1004G	59.05	74.00	-14.95	54.25	3	Vertical	332	2.36	-	32.60	5.15	32.95
AV	5.149G	45.39	54.00	-8.61	40.56	3	Vertical	332	2.36	-	32.60	5.17	32.94
PK	5.2258G	111.90	Inf	-Inf	106.85	3	Vertical	332	2.36	-	32.75	5.23	32.93
AV	5.2258G	101.31	Inf	-Inf	96.26	3	Vertical	332	2.36	-	32.75	5.23	32.93
PK	5.3638G	58.95	74.00	-15.05	53.53	3	Vertical	332	2.36	-	32.98	5.36	32.92
AV	5.3764G	47.01	54.00	-6.99	41.48	3	Vertical	332	2.36	-	33.06	5.38	32.91

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1058G	58.25	74.00	-15.75	53.45	3	Horizontal	337	2.04	-	32.60	5.15	32.95
AV	5.15G	45.39	54.00	-8.61	40.56	3	Horizontal	337	2.04	-	32.60	5.17	32.94
PK	5.2264G	111.58	Inf	-Inf	106.53	3	Horizontal	337	2.04	-	32.75	5.23	32.93
AV	5.2264G	99.92	Inf	-Inf	94.87	3	Horizontal	337	2.04	-	32.75	5.23	32.93
PK	5.353G	59.02	74.00	-14.98	53.67	3	Horizontal	337	2.04	-	32.92	5.35	32.92
AV	5.377G	46.19	54.00	-7.81	40.66	3	Horizontal	337	2.04	-	33.06	5.38	32.91

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69194G	58.98	74.00	-15.02	44.14	3	Vertical	237	1.27	-	38.39	9.24	32.79
AV	15.685G	46.03	54.00	-7.97	31.20	3	Vertical	237	1.27	-	38.38	9.24	32.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68814G	59.31	74.00	-14.69	44.47	3	Horizontal	178	1.78	-	38.39	9.24	32.79
AV	15.68984G	46.04	54.00	-7.96	31.20	3	Horizontal	178	1.78	-	38.39	9.24	32.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	59.49	68.20	-8.71	53.20	3	Vertical	63	2.31	-	33.80	5.40	32.91
PK	5.747G	109.61	Inf	-Inf	102.97	3	Vertical	63	2.31	-	34.09	5.47	32.92
AV	5.743G	100.98	Inf	-Inf	94.36	3	Vertical	63	2.31	-	34.07	5.47	32.92
PK	5.991G	61.06	68.20	-7.14	53.35	3	Vertical	63	2.31	-	35.16	5.50	32.95

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	59.60	68.20	-8.60	53.21	3	Horizontal	21	1.93	-	33.88	5.42	32.91
PK	5.748G	112.88	Inf	-Inf	106.24	3	Horizontal	21	1.93	-	34.09	5.47	32.92
AV	5.737G	100.46	Inf	-Inf	93.86	3	Horizontal	21	1.93	-	34.05	5.47	32.92
PK	5.984G	61.00	68.20	-7.20	53.31	3	Horizontal	21	1.93	-	35.14	5.50	32.95

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51048G	54.43	74.00	-19.57	41.01	3	Vertical	172	2.10	-	38.40	7.83	32.81
AV	11.50766G	41.10	54.00	-12.90	27.68	3	Vertical	172	2.10	-	38.40	7.83	32.81

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51188G	55.25	74.00	-18.75	41.83	3	Horizontal	315	2.36	-	38.40	7.83	32.81
AV	11.50688G	41.07	54.00	-12.93	27.65	3	Horizontal	315	2.36	-	38.40	7.83	32.81

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	59.62	68.20	-8.58	53.36	3	Vertical	360	2.34	-	33.77	5.40	32.91
PK	5.792G	111.93	Inf	-Inf	105.09	3	Vertical	360	2.34	-	34.27	5.50	32.93
AV	5.791G	98.18	Inf	-Inf	91.35	3	Vertical	360	2.34	-	34.26	5.50	32.93
PK	6.009G	60.82	68.20	-7.38	53.05	3	Vertical	360	2.34	-	35.20	5.52	32.95

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	60.28	68.20	-7.92	54.00	3	Horizontal	24	1.80	-	33.79	5.40	32.91
PK	5.787G	113.00	Inf	-Inf	106.19	3	Horizontal	24	1.80	-	34.25	5.49	32.93
AV	5.782G	102.91	Inf	-Inf	96.12	3	Horizontal	24	1.80	-	34.23	5.49	32.93
PK	5.962G	60.86	68.20	-7.34	53.26	3	Horizontal	24	1.80	-	35.05	5.50	32.95

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58956G	54.61	74.00	-19.39	41.17	3	Vertical	351	1.52	-	38.40	7.86	32.82
AV	11.58508G	41.40	54.00	-12.60	27.97	3	Vertical	351	1.52	-	38.40	7.85	32.82

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59174G	55.23	74.00	-18.77	41.79	3	Horizontal	25	2.12	-	38.40	7.86	32.82
AV	11.5924G	41.50	54.00	-12.50	28.06	3	Horizontal	25	2.12	-	38.40	7.86	32.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TnomVnom




EUT V_2TX
 Setting 22
 03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	65.94	74.00	-8.06	60.71	3	Vertical	326.5	1.88	-	34.01	6.56	35.34
AV	5.142G	49.45	54.00	-4.55	44.15	3	Vertical	326.5	1.88	-	34.07	6.57	35.34
PK	5.1988G	113.82	Inf	-Inf	108.56	3	Vertical	326.5	1.88	-	34.00	6.60	35.34
AV	5.194G	100.59	Inf	-Inf	95.32	3	Vertical	326.5	1.88	-	34.01	6.60	35.34
PK	5.3796G	59.62	74.00	-14.38	53.38	3	Vertical	326.5	1.88	-	34.54	7.05	35.35
AV	5.3764G	47.49	54.00	-6.51	41.25	3	Vertical	326.5	1.88	-	34.55	7.04	35.35

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TnomVnom




EUT_V_2TX
 Setting 22
 03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.95	74.00	-5.05	63.64	3	Horizontal	340.8	1.93	-	34.08	6.57	35.34
AV	5.146G	49.16	54.00	-4.84	43.85	3	Horizontal	340.8	1.93	-	34.08	6.57	35.34
PK	5.2012G	112.00	Inf	-Inf	106.74	3	Horizontal	340.8	1.93	-	34.00	6.60	35.34
AV	5.2004G	101.93	Inf	-Inf	96.67	3	Horizontal	340.8	1.93	-	34.00	6.60	35.34
PK	5.4052G	60.07	74.00	-13.93	53.81	3	Horizontal	340.8	1.93	-	34.52	7.09	35.35
AV	5.3924G	47.03	54.00	-6.97	40.78	3	Horizontal	340.8	1.93	-	34.52	7.08	35.35

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62622G	59.90	74.00	-14.10	45.14	3	Vertical	284	2.18	-	38.33	9.23	32.80
AV	15.62914G	46.63	54.00	-7.37	31.87	3	Vertical	284	2.18	-	38.33	9.23	32.80

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63184G	59.76	74.00	-14.24	45.00	3	Horizontal	288	1.59	-	38.33	9.23	32.80
AV	15.62736G	46.69	54.00	-7.31	31.93	3	Horizontal	288	1.59	-	38.33	9.23	32.80

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.90	68.20	-6.30	55.50	3	Vertical	60	1.77	-	33.89	5.42	32.91
PK	5.795G	107.43	Inf	-Inf	100.58	3	Vertical	60	1.77	-	34.28	5.50	32.93
AV	5.743G	100.45	Inf	-Inf	93.83	3	Vertical	60	1.77	-	34.07	5.47	32.92
PK	6.008G	61.43	68.20	-6.77	53.66	3	Vertical	60	1.77	-	35.20	5.52	32.95

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 22
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	60.94	68.20	-7.26	54.54	3	Horizontal	25	1.68	-	33.89	5.42	32.91
PK	5.784G	109.55	Inf	-Inf	102.75	3	Horizontal	25	1.68	-	34.24	5.49	32.93
AV	5.744G	101.85	Inf	-Inf	95.22	3	Horizontal	25	1.68	-	34.08	5.47	32.92
PK	5.923G	63.94	69.68	-5.74	56.49	3	Horizontal	25	1.68	-	34.89	5.50	32.94

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TnomVnom




EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54664G	54.56	74.00	-19.44	41.14	3	Vertical	275	2.76	-	38.40	7.84	32.82
AV	11.548G	41.25	54.00	-12.75	27.83	3	Vertical	275	2.76	-	38.40	7.84	32.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TnomVnom



EUT Y_2TX
 Setting 22
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54918G	54.34	74.00	-19.66	40.92	3	Horizontal	131	2.77	-	38.40	7.84	32.82
AV	11.54764G	41.14	54.00	-12.86	27.72	3	Horizontal	131	2.77	-	38.40	7.84	32.82




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.90	54.00	-0.10	3	Vertical	31	2.53	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.83	74.00	-6.17	61.48	3	Vertical	31	2.53	-	33.50	5.00	32.15
AV	5.15G	53.90	54.00	-0.10	47.55	3	Vertical	31	2.53	-	33.50	5.00	32.15
PK	5.1844G	106.92	Inf	-Inf	100.50	3	Vertical	31	2.53	-	33.50	5.07	32.15
AV	5.1852G	96.73	Inf	-Inf	90.31	3	Vertical	31	2.53	-	33.50	5.07	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.64	74.00	-12.36	55.29	3	Horizontal	66	2.52	-	33.50	5.00	32.15
AV	5.15G	48.01	54.00	-5.99	41.66	3	Horizontal	66	2.52	-	33.50	5.00	32.15
PK	5.1844G	101.47	Inf	-Inf	95.05	3	Horizontal	66	2.52	-	33.50	5.07	32.15
AV	5.1836G	91.09	Inf	-Inf	84.67	3	Horizontal	66	2.52	-	33.50	5.07	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53852G	52.20	74.00	-21.80	38.58	3	Vertical	154	1.84	-	37.78	9.04	33.20
AV	15.54092G	39.02	54.00	-14.98	25.40	3	Vertical	154	1.84	-	37.78	9.04	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 23
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53152G	52.17	74.00	-21.83	38.51	3	Horizontal	303	1.86	-	37.81	9.04	33.19
AV	15.53712G	38.96	54.00	-15.04	25.32	3	Horizontal	303	1.86	-	37.79	9.04	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.54	74.00	-9.46	58.19	3	Vertical	19	2.52	-	33.50	5.00	32.15
AV	5.1496G	49.22	54.00	-4.78	42.87	3	Vertical	19	2.52	-	33.50	5.00	32.15
PK	5.2012G	109.65	Inf	-Inf	103.20	3	Vertical	19	2.52	-	33.50	5.10	32.15
AV	5.2016G	98.23	Inf	-Inf	91.78	3	Vertical	19	2.52	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	59.52	74.00	-14.48	53.18	3	Horizontal	341	2.32	-	33.50	4.99	32.15
AV	5.15G	46.25	54.00	-7.75	39.90	3	Horizontal	341	2.32	-	33.50	5.00	32.15
PK	5.1992G	105.56	Inf	-Inf	99.11	3	Horizontal	341	2.32	-	33.50	5.10	32.15
AV	5.2048G	94.87	Inf	-Inf	88.41	3	Horizontal	341	2.32	-	33.51	5.10	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60176G	52.67	74.00	-21.33	39.28	3	Vertical	301	1.68	-	37.60	9.06	33.27
AV	15.59156G	39.10	54.00	-14.90	25.67	3	Vertical	301	1.68	-	37.63	9.06	33.26

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60228G	51.83	74.00	-22.17	38.44	3	Horizontal	231	2.53	-	37.60	9.06	33.27
AV	15.5972G	39.09	54.00	-14.91	25.68	3	Horizontal	231	2.53	-	37.61	9.06	33.26

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	56.44	74.00	-17.56	50.17	3	Vertical	75	2.69	-	33.50	4.92	32.15
AV	5.1158G	43.95	54.00	-10.05	37.67	3	Vertical	75	2.69	-	33.50	4.93	32.15
PK	5.2472G	111.21	Inf	-Inf	104.69	3	Vertical	75	2.69	-	33.59	5.08	32.15
AV	5.246G	100.23	Inf	-Inf	93.71	3	Vertical	75	2.69	-	33.59	5.08	32.15
PK	5.3684G	57.22	74.00	-16.78	50.60	3	Vertical	75	2.69	-	33.74	5.02	32.14
AV	5.3708G	44.32	54.00	-9.68	37.71	3	Vertical	75	2.69	-	33.74	5.01	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	56.36	74.00	-17.64	50.08	3	Horizontal	344	2.41	-	33.50	4.93	32.15
AV	5.1026G	43.81	54.00	-10.19	37.55	3	Horizontal	344	2.41	-	33.50	4.91	32.15
PK	5.2442G	107.28	Inf	-Inf	100.76	3	Horizontal	344	2.41	-	33.59	5.08	32.15
AV	5.2454G	96.26	Inf	-Inf	89.74	3	Horizontal	344	2.41	-	33.59	5.08	32.15
PK	5.372G	56.25	74.00	-17.75	49.64	3	Horizontal	344	2.41	-	33.74	5.01	32.14
AV	5.3672G	43.90	54.00	-10.10	37.29	3	Horizontal	344	2.41	-	33.73	5.02	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48988G	51.95	68.20	-16.25	39.32	3	Vertical	346	1.80	-	38.40	7.27	33.04
PK	15.72504G	52.17	74.00	-21.83	39.09	3	Vertical	33	2.37	-	37.40	9.10	33.42
AV	15.72648G	38.90	54.00	-15.10	25.82	3	Vertical	33	2.37	-	37.40	9.10	33.42

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4804G	52.35	68.20	-15.85	39.72	3	Horizontal	178	1.80	-	38.40	7.27	33.04
PK	15.72536G	52.00	74.00	-22.00	38.92	3	Horizontal	0	1.58	-	37.40	9.10	33.42
AV	15.72032G	38.78	54.00	-15.22	25.69	3	Horizontal	0	1.58	-	37.40	9.10	33.41

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	57.19	68.20	-11.01	50.38	3	Vertical	46	2.80	-	33.80	5.15	32.14
PK	5.747G	110.84	Inf	-Inf	104.14	3	Vertical	46	2.80	-	33.79	5.05	32.14
AV	5.739G	100.00	Inf	-Inf	93.30	3	Vertical	46	2.80	-	33.78	5.06	32.14
PK	5.937G	57.90	68.20	-10.30	50.58	3	Vertical	46	2.80	-	34.07	5.41	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.516G	57.35	68.20	-10.85	50.46	3	Horizontal	284	2.33	-	33.90	5.12	32.13
PK	5.741G	105.47	Inf	-Inf	98.77	3	Horizontal	284	2.33	-	33.78	5.06	32.14
AV	5.739G	94.56	Inf	-Inf	87.86	3	Horizontal	284	2.33	-	33.78	5.06	32.14
PK	5.95G	57.47	68.20	-10.73	50.08	3	Horizontal	284	2.33	-	34.10	5.45	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49336G	53.95	74.00	-20.05	40.56	3	Vertical	72	2.03	-	38.99	7.62	33.22
AV	11.4884G	40.08	54.00	-13.92	26.70	3	Vertical	72	2.03	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48752G	53.56	74.00	-20.44	40.18	3	Horizontal	306	1.92	-	38.98	7.62	33.22
AV	11.49188G	39.99	54.00	-14.01	26.61	3	Horizontal	306	1.92	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	56.79	68.20	-11.41	49.97	3	Vertical	20	2.92	-	33.81	5.15	32.14
PK	5.779G	109.07	Inf	-Inf	102.46	3	Vertical	20	2.92	-	33.74	5.02	32.15
AV	5.779G	97.97	Inf	-Inf	91.36	3	Vertical	20	2.92	-	33.74	5.02	32.15
PK	6.007G	57.31	68.20	-10.89	49.75	3	Vertical	20	2.92	-	34.13	5.59	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	57.94	68.20	-10.26	50.99	3	Horizontal	285	2.52	-	33.90	5.19	32.14
PK	5.781G	104.49	Inf	-Inf	97.88	3	Horizontal	285	2.52	-	33.74	5.02	32.15
AV	5.787G	93.38	Inf	-Inf	86.79	3	Horizontal	285	2.52	-	33.73	5.01	32.15
PK	6.031G	57.48	68.20	-10.72	49.87	3	Horizontal	285	2.52	-	34.22	5.55	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57656G	57.72	74.00	-16.28	44.08	3	Vertical	91	2.88	-	39.23	7.65	33.24
AV	11.57108G	43.76	54.00	-10.24	30.14	3	Vertical	91	2.88	-	39.21	7.65	33.24

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5728G	56.98	74.00	-17.02	43.35	3	Horizontal	0	2.35	-	39.22	7.65	33.24
AV	11.57112G	42.60	54.00	-11.40	28.98	3	Horizontal	0	2.35	-	39.21	7.65	33.24

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	56.74	68.20	-11.46	49.78	3	Vertical	65	2.19	-	33.90	5.20	32.14
PK	5.826G	108.41	Inf	-Inf	101.73	3	Vertical	65	2.19	-	33.75	5.08	32.15
AV	5.819G	97.03	Inf	-Inf	90.38	3	Vertical	65	2.19	-	33.74	5.06	32.15
PK	5.951G	57.16	68.20	-11.04	49.77	3	Vertical	65	2.19	-	34.10	5.45	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	57.02	68.20	-11.18	50.06	3	Horizontal	39	2.54	-	33.90	5.20	32.14
PK	5.818G	104.32	Inf	-Inf	97.68	3	Horizontal	39	2.54	-	33.74	5.05	32.15
AV	5.82G	93.29	Inf	-Inf	86.64	3	Horizontal	39	2.54	-	33.74	5.06	32.15
PK	5.966G	58.87	68.20	-9.33	51.43	3	Horizontal	39	2.54	-	34.10	5.50	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64928G	58.39	74.00	-15.61	44.62	3	Vertical	0	1.98	-	39.35	7.68	33.26
AV	11.65112G	44.97	54.00	-9.03	31.20	3	Vertical	0	1.98	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65016G	59.70	74.00	-14.30	45.93	3	Horizontal	308	1.87	-	39.35	7.68	33.26
AV	11.65088G	46.32	54.00	-7.68	32.55	3	Horizontal	308	1.87	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 22.5
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.24	74.00	-6.76	60.89	3	Vertical	17	2.55	-	33.50	5.00	32.15
AV	5.15G	53.66	54.00	-0.34	47.31	3	Vertical	17	2.55	-	33.50	5.00	32.15
PK	5.184G	106.40	Inf	-Inf	99.98	3	Vertical	17	2.55	-	33.50	5.07	32.15
AV	5.1732G	95.62	Inf	-Inf	89.22	3	Vertical	17	2.55	-	33.50	5.05	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 22.5
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.08	74.00	-12.92	54.74	3	Horizontal	67	2.53	-	33.50	4.99	32.15
AV	5.15G	48.22	54.00	-5.78	41.87	3	Horizontal	67	2.53	-	33.50	5.00	32.15
PK	5.1868G	100.33	Inf	-Inf	93.91	3	Horizontal	67	2.53	-	33.50	5.07	32.15
AV	5.1856G	90.13	Inf	-Inf	83.71	3	Horizontal	67	2.53	-	33.50	5.07	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 22.5
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5363G	52.71	74.00	-21.29	39.07	3	Vertical	314	1.09	-	37.79	9.04	33.19
AV	15.54266G	39.20	54.00	-14.80	25.59	3	Vertical	314	1.09	-	37.77	9.04	33.20

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 22.5
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54154G	52.66	74.00	-21.34	39.04	3	Horizontal	328	2.52	-	37.78	9.04	33.20
AV	15.54448G	39.14	54.00	-14.86	25.53	3	Horizontal	328	2.52	-	37.77	9.04	33.20

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.99	74.00	-9.01	58.64	3	Vertical	6	2.53	-	33.50	5.00	32.15
AV	5.15G	49.59	54.00	-4.41	43.24	3	Vertical	6	2.53	-	33.50	5.00	32.15
PK	5.2044G	108.51	Inf	-Inf	102.05	3	Vertical	6	2.53	-	33.51	5.10	32.15
AV	5.2056G	98.23	Inf	-Inf	91.77	3	Vertical	6	2.53	-	33.51	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.68	74.00	-13.32	54.33	3	Horizontal	340	2.31	-	33.50	5.00	32.15
AV	5.1492G	46.85	54.00	-7.15	40.50	3	Horizontal	340	2.31	-	33.50	5.00	32.15
PK	5.206G	105.14	Inf	-Inf	98.68	3	Horizontal	340	2.31	-	33.51	5.10	32.15
AV	5.2056G	94.43	Inf	-Inf	87.97	3	Horizontal	340	2.31	-	33.51	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60116G	53.55	74.00	-20.45	40.16	3	Vertical	331	1.57	-	37.60	9.06	33.27
AV	15.59886G	39.11	54.00	-14.89	25.72	3	Vertical	331	1.57	-	37.60	9.06	33.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59784G	52.52	74.00	-21.48	39.12	3	Horizontal	6	1.42	-	37.61	9.06	33.27
AV	15.59548G	39.15	54.00	-14.85	25.74	3	Horizontal	6	1.42	-	37.61	9.06	33.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	56.22	74.00	-17.78	49.88	3	Vertical	56	2.70	-	33.50	4.99	32.15
AV	5.1002G	44.07	54.00	-9.93	37.82	3	Vertical	56	2.70	-	33.50	4.90	32.15
PK	5.2472G	110.78	Inf	-Inf	104.26	3	Vertical	56	2.70	-	33.59	5.08	32.15
AV	5.2478G	99.87	Inf	-Inf	93.34	3	Vertical	56	2.70	-	33.60	5.08	32.15
PK	5.3828G	57.23	74.00	-16.77	50.59	3	Vertical	56	2.70	-	33.77	5.01	32.14
AV	5.3726G	44.29	54.00	-9.71	37.67	3	Vertical	56	2.70	-	33.75	5.01	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	56.91	74.00	-17.09	50.64	3	Horizontal	344	2.40	-	33.50	4.92	32.15
AV	5.099G	43.95	54.00	-10.05	37.70	3	Horizontal	344	2.40	-	33.50	4.90	32.15
PK	5.246G	107.04	Inf	-Inf	100.52	3	Horizontal	344	2.40	-	33.59	5.08	32.15
AV	5.2454G	96.21	Inf	-Inf	89.69	3	Horizontal	344	2.40	-	33.59	5.08	32.15
PK	5.3768G	56.88	74.00	-17.12	50.26	3	Horizontal	344	2.40	-	33.75	5.01	32.14
AV	5.35G	43.90	54.00	-10.10	37.32	3	Horizontal	344	2.40	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72028G	51.71	74.00	-22.29	38.62	3	Vertical	79	2.58	-	37.40	9.10	33.41
AV	15.71936G	38.83	54.00	-15.17	25.74	3	Vertical	79	2.58	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72124G	52.14	74.00	-21.86	39.05	3	Horizontal	26	2.74	-	37.40	9.10	33.41
AV	15.71866G	38.75	54.00	-15.25	25.66	3	Horizontal	26	2.74	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.563G	57.11	68.20	-11.09	50.18	3	Vertical	42	2.80	-	33.90	5.16	32.13
PK	5.737G	111.19	Inf	-Inf	104.50	3	Vertical	42	2.80	-	33.77	5.06	32.14
AV	5.739G	99.93	Inf	-Inf	93.23	3	Vertical	42	2.80	-	33.78	5.06	32.14
PK	5.931G	57.66	68.20	-10.54	50.37	3	Vertical	42	2.80	-	34.06	5.39	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	57.58	68.20	-10.62	50.67	3	Horizontal	281	2.44	-	33.87	5.18	32.14
PK	5.741G	105.32	Inf	-Inf	98.62	3	Horizontal	281	2.44	-	33.78	5.06	32.14
AV	5.739G	94.21	Inf	-Inf	87.51	3	Horizontal	281	2.44	-	33.78	5.06	32.14
PK	5.926G	57.88	68.20	-10.32	50.61	3	Horizontal	281	2.44	-	34.05	5.38	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49504G	53.21	74.00	-20.79	39.82	3	Vertical	68	1.96	-	38.99	7.62	33.22
AV	11.48844G	39.93	54.00	-14.07	26.55	3	Vertical	68	1.96	-	38.98	7.62	33.22

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48548G	53.96	74.00	-20.04	40.59	3	Horizontal	306	1.80	-	38.97	7.62	33.22
AV	11.48948G	40.01	54.00	-13.99	26.63	3	Horizontal	306	1.80	-	38.98	7.62	33.22

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	57.78	68.20	-10.42	50.84	3	Vertical	36	2.78	-	33.90	5.17	32.13
PK	5.78G	110.02	Inf	-Inf	103.41	3	Vertical	36	2.78	-	33.74	5.02	32.15
AV	5.781G	98.52	Inf	-Inf	91.91	3	Vertical	36	2.78	-	33.74	5.02	32.15
PK	6.024G	57.86	68.20	-10.34	50.26	3	Vertical	36	2.78	-	34.20	5.56	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	56.86	68.20	-11.34	49.91	3	Horizontal	284	2.52	-	33.90	5.18	32.13
PK	5.787G	103.98	Inf	-Inf	97.39	3	Horizontal	284	2.52	-	33.73	5.01	32.15
AV	5.781G	93.03	Inf	-Inf	86.42	3	Horizontal	284	2.52	-	33.74	5.02	32.15
PK	5.98G	57.59	68.20	-10.61	50.11	3	Horizontal	284	2.52	-	34.10	5.54	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57084G	59.60	74.00	-14.40	45.98	3	Vertical	76	2.35	-	39.21	7.65	33.24
AV	11.57112G	45.45	54.00	-8.55	31.83	3	Vertical	76	2.35	-	39.21	7.65	33.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57272G	56.81	74.00	-17.19	43.18	3	Horizontal	-0	2.35	-	39.22	7.65	33.24
AV	11.57332G	42.30	54.00	-11.70	28.67	3	Horizontal	-0	2.35	-	39.22	7.65	33.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.05	68.20	-11.15	50.21	3	Vertical	63	2.19	-	33.82	5.16	32.14
PK	5.827G	107.14	Inf	-Inf	100.46	3	Vertical	63	2.19	-	33.75	5.08	32.15
AV	5.829G	96.02	Inf	-Inf	89.32	3	Vertical	63	2.19	-	33.76	5.09	32.15
PK	5.985G	57.83	68.20	-10.37	50.34	3	Vertical	63	2.19	-	34.10	5.55	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	56.97	68.20	-11.23	50.04	3	Horizontal	48	2.90	-	33.88	5.19	32.14
PK	5.818G	103.86	Inf	-Inf	97.22	3	Horizontal	48	2.90	-	33.74	5.05	32.15
AV	5.82G	92.92	Inf	-Inf	86.27	3	Horizontal	48	2.90	-	33.74	5.06	32.15
PK	5.974G	57.67	68.20	-10.53	50.21	3	Horizontal	48	2.90	-	34.10	5.52	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64632G	58.21	74.00	-15.79	44.44	3	Vertical	91	1.94	-	39.35	7.68	33.26
AV	11.64816G	44.62	54.00	-9.38	30.85	3	Vertical	91	1.94	-	39.35	7.68	33.26
PK	17.46724G	59.63	68.20	-8.57	39.72	3	Vertical	170	1.81	-	43.57	9.35	33.01

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	59.86	74.00	-14.14	46.09	3	Horizontal	0	2.33	-	39.35	7.68	33.26
AV	11.64824G	46.12	54.00	-7.88	32.35	3	Horizontal	0	2.33	-	39.35	7.68	33.26
PK	17.48832G	59.57	68.20	-8.63	39.48	3	Horizontal	273	1.80	-	43.72	9.35	32.98

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 16
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.27	74.00	-7.73	59.92	3	Vertical	45	2.53	-	33.50	5.00	32.15
AV	5.1492G	53.01	54.00	-0.99	46.66	3	Vertical	45	2.53	-	33.50	5.00	32.15
PK	5.1852G	98.28	Inf	-Inf	91.86	3	Vertical	45	2.53	-	33.50	5.07	32.15
AV	5.1844G	87.76	Inf	-Inf	81.34	3	Vertical	45	2.53	-	33.50	5.07	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 16
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.76	74.00	-13.24	54.41	3	Horizontal	342	2.32	-	33.50	5.00	32.15
AV	5.15G	47.04	54.00	-6.96	40.69	3	Horizontal	342	2.32	-	33.50	5.00	32.15
PK	5.2044G	95.05	Inf	-Inf	88.59	3	Horizontal	342	2.32	-	33.51	5.10	32.15
AV	5.2052G	84.26	Inf	-Inf	77.80	3	Horizontal	342	2.32	-	33.51	5.10	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 16
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56982G	52.00	74.00	-22.00	38.49	3	Vertical	199	2.03	-	37.69	9.05	33.23
AV	15.57128G	39.39	54.00	-14.61	25.88	3	Vertical	199	2.03	-	37.69	9.05	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 16
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56522G	52.28	74.00	-21.72	38.76	3	Horizontal	250	2.58	-	37.70	9.05	33.23
AV	15.56742G	39.41	54.00	-14.59	25.89	3	Horizontal	250	2.58	-	37.70	9.05	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	65.35	74.00	-8.65	59.01	3	Vertical	6	2.50	-	33.50	4.99	32.15
AV	5.15G	51.31	54.00	-2.69	44.96	3	Vertical	6	2.50	-	33.50	5.00	32.15
PK	5.242G	106.70	Inf	-Inf	100.19	3	Vertical	6	2.50	-	33.58	5.08	32.15
AV	5.2426G	96.06	Inf	-Inf	89.54	3	Vertical	6	2.50	-	33.59	5.08	32.15
PK	5.3632G	57.78	74.00	-16.22	51.17	3	Vertical	6	2.50	-	33.73	5.02	32.14
AV	5.3512G	44.78	54.00	-9.22	38.20	3	Vertical	6	2.50	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.41	74.00	-11.59	56.07	3	Horizontal	279	2.94	-	33.50	4.99	32.15
AV	5.15G	49.24	54.00	-4.76	42.89	3	Horizontal	279	2.94	-	33.50	5.00	32.15
PK	5.2426G	101.54	Inf	-Inf	95.02	3	Horizontal	279	2.94	-	33.59	5.08	32.15
AV	5.2438G	90.91	Inf	-Inf	84.39	3	Horizontal	279	2.94	-	33.59	5.08	32.15
PK	5.3524G	56.39	74.00	-17.61	49.81	3	Horizontal	279	2.94	-	33.70	5.02	32.14
AV	5.3554G	44.16	54.00	-9.84	37.57	3	Horizontal	279	2.94	-	33.71	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68904G	51.58	74.00	-22.42	38.44	3	Vertical	239	2.99	-	37.42	9.09	33.37
AV	15.68906G	38.80	54.00	-15.20	25.66	3	Vertical	239	2.99	-	37.42	9.09	33.37

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68564G	51.80	74.00	-22.20	38.65	3	Horizontal	142	2.21	-	37.43	9.09	33.37
AV	15.69396G	38.73	54.00	-15.27	25.61	3	Horizontal	142	2.21	-	37.41	9.09	33.38

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.34	68.20	-8.86	52.53	3	Vertical	359	2.85	-	33.80	5.15	32.14
PK	5.75G	106.45	Inf	-Inf	99.74	3	Vertical	359	2.85	-	33.80	5.05	32.14
AV	5.749G	95.42	Inf	-Inf	88.71	3	Vertical	359	2.85	-	33.80	5.05	32.14
PK	5.972G	57.87	68.20	-10.33	50.41	3	Vertical	359	2.85	-	34.10	5.52	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	58.24	68.20	-9.96	51.43	3	Horizontal	345	2.97	-	33.80	5.15	32.14
PK	5.769G	103.03	Inf	-Inf	96.39	3	Horizontal	345	2.97	-	33.76	5.03	32.15
AV	5.766G	91.69	Inf	-Inf	85.04	3	Horizontal	345	2.97	-	33.77	5.03	32.15
PK	5.969G	57.37	68.20	-10.83	49.92	3	Horizontal	345	2.97	-	34.10	5.51	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51416G	52.70	74.00	-21.30	39.25	3	Vertical	76	2.34	-	39.04	7.63	33.22
AV	11.50502G	38.91	54.00	-15.09	25.48	3	Vertical	76	2.34	-	39.02	7.63	33.22

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50734G	52.74	74.00	-21.26	39.31	3	Horizontal	42	1.20	-	39.02	7.63	33.22
AV	11.51258G	38.92	54.00	-15.08	25.47	3	Horizontal	42	1.20	-	39.04	7.63	33.22

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	57.50	68.20	-10.70	50.67	3	Vertical	360	2.94	-	33.81	5.16	32.14
PK	5.788G	104.58	Inf	-Inf	98.00	3	Vertical	360	2.94	-	33.72	5.01	32.15
AV	5.787G	93.68	Inf	-Inf	87.09	3	Vertical	360	2.94	-	33.73	5.01	32.15
PK	6.034G	57.91	68.20	-10.29	50.28	3	Vertical	360	2.94	-	34.24	5.55	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	57.05	68.20	-11.15	50.09	3	Horizontal	345	2.94	-	33.90	5.20	32.14
PK	5.798G	102.15	Inf	-Inf	95.60	3	Horizontal	345	2.94	-	33.70	5.00	32.15
AV	5.797G	91.34	Inf	-Inf	84.78	3	Horizontal	345	2.94	-	33.71	5.00	32.15
PK	6.007G	57.61	68.20	-10.59	50.05	3	Horizontal	345	2.94	-	34.13	5.59	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59352G	54.63	74.00	-19.37	40.93	3	Vertical	303	1.94	-	39.28	7.66	33.24
AV	11.59112G	41.46	54.00	-12.54	27.77	3	Vertical	303	1.94	-	39.27	7.66	33.24
PK	17.38388G	59.13	68.20	-9.07	39.92	3	Vertical	340	1.80	-	42.97	9.34	33.10

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 30
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5952G	55.43	74.00	-18.57	41.72	3	Horizontal	44	2.25	-	39.29	7.66	33.24
AV	11.59608G	41.97	54.00	-12.03	28.26	3	Horizontal	44	2.25	-	39.29	7.66	33.24
PK	17.38284G	59.03	68.20	-9.17	39.83	3	Horizontal	66	1.80	-	42.96	9.34	33.10

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 16.5
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.35	74.00	-8.65	59.00	3	Vertical	66	2.70	-	33.50	5.00	32.15
AV	5.1492G	53.40	54.00	-0.60	47.05	3	Vertical	66	2.70	-	33.50	5.00	32.15
PK	5.2452G	96.81	Inf	-Inf	90.29	3	Vertical	66	2.70	-	33.59	5.08	32.15
AV	5.2452G	87.14	Inf	-Inf	80.62	3	Vertical	66	2.70	-	33.59	5.08	32.15
PK	5.4068G	56.56	74.00	-17.44	49.88	3	Vertical	66	2.70	-	33.81	5.01	32.14
AV	5.3716G	45.03	54.00	-8.97	38.42	3	Vertical	66	2.70	-	33.74	5.01	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 16.5
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.45	74.00	-11.55	56.10	3	Horizontal	343	2.40	-	33.50	5.00	32.15
AV	5.15G	50.53	54.00	-3.47	44.18	3	Horizontal	343	2.40	-	33.50	5.00	32.15
PK	5.2428G	93.72	Inf	-Inf	87.20	3	Horizontal	343	2.40	-	33.59	5.08	32.15
AV	5.246G	84.21	Inf	-Inf	77.69	3	Horizontal	343	2.40	-	33.59	5.08	32.15
PK	5.4004G	57.18	74.00	-16.82	50.52	3	Horizontal	343	2.40	-	33.80	5.00	32.14
AV	5.3716G	44.59	54.00	-9.41	37.98	3	Horizontal	343	2.40	-	33.74	5.01	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 16.5
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6281G	51.99	74.00	-22.01	38.68	3	Vertical	132	2.47	-	37.54	9.07	33.30
AV	15.6252G	39.55	54.00	-14.45	26.23	3	Vertical	132	2.47	-	37.55	9.07	33.30

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 16.5
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62658G	51.72	74.00	-22.28	38.40	3	Horizontal	5	2.03	-	37.55	9.07	33.30
AV	15.63446G	39.52	54.00	-14.48	26.23	3	Horizontal	5	2.03	-	37.53	9.07	33.31

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 27
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	66.63	68.20	-1.57	59.78	3	Vertical	35	2.81	-	33.83	5.16	32.14
PK	5.763G	103.26	Inf	-Inf	96.60	3	Vertical	35	2.81	-	33.77	5.04	32.15
AV	5.747G	92.69	Inf	-Inf	85.99	3	Vertical	35	2.81	-	33.79	5.05	32.14
PK	5.925G	62.25	68.20	-5.95	54.98	3	Vertical	35	2.81	-	34.05	5.38	32.16

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 27
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.15	68.20	-4.05	57.34	3	Horizontal	283	1.98	-	33.80	5.15	32.14
PK	5.748G	97.19	Inf	-Inf	90.48	3	Horizontal	283	1.98	-	33.80	5.05	32.14
AV	5.747G	86.78	Inf	-Inf	80.08	3	Horizontal	283	1.98	-	33.79	5.05	32.14
PK	5.927G	58.71	68.20	-9.49	51.44	3	Horizontal	283	1.98	-	34.05	5.38	32.16

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 27
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5496G	53.23	74.00	-20.77	39.67	3	Vertical	336	1.80	-	39.15	7.64	33.23
AV	11.55156G	40.12	54.00	-13.88	26.56	3	Vertical	336	1.80	-	39.15	7.64	33.23
PK	17.32668G	58.43	68.20	-9.77	39.76	3	Vertical	138	1.81	-	42.51	9.33	33.17

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT V_1TX
Setting 27
02-B-K-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54832G	53.03	74.00	-20.97	39.48	3	Horizontal	354	2.31	-	39.14	7.64	33.23
AV	11.55288G	40.20	54.00	-13.80	26.63	3	Horizontal	354	2.31	-	39.16	7.64	33.23
PK	17.31616G	58.66	68.20	-9.54	40.08	3	Horizontal	164	1.80	-	42.43	9.33	33.18



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.99986G	25.07	54.00	-28.93	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.99414G	36.34	74.00	-37.66	-6.29	3	Vertical	164	1.13	-	42.63	26.18	4.69	37.16
AV	1.99986G	25.07	54.00	-28.93	-6.26	3	Vertical	164	1.13	"Worst"	31.33	26.20	4.70	37.16

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.99458G	36.34	74.00	-37.66	-6.29	3	Horizontal	250	1.03	-	42.63	26.18	4.69	37.16
AV	2.0079G	24.78	54.00	-29.22	-6.19	3	Horizontal	250	1.03	"Worst"	30.97	26.26	4.71	37.16