


### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	111.24	Inf	-Inf	104.64	3	Vertical	318	1.85	-	33.70	5.04	32.14
AV	5.3166G	100.74	Inf	-Inf	94.14	3	Vertical	318	1.85	-	33.70	5.04	32.14
PK	5.35G	67.54	74.00	-6.46	60.95	3	Vertical	318	1.85	-	33.70	5.03	32.14
AV	5.35G	53.80	54.00	-0.20	47.21	3	Vertical	318	1.85	-	33.70	5.03	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	110.71	Inf	-Inf	104.11	3	Horizontal	283	1.71	-	33.70	5.04	32.14
AV	5.3226G	100.76	Inf	-Inf	94.16	3	Horizontal	283	1.71	-	33.70	5.04	32.14
PK	5.3502G	66.28	74.00	-7.72	59.70	3	Horizontal	283	1.71	-	33.70	5.02	32.14
AV	5.3502G	53.69	54.00	-0.31	47.11	3	Horizontal	283	1.71	-	33.70	5.02	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
 Setting 22.5  
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95576G	51.15	74.00	-22.85	38.22	3	Vertical	245	2.52	-	37.44	9.18	33.69
AV	15.9571G	38.26	54.00	-15.74	25.33	3	Vertical	245	2.52	-	37.44	9.18	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95854G	51.63	74.00	-22.37	38.69	3	Horizontal	144	2.81	-	37.44	9.19	33.69
AV	15.95918G	38.23	54.00	-15.77	25.29	3	Horizontal	144	2.81	-	37.44	9.19	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	59.26	74.00	-14.74	52.43	3	Vertical	326	2.06	-	33.90	5.06	32.13
AV	5.4598G	46.20	54.00	-7.80	39.37	3	Vertical	326	2.06	-	33.90	5.06	32.13
PK	5.4696G	67.94	68.20	-0.26	61.10	3	Vertical	326	2.06	-	33.90	5.07	32.13
PK	5.502G	112.64	Inf	-Inf	105.77	3	Vertical	326	2.06	-	33.90	5.10	32.13
AV	5.5032G	102.01	Inf	-Inf	95.14	3	Vertical	326	2.06	-	33.90	5.10	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	58.96	74.00	-15.04	52.13	3	Horizontal	304	1.84	-	33.90	5.06	32.13
AV	5.4598G	46.14	54.00	-7.86	39.31	3	Horizontal	304	1.84	-	33.90	5.06	32.13
PK	5.4696G	67.36	68.20	-0.84	60.52	3	Horizontal	304	1.84	-	33.90	5.07	32.13
PK	5.4966G	110.23	Inf	-Inf	103.36	3	Horizontal	304	1.84	-	33.90	5.10	32.13
AV	5.4968G	100.35	Inf	-Inf	93.48	3	Horizontal	304	1.84	-	33.90	5.10	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99818G	51.29	74.00	-22.71	38.61	3	Vertical	206	2.71	-	38.50	7.45	33.27
AV	11.00316G	37.97	54.00	-16.03	25.29	3	Vertical	206	2.71	-	38.50	7.45	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00396G	51.55	74.00	-22.45	38.87	3	Horizontal	94	2.48	-	38.50	7.45	33.27
AV	10.99582G	38.01	54.00	-15.99	25.33	3	Horizontal	94	2.48	-	38.50	7.45	33.27



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	56.51	74.00	-17.49	49.76	3	Vertical	330	1.76	-	33.85	5.03	32.13
AV	5.4272G	44.16	54.00	-9.84	37.41	3	Vertical	330	1.76	-	33.85	5.03	32.13
PK	5.4624G	55.61	68.20	-12.59	48.78	3	Vertical	330	1.76	-	33.90	5.06	32.13
PK	5.5768G	114.75	Inf	-Inf	107.80	3	Vertical	330	1.76	-	33.90	5.18	32.13
AV	5.5832G	104.42	Inf	-Inf	97.47	3	Vertical	330	1.76	-	33.90	5.18	32.13
PK	5.7504G	56.79	68.20	-11.41	50.09	3	Vertical	330	1.76	-	33.80	5.05	32.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4024G	56.20	74.00	-17.80	49.54	3	Horizontal	308	3.00	-	33.80	5.00	32.14
PK	5.4632G	56.45	68.20	-11.75	49.62	3	Horizontal	308	3.00	-	33.90	5.06	32.13
AV	5.444G	44.14	54.00	-9.86	37.34	3	Horizontal	308	3.00	-	33.89	5.04	32.13
PK	5.5768G	113.16	Inf	-Inf	106.21	3	Horizontal	308	3.00	-	33.90	5.18	32.13
AV	5.5792G	102.66	Inf	-Inf	95.71	3	Horizontal	308	3.00	-	33.90	5.18	32.13
PK	5.7512G	56.52	68.20	-11.68	49.82	3	Horizontal	308	3.00	-	33.80	5.05	32.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16097G	51.59	74.00	-22.41	38.67	3	Vertical	296	2.58	-	38.66	7.51	33.25
AV	11.15944G	38.40	54.00	-15.60	25.48	3	Vertical	296	2.58	-	38.66	7.51	33.25

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16073G	51.92	74.00	-22.08	39.00	3	Horizontal	360	1.91	-	38.66	7.51	33.25
AV	11.16025G	38.28	54.00	-15.72	25.36	3	Horizontal	360	1.91	-	38.66	7.51	33.25

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	110.17	Inf	-Inf	103.50	3	Vertical	337	1.58	-	33.71	5.10	32.14
AV	5.6968G	100.04	Inf	-Inf	93.37	3	Vertical	337	1.58	-	33.71	5.10	32.14
PK	5.7262G	66.03	68.20	-2.17	59.35	3	Vertical	337	1.58	-	33.75	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	110.05	Inf	-Inf	103.38	3	Horizontal	337	2.90	-	33.71	5.10	32.14
AV	5.7024G	100.10	Inf	-Inf	93.44	3	Horizontal	337	2.90	-	33.70	5.10	32.14
PK	5.726G	66.39	68.20	-1.81	59.71	3	Horizontal	337	2.90	-	33.75	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3952G	52.45	74.00	-21.55	39.29	3	Vertical	185	2.73	-	38.80	7.59	33.23
AV	11.40042G	38.61	54.00	-15.39	25.45	3	Vertical	185	2.73	-	38.80	7.59	33.23

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39698G	51.87	74.00	-22.13	38.71	3	Horizontal	249	1.04	-	38.80	7.59	33.23
AV	11.39694G	38.55	54.00	-15.45	25.39	3	Horizontal	249	1.04	-	38.80	7.59	33.23



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	56.58	74.00	-17.42	50.24	3	Vertical	310	1.99	-	33.50	4.99	32.15
AV	5.113G	43.60	54.00	-10.40	37.32	3	Vertical	310	1.99	-	33.50	4.93	32.15
PK	5.257G	114.38	Inf	-Inf	107.84	3	Vertical	310	1.99	-	33.61	5.07	32.14
AV	5.2564G	102.19	Inf	-Inf	95.65	3	Vertical	310	1.99	-	33.61	5.07	32.14
PK	5.3518G	57.28	74.00	-16.72	50.70	3	Vertical	310	1.99	-	33.70	5.02	32.14
AV	5.3512G	44.50	54.00	-9.50	37.92	3	Vertical	310	1.99	-	33.70	5.02	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	56.45	74.00	-17.55	50.17	3	Horizontal	332	1.88	-	33.50	4.93	32.15
AV	5.1472G	43.56	54.00	-10.44	37.22	3	Horizontal	332	1.88	-	33.50	4.99	32.15
PK	5.2564G	114.51	Inf	-Inf	107.97	3	Horizontal	332	1.88	-	33.61	5.07	32.14
AV	5.2564G	101.75	Inf	-Inf	95.21	3	Horizontal	332	1.88	-	33.61	5.07	32.14
PK	5.3764G	56.87	74.00	-17.13	50.25	3	Horizontal	332	1.88	-	33.75	5.01	32.14
AV	5.35G	44.18	54.00	-9.82	37.59	3	Horizontal	332	1.88	-	33.70	5.03	32.14

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7792G	51.94	74.00	-22.06	38.90	3	Vertical	81	2.12	-	37.40	9.12	33.48
AV	15.77892G	38.15	54.00	-15.85	25.11	3	Vertical	81	2.12	-	37.40	9.12	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78408G	51.92	74.00	-22.08	38.89	3	Horizontal	339	1.31	-	37.40	9.12	33.49
AV	15.77564G	37.99	54.00	-16.01	24.95	3	Horizontal	339	1.31	-	37.40	9.12	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 24.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	114.50	Inf	-Inf	107.89	3	Vertical	318	1.87	-	33.70	5.05	32.14
AV	5.304G	101.87	Inf	-Inf	95.26	3	Vertical	318	1.87	-	33.70	5.05	32.14
PK	5.35G	69.39	74.00	-4.61	62.80	3	Vertical	318	1.87	-	33.70	5.03	32.14
AV	5.3504G	53.63	54.00	-0.37	47.05	3	Vertical	318	1.87	-	33.70	5.02	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 24.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	114.22	Inf	-Inf	107.62	3	Horizontal	283	1.80	-	33.69	5.05	32.14
AV	5.302G	101.47	Inf	-Inf	94.86	3	Horizontal	283	1.80	-	33.70	5.05	32.14
PK	5.3504G	68.00	74.00	-6.00	61.42	3	Horizontal	283	1.80	-	33.70	5.02	32.14
AV	5.35G	53.95	54.00	-0.05	47.36	3	Horizontal	283	1.80	-	33.70	5.03	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 24.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90224G	52.08	74.00	-21.92	39.03	3	Vertical	337	2.12	-	37.50	9.17	33.62
AV	15.89658G	37.87	54.00	-16.13	24.83	3	Vertical	337	2.12	-	37.50	9.16	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 24.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8954G	51.43	74.00	-22.57	38.39	3	Horizontal	265	1.17	-	37.50	9.16	33.62
AV	15.90076G	37.84	54.00	-16.16	24.79	3	Horizontal	265	1.17	-	37.50	9.17	33.62



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	112.67	Inf	-Inf	106.07	3	Vertical	312	1.85	-	33.70	5.04	32.14
AV	5.318G	99.66	Inf	-Inf	93.06	3	Vertical	312	1.85	-	33.70	5.04	32.14
PK	5.3502G	67.11	74.00	-6.89	60.53	3	Vertical	312	1.85	-	33.70	5.02	32.14
AV	5.3502G	52.83	54.00	-1.17	46.25	3	Vertical	312	1.85	-	33.70	5.02	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	112.55	Inf	-Inf	105.95	3	Horizontal	290	1.82	-	33.70	5.04	32.14
AV	5.3222G	99.46	Inf	-Inf	92.86	3	Horizontal	290	1.82	-	33.70	5.04	32.14
PK	5.351G	67.77	74.00	-6.23	61.19	3	Horizontal	290	1.82	-	33.70	5.02	32.14
AV	5.35G	52.55	54.00	-1.45	45.96	3	Horizontal	290	1.82	-	33.70	5.03	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9569G	51.21	74.00	-22.79	38.28	3	Vertical	352	1.94	-	37.44	9.18	33.69
AV	15.95514G	37.79	54.00	-16.21	24.86	3	Vertical	352	1.94	-	37.44	9.18	33.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95932G	52.05	74.00	-21.95	39.11	3	Horizontal	17	1.07	-	37.44	9.19	33.69
AV	15.95666G	37.77	54.00	-16.23	24.84	3	Horizontal	17	1.07	-	37.44	9.18	33.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	58.75	74.00	-15.25	51.92	3	Vertical	325	2.06	-	33.90	5.06	32.13
AV	5.46G	45.96	54.00	-8.04	39.13	3	Vertical	325	2.06	-	33.90	5.06	32.13
PK	5.4684G	66.31	68.20	-1.89	59.47	3	Vertical	325	2.06	-	33.90	5.07	32.13
PK	5.5014G	113.70	Inf	-Inf	106.83	3	Vertical	325	2.06	-	33.90	5.10	32.13
AV	5.5018G	100.17	Inf	-Inf	93.30	3	Vertical	325	2.06	-	33.90	5.10	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	57.95	74.00	-16.05	51.13	3	Horizontal	297	1.92	-	33.90	5.05	32.13
AV	5.4596G	45.93	54.00	-8.07	39.10	3	Horizontal	297	1.92	-	33.90	5.06	32.13
PK	5.4682G	65.82	68.20	-2.38	58.98	3	Horizontal	297	1.92	-	33.90	5.07	32.13
PK	5.495G	112.13	Inf	-Inf	105.26	3	Horizontal	297	1.92	-	33.90	5.10	32.13
AV	5.4962G	98.71	Inf	-Inf	91.84	3	Horizontal	297	1.92	-	33.90	5.10	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99846G	51.30	74.00	-22.70	38.62	3	Vertical	138	2.79	-	38.50	7.45	33.27
AV	11.00316G	37.42	54.00	-16.58	24.74	3	Vertical	138	2.79	-	38.50	7.45	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 22.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00062G	51.02	74.00	-22.98	38.34	3	Horizontal	167	2.80	-	38.50	7.45	33.27
AV	11.0049G	37.39	54.00	-16.61	24.71	3	Horizontal	167	2.80	-	38.50	7.45	33.27



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	56.00	74.00	-18.00	49.17	3	Vertical	332	1.76	-	33.90	5.06	32.13
AV	5.4576G	43.92	54.00	-10.08	37.09	3	Vertical	332	1.76	-	33.90	5.06	32.13
PK	5.4688G	55.89	68.20	-12.31	49.05	3	Vertical	332	1.76	-	33.90	5.07	32.13
PK	5.5792G	116.19	Inf	-Inf	109.24	3	Vertical	332	1.76	-	33.90	5.18	32.13
AV	5.5816G	103.31	Inf	-Inf	96.36	3	Vertical	332	1.76	-	33.90	5.18	32.13
PK	5.7344G	56.25	68.20	-11.95	49.55	3	Vertical	332	1.76	-	33.77	5.07	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 25  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	56.37	74.00	-17.63	49.55	3	Horizontal	308	3.00	-	33.90	5.05	32.13
AV	5.46G	43.96	54.00	-10.04	37.13	3	Horizontal	308	3.00	-	33.90	5.06	32.13
PK	5.4696G	56.04	68.20	-12.16	49.20	3	Horizontal	308	3.00	-	33.90	5.07	32.13
PK	5.588G	114.22	Inf	-Inf	107.27	3	Horizontal	308	3.00	-	33.90	5.19	32.14
AV	5.5824G	101.69	Inf	-Inf	94.74	3	Horizontal	308	3.00	-	33.90	5.18	32.13
PK	5.7712G	55.96	68.20	-12.24	49.32	3	Horizontal	308	3.00	-	33.76	5.03	32.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15818G	51.59	74.00	-22.41	38.67	3	Vertical	196	2.73	-	38.66	7.51	33.25
AV	11.15794G	37.85	54.00	-16.15	24.93	3	Vertical	196	2.73	-	38.66	7.51	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1604G	51.66	74.00	-22.34	38.74	3	Horizontal	89	2.55	-	38.66	7.51	33.25
AV	11.16412G	37.98	54.00	-16.02	25.06	3	Horizontal	89	2.55	-	38.66	7.51	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	112.59	Inf	-Inf	105.92	3	Vertical	334	1.80	-	33.71	5.10	32.14
AV	5.6982G	99.07	Inf	-Inf	92.41	3	Vertical	334	1.80	-	33.70	5.10	32.14
PK	5.7278G	67.43	68.20	-0.77	60.74	3	Vertical	334	1.80	-	33.76	5.07	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7034G	112.55	Inf	-Inf	105.88	3	Horizontal	340	2.91	-	33.71	5.10	32.14
AV	5.6986G	99.01	Inf	-Inf	92.35	3	Horizontal	340	2.91	-	33.70	5.10	32.14
PK	5.7256G	68.09	68.20	-0.11	61.41	3	Horizontal	340	2.91	-	33.75	5.07	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3995G	52.17	74.00	-21.83	39.01	3	Vertical	293	2.59	-	38.80	7.59	33.23
AV	11.40096G	38.09	54.00	-15.91	24.93	3	Vertical	293	2.59	-	38.80	7.59	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40454G	51.38	74.00	-22.62	38.21	3	Horizontal	206	2.94	-	38.81	7.59	33.23
AV	11.4034G	38.04	54.00	-15.96	24.87	3	Horizontal	206	2.94	-	38.81	7.59	33.23



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	57.26	74.00	-16.74	50.92	3	Vertical	306	1.87	-	33.50	4.99	32.15
AV	5.15G	44.92	54.00	-9.08	38.57	3	Vertical	306	1.87	-	33.50	5.00	32.15
PK	5.276G	110.79	Inf	-Inf	104.22	3	Vertical	306	1.87	-	33.65	5.06	32.14
AV	5.2724G	98.79	Inf	-Inf	92.23	3	Vertical	306	1.87	-	33.64	5.06	32.14
PK	5.3582G	66.91	74.00	-7.09	60.31	3	Vertical	306	1.87	-	33.72	5.02	32.14
AV	5.3504G	53.96	54.00	-0.04	47.38	3	Vertical	306	1.87	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	56.99	74.00	-17.01	50.66	3	Horizontal	283	1.94	-	33.50	4.98	32.15
AV	5.15G	45.02	54.00	-8.98	38.67	3	Horizontal	283	1.94	-	33.50	5.00	32.15
PK	5.2724G	112.13	Inf	-Inf	105.57	3	Horizontal	283	1.94	-	33.64	5.06	32.14
AV	5.2682G	98.58	Inf	-Inf	92.01	3	Horizontal	283	1.94	-	33.64	5.07	32.14
PK	5.351G	67.15	74.00	-6.85	60.57	3	Horizontal	283	1.94	-	33.70	5.02	32.14
AV	5.35G	53.61	54.00	-0.39	47.03	3	Horizontal	283	1.94	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80954G	52.44	74.00	-21.56	39.42	3	Vertical	9	2.53	-	37.41	9.13	33.52
AV	15.81122G	38.20	54.00	-15.80	25.18	3	Vertical	9	2.53	-	37.41	9.13	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81156G	51.45	74.00	-22.55	38.43	3	Horizontal	264	2.23	-	37.41	9.13	33.52
AV	15.80524G	38.26	54.00	-15.74	25.23	3	Horizontal	264	2.23	-	37.41	9.13	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	108.56	Inf	-Inf	101.95	3	Vertical	317	2.06	-	33.70	5.05	32.14
AV	5.3084G	95.88	Inf	-Inf	89.27	3	Vertical	317	2.06	-	33.70	5.05	32.14
PK	5.35G	67.83	74.00	-6.17	61.24	3	Vertical	317	2.06	-	33.70	5.03	32.14
AV	5.3504G	52.76	54.00	-1.24	46.18	3	Vertical	317	2.06	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	108.25	Inf	-Inf	101.65	3	Horizontal	283	1.83	-	33.70	5.04	32.14
AV	5.3204G	94.88	Inf	-Inf	88.28	3	Horizontal	283	1.83	-	33.70	5.04	32.14
PK	5.3536G	66.74	74.00	-7.26	60.15	3	Horizontal	283	1.83	-	33.71	5.02	32.14
AV	5.3508G	51.98	54.00	-2.02	45.40	3	Horizontal	283	1.83	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93352G	51.80	74.00	-22.20	38.81	3	Vertical	213	3.00	-	37.47	9.18	33.66
AV	15.93058G	38.14	54.00	-15.86	25.15	3	Vertical	213	3.00	-	37.47	9.18	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92972G	52.69	74.00	-21.31	39.70	3	Horizontal	137	2.34	-	37.47	9.18	33.66
AV	15.93416G	38.15	54.00	-15.85	25.16	3	Horizontal	137	2.34	-	37.47	9.18	33.66



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.75	74.00	-8.25	58.92	3	Vertical	330	2.06	-	33.90	5.06	32.13
AV	5.46G	49.57	54.00	-4.43	42.74	3	Vertical	330	2.06	-	33.90	5.06	32.13
PK	5.464G	67.44	68.20	-0.76	60.61	3	Vertical	330	2.06	-	33.90	5.06	32.13
PK	5.5092G	110.31	Inf	-Inf	103.43	3	Vertical	330	2.06	-	33.90	5.11	32.13
AV	5.5152G	97.10	Inf	-Inf	90.21	3	Vertical	330	2.06	-	33.90	5.12	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.32	74.00	-8.68	58.49	3	Horizontal	303	1.80	-	33.90	5.06	32.13
AV	5.4596G	49.67	54.00	-4.33	42.84	3	Horizontal	303	1.80	-	33.90	5.06	32.13
PK	5.4676G	66.74	68.20	-1.46	59.90	3	Horizontal	303	1.80	-	33.90	5.07	32.13
PK	5.5172G	109.35	Inf	-Inf	102.46	3	Horizontal	303	1.80	-	33.90	5.12	32.13
AV	5.5172G	95.72	Inf	-Inf	88.83	3	Horizontal	303	1.80	-	33.90	5.12	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01918G	51.84	74.00	-22.16	39.13	3	Vertical	165	1.68	-	38.52	7.46	33.27
AV	11.01756G	38.09	54.00	-15.91	25.38	3	Vertical	165	1.68	-	38.52	7.46	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0195G	51.74	74.00	-22.26	39.03	3	Horizontal	131	1.16	-	38.52	7.46	33.27
AV	11.01734G	38.10	54.00	-15.90	25.39	3	Horizontal	131	1.16	-	38.52	7.46	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 24  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.94	74.00	-9.06	58.12	3	Vertical	330	1.66	-	33.90	5.05	32.13
AV	5.46G	51.78	54.00	-2.22	44.95	3	Vertical	330	1.66	-	33.90	5.06	32.13
PK	5.47G	66.69	68.20	-1.51	59.85	3	Vertical	330	1.66	-	33.90	5.07	32.13
PK	5.5524G	112.69	Inf	-Inf	105.77	3	Vertical	330	1.66	-	33.90	5.15	32.13
AV	5.5524G	99.79	Inf	-Inf	92.87	3	Vertical	330	1.66	-	33.90	5.15	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5550MHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.08	74.00	-8.92	58.25	3	Horizontal	301	1.80	-	33.90	5.06	32.13
AV	5.46G	51.39	54.00	-2.61	44.56	3	Horizontal	301	1.80	-	33.90	5.06	32.13
PK	5.4678G	67.19	68.20	-1.01	60.35	3	Horizontal	301	1.80	-	33.90	5.07	32.13
PK	5.5482G	110.61	Inf	-Inf	103.69	3	Horizontal	301	1.80	-	33.90	5.15	32.13
AV	5.5512G	98.08	Inf	-Inf	91.16	3	Horizontal	301	1.80	-	33.90	5.15	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10324G	52.17	74.00	-21.83	39.34	3	Vertical	325	2.74	-	38.60	7.49	33.26
AV	11.10048G	38.05	54.00	-15.95	25.22	3	Vertical	325	2.74	-	38.60	7.49	33.26

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TnomVnom




EUT V\_1TX  
Setting 24  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10228G	52.57	74.00	-21.43	39.74	3	Horizontal	84	2.30	-	38.60	7.49	33.26
AV	11.10218G	38.03	54.00	-15.97	25.20	3	Horizontal	84	2.30	-	38.60	7.49	33.26



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	110.32	Inf	-Inf	103.57	3	Vertical	338	1.72	-	33.76	5.13	32.14
AV	5.6676G	97.91	Inf	-Inf	91.16	3	Vertical	338	1.72	-	33.76	5.13	32.14
PK	5.7258G	68.16	68.20	-0.04	61.48	3	Vertical	338	1.72	-	33.75	5.07	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	107.87	Inf	-Inf	101.13	3	Horizontal	279	1.81	-	33.75	5.13	32.14
AV	5.6712G	95.28	Inf	-Inf	88.53	3	Horizontal	279	1.81	-	33.76	5.13	32.14
PK	5.7276G	67.22	68.20	-0.98	60.53	3	Horizontal	279	1.81	-	33.76	5.07	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33588G	52.04	74.00	-21.96	38.97	3	Vertical	38	1.61	-	38.74	7.57	33.24
AV	11.34114G	37.69	54.00	-16.31	24.62	3	Vertical	38	1.61	-	38.74	7.57	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 21.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34162G	51.54	74.00	-22.46	38.47	3	Horizontal	305	2.07	-	38.74	7.57	33.24
AV	11.33872G	37.72	54.00	-16.28	24.65	3	Horizontal	305	2.07	-	38.74	7.57	33.24

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 20  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	57.47	74.00	-16.53	51.13	3	Vertical	318	1.86	-	33.50	4.99	32.15
AV	5.149G	44.63	54.00	-9.37	38.28	3	Vertical	318	1.86	-	33.50	5.00	32.15
PK	5.287G	104.79	Inf	-Inf	98.20	3	Vertical	318	1.86	-	33.67	5.06	32.14
AV	5.286G	92.31	Inf	-Inf	85.72	3	Vertical	318	1.86	-	33.67	5.06	32.14
PK	5.352G	69.30	74.00	-4.70	62.72	3	Vertical	318	1.86	-	33.70	5.02	32.14
AV	5.352G	53.83	54.00	-0.17	47.25	3	Vertical	318	1.86	-	33.70	5.02	32.14
PK	5.464G	56.74	68.20	-11.46	49.91	3	Vertical	318	1.86	-	33.90	5.06	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 20  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	57.50	74.00	-16.50	51.16	3	Horizontal	282	1.82	-	33.50	4.99	32.15
AV	5.15G	44.66	54.00	-9.34	38.31	3	Horizontal	282	1.82	-	33.50	5.00	32.15
PK	5.289G	105.70	Inf	-Inf	99.10	3	Horizontal	282	1.82	-	33.68	5.06	32.14
AV	5.289G	92.14	Inf	-Inf	85.54	3	Horizontal	282	1.82	-	33.68	5.06	32.14
PK	5.35G	67.62	74.00	-6.38	61.03	3	Horizontal	282	1.82	-	33.70	5.03	32.14
AV	5.35G	53.68	54.00	-0.32	47.09	3	Horizontal	282	1.82	-	33.70	5.03	32.14
PK	5.483G	56.71	68.20	-11.49	49.86	3	Horizontal	282	1.82	-	33.90	5.08	32.13

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TnomVnom




EUT V\_1TX  
Setting 20  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86596G	52.44	74.00	-21.56	39.40	3	Vertical	279	2.75	-	37.47	9.15	33.58
AV	15.87302G	38.37	54.00	-15.63	25.33	3	Vertical	279	2.75	-	37.47	9.16	33.59

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 20  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.866G	51.78	74.00	-22.22	38.74	3	Horizontal	323	1.48	-	37.47	9.15	33.58
AV	15.86684G	38.53	54.00	-15.47	25.49	3	Horizontal	323	1.48	-	37.47	9.15	33.58



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	56.68	68.20	-11.52	50.08	3	Vertical	325	1.80	-	33.70	5.04	32.14
AV	5.35G	43.83	54.00	-10.17	37.24	3	Vertical	325	1.80	-	33.70	5.03	32.14
PK	5.454G	66.59	74.00	-7.41	59.77	3	Vertical	325	1.80	-	33.90	5.05	32.13
PK	5.461G	66.43	68.20	-1.77	59.60	3	Vertical	325	1.80	-	33.90	5.06	32.13
AV	5.46G	52.43	54.00	-1.57	45.60	3	Vertical	325	1.80	-	33.90	5.06	32.13
PK	5.527G	106.00	Inf	-Inf	99.10	3	Vertical	325	1.80	-	33.90	5.13	32.13
AV	5.528G	92.63	Inf	-Inf	85.73	3	Vertical	325	1.80	-	33.90	5.13	32.13
PK	5.754G	57.28	68.20	-10.92	50.59	3	Vertical	325	1.80	-	33.79	5.05	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	56.20	68.20	-12.00	49.61	3	Horizontal	303	1.80	-	33.70	5.03	32.14
AV	5.35G	43.67	54.00	-10.33	37.08	3	Horizontal	303	1.80	-	33.70	5.03	32.14
PK	5.46G	66.00	74.00	-8.00	59.17	3	Horizontal	303	1.80	-	33.90	5.06	32.13
AV	5.46G	50.94	54.00	-3.06	44.11	3	Horizontal	303	1.80	-	33.90	5.06	32.13
PK	5.525G	103.75	Inf	-Inf	96.86	3	Horizontal	303	1.80	-	33.90	5.12	32.13
AV	5.52G	91.43	Inf	-Inf	84.54	3	Horizontal	303	1.80	-	33.90	5.12	32.13
PK	5.726G	56.68	68.20	-11.52	50.00	3	Horizontal	303	1.80	-	33.75	5.07	32.14
PK	5.464G	67.33	68.20	-0.87	60.50	3	Horizontal	303	1.80	-	33.90	5.06	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06208G	51.46	74.00	-22.54	38.69	3	Vertical	167	2.08	-	38.56	7.47	33.26
AV	11.05788G	37.80	54.00	-16.20	25.03	3	Vertical	167	2.08	-	38.56	7.47	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom



EUT V\_1TX  
Setting 20.5  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0611G	51.66	74.00	-22.34	38.89	3	Horizontal	322	1.97	-	38.56	7.47	33.26
AV	11.0584G	37.80	54.00	-16.20	25.03	3	Horizontal	322	1.97	-	38.56	7.47	33.26



**RSE TX above 1GHz**  
**<Radio 1: Ant. 1 + Ant. 2> 2TX**  
**For Non-beamforming**


**Appendix D.3**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4648G	68.14	68.20	-0.06	3	Horizontal	12	1.78	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	56.41	74.00	-17.59	50.14	3	Vertical	333	1.90	-	33.50	4.92	32.15
AV	5.1136G	44.09	54.00	-9.91	37.81	3	Vertical	333	1.90	-	33.50	4.93	32.15
PK	5.2582G	117.32	Inf	-Inf	110.77	3	Vertical	333	1.90	-	33.62	5.07	32.14
AV	5.2534G	106.70	Inf	-Inf	100.16	3	Vertical	333	1.90	-	33.61	5.07	32.14
PK	5.3914G	56.94	74.00	-17.06	50.30	3	Vertical	333	1.90	-	33.78	5.00	32.14
AV	5.35G	44.65	54.00	-9.35	38.06	3	Vertical	333	1.90	-	33.70	5.03	32.14

**802.11a\_Nss1,(6Mbps)\_2TX**

**5260MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	56.59	74.00	-17.41	50.29	3	Horizontal	16	1.80	-	33.50	4.95	32.15
AV	5.1376G	44.07	54.00	-9.93	37.74	3	Horizontal	16	1.80	-	33.50	4.98	32.15
PK	5.2642G	116.61	Inf	-Inf	110.05	3	Horizontal	16	1.80	-	33.63	5.07	32.14
AV	5.2594G	106.48	Inf	-Inf	99.93	3	Horizontal	16	1.80	-	33.62	5.07	32.14
PK	5.3536G	57.30	74.00	-16.70	50.71	3	Horizontal	16	1.80	-	33.71	5.02	32.14
AV	5.3506G	44.75	54.00	-9.25	38.17	3	Horizontal	16	1.80	-	33.70	5.02	32.14

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76184G	51.13	74.00	-22.87	38.07	3	Vertical	170	2.98	-	37.40	9.12	33.46
AV	15.77408G	38.16	54.00	-15.84	25.11	3	Vertical	170	2.98	-	37.40	9.12	33.47



**802.11a\_Nss1,(6Mbps)\_2TX**

**5260MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76176G	51.54	74.00	-22.46	38.48	3	Horizontal	285	1.02	-	37.40	9.12	33.46
AV	15.77976G	38.30	54.00	-15.70	25.26	3	Horizontal	285	1.02	-	37.40	9.12	33.48

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 24  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	116.45	Inf	-Inf	109.84	3	Vertical	354	1.44	-	33.70	5.05	32.14
AV	5.3028G	106.04	Inf	-Inf	99.43	3	Vertical	354	1.44	-	33.70	5.05	32.14
PK	5.3528G	65.97	74.00	-8.03	59.38	3	Vertical	354	1.44	-	33.71	5.02	32.14
AV	5.3528G	51.51	54.00	-2.49	44.92	3	Vertical	354	1.44	-	33.71	5.02	32.14

**802.11a\_Nss1,(6Mbps)\_2TX**

**5300MHz\_TnomVnom**




EUT V\_2TX  
 Setting 24  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	116.37	Inf	-Inf	109.76	3	Horizontal	326	2.50	-	33.70	5.05	32.14
AV	5.3032G	105.98	Inf	-Inf	99.37	3	Horizontal	326	2.50	-	33.70	5.05	32.14
PK	5.35G	65.37	74.00	-8.63	58.78	3	Horizontal	326	2.50	-	33.70	5.03	32.14
AV	5.35G	51.56	54.00	-2.44	44.97	3	Horizontal	326	2.50	-	33.70	5.03	32.14

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 24  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89648G	50.89	74.00	-23.11	37.85	3	Vertical	2	1.57	-	37.50	9.16	33.62
AV	15.91736G	37.77	54.00	-16.23	24.76	3	Vertical	2	1.57	-	37.48	9.17	33.64

**802.11a\_Nss1,(6Mbps)\_2TX**

**5300MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 24  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90088G	51.21	74.00	-22.79	38.16	3	Horizontal	54	1.42	-	37.50	9.17	33.62
AV	15.914G	37.79	54.00	-16.21	24.77	3	Horizontal	54	1.42	-	37.49	9.17	33.64

**802.11a\_Nss1,(6Mbps)\_2TX**

**5320MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 21  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	113.59	Inf	-Inf	106.99	3	Vertical	317	1.86	-	33.70	5.04	32.14
AV	5.3176G	102.23	Inf	-Inf	95.63	3	Vertical	317	1.86	-	33.70	5.04	32.14
PK	5.3532G	60.86	74.00	-13.14	54.27	3	Vertical	317	1.86	-	33.71	5.02	32.14
AV	5.3524G	47.21	54.00	-6.79	40.63	3	Vertical	317	1.86	-	33.70	5.02	32.14

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 21  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	112.69	Inf	-Inf	106.09	3	Horizontal	12	1.81	-	33.70	5.04	32.14
AV	5.3192G	102.77	Inf	-Inf	96.17	3	Horizontal	12	1.81	-	33.70	5.04	32.14
PK	5.35G	67.04	74.00	-6.96	60.45	3	Horizontal	12	1.81	-	33.70	5.03	32.14
AV	5.35G	52.15	54.00	-1.85	45.56	3	Horizontal	12	1.81	-	33.70	5.03	32.14

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom



EUT\_V\_2TX  
 Setting 21  
 02-B-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96544G	51.15	74.00	-22.85	38.23	3	Vertical	179	1.93	-	37.43	9.19	33.70
AV	15.95824G	37.70	54.00	-16.30	24.76	3	Vertical	179	1.93	-	37.44	9.19	33.69





802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TnomVnom




EUT V\_2TX  
 Setting 21  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96272G	50.44	74.00	-23.56	37.51	3	Horizontal	24	1.80	-	37.44	9.19	33.70
AV	15.94792G	37.66	54.00	-16.34	24.71	3	Horizontal	24	1.80	-	37.45	9.18	33.68

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 21.5  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.00	74.00	-15.00	52.17	3	Vertical	329	1.97	-	33.90	5.06	32.13
AV	5.4592G	46.00	54.00	-8.00	39.17	3	Vertical	329	1.97	-	33.90	5.06	32.13
PK	5.4684G	62.90	68.20	-5.30	56.06	3	Vertical	329	1.97	-	33.90	5.07	32.13
PK	5.4936G	112.50	Inf	-Inf	105.64	3	Vertical	329	1.97	-	33.90	5.09	32.13
AV	5.4992G	102.16	Inf	-Inf	95.29	3	Vertical	329	1.97	-	33.90	5.10	32.13

**802.11a\_Nss1,(6Mbps)\_2TX**

**5500MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 21.5  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.19	74.00	-13.81	53.36	3	Horizontal	15	1.73	-	33.90	5.06	32.13
AV	5.46G	46.95	54.00	-7.05	40.12	3	Horizontal	15	1.73	-	33.90	5.06	32.13
PK	5.4696G	67.74	68.20	-0.46	60.90	3	Horizontal	15	1.73	-	33.90	5.07	32.13
PK	5.4952G	112.86	Inf	-Inf	105.99	3	Horizontal	15	1.73	-	33.90	5.10	32.13
AV	5.4948G	103.25	Inf	-Inf	96.39	3	Horizontal	15	1.73	-	33.90	5.09	32.13

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01624G	50.69	74.00	-23.31	37.98	3	Vertical	26	1.80	-	38.52	7.46	33.27
AV	11.01816G	38.11	54.00	-15.89	25.40	3	Vertical	26	1.80	-	38.52	7.46	33.27

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.008G	50.77	74.00	-23.23	38.08	3	Horizontal	0	1.80	-	38.51	7.45	33.27
AV	11.01984G	38.05	54.00	-15.95	25.34	3	Horizontal	0	1.80	-	38.52	7.46	33.27

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	57.38	74.00	-16.62	50.65	3	Vertical	330	1.72	-	33.84	5.02	32.13
PK	5.4616G	55.99	68.20	-12.21	49.16	3	Vertical	330	1.72	-	33.90	5.06	32.13
AV	5.46G	44.26	54.00	-9.74	37.43	3	Vertical	330	1.72	-	33.90	5.06	32.13
PK	5.5768G	117.10	Inf	-Inf	110.15	3	Vertical	330	1.72	-	33.90	5.18	32.13
AV	5.5816G	105.87	Inf	-Inf	98.92	3	Vertical	330	1.72	-	33.90	5.18	32.13
PK	5.7784G	57.28	68.20	-10.92	50.67	3	Vertical	330	1.72	-	33.74	5.02	32.15

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4464G	57.06	74.00	-16.94	50.25	3	Horizontal	13	1.52	-	33.89	5.05	32.13
AV	5.4472G	44.37	54.00	-9.63	37.56	3	Horizontal	13	1.52	-	33.89	5.05	32.13
PK	5.4664G	56.41	68.20	-11.79	49.57	3	Horizontal	13	1.52	-	33.90	5.07	32.13
PK	5.5872G	117.70	Inf	-Inf	110.75	3	Horizontal	13	1.52	-	33.90	5.19	32.14
AV	5.5824G	107.06	Inf	-Inf	100.11	3	Horizontal	13	1.52	-	33.90	5.18	32.13
PK	5.7752G	57.19	68.20	-11.01	50.57	3	Horizontal	13	1.52	-	33.75	5.02	32.15

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT V\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14264G	51.70	74.00	-22.30	38.82	3	Vertical	116	1.80	-	38.64	7.50	33.26
AV	11.15424G	38.74	54.00	-15.26	25.84	3	Vertical	116	1.80	-	38.65	7.50	33.25



**802.11a\_Nss1,(6Mbps)\_2TX**

**5580MHz\_TnomVnom**




EUT V\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15792G	51.78	74.00	-22.22	38.86	3	Horizontal	60	1.55	-	38.66	7.51	33.25
AV	11.15936G	38.60	54.00	-15.40	25.68	3	Horizontal	60	1.55	-	38.66	7.51	33.25

**802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 21  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	113.07	Inf	-Inf	106.40	3	Vertical	347	1.90	-	33.71	5.10	32.14
AV	5.7032G	103.08	Inf	-Inf	96.41	3	Vertical	347	1.90	-	33.71	5.10	32.14
PK	5.7284G	65.64	68.20	-2.56	58.95	3	Vertical	347	1.90	-	33.76	5.07	32.14

**802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TnomVnom**




EUT\_V\_2TX  
 Setting 21  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	113.33	Inf	-Inf	106.66	3	Horizontal	19	2.75	-	33.71	5.10	32.14
AV	5.7032G	103.57	Inf	-Inf	96.90	3	Horizontal	19	2.75	-	33.71	5.10	32.14
PK	5.7276G	66.44	68.20	-1.76	59.75	3	Horizontal	19	2.75	-	33.76	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 21  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4084G	51.11	74.00	-22.89	37.93	3	Vertical	144	3.00	-	38.82	7.59	33.23
AV	11.38904G	38.42	54.00	-15.58	25.27	3	Vertical	144	3.00	-	38.79	7.59	33.23

**802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 21  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39256G	51.09	74.00	-22.91	37.94	3	Horizontal	107	1.03	-	38.79	7.59	33.23
AV	11.38944G	38.37	54.00	-15.63	25.22	3	Horizontal	107	1.03	-	38.79	7.59	33.23

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	56.96	74.00	-17.04	50.61	3	Vertical	332	1.90	-	33.50	5.00	32.15
AV	5.146G	43.73	54.00	-10.27	37.39	3	Vertical	332	1.90	-	33.50	4.99	32.15
PK	5.257G	117.83	Inf	-Inf	111.29	3	Vertical	332	1.90	-	33.61	5.07	32.14
AV	5.2564G	105.87	Inf	-Inf	99.33	3	Vertical	332	1.90	-	33.61	5.07	32.14
PK	5.35G	57.67	74.00	-16.33	51.08	3	Vertical	332	1.90	-	33.70	5.03	32.14
AV	5.35G	44.55	54.00	-9.45	37.96	3	Vertical	332	1.90	-	33.70	5.03	32.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	56.64	74.00	-17.36	50.36	3	Horizontal	15	1.80	-	33.50	4.93	32.15
AV	5.1472G	43.89	54.00	-10.11	37.55	3	Horizontal	15	1.80	-	33.50	4.99	32.15
PK	5.2684G	118.10	Inf	-Inf	111.53	3	Horizontal	15	1.80	-	33.64	5.07	32.14
AV	5.2588G	105.47	Inf	-Inf	98.92	3	Horizontal	15	1.80	-	33.62	5.07	32.14
PK	5.3506G	57.00	74.00	-17.00	50.42	3	Horizontal	15	1.80	-	33.70	5.02	32.14
AV	5.35G	44.70	54.00	-9.30	38.11	3	Horizontal	15	1.80	-	33.70	5.03	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 5260MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77384G	50.80	74.00	-23.20	37.75	3	Vertical	153	2.20	-	37.40	9.12	33.47
AV	15.77384G	37.71	54.00	-16.29	24.66	3	Vertical	153	2.20	-	37.40	9.12	33.47



802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77168G	51.11	74.00	-22.89	38.06	3	Horizontal	281	1.97	-	37.40	9.12	33.47
AV	15.78072G	37.75	54.00	-16.25	24.71	3	Horizontal	281	1.97	-	37.40	9.12	33.48

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**

**5300MHz\_TnomVnom**




EUT V\_2TX  
 Setting 23.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	117.03	Inf	-Inf	110.42	3	Vertical	324	1.77	-	33.70	5.05	32.14
AV	5.3012G	104.10	Inf	-Inf	97.49	3	Vertical	324	1.77	-	33.70	5.05	32.14
PK	5.3508G	63.30	74.00	-10.70	56.72	3	Vertical	324	1.77	-	33.70	5.02	32.14
AV	5.35G	49.46	54.00	-4.54	42.87	3	Vertical	324	1.77	-	33.70	5.03	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT V\_2TX  
 Setting 23.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	117.23	Inf	-Inf	110.62	3	Horizontal	12	2.20	-	33.70	5.05	32.14
AV	5.3032G	104.51	Inf	-Inf	97.90	3	Horizontal	12	2.20	-	33.70	5.05	32.14
PK	5.3508G	63.66	74.00	-10.34	57.08	3	Horizontal	12	2.20	-	33.70	5.02	32.14
AV	5.352G	49.07	54.00	-4.93	42.49	3	Horizontal	12	2.20	-	33.70	5.02	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 23.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90336G	50.81	74.00	-23.19	37.77	3	Vertical	130	1.35	-	37.50	9.17	33.63
AV	15.88048G	37.37	54.00	-16.63	24.33	3	Vertical	130	1.35	-	37.48	9.16	33.60

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 23.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88376G	50.54	74.00	-23.46	37.50	3	Horizontal	159	1.48	-	37.48	9.16	33.60
AV	15.89864G	37.31	54.00	-16.69	24.27	3	Horizontal	159	1.48	-	37.50	9.16	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	115.54	Inf	-Inf	108.94	3	Vertical	327	1.74	-	33.70	5.04	32.14
AV	5.3216G	101.64	Inf	-Inf	95.04	3	Vertical	327	1.74	-	33.70	5.04	32.14
PK	5.3508G	69.09	74.00	-4.91	62.51	3	Vertical	327	1.74	-	33.70	5.02	32.14
AV	5.3516G	51.87	54.00	-2.13	45.29	3	Vertical	327	1.74	-	33.70	5.02	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	115.01	Inf	-Inf	108.41	3	Horizontal	11	1.83	-	33.70	5.04	32.14
AV	5.3232G	102.15	Inf	-Inf	95.55	3	Horizontal	11	1.83	-	33.70	5.04	32.14
PK	5.3504G	70.66	74.00	-3.34	64.08	3	Horizontal	11	1.83	-	33.70	5.02	32.14
AV	5.3516G	53.70	54.00	-0.30	47.12	3	Horizontal	11	1.83	-	33.70	5.02	32.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94096G	51.06	74.00	-22.94	38.09	3	Vertical	172	1.13	-	37.46	9.18	33.67
AV	15.95128G	37.27	54.00	-16.73	24.32	3	Vertical	172	1.13	-	37.45	9.18	33.68



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9704G	50.54	74.00	-23.46	37.63	3	Horizontal	3	2.18	-	37.43	9.19	33.71
AV	15.94344G	37.28	54.00	-16.72	24.31	3	Horizontal	3	2.18	-	37.46	9.18	33.67

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TnomVnom




EUT V\_2TX  
 Setting 21.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	57.63	74.00	-16.37	50.80	3	Vertical	326	1.79	-	33.90	5.06	32.13
AV	5.46G	45.39	54.00	-8.61	38.56	3	Vertical	326	1.79	-	33.90	5.06	32.13
PK	5.47G	61.88	68.20	-6.32	55.04	3	Vertical	326	1.79	-	33.90	5.07	32.13
PK	5.4936G	113.85	Inf	-Inf	106.99	3	Vertical	326	1.79	-	33.90	5.09	32.13
AV	5.5024G	100.80	Inf	-Inf	93.93	3	Vertical	326	1.79	-	33.90	5.10	32.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 21.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.88	74.00	-12.12	55.05	3	Horizontal	12	2.82	-	33.90	5.06	32.13
AV	5.46G	46.24	54.00	-7.76	39.41	3	Horizontal	12	2.82	-	33.90	5.06	32.13
PK	5.4676G	65.18	68.20	-3.02	58.34	3	Horizontal	12	2.82	-	33.90	5.07	32.13
PK	5.5056G	115.23	Inf	-Inf	108.35	3	Horizontal	12	2.82	-	33.90	5.11	32.13
AV	5.4952G	101.82	Inf	-Inf	94.95	3	Horizontal	12	2.82	-	33.90	5.10	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0188G	50.19	74.00	-23.81	37.48	3	Vertical	43	1.93	-	38.52	7.46	33.27
AV	11.01936G	37.55	54.00	-16.45	24.84	3	Vertical	43	1.93	-	38.52	7.46	33.27

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**

**5500MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01104G	51.26	74.00	-22.74	38.57	3	Horizontal	154	1.59	-	38.51	7.45	33.27
AV	11.0188G	37.54	54.00	-16.46	24.83	3	Horizontal	154	1.59	-	38.52	7.46	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	56.70	74.00	-17.30	49.88	3	Vertical	335	1.76	-	33.90	5.05	32.13
AV	5.4488G	43.78	54.00	-10.22	36.96	3	Vertical	335	1.76	-	33.90	5.05	32.13
PK	5.4672G	56.21	68.20	-11.99	49.37	3	Vertical	335	1.76	-	33.90	5.07	32.13
PK	5.5784G	117.44	Inf	-Inf	110.49	3	Vertical	335	1.76	-	33.90	5.18	32.13
AV	5.5784G	104.50	Inf	-Inf	97.55	3	Vertical	335	1.76	-	33.90	5.18	32.13
PK	5.7496G	56.29	68.20	-11.91	49.58	3	Vertical	335	1.76	-	33.80	5.05	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 25  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	56.64	74.00	-17.36	49.81	3	Horizontal	17	2.87	-	33.90	5.06	32.13
AV	5.46G	44.00	54.00	-10.00	37.17	3	Horizontal	17	2.87	-	33.90	5.06	32.13
PK	5.4688G	56.02	68.20	-12.18	49.18	3	Horizontal	17	2.87	-	33.90	5.07	32.13
PK	5.5792G	117.39	Inf	-Inf	110.44	3	Horizontal	17	2.87	-	33.90	5.18	32.13
AV	5.5816G	105.41	Inf	-Inf	98.46	3	Horizontal	17	2.87	-	33.90	5.18	32.13
PK	5.7464G	56.23	68.20	-11.97	49.53	3	Horizontal	17	2.87	-	33.79	5.05	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14776G	51.31	74.00	-22.69	38.42	3	Vertical	339	1.15	-	38.65	7.50	33.26
AV	11.16352G	37.95	54.00	-16.05	25.03	3	Vertical	339	1.15	-	38.66	7.51	33.25



**802.11ax HEW20\_Nss1,(MCS0)\_2TX**

**5580MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15888G	51.71	74.00	-22.29	38.79	3	Horizontal	39	1.99	-	38.66	7.51	33.25
AV	11.16192G	38.06	54.00	-15.94	25.14	3	Horizontal	39	1.99	-	38.66	7.51	33.25

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TnomVnom




EUT V\_2TX  
 Setting 20.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	114.25	Inf	-Inf	107.59	3	Vertical	346	1.80	-	33.70	5.10	32.14
AV	5.7016G	100.78	Inf	-Inf	94.12	3	Vertical	346	1.80	-	33.70	5.10	32.14
PK	5.7324G	63.57	68.20	-4.63	56.88	3	Vertical	346	1.80	-	33.76	5.07	32.14

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**

**5700MHz\_TnomVnom**




EUT V\_2TX  
 Setting 20.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	116.10	Inf	-Inf	109.44	3	Horizontal	349	2.74	-	33.70	5.10	32.14
AV	5.6968G	102.85	Inf	-Inf	96.18	3	Horizontal	349	2.74	-	33.71	5.10	32.14
PK	5.7264G	67.66	68.20	-0.54	60.98	3	Horizontal	349	2.74	-	33.75	5.07	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41632G	51.32	74.00	-22.68	38.12	3	Vertical	178	1.87	-	38.83	7.60	33.23
AV	11.38896G	37.81	54.00	-16.19	24.66	3	Vertical	178	1.87	-	38.79	7.59	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38944G	51.20	74.00	-22.80	38.05	3	Horizontal	7	1.77	-	38.79	7.59	33.23
AV	11.38912G	37.89	54.00	-16.11	24.74	3	Horizontal	7	1.77	-	38.79	7.59	33.23

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	56.50	74.00	-17.50	50.15	3	Vertical	348	1.00	-	33.50	5.00	32.15
AV	5.1482G	44.41	54.00	-9.59	38.06	3	Vertical	348	1.00	-	33.50	5.00	32.15
PK	5.2784G	113.22	Inf	-Inf	106.64	3	Vertical	348	1.00	-	33.66	5.06	32.14
AV	5.279G	100.24	Inf	-Inf	93.66	3	Vertical	348	1.00	-	33.66	5.06	32.14
PK	5.3516G	62.89	74.00	-11.11	56.31	3	Vertical	348	1.00	-	33.70	5.02	32.14
AV	5.35G	50.13	54.00	-3.87	43.55	3	Vertical	348	1.00	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	56.99	74.00	-17.01	50.65	3	Horizontal	12	1.80	-	33.50	4.99	32.15
AV	5.1458G	44.37	54.00	-9.63	38.03	3	Horizontal	12	1.80	-	33.50	4.99	32.15
PK	5.267G	112.39	Inf	-Inf	105.83	3	Horizontal	12	1.80	-	33.63	5.07	32.14
AV	5.2688G	100.30	Inf	-Inf	93.73	3	Horizontal	12	1.80	-	33.64	5.07	32.14
PK	5.35G	66.46	74.00	-7.54	59.88	3	Horizontal	12	1.80	-	33.70	5.02	32.14
AV	5.35G	51.00	54.00	-3.00	44.42	3	Horizontal	12	1.80	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80632G	50.86	74.00	-23.14	37.83	3	Vertical	138	1.19	-	37.41	9.13	33.51
AV	15.80888G	37.72	54.00	-16.28	24.69	3	Vertical	138	1.19	-	37.41	9.13	33.51



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82976G	51.42	74.00	-22.58	38.39	3	Horizontal	99	2.95	-	37.43	9.14	33.54
AV	15.81632G	37.79	54.00	-16.21	24.75	3	Horizontal	99	2.95	-	37.42	9.14	33.52

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TnomVnom**




EUT V\_2TX  
 Setting 20.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3104G	111.17	Inf	-Inf	104.57	3	Vertical	324	1.51	-	33.70	5.04	32.14
AV	5.3112G	98.38	Inf	-Inf	91.78	3	Vertical	324	1.51	-	33.70	5.04	32.14
PK	5.3524G	71.40	74.00	-2.60	64.82	3	Vertical	324	1.51	-	33.70	5.02	32.14
AV	5.3504G	52.10	54.00	-1.90	45.52	3	Vertical	324	1.51	-	33.70	5.02	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT V\_2TX  
 Setting 20.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	111.23	Inf	-Inf	104.63	3	Horizontal	12	2.21	-	33.70	5.04	32.14
AV	5.3044G	98.39	Inf	-Inf	91.78	3	Horizontal	12	2.21	-	33.70	5.05	32.14
PK	5.3528G	72.41	74.00	-1.59	65.82	3	Horizontal	12	2.21	-	33.71	5.02	32.14
AV	5.354G	52.73	54.00	-1.27	46.14	3	Horizontal	12	2.21	-	33.71	5.02	32.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93352G	50.69	74.00	-23.31	37.70	3	Vertical	285	1.00	-	37.47	9.18	33.66
AV	15.93928G	37.42	54.00	-16.58	24.45	3	Vertical	285	1.00	-	37.46	9.18	33.67

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92528G	50.96	74.00	-23.04	37.97	3	Horizontal	127	1.05	-	37.47	9.17	33.65
AV	15.92096G	37.40	54.00	-16.60	24.40	3	Horizontal	127	1.05	-	37.48	9.17	33.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 19.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.67	74.00	-16.33	50.84	3	Vertical	330	1.67	-	33.90	5.06	32.13
AV	5.458G	44.91	54.00	-9.09	38.08	3	Vertical	330	1.67	-	33.90	5.06	32.13
PK	5.4672G	57.91	68.20	-10.29	51.07	3	Vertical	330	1.67	-	33.90	5.07	32.13
PK	5.5072G	109.51	Inf	-Inf	102.63	3	Vertical	330	1.67	-	33.90	5.11	32.13
AV	5.5072G	96.67	Inf	-Inf	89.79	3	Vertical	330	1.67	-	33.90	5.11	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




22/08/2021

EUT\_V\_2TX  
 Setting 19.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.87	74.00	-12.13	55.04	3	Horizontal	12	1.59	-	33.90	5.06	32.13
AV	5.46G	46.38	54.00	-7.62	39.55	3	Horizontal	12	1.59	-	33.90	5.06	32.13
PK	5.47G	63.49	68.20	-4.71	56.65	3	Horizontal	12	1.59	-	33.90	5.07	32.13
PK	5.5208G	110.87	Inf	-Inf	103.98	3	Horizontal	12	1.59	-	33.90	5.12	32.13
AV	5.5196G	97.38	Inf	-Inf	90.49	3	Horizontal	12	1.59	-	33.90	5.12	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5510MHz\_TnomVnom




EUT Y\_2TX  
 Setting 19.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0096G	52.02	74.00	-21.98	39.33	3	Vertical	116	1.22	-	38.51	7.45	33.27
AV	11.01576G	37.59	54.00	-16.41	24.88	3	Vertical	116	1.22	-	38.52	7.46	33.27



**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5510MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 19.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01992G	50.76	74.00	-23.24	38.05	3	Horizontal	360	2.17	-	38.52	7.46	33.27
AV	11.02352G	37.72	54.00	-16.28	25.01	3	Horizontal	360	2.17	-	38.52	7.46	33.27

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5550MHz\_TnomVnom**




EUT V\_2TX  
 Setting 21.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	63.40	74.00	-10.60	56.58	3	Vertical	331	1.73	-	33.90	5.05	32.13
AV	5.46G	47.38	54.00	-6.62	40.55	3	Vertical	331	1.73	-	33.90	5.06	32.13
PK	5.47G	64.71	68.20	-3.49	57.87	3	Vertical	331	1.73	-	33.90	5.07	32.13
PK	5.5476G	111.51	Inf	-Inf	104.59	3	Vertical	331	1.73	-	33.90	5.15	32.13
AV	5.5482G	98.97	Inf	-Inf	92.05	3	Vertical	331	1.73	-	33.90	5.15	32.13

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5550MHz\_TnomVnom**




EUT V\_2TX  
 Setting 21.5  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	66.92	74.00	-7.08	60.09	3	Horizontal	12	1.78	-	33.90	5.06	32.13
AV	5.4582G	50.72	54.00	-3.28	43.89	3	Horizontal	12	1.78	-	33.90	5.06	32.13
PK	5.4648G	68.14	68.20	-0.06	61.31	3	Horizontal	12	1.78	-	33.90	5.06	32.13
PK	5.5494G	112.90	Inf	-Inf	105.98	3	Horizontal	12	1.78	-	33.90	5.15	32.13
AV	5.5494G	99.36	Inf	-Inf	92.44	3	Horizontal	12	1.78	-	33.90	5.15	32.13

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5550MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.108G	50.78	74.00	-23.22	37.94	3	Vertical	275	2.50	-	38.61	7.49	33.26
AV	11.09896G	37.88	54.00	-16.12	25.06	3	Vertical	275	2.50	-	38.60	7.48	33.26

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5550MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 21.5  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09136G	51.33	74.00	-22.67	38.52	3	Horizontal	188	1.41	-	38.59	7.48	33.26
AV	11.10208G	37.78	54.00	-16.22	24.95	3	Horizontal	188	1.41	-	38.60	7.49	33.26

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**5670MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 20  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6608G	111.25	Inf	-Inf	104.47	3	Vertical	344	1.79	-	33.78	5.14	32.14
AV	5.6712G	98.03	Inf	-Inf	91.28	3	Vertical	344	1.79	-	33.76	5.13	32.14
PK	5.7256G	65.12	68.20	-3.08	58.44	3	Vertical	344	1.79	-	33.75	5.07	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	111.60	Inf	-Inf	104.85	3	Horizontal	18	1.56	-	33.76	5.13	32.14
AV	5.6712G	98.27	Inf	-Inf	91.52	3	Horizontal	18	1.56	-	33.76	5.13	32.14
PK	5.7296G	66.72	68.20	-1.48	60.03	3	Horizontal	18	1.56	-	33.76	5.07	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35752G	51.20	74.00	-22.80	38.09	3	Vertical	222	1.19	-	38.76	7.58	33.23
AV	11.35864G	37.48	54.00	-16.52	24.37	3	Vertical	222	1.19	-	38.76	7.58	33.23



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33312G	50.68	74.00	-23.32	37.62	3	Horizontal	143	1.67	-	38.73	7.57	33.24
AV	11.35952G	37.49	54.00	-16.51	24.38	3	Horizontal	143	1.67	-	38.76	7.58	33.23

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 20  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.01	74.00	-12.99	54.68	3	Vertical	346	1.78	-	33.50	4.98	32.15
AV	5.1436G	46.43	54.00	-7.57	40.09	3	Vertical	346	1.78	-	33.50	4.99	32.15
PK	5.2756G	107.77	Inf	-Inf	101.20	3	Vertical	346	1.78	-	33.65	5.06	32.14
AV	5.2748G	95.20	Inf	-Inf	88.63	3	Vertical	346	1.78	-	33.65	5.06	32.14
PK	5.354G	69.77	74.00	-4.23	63.18	3	Vertical	346	1.78	-	33.71	5.02	32.14
AV	5.3548G	51.35	54.00	-2.65	44.76	3	Vertical	346	1.78	-	33.71	5.02	32.14
PK	5.466G	62.41	68.20	-5.79	55.57	3	Vertical	346	1.78	-	33.90	5.07	32.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT V\_2TX  
 Setting 20  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	59.14	74.00	-14.86	52.81	3	Horizontal	10	3.00	-	33.50	4.98	32.15
AV	5.1436G	45.40	54.00	-8.60	39.06	3	Horizontal	10	3.00	-	33.50	4.99	32.15
PK	5.294G	108.06	Inf	-Inf	101.46	3	Horizontal	10	3.00	-	33.69	5.05	32.14
AV	5.2836G	95.05	Inf	-Inf	88.46	3	Horizontal	10	3.00	-	33.67	5.06	32.14
PK	5.3556G	70.42	74.00	-3.58	63.83	3	Horizontal	10	3.00	-	33.71	5.02	32.14
AV	5.3548G	51.20	54.00	-2.80	44.61	3	Horizontal	10	3.00	-	33.71	5.02	32.14
PK	5.486G	61.21	68.20	-6.99	54.35	3	Horizontal	10	3.00	-	33.90	5.09	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8564G	50.76	74.00	-23.24	37.72	3	Vertical	5	2.31	-	37.46	9.15	33.57
AV	15.8572G	37.58	54.00	-16.42	24.54	3	Vertical	5	2.31	-	37.46	9.15	33.57

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT Y\_2TX  
 Setting 20  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88872G	50.46	74.00	-23.54	37.42	3	Horizontal	117	2.20	-	37.49	9.16	33.61
AV	15.86072G	37.43	54.00	-16.57	24.40	3	Horizontal	117	2.20	-	37.46	9.15	33.58

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 19  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	56.39	68.20	-11.81	49.79	3	Vertical	14	1.71	-	33.70	5.04	32.14
PK	5.447G	63.51	74.00	-10.49	56.70	3	Vertical	14	1.71	-	33.89	5.05	32.13
AV	5.454G	46.76	54.00	-7.24	39.94	3	Vertical	14	1.71	-	33.90	5.05	32.13
PK	5.47G	63.87	68.20	-4.33	57.03	3	Vertical	14	1.71	-	33.90	5.07	32.13
PK	5.534G	106.93	Inf	-Inf	100.03	3	Vertical	14	1.71	-	33.90	5.13	32.13
AV	5.525G	94.52	Inf	-Inf	87.63	3	Vertical	14	1.71	-	33.90	5.12	32.13
PK	5.745G	59.47	68.20	-8.73	52.77	3	Vertical	14	1.71	-	33.79	5.05	32.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 19  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	56.56	68.20	-11.64	49.97	3	Horizontal	11	1.80	-	33.70	5.03	32.14
PK	5.455G	63.97	74.00	-10.03	57.15	3	Horizontal	11	1.80	-	33.90	5.05	32.13
AV	5.455G	46.31	54.00	-7.69	39.49	3	Horizontal	11	1.80	-	33.90	5.05	32.13
PK	5.464G	66.67	68.20	-1.53	59.84	3	Horizontal	11	1.80	-	33.90	5.06	32.13
PK	5.536G	108.02	Inf	-Inf	101.11	3	Horizontal	11	1.80	-	33.90	5.14	32.13
AV	5.535G	94.33	Inf	-Inf	87.42	3	Horizontal	11	1.80	-	33.90	5.14	32.13
PK	5.728G	58.62	68.20	-9.58	51.93	3	Horizontal	11	1.80	-	33.76	5.07	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT Y\_2TX  
 Setting 19  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04336G	51.45	74.00	-22.55	38.71	3	Vertical	179	2.94	-	38.54	7.47	33.27
AV	11.04552G	37.69	54.00	-16.31	24.94	3	Vertical	179	2.94	-	38.55	7.47	33.27



802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom



EUT Y\_2TX  
 Setting 19  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06592G	51.67	74.00	-22.33	38.89	3	Horizontal	197	1.69	-	38.57	7.47	33.26
AV	11.04048G	37.66	54.00	-16.34	24.93	3	Horizontal	197	1.69	-	38.54	7.46	33.27



**RSE TX above 1GHz**  
**<Radio 1: Ant. 1 + Ant. 2> 2TX**  
**For beamforming**


**Appendix D.4**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	Pass	PK	5.466G	67.39	68.20	-0.81	3	Horizontal	24	1.80	-

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1142G	57.66	74.00	-16.34	52.85	3	Vertical	358	1.52	-	32.60	5.16	32.95
AV	5.1172G	45.51	54.00	-8.49	40.70	3	Vertical	358	1.52	-	32.60	5.16	32.95
PK	5.2558G	113.76	Inf	-Inf	108.61	3	Vertical	358	1.52	-	32.82	5.26	32.93
AV	5.2564G	101.83	Inf	-Inf	96.67	3	Vertical	358	1.52	-	32.83	5.26	32.93
PK	5.3974G	60.84	74.00	-13.16	55.17	3	Vertical	358	1.52	-	33.18	5.40	32.91
AV	5.3764G	46.41	54.00	-7.59	40.88	3	Vertical	358	1.52	-	33.06	5.38	32.91

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5260MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	57.90	74.00	-16.10	53.09	3	Horizontal	344	1.51	-	32.60	5.16	32.95
AV	5.1118G	45.15	54.00	-8.85	40.34	3	Horizontal	344	1.51	-	32.60	5.16	32.95
PK	5.2588G	112.75	Inf	-Inf	107.58	3	Horizontal	344	1.51	-	32.84	5.26	32.93
AV	5.2612G	103.15	Inf	-Inf	97.98	3	Horizontal	344	1.51	-	32.84	5.26	32.93
PK	5.404G	59.60	74.00	-14.40	53.89	3	Horizontal	344	1.51	-	33.22	5.40	32.91
AV	5.4052G	46.37	54.00	-7.63	40.66	3	Horizontal	344	1.51	-	33.22	5.40	32.91

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5260MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78048G	59.02	74.00	-14.98	44.14	3	Vertical	83	1.88	-	38.40	9.26	32.78
AV	15.77948G	45.35	54.00	-8.65	30.47	3	Vertical	83	1.88	-	38.40	9.26	32.78

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5260MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78078G	59.23	74.00	-14.77	44.35	3	Horizontal	234	1.78	-	38.40	9.26	32.78
AV	15.7802G	45.36	54.00	-8.64	30.48	3	Horizontal	234	1.78	-	38.40	9.26	32.78

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	113.84	Inf	-Inf	108.46	3	Vertical	5	1.90	-	33.00	5.30	32.92
AV	5.2944G	102.22	Inf	-Inf	96.87	3	Vertical	5	1.90	-	32.98	5.29	32.92
PK	5.3516G	59.39	74.00	-14.61	54.05	3	Vertical	5	1.90	-	32.91	5.35	32.92
AV	5.3924G	46.61	54.00	-7.39	40.98	3	Vertical	5	1.90	-	33.15	5.39	32.91

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	114.79	Inf	-Inf	109.42	3	Horizontal	19	1.78	-	32.99	5.30	32.92
AV	5.302G	103.19	Inf	-Inf	97.81	3	Horizontal	19	1.78	-	33.00	5.30	32.92
PK	5.3736G	60.18	74.00	-13.82	54.69	3	Horizontal	19	1.78	-	33.04	5.37	32.92
AV	5.376G	48.27	54.00	-5.73	42.74	3	Horizontal	19	1.78	-	33.06	5.38	32.91



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.903G	59.05	74.00	-14.95	43.93	3	Vertical	319	2.63	-	38.60	9.28	32.76
AV	15.90198G	45.87	54.00	-8.13	30.75	3	Vertical	319	2.63	-	38.60	9.28	32.76

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5300MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89738G	59.68	74.00	-14.32	44.57	3	Horizontal	34	1.09	-	38.59	9.28	32.76
AV	15.897G	45.97	54.00	-8.03	30.86	3	Horizontal	34	1.09	-	38.59	9.28	32.76

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3254G	113.68	Inf	-Inf	108.32	3	Vertical	330	1.80	-	32.95	5.33	32.92
AV	5.3252G	101.95	Inf	-Inf	96.59	3	Vertical	330	1.80	-	32.95	5.33	32.92
PK	5.35G	61.02	74.00	-12.98	55.69	3	Vertical	330	1.80	-	32.90	5.35	32.92
AV	5.3508G	47.08	54.00	-6.92	41.75	3	Vertical	330	1.80	-	32.90	5.35	32.92

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	114.45	Inf	-Inf	109.09	3	Horizontal	23	1.87	-	32.96	5.32	32.92
AV	5.3218G	104.03	Inf	-Inf	98.67	3	Horizontal	23	1.87	-	32.96	5.32	32.92
PK	5.3524G	60.58	74.00	-13.42	55.24	3	Horizontal	23	1.87	-	32.91	5.35	32.92
AV	5.35G	47.10	54.00	-6.90	41.77	3	Horizontal	23	1.87	-	32.90	5.35	32.92

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96028G	59.66	74.00	-14.34	44.46	3	Vertical	241	2.22	-	38.66	9.29	32.75
AV	15.9559G	46.40	54.00	-7.60	31.20	3	Vertical	241	2.22	-	38.66	9.29	32.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5320MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95594G	59.43	74.00	-14.57	44.23	3	Horizontal	140	1.89	-	38.66	9.29	32.75
AV	15.95744G	46.47	54.00	-7.53	31.27	3	Horizontal	140	1.89	-	38.66	9.29	32.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 5500MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	59.45	74.00	-14.55	53.56	3	Vertical	330	1.76	-	33.40	5.40	32.91
AV	5.4588G	46.70	54.00	-7.30	40.78	3	Vertical	330	1.76	-	33.42	5.40	32.90
PK	5.4684G	60.93	68.20	-7.27	54.99	3	Vertical	330	1.76	-	33.44	5.40	32.90
PK	5.5038G	113.72	Inf	-Inf	107.70	3	Vertical	330	1.76	-	33.52	5.40	32.90
AV	5.494G	103.00	Inf	-Inf	97.01	3	Vertical	330	1.76	-	33.49	5.40	32.90

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

5500MHz\_TnomVnom



EUT V\_2TX  
 Setting 22  
 01-A-B-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	59.06	74.00	-14.94	53.17	3	Horizontal	21	1.69	-	33.40	5.40	32.91
AV	5.4544G	46.99	54.00	-7.01	41.09	3	Horizontal	21	1.69	-	33.41	5.40	32.91
PK	5.4672G	60.10	68.20	-8.10	54.17	3	Horizontal	21	1.69	-	33.43	5.40	32.90
PK	5.4962G	115.07	Inf	-Inf	109.08	3	Horizontal	21	1.69	-	33.49	5.40	32.90
AV	5.505G	103.40	Inf	-Inf	97.38	3	Horizontal	21	1.69	-	33.52	5.40	32.90





802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

5500MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99508G	54.78	74.00	-19.22	41.68	3	Vertical	275	1.07	-	38.20	7.65	32.75
AV	11.00456G	40.88	54.00	-13.12	27.78	3	Vertical	275	1.07	-	38.20	7.65	32.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00356G	54.70	74.00	-19.30	41.60	3	Horizontal	353	1.03	-	38.20	7.65	32.75
AV	10.99632G	40.92	54.00	-13.08	27.82	3	Horizontal	353	1.03	-	38.20	7.65	32.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3872G	59.90	74.00	-14.10	54.30	3	Vertical	2	1.92	-	33.12	5.39	32.91
PK	5.4624G	58.49	68.20	-9.71	52.57	3	Vertical	2	1.92	-	33.42	5.40	32.90
AV	5.46G	46.66	54.00	-7.34	40.74	3	Vertical	2	1.92	-	33.42	5.40	32.90
PK	5.5864G	112.22	Inf	-Inf	105.96	3	Vertical	2	1.92	-	33.77	5.40	32.91
AV	5.5856G	100.78	Inf	-Inf	94.52	3	Vertical	2	1.92	-	33.77	5.40	32.91
PK	5.7464G	59.64	68.20	-8.56	53.00	3	Vertical	2	1.92	-	34.09	5.47	32.92

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.46	74.00	-14.54	53.62	3	Horizontal	21	2.52	-	33.35	5.40	32.91
AV	5.4512G	46.55	54.00	-7.45	40.66	3	Horizontal	21	2.52	-	33.40	5.40	32.91
PK	5.4664G	59.41	68.20	-8.79	53.48	3	Horizontal	21	2.52	-	33.43	5.40	32.90
PK	5.5776G	114.22	Inf	-Inf	107.97	3	Horizontal	21	2.52	-	33.76	5.40	32.91
AV	5.5832G	103.79	Inf	-Inf	97.53	3	Horizontal	21	2.52	-	33.77	5.40	32.91
PK	5.7712G	59.71	68.20	-8.49	52.97	3	Horizontal	21	2.52	-	34.18	5.49	32.93

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5580MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16184G	54.59	74.00	-19.41	41.41	3	Vertical	282	1.02	-	38.24	7.71	32.77
AV	11.16086G	41.01	54.00	-12.99	27.83	3	Vertical	282	1.02	-	38.24	7.71	32.77

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5580MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15584G	55.40	74.00	-18.60	42.23	3	Horizontal	17	2.64	-	38.24	7.70	32.77
AV	11.15824G	41.01	54.00	-12.99	27.83	3	Horizontal	17	2.64	-	38.24	7.71	32.77

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	112.99	Inf	-Inf	106.56	3	Vertical	343	1.78	-	33.90	5.45	32.92
AV	5.7056G	102.55	Inf	-Inf	96.10	3	Vertical	343	1.78	-	33.92	5.45	32.92
PK	5.725G	60.48	68.20	-7.72	53.94	3	Vertical	343	1.78	-	34.00	5.46	32.92

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	114.33	Inf	-Inf	107.90	3	Horizontal	20	1.80	-	33.90	5.45	32.92
AV	5.6912G	103.13	Inf	-Inf	96.70	3	Horizontal	20	1.80	-	33.90	5.45	32.92
PK	5.7256G	63.21	68.20	-4.99	56.67	3	Horizontal	20	1.80	-	34.00	5.46	32.92



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39944G	54.60	74.00	-19.40	41.21	3	Vertical	303	1.93	-	38.40	7.79	32.80
AV	11.40308G	40.84	54.00	-13.16	27.45	3	Vertical	303	1.93	-	38.40	7.79	32.80

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5700MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40306G	54.95	74.00	-19.05	41.56	3	Horizontal	120	2.33	-	38.40	7.79	32.80
AV	11.3988G	41.01	54.00	-12.99	27.62	3	Horizontal	120	2.33	-	38.40	7.79	32.80

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5270MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	58.62	74.00	-15.38	53.81	3	Vertical	328	1.89	-	32.60	5.16	32.95
AV	5.1362G	45.35	54.00	-8.65	40.52	3	Vertical	328	1.89	-	32.60	5.17	32.94
PK	5.2634G	115.45	Inf	-Inf	110.27	3	Vertical	328	1.89	-	32.85	5.26	32.93
AV	5.2568G	102.61	Inf	-Inf	97.45	3	Vertical	328	1.89	-	32.83	5.26	32.93
PK	5.3648G	65.55	74.00	-8.45	60.12	3	Vertical	328	1.89	-	32.99	5.36	32.92
AV	5.3762G	47.73	54.00	-6.27	42.20	3	Vertical	328	1.89	-	33.06	5.38	32.91

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5270MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	57.55	74.00	-16.45	52.74	3	Horizontal	342	1.80	-	32.60	5.16	32.95
AV	5.1494G	45.23	54.00	-8.77	40.40	3	Horizontal	342	1.80	-	32.60	5.17	32.94
PK	5.2754G	111.31	Inf	-Inf	106.06	3	Horizontal	342	1.80	-	32.90	5.28	32.93
AV	5.2628G	100.60	Inf	-Inf	95.42	3	Horizontal	342	1.80	-	32.85	5.26	32.93
PK	5.3714G	61.24	74.00	-12.76	55.76	3	Horizontal	342	1.80	-	33.03	5.37	32.92
AV	5.4074G	46.87	54.00	-7.13	41.15	3	Horizontal	342	1.80	-	33.23	5.40	32.91

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5270MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80924G	58.50	74.00	-15.50	43.59	3	Vertical	199	1.13	-	38.42	9.26	32.77
AV	15.8137G	45.60	54.00	-8.40	30.68	3	Vertical	199	1.13	-	38.43	9.26	32.77

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5270MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80576G	58.30	74.00	-15.70	43.40	3	Horizontal	320	2.91	-	38.41	9.26	32.77
AV	15.81036G	45.30	54.00	-8.70	30.39	3	Horizontal	320	2.91	-	38.42	9.26	32.77

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	113.94	Inf	-Inf	108.57	3	Vertical	0	1.80	-	32.99	5.30	32.92
AV	5.3036G	103.89	Inf	-Inf	98.52	3	Vertical	0	1.80	-	32.99	5.30	32.92
PK	5.3524G	68.17	74.00	-5.83	62.83	3	Vertical	0	1.80	-	32.91	5.35	32.92
AV	5.3588G	49.72	54.00	-4.28	44.33	3	Vertical	0	1.80	-	32.95	5.36	32.92

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	114.23	Inf	-Inf	108.85	3	Horizontal	24	1.65	-	33.00	5.30	32.92
AV	5.2972G	103.90	Inf	-Inf	98.53	3	Horizontal	24	1.65	-	32.99	5.30	32.92
PK	5.356G	69.96	74.00	-4.04	64.58	3	Horizontal	24	1.65	-	32.94	5.36	32.92
AV	5.3632G	49.87	54.00	-4.13	44.45	3	Horizontal	24	1.65	-	32.98	5.36	32.92



### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93042G	59.43	74.00	-14.57	44.26	3	Vertical	294	3.00	-	38.63	9.29	32.75
AV	15.92822G	46.50	54.00	-7.50	31.33	3	Vertical	294	3.00	-	38.63	9.29	32.75

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5310MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93316G	59.47	74.00	-14.53	44.30	3	Horizontal	241	1.26	-	38.63	9.29	32.75
AV	15.93452G	46.53	54.00	-7.47	31.36	3	Horizontal	241	1.26	-	38.63	9.29	32.75

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 5510MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4206G	59.83	74.00	-14.17	54.06	3	Vertical	332	1.90	-	33.28	5.40	32.91
AV	5.3756G	47.22	54.00	-6.78	41.70	3	Vertical	332	1.90	-	33.05	5.38	32.91
PK	5.4632G	59.69	68.20	-8.51	53.76	3	Vertical	332	1.90	-	33.43	5.40	32.90
PK	5.4926G	110.98	Inf	-Inf	104.99	3	Vertical	332	1.90	-	33.49	5.40	32.90
AV	5.5118G	98.39	Inf	-Inf	92.34	3	Vertical	332	1.90	-	33.55	5.40	32.90

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5510MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	68.52	74.00	-5.48	62.62	3	Horizontal	20	1.72	-	33.41	5.40	32.91
AV	5.4518G	48.75	54.00	-5.25	42.86	3	Horizontal	20	1.72	-	33.40	5.40	32.91
PK	5.4668G	67.14	68.20	-1.06	61.21	3	Horizontal	20	1.72	-	33.43	5.40	32.90
PK	5.492G	111.86	Inf	-Inf	105.88	3	Horizontal	20	1.72	-	33.48	5.40	32.90
AV	5.5034G	98.75	Inf	-Inf	92.74	3	Horizontal	20	1.72	-	33.51	5.40	32.90

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5510MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02204G	54.21	74.00	-19.79	41.08	3	Vertical	224	1.79	-	38.22	7.66	32.75
AV	11.02058G	40.63	54.00	-13.37	27.50	3	Vertical	224	1.79	-	38.22	7.66	32.75

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5510MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01786G	55.21	74.00	-18.79	42.08	3	Horizontal	185	2.37	-	38.22	7.66	32.75
AV	11.02496G	40.66	54.00	-13.34	27.53	3	Horizontal	185	2.37	-	38.22	7.66	32.75

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 5550MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	59.35	74.00	-14.65	53.50	3	Vertical	0	1.80	-	33.36	5.40	32.91
PK	5.4648G	59.37	68.20	-8.83	53.44	3	Vertical	0	1.80	-	33.43	5.40	32.90
AV	5.4582G	46.71	54.00	-7.29	40.80	3	Vertical	0	1.80	-	33.42	5.40	32.91
PK	5.5368G	113.20	Inf	-Inf	107.05	3	Vertical	0	1.80	-	33.65	5.40	32.90
AV	5.547G	101.99	Inf	-Inf	95.80	3	Vertical	0	1.80	-	33.69	5.40	32.90

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

### 5550MHz\_TnomVnom



EUT\_V\_2TX  
 Setting 22  
 01-A-B-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	61.10	74.00	-12.90	55.18	3	Horizontal	18	1.80	-	33.42	5.40	32.90
AV	5.4582G	47.35	54.00	-6.65	41.44	3	Horizontal	18	1.80	-	33.42	5.40	32.91
PK	5.4654G	59.18	68.20	-9.02	53.25	3	Horizontal	18	1.80	-	33.43	5.40	32.90
PK	5.541G	114.93	Inf	-Inf	108.77	3	Horizontal	18	1.80	-	33.66	5.40	32.90
AV	5.535G	103.96	Inf	-Inf	97.82	3	Horizontal	18	1.80	-	33.64	5.40	32.90





802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5550MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09834G	54.59	74.00	-19.41	41.37	3	Vertical	264	1.27	-	38.30	7.68	32.76
AV	11.10182G	41.47	54.00	-12.53	28.24	3	Vertical	264	1.27	-	38.30	7.69	32.76

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5550MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.098G	54.99	74.00	-19.01	41.77	3	Horizontal	12	2.76	-	38.30	7.68	32.76
AV	11.10236G	41.37	54.00	-12.63	28.14	3	Horizontal	12	2.76	-	38.30	7.69	32.76

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	111.17	Inf	-Inf	104.76	3	Vertical	346	1.90	-	33.90	5.43	32.92
AV	5.6644G	100.01	Inf	-Inf	93.60	3	Vertical	346	1.90	-	33.90	5.43	32.92
PK	5.7468G	60.23	68.20	-7.97	53.59	3	Vertical	346	1.90	-	34.09	5.47	32.92

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	112.79	Inf	-Inf	106.38	3	Horizontal	7	1.80	-	33.90	5.43	32.92
AV	5.6684G	101.50	Inf	-Inf	95.09	3	Horizontal	7	1.80	-	33.90	5.43	32.92
PK	5.7324G	66.92	68.20	-1.28	60.34	3	Horizontal	7	1.80	-	34.03	5.47	32.92



802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5670MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	54.13	74.00	-19.87	40.81	3	Vertical	293	1.14	-	38.34	7.77	32.79
AV	11.337G	40.77	54.00	-13.23	27.45	3	Vertical	293	1.14	-	38.34	7.77	32.79



802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

5670MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33558G	54.10	74.00	-19.90	40.78	3	Horizontal	113	2.48	-	38.34	7.77	32.79
AV	11.33512G	40.81	54.00	-13.19	27.49	3	Horizontal	113	2.48	-	38.34	7.77	32.79

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

### 5290MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.12	74.00	-15.88	53.29	3	Vertical	0	1.53	-	32.60	5.17	32.94
AV	5.1436G	45.47	54.00	-8.53	40.64	3	Vertical	0	1.53	-	32.60	5.17	32.94
PK	5.2572G	114.67	Inf	-Inf	109.51	3	Vertical	0	1.53	-	32.83	5.26	32.93
AV	5.2652G	103.19	Inf	-Inf	97.99	3	Vertical	0	1.53	-	32.86	5.27	32.93
PK	5.3516G	69.03	74.00	-4.97	63.69	3	Vertical	0	1.53	-	32.91	5.35	32.92
AV	5.3668G	50.18	54.00	-3.82	44.73	3	Vertical	0	1.53	-	33.00	5.37	32.92
PK	5.4892G	59.56	68.20	-8.64	53.58	3	Vertical	0	1.53	-	33.48	5.40	32.90

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

#### 5290MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	58.19	74.00	-15.81	53.38	3	Horizontal	337	1.80	-	32.60	5.16	32.95
AV	5.1468G	45.48	54.00	-8.52	40.65	3	Horizontal	337	1.80	-	32.60	5.17	32.94
PK	5.2564G	115.34	Inf	-Inf	110.18	3	Horizontal	337	1.80	-	32.83	5.26	32.93
AV	5.2604G	103.79	Inf	-Inf	98.62	3	Horizontal	337	1.80	-	32.84	5.26	32.93
PK	5.3548G	65.72	74.00	-8.28	60.36	3	Horizontal	337	1.80	-	32.93	5.35	32.92
AV	5.3668G	49.30	54.00	-4.70	43.85	3	Horizontal	337	1.80	-	33.00	5.37	32.92
PK	5.486G	58.92	68.20	-9.28	52.95	3	Horizontal	337	1.80	-	33.47	5.40	32.90



802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

5290MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87008G	59.41	74.00	-14.59	44.36	3	Vertical	30	1.97	-	38.54	9.27	32.76
AV	15.87432G	45.68	54.00	-8.32	30.62	3	Vertical	30	1.97	-	38.55	9.27	32.76

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

#### 5290MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8675G	58.79	74.00	-15.21	43.74	3	Horizontal	33	2.48	-	38.54	9.27	32.76
AV	15.86922G	45.70	54.00	-8.30	30.65	3	Horizontal	33	2.48	-	38.54	9.27	32.76

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

### 5530MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.35	68.20	-9.85	53.01	3	Vertical	343	1.80	-	32.92	5.34	32.92
PK	5.454G	64.26	74.00	-9.74	58.36	3	Vertical	343	1.80	-	33.41	5.40	32.91
AV	5.455G	48.81	54.00	-5.19	42.91	3	Vertical	343	1.80	-	33.41	5.40	32.91
PK	5.469G	62.47	68.20	-5.73	56.53	3	Vertical	343	1.80	-	33.44	5.40	32.90
PK	5.526G	113.86	Inf	-Inf	107.76	3	Vertical	343	1.80	-	33.60	5.40	32.90
AV	5.526G	101.76	Inf	-Inf	95.66	3	Vertical	343	1.80	-	33.60	5.40	32.90
PK	5.778G	59.45	68.20	-8.75	52.68	3	Vertical	343	1.80	-	34.21	5.49	32.93

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

5530MHz\_TnomVnom




EUT V\_2TX  
 Setting 22  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	58.80	68.20	-9.40	53.44	3	Horizontal	24	1.80	-	32.96	5.32	32.92
PK	5.434G	68.76	74.00	-5.24	62.93	3	Horizontal	24	1.80	-	33.34	5.40	32.91
PK	5.466G	67.39	68.20	-0.81	61.46	3	Horizontal	24	1.80	-	33.43	5.40	32.90
AV	5.455G	49.42	54.00	-4.58	43.52	3	Horizontal	24	1.80	-	33.41	5.40	32.91
PK	5.516G	112.92	Inf	-Inf	106.86	3	Horizontal	24	1.80	-	33.56	5.40	32.90
AV	5.526G	103.48	Inf	-Inf	97.38	3	Horizontal	24	1.80	-	33.60	5.40	32.90
PK	5.727G	60.00	68.20	-8.20	53.45	3	Horizontal	24	1.80	-	34.01	5.46	32.92

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

#### 5530MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06392G	55.74	74.00	-18.26	42.57	3	Vertical	323	1.33	-	38.26	7.67	32.76
AV	11.0589G	41.07	54.00	-12.93	27.90	3	Vertical	323	1.33	-	38.26	7.67	32.76

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

### 5530MHz\_TnomVnom



EUT Y\_2TX  
 Setting 22  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06212G	54.62	74.00	-19.38	41.45	3	Horizontal	112	1.79	-	38.26	7.67	32.76
AV	11.05876G	41.11	54.00	-12.89	27.94	3	Horizontal	112	1.79	-	38.26	7.67	32.76




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	68.02	68.20	-0.18	3	Vertical	359	2.68	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	56.39	74.00	-17.61	50.11	3	Vertical	52	2.56	-	33.50	4.93	32.15
AV	5.149G	43.84	54.00	-10.16	37.49	3	Vertical	52	2.56	-	33.50	5.00	32.15
PK	5.2552G	112.65	Inf	-Inf	106.11	3	Vertical	52	2.56	-	33.61	5.07	32.14
AV	5.254G	101.83	Inf	-Inf	95.29	3	Vertical	52	2.56	-	33.61	5.07	32.14
PK	5.3854G	57.34	74.00	-16.66	50.70	3	Vertical	52	2.56	-	33.77	5.01	32.14
AV	5.4016G	44.32	54.00	-9.68	37.66	3	Vertical	52	2.56	-	33.80	5.00	32.14



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1262G	56.34	74.00	-17.66	50.04	3	Horizontal	51	2.56	-	33.50	4.95	32.15
AV	5.1328G	43.89	54.00	-10.11	37.57	3	Horizontal	51	2.56	-	33.50	4.97	32.15
PK	5.2546G	112.67	Inf	-Inf	106.13	3	Horizontal	51	2.56	-	33.61	5.07	32.14
AV	5.254G	101.69	Inf	-Inf	95.15	3	Horizontal	51	2.56	-	33.61	5.07	32.14
PK	5.3824G	56.74	74.00	-17.26	50.11	3	Horizontal	51	2.56	-	33.76	5.01	32.14
AV	5.4094G	44.30	54.00	-9.70	37.61	3	Horizontal	51	2.56	-	33.82	5.01	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77796G	52.44	74.00	-21.56	39.40	3	Vertical	216	2.99	-	37.40	9.12	33.48
AV	15.78008G	39.19	54.00	-14.81	26.15	3	Vertical	216	2.99	-	37.40	9.12	33.48

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78064G	52.21	74.00	-21.79	39.17	3	Horizontal	119	1.34	-	37.40	9.12	33.48
AV	15.77012G	39.14	54.00	-14.86	26.09	3	Horizontal	119	1.34	-	37.40	9.12	33.47

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	112.62	Inf	-Inf	106.01	3	Vertical	46	2.67	-	33.70	5.05	32.14
AV	5.3056G	101.62	Inf	-Inf	95.01	3	Vertical	46	2.67	-	33.70	5.05	32.14
PK	5.3512G	65.34	74.00	-8.66	58.76	3	Vertical	46	2.67	-	33.70	5.02	32.14
AV	5.35G	48.77	54.00	-5.23	42.18	3	Vertical	46	2.67	-	33.70	5.03	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	105.60	Inf	-Inf	98.99	3	Horizontal	291	2.75	-	33.70	5.05	32.14
AV	5.298G	94.82	Inf	-Inf	88.21	3	Horizontal	291	2.75	-	33.70	5.05	32.14
PK	5.3512G	62.31	74.00	-11.69	55.73	3	Horizontal	291	2.75	-	33.70	5.02	32.14
AV	5.3504G	46.34	54.00	-7.66	39.76	3	Horizontal	291	2.75	-	33.70	5.02	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89244G	52.79	74.00	-21.21	39.75	3	Vertical	230	1.53	-	37.49	9.16	33.61
AV	15.89892G	38.97	54.00	-15.03	25.93	3	Vertical	230	1.53	-	37.50	9.16	33.62

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90604G	52.68	74.00	-21.32	39.65	3	Horizontal	271	1.47	-	37.49	9.17	33.63
AV	15.89944G	38.67	54.00	-15.33	25.63	3	Horizontal	271	1.47	-	37.50	9.16	33.62

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	109.96	Inf	-Inf	103.36	3	Vertical	39	2.65	-	33.70	5.04	32.14
AV	5.3188G	99.46	Inf	-Inf	92.86	3	Vertical	39	2.65	-	33.70	5.04	32.14
PK	5.3504G	68.41	74.00	-5.59	61.83	3	Vertical	39	2.65	-	33.70	5.02	32.14
AV	5.35G	53.54	54.00	-0.46	46.95	3	Vertical	39	2.65	-	33.70	5.03	32.14



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	104.07	Inf	-Inf	97.47	3	Horizontal	278	2.89	-	33.70	5.04	32.14
AV	5.3224G	93.60	Inf	-Inf	87.00	3	Horizontal	278	2.89	-	33.70	5.04	32.14
PK	5.3528G	62.86	74.00	-11.14	56.27	3	Horizontal	278	2.89	-	33.71	5.02	32.14
AV	5.35G	48.12	54.00	-5.88	41.53	3	Horizontal	278	2.89	-	33.70	5.03	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95132G	52.09	74.00	-21.91	39.14	3	Vertical	0	2.02	-	37.45	9.18	33.68
AV	15.9578G	38.76	54.00	-15.24	25.82	3	Vertical	0	2.02	-	37.44	9.19	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95448G	52.29	74.00	-21.71	39.35	3	Horizontal	177	2.17	-	37.45	9.18	33.69
AV	15.954G	38.83	54.00	-15.17	25.89	3	Horizontal	177	2.17	-	37.45	9.18	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.00	74.00	-10.00	57.17	3	Vertical	53	2.75	-	33.90	5.06	32.13
AV	5.4592G	49.26	54.00	-4.74	42.43	3	Vertical	53	2.75	-	33.90	5.06	32.13
PK	5.4696G	67.74	68.20	-0.46	60.90	3	Vertical	53	2.75	-	33.90	5.07	32.13
PK	5.4928G	109.90	Inf	-Inf	103.04	3	Vertical	53	2.75	-	33.90	5.09	32.13
AV	5.4956G	99.74	Inf	-Inf	92.87	3	Vertical	53	2.75	-	33.90	5.10	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	58.37	74.00	-15.63	51.54	3	Horizontal	289	2.38	-	33.90	5.06	32.13
AV	5.4584G	45.61	54.00	-8.39	38.78	3	Horizontal	289	2.38	-	33.90	5.06	32.13
PK	5.47G	62.19	68.20	-6.01	55.35	3	Horizontal	289	2.38	-	33.90	5.07	32.13
PK	5.4944G	103.22	Inf	-Inf	96.36	3	Horizontal	289	2.38	-	33.90	5.09	32.13
AV	5.494G	93.03	Inf	-Inf	86.17	3	Horizontal	289	2.38	-	33.90	5.09	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99572G	52.07	74.00	-21.93	39.39	3	Vertical	196	2.55	-	38.50	7.45	33.27
AV	11.00264G	38.22	54.00	-15.78	25.54	3	Vertical	196	2.55	-	38.50	7.45	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9987G	51.78	74.00	-22.22	39.10	3	Horizontal	296	2.20	-	38.50	7.45	33.27
AV	11.00078G	38.47	54.00	-15.53	25.79	3	Horizontal	296	2.20	-	38.50	7.45	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4396G	56.08	74.00	-17.92	49.29	3	Vertical	283	2.68	-	33.88	5.04	32.13
AV	5.4444G	43.98	54.00	-10.02	37.18	3	Vertical	283	2.68	-	33.89	5.04	32.13
PK	5.4684G	56.26	68.20	-11.94	49.42	3	Vertical	283	2.68	-	33.90	5.07	32.13
PK	5.574G	106.36	Inf	-Inf	99.42	3	Vertical	283	2.68	-	33.90	5.17	32.13
AV	5.574G	95.47	Inf	-Inf	88.53	3	Vertical	283	2.68	-	33.90	5.17	32.13
PK	5.727G	55.57	68.20	-12.63	48.89	3	Vertical	283	2.68	-	33.75	5.07	32.14



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	56.28	74.00	-17.72	49.45	3	Horizontal	293	2.67	-	33.90	5.06	32.13
AV	5.4576G	44.06	54.00	-9.94	37.23	3	Horizontal	293	2.67	-	33.90	5.06	32.13
PK	5.4654G	56.72	68.20	-11.48	49.88	3	Horizontal	293	2.67	-	33.90	5.07	32.13
PK	5.5728G	106.30	Inf	-Inf	99.36	3	Horizontal	293	2.67	-	33.90	5.17	32.13
AV	5.5734G	95.76	Inf	-Inf	88.82	3	Horizontal	293	2.67	-	33.90	5.17	32.13
PK	5.7258G	55.96	68.20	-12.24	49.28	3	Horizontal	293	2.67	-	33.75	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15624G	52.27	74.00	-21.73	39.36	3	Vertical	360	2.05	-	38.66	7.50	33.25
AV	11.1636G	38.95	54.00	-15.05	26.03	3	Vertical	360	2.05	-	38.66	7.51	33.25

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16952G	52.29	74.00	-21.71	39.36	3	Horizontal	286	1.80	-	38.67	7.51	33.25
AV	11.15344G	38.81	54.00	-15.19	25.91	3	Horizontal	286	1.80	-	38.65	7.50	33.25

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	108.62	Inf	-Inf	101.95	3	Vertical	54	2.82	-	33.71	5.10	32.14
AV	5.6934G	98.39	Inf	-Inf	91.71	3	Vertical	54	2.82	-	33.71	5.11	32.14
PK	5.7252G	67.89	68.20	-0.31	61.21	3	Vertical	54	2.82	-	33.75	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.5  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	104.13	Inf	-Inf	97.46	3	Horizontal	115	2.97	-	33.71	5.10	32.14
AV	5.706G	93.76	Inf	-Inf	87.10	3	Horizontal	115	2.97	-	33.71	5.09	32.14
PK	5.7264G	61.87	68.20	-6.33	55.19	3	Horizontal	115	2.97	-	33.75	5.07	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39376G	52.07	74.00	-21.93	38.92	3	Vertical	321	2.70	-	38.79	7.59	33.23
AV	11.39348G	38.84	54.00	-15.16	25.69	3	Vertical	321	2.70	-	38.79	7.59	33.23

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39836G	52.77	74.00	-21.23	39.61	3	Horizontal	348	1.06	-	38.80	7.59	33.23
AV	11.39108G	39.29	54.00	-14.71	26.14	3	Horizontal	348	1.06	-	38.79	7.59	33.23

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1178G	55.73	74.00	-18.27	49.44	3	Vertical	51	2.56	-	33.50	4.94	32.15
AV	5.1466G	43.94	54.00	-10.06	37.60	3	Vertical	51	2.56	-	33.50	4.99	32.15
PK	5.257G	111.78	Inf	-Inf	105.24	3	Vertical	51	2.56	-	33.61	5.07	32.14
AV	5.2552G	101.15	Inf	-Inf	94.61	3	Vertical	51	2.56	-	33.61	5.07	32.14
PK	5.365G	56.58	74.00	-17.42	49.97	3	Vertical	51	2.56	-	33.73	5.02	32.14
AV	5.3932G	44.28	54.00	-9.72	37.63	3	Vertical	51	2.56	-	33.79	5.00	32.14



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	55.86	74.00	-18.14	49.54	3	Horizontal	288	2.80	-	33.50	4.97	32.15
AV	5.1148G	43.77	54.00	-10.23	37.49	3	Horizontal	288	2.80	-	33.50	4.93	32.15
PK	5.2546G	105.90	Inf	-Inf	99.36	3	Horizontal	288	2.80	-	33.61	5.07	32.14
AV	5.2546G	95.08	Inf	-Inf	88.54	3	Horizontal	288	2.80	-	33.61	5.07	32.14
PK	5.3548G	56.44	74.00	-17.56	49.85	3	Horizontal	288	2.80	-	33.71	5.02	32.14
AV	5.3614G	43.97	54.00	-10.03	37.37	3	Horizontal	288	2.80	-	33.72	5.02	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT Y\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77982G	52.74	74.00	-21.26	39.70	3	Vertical	1	2.30	-	37.40	9.12	33.48
AV	15.77918G	38.99	54.00	-15.01	25.95	3	Vertical	1	2.30	-	37.40	9.12	33.48

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78238G	52.07	74.00	-21.93	39.03	3	Horizontal	329	2.32	-	37.40	9.12	33.48
AV	15.77548G	39.04	54.00	-14.96	26.00	3	Horizontal	329	2.32	-	37.40	9.12	33.48

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	111.93	Inf	-Inf	105.32	3	Vertical	51	2.66	-	33.70	5.05	32.14
AV	5.306G	101.52	Inf	-Inf	94.91	3	Vertical	51	2.66	-	33.70	5.05	32.14
PK	5.3504G	66.48	74.00	-7.52	59.90	3	Vertical	51	2.66	-	33.70	5.02	32.14
AV	5.35G	50.48	54.00	-3.52	43.90	3	Vertical	51	2.66	-	33.70	5.02	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2946G	106.63	Inf	-Inf	100.03	3	Horizontal	279	2.77	-	33.69	5.05	32.14
AV	5.2946G	95.80	Inf	-Inf	89.20	3	Horizontal	279	2.77	-	33.69	5.05	32.14
PK	5.3528G	60.35	74.00	-13.65	53.76	3	Horizontal	279	2.77	-	33.71	5.02	32.14
AV	5.35G	46.18	54.00	-7.82	39.60	3	Horizontal	279	2.77	-	33.70	5.02	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT Y\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60034G	51.68	74.00	-22.32	38.96	3	Vertical	50	2.77	-	38.50	7.31	33.09
AV	10.60081G	38.64	54.00	-15.36	25.92	3	Vertical	50	2.77	-	38.50	7.31	33.09
PK	15.89856G	51.57	74.00	-22.43	38.53	3	Vertical	70	2.68	-	37.50	9.16	33.62
AV	15.90042G	38.73	54.00	-15.27	25.68	3	Vertical	70	2.68	-	37.50	9.17	33.62

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6021G	53.03	74.00	-20.97	40.31	3	Horizontal	14	1.80	-	38.50	7.31	33.09
AV	10.60204G	38.71	54.00	-15.29	25.99	3	Horizontal	14	1.80	-	38.50	7.31	33.09
PK	15.90776G	53.00	74.00	-21.00	39.97	3	Horizontal	326	1.81	-	37.49	9.17	33.63
AV	15.89512G	38.93	54.00	-15.07	25.89	3	Horizontal	326	1.81	-	37.50	9.16	33.62

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	109.65	Inf	-Inf	103.05	3	Vertical	53	2.64	-	33.70	5.04	32.14
AV	5.3184G	99.02	Inf	-Inf	92.42	3	Vertical	53	2.64	-	33.70	5.04	32.14
PK	5.3504G	67.71	74.00	-6.29	61.13	3	Vertical	53	2.64	-	33.70	5.02	32.14
AV	5.35G	53.72	54.00	-0.28	47.13	3	Vertical	53	2.64	-	33.70	5.03	32.14



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	102.92	Inf	-Inf	96.32	3	Horizontal	290	2.49	-	33.70	5.04	32.14
AV	5.3216G	92.49	Inf	-Inf	85.89	3	Horizontal	290	2.49	-	33.70	5.04	32.14
PK	5.3504G	62.08	74.00	-11.92	55.50	3	Horizontal	290	2.49	-	33.70	5.02	32.14
AV	5.35G	47.49	54.00	-6.51	40.90	3	Horizontal	290	2.49	-	33.70	5.03	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6326G	51.50	74.00	-22.50	38.82	3	Vertical	287	2.12	-	38.47	7.32	33.11
AV	10.64208G	38.32	54.00	-15.68	25.65	3	Vertical	287	2.12	-	38.46	7.32	33.11
PK	15.9508G	51.87	74.00	-22.13	38.92	3	Vertical	179	2.79	-	37.45	9.18	33.68
AV	15.95272G	38.72	54.00	-15.28	25.77	3	Vertical	179	2.79	-	37.45	9.18	33.68

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 23  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64892G	51.58	74.00	-22.42	38.92	3	Horizontal	286	1.80	-	38.45	7.33	33.12
AV	10.63464G	38.40	54.00	-15.60	25.72	3	Horizontal	286	1.80	-	38.47	7.32	33.11
PK	15.96988G	52.83	74.00	-21.17	39.91	3	Horizontal	340	1.19	-	37.43	9.19	33.70
AV	15.96232G	38.91	54.00	-15.09	25.98	3	Horizontal	340	1.19	-	37.44	9.19	33.70

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.19	74.00	-9.81	57.36	3	Vertical	53	2.75	-	33.90	5.06	32.13
AV	5.46G	48.91	54.00	-5.09	42.08	3	Vertical	53	2.75	-	33.90	5.06	32.13
PK	5.4694G	67.41	68.20	-0.79	60.57	3	Vertical	53	2.75	-	33.90	5.07	32.13
PK	5.4932G	109.66	Inf	-Inf	102.80	3	Vertical	53	2.75	-	33.90	5.09	32.13
AV	5.4936G	99.09	Inf	-Inf	92.23	3	Vertical	53	2.75	-	33.90	5.09	32.13

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	57.97	74.00	-16.03	51.14	3	Horizontal	290	2.38	-	33.90	5.06	32.13
AV	5.4598G	45.48	54.00	-8.52	38.65	3	Horizontal	290	2.38	-	33.90	5.06	32.13
PK	5.4674G	62.00	68.20	-6.20	55.16	3	Horizontal	290	2.38	-	33.90	5.07	32.13
PK	5.4962G	102.05	Inf	-Inf	95.18	3	Horizontal	290	2.38	-	33.90	5.10	32.13
AV	5.4936G	92.14	Inf	-Inf	85.28	3	Horizontal	290	2.38	-	33.90	5.09	32.13

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00848G	52.19	74.00	-21.81	39.50	3	Vertical	303	2.11	-	38.51	7.45	33.27
AV	11.00932G	38.42	54.00	-15.58	25.73	3	Vertical	303	2.11	-	38.51	7.45	33.27

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00204G	51.95	74.00	-22.05	39.27	3	Horizontal	138	1.80	-	38.50	7.45	33.27
AV	11.00856G	38.50	54.00	-15.50	25.81	3	Horizontal	138	1.80	-	38.51	7.45	33.27

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	56.70	74.00	-17.30	49.93	3	Vertical	359	2.73	-	33.87	5.03	32.13
AV	5.428G	44.32	54.00	-9.68	37.56	3	Vertical	359	2.73	-	33.86	5.03	32.13
PK	5.4664G	56.47	68.20	-11.73	49.63	3	Vertical	359	2.73	-	33.90	5.07	32.13
PK	5.5816G	111.46	Inf	-Inf	104.51	3	Vertical	359	2.73	-	33.90	5.18	32.13
AV	5.5816G	100.63	Inf	-Inf	93.68	3	Vertical	359	2.73	-	33.90	5.18	32.13
PK	5.7752G	56.92	68.20	-11.28	50.30	3	Vertical	359	2.73	-	33.75	5.02	32.15



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 30  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.05	74.00	-16.95	50.23	3	Horizontal	349	2.73	-	33.90	5.05	32.13
AV	5.4328G	44.11	54.00	-9.89	37.34	3	Horizontal	349	2.73	-	33.87	5.03	32.13
PK	5.464G	56.37	68.20	-11.83	49.54	3	Horizontal	349	2.73	-	33.90	5.06	32.13
PK	5.5864G	106.99	Inf	-Inf	100.04	3	Horizontal	349	2.73	-	33.90	5.19	32.14
AV	5.5856G	95.55	Inf	-Inf	88.60	3	Horizontal	349	2.73	-	33.90	5.19	32.14
PK	5.7424G	56.40	68.20	-11.80	49.70	3	Horizontal	349	2.73	-	33.78	5.06	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15544G	52.61	74.00	-21.39	39.70	3	Vertical	35	1.01	-	38.66	7.50	33.25
AV	11.16204G	38.97	54.00	-15.03	26.05	3	Vertical	35	1.01	-	38.66	7.51	33.25

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16164G	53.06	74.00	-20.94	40.14	3	Horizontal	271	1.80	-	38.66	7.51	33.25
AV	11.163G	38.96	54.00	-15.04	26.04	3	Horizontal	271	1.80	-	38.66	7.51	33.25

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 19.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.704G	107.80	Inf	-Inf	101.13	3	Vertical	55	2.83	-	33.71	5.10	32.14
AV	5.6934G	97.15	Inf	-Inf	90.47	3	Vertical	55	2.83	-	33.71	5.11	32.14
PK	5.725G	67.74	68.20	-0.46	61.05	3	Vertical	55	2.83	-	33.75	5.08	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 19.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	102.46	Inf	-Inf	95.79	3	Horizontal	350	2.90	-	33.71	5.10	32.14
AV	5.699G	92.06	Inf	-Inf	85.40	3	Horizontal	350	2.90	-	33.70	5.10	32.14
PK	5.725G	64.03	68.20	-4.17	57.34	3	Horizontal	350	2.90	-	33.75	5.08	32.14

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 19.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40276G	52.08	74.00	-21.92	38.91	3	Vertical	229	1.80	-	38.81	7.59	33.23
AV	11.40808G	38.92	54.00	-15.08	25.74	3	Vertical	229	1.80	-	38.82	7.59	33.23

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 19.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40264G	52.51	74.00	-21.49	39.34	3	Horizontal	55	1.20	-	38.81	7.59	33.23
AV	11.3994G	38.98	54.00	-15.02	25.82	3	Horizontal	55	1.20	-	38.80	7.59	33.23

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.54	74.00	-14.46	53.19	3	Vertical	9	2.60	-	33.50	5.00	32.15
AV	5.15G	46.15	54.00	-7.85	39.80	3	Vertical	9	2.60	-	33.50	5.00	32.15
PK	5.2814G	107.68	Inf	-Inf	101.10	3	Vertical	9	2.60	-	33.66	5.06	32.14
AV	5.2784G	96.73	Inf	-Inf	90.15	3	Vertical	9	2.60	-	33.66	5.06	32.14
PK	5.351G	68.14	74.00	-5.86	61.56	3	Vertical	9	2.60	-	33.70	5.02	32.14
AV	5.3504G	53.25	54.00	-0.75	46.67	3	Vertical	9	2.60	-	33.70	5.02	32.14



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1362G	56.65	74.00	-17.35	50.33	3	Horizontal	290	2.18	-	33.50	4.97	32.15
AV	5.1488G	44.37	54.00	-9.63	38.02	3	Horizontal	290	2.18	-	33.50	5.00	32.15
PK	5.276G	102.02	Inf	-Inf	95.45	3	Horizontal	290	2.18	-	33.65	5.06	32.14
AV	5.2808G	90.94	Inf	-Inf	84.36	3	Horizontal	290	2.18	-	33.66	5.06	32.14
PK	5.3504G	66.26	74.00	-7.74	59.68	3	Horizontal	290	2.18	-	33.70	5.02	32.14
AV	5.35G	51.94	54.00	-2.06	45.36	3	Horizontal	290	2.18	-	33.70	5.02	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80694G	52.00	74.00	-22.00	38.97	3	Vertical	349	2.62	-	37.41	9.13	33.51
AV	15.80878G	38.99	54.00	-15.01	25.96	3	Vertical	349	2.62	-	37.41	9.13	33.51

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 30  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81322G	52.21	74.00	-21.79	39.19	3	Horizontal	245	1.02	-	37.41	9.13	33.52
AV	15.81266G	39.20	54.00	-14.80	26.18	3	Horizontal	245	1.02	-	37.41	9.13	33.52

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 17  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	101.61	Inf	-Inf	95.01	3	Vertical	51	2.76	-	33.70	5.04	32.14
AV	5.322G	91.59	Inf	-Inf	84.99	3	Vertical	51	2.76	-	33.70	5.04	32.14
PK	5.3504G	67.34	74.00	-6.66	60.76	3	Vertical	51	2.76	-	33.70	5.02	32.14
AV	5.3504G	53.55	54.00	-0.45	46.97	3	Vertical	51	2.76	-	33.70	5.02	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 17  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	95.95	Inf	-Inf	89.35	3	Horizontal	277	2.88	-	33.70	5.04	32.14
AV	5.3216G	85.82	Inf	-Inf	79.22	3	Horizontal	277	2.88	-	33.70	5.04	32.14
PK	5.35G	63.93	74.00	-10.07	57.34	3	Horizontal	277	2.88	-	33.70	5.03	32.14
AV	5.35G	49.34	54.00	-4.66	42.75	3	Horizontal	277	2.88	-	33.70	5.03	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 17  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62354G	51.95	74.00	-22.05	39.25	3	Vertical	136	1.17	-	38.48	7.32	33.10
AV	10.61652G	38.68	54.00	-15.32	25.98	3	Vertical	136	1.17	-	38.48	7.32	33.10
PK	15.93226G	52.54	74.00	-21.46	39.55	3	Vertical	88	2.66	-	37.47	9.18	33.66
AV	15.93038G	39.15	54.00	-14.85	26.16	3	Vertical	88	2.66	-	37.47	9.18	33.66

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 17  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61812G	52.55	74.00	-21.45	39.85	3	Horizontal	76	2.05	-	38.48	7.32	33.10
AV	10.61606G	38.60	54.00	-15.40	25.90	3	Horizontal	76	2.05	-	38.48	7.32	33.10
PK	15.92678G	52.12	74.00	-21.88	39.13	3	Horizontal	98	1.88	-	37.47	9.17	33.65
AV	15.93422G	39.00	54.00	-15.00	26.01	3	Horizontal	98	1.88	-	37.47	9.18	33.66

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 16.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.90	74.00	-10.10	57.07	3	Vertical	359	2.68	-	33.90	5.06	32.13
AV	5.46G	48.81	54.00	-5.19	41.98	3	Vertical	359	2.68	-	33.90	5.06	32.13
PK	5.4692G	68.02	68.20	-0.18	61.18	3	Vertical	359	2.68	-	33.90	5.07	32.13
PK	5.4968G	101.88	Inf	-Inf	95.01	3	Vertical	359	2.68	-	33.90	5.10	32.13
AV	5.4984G	91.06	Inf	-Inf	84.19	3	Vertical	359	2.68	-	33.90	5.10	32.13



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 16.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.70	74.00	-16.30	50.87	3	Horizontal	289	2.61	-	33.90	5.06	32.13
AV	5.4596G	45.71	54.00	-8.29	38.88	3	Horizontal	289	2.61	-	33.90	5.06	32.13
PK	5.4684G	62.72	68.20	-5.48	55.88	3	Horizontal	289	2.61	-	33.90	5.07	32.13
PK	5.5068G	95.92	Inf	-Inf	89.04	3	Horizontal	289	2.61	-	33.90	5.11	32.13
AV	5.4952G	85.17	Inf	-Inf	78.30	3	Horizontal	289	2.61	-	33.90	5.10	32.13

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 16.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01676G	52.42	74.00	-21.58	39.71	3	Vertical	7	2.24	-	38.52	7.46	33.27
AV	11.01882G	38.87	54.00	-15.13	26.16	3	Vertical	7	2.24	-	38.52	7.46	33.27

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 16.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02412G	52.97	74.00	-21.03	40.26	3	Horizontal	257	2.27	-	38.52	7.46	33.27
AV	11.01912G	38.92	54.00	-15.08	26.21	3	Horizontal	257	2.27	-	38.52	7.46	33.27

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 29  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.38	74.00	-8.62	58.56	3	Vertical	360	2.62	-	33.90	5.05	32.13
AV	5.4596G	51.70	54.00	-2.30	44.87	3	Vertical	360	2.62	-	33.90	5.06	32.13
PK	5.4684G	67.81	68.20	-0.39	60.97	3	Vertical	360	2.62	-	33.90	5.07	32.13
PK	5.5468G	107.34	Inf	-Inf	100.42	3	Vertical	360	2.62	-	33.90	5.15	32.13
AV	5.5596G	96.11	Inf	-Inf	89.18	3	Vertical	360	2.62	-	33.90	5.16	32.13
PK	5.7468G	56.30	68.20	-11.90	49.60	3	Vertical	360	2.62	-	33.79	5.05	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT\_V\_1TX  
Setting 29  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.47	74.00	-12.53	54.64	3	Horizontal	277	2.84	-	33.90	5.06	32.13
AV	5.4596G	48.45	54.00	-5.55	41.62	3	Horizontal	277	2.84	-	33.90	5.06	32.13
PK	5.4692G	64.81	68.20	-3.39	57.97	3	Horizontal	277	2.84	-	33.90	5.07	32.13
PK	5.542G	103.24	Inf	-Inf	96.33	3	Horizontal	277	2.84	-	33.90	5.14	32.13
AV	5.5404G	91.84	Inf	-Inf	84.93	3	Horizontal	277	2.84	-	33.90	5.14	32.13
PK	5.7364G	57.16	68.20	-11.04	50.47	3	Horizontal	277	2.84	-	33.77	5.06	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 29  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0984G	52.48	74.00	-21.52	39.66	3	Vertical	37	1.66	-	38.60	7.48	33.26
AV	11.09856G	38.86	54.00	-15.14	26.04	3	Vertical	37	1.66	-	38.60	7.48	33.26

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 29  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10246G	51.90	74.00	-22.10	39.07	3	Horizontal	65	2.37	-	38.60	7.49	33.26
AV	11.10488G	38.95	54.00	-15.05	26.12	3	Horizontal	65	2.37	-	38.60	7.49	33.26

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 27.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	106.77	Inf	-Inf	99.99	3	Vertical	360	2.79	-	33.78	5.14	32.14
AV	5.6576G	95.80	Inf	-Inf	89.02	3	Vertical	360	2.79	-	33.78	5.14	32.14
PK	5.7264G	67.36	68.20	-0.84	60.68	3	Vertical	360	2.79	-	33.75	5.07	32.14



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 27.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	103.96	Inf	-Inf	97.23	3	Horizontal	347	2.93	-	33.75	5.12	32.14
AV	5.6732G	92.63	Inf	-Inf	85.89	3	Horizontal	347	2.93	-	33.75	5.13	32.14
PK	5.7264G	67.54	68.20	-0.66	60.86	3	Horizontal	347	2.93	-	33.75	5.07	32.14

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 27.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34084G	52.73	74.00	-21.27	39.66	3	Vertical	178	2.68	-	38.74	7.57	33.24
AV	11.34164G	38.41	54.00	-15.59	25.34	3	Vertical	178	2.68	-	38.74	7.57	33.24

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

#### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 27.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33808G	51.98	74.00	-22.02	38.91	3	Horizontal	306	2.60	-	38.74	7.57	33.24
AV	11.33862G	38.42	54.00	-15.58	25.35	3	Horizontal	306	2.60	-	38.74	7.57	33.24

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	56.57	74.00	-17.43	50.28	3	Vertical	23	2.56	-	33.50	4.94	32.15
AV	5.1156G	44.48	54.00	-9.52	38.20	3	Vertical	23	2.56	-	33.50	4.93	32.15
PK	5.3132G	96.94	Inf	-Inf	90.34	3	Vertical	23	2.56	-	33.70	5.04	32.14
AV	5.3164G	87.10	Inf	-Inf	80.50	3	Vertical	23	2.56	-	33.70	5.04	32.14
PK	5.35G	66.45	74.00	-7.55	59.86	3	Vertical	23	2.56	-	33.70	5.03	32.14
AV	5.35G	53.57	54.00	-0.43	46.98	3	Vertical	23	2.56	-	33.70	5.03	32.14
PK	5.4676G	56.24	68.20	-11.96	49.40	3	Vertical	23	2.56	-	33.90	5.07	32.13

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 15  
 02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	56.10	74.00	-17.90	49.80	3	Horizontal	290	2.50	-	33.50	4.95	32.15
AV	5.1012G	44.73	54.00	-9.27	38.48	3	Horizontal	290	2.50	-	33.50	4.90	32.15
PK	5.3212G	91.14	Inf	-Inf	84.54	3	Horizontal	290	2.50	-	33.70	5.04	32.14
AV	5.3204G	80.72	Inf	-Inf	74.12	3	Horizontal	290	2.50	-	33.70	5.04	32.14
PK	5.35G	61.66	74.00	-12.34	55.07	3	Horizontal	290	2.50	-	33.70	5.03	32.14
AV	5.3508G	48.57	54.00	-5.43	41.99	3	Horizontal	290	2.50	-	33.70	5.02	32.14
PK	5.4796G	56.07	68.20	-12.13	49.22	3	Horizontal	290	2.50	-	33.90	5.08	32.13

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86728G	52.32	74.00	-21.68	39.28	3	Vertical	94	1.45	-	37.47	9.15	33.58
AV	15.86662G	39.79	54.00	-14.21	26.75	3	Vertical	94	1.45	-	37.47	9.15	33.58

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 15  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87052G	52.80	74.00	-21.20	39.77	3	Horizontal	324	1.15	-	37.47	9.15	33.59
AV	15.87212G	39.71	54.00	-14.29	26.67	3	Horizontal	324	1.15	-	37.47	9.16	33.59

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 14.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	57.51	68.20	-10.69	50.90	3	Vertical	65	2.74	-	33.70	5.05	32.14
PK	5.458G	62.92	74.00	-11.08	56.09	3	Vertical	65	2.74	-	33.90	5.06	32.13
AV	5.46G	50.94	54.00	-3.06	44.11	3	Vertical	65	2.74	-	33.90	5.06	32.13
PK	5.469G	66.86	68.20	-1.34	60.02	3	Vertical	65	2.74	-	33.90	5.07	32.13
AV	5.494G	87.48	Inf	-Inf	80.62	3	Vertical	65	2.74	-	33.90	5.09	32.13
PK	5.519G	97.81	Inf	-Inf	90.92	3	Vertical	65	2.74	-	33.90	5.12	32.13
PK	5.761G	56.46	68.20	-11.74	49.79	3	Vertical	65	2.74	-	33.78	5.04	32.15



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 14.5  
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.309G	56.59	68.20	-11.61	49.98	3	Horizontal	291	2.56	-	33.70	5.05	32.14
PK	5.438G	57.69	74.00	-16.31	50.90	3	Horizontal	291	2.56	-	33.88	5.04	32.13
AV	5.435G	46.08	54.00	-7.92	39.30	3	Horizontal	291	2.56	-	33.87	5.04	32.13
PK	5.47G	57.72	68.20	-10.48	50.88	3	Horizontal	291	2.56	-	33.90	5.07	32.13
PK	5.535G	91.48	Inf	-Inf	84.57	3	Horizontal	291	2.56	-	33.90	5.14	32.13
AV	5.552G	80.52	Inf	-Inf	73.60	3	Horizontal	291	2.56	-	33.90	5.15	32.13
PK	5.775G	56.69	68.20	-11.51	50.06	3	Horizontal	291	2.56	-	33.75	5.03	32.15

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 14.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0568G	52.13	74.00	-21.87	39.36	3	Vertical	114	2.28	-	38.56	7.47	33.26
AV	11.0572G	39.40	54.00	-14.60	26.63	3	Vertical	114	2.28	-	38.56	7.47	33.26

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5530MHz\_TnomVnom



EUT V\_1TX  
Setting 14.5  
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05806G	52.62	74.00	-21.38	39.85	3	Horizontal	19	1.55	-	38.56	7.47	33.26
AV	11.0561G	39.60	54.00	-14.40	26.83	3	Horizontal	19	1.55	-	38.56	7.47	33.26