


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.13	74.00	-11.87	52.89	3	Horizontal	316	2.75	-	34.00	5.96	30.72
AV	5.46G	49.67	54.00	-4.33	40.43	3	Horizontal	316	2.75	-	34.00	5.96	30.72
PK	5.4696G	68.10	68.20	-0.10	58.85	3	Horizontal	316	2.75	-	34.00	5.97	30.72
PK	5.5016G	111.10	Inf	-Inf	101.82	3	Horizontal	316	2.75	-	34.00	6.00	30.72
AV	5.5014G	100.19	Inf	-Inf	90.91	3	Horizontal	316	2.75	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00516G	50.26	74.00	-23.74	69.00	3	Vertical	188	2.99	-	38.61	8.65	66.00
AV	11.0048G	36.81	54.00	-17.19	55.56	3	Vertical	188	2.99	-	38.60	8.65	66.00

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9954G	50.32	74.00	-23.68	69.07	3	Horizontal	117	2.89	-	38.60	8.65	66.00
AV	11.00544G	36.76	54.00	-17.24	55.50	3	Horizontal	117	2.89	-	38.61	8.65	66.00

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.388G	59.55	74.00	-14.45	50.40	3	Vertical	24	2.14	-	33.98	5.89	30.72
AV	5.4224G	46.55	54.00	-7.45	37.35	3	Vertical	24	2.14	-	34.00	5.92	30.72
PK	5.4648G	58.02	68.20	-10.18	48.78	3	Vertical	24	2.14	-	34.00	5.96	30.72
PK	5.5808G	113.38	Inf	-Inf	104.14	3	Vertical	24	2.14	-	33.94	6.08	30.78
AV	5.5792G	102.18	Inf	-Inf	92.94	3	Vertical	24	2.14	-	33.94	6.08	30.78
PK	5.78G	58.92	68.20	-9.28	49.95	3	Vertical	24	2.14	-	33.80	6.10	30.93

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.37	74.00	-14.63	50.15	3	Horizontal	317	2.80	-	34.00	5.94	30.72
AV	5.424G	46.54	54.00	-7.46	37.34	3	Horizontal	317	2.80	-	34.00	5.92	30.72
PK	5.4696G	58.01	68.20	-10.19	48.76	3	Horizontal	317	2.80	-	34.00	5.97	30.72
PK	5.5784G	114.68	Inf	-Inf	105.44	3	Horizontal	317	2.80	-	33.94	6.08	30.78
AV	5.5792G	103.37	Inf	-Inf	94.13	3	Horizontal	317	2.80	-	33.94	6.08	30.78
PK	5.7384G	59.39	68.20	-8.81	50.37	3	Horizontal	317	2.80	-	33.82	6.10	30.90

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15044G	51.24	74.00	-22.76	69.76	3	Vertical	59	1.42	-	38.75	8.70	65.97
AV	11.1524G	36.95	54.00	-17.05	55.47	3	Vertical	59	1.42	-	38.75	8.70	65.97

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15G	50.16	74.00	-23.84	68.68	3	Horizontal	241	1.17	-	38.75	8.70	65.97
AV	11.15084G	36.79	54.00	-17.21	55.31	3	Horizontal	241	1.17	-	38.75	8.70	65.97

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 17.5
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	110.52	Inf	-Inf	101.39	3	Vertical	24	2.09	-	33.90	6.10	30.87
AV	5.6992G	100.18	Inf	-Inf	91.05	3	Vertical	24	2.09	-	33.90	6.10	30.87
PK	5.7264G	67.94	68.20	-0.26	58.88	3	Vertical	24	2.09	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
 Setting 17.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	105.93	Inf	-Inf	96.80	3	Horizontal	33	2.29	-	33.90	6.10	30.87
AV	5.6984G	95.13	Inf	-Inf	86.00	3	Horizontal	33	2.29	-	33.90	6.10	30.87
PK	5.7256G	62.72	68.20	-5.48	53.66	3	Horizontal	33	2.29	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
 Setting 17.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39056G	50.26	74.00	-23.74	68.59	3	Vertical	207	1.42	-	38.80	8.79	65.92
AV	11.39076G	36.86	54.00	-17.14	55.19	3	Vertical	207	1.42	-	38.80	8.79	65.92

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
 Setting 17.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39004G	51.47	74.00	-22.53	69.80	3	Horizontal	21	1.27	-	38.80	8.79	65.92
AV	11.39664G	36.97	54.00	-17.03	55.30	3	Horizontal	21	1.27	-	38.80	8.79	65.92

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4284G	58.50	74.00	-15.50	49.29	3	Vertical	28	1.79	-	34.00	5.93	30.72
AV	5.4272G	46.42	54.00	-7.58	37.21	3	Vertical	28	1.79	-	34.00	5.93	30.72
PK	5.4656G	57.96	68.20	-10.24	48.71	3	Vertical	28	1.79	-	34.00	5.97	30.72
PK	5.7248G	113.76	Inf	-Inf	104.70	3	Vertical	28	1.79	-	33.85	6.10	30.89
AV	5.7212G	103.10	Inf	-Inf	94.03	3	Vertical	28	1.79	-	33.86	6.10	30.89
PK	5.9828G	58.73	68.20	-9.47	49.34	3	Vertical	28	1.79	-	34.20	6.28	31.09

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.49	74.00	-15.51	49.26	3	Horizontal	314	2.80	-	34.00	5.95	30.72
AV	5.4296G	46.52	54.00	-7.48	37.31	3	Horizontal	314	2.80	-	34.00	5.93	30.72
PK	5.468G	57.62	68.20	-10.58	48.37	3	Horizontal	314	2.80	-	34.00	5.97	30.72
PK	5.7188G	115.52	Inf	-Inf	106.45	3	Horizontal	314	2.80	-	33.86	6.10	30.89
AV	5.7188G	104.24	Inf	-Inf	95.17	3	Horizontal	314	2.80	-	33.86	6.10	30.89
PK	5.93G	59.36	68.20	-8.84	50.02	3	Horizontal	314	2.80	-	34.16	6.23	31.05

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44856G	51.41	74.00	-22.59	69.61	3	Vertical	16	1.86	-	38.90	8.81	65.91
AV	11.4388G	37.55	54.00	-16.45	55.78	3	Vertical	16	1.86	-	38.88	8.80	65.91

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44568G	56.70	74.00	-17.30	74.91	3	Horizontal	330	1.57	-	38.89	8.81	65.91
AV	11.43884G	42.72	54.00	-11.28	60.95	3	Horizontal	330	1.57	-	38.88	8.80	65.91

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.14	68.20	-8.06	51.05	3	Vertical	27	1.89	-	33.82	6.10	30.83
PK	5.746G	114.44	Inf	-Inf	105.44	3	Vertical	27	1.89	-	33.81	6.10	30.91
AV	5.744G	104.33	Inf	-Inf	95.33	3	Vertical	27	1.89	-	33.81	6.10	30.91
PK	5.932G	58.14	68.20	-10.06	48.80	3	Vertical	27	1.89	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.504G	59.57	68.20	-8.63	50.29	3	Horizontal	315	2.80	-	34.00	6.00	30.72
PK	5.744G	114.07	Inf	-Inf	105.07	3	Horizontal	315	2.80	-	33.81	6.10	30.91
AV	5.744G	104.33	Inf	-Inf	95.33	3	Horizontal	315	2.80	-	33.81	6.10	30.91
PK	5.988G	59.68	68.20	-8.52	50.28	3	Horizontal	315	2.80	-	34.20	6.29	31.09

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48992G	54.14	74.00	-19.86	72.24	3	Vertical	29	2.80	-	38.98	8.82	65.90
AV	11.48996G	40.58	54.00	-13.42	58.68	3	Vertical	29	2.80	-	38.98	8.82	65.90
PK	17.24348G	59.46	68.20	-8.74	71.55	3	Vertical	260	2.06	-	42.22	10.94	65.25

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48828G	54.80	74.00	-19.20	72.90	3	Horizontal	336	1.80	-	38.98	8.82	65.90
AV	11.48996G	42.11	54.00	-11.89	60.21	3	Horizontal	336	1.80	-	38.98	8.82	65.90
PK	17.23436G	62.39	68.20	-5.81	74.53	3	Horizontal	306	1.99	-	42.17	10.93	65.24

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	59.24	68.20	-8.96	49.95	3	Vertical	29	1.80	-	34.00	6.04	30.75
PK	5.784G	113.81	Inf	-Inf	104.85	3	Vertical	29	1.80	-	33.80	6.10	30.94
AV	5.784G	102.72	Inf	-Inf	93.76	3	Vertical	29	1.80	-	33.80	6.10	30.94
PK	5.936G	59.64	68.20	-8.56	50.29	3	Vertical	29	1.80	-	34.17	6.23	31.05

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	59.80	68.20	-8.40	50.52	3	Horizontal	313	2.65	-	33.99	6.05	30.76
PK	5.784G	113.92	Inf	-Inf	104.96	3	Horizontal	313	2.65	-	33.80	6.10	30.94
AV	5.784G	103.07	Inf	-Inf	94.11	3	Horizontal	313	2.65	-	33.80	6.10	30.94
PK	5.927G	59.12	68.20	-9.08	49.79	3	Horizontal	313	2.65	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56172G	53.51	74.00	-20.49	71.33	3	Vertical	23	2.60	-	39.19	8.85	65.86
AV	11.56244G	39.14	54.00	-14.86	56.96	3	Vertical	23	2.60	-	39.19	8.85	65.86
PK	17.35792G	61.86	68.20	-6.34	73.34	3	Vertical	258	1.92	-	42.85	10.98	65.31

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56644G	54.59	74.00	-19.41	72.40	3	Horizontal	328	1.66	-	39.20	8.85	65.86
AV	11.5624G	39.73	54.00	-14.27	57.55	3	Horizontal	328	1.66	-	39.19	8.85	65.86
PK	17.36452G	64.15	68.20	-4.05	75.60	3	Horizontal	304	1.96	-	42.89	10.98	65.32

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
 Setting 22.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	59.34	68.20	-8.86	50.12	3	Vertical	30	1.93	-	33.92	6.09	30.79
PK	5.826G	113.96	Inf	-Inf	105.01	3	Vertical	30	1.93	-	33.80	6.12	30.97
AV	5.824G	103.70	Inf	-Inf	94.75	3	Vertical	30	1.93	-	33.80	6.12	30.97
PK	5.969G	59.29	68.20	-8.91	49.90	3	Vertical	30	1.93	-	34.20	6.27	31.08

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
 Setting 22.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	59.10	68.20	-9.10	49.92	3	Horizontal	316	2.74	-	33.88	6.10	30.80
PK	5.824G	113.44	Inf	-Inf	104.49	3	Horizontal	316	2.74	-	33.80	6.12	30.97
AV	5.824G	103.74	Inf	-Inf	94.79	3	Horizontal	316	2.74	-	33.80	6.12	30.97
PK	6.026G	59.30	68.20	-8.90	49.86	3	Horizontal	316	2.74	-	34.25	6.30	31.11

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
 Setting 22.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65004G	52.65	74.00	-21.35	70.18	3	Vertical	20	2.19	-	39.40	8.88	65.81
AV	11.6476G	39.77	54.00	-14.23	57.30	3	Vertical	20	2.19	-	39.40	8.88	65.81
PK	17.48104G	65.88	68.20	-2.32	76.50	3	Vertical	260	2.00	-	43.75	11.02	65.39

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
 Setting 22.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64516G	54.32	74.00	-19.68	71.86	3	Horizontal	288	1.62	-	39.39	8.88	65.81
AV	11.65008G	41.64	54.00	-12.36	59.17	3	Horizontal	288	1.62	-	39.40	8.88	65.81
PK	17.474G	67.62	68.20	-0.58	78.29	3	Horizontal	307	1.97	-	43.69	11.02	65.38

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 Setting 14.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.47	74.00	-7.53	57.83	3	Vertical	289	2.06	-	33.60	5.77	30.73
AV	5.15G	53.89	54.00	-0.11	45.24	3	Vertical	289	2.06	-	33.60	5.78	30.73
PK	5.192G	105.37	Inf	-Inf	96.62	3	Vertical	289	2.06	-	33.68	5.80	30.73
AV	5.1884G	95.87	Inf	-Inf	87.13	3	Vertical	289	2.06	-	33.68	5.79	30.73

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 14.5
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.19	74.00	-6.81	58.55	3	Horizontal	319	2.10	-	33.60	5.77	30.73
AV	5.15G	53.82	54.00	-0.18	45.17	3	Horizontal	319	2.10	-	33.60	5.78	30.73
PK	5.1876G	105.54	Inf	-Inf	96.80	3	Horizontal	319	2.10	-	33.68	5.79	30.73
AV	5.1876G	95.67	Inf	-Inf	86.93	3	Horizontal	319	2.10	-	33.68	5.79	30.73

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 Setting 14.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56544G	51.28	74.00	-22.72	67.74	3	Vertical	289	1.06	-	37.71	10.33	64.50
AV	15.57136G	38.33	54.00	-15.67	54.83	3	Vertical	289	1.06	-	37.67	10.33	64.50

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
 Setting 14.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56392G	51.39	74.00	-22.61	67.84	3	Horizontal	26	1.20	-	37.72	10.33	64.50
AV	15.57176G	38.56	54.00	-15.44	55.06	3	Horizontal	26	1.20	-	37.67	10.33	64.50

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
Setting 20.5
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.34	74.00	-8.66	56.70	3	Vertical	292	1.94	-	33.60	5.77	30.73
AV	5.15G	53.81	54.00	-0.19	45.17	3	Vertical	292	1.94	-	33.60	5.77	30.73
PK	5.2258G	109.00	Inf	-Inf	100.22	3	Vertical	292	1.94	-	33.70	5.81	30.73
AV	5.2324G	99.70	Inf	-Inf	90.91	3	Vertical	292	1.94	-	33.70	5.82	30.73
PK	5.3626G	60.04	74.00	-13.96	50.95	3	Vertical	292	1.94	-	33.93	5.88	30.72
AV	5.3506G	47.94	54.00	-6.06	38.88	3	Vertical	292	1.94	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
 Setting 20.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.08	74.00	-7.92	57.44	3	Horizontal	320	2.07	-	33.60	5.77	30.73
AV	5.15G	53.84	54.00	-0.16	45.20	3	Horizontal	320	2.07	-	33.60	5.77	30.73
PK	5.2324G	109.22	Inf	-Inf	100.43	3	Horizontal	320	2.07	-	33.70	5.82	30.73
AV	5.227G	100.41	Inf	-Inf	91.63	3	Horizontal	320	2.07	-	33.70	5.81	30.73
PK	5.3512G	58.97	74.00	-15.03	49.91	3	Horizontal	320	2.07	-	33.90	5.88	30.72
AV	5.3536G	47.92	54.00	-6.08	38.85	3	Horizontal	320	2.07	-	33.91	5.88	30.72

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
 Setting 20.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68292G	49.35	74.00	-24.65	65.98	3	Vertical	160	1.57	-	37.50	10.37	64.50
AV	15.68204G	37.12	54.00	-16.88	53.75	3	Vertical	160	1.57	-	37.50	10.37	64.50

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
 Setting 20.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69584G	49.79	74.00	-24.21	66.41	3	Horizontal	241	2.56	-	37.50	10.38	64.50
AV	15.68048G	37.16	54.00	-16.84	53.79	3	Horizontal	241	2.56	-	37.50	10.37	64.50

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	60.05	74.00	-13.95	51.42	3	Vertical	288	2.14	-	33.59	5.77	30.73
AV	5.147G	48.04	54.00	-5.96	39.41	3	Vertical	288	2.14	-	33.59	5.77	30.73
PK	5.267G	107.83	Inf	-Inf	98.99	3	Vertical	288	2.14	-	33.73	5.83	30.72
AV	5.2724G	98.85	Inf	-Inf	89.99	3	Vertical	288	2.14	-	33.74	5.84	30.72
PK	5.35G	65.08	74.00	-8.92	56.03	3	Vertical	288	2.14	-	33.90	5.87	30.72
AV	5.35G	53.72	54.00	-0.28	44.67	3	Vertical	288	2.14	-	33.90	5.87	30.72

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	59.19	74.00	-14.81	50.57	3	Horizontal	318	2.06	-	33.58	5.77	30.73
AV	5.1488G	48.17	54.00	-5.83	39.53	3	Horizontal	318	2.06	-	33.60	5.77	30.73
PK	5.2736G	108.37	Inf	-Inf	99.50	3	Horizontal	318	2.06	-	33.75	5.84	30.72
AV	5.2718G	99.14	Inf	-Inf	90.28	3	Horizontal	318	2.06	-	33.74	5.84	30.72
PK	5.35G	64.30	74.00	-9.70	55.24	3	Horizontal	318	2.06	-	33.90	5.88	30.72
AV	5.35G	52.61	54.00	-1.39	43.55	3	Horizontal	318	2.06	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81516G	49.95	74.00	-24.05	66.55	3	Vertical	174	1.55	-	37.47	10.43	64.50
AV	15.81892G	37.66	54.00	-16.34	54.27	3	Vertical	174	1.55	-	37.46	10.43	64.50

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81828G	49.87	74.00	-24.13	66.48	3	Horizontal	245	2.19	-	37.46	10.43	64.50
AV	15.81204G	37.61	54.00	-16.39	54.21	3	Horizontal	245	2.19	-	37.48	10.42	64.50

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	102.61	Inf	-Inf	93.66	3	Vertical	278	1.80	-	33.82	5.85	30.72
AV	5.307G	93.48	Inf	-Inf	84.54	3	Vertical	278	1.80	-	33.81	5.85	30.72
PK	5.3508G	65.75	74.00	-8.25	56.69	3	Vertical	278	1.80	-	33.90	5.88	30.72
AV	5.35G	53.69	54.00	-0.31	44.63	3	Vertical	278	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	103.86	Inf	-Inf	94.91	3	Horizontal	316	2.02	-	33.82	5.85	30.72
AV	5.3124G	94.56	Inf	-Inf	85.60	3	Horizontal	316	2.02	-	33.82	5.86	30.72
PK	5.35G	66.65	74.00	-7.35	57.59	3	Horizontal	316	2.02	-	33.90	5.88	30.72
AV	5.35G	53.67	54.00	-0.33	44.61	3	Horizontal	316	2.02	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
 Setting 16.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93728G	49.23	74.00	-24.77	65.96	3	Vertical	262	2.03	-	37.30	10.47	64.50
AV	15.93684G	37.40	54.00	-16.60	54.13	3	Vertical	262	2.03	-	37.30	10.47	64.50

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
 Setting 16.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9294G	49.58	74.00	-24.42	66.31	3	Horizontal	162	1.84	-	37.30	10.47	64.50
AV	15.93976G	37.30	54.00	-16.70	54.02	3	Horizontal	162	1.84	-	37.30	10.48	64.50

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
 Setting 15.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.55	74.00	-11.45	53.31	3	Vertical	25	1.80	-	34.00	5.96	30.72
AV	5.46G	51.70	54.00	-2.30	42.46	3	Vertical	25	1.80	-	34.00	5.96	30.72
PK	5.4692G	67.98	68.20	-0.22	58.73	3	Vertical	25	1.80	-	34.00	5.97	30.72
PK	5.5124G	105.22	Inf	-Inf	95.94	3	Vertical	25	1.80	-	34.00	6.01	30.73
AV	5.5124G	95.87	Inf	-Inf	86.59	3	Vertical	25	1.80	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
 Setting 15.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.68	74.00	-11.32	53.44	3	Horizontal	318	2.74	-	34.00	5.96	30.72
AV	5.46G	51.44	54.00	-2.56	42.20	3	Horizontal	318	2.74	-	34.00	5.96	30.72
PK	5.4692G	67.52	68.20	-0.68	58.27	3	Horizontal	318	2.74	-	34.00	5.97	30.72
PK	5.5148G	105.72	Inf	-Inf	96.44	3	Horizontal	318	2.74	-	34.00	6.01	30.73
AV	5.5124G	96.41	Inf	-Inf	87.13	3	Horizontal	318	2.74	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
 Setting 15.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02392G	50.26	74.00	-23.74	68.98	3	Vertical	96	2.98	-	38.62	8.66	66.00
AV	11.029G	37.99	54.00	-16.01	56.69	3	Vertical	96	2.98	-	38.63	8.66	65.99

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
 Setting 15.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01312G	49.77	74.00	-24.23	68.51	3	Horizontal	4	2.22	-	38.61	8.65	66.00
AV	11.02904G	38.01	54.00	-15.99	56.71	3	Horizontal	4	2.22	-	38.63	8.66	65.99

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	65.76	74.00	-8.24	56.53	3	Vertical	16	2.35	-	34.00	5.95	30.72
AV	5.46G	53.17	54.00	-0.83	43.93	3	Vertical	16	2.35	-	34.00	5.96	30.72
PK	5.469G	67.06	68.20	-1.14	57.81	3	Vertical	16	2.35	-	34.00	5.97	30.72
PK	5.5512G	109.57	Inf	-Inf	100.28	3	Vertical	16	2.35	-	34.00	6.05	30.76
AV	5.5524G	100.49	Inf	-Inf	91.20	3	Vertical	16	2.35	-	34.00	6.05	30.76

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.73	74.00	-8.27	56.49	3	Horizontal	315	2.80	-	34.00	5.96	30.72
AV	5.4594G	53.81	54.00	-0.19	44.57	3	Horizontal	315	2.80	-	34.00	5.96	30.72
PK	5.47G	67.41	68.20	-0.79	58.16	3	Horizontal	315	2.80	-	34.00	5.97	30.72
PK	5.5488G	110.91	Inf	-Inf	101.62	3	Horizontal	315	2.80	-	34.00	6.05	30.76
AV	5.554G	100.44	Inf	-Inf	91.15	3	Horizontal	315	2.80	-	33.99	6.06	30.76

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09444G	49.98	74.00	-24.02	68.59	3	Vertical	27	1.81	-	38.69	8.68	65.98
AV	11.09432G	37.81	54.00	-16.19	56.42	3	Vertical	27	1.81	-	38.69	8.68	65.98

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10596G	51.29	74.00	-22.71	69.87	3	Horizontal	56	2.41	-	38.71	8.69	65.98
AV	11.09292G	38.30	54.00	-15.70	56.91	3	Horizontal	56	2.41	-	38.69	8.68	65.98

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
 Setting 18.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6736G	108.16	Inf	-Inf	99.06	3	Vertical	24	2.09	-	33.85	6.10	30.85
AV	5.673G	99.44	Inf	-Inf	90.34	3	Vertical	24	2.09	-	33.85	6.10	30.85
PK	5.7276G	67.88	68.20	-0.32	58.83	3	Vertical	24	2.09	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
 Setting 18.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6724G	108.73	Inf	-Inf	99.64	3	Horizontal	320	2.73	-	33.84	6.10	30.85
AV	5.673G	99.57	Inf	-Inf	90.47	3	Horizontal	320	2.73	-	33.85	6.10	30.85
PK	5.7276G	67.41	68.20	-0.79	58.36	3	Horizontal	320	2.73	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
 Setting 18.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3388G	50.38	74.00	-23.62	68.74	3	Vertical	11	2.16	-	38.80	8.77	65.93
AV	11.34492G	38.43	54.00	-15.57	56.79	3	Vertical	11	2.16	-	38.80	8.77	65.93

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
 Setting 18.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33696G	51.25	74.00	-22.75	69.61	3	Horizontal	70	1.18	-	38.80	8.77	65.93
AV	11.34932G	38.64	54.00	-15.36	57.00	3	Horizontal	70	1.18	-	38.80	8.77	65.93

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4196G	60.12	74.00	-13.88	50.92	3	Vertical	22	2.07	-	34.00	5.92	30.72
AV	5.4352G	47.71	54.00	-6.29	38.49	3	Vertical	22	2.07	-	34.00	5.94	30.72
PK	5.47G	58.14	68.20	-10.06	48.89	3	Vertical	22	2.07	-	34.00	5.97	30.72
PK	5.7112G	112.45	Inf	-Inf	103.35	3	Vertical	22	2.07	-	33.88	6.10	30.88
AV	5.7064G	102.28	Inf	-Inf	93.17	3	Vertical	22	2.07	-	33.89	6.10	30.88
PK	5.8564G	63.79	68.20	-4.41	54.79	3	Vertical	22	2.07	-	33.84	6.15	30.99

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	59.42	74.00	-14.58	50.22	3	Horizontal	316	2.80	-	34.00	5.92	30.72
AV	5.4448G	48.02	54.00	-5.98	38.80	3	Horizontal	316	2.80	-	34.00	5.94	30.72
PK	5.47G	58.16	68.20	-10.04	48.91	3	Horizontal	316	2.80	-	34.00	5.97	30.72
PK	5.7076G	112.95	Inf	-Inf	103.85	3	Horizontal	316	2.80	-	33.88	6.10	30.88
AV	5.7088G	103.16	Inf	-Inf	94.06	3	Horizontal	316	2.80	-	33.88	6.10	30.88
PK	5.8588G	64.88	68.20	-3.32	55.87	3	Horizontal	316	2.80	-	33.85	6.15	30.99

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4248G	51.58	74.00	-22.42	69.85	3	Vertical	180	1.83	-	38.85	8.80	65.92
AV	11.4164G	38.86	54.00	-15.14	57.15	3	Vertical	180	1.83	-	38.83	8.80	65.92

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41642G	51.80	74.00	-22.20	70.09	3	Horizontal	50	2.26	-	38.83	8.80	65.92
AV	11.4167G	39.07	54.00	-14.93	57.36	3	Horizontal	50	2.26	-	38.83	8.80	65.92

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
 Setting 22
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.07	68.20	-0.13	59.00	3	Vertical	25	2.05	-	33.80	6.10	30.83
PK	5.76G	111.58	Inf	-Inf	102.60	3	Vertical	25	2.05	-	33.80	6.10	30.92
AV	5.758G	102.69	Inf	-Inf	93.71	3	Vertical	25	2.05	-	33.80	6.10	30.92
PK	5.992G	58.84	68.20	-9.36	49.44	3	Vertical	25	2.05	-	34.20	6.29	31.09

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 22
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.93	68.20	-0.27	58.85	3	Horizontal	315	2.75	-	33.81	6.10	30.83
PK	5.753G	112.43	Inf	-Inf	103.44	3	Horizontal	315	2.75	-	33.80	6.10	30.91
AV	5.752G	102.67	Inf	-Inf	93.68	3	Horizontal	315	2.75	-	33.80	6.10	30.91
PK	6.004G	59.34	68.20	-8.86	49.93	3	Horizontal	315	2.75	-	34.21	6.30	31.10

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
 Setting 22
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5104G	51.82	74.00	-22.18	69.85	3	Vertical	288	2.59	-	39.03	8.83	65.89
AV	11.51016G	39.35	54.00	-14.65	57.38	3	Vertical	288	2.59	-	39.03	8.83	65.89

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
 Setting 22
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51256G	51.50	74.00	-22.50	69.52	3	Horizontal	59	2.36	-	39.04	8.83	65.89
AV	11.5059G	38.97	54.00	-15.03	57.02	3	Horizontal	59	2.36	-	39.02	8.83	65.90

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 23
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.38	68.20	-8.82	50.31	3	Vertical	29	1.94	-	33.80	6.10	30.83
PK	5.791G	110.45	Inf	-Inf	101.49	3	Vertical	29	1.94	-	33.80	6.10	30.94
AV	5.792G	101.57	Inf	-Inf	92.61	3	Vertical	29	1.94	-	33.80	6.10	30.94
PK	5.931G	60.59	68.20	-7.61	51.25	3	Vertical	29	1.94	-	34.16	6.23	31.05

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
 Setting 23
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.31	68.20	-3.89	55.24	3	Horizontal	313	2.74	-	33.80	6.10	30.83
PK	5.799G	112.65	Inf	-Inf	103.70	3	Horizontal	313	2.74	-	33.80	6.10	30.95
AV	5.798G	103.17	Inf	-Inf	94.22	3	Horizontal	313	2.74	-	33.80	6.10	30.95
PK	5.924G	68.89	68.94	-0.05	59.56	3	Horizontal	313	2.74	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59006G	51.51	74.00	-22.49	69.23	3	Vertical	133	1.88	-	39.27	8.86	65.85
AV	11.59228G	38.87	54.00	-15.13	56.57	3	Vertical	133	1.88	-	39.28	8.86	65.84

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
 Setting 23
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59176G	50.98	74.00	-23.02	68.68	3	Horizontal	336	2.51	-	39.28	8.86	65.84
AV	11.5913G	38.85	54.00	-15.15	56.57	3	Horizontal	336	2.51	-	39.27	8.86	65.85

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
 Setting 12.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.33	74.00	-8.67	56.70	3	Vertical	289	2.04	-	33.59	5.77	30.73
AV	5.149G	53.95	54.00	-0.05	45.31	3	Vertical	289	2.04	-	33.60	5.77	30.73
PK	5.216G	99.38	Inf	-Inf	90.60	3	Vertical	289	2.04	-	33.70	5.81	30.73
AV	5.219G	90.12	Inf	-Inf	81.34	3	Vertical	289	2.04	-	33.70	5.81	30.73
PK	5.355G	58.75	74.00	-15.25	49.68	3	Vertical	289	2.04	-	33.91	5.88	30.72
AV	5.358G	47.66	54.00	-6.34	38.58	3	Vertical	289	2.04	-	33.92	5.88	30.72

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 12.5
02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.22	74.00	-8.78	56.59	3	Horizontal	316	1.99	-	33.59	5.77	30.73
AV	5.15G	53.74	54.00	-0.26	45.09	3	Horizontal	316	1.99	-	33.60	5.78	30.73
PK	5.207G	99.97	Inf	-Inf	91.20	3	Horizontal	316	1.99	-	33.70	5.80	30.73
AV	5.204G	90.11	Inf	-Inf	81.34	3	Horizontal	316	1.99	-	33.70	5.80	30.73
PK	5.453G	58.74	74.00	-15.26	49.51	3	Horizontal	316	1.99	-	34.00	5.95	30.72
AV	5.422G	47.72	54.00	-6.28	38.52	3	Horizontal	316	1.99	-	34.00	5.92	30.72

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
 Setting 12.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63058G	50.41	74.00	-23.59	67.06	3	Vertical	318	1.49	-	37.50	10.35	64.50
AV	15.63494G	38.21	54.00	-15.79	54.86	3	Vertical	318	1.49	-	37.50	10.35	64.50

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
 Setting 12.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63334G	49.87	74.00	-24.13	66.52	3	Horizontal	150	1.16	-	37.50	10.35	64.50
AV	15.63272G	37.98	54.00	-16.02	54.63	3	Horizontal	150	1.16	-	37.50	10.35	64.50

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
 Setting 13.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	58.21	74.00	-15.79	49.58	3	Vertical	288	2.10	-	33.59	5.77	30.73
AV	5.144G	47.17	54.00	-6.83	38.54	3	Vertical	288	2.10	-	33.59	5.77	30.73
PK	5.281G	98.22	Inf	-Inf	89.34	3	Vertical	288	2.10	-	33.76	5.84	30.72
AV	5.284G	88.54	Inf	-Inf	79.65	3	Vertical	288	2.10	-	33.77	5.84	30.72
PK	5.35G	65.52	74.00	-8.48	56.46	3	Vertical	288	2.10	-	33.90	5.88	30.72
AV	5.35G	53.72	54.00	-0.28	44.66	3	Vertical	288	2.10	-	33.90	5.88	30.72
PK	5.51G	59.04	68.20	-9.16	49.76	3	Vertical	288	2.10	-	34.00	6.01	30.73

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
 Setting 13.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	58.70	74.00	-15.30	50.09	3	Horizontal	320	2.15	-	33.57	5.77	30.73
AV	5.14G	47.24	54.00	-6.76	38.62	3	Horizontal	320	2.15	-	33.58	5.77	30.73
PK	5.285G	97.97	Inf	-Inf	89.08	3	Horizontal	320	2.15	-	33.77	5.84	30.72
AV	5.285G	89.02	Inf	-Inf	80.13	3	Horizontal	320	2.15	-	33.77	5.84	30.72
PK	5.35G	64.43	74.00	-9.57	55.37	3	Horizontal	320	2.15	-	33.90	5.88	30.72
AV	5.351G	53.81	54.00	-0.19	44.75	3	Horizontal	320	2.15	-	33.90	5.88	30.72
PK	5.495G	59.29	68.20	-8.91	50.01	3	Horizontal	320	2.15	-	34.00	6.00	30.72

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT Y_1TX
 Setting 13.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8673G	49.80	74.00	-24.20	66.48	3	Vertical	103	1.09	-	37.37	10.45	64.50
AV	15.87232G	37.68	54.00	-16.32	54.37	3	Vertical	103	1.09	-	37.36	10.45	64.50

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT Y_1TX
 Setting 13.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87422G	50.13	74.00	-23.87	66.83	3	Horizontal	224	2.07	-	37.35	10.45	64.50
AV	15.87116G	37.48	54.00	-16.52	54.17	3	Horizontal	224	2.07	-	37.36	10.45	64.50

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
 Setting 14
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	58.29	68.20	-9.91	49.30	3	Vertical	27	1.80	-	33.85	5.86	30.72
PK	5.446G	65.16	74.00	-8.84	55.93	3	Vertical	27	1.80	-	34.00	5.95	30.72
PK	5.465G	65.23	68.20	-2.97	55.99	3	Vertical	27	1.80	-	34.00	5.96	30.72
AV	5.459G	53.66	54.00	-0.34	44.42	3	Vertical	27	1.80	-	34.00	5.96	30.72
PK	5.524G	100.43	Inf	-Inf	91.15	3	Vertical	27	1.80	-	34.00	6.02	30.74
AV	5.524G	90.90	Inf	-Inf	81.62	3	Vertical	27	1.80	-	34.00	6.02	30.74
PK	5.756G	59.30	68.20	-8.90	50.31	3	Vertical	27	1.80	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
 Setting 14
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	58.65	68.20	-9.55	49.71	3	Horizontal	318	2.73	-	33.81	5.85	30.72
PK	5.455G	65.30	74.00	-8.70	56.06	3	Horizontal	318	2.73	-	34.00	5.96	30.72
AV	5.46G	53.74	54.00	-0.26	44.50	3	Horizontal	318	2.73	-	34.00	5.96	30.72
PK	5.468G	66.52	68.20	-1.68	57.27	3	Horizontal	318	2.73	-	34.00	5.97	30.72
PK	5.511G	100.54	Inf	-Inf	91.26	3	Horizontal	318	2.73	-	34.00	6.01	30.73
AV	5.522G	91.11	Inf	-Inf	81.83	3	Horizontal	318	2.73	-	34.00	6.02	30.74
PK	5.735G	59.57	68.20	-8.63	50.54	3	Horizontal	318	2.73	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
 Setting 14
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06262G	50.94	74.00	-23.06	69.60	3	Vertical	261	1.13	-	38.66	8.67	65.99
AV	11.065G	38.44	54.00	-15.56	57.09	3	Vertical	261	1.13	-	38.67	8.67	65.99

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
 Setting 14
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05598G	50.93	74.00	-23.07	69.59	3	Horizontal	181	1.16	-	38.66	8.67	65.99
AV	11.05916G	38.62	54.00	-15.38	57.28	3	Horizontal	181	1.16	-	38.66	8.67	65.99

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.72	74.00	-10.28	54.48	3	Vertical	22	1.95	-	34.00	5.96	30.72
AV	5.46G	52.06	54.00	-1.94	42.82	3	Vertical	22	1.95	-	34.00	5.96	30.72
PK	5.468G	65.12	68.20	-3.08	55.87	3	Vertical	22	1.95	-	34.00	5.97	30.72
PK	5.618G	105.30	Inf	-Inf	96.15	3	Vertical	22	1.95	-	33.86	6.10	30.81
AV	5.604G	96.08	Inf	-Inf	86.89	3	Vertical	22	1.95	-	33.89	6.10	30.80
PK	5.736G	67.93	68.20	-0.27	58.90	3	Vertical	22	1.95	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.63	74.00	-10.37	54.39	3	Horizontal	317	2.77	-	34.00	5.96	30.72
AV	5.459G	51.62	54.00	-2.38	42.38	3	Horizontal	317	2.77	-	34.00	5.96	30.72
PK	5.469G	64.95	68.20	-3.25	55.70	3	Horizontal	317	2.77	-	34.00	5.97	30.72
PK	5.616G	105.76	Inf	-Inf	96.60	3	Horizontal	317	2.77	-	33.87	6.10	30.81
AV	5.615G	96.37	Inf	-Inf	87.21	3	Horizontal	317	2.77	-	33.87	6.10	30.81
PK	5.734G	67.82	68.20	-0.38	58.79	3	Horizontal	317	2.77	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21988G	50.86	74.00	-23.14	69.29	3	Vertical	324	2.60	-	38.80	8.73	65.96
AV	11.2191G	38.13	54.00	-15.87	56.56	3	Vertical	324	2.60	-	38.80	8.73	65.96

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21674G	50.36	74.00	-23.64	68.79	3	Horizontal	258	1.02	-	38.80	8.73	65.96
AV	11.2193G	38.24	54.00	-15.76	56.67	3	Horizontal	258	1.02	-	38.80	8.73	65.96

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	59.58	74.00	-14.42	50.34	3	Vertical	26	2.08	-	34.00	5.96	30.72
AV	5.457G	48.82	54.00	-5.18	39.58	3	Vertical	26	2.08	-	34.00	5.96	30.72
PK	5.469G	60.20	68.20	-8.00	50.95	3	Vertical	26	2.08	-	34.00	5.97	30.72
PK	5.682G	107.46	Inf	-Inf	98.36	3	Vertical	26	2.08	-	33.86	6.10	30.86
AV	5.682G	97.50	Inf	-Inf	88.40	3	Vertical	26	2.08	-	33.86	6.10	30.86
PK	5.853G	65.65	68.20	-2.55	56.67	3	Vertical	26	2.08	-	33.82	6.15	30.99

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 21.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.12	74.00	-13.88	50.89	3	Horizontal	313	2.70	-	34.00	5.95	30.72
AV	5.457G	48.30	54.00	-5.70	39.06	3	Horizontal	313	2.70	-	34.00	5.96	30.72
PK	5.466G	60.04	68.20	-8.16	50.79	3	Horizontal	313	2.70	-	34.00	5.97	30.72
PK	5.683G	107.95	Inf	-Inf	98.84	3	Horizontal	313	2.70	-	33.87	6.10	30.86
AV	5.698G	98.18	Inf	-Inf	89.05	3	Horizontal	313	2.70	-	33.90	6.10	30.87
PK	5.85G	67.45	68.20	-0.75	58.50	3	Horizontal	313	2.70	-	33.80	6.14	30.99

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37704G	51.29	74.00	-22.71	69.63	3	Vertical	357	2.67	-	38.80	8.78	65.92
AV	11.38122G	39.09	54.00	-14.91	57.43	3	Vertical	357	2.67	-	38.80	8.78	65.92

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 21.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38088G	51.77	74.00	-22.23	70.11	3	Horizontal	359	1.39	-	38.80	8.78	65.92
AV	11.37648G	39.32	54.00	-14.68	57.66	3	Horizontal	359	1.39	-	38.80	8.78	65.92

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.74	68.94	-0.20	59.67	3	Vertical	28	2.07	-	33.80	6.10	30.83
PK	5.767G	107.63	Inf	-Inf	98.65	3	Vertical	28	2.07	-	33.80	6.10	30.92
AV	5.767G	98.00	Inf	-Inf	89.02	3	Vertical	28	2.07	-	33.80	6.10	30.92
PK	5.925G	65.04	68.20	-3.16	55.71	3	Vertical	28	2.07	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
 Setting 19.5
 02-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.89	68.94	-0.05	59.82	3	Horizontal	313	2.76	-	33.80	6.10	30.83
PK	5.768G	106.88	Inf	-Inf	97.90	3	Horizontal	313	2.76	-	33.80	6.10	30.92
AV	5.767G	97.45	Inf	-Inf	88.47	3	Horizontal	313	2.76	-	33.80	6.10	30.92
PK	5.925G	63.68	68.20	-4.52	54.35	3	Horizontal	313	2.76	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55396G	51.42	74.00	-22.58	69.29	3	Vertical	62	2.03	-	39.16	8.84	65.87
AV	11.54572G	38.91	54.00	-15.09	56.80	3	Vertical	62	2.03	-	39.14	8.84	65.87

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT Y_1TX
 Setting 19.5
 02-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55352G	51.57	74.00	-22.43	69.44	3	Horizontal	221	2.30	-	39.16	8.84	65.87
AV	11.54842G	39.12	54.00	-14.88	57.00	3	Horizontal	221	2.30	-	39.15	8.84	65.87



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	2.821G	30.05	54.00	-23.95	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.821G	40.05	74.00	-33.95	-3.01	3	Vertical	15	1.40	-	43.06	28.44	4.71	36.16
AV	2.821G	30.05	54.00	-23.95	-3.01	3	Vertical	15	1.40	"Worst"	33.06	28.44	4.71	36.16

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.872G	38.63	74.00	-35.37	-2.69	3	Horizontal	40	1.55	-	41.32	28.68	4.74	36.11
AV	2.872G	29.85	54.00	-24.15	-2.69	3	Horizontal	40	1.55	"Worst"	32.54	28.68	4.74	36.11