


802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39678G	56.56	74.00	-17.44	42.24	3	Vertical	127	2.73	-	39.79	8.82	34.29
AV	11.39732G	42.66	54.00	-11.34	28.34	3	Vertical	127	2.73	-	39.79	8.82	34.29

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4022G	55.91	74.00	-18.09	41.58	3	Horizontal	272	2.85	-	39.80	8.82	34.29
AV	11.40304G	42.70	54.00	-11.30	28.38	3	Horizontal	272	2.85	-	39.79	8.82	34.29

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
Setting 24
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	115.85	Inf	-Inf	110.35	3	Vertical	162	2.58	-	31.87	5.89	32.26
AV	5.716G	103.70	Inf	-Inf	98.21	3	Vertical	162	2.58	-	31.86	5.89	32.26
PK	5.8504G	57.13	68.20	-11.07	51.52	3	Vertical	162	2.58	-	32.00	5.95	32.34


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 24
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	120.42	Inf	-Inf	114.90	3	Horizontal	68	1.04	-	31.89	5.89	32.26
AV	5.724G	108.62	Inf	-Inf	103.09	3	Horizontal	68	1.04	-	31.90	5.89	32.26
PK	5.8536G	58.67	68.20	-9.53	53.05	3	Horizontal	68	1.04	-	32.01	5.95	32.34


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 24
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43948G	56.16	74.00	-17.84	41.90	3	Vertical	47	1.69	-	39.72	8.84	34.30
AV	11.44278G	42.72	54.00	-11.28	28.47	3	Vertical	47	1.69	-	39.71	8.84	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 24
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43818G	56.15	74.00	-17.85	41.89	3	Horizontal	121	2.32	-	39.72	8.84	34.30
AV	11.43956G	42.70	54.00	-11.30	28.44	3	Horizontal	121	2.32	-	39.72	8.84	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 20.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.96	74.00	-14.04	54.68	3	Vertical	168	2.80	-	31.73	5.52	31.97
AV	5.147G	45.66	54.00	-8.34	40.38	3	Vertical	168	2.80	-	31.72	5.53	31.97
PK	5.267G	112.69	Inf	-Inf	108.01	3	Vertical	168	2.80	-	31.10	5.61	32.03
AV	5.267G	100.20	Inf	-Inf	95.52	3	Vertical	168	2.80	-	31.10	5.61	32.03
PK	5.3576G	60.71	74.00	-13.29	55.96	3	Vertical	168	2.80	-	31.15	5.67	32.07
AV	5.3576G	46.86	54.00	-7.14	42.11	3	Vertical	168	2.80	-	31.15	5.67	32.07

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 20.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	62.11	74.00	-11.89	56.83	3	Horizontal	343	1.00	-	31.73	5.52	31.97
AV	5.15G	47.12	54.00	-6.88	41.87	3	Horizontal	343	1.00	-	31.70	5.53	31.98
PK	5.2724G	116.14	Inf	-Inf	111.46	3	Horizontal	343	1.00	-	31.10	5.61	32.03
AV	5.2724G	102.83	Inf	-Inf	98.15	3	Horizontal	343	1.00	-	31.10	5.61	32.03
PK	5.3552G	67.53	74.00	-6.47	62.80	3	Horizontal	343	1.00	-	31.13	5.67	32.07
AV	5.3534G	51.61	54.00	-2.39	46.89	3	Horizontal	343	1.00	-	31.12	5.67	32.07

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 20.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80566G	57.11	74.00	-16.89	43.64	3	Vertical	71	2.97	-	37.79	10.02	34.34
AV	15.81104G	43.91	54.00	-10.09	30.45	3	Vertical	71	2.97	-	37.78	10.02	34.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 20.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81474G	57.54	74.00	-16.46	44.10	3	Horizontal	290	2.29	-	37.77	10.02	34.35
AV	15.8115G	43.85	54.00	-10.15	30.39	3	Horizontal	290	2.29	-	37.78	10.02	34.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	110.99	Inf	-Inf	106.30	3	Vertical	170	2.93	-	31.10	5.64	32.05
AV	5.3076G	99.02	Inf	-Inf	94.33	3	Vertical	170	2.93	-	31.10	5.64	32.05
PK	5.352G	63.59	74.00	-10.41	58.87	3	Vertical	170	2.93	-	31.11	5.67	32.06
AV	5.355G	46.90	54.00	-7.10	42.17	3	Vertical	170	2.93	-	31.13	5.67	32.07

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	112.76	Inf	-Inf	108.07	3	Horizontal	348	1.01	-	31.10	5.64	32.05
AV	5.3118G	101.32	Inf	-Inf	96.63	3	Horizontal	348	1.01	-	31.10	5.64	32.05
PK	5.3508G	67.37	74.00	-6.63	62.66	3	Horizontal	348	1.01	-	31.10	5.67	32.06
AV	5.3514G	51.27	54.00	-2.73	46.55	3	Horizontal	348	1.01	-	31.11	5.67	32.06

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93478G	56.55	74.00	-17.45	43.36	3	Vertical	295	1.55	-	37.53	10.05	34.39
AV	15.92928G	43.38	54.00	-10.62	30.18	3	Vertical	295	1.55	-	37.54	10.05	34.39

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93192G	56.94	74.00	-17.06	43.74	3	Horizontal	189	2.90	-	37.54	10.05	34.39
AV	15.93004G	43.35	54.00	-10.65	30.15	3	Horizontal	189	2.90	-	37.54	10.05	34.39

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.21	74.00	-15.79	53.06	3	Vertical	165	2.75	-	31.50	5.76	32.11
AV	5.46G	45.47	54.00	-8.53	40.32	3	Vertical	165	2.75	-	31.50	5.76	32.11
PK	5.4632G	63.25	68.20	-4.95	58.10	3	Vertical	165	2.75	-	31.50	5.76	32.11
PK	5.5016G	110.02	Inf	-Inf	104.85	3	Vertical	165	2.75	-	31.50	5.80	32.13
AV	5.5016G	97.64	Inf	-Inf	92.47	3	Vertical	165	2.75	-	31.50	5.80	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.11	74.00	-10.89	57.96	3	Horizontal	78	1.00	-	31.50	5.76	32.11
AV	5.4578G	47.12	54.00	-6.88	41.98	3	Horizontal	78	1.00	-	31.50	5.75	32.11
PK	5.4674G	64.34	68.20	-3.86	59.20	3	Horizontal	78	1.00	-	31.50	5.76	32.12
PK	5.5076G	113.77	Inf	-Inf	108.60	3	Horizontal	78	1.00	-	31.50	5.80	32.13
AV	5.5178G	100.90	Inf	-Inf	95.73	3	Horizontal	78	1.00	-	31.50	5.81	32.14

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02462G	57.19	74.00	-16.81	42.72	3	Vertical	332	2.92	-	40.10	8.60	34.23
AV	11.01756G	43.45	54.00	-10.55	28.95	3	Vertical	332	2.92	-	40.13	8.60	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01722G	56.62	74.00	-17.38	42.12	3	Horizontal	67	1.34	-	40.13	8.60	34.23
AV	11.01532G	43.18	54.00	-10.82	28.67	3	Horizontal	67	1.34	-	40.14	8.60	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 21.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.55	74.00	-13.45	55.41	3	Vertical	171	2.71	-	31.50	5.75	32.11
PK	5.4606G	63.08	68.20	-5.12	57.93	3	Vertical	171	2.71	-	31.50	5.76	32.11
AV	5.46G	48.30	54.00	-5.70	43.15	3	Vertical	171	2.71	-	31.50	5.76	32.11
PK	5.5524G	112.48	Inf	-Inf	107.30	3	Vertical	171	2.71	-	31.50	5.84	32.16
AV	5.553G	100.21	Inf	-Inf	95.01	3	Vertical	171	2.71	-	31.51	5.85	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 21.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.95	74.00	-10.05	58.80	3	Horizontal	81	1.00	-	31.50	5.76	32.11
AV	5.4588G	51.24	54.00	-2.76	46.09	3	Horizontal	81	1.00	-	31.50	5.76	32.11
PK	5.4666G	67.88	68.20	-0.32	62.74	3	Horizontal	81	1.00	-	31.50	5.76	32.12
PK	5.5368G	115.56	Inf	-Inf	110.38	3	Horizontal	81	1.00	-	31.50	5.83	32.15
AV	5.5572G	103.25	Inf	-Inf	98.05	3	Horizontal	81	1.00	-	31.51	5.85	32.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09988G	56.64	74.00	-17.36	42.44	3	Vertical	179	1.35	-	39.80	8.65	34.25
AV	11.1003G	42.90	54.00	-11.10	28.70	3	Vertical	179	1.35	-	39.80	8.65	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10422G	57.16	74.00	-16.84	42.97	3	Horizontal	34	1.20	-	39.79	8.65	34.25
AV	11.1006G	42.94	54.00	-11.06	28.74	3	Horizontal	34	1.20	-	39.80	8.65	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Z_2TX
Setting 19.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6724G	109.11	Inf	-Inf	103.76	3	Vertical	163	2.59	-	31.69	5.89	32.23
AV	5.6712G	96.38	Inf	-Inf	91.04	3	Vertical	163	2.59	-	31.68	5.89	32.23
PK	5.73G	61.94	68.20	-6.26	56.40	3	Vertical	163	2.59	-	31.92	5.89	32.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 19.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6682G	114.11	Inf	-Inf	108.78	3	Horizontal	68	1.06	-	31.67	5.89	32.23
AV	5.6688G	101.94	Inf	-Inf	96.60	3	Horizontal	68	1.06	-	31.68	5.89	32.23
PK	5.7288G	66.25	68.20	-1.95	60.71	3	Horizontal	68	1.06	-	31.92	5.89	32.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34192G	56.12	74.00	-17.88	41.94	3	Vertical	230	1.81	-	39.68	8.78	34.28
AV	11.33844G	42.63	54.00	-11.37	28.45	3	Vertical	230	1.81	-	39.68	8.78	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT_Z_2TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33926G	56.42	74.00	-17.58	42.24	3	Horizontal	25	2.10	-	39.68	8.78	34.28
AV	11.34326G	42.65	54.00	-11.35	28.45	3	Horizontal	25	2.10	-	39.69	8.79	34.28


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 24
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	112.46	Inf	-Inf	106.99	3	Vertical	162	2.57	-	31.84	5.89	32.26
AV	5.7108G	100.83	Inf	-Inf	95.36	3	Vertical	162	2.57	-	31.84	5.89	32.26
PK	5.8516G	60.32	68.20	-7.88	54.71	3	Vertical	162	2.57	-	32.00	5.95	32.34


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 24
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7284G	117.56	Inf	-Inf	112.03	3	Horizontal	66	1.06	-	31.91	5.89	32.27
AV	5.7092G	105.60	Inf	-Inf	100.13	3	Horizontal	66	1.06	-	31.84	5.89	32.26
PK	5.858G	67.09	68.20	-1.11	61.46	3	Horizontal	66	1.06	-	32.02	5.95	32.34


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 24
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41942G	57.29	74.00	-16.71	43.00	3	Vertical	181	2.14	-	39.76	8.83	34.30
AV	11.415G	42.59	54.00	-11.41	28.29	3	Vertical	181	2.14	-	39.77	8.83	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 24
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4245G	56.12	74.00	-17.88	41.84	3	Horizontal	328	1.63	-	39.75	8.83	34.30
AV	11.41776G	42.62	54.00	-11.38	28.33	3	Horizontal	328	1.63	-	39.76	8.83	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 18.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	57.97	74.00	-16.03	52.64	3	Vertical	167	2.80	-	31.78	5.52	31.97
AV	5.146G	46.09	54.00	-7.91	40.82	3	Vertical	167	2.80	-	31.72	5.52	31.97
PK	5.297G	108.49	Inf	-Inf	103.80	3	Vertical	167	2.80	-	31.10	5.63	32.04
AV	5.287G	95.95	Inf	-Inf	91.27	3	Vertical	167	2.80	-	31.10	5.62	32.04
PK	5.354G	64.19	74.00	-9.81	59.47	3	Vertical	167	2.80	-	31.12	5.67	32.07
AV	5.355G	48.58	54.00	-5.42	43.85	3	Vertical	167	2.80	-	31.13	5.67	32.07
PK	5.505G	56.47	68.20	-11.73	51.30	3	Vertical	167	2.80	-	31.50	5.80	32.13

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 18.5
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.69	74.00	-14.31	54.44	3	Horizontal	344	1.02	-	31.70	5.53	31.98
AV	5.142G	46.75	54.00	-7.25	41.45	3	Horizontal	344	1.02	-	31.75	5.52	31.97
PK	5.261G	109.58	Inf	-Inf	104.90	3	Horizontal	344	1.02	-	31.10	5.60	32.02
AV	5.302G	98.32	Inf	-Inf	93.63	3	Horizontal	344	1.02	-	31.10	5.63	32.04
PK	5.353G	72.17	74.00	-1.83	67.45	3	Horizontal	344	1.02	-	31.12	5.67	32.07
AV	5.353G	52.95	54.00	-1.05	48.23	3	Horizontal	344	1.02	-	31.12	5.67	32.07
PK	5.54G	57.45	68.20	-10.75	52.27	3	Horizontal	344	1.02	-	31.50	5.83	32.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 18.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86806G	57.42	74.00	-16.58	44.10	3	Vertical	285	1.75	-	37.66	10.03	34.37
AV	15.87132G	44.66	54.00	-9.34	31.33	3	Vertical	285	1.75	-	37.66	10.04	34.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 18.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87232G	57.05	74.00	-16.95	43.72	3	Horizontal	292	1.01	-	37.66	10.04	34.37
AV	15.86944G	44.82	54.00	-9.18	31.49	3	Horizontal	292	1.01	-	37.66	10.04	34.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	56.12	68.20	-12.08	51.42	3	Vertical	172	2.71	-	31.10	5.65	32.05
PK	5.455G	63.26	74.00	-10.74	58.12	3	Vertical	172	2.71	-	31.50	5.75	32.11
AV	5.458G	46.30	54.00	-7.70	41.15	3	Vertical	172	2.71	-	31.50	5.76	32.11
PK	5.469G	63.47	68.20	-4.73	58.32	3	Vertical	172	2.71	-	31.50	5.77	32.12
PK	5.518G	106.34	Inf	-Inf	101.17	3	Vertical	172	2.71	-	31.50	5.81	32.14
AV	5.528G	94.47	Inf	-Inf	89.30	3	Vertical	172	2.71	-	31.50	5.82	32.15
PK	5.727G	57.72	68.20	-10.48	52.19	3	Vertical	172	2.71	-	31.91	5.89	32.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	55.64	68.20	-12.56	50.95	3	Horizontal	80	1.02	-	31.10	5.65	32.06
PK	5.442G	64.92	74.00	-9.08	59.80	3	Horizontal	80	1.02	-	31.48	5.74	32.10
AV	5.453G	48.32	54.00	-5.68	43.18	3	Horizontal	80	1.02	-	31.50	5.75	32.11
PK	5.464G	67.09	68.20	-1.11	61.94	3	Horizontal	80	1.02	-	31.50	5.76	32.11
PK	5.533G	109.80	Inf	-Inf	104.62	3	Horizontal	80	1.02	-	31.50	5.83	32.15
AV	5.533G	97.64	Inf	-Inf	92.46	3	Horizontal	80	1.02	-	31.50	5.83	32.15
PK	5.754G	59.11	68.20	-9.09	53.50	3	Horizontal	80	1.02	-	32.00	5.89	32.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05754G	56.53	74.00	-17.47	42.18	3	Vertical	73	1.14	-	39.97	8.62	34.24
AV	11.05514G	43.15	54.00	-10.85	28.79	3	Vertical	73	1.14	-	39.98	8.62	34.24

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06148G	56.83	74.00	-17.17	42.49	3	Horizontal	45	2.39	-	39.95	8.63	34.24
AV	11.0579G	43.12	54.00	-10.88	28.77	3	Horizontal	45	2.39	-	39.97	8.62	34.24

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	58.11	74.00	-15.89	52.97	3	Vertical	174	2.79	-	31.50	5.75	32.11
AV	5.453G	45.18	54.00	-8.82	40.04	3	Vertical	174	2.79	-	31.50	5.75	32.11
PK	5.464G	57.14	68.20	-11.06	51.99	3	Vertical	174	2.79	-	31.50	5.76	32.11
PK	5.595G	105.23	Inf	-Inf	99.94	3	Vertical	174	2.79	-	31.59	5.89	32.19
AV	5.594G	94.04	Inf	-Inf	88.76	3	Vertical	174	2.79	-	31.59	5.88	32.19
PK	5.725G	62.09	68.20	-6.11	56.57	3	Vertical	174	2.79	-	31.90	5.89	32.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.02	74.00	-14.98	53.87	3	Horizontal	66	1.01	-	31.50	5.76	32.11
AV	5.459G	45.52	54.00	-8.48	40.37	3	Horizontal	66	1.01	-	31.50	5.76	32.11
PK	5.469G	59.12	68.20	-9.08	53.97	3	Horizontal	66	1.01	-	31.50	5.77	32.12
PK	5.628G	109.46	Inf	-Inf	104.18	3	Horizontal	66	1.01	-	31.60	5.89	32.21
AV	5.619G	97.56	Inf	-Inf	92.27	3	Horizontal	66	1.01	-	31.60	5.89	32.20
PK	5.73G	65.28	68.20	-2.92	59.74	3	Horizontal	66	1.01	-	31.92	5.89	32.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22456G	56.40	74.00	-17.60	42.35	3	Vertical	180	1.54	-	39.60	8.72	34.27
AV	11.21566G	42.66	54.00	-11.34	28.61	3	Vertical	180	1.54	-	39.60	8.71	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT_Z_2TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22348G	55.89	74.00	-18.11	41.84	3	Horizontal	34	1.52	-	39.60	8.72	34.27
AV	11.21712G	42.55	54.00	-11.45	28.50	3	Horizontal	34	1.52	-	39.60	8.71	34.26


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 22.5
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	58.22	74.00	-15.78	53.10	3	Vertical	164	2.47	-	31.48	5.74	32.10
PK	5.47G	60.29	68.20	-7.91	55.14	3	Vertical	164	2.47	-	31.50	5.77	32.12
AV	5.46G	46.35	54.00	-7.65	41.20	3	Vertical	164	2.47	-	31.50	5.76	32.11
PK	5.693G	108.68	Inf	-Inf	103.27	3	Vertical	164	2.47	-	31.77	5.89	32.25
AV	5.692G	96.67	Inf	-Inf	91.26	3	Vertical	164	2.47	-	31.77	5.89	32.25
PK	5.853G	62.16	68.20	-6.04	56.54	3	Vertical	164	2.47	-	32.01	5.95	32.34


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 22.5
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	58.90	74.00	-15.10	53.78	3	Horizontal	67	1.00	-	31.48	5.74	32.10
PK	5.461G	60.37	68.20	-7.83	55.22	3	Horizontal	67	1.00	-	31.50	5.76	32.11
AV	5.46G	47.67	54.00	-6.33	42.52	3	Horizontal	67	1.00	-	31.50	5.76	32.11
PK	5.669G	114.04	Inf	-Inf	108.70	3	Horizontal	67	1.00	-	31.68	5.89	32.23
AV	5.689G	102.12	Inf	-Inf	96.71	3	Horizontal	67	1.00	-	31.76	5.89	32.24
PK	5.858G	67.87	68.20	-0.33	62.24	3	Horizontal	67	1.00	-	32.02	5.95	32.34


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 22.5
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3822G	56.65	74.00	-17.35	42.37	3	Vertical	92	2.02	-	39.76	8.81	34.29
AV	11.37564G	42.67	54.00	-11.33	28.41	3	Vertical	92	2.02	-	39.75	8.80	34.29

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 22.5
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38262G	56.22	74.00	-17.78	41.93	3	Horizontal	173	2.25	-	39.77	8.81	34.29
AV	11.37546G	42.76	54.00	-11.24	28.50	3	Horizontal	173	2.25	-	39.75	8.80	34.29