


802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8246G	67.21	88.20	-20.99	60.56	3	Horizontal	349	2.71	-	34.65	5.31	33.31
RMS	5.8246G	48.92	68.20	-19.28	42.27	3	Horizontal	349	2.71	-	34.65	5.31	33.31
PK	6.4198G	95.08	Inf	-Inf	86.81	3	Horizontal	349	2.71	-	35.66	5.70	33.09
RMS	6.4222G	85.54	Inf	-Inf	77.27	3	Horizontal	349	2.71	-	35.66	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82992G	56.88	88.20	-31.32	43.35	3	Vertical	166	2.28	-	39.43	8.83	34.73
RMS	12.83384G	42.69	68.20	-25.51	29.16	3	Vertical	166	2.28	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83114G	57.06	88.20	-31.14	43.53	3	Horizontal	330	1.36	-	39.43	8.83	34.73
RMS	12.83404G	42.69	68.20	-25.51	29.16	3	Horizontal	330	1.36	-	39.43	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24166G	59.21	83.54	-24.33	55.95	1	Vertical	151	1.50	-	37.71	15.20	49.65
AV	19.24032G	45.06	63.54	-18.48	41.80	1	Vertical	151	1.50	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24526G	59.26	83.54	-24.28	56.00	1	Horizontal	275	1.55	-	37.71	15.20	49.65
AV	19.24G	45.05	63.54	-18.49	41.79	1	Horizontal	275	1.55	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	58.66	88.20	-29.54	51.69	3	Vertical	310	2.41	-	34.96	5.35	33.34
RMS	5.925G	48.33	68.20	-19.87	41.27	3	Vertical	310	2.41	-	35.05	5.36	33.35
PK	6.4272G	107.89	Inf	-Inf	99.63	3	Vertical	310	2.41	-	35.65	5.70	33.09
RMS	6.4272G	96.00	Inf	-Inf	87.74	3	Vertical	310	2.41	-	35.65	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8708G	58.80	88.20	-29.40	51.95	3	Horizontal	13	2.94	-	34.84	5.34	33.33
RMS	5.925G	48.31	68.20	-19.89	41.25	3	Horizontal	13	2.94	-	35.05	5.36	33.35
PK	6.4298G	100.62	Inf	-Inf	92.37	3	Horizontal	13	2.94	-	35.64	5.70	33.09
RMS	6.4272G	91.56	Inf	-Inf	83.30	3	Horizontal	13	2.94	-	35.65	5.70	33.09

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8737G	57.61	88.20	-30.59	44.04	3	Vertical	277	1.93	-	39.47	8.83	34.73
RMS	12.87306G	43.15	68.20	-25.05	29.58	3	Vertical	277	1.93	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8669G	57.34	88.20	-30.86	43.77	3	Horizontal	2	2.51	-	39.47	8.83	34.73
RMS	12.87312G	43.19	68.20	-25.01	29.62	3	Horizontal	2	2.51	-	39.47	8.83	34.73

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30822G	59.29	83.54	-24.25	55.98	1	Vertical	318	1.57	-	37.75	15.22	49.66
AV	19.30028G	44.55	63.54	-18.99	41.25	1	Vertical	318	1.57	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6435MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3006G	58.21	83.54	-25.33	54.91	1	Horizontal	137	1.53	-	37.74	15.22	49.66
AV	19.3001G	44.52	63.54	-19.02	41.22	1	Horizontal	137	1.53	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 12
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7918G	58.38	88.20	-29.82	51.90	3	Vertical	294	3.00	-	34.48	5.30	33.30
RMS	5.831G	48.37	68.20	-19.83	41.67	3	Vertical	294	3.00	-	34.69	5.32	33.31
PK	6.4666G	104.90	Inf	-Inf	96.59	3	Vertical	294	3.00	-	35.67	5.70	33.06
RMS	6.4778G	94.78	Inf	-Inf	86.43	3	Vertical	294	3.00	-	35.71	5.70	33.06
PK	7.1274G	61.82	88.20	-26.38	52.38	3	Vertical	294	3.00	-	36.92	5.96	33.44
RMS	7.147G	51.62	68.20	-16.58	42.04	3	Vertical	294	3.00	-	37.08	5.97	33.47

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting 12
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	58.52	88.20	-29.68	51.69	3	Horizontal	336	3.00	-	34.82	5.33	33.32
RMS	5.925G	48.33	68.20	-19.87	41.27	3	Horizontal	336	3.00	-	35.05	5.36	33.35
PK	6.4806G	99.22	Inf	-Inf	90.85	3	Horizontal	336	3.00	-	35.72	5.70	33.05
RMS	6.4834G	90.09	Inf	-Inf	81.71	3	Horizontal	336	3.00	-	35.73	5.70	33.05
PK	7.147G	61.34	88.20	-26.86	51.76	3	Horizontal	336	3.00	-	37.08	5.97	33.47
RMS	7.1442G	51.66	68.20	-16.54	42.10	3	Horizontal	336	3.00	-	37.05	5.97	33.46

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94706G	57.77	88.20	-30.43	44.08	3	Vertical	270	1.30	-	39.59	8.81	34.71
RMS	12.9537G	43.51	68.20	-24.69	29.80	3	Vertical	270	1.30	-	39.61	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94954G	57.65	88.20	-30.55	43.95	3	Horizontal	50	2.58	-	39.60	8.81	34.71
RMS	12.95338G	43.51	68.20	-24.69	29.80	3	Horizontal	50	2.58	-	39.61	8.81	34.71

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42802G	57.85	83.54	-25.69	54.43	1	Vertical	274	1.50	-	37.84	15.27	49.69
AV	19.42768G	44.27	63.54	-19.27	40.85	1	Vertical	274	1.50	-	37.84	15.27	49.69

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6475MHz_TnomVnom




EUTY_2TX
Setting 12
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42586G	58.36	83.54	-25.18	54.94	1	Horizontal	182	1.57	-	37.84	15.27	49.69
AV	19.42732G	44.22	63.54	-19.32	40.80	1	Horizontal	182	1.57	-	37.84	15.27	49.69

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	58.57	88.20	-29.63	51.65	3	Vertical	287	1.50	-	34.91	5.35	33.34
RMS	5.9242G	48.33	68.20	-19.87	41.27	3	Vertical	287	1.50	-	35.05	5.36	33.35
PK	6.5094G	105.71	Inf	-Inf	97.21	3	Vertical	287	1.50	-	35.84	5.70	33.04
RMS	6.5094G	95.57	Inf	-Inf	87.07	3	Vertical	287	1.50	-	35.84	5.70	33.04
PK	7.159G	62.21	88.20	-25.99	52.57	3	Vertical	287	1.50	-	37.14	5.98	33.48
RMS	7.1898G	51.80	68.20	-16.40	42.07	3	Vertical	287	1.50	-	37.26	5.99	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUTV_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	58.81	88.20	-29.39	51.75	3	Horizontal	51	2.84	-	35.05	5.36	33.35
RMS	5.9214G	48.33	68.20	-19.87	41.29	3	Horizontal	51	2.84	-	35.03	5.36	33.35
PK	6.5178G	98.44	Inf	-Inf	89.92	3	Horizontal	51	2.84	-	35.87	5.70	33.05
RMS	6.5178G	89.13	Inf	-Inf	80.61	3	Horizontal	51	2.84	-	35.87	5.70	33.05
PK	7.1898G	62.31	88.20	-25.89	52.58	3	Horizontal	51	2.84	-	37.26	5.99	33.52
RMS	7.1954G	51.80	68.20	-16.40	42.04	3	Horizontal	51	2.84	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02936G	58.02	88.20	-30.18	44.23	3	Vertical	226	2.56	-	39.70	8.79	34.70
RMS	13.02964G	43.67	68.20	-24.53	29.88	3	Vertical	226	2.56	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02894G	57.73	88.20	-30.47	43.94	3	Horizontal	327	1.89	-	39.70	8.79	34.70
RMS	13.03274G	43.67	68.20	-24.53	29.88	3	Horizontal	327	1.89	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54196G	58.50	83.54	-25.04	55.00	1	Vertical	276	1.51	-	37.88	15.32	49.70
AV	19.54872G	44.83	63.54	-18.71	41.33	1	Vertical	276	1.51	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6515MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54902G	58.29	83.54	-25.25	54.79	1	Horizontal	258	1.53	-	37.88	15.32	49.70
AV	19.54872G	44.85	63.54	-18.69	41.35	1	Horizontal	258	1.53	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	58.45	88.20	-29.75	51.51	3	Vertical	291	1.76	-	34.93	5.35	33.34
RMS	5.9218G	48.42	68.20	-19.78	41.38	3	Vertical	291	1.76	-	35.03	5.36	33.35
PK	6.5266G	106.05	Inf	-Inf	97.49	3	Vertical	291	1.76	-	35.91	5.70	33.05
RMS	6.5266G	97.28	Inf	-Inf	88.72	3	Vertical	291	1.76	-	35.91	5.70	33.05
PK	7.1874G	63.81	88.20	-24.39	54.08	3	Vertical	291	1.76	-	37.25	5.99	33.51
RMS	7.2322G	51.96	68.20	-16.24	42.15	3	Vertical	291	1.76	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTV_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	58.83	88.20	-29.37	51.94	3	Horizontal	49	2.82	-	34.88	5.35	33.34
RMS	5.9218G	48.37	68.20	-19.83	41.33	3	Horizontal	49	2.82	-	35.03	5.36	33.35
PK	6.5294G	101.19	Inf	-Inf	92.62	3	Horizontal	49	2.82	-	35.92	5.70	33.05
RMS	6.5434G	92.06	Inf	-Inf	83.45	3	Horizontal	49	2.82	-	35.97	5.70	33.06
PK	7.2154G	63.39	88.20	-24.81	53.60	3	Horizontal	49	2.82	-	37.33	6.01	33.55
RMS	7.2322G	52.08	68.20	-16.12	42.27	3	Horizontal	49	2.82	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0733G	59.05	88.20	-29.15	45.26	3	Vertical	8	1.07	-	39.70	8.79	34.70
RMS	13.0668G	43.74	68.20	-24.46	29.95	3	Vertical	8	1.07	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06506G	57.76	88.20	-30.44	43.97	3	Horizontal	123	2.57	-	39.70	8.79	34.70
RMS	13.066G	43.71	68.20	-24.49	29.92	3	Horizontal	123	2.57	-	39.70	8.79	34.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60662G	59.59	83.54	-23.95	56.09	1	Vertical	28	1.55	-	37.86	15.34	49.70
AV	19.60308G	45.78	63.54	-17.76	42.28	1	Vertical	28	1.55	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6065G	59.86	83.54	-23.68	56.36	1	Horizontal	171	1.53	-	37.86	15.34	49.70
AV	19.60942G	45.79	63.54	-17.75	42.29	1	Horizontal	171	1.53	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	105.30	Inf	-Inf	96.52	3	Vertical	295	1.50	-	36.22	5.70	33.14
RMS	6.7038G	95.20	Inf	-Inf	86.42	3	Vertical	295	1.50	-	36.22	5.70	33.14
PK	7.2296G	62.83	88.20	-25.37	53.03	3	Vertical	295	1.50	-	37.36	6.01	33.57
RMS	7.2318G	52.10	68.20	-16.10	42.29	3	Vertical	295	1.50	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	98.37	Inf	-Inf	89.59	3	Horizontal	348	1.50	-	36.22	5.70	33.14
RMS	6.6862G	88.37	Inf	-Inf	79.60	3	Horizontal	348	1.50	-	36.20	5.70	33.13
PK	7.2274G	63.11	88.20	-25.09	53.31	3	Horizontal	348	1.50	-	37.35	6.01	33.56
RMS	7.2318G	52.04	68.20	-16.16	42.23	3	Horizontal	348	1.50	-	37.36	6.02	33.57

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38728G	57.94	74.00	-16.06	43.77	3	Vertical	82	2.24	-	40.17	8.72	34.72
AV	13.39488G	43.52	54.00	-10.48	29.33	3	Vertical	82	2.24	-	40.19	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39098G	58.48	74.00	-15.52	44.30	3	Horizontal	150	1.87	-	40.18	8.72	34.72
AV	13.39494G	43.55	54.00	-10.45	29.36	3	Horizontal	150	1.87	-	40.19	8.72	34.72

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08482G	58.38	83.54	-25.16	55.10	1	Vertical	175	1.53	-	37.47	15.54	49.73
AV	20.08928G	45.03	63.54	-18.51	41.76	1	Vertical	175	1.53	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08736G	59.28	83.54	-24.26	56.00	1	Horizontal	83	1.50	-	37.47	15.54	49.73
AV	20.0888G	45.09	63.54	-18.45	41.82	1	Horizontal	83	1.50	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	107.50	Inf	-Inf	98.37	3	Vertical	298	1.55	-	36.59	5.75	33.21
RMS	6.8466G	97.98	Inf	-Inf	88.86	3	Vertical	298	1.55	-	36.58	5.75	33.21
PK	7.1364G	63.03	88.20	-25.17	53.52	3	Vertical	298	1.55	-	36.99	5.97	33.45
RMS	7.1952G	52.10	68.20	-16.10	42.34	3	Vertical	298	1.55	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	98.50	Inf	-Inf	89.38	3	Horizontal	337	1.53	-	36.58	5.75	33.21
RMS	6.8466G	90.18	Inf	-Inf	81.06	3	Horizontal	337	1.53	-	36.58	5.75	33.21
PK	7.1938G	62.89	88.20	-25.31	53.13	3	Horizontal	337	1.53	-	37.28	6.00	33.52
RMS	7.1952G	52.09	68.20	-16.11	42.33	3	Horizontal	337	1.53	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71162G	59.69	88.20	-28.51	45.43	3	Vertical	103	1.21	-	40.41	8.66	34.81
RMS	13.7064G	44.86	68.20	-23.34	30.60	3	Vertical	103	1.21	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71116G	59.32	88.20	-28.88	45.06	3	Horizontal	308	2.61	-	40.41	8.66	34.81
RMS	13.70526G	44.86	68.20	-23.34	30.60	3	Horizontal	308	2.61	-	40.41	8.66	34.81

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56898G	60.04	83.54	-23.50	56.37	1	Vertical	353	1.54	-	37.78	15.76	49.87
AV	20.5633G	45.63	63.54	-17.91	41.97	1	Vertical	353	1.54	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56198G	59.84	83.54	-23.70	56.20	1	Horizontal	265	1.54	-	37.77	15.75	49.88
AV	20.5625G	45.58	63.54	-17.96	41.92	1	Horizontal	265	1.54	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	106.39	Inf	-Inf	97.37	3	Vertical	286	1.91	-	36.47	5.78	33.23
RMS	6.8834G	95.65	Inf	-Inf	86.63	3	Vertical	286	1.91	-	36.47	5.78	33.23
PK	7.163G	62.48	88.20	-25.72	52.84	3	Vertical	286	1.91	-	37.15	5.98	33.49
RMS	7.1666G	51.88	68.20	-16.32	42.22	3	Vertical	286	1.91	-	37.17	5.98	33.49

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	102.56	Inf	-Inf	93.48	3	Horizontal	56	2.74	-	36.53	5.77	33.22
RMS	6.8678G	92.36	Inf	-Inf	83.28	3	Horizontal	56	2.74	-	36.53	5.77	33.22
PK	7.139G	63.29	88.20	-24.91	53.77	3	Horizontal	56	2.74	-	37.01	5.97	33.46
RMS	7.1738G	51.83	68.20	-16.37	42.14	3	Horizontal	56	2.74	-	37.20	5.99	33.50

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75292G	59.32	88.20	-28.88	45.05	3	Vertical	209	1.07	-	40.45	8.65	34.83
RMS	13.74618G	44.84	68.20	-23.36	30.56	3	Vertical	209	1.07	-	40.45	8.65	34.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75104G	59.29	88.20	-28.91	45.02	3	Horizontal	253	1.19	-	40.45	8.65	34.83
RMS	13.745G	44.80	68.20	-23.40	30.52	3	Horizontal	253	1.19	-	40.45	8.65	34.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62462G	61.18	83.54	-22.36	57.40	1	Vertical	191	1.56	-	37.85	15.78	49.85
AV	20.62686G	45.94	63.54	-17.60	42.16	1	Vertical	191	1.56	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62776G	60.33	83.54	-23.21	56.55	1	Horizontal	238	1.57	-	37.85	15.78	49.85
AV	20.6237G	45.97	63.54	-17.57	42.19	1	Horizontal	238	1.57	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.889G	106.86	Inf	-Inf	97.86	3	Vertical	292	1.80	-	36.44	5.79	33.23
RMS	6.8902G	97.02	Inf	-Inf	88.03	3	Vertical	292	1.80	-	36.44	5.79	33.24
PK	7.1422G	62.69	88.20	-25.51	53.14	3	Vertical	292	1.80	-	37.04	5.97	33.46
RMS	7.1938G	52.08	68.20	-16.12	42.32	3	Vertical	292	1.80	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	101.11	Inf	-Inf	92.12	3	Horizontal	353	1.65	-	36.43	5.80	33.24
RMS	6.9034G	91.79	Inf	-Inf	82.80	3	Horizontal	353	1.65	-	36.43	5.80	33.24
PK	7.1638G	62.67	88.20	-25.53	53.02	3	Horizontal	353	1.65	-	37.16	5.98	33.49
RMS	7.195G	52.00	68.20	-16.20	42.24	3	Horizontal	353	1.65	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79178G	59.81	88.20	-28.39	45.52	3	Vertical	359	2.28	-	40.49	8.64	34.84
RMS	13.7872G	44.74	68.20	-23.46	30.45	3	Vertical	359	2.28	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78844G	59.42	88.20	-28.78	45.13	3	Horizontal	344	1.12	-	40.49	8.64	34.84
RMS	13.78532G	44.69	68.20	-23.51	30.40	3	Horizontal	344	1.12	-	40.49	8.64	34.84

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68808G	60.36	83.54	-23.18	56.44	1	Vertical	316	1.54	-	37.93	15.81	49.82
AV	20.68926G	46.66	63.54	-16.88	42.74	1	Vertical	316	1.54	-	37.93	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6895MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68048G	60.32	83.54	-23.22	56.42	1	Horizontal	123	1.55	-	37.92	15.81	49.83
AV	20.68922G	46.70	63.54	-16.84	42.78	1	Horizontal	123	1.55	-	37.93	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	107.34	Inf	-Inf	98.08	3	Vertical	335	1.56	-	36.65	5.89	33.28
RMS	7.0038G	97.39	Inf	-Inf	88.16	3	Vertical	335	1.56	-	36.62	5.90	33.29
PK	7.1798G	63.13	88.20	-25.07	53.43	3	Vertical	335	1.56	-	37.22	5.99	33.51
RMS	7.195G	52.07	68.20	-16.13	42.31	3	Vertical	335	1.56	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	99.39	Inf	-Inf	90.17	3	Horizontal	339	1.79	-	36.61	5.90	33.29
RMS	6.9862G	89.64	Inf	-Inf	80.37	3	Horizontal	339	1.79	-	36.66	5.89	33.28
PK	7.1302G	64.17	88.20	-24.03	54.71	3	Horizontal	339	1.79	-	36.94	5.97	33.45
RMS	7.1862G	52.06	68.20	-16.14	42.34	3	Horizontal	339	1.79	-	37.24	5.99	33.51

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98538G	60.29	88.20	-27.91	45.75	3	Vertical	223	2.73	-	40.86	8.60	34.92
RMS	13.99194G	45.63	68.20	-22.57	31.08	3	Vertical	223	2.73	-	40.88	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99138G	60.99	88.20	-27.21	46.45	3	Horizontal	200	1.83	-	40.87	8.60	34.93
RMS	13.99184G	45.67	68.20	-22.53	31.12	3	Horizontal	200	1.83	-	40.88	8.60	34.93

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98666G	60.20	83.54	-23.34	56.35	1	Vertical	16	1.58	-	37.62	15.94	49.71
AV	20.9892G	46.11	63.54	-17.43	42.24	1	Vertical	16	1.58	-	37.62	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6995MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98574G	60.09	83.54	-23.45	56.24	1	Horizontal	79	1.56	-	37.62	15.94	49.71
AV	20.98008G	46.09	63.54	-17.45	42.23	1	Horizontal	79	1.56	-	37.63	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0906G	108.27	Inf	-Inf	99.00	3	Vertical	335	1.64	-	36.72	5.95	33.40
RMS	7.0906G	97.55	Inf	-Inf	88.28	3	Vertical	335	1.64	-	36.72	5.95	33.40
PK	7.1934G	63.04	88.20	-25.16	53.29	3	Vertical	335	1.64	-	37.27	6.00	33.52
RMS	7.1942G	52.11	68.20	-16.09	42.35	3	Vertical	335	1.64	-	37.28	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	99.18	Inf	-Inf	89.90	3	Horizontal	342	1.80	-	36.73	5.94	33.39
RMS	7.0862G	89.83	Inf	-Inf	80.55	3	Horizontal	342	1.80	-	36.73	5.94	33.39
PK	7.1826G	63.92	88.20	-24.28	54.21	3	Horizontal	342	1.80	-	37.23	5.99	33.51
RMS	7.1902G	52.04	68.20	-16.16	42.30	3	Horizontal	342	1.80	-	37.26	6.00	33.52

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18652G	59.56	88.20	-28.64	45.00	3	Vertical	12	2.28	-	40.81	8.65	34.90
RMS	14.19198G	45.38	68.20	-22.82	30.82	3	Vertical	12	2.28	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.194G	59.59	88.20	-28.61	45.03	3	Horizontal	90	2.76	-	40.81	8.65	34.90
RMS	14.19194G	45.37	68.20	-22.83	30.81	3	Horizontal	90	2.76	-	40.81	8.65	34.90

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28812G	61.99	83.54	-21.55	57.90	1	Vertical	147	1.53	-	37.65	16.08	49.64
AV	21.28416G	47.62	63.54	-15.92	43.54	1	Vertical	147	1.53	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7095MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28546G	61.69	83.54	-21.85	57.61	1	Horizontal	234	1.54	-	37.64	16.08	49.64
AV	21.28126G	47.63	63.54	-15.91	43.55	1	Horizontal	234	1.54	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTY_2TX
Setting 4
04-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12258G	91.78	Inf	-Inf	82.38	3	Vertical	64.9	1.80	-	36.88	5.96	33.44
AV	7.124G	82.87	Inf	-Inf	73.46	3	Vertical	64.9	1.80	-	36.89	5.96	33.44
PK	7.1255G	78.55	88.20	-9.65	69.13	3	Vertical	64.9	1.80	-	36.90	5.96	33.44
AV	7.1255G	68.09	68.20	-0.11	58.67	3	Vertical	64.9	1.80	-	36.90	5.96	33.44

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTY_2TX
Setting 4
04-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	7.1255G	54.28	68.20	-13.92	44.86	3	Horizontal	28	2.05	-	36.90	5.96	33.44
AV	7.10788G	76.09	Inf	-Inf	66.80	3	Horizontal	28	2.05	-	36.76	5.95	33.42
PK	7.1255G	63.46	88.20	-24.74	54.04	3	Horizontal	28	2.05	-	36.90	5.96	33.44
PK	7.108G	84.99	Inf	-Inf	75.70	3	Horizontal	28	2.05	-	36.76	5.95	33.42

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTY_2TX
Setting 4
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23342G	58.20	88.20	-30.00	43.70	3	Vertical	238	1.56	-	40.73	8.66	34.89
RMS	14.22624G	46.06	68.20	-22.14	31.54	3	Vertical	238	1.56	-	40.75	8.66	34.89

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTV_2TX
Setting 4
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.229G	58.57	88.20	-29.63	44.06	3	Horizontal	217	1.68	-	40.74	8.66	34.89
RMS	14.22836G	45.99	68.20	-22.21	31.48	3	Horizontal	217	1.68	-	40.74	8.66	34.89

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTY_2TX
Setting 4
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34362G	65.26	83.54	-18.28	61.08	1	Vertical	288	1.53	-	37.71	16.10	49.63
AV	21.3492G	48.59	63.54	-14.95	44.39	1	Vertical	288	1.53	-	37.72	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS3)_2TX

7115MHz_TnomVnom




EUTY_2TX
Setting 4
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34896G	60.23	83.54	-23.31	56.03	1	Horizontal	42	1.51	-	37.72	16.11	49.63
AV	21.34288G	48.66	63.54	-14.88	44.48	1	Horizontal	42	1.51	-	37.71	16.10	49.63

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	59.75	88.20	-28.45	52.70	3	Vertical	295	1.52	-	35.04	5.36	33.35
RMS	5.925G	49.49	68.20	-18.71	42.43	3	Vertical	295	1.52	-	35.05	5.36	33.35
PK	5.9722G	108.97	Inf	-Inf	101.66	3	Vertical	295	1.52	-	35.29	5.39	33.37
RMS	5.971G	99.10	Inf	-Inf	91.80	3	Vertical	295	1.52	-	35.28	5.39	33.37

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.78	88.20	-27.42	53.73	3	Horizontal	348	3.00	-	35.04	5.36	33.35
RMS	5.923G	48.78	68.20	-19.42	41.73	3	Horizontal	348	3.00	-	35.04	5.36	33.35
PK	5.9606G	100.17	Inf	-Inf	92.91	3	Horizontal	348	3.00	-	35.24	5.38	33.36
RMS	5.9614G	90.40	Inf	-Inf	83.13	3	Horizontal	348	3.00	-	35.25	5.38	33.36

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92702G	56.29	74.00	-17.71	43.14	3	Vertical	19	2.22	-	39.12	8.95	34.92
AV	11.928G	43.90	54.00	-10.10	30.75	3	Vertical	19	2.22	-	39.12	8.95	34.92
PK	17.89554G	63.18	74.00	-10.82	46.20	3	Vertical	166	2.64	-	41.99	9.76	34.77
AV	17.89404G	49.51	54.00	-4.49	32.54	3	Vertical	166	2.64	-	41.98	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TnomVnom




EUTY_2TX
Setting 13
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92988G	57.14	74.00	-16.86	44.00	3	Horizontal	144	1.45	-	39.11	8.95	34.92
AV	11.93474G	43.42	54.00	-10.58	30.30	3	Horizontal	144	1.45	-	39.10	8.95	34.93
PK	17.89288G	62.93	74.00	-11.07	45.96	3	Horizontal	106	2.50	-	41.98	9.76	34.77
AV	17.8955G	49.50	54.00	-4.50	32.52	3	Horizontal	106	2.50	-	41.99	9.76	34.77

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	59.29	88.20	-28.91	52.41	3	Vertical	307	1.66	-	34.87	5.34	33.33
RMS	5.9238G	48.77	68.20	-19.43	41.72	3	Vertical	307	1.66	-	35.04	5.36	33.35
PK	6.171G	108.00	Inf	-Inf	100.16	3	Vertical	307	1.66	-	35.53	5.57	33.26
RMS	6.1698G	98.76	Inf	-Inf	90.93	3	Vertical	307	1.66	-	35.52	5.57	33.26

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	59.57	88.20	-28.63	52.67	3	Horizontal	288	1.80	-	34.89	5.35	33.34
RMS	5.925G	48.68	68.20	-19.52	41.62	3	Horizontal	288	1.80	-	35.05	5.36	33.35
PK	6.1686G	97.21	Inf	-Inf	89.40	3	Horizontal	288	1.80	-	35.51	5.57	33.27
RMS	6.1686G	87.92	Inf	-Inf	80.11	3	Horizontal	288	1.80	-	35.51	5.57	33.27

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32864G	56.51	74.00	-17.49	43.64	3	Vertical	31	2.74	-	38.79	8.93	34.85
AV	12.33008G	43.02	54.00	-10.98	30.15	3	Vertical	31	2.74	-	38.79	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33242G	56.34	74.00	-17.66	43.46	3	Horizontal	141	2.26	-	38.80	8.93	34.85
AV	12.33454G	42.90	54.00	-11.10	30.02	3	Horizontal	141	2.26	-	38.80	8.93	34.85

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49618G	57.90	83.54	-25.64	55.30	1	Vertical	30	1.54	-	37.80	14.90	50.10
AV	18.4947G	44.68	63.54	-18.86	42.09	1	Vertical	30	1.54	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6165MHz_TnomVnom




EUTY_2TX
Setting 14
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4905G	57.95	83.54	-25.59	55.36	1	Horizontal	40	1.53	-	37.79	14.90	50.10
AV	18.49884G	44.86	63.54	-18.68	42.26	1	Horizontal	40	1.53	-	37.80	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	58.67	88.20	-29.53	51.85	3	Vertical	298	1.75	-	34.81	5.33	33.32
RMS	5.925G	48.74	68.20	-19.46	41.68	3	Vertical	298	1.75	-	35.05	5.36	33.35
PK	6.3954G	109.20	Inf	-Inf	100.92	3	Vertical	298	1.75	-	35.69	5.70	33.11
RMS	6.3954G	99.69	Inf	-Inf	91.41	3	Vertical	298	1.75	-	35.69	5.70	33.11

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	58.58	88.20	-29.62	51.75	3	Horizontal	332	3.00	-	34.83	5.33	33.33
RMS	5.9202G	48.63	68.20	-19.57	41.60	3	Horizontal	332	3.00	-	35.02	5.36	33.35
PK	6.3954G	101.22	Inf	-Inf	92.94	3	Horizontal	332	3.00	-	35.69	5.70	33.11
RMS	6.3954G	91.44	Inf	-Inf	83.16	3	Horizontal	332	3.00	-	35.69	5.70	33.11

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81088G	58.15	88.20	-30.05	44.64	3	Vertical	205	1.97	-	39.41	8.84	34.74
RMS	12.81144G	44.74	68.20	-23.46	31.23	3	Vertical	205	1.97	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81072G	56.94	88.20	-31.26	43.43	3	Horizontal	299	2.84	-	39.41	8.84	34.74
RMS	12.80662G	43.54	68.20	-24.66	30.03	3	Horizontal	299	2.84	-	39.41	8.84	34.74

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21292G	59.09	83.54	-24.45	55.80	1	Vertical	311	1.55	-	37.74	15.19	49.64
AV	19.21762G	46.21	63.54	-17.33	42.92	1	Vertical	311	1.55	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TnomVnom




14/05/2022

EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2186G	59.91	83.54	-23.63	56.62	1	Horizontal	308	1.54	-	37.74	15.19	49.64
AV	19.21992G	46.22	63.54	-17.32	42.93	1	Horizontal	308	1.54	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	58.84	88.20	-29.36	51.85	3	Vertical	301	1.62	-	34.97	5.36	33.34
RMS	5.9224G	48.77	68.20	-19.43	41.73	3	Vertical	301	1.62	-	35.03	5.36	33.35
PK	6.4398G	109.39	Inf	-Inf	101.15	3	Vertical	301	1.62	-	35.62	5.70	33.08
RMS	6.4398G	99.95	Inf	-Inf	91.71	3	Vertical	301	1.62	-	35.62	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8418G	59.06	88.20	-29.14	52.31	3	Horizontal	54	2.81	-	34.75	5.32	33.32
RMS	5.925G	48.76	68.20	-19.44	41.70	3	Horizontal	54	2.81	-	35.05	5.36	33.35
PK	6.4476G	101.87	Inf	-Inf	93.65	3	Horizontal	54	2.81	-	35.60	5.70	33.08
RMS	6.4476G	92.55	Inf	-Inf	84.33	3	Horizontal	54	2.81	-	35.60	5.70	33.08

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom








EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88606G	57.20	88.20	-31.00	43.61	3	Vertical	110	2.68	-	39.49	8.82	34.72
RMS	12.88618G	44.37	68.20	-23.83	30.78	3	Vertical	110	2.68	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022

EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89132G	57.44	88.20	-30.76	43.85	3	Horizontal	40	2.42	-	39.49	8.82	34.72
RMS	12.8856G	44.38	68.20	-23.82	30.79	3	Horizontal	40	2.42	-	39.49	8.82	34.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33858G	58.40	83.54	-25.14	55.06	1	Vertical	41	1.53	-	37.77	15.24	49.67
AV	19.3371G	45.45	63.54	-18.09	42.12	1	Vertical	41	1.53	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6445MHz_TnomVnom




EUTY_2TX
Setting 15
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33726G	58.79	83.54	-24.75	55.46	1	Horizontal	125	1.53	-	37.77	15.23	49.67
AV	19.33604G	45.40	63.54	-18.14	42.07	1	Horizontal	125	1.53	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	59.01	88.20	-29.19	52.38	3	Vertical	290	1.73	-	34.63	5.31	33.31
RMS	5.925G	48.77	68.20	-19.43	41.71	3	Vertical	290	1.73	-	35.05	5.36	33.35
PK	6.4878G	108.47	Inf	-Inf	100.07	3	Vertical	290	1.73	-	35.75	5.70	33.05
RMS	6.4878G	99.15	Inf	-Inf	90.75	3	Vertical	290	1.73	-	35.75	5.70	33.05
PK	7.1458G	63.36	88.20	-24.84	53.78	3	Vertical	290	1.73	-	37.07	5.97	33.46
RMS	7.1738G	52.17	68.20	-16.03	42.48	3	Vertical	290	1.73	-	37.20	5.99	33.50

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTV_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	59.08	88.20	-29.12	52.04	3	Horizontal	335	3.00	-	35.03	5.36	33.35
RMS	5.9222G	48.69	68.20	-19.51	41.65	3	Horizontal	335	3.00	-	35.03	5.36	33.35
PK	6.485G	103.11	Inf	-Inf	94.72	3	Horizontal	335	3.00	-	35.74	5.70	33.05
RMS	6.4822G	93.92	Inf	-Inf	85.54	3	Horizontal	335	3.00	-	35.73	5.70	33.05
PK	7.1654G	62.31	88.20	-25.89	52.66	3	Horizontal	335	3.00	-	37.16	5.98	33.49
RMS	7.1738G	52.21	68.20	-15.99	42.52	3	Horizontal	335	3.00	-	37.20	5.99	33.50

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96626G	60.25	88.20	-27.95	46.52	3	Vertical	213	2.30	-	39.63	8.81	34.71
RMS	12.96718G	46.04	68.20	-22.16	32.31	3	Vertical	213	2.30	-	39.63	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97096G	60.05	88.20	-28.15	46.31	3	Horizontal	158	1.88	-	39.64	8.81	34.71
RMS	12.9658G	46.11	68.20	-22.09	32.38	3	Horizontal	158	1.88	-	39.63	8.81	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4506G	59.34	83.54	-24.20	55.89	1	Vertical	40	1.52	-	37.86	15.28	49.69
AV	19.45058G	45.76	63.54	-17.78	42.31	1	Vertical	40	1.52	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6485MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45368G	59.93	83.54	-23.61	56.48	1	Horizontal	221	1.58	-	37.86	15.28	49.69
AV	19.45034G	45.87	63.54	-17.67	42.42	1	Horizontal	221	1.58	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	59.26	88.20	-28.94	52.23	3	Vertical	291	1.80	-	35.02	5.36	33.35
RMS	5.925G	48.84	68.20	-19.36	41.78	3	Vertical	291	1.80	-	35.05	5.36	33.35
PK	6.5278G	108.77	Inf	-Inf	100.21	3	Vertical	291	1.80	-	35.91	5.70	33.05
RMS	6.5166G	99.30	Inf	-Inf	90.78	3	Vertical	291	1.80	-	35.87	5.70	33.05
PK	7.1942G	62.50	88.20	-25.70	52.74	3	Vertical	291	1.80	-	37.28	6.00	33.52
RMS	7.2222G	52.31	68.20	-15.89	42.52	3	Vertical	291	1.80	-	37.34	6.01	33.56

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8362G	58.98	88.20	-29.22	52.25	3	Horizontal	355	2.80	-	34.72	5.32	33.31
RMS	5.925G	48.77	68.20	-19.43	41.71	3	Horizontal	355	2.80	-	35.05	5.36	33.35
PK	6.5222G	104.33	Inf	-Inf	95.79	3	Horizontal	355	2.80	-	35.89	5.70	33.05
RMS	6.5222G	95.11	Inf	-Inf	86.57	3	Horizontal	355	2.80	-	35.89	5.70	33.05
PK	7.2222G	62.21	88.20	-25.99	52.42	3	Horizontal	355	2.80	-	37.34	6.01	33.56
RMS	7.2222G	52.29	68.20	-15.91	42.50	3	Horizontal	355	2.80	-	37.34	6.01	33.56

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05298G	58.59	88.20	-29.61	44.80	3	Vertical	274	2.34	-	39.70	8.79	34.70
RMS	13.05178G	44.96	68.20	-23.24	31.17	3	Vertical	274	2.34	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




14/05/2022

EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05424G	57.87	88.20	-30.33	44.08	3	Horizontal	351	2.90	-	39.70	8.79	34.70
RMS	13.04744G	44.80	68.20	-23.40	31.01	3	Horizontal	351	2.90	-	39.70	8.79	34.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57598G	59.38	83.54	-24.16	55.88	1	Vertical	206	1.51	-	37.87	15.33	49.70
AV	19.57904G	46.49	63.54	-17.05	42.99	1	Vertical	206	1.51	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57552G	59.90	83.54	-23.64	56.40	1	Horizontal	350	1.50	-	37.87	15.33	49.70
AV	19.57852G	46.40	63.54	-17.14	42.90	1	Horizontal	350	1.50	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	108.51	Inf	-Inf	99.85	3	Vertical	297	1.55	-	36.03	5.70	33.07
RMS	6.5794G	99.04	Inf	-Inf	90.36	3	Vertical	297	1.55	-	36.06	5.70	33.08
PK	7.1362G	62.78	88.20	-25.42	53.27	3	Vertical	297	1.55	-	36.99	5.97	33.45
RMS	7.1602G	52.07	68.20	-16.13	42.43	3	Vertical	297	1.55	-	37.14	5.98	33.48

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom








EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	104.82	Inf	-Inf	96.18	3	Horizontal	3	2.84	-	36.01	5.70	33.07
RMS	6.5578G	94.33	Inf	-Inf	85.68	3	Horizontal	3	2.84	-	36.02	5.70	33.07
PK	7.1266G	62.11	88.20	-26.09	52.68	3	Horizontal	3	2.84	-	36.91	5.96	33.44
RMS	7.1602G	51.99	68.20	-16.21	42.35	3	Horizontal	3	2.84	-	37.14	5.98	33.48

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022





EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13132G	58.15	88.20	-30.05	44.33	3	Vertical	216	2.00	-	39.76	8.77	34.71
RMS	13.13048G	45.38	68.20	-22.82	31.56	3	Vertical	216	2.00	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022

EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13122G	57.71	88.20	-30.49	43.89	3	Horizontal	343	2.43	-	39.76	8.77	34.71
RMS	13.13142G	44.73	68.20	-23.47	30.91	3	Horizontal	343	2.43	-	39.76	8.77	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6948G	60.40	83.54	-23.14	56.90	1	Vertical	306	1.57	-	37.82	15.38	49.70
AV	19.69746G	47.42	63.54	-16.12	43.92	1	Vertical	306	1.57	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6938G	60.96	83.54	-22.58	57.46	1	Horizontal	162	1.50	-	37.82	15.38	49.70
AV	19.69278G	47.31	63.54	-16.23	43.81	1	Horizontal	162	1.50	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	108.92	Inf	-Inf	100.15	3	Vertical	314	2.95	-	36.20	5.70	33.13
RMS	6.675G	98.96	Inf	-Inf	90.19	3	Vertical	314	2.95	-	36.20	5.70	33.13
PK	7.141G	62.58	88.20	-25.62	53.04	3	Vertical	314	2.95	-	37.03	5.97	33.46
RMS	7.173G	52.06	68.20	-16.14	42.38	3	Vertical	314	2.95	-	37.19	5.99	33.50

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	103.38	Inf	-Inf	94.61	3	Horizontal	57	2.86	-	36.20	5.70	33.13
RMS	6.677G	93.70	Inf	-Inf	84.93	3	Horizontal	57	2.86	-	36.20	5.70	33.13
PK	7.133G	63.25	88.20	-24.95	53.77	3	Horizontal	57	2.86	-	36.96	5.97	33.45
RMS	7.183G	52.14	68.20	-16.06	42.43	3	Horizontal	57	2.86	-	37.23	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37158G	57.80	74.00	-16.20	43.64	3	Vertical	324	1.49	-	40.14	8.73	34.71
AV	13.3654G	44.20	54.00	-9.80	30.05	3	Vertical	324	1.49	-	40.13	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36572G	57.76	74.00	-16.24	43.61	3	Horizontal	86	1.47	-	40.13	8.73	34.71
AV	13.37184G	44.34	54.00	-9.66	30.18	3	Horizontal	86	1.47	-	40.14	8.73	34.71

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05324G	58.26	83.54	-25.28	55.02	1	Vertical	189	1.58	-	37.44	15.52	49.72
AV	20.05932G	45.42	63.54	-18.12	42.16	1	Vertical	189	1.58	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05156G	58.59	83.54	-24.95	55.35	1	Horizontal	125	1.53	-	37.44	15.52	49.72
AV	20.05742G	45.54	63.54	-18.00	42.28	1	Horizontal	125	1.53	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	107.76	Inf	-Inf	98.64	3	Vertical	289	1.80	-	36.58	5.76	33.22
RMS	6.8402G	99.00	Inf	-Inf	89.93	3	Vertical	289	1.80	-	36.54	5.74	33.21
PK	7.1826G	63.34	88.20	-24.86	53.63	3	Vertical	289	1.80	-	37.23	5.99	33.51
RMS	7.221G	52.35	68.20	-15.85	42.56	3	Vertical	289	1.80	-	37.34	6.01	33.56

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	100.07	Inf	-Inf	90.94	3	Horizontal	339	1.87	-	36.59	5.75	33.21
RMS	6.8466G	89.52	Inf	-Inf	80.40	3	Horizontal	339	1.87	-	36.58	5.75	33.21
PK	7.245G	62.60	88.20	-25.60	52.77	3	Horizontal	339	1.87	-	37.39	6.02	33.58
RMS	7.2178G	52.34	68.20	-15.86	42.54	3	Horizontal	339	1.87	-	37.34	6.01	33.55

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69344G	59.14	88.20	-29.06	44.89	3	Vertical	146	2.65	-	40.39	8.66	34.80
RMS	13.69282G	46.30	68.20	-21.90	32.05	3	Vertical	146	2.65	-	40.39	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6902G	59.71	88.20	-28.49	45.47	3	Horizontal	191	1.52	-	40.38	8.66	34.80
RMS	13.69136G	45.78	68.20	-22.42	31.54	3	Horizontal	191	1.52	-	40.38	8.66	34.80

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53826G	59.21	83.54	-24.33	55.60	1	Vertical	240	1.54	-	37.75	15.74	49.88
AV	20.53206G	46.42	63.54	-17.12	42.83	1	Vertical	240	1.54	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53208G	59.48	83.54	-24.06	55.89	1	Horizontal	9	1.56	-	37.74	15.74	49.89
AV	20.53742G	46.39	63.54	-17.15	42.80	1	Horizontal	9	1.56	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	107.10	Inf	-Inf	98.07	3	Vertical	294	1.79	-	36.48	5.78	33.23
RMS	6.8808G	97.98	Inf	-Inf	88.95	3	Vertical	294	1.79	-	36.48	5.78	33.23
PK	7.1804G	63.14	88.20	-25.06	53.44	3	Vertical	294	1.79	-	37.22	5.99	33.51
RMS	7.2224G	52.32	68.20	-15.88	42.53	3	Vertical	294	1.79	-	37.34	6.01	33.56

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8766G	98.46	Inf	-Inf	89.42	3	Horizontal	340	1.99	-	36.49	5.78	33.23
RMS	6.8752G	88.89	Inf	-Inf	79.84	3	Horizontal	340	1.99	-	36.50	5.78	33.23
PK	7.2112G	63.14	88.20	-25.06	53.35	3	Horizontal	340	1.99	-	37.32	6.01	33.54
RMS	7.2308G	52.35	68.20	-15.85	42.54	3	Horizontal	340	1.99	-	37.36	6.02	33.57

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




14/05/2022

EUTV_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77422G	58.97	88.20	-29.23	44.69	3	Vertical	338	2.99	-	40.47	8.65	34.84
RMS	13.77298G	45.78	68.20	-22.42	31.49	3	Vertical	338	2.99	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




14/05/2022

EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76846G	59.76	88.20	-28.44	45.47	3	Horizontal	177	2.53	-	40.47	8.65	34.83
RMS	13.7661G	45.73	68.20	-22.47	31.44	3	Horizontal	177	2.53	-	40.47	8.65	34.83

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65458G	60.01	83.54	-23.53	56.17	1	Vertical	81	1.58	-	37.89	15.79	49.84
AV	20.65724G	46.96	63.54	-16.58	43.11	1	Vertical	81	1.58	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65136G	60.05	83.54	-23.49	56.22	1	Horizontal	22	1.50	-	37.88	15.79	49.84
AV	20.65294G	46.89	63.54	-16.65	43.06	1	Horizontal	22	1.50	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9286G	109.81	Inf	-Inf	100.60	3	Vertical	288	1.76	-	36.63	5.83	33.25
RMS	6.9286G	101.55	Inf	-Inf	92.34	3	Vertical	288	1.76	-	36.63	5.83	33.25
PK	7.1506G	62.54	88.20	-25.66	52.93	3	Vertical	288	1.76	-	37.10	5.98	33.47
RMS	7.219G	52.29	68.20	-15.91	42.49	3	Vertical	288	1.76	-	37.34	6.01	33.55

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9346G	100.86	Inf	-Inf	91.61	3	Horizontal	340	2.04	-	36.68	5.83	33.26
RMS	6.9322G	92.20	Inf	-Inf	82.97	3	Horizontal	340	2.04	-	36.66	5.83	33.26
PK	7.1674G	62.96	88.20	-25.24	53.30	3	Horizontal	340	2.04	-	37.17	5.98	33.49
RMS	7.2166G	52.27	68.20	-15.93	42.48	3	Horizontal	340	2.04	-	37.33	6.01	33.55

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84868G	60.85	88.20	-27.35	46.54	3	Vertical	313	2.85	-	40.55	8.63	34.87
RMS	13.84832G	45.67	68.20	-22.53	31.36	3	Vertical	313	2.85	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTV_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84964G	59.03	88.20	-29.17	44.72	3	Horizontal	189	1.52	-	40.55	8.63	34.87
RMS	13.84942G	45.54	68.20	-22.66	31.23	3	Horizontal	189	1.52	-	40.55	8.63	34.87

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77364G	61.09	83.54	-22.45	57.07	1	Vertical	197	1.58	-	37.96	15.85	49.79
AV	20.77532G	48.08	63.54	-15.46	44.06	1	Vertical	197	1.58	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6925MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77978G	61.09	83.54	-22.45	57.08	1	Horizontal	24	1.56	-	37.95	15.85	49.79
AV	20.77824G	48.02	63.54	-15.52	44.01	1	Horizontal	24	1.56	-	37.95	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTV_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0058G	110.78	Inf	-Inf	101.56	3	Vertical	290	1.77	-	36.62	5.90	33.30
RMS	7.0066G	101.07	Inf	-Inf	91.84	3	Vertical	290	1.77	-	36.63	5.90	33.30
PK	7.1522G	62.86	88.20	-25.34	53.24	3	Vertical	290	1.77	-	37.11	5.98	33.47
RMS	7.185G	52.24	68.20	-15.96	42.52	3	Vertical	290	1.77	-	37.24	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	98.44	Inf	-Inf	89.20	3	Horizontal	332	2.76	-	36.64	5.90	33.30
RMS	7.009G	88.39	Inf	-Inf	79.15	3	Horizontal	332	2.76	-	36.64	5.90	33.30
PK	7.1698G	63.45	88.20	-24.75	53.78	3	Horizontal	332	2.76	-	37.18	5.98	33.49
RMS	7.2026G	52.26	68.20	-15.94	42.48	3	Horizontal	332	2.76	-	37.31	6.00	33.53

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0149G	59.49	88.20	-28.71	44.92	3	Vertical	312	1.68	-	40.90	8.60	34.93
RMS	14.00634G	46.57	68.20	-21.63	32.00	3	Vertical	312	1.68	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01494G	59.77	88.20	-28.43	45.20	3	Horizontal	236	1.05	-	40.90	8.60	34.93
RMS	14.0064G	46.50	68.20	-21.70	31.93	3	Horizontal	236	1.05	-	40.90	8.60	34.93

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01164G	59.92	83.54	-23.62	56.06	1	Vertical	273	1.56	-	37.60	15.96	49.70
AV	21.01564G	46.73	63.54	-16.81	42.87	1	Vertical	273	1.56	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7005MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01588G	59.57	83.54	-23.97	55.71	1	Horizontal	181	1.52	-	37.60	15.96	49.70
AV	21.01798G	46.61	63.54	-16.93	42.75	1	Horizontal	181	1.52	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.083G	109.78	Inf	-Inf	100.50	3	Vertical	286	1.80	-	36.73	5.94	33.39
RMS	7.0834G	100.25	Inf	-Inf	90.97	3	Vertical	286	1.80	-	36.73	5.94	33.39
PK	7.1522G	63.21	88.20	-24.99	53.59	3	Vertical	286	1.80	-	37.11	5.98	33.47
RMS	7.1834G	52.20	68.20	-16.00	42.49	3	Vertical	286	1.80	-	37.23	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	103.05	Inf	-Inf	93.76	3	Horizontal	340	1.99	-	36.74	5.94	33.39
RMS	7.0822G	91.76	Inf	-Inf	82.47	3	Horizontal	340	1.99	-	36.74	5.94	33.39
PK	7.1838G	63.44	88.20	-24.76	53.72	3	Horizontal	340	1.99	-	37.24	5.99	33.51
RMS	7.1842G	52.10	68.20	-16.10	42.38	3	Horizontal	340	1.99	-	37.24	5.99	33.51

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16502G	59.33	88.20	-28.87	44.76	3	Vertical	137	2.32	-	40.83	8.64	34.90
RMS	14.16904G	46.65	68.20	-21.55	32.08	3	Vertical	137	2.32	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16956G	59.24	88.20	-28.96	44.67	3	Horizontal	101	1.17	-	40.83	8.64	34.90
RMS	14.17054G	46.34	68.20	-21.86	31.77	3	Horizontal	101	1.17	-	40.83	8.64	34.90

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25198G	60.95	83.54	-22.59	56.94	1	Vertical	264	1.54	-	37.60	16.06	49.65
AV	21.25492G	48.13	63.54	-15.41	44.11	1	Vertical	264	1.54	-	37.61	16.06	49.65

802.11ax HEW40-BF_Nss1,(MCS3)_2TX

7085MHz_TnomVnom




EUTY_2TX
Setting 16
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25376G	61.51	83.54	-22.03	57.50	1	Horizontal	177	1.58	-	37.60	16.06	49.65
AV	21.25816G	48.13	63.54	-15.41	44.10	1	Horizontal	177	1.58	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	63.88	88.20	-24.32	56.84	3	Vertical	62	2.49	-	35.03	5.36	33.35
RMS	5.9242G	53.47	68.20	-14.73	46.41	3	Vertical	62	2.49	-	35.05	5.36	33.35
PK	5.9922G	110.40	Inf	-Inf	103.01	3	Vertical	62	2.49	-	35.37	5.40	33.38
RMS	5.9914G	101.08	Inf	-Inf	93.69	3	Vertical	62	2.49	-	35.37	5.40	33.38

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.97	88.20	-27.23	53.92	3	Horizontal	25	2.75	-	35.04	5.36	33.35
RMS	5.9226G	50.74	68.20	-17.46	43.69	3	Horizontal	25	2.75	-	35.04	5.36	33.35
PK	5.9858G	101.31	Inf	-Inf	93.95	3	Horizontal	25	2.75	-	35.34	5.39	33.37
RMS	5.9858G	91.22	Inf	-Inf	83.86	3	Horizontal	25	2.75	-	35.34	5.39	33.37

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96668G	56.34	74.00	-17.66	43.30	3	Vertical	82	2.37	-	39.00	8.98	34.94
AV	11.96902G	42.81	54.00	-11.19	29.78	3	Vertical	82	2.37	-	38.99	8.98	34.94
PK	17.95842G	63.17	74.00	-10.83	46.14	3	Vertical	187	1.17	-	42.06	9.79	34.82
AV	17.95308G	49.66	54.00	-4.34	32.65	3	Vertical	187	1.17	-	42.05	9.78	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96968G	56.51	74.00	-17.49	43.48	3	Horizontal	232	1.47	-	38.99	8.98	34.94
AV	11.97232G	42.69	54.00	-11.31	29.67	3	Horizontal	232	1.47	-	38.98	8.98	34.94
PK	17.9571G	63.02	74.00	-10.98	46.00	3	Horizontal	164	2.13	-	42.06	9.78	34.82
AV	17.9519G	49.69	54.00	-4.31	32.67	3	Horizontal	164	2.13	-	42.05	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	59.32	88.20	-28.88	52.49	3	Vertical	296	1.60	-	34.83	5.33	33.33
RMS	5.925G	48.89	68.20	-19.31	41.83	3	Vertical	296	1.60	-	35.05	5.36	33.35
PK	6.1534G	110.39	Inf	-Inf	102.70	3	Vertical	296	1.60	-	35.42	5.55	33.28
RMS	6.1534G	100.15	Inf	-Inf	92.46	3	Vertical	296	1.60	-	35.42	5.55	33.28

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.61	88.20	-28.59	52.60	3	Horizontal	0	2.94	-	35.00	5.36	33.35
RMS	5.9242G	48.61	68.20	-19.59	41.55	3	Horizontal	0	2.94	-	35.05	5.36	33.35
PK	6.1294G	102.04	Inf	-Inf	94.36	3	Horizontal	0	2.94	-	35.44	5.53	33.29
RMS	6.1306G	92.65	Inf	-Inf	84.97	3	Horizontal	0	2.94	-	35.44	5.53	33.29

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28604G	55.77	74.00	-18.23	42.98	3	Vertical	214	1.11	-	38.71	8.94	34.86
AV	12.29404G	42.23	54.00	-11.77	29.44	3	Vertical	214	1.11	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2917G	55.33	74.00	-18.67	42.54	3	Horizontal	278	2.57	-	38.71	8.94	34.86
AV	12.29254G	42.16	54.00	-11.84	29.37	3	Horizontal	278	2.57	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43586G	57.44	83.54	-26.10	54.98	1	Vertical	307	1.51	-	37.72	14.87	50.13
AV	18.43888G	44.30	63.54	-19.24	41.81	1	Vertical	307	1.51	-	37.73	14.88	50.12

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6145MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43182G	57.87	83.54	-25.67	55.41	1	Horizontal	118	1.52	-	37.72	14.87	50.13
AV	18.43626G	44.23	63.54	-19.31	41.77	1	Horizontal	118	1.52	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	58.94	88.20	-29.26	52.09	3	Vertical	298	1.60	-	34.84	5.34	33.33
RMS	5.9242G	48.70	68.20	-19.50	41.64	3	Vertical	298	1.60	-	35.05	5.36	33.35
PK	6.3874G	110.25	Inf	-Inf	102.01	3	Vertical	298	1.60	-	35.67	5.69	33.12
RMS	6.3826G	100.31	Inf	-Inf	92.07	3	Vertical	298	1.60	-	35.67	5.69	33.12

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	58.68	88.20	-29.52	51.62	3	Horizontal	42	3.00	-	35.05	5.36	33.35
RMS	5.9242G	48.71	68.20	-19.49	41.65	3	Horizontal	42	3.00	-	35.05	5.36	33.35
PK	6.373G	102.89	Inf	-Inf	94.68	3	Horizontal	42	3.00	-	35.65	5.69	33.13
RMS	6.3634G	92.92	Inf	-Inf	84.74	3	Horizontal	42	3.00	-	35.63	5.68	33.13

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77496G	56.45	88.20	-31.75	42.98	3	Vertical	3	1.74	-	39.37	8.85	34.75
RMS	12.76608G	43.13	68.20	-25.07	29.66	3	Vertical	3	1.74	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.767G	56.35	88.20	-31.85	42.88	3	Horizontal	348	2.16	-	39.37	8.85	34.75
RMS	12.7704G	43.17	68.20	-25.03	29.70	3	Horizontal	348	2.16	-	39.37	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15114G	59.01	83.54	-24.53	55.66	1	Vertical	210	1.52	-	37.82	15.16	49.63
AV	19.1556G	46.16	63.54	-17.38	42.82	1	Vertical	210	1.52	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TnomVnom




EUTY_2TX
Setting 17
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15574G	59.13	83.54	-24.41	55.79	1	Horizontal	333	1.50	-	37.81	15.16	49.63
AV	19.15632G	46.24	63.54	-17.30	42.90	1	Horizontal	333	1.50	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8436G	58.73	88.20	-29.47	51.97	3	Vertical	297	1.62	-	34.76	5.32	33.32
RMS	5.9242G	48.68	68.20	-19.52	41.62	3	Vertical	297	1.62	-	35.05	5.36	33.35
PK	6.4754G	109.68	Inf	-Inf	101.34	3	Vertical	297	1.62	-	35.70	5.70	33.06
RMS	6.4754G	99.40	Inf	-Inf	91.06	3	Vertical	297	1.62	-	35.70	5.70	33.06

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.83	88.20	-29.37	51.81	3	Horizontal	320	2.92	-	35.01	5.36	33.35
RMS	5.9216G	48.63	68.20	-19.57	41.59	3	Horizontal	320	2.92	-	35.03	5.36	33.35
PK	6.4546G	97.81	Inf	-Inf	89.56	3	Horizontal	320	2.92	-	35.62	5.70	33.07
RMS	6.452G	88.63	Inf	-Inf	80.39	3	Horizontal	320	2.92	-	35.61	5.70	33.07

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTV_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.931G	59.78	88.20	-28.42	46.12	3	Vertical	334	2.38	-	39.56	8.81	34.71
RMS	12.93062G	44.52	68.20	-23.68	30.86	3	Vertical	334	2.38	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92864G	57.97	88.20	-30.23	44.31	3	Horizontal	234	2.70	-	39.56	8.81	34.71
RMS	12.9294G	44.40	68.20	-23.80	30.74	3	Horizontal	234	2.70	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39018G	58.05	83.54	-25.49	54.66	1	Vertical	252	1.57	-	37.81	15.26	49.68
AV	19.3966G	45.17	63.54	-18.37	41.77	1	Vertical	252	1.57	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6465MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39176G	59.07	83.54	-24.47	55.68	1	Horizontal	129	1.56	-	37.81	15.26	49.68
AV	19.39998G	45.02	63.54	-18.52	41.62	1	Horizontal	129	1.56	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 19
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	58.78	88.20	-29.42	51.75	3	Vertical	303	1.64	-	35.02	5.36	33.35
RMS	5.925G	48.67	68.20	-19.53	41.61	3	Vertical	303	1.64	-	35.05	5.36	33.35
PK	6.5478G	108.85	Inf	-Inf	100.22	3	Vertical	303	1.64	-	35.99	5.70	33.06
RMS	6.5478G	99.55	Inf	-Inf	90.92	3	Vertical	303	1.64	-	35.99	5.70	33.06
PK	7.1946G	62.48	88.20	-25.72	52.72	3	Vertical	303	1.64	-	37.28	6.00	33.52
RMS	7.2226G	52.05	68.20	-16.15	42.25	3	Vertical	303	1.64	-	37.35	6.01	33.56

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom








EUTV_2TX
Setting 19
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	58.41	88.20	-29.79	51.51	3	Horizontal	303	1.60	-	34.89	5.35	33.34
RMS	5.9206G	48.67	68.20	-19.53	41.64	3	Horizontal	303	1.60	-	35.02	5.36	33.35
PK	6.5702G	108.62	Inf	-Inf	99.96	3	Horizontal	303	1.60	-	36.04	5.70	33.08
RMS	6.5562G	99.18	Inf	-Inf	90.54	3	Horizontal	303	1.60	-	36.01	5.70	33.07
PK	7.2086G	62.48	88.20	-25.72	52.70	3	Horizontal	303	1.60	-	37.32	6.00	33.54
RMS	7.245G	52.04	68.20	-16.16	42.21	3	Horizontal	303	1.60	-	37.39	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022

EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08918G	57.94	88.20	-30.26	44.16	3	Vertical	33	1.10	-	39.70	8.78	34.70
RMS	13.08682G	44.41	68.20	-23.79	30.63	3	Vertical	33	1.10	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09062G	57.39	88.20	-30.81	43.61	3	Horizontal	336	1.46	-	39.70	8.78	34.70
RMS	13.0853G	44.47	68.20	-23.73	30.69	3	Horizontal	336	1.46	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63566G	59.52	83.54	-24.02	56.02	1	Vertical	310	1.51	-	37.85	15.35	49.70
AV	19.63098G	46.81	63.54	-16.73	43.31	1	Vertical	310	1.51	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63808G	60.63	83.54	-22.91	57.13	1	Horizontal	322	1.54	-	37.84	15.36	49.70
AV	19.63178G	46.67	63.54	-16.87	43.17	1	Horizontal	322	1.54	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	100.51	Inf	-Inf	91.78	3	Horizontal	350	1.60	-	36.13	5.70	33.10
RMS	6.6106G	90.87	Inf	-Inf	82.15	3	Horizontal	350	1.60	-	36.12	5.70	33.10
PK	7.141G	62.68	88.20	-25.52	53.14	3	Horizontal	350	1.60	-	37.03	5.97	33.46
RMS	7.225G	51.99	68.20	-16.21	42.19	3	Horizontal	350	1.60	-	37.35	6.01	33.56

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2542G	57.41	74.00	-16.59	43.42	3	Vertical	133	2.55	-	39.95	8.75	34.71
AV	13.2543G	44.13	54.00	-9.87	30.14	3	Vertical	133	2.55	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2479G	57.61	88.20	-30.59	43.62	3	Horizontal	158	2.19	-	39.95	8.75	34.71
AV	13.2524G	43.94	54.00	-10.06	29.95	3	Horizontal	158	2.19	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87318G	59.23	83.54	-24.31	55.88	1	Vertical	23	1.52	-	37.60	15.45	49.70
AV	19.87984G	45.60	63.54	-17.94	42.26	1	Vertical	23	1.52	-	37.59	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TnomVnom




EUTY_2TX
Setting 19
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87898G	58.59	83.54	-24.95	55.25	1	Horizontal	106	1.55	-	37.59	15.45	49.70
AV	19.8732G	45.50	63.54	-18.04	42.15	1	Horizontal	106	1.55	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	107.90	Inf	-Inf	99.14	3	Vertical	298	2.50	-	36.20	5.70	33.14
RMS	6.689G	98.19	Inf	-Inf	89.42	3	Vertical	298	2.50	-	36.20	5.70	33.13
PK	7.181G	63.23	88.20	-24.97	53.53	3	Vertical	298	2.50	-	37.22	5.99	33.51
RMS	7.195G	51.93	68.20	-16.27	42.17	3	Vertical	298	2.50	-	37.28	6.00	33.52

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.703G	102.58	Inf	-Inf	93.81	3	Horizontal	54	2.84	-	36.21	5.70	33.14
RMS	6.711G	93.45	Inf	-Inf	84.66	3	Horizontal	54	2.84	-	36.24	5.70	33.15
PK	7.187G	62.35	88.20	-25.85	52.62	3	Horizontal	54	2.84	-	37.25	5.99	33.51
RMS	7.195G	52.09	68.20	-16.11	42.33	3	Horizontal	54	2.84	-	37.28	6.00	33.52

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41084G	57.60	88.20	-30.60	43.40	3	Vertical	229	2.22	-	40.20	8.72	34.72
RMS	13.40782G	44.41	68.20	-23.79	30.21	3	Vertical	229	2.22	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41248G	57.54	88.20	-30.66	43.34	3	Horizontal	32	2.40	-	40.20	8.72	34.72
RMS	13.41452G	44.40	68.20	-23.80	30.20	3	Horizontal	32	2.40	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11262G	59.70	83.54	-23.84	56.41	1	Vertical	19	1.54	-	37.49	15.55	49.75
AV	20.1143G	46.51	63.54	-17.03	43.22	1	Vertical	19	1.54	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11524G	60.04	83.54	-23.50	56.75	1	Horizontal	223	1.53	-	37.49	15.55	49.75
AV	20.11476G	46.49	63.54	-17.05	43.20	1	Horizontal	223	1.53	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7836G	106.41	Inf	-Inf	97.56	3	Vertical	294	1.67	-	36.33	5.70	33.18
RMS	6.7864G	97.35	Inf	-Inf	88.50	3	Vertical	294	1.67	-	36.33	5.70	33.18
PK	7.1336G	62.43	88.20	-25.77	52.94	3	Vertical	294	1.67	-	36.97	5.97	33.45
RMS	7.1266G	51.82	68.20	-16.38	42.39	3	Vertical	294	1.67	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7836G	99.70	Inf	-Inf	90.85	3	Horizontal	355	2.69	-	36.33	5.70	33.18
RMS	6.7864G	90.52	Inf	-Inf	81.67	3	Horizontal	355	2.69	-	36.33	5.70	33.18
PK	7.1294G	62.08	88.20	-26.12	52.63	3	Horizontal	355	2.69	-	36.94	5.96	33.45
RMS	7.1308G	51.79	68.20	-16.41	42.32	3	Horizontal	355	2.69	-	36.95	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56736G	58.62	88.20	-29.58	44.48	3	Vertical	206	1.21	-	40.20	8.69	34.75
RMS	13.572G	45.51	68.20	-22.69	31.37	3	Vertical	206	1.21	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57246G	58.55	88.20	-29.65	44.41	3	Horizontal	323	1.15	-	40.20	8.69	34.75
RMS	13.57004G	45.24	68.20	-22.96	31.10	3	Horizontal	323	1.15	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35832G	60.82	83.54	-22.72	57.36	1	Vertical	94	1.57	-	37.64	15.66	49.84
AV	20.35222G	46.75	63.54	-16.79	43.29	1	Vertical	94	1.57	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35034G	59.37	83.54	-24.17	55.91	1	Horizontal	41	1.53	-	37.64	15.66	49.84
AV	20.35472G	46.88	63.54	-16.66	43.42	1	Horizontal	41	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8614G	108.31	Inf	-Inf	99.22	3	Vertical	298	1.60	-	36.55	5.76	33.22
RMS	6.8614G	98.68	Inf	-Inf	89.59	3	Vertical	298	1.60	-	36.55	5.76	33.22
PK	7.1554G	62.16	88.20	-26.04	52.54	3	Vertical	298	1.60	-	37.12	5.98	33.48
RMS	7.1614G	52.03	68.20	-16.17	42.38	3	Vertical	298	1.60	-	37.15	5.98	33.48

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	104.13	Inf	-Inf	95.10	3	Horizontal	360	2.72	-	36.48	5.78	33.23
RMS	6.877G	93.98	Inf	-Inf	84.94	3	Horizontal	360	2.72	-	36.49	5.78	33.23
PK	7.1446G	62.49	88.20	-25.71	52.92	3	Horizontal	360	2.72	-	37.06	5.97	33.46
RMS	7.1638G	52.02	68.20	-16.18	42.37	3	Horizontal	360	2.72	-	37.16	5.98	33.49

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73308G	58.79	88.20	-29.41	44.53	3	Vertical	175	1.47	-	40.43	8.65	34.82
RMS	13.73208G	45.61	68.20	-22.59	31.35	3	Vertical	175	1.47	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom








EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72584G	58.60	88.20	-29.60	44.33	3	Horizontal	359	2.88	-	40.43	8.65	34.81
RMS	13.72962G	45.76	68.20	-22.44	31.50	3	Horizontal	359	2.88	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022

EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59128G	58.89	83.54	-24.65	55.17	1	Vertical	235	1.51	-	37.81	15.77	49.86
AV	20.59548G	46.21	63.54	-17.33	42.49	1	Vertical	235	1.51	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59464G	59.44	83.54	-24.10	55.72	1	Horizontal	10	1.52	-	37.81	15.77	49.86
AV	20.5978G	46.21	63.54	-17.33	42.48	1	Horizontal	10	1.52	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9654G	107.48	Inf	-Inf	98.14	3	Vertical	294	1.64	-	36.74	5.87	33.27
RMS	6.9618G	98.47	Inf	-Inf	89.13	3	Vertical	294	1.64	-	36.75	5.86	33.27
PK	7.1994G	63.65	88.20	-24.55	53.88	3	Vertical	294	1.64	-	37.30	6.00	33.53
RMS	7.2174G	52.34	68.20	-15.86	42.55	3	Vertical	294	1.64	-	37.33	6.01	33.55

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.939G	103.72	Inf	-Inf	94.43	3	Horizontal	360	3.00	-	36.71	5.84	33.26
RMS	6.9402G	94.08	Inf	-Inf	84.78	3	Horizontal	360	3.00	-	36.72	5.84	33.26
PK	7.2282G	63.41	88.20	-24.79	53.60	3	Horizontal	360	3.00	-	37.36	6.01	33.56
RMS	7.2426G	52.34	68.20	-15.86	42.51	3	Horizontal	360	3.00	-	37.39	6.02	33.58

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




14/05/2022

EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89054G	59.06	88.20	-29.14	44.73	3	Vertical	287	2.36	-	40.59	8.62	34.88
RMS	13.8862G	45.91	68.20	-22.29	31.58	3	Vertical	287	2.36	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




14/05/2022

EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8893G	58.86	88.20	-29.34	44.53	3	Horizontal	333	1.61	-	40.59	8.62	34.88
RMS	13.88946G	45.68	68.20	-22.52	31.35	3	Horizontal	333	1.61	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83974G	60.83	83.54	-22.71	56.85	1	Vertical	263	1.57	-	37.86	15.88	49.76
AV	20.83994G	47.74	63.54	-15.80	43.76	1	Vertical	263	1.57	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6945MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83254G	60.91	83.54	-22.63	56.94	1	Horizontal	70	1.58	-	37.87	15.87	49.77
AV	20.8361G	47.88	63.54	-15.66	43.91	1	Horizontal	70	1.58	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0346G	108.46	Inf	-Inf	99.13	3	Vertical	302	1.60	-	36.74	5.92	33.33
RMS	7.0346G	98.77	Inf	-Inf	89.44	3	Vertical	302	1.60	-	36.74	5.92	33.33
PK	7.137G	63.55	88.20	-24.65	54.03	3	Vertical	302	1.60	-	37.00	5.97	33.45
RMS	7.1266G	52.68	68.20	-15.52	43.25	3	Vertical	302	1.60	-	36.91	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0418G	99.74	Inf	-Inf	90.39	3	Horizontal	344	2.01	-	36.77	5.92	33.34
RMS	7.0418G	91.04	Inf	-Inf	81.69	3	Horizontal	344	2.01	-	36.77	5.92	33.34
PK	7.1298G	62.81	88.20	-25.39	53.36	3	Horizontal	344	2.01	-	36.94	5.96	33.45
RMS	7.2234G	52.41	68.20	-15.79	42.61	3	Horizontal	344	2.01	-	37.35	6.01	33.56

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0523G	59.73	88.20	-28.47	45.14	3	Vertical	270	1.77	-	40.90	8.61	34.92
RMS	14.0489G	46.66	68.20	-21.54	32.07	3	Vertical	270	1.77	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04946G	60.14	88.20	-28.06	45.55	3	Horizontal	334	2.28	-	40.90	8.61	34.92
RMS	14.05064G	46.58	68.20	-21.62	31.99	3	Horizontal	334	2.28	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0744G	59.19	83.54	-24.35	55.30	1	Vertical	36	1.54	-	37.60	15.98	49.69
AV	21.07582G	46.43	63.54	-17.11	42.53	1	Vertical	36	1.54	-	37.60	15.98	49.68

802.11ax HEW80-BF_Nss1,(MCS3)_2TX

7025MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0732G	60.60	83.54	-22.94	56.71	1	Horizontal	252	1.50	-	37.60	15.98	49.69
AV	21.07422G	46.42	63.54	-17.12	42.53	1	Horizontal	252	1.50	-	37.60	15.98	49.69

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-M-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	66.74	88.20	-21.46	59.77	3	Vertical	307	2.48	-	34.96	5.35	33.34
RMS	5.8874G	59.63	68.20	-8.57	52.75	3	Vertical	307	2.48	-	34.87	5.34	33.33
PK	6.0314G	111.13	Inf	-Inf	103.66	3	Vertical	307	2.48	-	35.40	5.43	33.36
RMS	6.0298G	98.56	Inf	-Inf	91.09	3	Vertical	307	2.48	-	35.40	5.43	33.36

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-M-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.16	88.20	-28.04	53.20	3	Horizontal	353	2.93	-	34.95	5.35	33.34
RMS	5.8938G	48.92	68.20	-19.28	42.02	3	Horizontal	353	2.93	-	34.89	5.35	33.34
PK	6.0042G	99.81	Inf	-Inf	92.39	3	Horizontal	353	2.93	-	35.40	5.40	33.38
RMS	6.017G	88.40	Inf	-Inf	80.95	3	Horizontal	353	2.93	-	35.40	5.42	33.37

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-M-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0532G	55.70	74.00	-18.30	42.74	3	Vertical	34	2.38	-	38.90	8.99	34.93
AV	12.05176G	42.55	54.00	-11.45	29.59	3	Vertical	34	2.38	-	38.90	8.99	34.93

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-M-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04652G	56.40	74.00	-17.60	43.45	3	Horizontal	5	1.77	-	38.90	8.99	34.94
AV	12.05402G	42.43	54.00	-11.57	29.47	3	Horizontal	5	1.77	-	38.90	8.99	34.93

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 20
04-M-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0752G	58.76	83.54	-24.78	56.66	1	Vertical	29	1.56	-	37.64	14.73	50.27
AV	18.07352G	45.43	63.54	-18.11	43.33	1	Vertical	29	1.56	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TnomVnom




EUTY_2TX
Setting 20
04-M-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07728G	58.09	83.54	-25.45	55.99	1	Horizontal	29	1.52	-	37.64	14.73	50.27
AV	18.07938G	45.31	63.54	-18.23	43.21	1	Horizontal	29	1.52	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	59.18	88.20	-29.02	52.31	3	Vertical	306	1.60	-	34.86	5.34	33.33
RMS	5.9242G	49.05	68.20	-19.15	41.99	3	Vertical	306	1.60	-	35.05	5.36	33.35
PK	6.2042G	108.65	Inf	-Inf	100.62	3	Vertical	306	1.60	-	35.67	5.60	33.24
RMS	6.1882G	98.41	Inf	-Inf	90.44	3	Vertical	306	1.60	-	35.63	5.59	33.25

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	58.82	88.20	-29.38	52.17	3	Horizontal	358.8	3.00	-	34.65	5.31	33.31
RMS	5.9226G	48.69	68.20	-19.51	41.64	3	Horizontal	358.8	3.00	-	35.04	5.36	33.35
PK	6.1994G	100.50	Inf	-Inf	92.44	3	Horizontal	358.8	3.00	-	35.70	5.60	33.24
RMS	6.1994G	90.54	Inf	-Inf	82.48	3	Horizontal	358.8	3.00	-	35.70	5.60	33.24

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37304G	56.94	74.00	-17.06	43.93	3	Vertical	206	1.39	-	38.92	8.93	34.84
AV	12.37254G	43.23	54.00	-10.77	30.22	3	Vertical	206	1.39	-	38.92	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37262G	56.93	74.00	-17.07	43.92	3	Horizontal	83	1.21	-	38.92	8.93	34.84
AV	12.37236G	43.40	54.00	-10.60	30.39	3	Horizontal	83	1.21	-	38.92	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55674G	58.98	83.54	-24.56	56.32	1	Vertical	270	1.51	-	37.78	14.92	50.04
AV	18.55772G	45.49	63.54	-18.05	42.83	1	Vertical	270	1.51	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55242G	58.83	83.54	-24.71	56.18	1	Horizontal	92	1.55	-	37.78	14.92	50.05
AV	18.55234G	45.50	63.54	-18.04	42.85	1	Horizontal	92	1.55	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	59.31	88.20	-28.89	52.31	3	Vertical	298	1.62	-	34.99	5.36	33.35
RMS	5.925G	48.81	68.20	-19.39	41.75	3	Vertical	298	1.62	-	35.05	5.36	33.35
PK	6.369G	108.32	Inf	-Inf	100.13	3	Vertical	298	1.62	-	35.64	5.68	33.13
RMS	6.369G	98.34	Inf	-Inf	90.15	3	Vertical	298	1.62	-	35.64	5.68	33.13

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	59.82	88.20	-28.38	52.96	3	Horizontal	327.2	2.98	-	34.85	5.34	33.33
RMS	5.925G	48.66	68.20	-19.54	41.60	3	Horizontal	327.2	2.98	-	35.05	5.36	33.35
PK	6.379G	100.17	Inf	-Inf	91.94	3	Horizontal	327.2	2.98	-	35.66	5.69	33.12
RMS	6.379G	89.88	Inf	-Inf	81.65	3	Horizontal	327.2	2.98	-	35.66	5.69	33.12

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6885G	58.61	74.00	-15.39	45.26	3	Vertical	191	2.36	-	39.25	8.86	34.76
AV	12.69082G	45.69	54.00	-8.31	32.33	3	Vertical	191	2.36	-	39.26	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68858G	59.14	74.00	-14.86	45.79	3	Horizontal	162	1.74	-	39.25	8.86	34.76
AV	12.6911G	45.75	54.00	-8.25	32.39	3	Horizontal	162	1.74	-	39.26	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0344G	58.90	83.54	-24.64	55.44	1	Vertical	300	1.56	-	37.96	15.11	49.61
AV	19.03648G	45.70	63.54	-17.84	42.24	1	Vertical	300	1.56	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0378G	59.18	83.54	-24.36	55.72	1	Horizontal	148	1.55	-	37.95	15.12	49.61
AV	19.0371G	45.72	63.54	-17.82	42.26	1	Horizontal	148	1.55	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTV_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	58.79	88.20	-29.41	51.74	3	Vertical	296	1.60	-	35.04	5.36	33.35
AV	5.925G	48.72	68.20	-19.48	41.66	3	Vertical	296	1.60	-	35.05	5.36	33.35
PK	6.5134G	106.07	Inf	-Inf	97.57	3	Vertical	296	1.60	-	35.85	5.70	33.05
AV	6.5134G	96.92	Inf	-Inf	88.42	3	Vertical	296	1.60	-	35.85	5.70	33.05
PK	7.1602G	61.34	88.20	-26.86	51.70	3	Vertical	296	1.60	-	37.14	5.98	33.48
AV	7.1742G	52.04	68.20	-16.16	42.35	3	Vertical	296	1.60	-	37.20	5.99	33.50

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	59.01	88.20	-29.19	52.08	3	Horizontal	-0	2.85	-	34.92	5.35	33.34
AV	5.9198G	48.55	68.20	-19.65	41.52	3	Horizontal	-0	2.85	-	35.02	5.36	33.35
PK	6.5442G	100.07	Inf	-Inf	91.45	3	Horizontal	-0	2.85	-	35.98	5.70	33.06
AV	6.5414G	89.31	Inf	-Inf	80.70	3	Horizontal	-0	2.85	-	35.97	5.70	33.06
PK	7.205G	61.89	88.20	-26.31	52.12	3	Horizontal	-0	2.85	-	37.31	6.00	33.54
AV	7.2022G	52.10	68.20	-16.10	42.33	3	Horizontal	-0	2.85	-	37.30	6.00	33.53

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0134G	57.50	88.20	-30.70	43.70	3	Vertical	321	1.42	-	39.70	8.80	34.70
RMS	13.00568G	44.43	68.20	-23.77	30.63	3	Vertical	321	1.42	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01482G	57.82	88.20	-30.38	44.02	3	Horizontal	187	1.39	-	39.70	8.80	34.70
RMS	13.00928G	44.51	68.20	-23.69	30.71	3	Horizontal	187	1.39	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51864G	59.03	83.54	-24.51	55.53	1	Vertical	36	1.56	-	37.89	15.31	49.70
AV	19.51926G	45.56	63.54	-17.98	42.06	1	Vertical	36	1.56	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51808G	59.18	83.54	-24.36	55.68	1	Horizontal	149	1.50	-	37.89	15.31	49.70
AV	19.51274G	45.77	63.54	-17.77	42.27	1	Horizontal	149	1.50	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6342G	106.06	Inf	-Inf	97.30	3	Vertical	288	1.60	-	36.17	5.70	33.11
RMS	6.6606G	96.14	Inf	-Inf	87.36	3	Vertical	288	1.60	-	36.20	5.70	33.12
PK	7.2018G	62.79	88.20	-25.41	53.02	3	Vertical	288	1.60	-	37.30	6.00	33.53
RMS	7.1952G	51.93	68.20	-16.27	42.17	3	Vertical	288	1.60	-	37.28	6.00	33.52

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.698G	97.43	Inf	-Inf	88.67	3	Horizontal	343	2.82	-	36.20	5.70	33.14
RMS	6.7002G	86.80	Inf	-Inf	78.04	3	Horizontal	343	2.82	-	36.20	5.70	33.14
PK	7.1446G	62.98	88.20	-25.22	53.41	3	Horizontal	343	2.82	-	37.06	5.97	33.46
RMS	7.1952G	51.92	68.20	-16.28	42.16	3	Horizontal	343	2.82	-	37.28	6.00	33.52

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32522G	56.93	74.00	-17.07	42.86	3	Vertical	146	1.47	-	40.05	8.73	34.71
AV	13.32746G	43.80	54.00	-10.20	29.73	3	Vertical	146	1.47	-	40.05	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33288G	57.62	74.00	-16.38	43.53	3	Horizontal	279	2.82	-	40.07	8.73	34.71
AV	13.32714G	43.67	54.00	-10.33	29.60	3	Horizontal	279	2.82	-	40.05	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99966G	57.83	83.54	-25.71	54.63	1	Vertical	332	1.55	-	37.40	15.50	49.70
AV	19.99662G	44.94	63.54	-18.60	41.73	1	Vertical	332	1.55	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9906G	58.05	83.54	-25.49	54.83	1	Horizontal	167	1.53	-	37.42	15.50	49.70
AV	19.99856G	44.94	63.54	-18.60	41.74	1	Horizontal	167	1.53	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7774G	106.13	Inf	-Inf	97.26	3	Vertical	287	1.60	-	36.35	5.70	33.18
RMS	6.7802G	95.04	Inf	-Inf	86.18	3	Vertical	287	1.60	-	36.34	5.70	33.18
PK	7.1274G	62.02	88.20	-26.18	52.58	3	Vertical	287	1.60	-	36.92	5.96	33.44
RMS	7.1722G	51.99	68.20	-16.21	42.31	3	Vertical	287	1.60	-	37.19	5.99	33.50

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.79G	104.95	Inf	-Inf	96.12	3	Horizontal	296	2.11	-	36.32	5.70	33.19
RMS	6.797G	94.84	Inf	-Inf	86.02	3	Horizontal	296	2.11	-	36.31	5.70	33.19
PK	7.1456G	62.17	88.20	-26.03	52.60	3	Horizontal	296	2.11	-	37.06	5.97	33.46
RMS	7.1722G	51.99	68.20	-16.21	42.31	3	Horizontal	296	2.11	-	37.19	5.99	33.50

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




14/05/2022





EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.648G	59.19	88.20	-29.01	45.00	3	Vertical	345	2.04	-	40.30	8.67	34.78
RMS	13.64682G	45.66	68.20	-22.54	31.48	3	Vertical	345	2.04	-	40.29	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


14/05/2022

EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65046G	58.50	88.20	-29.70	44.31	3	Horizontal	90	2.44	-	40.30	8.67	34.78
RMS	13.64854G	45.74	68.20	-22.46	31.55	3	Horizontal	90	2.44	-	40.30	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4702G	60.18	83.54	-23.36	56.67	1	Vertical	94	1.54	-	37.69	15.71	49.89
AV	20.47426G	46.07	63.54	-17.47	42.56	1	Vertical	94	1.54	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4794G	60.16	83.54	-23.38	56.64	1	Horizontal	128	1.51	-	37.69	15.72	49.89
AV	20.47998G	46.08	63.54	-17.46	42.56	1	Horizontal	128	1.51	-	37.69	15.72	49.89

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.022G	106.71	Inf	-Inf	97.43	3	Vertical	294	1.63	-	36.69	5.91	33.32
RMS	7.013G	96.53	Inf	-Inf	87.28	3	Vertical	294	1.63	-	36.65	5.91	33.31
PK	7.143G	74.09	88.20	-14.11	64.54	3	Vertical	294	1.63	-	37.04	5.97	33.46
RMS	7.133G	54.58	68.20	-13.62	45.10	3	Vertical	294	1.63	-	36.96	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.028G	96.97	Inf	-Inf	87.67	3	Horizontal	323	3.00	-	36.71	5.91	33.32
RMS	7.029G	87.18	Inf	-Inf	77.87	3	Horizontal	323	3.00	-	36.72	5.91	33.32
PK	7.2G	64.01	88.20	-24.19	54.24	3	Horizontal	323	3.00	-	37.30	6.00	33.53
RMS	7.228G	52.22	68.20	-15.98	42.41	3	Horizontal	323	3.00	-	37.36	6.01	33.56

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97232G	60.61	88.20	-27.59	46.10	3	Vertical	286	1.09	-	40.82	8.61	34.92
RMS	13.9741G	47.14	68.20	-21.06	32.63	3	Vertical	286	1.09	-	40.82	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96816G	60.50	88.20	-27.70	46.01	3	Horizontal	91	1.62	-	40.80	8.61	34.92
RMS	13.97174G	47.26	68.20	-20.94	32.75	3	Horizontal	91	1.62	-	40.82	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom




EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9571G	60.01	83.54	-23.53	56.13	1	Vertical	181	1.52	-	37.67	15.93	49.72
AV	20.95268G	46.96	63.54	-16.58	43.07	1	Vertical	181	1.52	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6985MHz_TnomVnom



EUTY_2TX
Setting 20
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95446G	59.91	83.54	-23.63	56.03	1	Horizontal	116	1.58	-	37.67	15.93	49.72
AV	20.9528G	46.86	63.54	-16.68	42.97	1	Horizontal	116	1.58	-	37.68	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	67.70	68.20	-0.50	3	Horizontal	354	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 11
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9132G	59.97	88.20	-28.23	52.98	3	Vertical	16	1.82	-	34.98	5.36	33.35
RMS	5.9212G	46.39	68.20	-21.81	39.35	3	Vertical	16	1.82	-	35.03	5.36	33.35
PK	5.9472G	99.52	Inf	-Inf	92.33	3	Vertical	16	1.82	-	35.18	5.37	33.36
RMS	5.9468G	87.30	Inf	-Inf	80.11	3	Vertical	16	1.82	-	35.18	5.37	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 11
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9088G	59.02	88.20	-29.18	52.06	3	Horizontal	70	1.92	-	34.95	5.35	33.34
RMS	5.9228G	46.43	68.20	-21.77	39.38	3	Horizontal	70	1.92	-	35.04	5.36	33.35
PK	5.9628G	106.61	Inf	-Inf	99.35	3	Horizontal	70	1.92	-	35.25	5.38	33.37
RMS	5.9634G	93.53	Inf	-Inf	86.27	3	Horizontal	70	1.92	-	35.25	5.38	33.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 11
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9071G	54.86	74.00	-19.14	41.66	3	Vertical	163	1.12	-	39.18	8.93	34.91
AV	11.91454G	41.54	54.00	-12.46	28.36	3	Vertical	163	1.12	-	39.16	8.94	34.92
PK	17.8635G	60.03	74.00	-13.97	43.14	3	Vertical	357	2.79	-	41.89	9.75	34.75
AV	17.8661G	46.58	54.00	-7.42	29.68	3	Vertical	357	2.79	-	41.90	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 11
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91194G	55.16	74.00	-18.84	41.98	3	Horizontal	136	2.78	-	39.16	8.94	34.92
AV	11.90866G	41.58	54.00	-12.42	28.39	3	Horizontal	136	2.78	-	39.17	8.94	34.92
PK	17.86G	60.63	74.00	-13.37	43.75	3	Horizontal	290	1.48	-	41.88	9.75	34.75
AV	17.86866G	46.71	54.00	-7.29	29.80	3	Horizontal	290	1.48	-	41.91	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8038G	58.79	88.20	-29.41	52.27	3	Vertical	16	1.79	-	34.52	5.30	33.30
RMS	5.895G	46.15	68.20	-22.05	39.25	3	Vertical	16	1.79	-	34.89	5.35	33.34
PK	6.167G	99.00	Inf	-Inf	91.20	3	Vertical	16	1.79	-	35.50	5.57	33.27
RMS	6.167G	86.93	Inf	-Inf	79.13	3	Vertical	16	1.79	-	35.50	5.57	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	59.46	88.20	-28.74	52.42	3	Horizontal	76	2.10	-	35.03	5.36	33.35
RMS	5.8278G	46.20	68.20	-22.00	39.53	3	Horizontal	76	2.10	-	34.67	5.31	33.31
PK	6.1686G	105.92	Inf	-Inf	98.11	3	Horizontal	76	2.10	-	35.51	5.57	33.27
RMS	6.167G	93.86	Inf	-Inf	86.06	3	Horizontal	76	2.10	-	35.50	5.57	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34512G	54.19	74.00	-19.81	41.27	3	Vertical	5	2.34	-	38.84	8.93	34.85
AV	12.3539G	40.81	54.00	-13.19	27.86	3	Vertical	5	2.34	-	38.86	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3452G	54.20	74.00	-19.80	41.28	3	Horizontal	104	2.06	-	38.84	8.93	34.85
AV	12.34872G	40.76	54.00	-13.24	27.83	3	Horizontal	104	2.06	-	38.85	8.93	34.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5008G	47.20	83.54	-36.34	44.60	1	Vertical	360	1.50	-	37.80	14.90	50.10
AV	18.5009G	33.31	63.54	-30.23	30.71	1	Vertical	360	1.50	-	37.80	14.90	50.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUTX_1TX
Setting 10.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5286G	46.47	74.00	-27.53	43.84	1	Horizontal	360	1.50	-	37.79	14.91	50.07
AV	18.5129G	33.16	63.54	-30.38	30.55	1	Horizontal	360	1.50	-	37.79	14.91	50.09

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	58.97	88.20	-29.23	52.04	3	Vertical	13	1.00	-	34.92	5.35	33.34
RMS	5.9194G	46.10	68.20	-22.10	39.07	3	Vertical	13	1.00	-	35.02	5.36	33.35
PK	6.4206G	98.71	Inf	-Inf	90.44	3	Vertical	13	1.00	-	35.66	5.70	33.09
RMS	6.4234G	86.87	Inf	-Inf	78.61	3	Vertical	13	1.00	-	35.65	5.70	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7486G	58.39	88.20	-29.81	51.98	3	Horizontal	75	1.80	-	34.39	5.30	33.28
RMS	5.925G	45.81	68.20	-22.39	38.75	3	Horizontal	75	1.80	-	35.05	5.36	33.35
PK	6.4094G	105.03	Inf	-Inf	96.75	3	Horizontal	75	1.80	-	35.68	5.70	33.10
RMS	6.4066G	94.35	Inf	-Inf	86.06	3	Horizontal	75	1.80	-	35.69	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8337G	54.38	88.20	-33.82	40.85	3	Vertical	14	2.18	-	39.43	8.83	34.73
RMS	12.83094G	41.19	68.20	-27.01	27.66	3	Vertical	14	2.18	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




08/04/2022

EUT_X_1TX
Setting 11.5
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83442G	54.65	88.20	-33.55	41.12	3	Horizontal	12	2.55	-	39.43	8.83	34.73
RMS	12.82848G	41.24	68.20	-26.96	27.71	3	Horizontal	12	2.55	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24652G	45.38	83.54	-38.16	42.13	1	Vertical	168	1.52	-	37.70	15.20	49.65
AV	19.24674G	32.15	63.54	-31.39	28.90	1	Vertical	168	1.52	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2415G	45.24	83.54	-38.30	41.98	1	Horizontal	286	1.58	-	37.71	15.20	49.65
AV	19.2414G	32.03	63.54	-31.51	28.77	1	Horizontal	286	1.58	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	57.76	88.20	-30.44	50.93	3	Vertical	11	1.00	-	34.82	5.33	33.32
RMS	5.824G	46.46	68.20	-21.74	39.82	3	Vertical	11	1.00	-	34.64	5.31	33.31
PK	6.4298G	99.49	Inf	-Inf	91.24	3	Vertical	11	1.00	-	35.64	5.70	33.09
RMS	6.4272G	86.90	Inf	-Inf	78.64	3	Vertical	11	1.00	-	35.65	5.70	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	58.33	88.20	-29.87	51.45	3	Horizontal	73	1.80	-	34.88	5.34	33.34
RMS	5.902G	46.06	68.20	-22.14	39.14	3	Horizontal	73	1.80	-	34.91	5.35	33.34
PK	6.4298G	107.42	Inf	-Inf	99.17	3	Horizontal	73	1.80	-	35.64	5.70	33.09
RMS	6.4428G	94.96	Inf	-Inf	86.73	3	Horizontal	73	1.80	-	35.61	5.70	33.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86844G	55.26	88.20	-32.94	41.69	3	Vertical	71	1.58	-	39.47	8.83	34.73
RMS	12.87258G	41.39	68.20	-26.81	27.82	3	Vertical	71	1.58	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87054G	54.96	88.20	-33.24	41.39	3	Horizontal	9	1.56	-	39.47	8.83	34.73
RMS	12.87024G	41.38	68.20	-26.82	27.81	3	Horizontal	9	1.56	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30612G	45.24	83.54	-38.30	41.94	1	Vertical	24	1.54	-	37.74	15.22	49.66
AV	19.30546G	31.99	63.54	-31.55	28.69	1	Vertical	24	1.54	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3034G	44.70	83.54	-38.84	41.40	1	Horizontal	3	1.55	-	37.74	15.22	49.66
AV	19.30838G	31.93	63.54	-31.61	28.62	1	Horizontal	3	1.55	-	37.75	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.749G	58.82	88.20	-29.38	52.40	3	Vertical	13	1.04	-	34.40	5.30	33.28
RMS	5.758G	46.12	68.20	-22.08	39.68	3	Vertical	13	1.04	-	34.42	5.30	33.28
PK	6.484G	98.56	Inf	-Inf	90.17	3	Vertical	13	1.04	-	35.74	5.70	33.05
RMS	6.484G	87.41	Inf	-Inf	79.02	3	Vertical	13	1.04	-	35.74	5.70	33.05
PK	7.192G	61.92	88.20	-26.28	52.17	3	Vertical	13	1.04	-	37.27	6.00	33.52
RMS	7.201G	49.40	68.20	-18.80	39.63	3	Vertical	13	1.04	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUTX_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.821G	58.27	88.20	-29.93	51.64	3	Horizontal	75	2.01	-	34.63	5.31	33.31
RMS	5.824G	46.20	68.20	-22.00	39.56	3	Horizontal	75	2.01	-	34.64	5.31	33.31
PK	6.484G	107.63	Inf	-Inf	99.24	3	Horizontal	75	2.01	-	35.74	5.70	33.05
RMS	6.484G	95.69	Inf	-Inf	87.30	3	Horizontal	75	2.01	-	35.74	5.70	33.05
PK	7.219G	62.32	88.20	-25.88	52.52	3	Horizontal	75	2.01	-	37.34	6.01	33.55
RMS	7.204G	49.56	68.20	-18.64	39.78	3	Horizontal	75	2.01	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95144G	54.61	88.20	-33.59	40.91	3	Vertical	279	1.06	-	39.60	8.81	34.71
RMS	12.94508G	41.11	68.20	-27.09	27.42	3	Vertical	279	1.06	-	39.59	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95126G	55.01	88.20	-33.19	41.31	3	Horizontal	186	1.68	-	39.60	8.81	34.71
RMS	12.95116G	41.14	68.20	-27.06	27.44	3	Horizontal	186	1.68	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42466G	45.76	83.54	-37.78	42.33	1	Vertical	319	1.56	-	37.84	15.27	49.68
AV	19.42758G	32.07	63.54	-31.47	28.65	1	Vertical	319	1.56	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUTX_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42286G	44.75	83.54	-38.79	41.32	1	Horizontal	42	1.58	-	37.84	15.27	49.68
AV	19.42194G	31.90	63.54	-31.64	28.47	1	Horizontal	42	1.58	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8514G	58.22	88.20	-29.98	51.41	3	Vertical	12	1.01	-	34.80	5.33	33.32
RMS	5.8934G	46.02	68.20	-22.18	39.12	3	Vertical	12	1.01	-	34.89	5.35	33.34
PK	6.5094G	99.01	Inf	-Inf	90.51	3	Vertical	12	1.01	-	35.84	5.70	33.04
RMS	6.5206G	86.87	Inf	-Inf	78.34	3	Vertical	12	1.01	-	35.88	5.70	33.05
PK	7.1366G	61.03	88.20	-27.17	51.52	3	Vertical	12	1.01	-	36.99	5.97	33.45
RMS	7.2122G	49.40	68.20	-18.80	39.61	3	Vertical	12	1.01	-	37.32	6.01	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	58.87	88.20	-29.33	51.99	3	Horizontal	76	2.02	-	34.87	5.34	33.33
RMS	5.9214G	46.03	68.20	-22.17	38.99	3	Horizontal	76	2.02	-	35.03	5.36	33.35
PK	6.5234G	107.18	Inf	-Inf	98.64	3	Horizontal	76	2.02	-	35.89	5.70	33.05
RMS	6.5234G	95.80	Inf	-Inf	87.26	3	Horizontal	76	2.02	-	35.89	5.70	33.05
PK	7.1394G	61.69	88.20	-26.51	52.16	3	Horizontal	76	2.02	-	37.02	5.97	33.46
RMS	7.201G	49.34	68.20	-18.86	39.57	3	Horizontal	76	2.02	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02826G	55.99	88.20	-32.21	42.20	3	Vertical	226	1.83	-	39.70	8.79	34.70
RMS	13.0296G	41.99	68.20	-26.21	28.20	3	Vertical	226	1.83	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02968G	55.75	88.20	-32.45	41.96	3	Horizontal	80	2.35	-	39.70	8.79	34.70
RMS	13.02644G	41.97	68.20	-26.23	28.18	3	Horizontal	80	2.35	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54694G	45.14	83.54	-38.40	41.64	1	Vertical	252	1.58	-	37.88	15.32	49.70
AV	19.54916G	31.17	63.54	-32.37	27.67	1	Vertical	252	1.58	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54946G	44.56	83.54	-38.98	41.06	1	Horizontal	140	1.57	-	37.88	15.32	49.70
AV	19.54636G	31.00	63.54	-32.54	27.50	1	Horizontal	140	1.57	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	58.09	88.20	-30.11	51.23	3	Vertical	344	2.90	-	34.85	5.34	33.33
RMS	5.9246G	46.07	68.20	-22.13	39.01	3	Vertical	344	2.90	-	35.05	5.36	33.35
PK	6.5378G	98.11	Inf	-Inf	89.52	3	Vertical	344	2.90	-	35.95	5.70	33.06
RMS	6.5434G	86.43	Inf	-Inf	77.82	3	Vertical	344	2.90	-	35.97	5.70	33.06
PK	7.137G	60.72	88.20	-27.48	51.20	3	Vertical	344	2.90	-	37.00	5.97	33.45
RMS	7.2098G	49.42	68.20	-18.78	39.64	3	Vertical	344	2.90	-	37.32	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	58.63	88.20	-29.57	51.72	3	Horizontal	70	1.80	-	34.90	5.35	33.34
RMS	5.9218G	46.09	68.20	-22.11	39.05	3	Horizontal	70	1.80	-	35.03	5.36	33.35
PK	6.5294G	107.12	Inf	-Inf	98.55	3	Horizontal	70	1.80	-	35.92	5.70	33.05
RMS	6.5266G	95.71	Inf	-Inf	87.15	3	Horizontal	70	1.80	-	35.91	5.70	33.05
PK	7.207G	61.40	88.20	-26.80	51.63	3	Horizontal	70	1.80	-	37.31	6.00	33.54
RMS	7.1986G	49.48	68.20	-18.72	39.72	3	Horizontal	70	1.80	-	37.29	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.074G	56.29	88.20	-31.91	42.50	3	Vertical	340	1.86	-	39.70	8.79	34.70
RMS	13.0744G	41.83	68.20	-26.37	28.04	3	Vertical	340	1.86	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06884G	55.03	88.20	-33.17	41.24	3	Horizontal	6	1.11	-	39.70	8.79	34.70
RMS	13.06564G	41.95	68.20	-26.25	28.16	3	Horizontal	6	1.11	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60672G	45.02	83.54	-38.52	41.52	1	Vertical	76	1.50	-	37.86	15.34	49.70
AV	19.60962G	31.51	63.54	-32.03	28.01	1	Vertical	76	1.50	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60642G	44.69	83.54	-38.85	41.19	1	Horizontal	82	1.52	-	37.86	15.34	49.70
AV	19.60122G	31.29	63.54	-32.25	27.79	1	Horizontal	82	1.52	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	96.78	Inf	-Inf	88.00	3	Vertical	28	2.90	-	36.22	5.70	33.14
RMS	6.7038G	85.60	Inf	-Inf	76.82	3	Vertical	28	2.90	-	36.22	5.70	33.14
PK	7.1746G	62.40	88.20	-25.80	52.71	3	Vertical	28	2.90	-	37.20	5.99	33.50
RMS	7.201G	49.47	68.20	-18.73	39.70	3	Vertical	28	2.90	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	96.13	Inf	-Inf	87.36	3	Horizontal	34	1.71	-	36.21	5.70	33.14
RMS	6.7038G	84.62	Inf	-Inf	75.84	3	Horizontal	34	1.71	-	36.22	5.70	33.14
PK	7.1306G	61.43	88.20	-26.77	51.97	3	Horizontal	34	1.71	-	36.94	5.97	33.45
RMS	7.2296G	49.44	68.20	-18.76	39.64	3	Horizontal	34	1.71	-	37.36	6.01	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38646G	55.69	74.00	-18.31	41.52	3	Vertical	225	1.49	-	40.17	8.72	34.72
AV	13.39158G	42.05	54.00	-11.95	27.87	3	Vertical	225	1.49	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39416G	55.53	74.00	-18.47	41.34	3	Horizontal	268	1.89	-	40.19	8.72	34.72
AV	13.3913G	42.10	54.00	-11.90	27.92	3	Horizontal	268	1.89	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0825G	45.03	83.54	-38.51	41.75	1	Vertical	292	1.50	-	37.47	15.54	49.73
AV	20.08218G	31.56	63.54	-31.98	28.28	1	Vertical	292	1.50	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 11.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08788G	44.86	83.54	-38.68	41.59	1	Horizontal	17	1.53	-	37.47	15.54	49.74
AV	20.0819G	31.50	63.54	-32.04	28.22	1	Horizontal	17	1.53	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	99.55	Inf	-Inf	90.42	3	Vertical	337	2.79	-	36.59	5.75	33.21
RMS	6.8466G	87.23	Inf	-Inf	78.11	3	Vertical	337	2.79	-	36.58	5.75	33.21
PK	7.1658G	61.58	88.20	-26.62	51.93	3	Vertical	337	2.79	-	37.16	5.98	33.49
RMS	7.2022G	49.53	68.20	-18.67	39.76	3	Vertical	337	2.79	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_X_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	108.77	Inf	-Inf	99.64	3	Horizontal	62	2.02	-	36.60	5.75	33.22
RMS	6.8466G	96.53	Inf	-Inf	87.41	3	Horizontal	62	2.02	-	36.58	5.75	33.21
PK	7.1574G	62.23	88.20	-25.97	52.60	3	Horizontal	62	2.02	-	37.13	5.98	33.48
RMS	7.2036G	49.68	68.20	-18.52	39.90	3	Horizontal	62	2.02	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71042G	58.19	88.20	-30.01	43.93	3	Vertical	257	1.95	-	40.41	8.66	34.81
RMS	13.70788G	43.67	68.20	-24.53	29.41	3	Vertical	257	1.95	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70584G	57.32	88.20	-30.88	43.06	3	Horizontal	46	2.58	-	40.41	8.66	34.81
RMS	13.70734G	43.75	68.20	-24.45	29.49	3	Horizontal	46	2.58	-	40.41	8.66	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56386G	45.73	83.54	-37.81	42.07	1	Vertical	163	1.56	-	37.78	15.75	49.87
AV	20.56132G	32.06	63.54	-31.48	28.42	1	Vertical	163	1.56	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 12
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5698G	45.62	83.54	-37.92	41.95	1	Horizontal	80	1.54	-	37.78	15.76	49.87
AV	20.56404G	32.04	63.54	-31.50	28.38	1	Horizontal	80	1.54	-	37.78	15.75	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	99.89	Inf	-Inf	90.86	3	Vertical	336	2.75	-	36.48	5.78	33.23
RMS	6.8834G	86.83	Inf	-Inf	77.81	3	Vertical	336	2.75	-	36.47	5.78	33.23
PK	7.1858G	61.79	88.20	-26.41	52.07	3	Vertical	336	2.75	-	37.24	5.99	33.51
RMS	7.2152G	49.55	68.20	-18.65	39.76	3	Vertical	336	2.75	-	37.33	6.01	33.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUTX_1TX
Setting 12
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8708G	108.65	Inf	-Inf	99.59	3	Horizontal	75	2.57	-	36.52	5.77	33.23
RMS	6.8666G	96.94	Inf	-Inf	87.86	3	Horizontal	75	2.57	-	36.53	5.77	33.22
PK	7.148G	62.22	88.20	-25.98	52.64	3	Horizontal	75	2.57	-	37.08	5.97	33.47
RMS	7.1956G	49.40	68.20	-18.80	39.64	3	Horizontal	75	2.57	-	37.28	6.00	33.52