


### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUT Y\_1TX  
Setting 22  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55264G	47.52	83.54	-36.02	44.87	1	Vertical	76	1.56	-	37.78	14.92	50.05
AV	18.55296G	33.56	63.54	-29.98	30.91	1	Vertical	76	1.56	-	37.78	14.92	50.05

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55828G	47.79	83.54	-35.75	45.13	1	Horizontal	8	1.57	-	37.78	14.92	50.04
AV	18.55006G	33.47	63.54	-30.07	30.82	1	Horizontal	8	1.57	-	37.78	14.92	50.05

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	62.91	88.20	-25.29	54.30	3	Vertical	56	1.76	-	34.95	6.60	32.94
RMS	5.923G	52.26	68.20	-15.94	43.61	3	Vertical	56	1.76	-	34.99	6.60	32.94
PK	6.387G	110.68	Inf	-Inf	101.12	3	Vertical	56	1.76	-	35.52	6.99	32.95
RMS	6.371G	100.35	Inf	-Inf	90.88	3	Vertical	56	1.76	-	35.43	6.99	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.20	88.20	-27.00	52.58	3	Horizontal	10	2.84	-	34.96	6.60	32.94
RMS	5.925G	50.83	68.20	-17.37	42.17	3	Horizontal	10	2.84	-	35.00	6.60	32.94
PK	6.327G	105.26	Inf	-Inf	95.95	3	Horizontal	10	2.84	-	35.30	6.96	32.95
RMS	6.339G	95.13	Inf	-Inf	85.81	3	Horizontal	10	2.84	-	35.30	6.97	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT Y\_1TX  
Setting 23  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6858G	56.72	74.00	-17.28	40.47	3	Vertical	43	1.57	-	38.96	9.31	32.02
AV	12.68654G	43.07	54.00	-10.93	26.82	3	Vertical	43	1.57	-	38.96	9.31	32.02

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69042G	56.91	74.00	-17.09	40.65	3	Horizontal	254	1.53	-	38.97	9.31	32.02
AV	12.69188G	43.02	54.00	-10.98	26.74	3	Horizontal	254	1.53	-	38.98	9.31	32.01

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT Y\_1TX  
Setting 23  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03226G	48.75	83.54	-34.79	45.29	1	Vertical	3	1.53	-	37.96	15.11	49.61
AV	19.03998G	34.34	63.54	-29.20	30.88	1	Vertical	3	1.53	-	37.95	15.12	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT Y\_1TX  
Setting 23  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03134G	47.88	83.54	-35.66	44.42	1	Horizontal	114	1.51	-	37.96	15.11	49.61
AV	19.03082G	34.44	63.54	-29.10	30.98	1	Horizontal	114	1.51	-	37.96	15.11	49.61



802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	61.35	88.20	-26.85	52.71	3	Vertical	54	1.80	-	34.98	6.60	32.94
RMS	5.925G	51.01	68.20	-17.19	42.35	3	Vertical	54	1.80	-	35.00	6.60	32.94
PK	6.5078G	110.25	Inf	-Inf	100.57	3	Vertical	54	1.80	-	35.63	7.00	32.95
RMS	6.4826G	99.67	Inf	-Inf	90.09	3	Vertical	54	1.80	-	35.53	7.00	32.95
PK	7.1658G	63.73	88.20	-24.47	52.68	3	Vertical	54	1.80	-	36.96	7.22	33.13
RMS	7.1266G	52.91	68.20	-15.29	42.10	3	Vertical	54	1.80	-	36.71	7.24	33.14

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	60.47	88.20	-27.73	51.92	3	Horizontal	27	2.78	-	34.89	6.60	32.94
RMS	5.9058G	50.35	68.20	-17.85	41.77	3	Horizontal	27	2.78	-	34.92	6.60	32.94
PK	6.5554G	103.94	Inf	-Inf	94.11	3	Horizontal	27	2.78	-	35.81	7.00	32.98
RMS	6.5358G	94.24	Inf	-Inf	84.47	3	Horizontal	27	2.78	-	35.74	7.00	32.97
PK	7.1882G	63.53	88.20	-24.67	52.39	3	Horizontal	27	2.78	-	37.05	7.21	33.12
RMS	7.1742G	52.76	68.20	-15.44	41.68	3	Horizontal	27	2.78	-	37.00	7.21	33.13

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT V\_1TX  
Setting 24  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0092G	58.61	88.20	-29.59	41.16	3	Vertical	48	1.19	-	39.61	9.45	31.61
RMS	13.00694G	44.28	68.20	-23.92	26.83	3	Vertical	48	1.19	-	39.61	9.45	31.61

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_1TX  
Setting 24  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00602G	58.34	88.20	-29.86	40.89	3	Horizontal	55	2.10	-	39.61	9.45	31.61
RMS	13.00694G	44.18	68.20	-24.02	26.73	3	Horizontal	55	2.10	-	39.61	9.45	31.61

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_1TX  
Setting 24  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5183G	48.42	83.54	-35.12	44.92	1	Vertical	233	1.57	-	37.89	15.31	49.70
AV	19.51632G	34.82	63.54	-28.72	31.32	1	Vertical	233	1.57	-	37.89	15.31	49.70

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT V\_1TX  
Setting 24  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51674G	48.62	83.54	-34.92	45.12	1	Horizontal	49	1.53	-	37.89	15.31	49.70
AV	19.51404G	34.84	63.54	-28.70	31.34	1	Horizontal	49	1.53	-	37.89	15.31	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	110.34	Inf	-Inf	100.37	3	Vertical	291	1.76	-	35.99	7.00	33.02
RMS	6.6474G	100.19	Inf	-Inf	90.22	3	Vertical	291	1.76	-	35.99	7.00	33.02
PK	7.1336G	65.43	88.20	-22.77	54.57	3	Vertical	291	1.76	-	36.77	7.23	33.14
RMS	7.138G	54.90	68.20	-13.30	44.01	3	Vertical	291	1.76	-	36.80	7.23	33.14

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	104.48	Inf	-Inf	94.52	3	Horizontal	0	2.73	-	35.98	7.00	33.02
RMS	6.6408G	94.03	Inf	-Inf	84.07	3	Horizontal	0	2.73	-	35.98	7.00	33.02
PK	7.1358G	64.09	88.20	-24.11	53.21	3	Horizontal	0	2.73	-	36.79	7.23	33.14
RMS	7.138G	53.26	68.20	-14.94	42.37	3	Horizontal	0	2.73	-	36.80	7.23	33.14



802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33028G	59.22	74.00	-14.78	40.76	3	Vertical	209	2.45	-	40.06	9.60	31.20
AV	13.33026G	45.19	54.00	-8.81	26.73	3	Vertical	209	2.45	-	40.06	9.60	31.20

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32718G	58.74	74.00	-15.26	40.30	3	Horizontal	337	2.86	-	40.05	9.60	31.21
AV	13.33298G	45.15	54.00	-8.85	26.68	3	Horizontal	337	2.86	-	40.07	9.60	31.20

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99276G	48.02	83.54	-35.52	44.81	1	Vertical	142	1.58	-	37.41	15.50	49.70
AV	19.99546G	34.50	63.54	-29.04	31.29	1	Vertical	142	1.58	-	37.41	15.50	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9958G	48.21	83.54	-35.33	45.00	1	Horizontal	182	1.56	-	37.41	15.50	49.70
AV	19.9928G	34.64	63.54	-28.90	31.43	1	Horizontal	182	1.56	-	37.41	15.50	49.70

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT V\_1TX  
Setting 23  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7706G	110.43	Inf	-Inf	100.31	3	Vertical	284	1.53	-	36.20	7.00	33.08
RMS	6.8106G	99.49	Inf	-Inf	89.29	3	Vertical	284	1.53	-	36.28	7.02	33.10
PK	7.1258G	70.42	88.20	-17.78	59.61	3	Vertical	284	1.53	-	36.71	7.24	33.14
RMS	7.1258G	60.29	68.20	-7.91	49.48	3	Vertical	284	1.53	-	36.71	7.24	33.14

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT V\_1TX  
Setting 23  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	104.60	Inf	-Inf	94.40	3	Horizontal	351	3.00	-	36.28	7.02	33.10
RMS	6.8154G	94.39	Inf	-Inf	84.15	3	Horizontal	351	3.00	-	36.32	7.02	33.10
PK	7.1258G	67.59	88.20	-20.61	56.78	3	Horizontal	351	3.00	-	36.71	7.24	33.14
RMS	7.137G	57.17	68.20	-11.03	46.28	3	Horizontal	351	3.00	-	36.80	7.23	33.14

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT V\_1TX  
Setting 23  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64852G	61.41	88.20	-26.79	42.36	3	Vertical	97	1.77	-	40.40	9.74	31.09
RMS	13.64724G	47.62	68.20	-20.58	28.58	3	Vertical	97	1.77	-	40.39	9.74	31.09

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



27/04/2022


EUT V\_1TX  
Setting 23  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64932G	61.92	88.20	-26.28	42.87	3	Horizontal	243	2.76	-	40.40	9.74	31.09
RMS	13.65276G	47.66	68.20	-20.54	28.60	3	Horizontal	243	2.76	-	40.41	9.74	31.09



**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT V\_1TX  
Setting 23  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4752G	47.35	83.54	-36.19	43.84	1	Vertical	198	1.53	-	37.69	15.71	49.89
AV	20.47398G	33.84	63.54	-29.70	30.33	1	Vertical	198	1.53	-	37.69	15.71	49.89

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT V\_1TX  
Setting 23  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4772G	47.62	83.54	-35.92	44.11	1	Horizontal	307	1.53	-	37.69	15.71	49.89
AV	20.47996G	33.92	63.54	-29.62	30.40	1	Horizontal	307	1.53	-	37.69	15.72	49.89

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.981G	108.46	Inf	-Inf	97.99	3	Vertical	288	1.63	-	36.38	7.27	33.18
RMS	6.979G	97.83	Inf	-Inf	87.36	3	Vertical	288	1.63	-	36.38	7.27	33.18
PK	7.141G	78.65	88.20	-9.55	67.73	3	Vertical	288	1.63	-	36.83	7.23	33.14
RMS	7.125G	66.45	68.20	-1.75	55.65	3	Vertical	288	1.63	-	36.70	7.24	33.14

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.988G	103.10	Inf	-Inf	92.65	3	Horizontal	13	3.00	-	36.35	7.28	33.18
RMS	6.999G	92.54	Inf	-Inf	82.13	3	Horizontal	13	3.00	-	36.30	7.30	33.19
PK	7.142G	74.36	88.20	-13.84	63.43	3	Horizontal	13	3.00	-	36.84	7.23	33.14
RMS	7.129G	62.59	68.20	-5.61	51.76	3	Horizontal	13	3.00	-	36.73	7.24	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96638G	63.13	88.20	-25.07	43.66	3	Vertical	45	1.70	-	40.90	9.88	31.31
RMS	13.97216G	49.45	68.20	-18.75	29.97	3	Vertical	45	1.70	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97038G	63.41	88.20	-24.79	43.93	3	Horizontal	320	2.92	-	40.90	9.89	31.31
RMS	13.96896G	49.45	68.20	-18.75	29.97	3	Horizontal	320	2.92	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95568G	47.46	83.54	-36.08	43.58	1	Vertical	173	1.53	-	37.67	15.93	49.72
AV	20.95298G	33.52	63.54	-30.02	29.63	1	Vertical	173	1.53	-	37.68	15.93	49.72

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom



EUT V\_1TX  
Setting 20.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95378G	47.53	83.54	-36.01	43.65	1	Horizontal	146	1.52	-	37.67	15.93	49.72
AV	20.9585G	33.32	63.54	-30.22	29.44	1	Horizontal	146	1.52	-	37.67	15.93	49.72






For non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.10	68.20	-0.10	3	Vertical	65	1.80	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	61.75	88.20	-26.45	53.21	3	Vertical	300	1.78	-	34.88	6.60	32.94
RMS	5.9242G	48.85	68.20	-19.35	40.19	3	Vertical	300	1.78	-	35.00	6.60	32.94
PK	5.963G	111.32	Inf	-Inf	102.52	3	Vertical	300	1.78	-	35.15	6.60	32.95
RMS	5.963G	99.17	Inf	-Inf	90.37	3	Vertical	300	1.78	-	35.15	6.60	32.95

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	61.57	88.20	-26.63	52.99	3	Horizontal	37	2.92	-	34.92	6.60	32.94
RMS	5.8754G	48.91	68.20	-19.29	40.40	3	Horizontal	37	2.92	-	34.85	6.60	32.94
PK	5.9498G	104.53	Inf	-Inf	95.77	3	Horizontal	37	2.92	-	35.10	6.60	32.94
RMS	5.9486G	91.80	Inf	-Inf	83.05	3	Horizontal	37	2.92	-	35.09	6.60	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 7.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91136G	56.18	74.00	-17.82	41.57	3	Vertical	328	1.17	-	38.50	8.98	32.87
AV	11.91468G	42.44	54.00	-11.56	27.83	3	Vertical	328	1.17	-	38.50	8.98	32.87
PK	17.86426G	67.47	74.00	-6.53	45.45	3	Vertical	70	1.97	-	42.66	11.06	31.70
AV	17.86848G	52.70	54.00	-1.30	30.67	3	Vertical	70	1.97	-	42.67	11.06	31.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90676G	56.44	74.00	-17.56	41.83	3	Horizontal	119	1.52	-	38.50	8.98	32.87
AV	11.91396G	42.51	54.00	-11.49	27.90	3	Horizontal	119	1.52	-	38.50	8.98	32.87
PK	17.8623G	67.84	74.00	-6.16	45.83	3	Horizontal	130	2.63	-	42.65	11.06	31.70
AV	17.8615G	52.81	54.00	-1.19	30.80	3	Horizontal	130	2.63	-	42.65	11.06	31.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT V\_2TX  
Setting 7  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	61.71	88.20	-26.49	53.11	3	Vertical	304	1.78	-	34.94	6.60	32.94
RMS	5.8762G	48.89	68.20	-19.31	40.38	3	Vertical	304	1.78	-	34.85	6.60	32.94
PK	6.1846G	110.67	Inf	-Inf	101.30	3	Vertical	304	1.78	-	35.44	6.88	32.95
RMS	6.1834G	99.59	Inf	-Inf	90.23	3	Vertical	304	1.78	-	35.43	6.88	32.95

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	61.48	88.20	-26.72	52.91	3	Horizontal	47	2.96	-	34.91	6.60	32.94
RMS	5.8798G	48.85	68.20	-19.35	40.33	3	Horizontal	47	2.96	-	34.86	6.60	32.94
PK	6.1666G	105.24	Inf	-Inf	95.97	3	Horizontal	47	2.96	-	35.37	6.85	32.95
RMS	6.1678G	92.96	Inf	-Inf	83.69	3	Horizontal	47	2.96	-	35.37	6.85	32.95

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 7  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35178G	57.89	74.00	-16.11	42.57	3	Vertical	325	1.47	-	38.60	9.16	32.44
RMS	12.35024G	43.41	54.00	-10.59	28.10	3	Vertical	325	1.47	-	38.60	9.16	32.45



802.11ax HEW20\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT V\_2TX  
Setting 7  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35332G	57.14	74.00	-16.86	41.81	3	Horizontal	196	1.82	-	38.61	9.16	32.44
RMS	12.35308G	43.42	54.00	-10.58	28.09	3	Horizontal	196	1.82	-	38.61	9.16	32.44

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 7  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52288G	47.40	83.54	-36.14	44.78	1	Vertical	231	1.54	-	37.79	14.91	50.08
AV	18.5238G	33.80	63.54	-29.74	31.18	1	Vertical	231	1.54	-	37.79	14.91	50.08

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 7  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5272G	47.65	83.54	-35.89	45.02	1	Horizontal	57	1.53	-	37.79	14.91	50.07
AV	18.52032G	33.88	63.54	-29.66	31.26	1	Horizontal	57	1.53	-	37.79	14.91	50.08

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.815G	61.35	88.20	-26.85	53.16	3	Vertical	66	2.45	-	34.52	6.60	32.93
RMS	5.9062G	48.92	68.20	-19.28	40.34	3	Vertical	66	2.45	-	34.92	6.60	32.94
PK	6.4174G	110.14	Inf	-Inf	100.56	3	Vertical	66	2.45	-	35.53	7.00	32.95
RMS	6.4054G	98.51	Inf	-Inf	88.88	3	Vertical	66	2.45	-	35.58	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	62.24	88.20	-25.96	53.73	3	Horizontal	2	2.79	-	34.85	6.60	32.94
RMS	5.8486G	48.89	68.20	-19.31	40.43	3	Horizontal	2	2.79	-	34.79	6.60	32.93
PK	6.4246G	104.93	Inf	-Inf	95.38	3	Horizontal	2	2.79	-	35.50	7.00	32.95
RMS	6.4054G	92.90	Inf	-Inf	83.27	3	Horizontal	2	2.79	-	35.58	7.00	32.95

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83356G	57.72	88.20	-30.48	40.94	3	Vertical	91	1.17	-	39.23	9.38	31.83
RMS	12.82508G	44.08	68.20	-24.12	27.32	3	Vertical	91	1.17	-	39.23	9.37	31.84

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8332G	58.20	88.20	-30.00	41.43	3	Horizontal	131	1.79	-	39.23	9.37	31.83
RMS	12.82512G	44.21	68.20	-23.99	27.45	3	Horizontal	131	1.79	-	39.23	9.37	31.84

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2467G	46.80	83.54	-36.74	43.55	1	Vertical	130	1.52	-	37.70	15.20	49.65
AV	19.24068G	33.18	63.54	-30.36	29.92	1	Vertical	130	1.52	-	37.71	15.20	49.65



802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24334G	47.11	83.54	-36.43	43.85	1	Horizontal	52	1.52	-	37.71	15.20	49.65
AV	19.24444G	33.16	63.54	-30.38	29.90	1	Horizontal	52	1.52	-	37.71	15.20	49.65

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	61.39	88.20	-26.81	52.90	3	Vertical	64	2.37	-	34.83	6.60	32.94
RMS	5.8448G	50.69	68.20	-17.51	42.26	3	Vertical	64	2.37	-	34.76	6.60	32.93
PK	6.4272G	111.35	Inf	-Inf	101.81	3	Vertical	64	2.37	-	35.49	7.00	32.95
RMS	6.4272G	100.38	Inf	-Inf	90.84	3	Vertical	64	2.37	-	35.49	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8812G	61.44	88.20	-26.76	52.92	3	Horizontal	0	2.78	-	34.86	6.60	32.94
RMS	5.9176G	48.92	68.20	-19.28	40.29	3	Horizontal	0	2.78	-	34.97	6.60	32.94
PK	6.4272G	105.13	Inf	-Inf	95.59	3	Horizontal	0	2.78	-	35.49	7.00	32.95
RMS	6.4272G	93.49	Inf	-Inf	83.95	3	Horizontal	0	2.78	-	35.49	7.00	32.95

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87242G	57.65	88.20	-30.55	40.77	3	Vertical	63	1.17	-	39.27	9.39	31.78
RMS	12.8725G	44.29	68.20	-23.91	27.41	3	Vertical	63	1.17	-	39.27	9.39	31.78

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87122G	57.85	88.20	-30.35	40.97	3	Horizontal	221	1.65	-	39.27	9.39	31.78
RMS	12.87268G	44.25	68.20	-23.95	27.37	3	Horizontal	221	1.65	-	39.27	9.39	31.78

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30832G	46.98	83.54	-36.56	43.67	1	Vertical	229	1.51	-	37.75	15.22	49.66
AV	19.30602G	33.58	63.54	-29.96	30.28	1	Vertical	229	1.51	-	37.74	15.22	49.66

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30236G	47.33	83.54	-36.21	44.03	1	Horizontal	149	1.58	-	37.74	15.22	49.66
AV	19.30136G	33.67	63.54	-29.87	30.37	1	Horizontal	149	1.58	-	37.74	15.22	49.66

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7862G	61.60	88.20	-26.60	53.53	3	Vertical	65	2.32	-	34.40	6.60	32.93
RMS	5.8366G	49.01	68.20	-19.19	40.65	3	Vertical	65	2.32	-	34.69	6.60	32.93
PK	6.4666G	110.48	Inf	-Inf	100.96	3	Vertical	65	2.32	-	35.47	7.00	32.95
RMS	6.4666G	99.68	Inf	-Inf	90.16	3	Vertical	65	2.32	-	35.47	7.00	32.95
PK	7.1498G	63.26	88.20	-24.94	52.27	3	Vertical	65	2.32	-	36.90	7.23	33.14
RMS	7.175G	51.48	68.20	-16.72	40.40	3	Vertical	65	2.32	-	37.00	7.21	33.13



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.23	88.20	-26.97	52.61	3	Horizontal	354	2.85	-	34.96	6.60	32.94
RMS	5.85G	49.01	68.20	-19.19	40.54	3	Horizontal	354	2.85	-	34.80	6.60	32.93
PK	6.4666G	103.60	Inf	-Inf	94.08	3	Horizontal	354	2.85	-	35.47	7.00	32.95
RMS	6.4666G	92.04	Inf	-Inf	82.52	3	Horizontal	354	2.85	-	35.47	7.00	32.95
PK	7.1666G	63.75	88.20	-24.45	52.69	3	Horizontal	354	2.85	-	36.97	7.22	33.13
RMS	7.161G	51.43	68.20	-16.77	40.40	3	Horizontal	354	2.85	-	36.94	7.22	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9543G	58.45	88.20	-29.75	41.24	3	Vertical	123	2.03	-	39.46	9.43	31.68
RMS	12.94702G	44.62	68.20	-23.58	27.44	3	Vertical	123	2.03	-	39.44	9.43	31.69

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95484G	58.00	88.20	-30.20	40.79	3	Horizontal	275	1.50	-	39.46	9.43	31.68
RMS	12.9454G	44.69	68.20	-23.51	27.51	3	Horizontal	275	1.50	-	39.44	9.43	31.69

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42714G	47.90	83.54	-35.64	44.48	1	Vertical	15	1.53	-	37.84	15.27	49.69
AV	19.42458G	34.44	63.54	-29.10	31.01	1	Vertical	15	1.53	-	37.84	15.27	49.68

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42522G	48.29	83.54	-35.25	44.87	1	Horizontal	239	1.50	-	37.84	15.27	49.69
AV	19.4219G	34.31	63.54	-29.23	30.88	1	Horizontal	239	1.50	-	37.84	15.27	49.68

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	61.40	88.20	-26.80	52.90	3	Vertical	295	1.65	-	34.84	6.60	32.94
RMS	5.8374G	48.88	68.20	-19.32	40.51	3	Vertical	295	1.65	-	34.70	6.60	32.93
PK	6.5066G	109.72	Inf	-Inf	100.04	3	Vertical	295	1.65	-	35.63	7.00	32.95
RMS	6.5066G	98.98	Inf	-Inf	89.30	3	Vertical	295	1.65	-	35.63	7.00	32.95
PK	7.1786G	64.27	88.20	-23.93	53.18	3	Vertical	295	1.65	-	37.01	7.21	33.13
RMS	7.1702G	51.76	68.20	-16.44	40.70	3	Vertical	295	1.65	-	36.98	7.21	33.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	60.55	88.20	-27.65	52.00	3	Horizontal	341	1.26	-	34.89	6.60	32.94
RMS	5.8514G	48.93	68.20	-19.27	40.47	3	Horizontal	341	1.26	-	34.80	6.60	32.94
PK	6.5094G	103.77	Inf	-Inf	94.08	3	Horizontal	341	1.26	-	35.64	7.00	32.95
RMS	6.5094G	90.59	Inf	-Inf	80.90	3	Horizontal	341	1.26	-	35.64	7.00	32.95
PK	7.1562G	63.58	88.20	-24.62	52.57	3	Horizontal	341	1.26	-	36.92	7.22	33.13
RMS	7.1786G	51.69	68.20	-16.51	40.60	3	Horizontal	341	1.26	-	37.01	7.21	33.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02874G	58.19	88.20	-30.01	40.68	3	Vertical	84	1.14	-	39.63	9.46	31.58
RMS	13.02644G	44.61	68.20	-23.59	27.11	3	Vertical	84	1.14	-	39.63	9.46	31.59



802.11ax HEW20\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03054G	58.11	88.20	-30.09	40.60	3	Horizontal	123	1.86	-	39.63	9.46	31.58
RMS	13.02536G	44.59	68.20	-23.61	27.09	3	Horizontal	123	1.86	-	39.63	9.46	31.59

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54034G	49.18	83.54	-34.36	45.68	1	Vertical	50	1.52	-	37.88	15.32	49.70
AV	19.54602G	34.93	63.54	-28.61	31.43	1	Vertical	50	1.52	-	37.88	15.32	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54182G	48.56	83.54	-34.98	45.06	1	Horizontal	359	1.50	-	37.88	15.32	49.70
AV	19.5423G	34.92	63.54	-28.62	31.42	1	Horizontal	359	1.50	-	37.88	15.32	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	61.24	88.20	-26.96	52.70	3	Vertical	298	1.72	-	34.88	6.60	32.94
RMS	5.9246G	48.90	68.20	-19.30	40.24	3	Vertical	298	1.72	-	35.00	6.60	32.94
PK	6.535G	110.41	Inf	-Inf	100.64	3	Vertical	298	1.72	-	35.74	7.00	32.97
RMS	6.5266G	98.67	Inf	-Inf	88.92	3	Vertical	298	1.72	-	35.71	7.00	32.96
PK	7.1902G	63.66	88.20	-24.54	52.52	3	Vertical	298	1.72	-	37.06	7.20	33.12
RMS	7.1902G	51.67	68.20	-16.53	40.53	3	Vertical	298	1.72	-	37.06	7.20	33.12

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8686G	60.71	88.20	-27.49	52.21	3	Horizontal	342	1.27	-	34.84	6.60	32.94
RMS	5.8462G	48.95	68.20	-19.25	40.51	3	Horizontal	342	1.27	-	34.77	6.60	32.93
PK	6.5266G	102.38	Inf	-Inf	92.63	3	Horizontal	342	1.27	-	35.71	7.00	32.96
RMS	6.5294G	91.29	Inf	-Inf	81.53	3	Horizontal	342	1.27	-	35.72	7.00	32.96
PK	7.2182G	63.89	88.20	-24.31	52.68	3	Horizontal	342	1.27	-	37.10	7.22	33.11
RMS	7.1902G	51.68	68.20	-16.52	40.54	3	Horizontal	342	1.27	-	37.06	7.20	33.12

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06606G	58.82	88.20	-29.38	41.21	3	Vertical	193	2.68	-	39.67	9.48	31.54
RMS	13.07406G	44.44	68.20	-23.76	26.82	3	Vertical	193	2.68	-	39.67	9.48	31.53

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06732G	58.88	88.20	-29.32	41.27	3	Horizontal	176	2.89	-	39.67	9.48	31.54
RMS	13.07086G	44.59	68.20	-23.61	26.97	3	Horizontal	176	2.89	-	39.67	9.48	31.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60092G	48.11	83.54	-35.43	44.61	1	Vertical	254	1.57	-	37.86	15.34	49.70
AV	19.60104G	34.51	63.54	-29.03	31.01	1	Vertical	254	1.57	-	37.86	15.34	49.70



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6079G	48.11	83.54	-35.43	44.61	1	Horizontal	22	1.55	-	37.86	15.34	49.70
AV	19.60178G	34.37	63.54	-29.17	30.87	1	Horizontal	22	1.55	-	37.86	15.34	49.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	108.40	Inf	-Inf	98.53	3	Vertical	297	1.79	-	35.91	7.00	33.04
RMS	6.6862G	98.10	Inf	-Inf	88.21	3	Vertical	297	1.79	-	35.93	7.00	33.04
PK	7.1988G	63.30	88.20	-24.90	52.12	3	Vertical	297	1.79	-	37.10	7.20	33.12
RMS	7.1702G	51.60	68.20	-16.60	40.54	3	Vertical	297	1.79	-	36.98	7.21	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	104.12	Inf	-Inf	94.25	3	Horizontal	356	2.77	-	35.91	7.00	33.04
RMS	6.6862G	93.04	Inf	-Inf	83.15	3	Horizontal	356	2.77	-	35.93	7.00	33.04
PK	7.2296G	63.90	88.20	-24.30	52.68	3	Horizontal	356	2.77	-	37.10	7.23	33.11
RMS	7.234G	51.79	68.20	-16.41	40.57	3	Horizontal	356	2.77	-	37.10	7.23	33.11

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38702G	59.95	74.00	-14.05	41.29	3	Vertical	163	1.42	-	40.17	9.62	31.13
RMS	13.38846G	45.87	54.00	-8.13	27.20	3	Vertical	163	1.42	-	40.18	9.62	31.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




14/04/2022

EUT V\_2TX  
Setting 11  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38786G	60.70	74.00	-13.30	42.03	3	Horizontal	258	2.93	-	40.18	9.62	31.13
RMS	13.38836G	45.84	54.00	-8.16	27.17	3	Horizontal	258	2.93	-	40.18	9.62	31.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08836G	48.74	83.54	-34.80	45.47	1	Vertical	307	1.52	-	37.47	15.54	49.74
AV	20.08316G	34.56	63.54	-28.98	31.28	1	Vertical	307	1.52	-	37.47	15.54	49.73

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08776G	48.33	83.54	-35.21	45.06	1	Horizontal	346	1.56	-	37.47	15.54	49.74
AV	20.08148G	34.55	63.54	-28.99	31.27	1	Horizontal	346	1.56	-	37.47	15.54	49.73

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	108.05	Inf	-Inf	97.53	3	Vertical	68	1.76	-	36.57	7.07	33.12
RMS	6.8466G	97.95	Inf	-Inf	87.43	3	Vertical	68	1.76	-	36.57	7.07	33.12
PK	7.1966G	63.84	88.20	-24.36	52.67	3	Vertical	68	1.76	-	37.09	7.20	33.12
RMS	7.1518G	51.78	68.20	-16.42	40.79	3	Vertical	68	1.76	-	36.91	7.22	33.14



802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	101.31	Inf	-Inf	90.78	3	Horizontal	355	1.56	-	36.58	7.07	33.12
RMS	6.8466G	89.14	Inf	-Inf	78.62	3	Horizontal	355	1.56	-	36.57	7.07	33.12
PK	7.1252G	64.61	88.20	-23.59	53.81	3	Horizontal	355	1.56	-	36.70	7.24	33.14
RMS	7.184G	51.75	68.20	-16.45	40.62	3	Horizontal	355	1.56	-	37.04	7.21	33.12

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71006G	62.80	88.20	-25.40	43.63	3	Vertical	307	2.15	-	40.53	9.77	31.13
RMS	13.71464G	49.31	68.20	-18.89	30.14	3	Vertical	307	2.15	-	40.54	9.77	31.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71064G	63.59	88.20	-24.61	44.42	3	Horizontal	12	1.09	-	40.53	9.77	31.13
RMS	13.7134G	49.23	68.20	-18.97	30.06	3	Horizontal	12	1.09	-	40.54	9.77	31.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUT Y\_2TX  
Setting 9.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56304G	48.19	83.54	-35.35	44.53	1	Vertical	150	1.56	-	37.78	15.75	49.87
AV	20.56916G	34.90	63.54	-28.64	31.23	1	Vertical	150	1.56	-	37.78	15.76	49.87

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUT Y\_2TX  
Setting 9.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56538G	48.39	83.54	-35.15	44.73	1	Horizontal	290	1.53	-	37.78	15.75	49.87
AV	20.56964G	34.87	63.54	-28.67	31.20	1	Horizontal	290	1.53	-	37.78	15.76	49.87

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	109.44	Inf	-Inf	99.02	3	Vertical	293	1.70	-	36.45	7.10	33.13
RMS	6.869G	97.65	Inf	-Inf	87.23	3	Vertical	293	1.70	-	36.45	7.10	33.13
PK	7.1558G	64.00	88.20	-24.20	52.99	3	Vertical	293	1.70	-	36.92	7.22	33.13
RMS	7.1726G	51.79	68.20	-16.41	40.72	3	Vertical	293	1.70	-	36.99	7.21	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.881G	104.17	Inf	-Inf	93.83	3	Horizontal	43	2.72	-	36.35	7.12	33.13
RMS	6.8702G	91.95	Inf	-Inf	81.53	3	Horizontal	43	2.72	-	36.44	7.11	33.13
PK	7.1666G	64.19	88.20	-24.01	53.13	3	Horizontal	43	2.72	-	36.97	7.22	33.13
RMS	7.1726G	51.63	68.20	-16.57	40.56	3	Horizontal	43	2.72	-	36.99	7.21	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74996G	63.62	88.20	-24.58	44.34	3	Vertical	110	2.09	-	40.65	9.79	31.16
RMS	13.75276G	50.07	68.20	-18.13	30.78	3	Vertical	110	2.09	-	40.66	9.79	31.16



802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75266G	64.01	88.20	-24.19	44.72	3	Horizontal	356	1.89	-	40.66	9.79	31.16
RMS	13.74982G	49.99	68.20	-18.21	30.71	3	Horizontal	356	1.89	-	40.65	9.79	31.16

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62252G	49.11	83.54	-34.43	45.33	1	Vertical	73	1.53	-	37.85	15.78	49.85
AV	20.62102G	35.30	63.54	-28.24	31.52	1	Vertical	73	1.53	-	37.85	15.78	49.85

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62886G	49.55	83.54	-33.99	45.77	1	Horizontal	189	1.58	-	37.85	15.78	49.85
AV	20.62122G	35.31	63.54	-28.23	31.53	1	Horizontal	189	1.58	-	37.85	15.78	49.85

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8866G	108.59	Inf	-Inf	98.29	3	Vertical	70	1.83	-	36.31	7.13	33.14
RMS	6.8866G	97.87	Inf	-Inf	87.57	3	Vertical	70	1.83	-	36.31	7.13	33.14
PK	7.1806G	63.63	88.20	-24.57	52.52	3	Vertical	70	1.83	-	37.02	7.21	33.12
RMS	7.195G	51.81	68.20	-16.39	40.65	3	Vertical	70	1.83	-	37.08	7.20	33.12

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	103.82	Inf	-Inf	93.60	3	Horizontal	27	3.00	-	36.21	7.15	33.14
RMS	6.9034G	92.67	Inf	-Inf	82.43	3	Horizontal	27	3.00	-	36.22	7.16	33.14
PK	7.1554G	63.89	88.20	-24.31	52.88	3	Horizontal	27	3.00	-	36.92	7.22	33.13
RMS	7.177G	51.70	68.20	-16.50	40.61	3	Horizontal	27	3.00	-	37.01	7.21	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79308G	63.52	88.20	-24.68	44.12	3	Vertical	208	2.65	-	40.78	9.81	31.19
RMS	13.7926G	50.15	68.20	-18.05	30.75	3	Vertical	208	2.65	-	40.78	9.81	31.19

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79196G	64.00	88.20	-24.20	44.60	3	Horizontal	233	2.70	-	40.78	9.81	31.19
RMS	13.79044G	50.19	68.20	-18.01	30.80	3	Horizontal	233	2.70	-	40.77	9.81	31.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68906G	49.01	83.54	-34.53	45.09	1	Vertical	73	1.55	-	37.93	15.81	49.82
AV	20.6883G	35.39	63.54	-28.15	31.47	1	Vertical	73	1.55	-	37.93	15.81	49.82



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68006G	48.83	83.54	-34.71	44.93	1	Horizontal	305	1.55	-	37.92	15.81	49.83
AV	20.68358G	35.61	63.54	-27.93	31.71	1	Horizontal	305	1.55	-	37.92	15.81	49.83

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0038G	108.83	Inf	-Inf	98.40	3	Vertical	77	1.68	-	36.32	7.30	33.19
RMS	7.0038G	97.85	Inf	-Inf	87.42	3	Vertical	77	1.68	-	36.32	7.30	33.19
PK	7.171G	64.42	88.20	-23.78	53.36	3	Vertical	77	1.68	-	36.98	7.21	33.13
RMS	7.179G	51.76	68.20	-16.44	40.66	3	Vertical	77	1.68	-	37.02	7.21	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	103.86	Inf	-Inf	93.43	3	Horizontal	19	2.94	-	36.32	7.30	33.19
RMS	7.0038G	93.15	Inf	-Inf	82.72	3	Horizontal	19	2.94	-	36.32	7.30	33.19
PK	7.1854G	65.45	88.20	-22.75	54.32	3	Horizontal	19	2.94	-	37.04	7.21	33.12
RMS	7.1622G	51.75	68.20	-16.45	40.71	3	Horizontal	19	2.94	-	36.95	7.22	33.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98936G	64.52	88.20	-23.68	45.04	3	Vertical	290	2.24	-	40.90	9.90	31.32
RMS	13.985G	49.94	68.20	-18.26	30.47	3	Vertical	290	2.24	-	40.90	9.89	31.32

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98614G	64.07	88.20	-24.13	44.60	3	Horizontal	204	1.96	-	40.90	9.89	31.32
RMS	13.98778G	49.99	68.20	-18.21	30.52	3	Horizontal	204	1.96	-	40.90	9.89	31.32

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98154G	46.91	83.54	-36.63	43.05	1	Vertical	187	1.52	-	37.63	15.94	49.71
AV	20.98338G	33.25	63.54	-30.29	29.39	1	Vertical	187	1.52	-	37.63	15.94	49.71

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98296G	47.07	83.54	-36.47	43.21	1	Horizontal	47	1.56	-	37.63	15.94	49.71
AV	20.983G	33.31	63.54	-30.23	29.45	1	Horizontal	47	1.56	-	37.63	15.94	49.71

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.103G	111.86	Inf	-Inf	101.24	3	Vertical	78	1.64	-	36.52	7.25	33.15
RMS	7.1038G	100.17	Inf	-Inf	89.54	3	Vertical	78	1.64	-	36.53	7.25	33.15
PK	7.1358G	64.89	88.20	-23.31	54.01	3	Vertical	78	1.64	-	36.79	7.23	33.14
RMS	7.1622G	51.87	68.20	-16.33	40.83	3	Vertical	78	1.64	-	36.95	7.22	33.13



802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	107.67	Inf	-Inf	97.04	3	Horizontal	17	2.97	-	36.53	7.26	33.16
RMS	7.0862G	95.99	Inf	-Inf	85.36	3	Horizontal	17	2.97	-	36.53	7.26	33.16
PK	7.1506G	64.61	88.20	-23.59	53.63	3	Horizontal	17	2.97	-	36.90	7.22	33.14
RMS	7.1862G	51.89	68.20	-16.31	40.76	3	Horizontal	17	2.97	-	37.04	7.21	33.12

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




14/04/2022

EUT V\_2TX  
Setting 11.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18956G	63.05	88.20	-25.15	43.80	3	Vertical	256	2.58	-	40.81	9.96	31.52
RMS	14.18648G	48.99	68.20	-19.21	29.73	3	Vertical	256	2.58	-	40.81	9.96	31.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




14/04/2022

EUT Y\_2TX  
Setting 11.5  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19086G	62.88	88.20	-25.32	43.63	3	Horizontal	125	1.72	-	40.81	9.96	31.52
RMS	14.18648G	49.00	68.20	-19.20	29.74	3	Horizontal	125	1.72	-	40.81	9.96	31.51

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28312G	49.35	83.54	-34.19	45.27	1	Vertical	50	1.54	-	37.64	16.08	49.64
AV	21.2832G	35.75	63.54	-27.79	31.67	1	Vertical	50	1.54	-	37.64	16.08	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28088G	49.79	83.54	-33.75	45.71	1	Horizontal	278	1.58	-	37.64	16.08	49.64
AV	21.28596G	35.62	63.54	-27.92	31.54	1	Horizontal	278	1.58	-	37.64	16.08	49.64

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10993G	97.30	Inf	-Inf	86.62	3	Vertical	65	1.80	-	36.58	7.25	33.15
RMS	7.1059G	87.84	Inf	-Inf	77.19	3	Vertical	65	1.80	-	36.55	7.25	33.15
PK	7.1255G	79.02	88.20	-9.18	68.22	3	Vertical	65	1.80	-	36.70	7.24	33.14
RMS	7.1255G	68.10	68.20	-0.10	57.30	3	Vertical	65	1.80	-	36.70	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10843G	92.54	Inf	-Inf	81.87	3	Horizontal	52	2.75	-	36.57	7.25	33.15
RMS	7.10813G	82.83	Inf	-Inf	72.17	3	Horizontal	52	2.75	-	36.56	7.25	33.15
PK	7.1255G	69.14	88.20	-19.06	58.34	3	Horizontal	52	2.75	-	36.70	7.24	33.14
RMS	7.1255G	59.36	68.20	-8.84	48.56	3	Horizontal	52	2.75	-	36.70	7.24	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT Y\_2TX  
Setting 7.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2256G	63.34	88.20	-24.86	44.17	3	Vertical	201	2.27	-	40.75	9.97	31.55
RMS	14.228G	48.78	68.20	-19.42	29.62	3	Vertical	201	2.27	-	40.74	9.97	31.55



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT Y\_2TX  
Setting 7.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22896G	62.63	88.20	-25.57	43.47	3	Horizontal	149	2.19	-	40.74	9.97	31.55
RMS	14.22754G	48.75	68.20	-19.45	29.59	3	Horizontal	149	2.19	-	40.74	9.97	31.55

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT Y\_2TX  
Setting 7.5  
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34438G	48.78	83.54	-34.76	44.60	1	Vertical	160	1.54	-	37.71	16.10	49.63
AV	21.34074G	35.35	63.54	-28.19	31.17	1	Vertical	160	1.54	-	37.71	16.10	49.63

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34834G	49.34	83.54	-34.20	45.14	1	Horizontal	38	1.55	-	37.72	16.11	49.63
AV	21.34084G	35.35	63.54	-28.19	31.17	1	Horizontal	38	1.55	-	37.71	16.10	49.63

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5965MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	61.88	88.20	-26.32	53.33	3	Vertical	304	1.72	-	34.89	6.60	32.94
RMS	5.9234G	51.59	68.20	-16.61	42.94	3	Vertical	304	1.72	-	34.99	6.60	32.94
PK	5.9738G	111.80	Inf	-Inf	102.95	3	Vertical	304	1.72	-	35.20	6.60	32.95
RMS	5.9734G	101.39	Inf	-Inf	92.55	3	Vertical	304	1.72	-	35.19	6.60	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9078G	61.69	88.20	-26.51	53.10	3	Horizontal	38	2.91	-	34.93	6.60	32.94
RMS	5.9174G	50.60	68.20	-17.60	41.97	3	Horizontal	38	2.91	-	34.97	6.60	32.94
PK	5.969G	104.49	Inf	-Inf	95.66	3	Horizontal	38	2.91	-	35.18	6.60	32.95
RMS	5.969G	94.30	Inf	-Inf	85.47	3	Horizontal	38	2.91	-	35.18	6.60	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5965MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93438G	56.55	74.00	-17.45	41.94	3	Vertical	188	2.47	-	38.50	8.98	32.87
AV	11.92854G	42.57	54.00	-11.43	27.96	3	Vertical	188	2.47	-	38.50	8.98	32.87
PK	17.8902G	67.99	74.00	-6.01	45.85	3	Vertical	250	2.67	-	42.76	11.07	31.69
AV	17.89344G	52.23	54.00	-1.77	30.08	3	Vertical	250	2.67	-	42.77	11.07	31.69

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 5965MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92948G	56.12	74.00	-17.88	41.51	3	Horizontal	329	2.63	-	38.50	8.98	32.87
AV	11.92836G	42.60	54.00	-11.40	27.99	3	Horizontal	329	2.63	-	38.50	8.98	32.87
PK	17.8966G	68.21	74.00	-5.79	46.04	3	Horizontal	48	2.64	-	42.79	11.07	31.69
AV	17.89278G	52.26	54.00	-1.74	30.11	3	Horizontal	48	2.64	-	42.77	11.07	31.69

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	62.08	88.20	-26.12	53.48	3	Vertical	301	1.77	-	34.94	6.60	32.94
RMS	5.9082G	50.50	68.20	-17.70	41.91	3	Vertical	301	1.77	-	34.93	6.60	32.94
PK	6.1638G	111.57	Inf	-Inf	102.31	3	Vertical	301	1.77	-	35.36	6.85	32.95
RMS	6.1734G	100.46	Inf	-Inf	91.16	3	Vertical	301	1.77	-	35.39	6.86	32.95



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8782G	61.76	88.20	-26.44	53.24	3	Horizontal	46	2.96	-	34.86	6.60	32.94
RMS	5.9214G	50.51	68.20	-17.69	41.86	3	Horizontal	46	2.96	-	34.99	6.60	32.94
PK	6.1674G	103.43	Inf	-Inf	94.16	3	Horizontal	46	2.96	-	35.37	6.85	32.95
RMS	6.1686G	93.81	Inf	-Inf	84.54	3	Horizontal	46	2.96	-	35.37	6.85	32.95

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32654G	57.30	74.00	-16.70	42.08	3	Vertical	118	2.58	-	38.55	9.15	32.48
RMS	12.32756G	43.25	54.00	-10.75	28.01	3	Vertical	118	2.58	-	38.56	9.15	32.47

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33282G	56.86	74.00	-17.14	41.61	3	Horizontal	249	2.27	-	38.57	9.15	32.47
RMS	12.32704G	43.30	54.00	-10.70	28.07	3	Horizontal	249	2.27	-	38.55	9.15	32.47

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6165MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4905G	47.83	83.54	-35.71	45.24	1	Vertical	79	1.55	-	37.79	14.90	50.10
AV	18.49342G	34.17	63.54	-29.37	31.58	1	Vertical	79	1.55	-	37.79	14.90	50.10

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49374G	48.43	83.54	-35.11	45.84	1	Horizontal	206	1.56	-	37.79	14.90	50.10
AV	18.49724G	34.17	63.54	-29.37	31.57	1	Horizontal	206	1.56	-	37.80	14.90	50.10

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8386G	60.86	88.20	-27.34	52.48	3	Vertical	298	1.60	-	34.71	6.60	32.93
RMS	5.853G	50.47	68.20	-17.73	42.00	3	Vertical	298	1.60	-	34.81	6.60	32.94
PK	6.4146G	108.59	Inf	-Inf	99.00	3	Vertical	298	1.60	-	35.54	7.00	32.95
RMS	6.3954G	100.21	Inf	-Inf	90.59	3	Vertical	298	1.60	-	35.57	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8458G	61.13	88.20	-27.07	52.69	3	Horizontal	340	2.91	-	34.77	6.60	32.93
RMS	5.8818G	50.43	68.20	-17.77	41.91	3	Horizontal	340	2.91	-	34.86	6.60	32.94
PK	6.3978G	101.48	Inf	-Inf	91.84	3	Horizontal	340	2.91	-	35.59	7.00	32.95
RMS	6.4002G	92.38	Inf	-Inf	82.73	3	Horizontal	340	2.91	-	35.60	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.808G	57.99	88.20	-30.21	41.29	3	Vertical	12	2.70	-	39.21	9.36	31.87
RMS	12.80778G	44.32	68.20	-23.88	27.62	3	Vertical	12	2.70	-	39.21	9.36	31.87



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUT\_V\_2TX  
Setting 12.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80556G	57.66	88.20	-30.54	40.96	3	Horizontal	2	1.94	-	39.21	9.36	31.87
RMS	12.81108G	44.44	68.20	-23.76	27.73	3	Horizontal	2	1.94	-	39.21	9.36	31.86

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT Y\_2TX  
Setting 12.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21524G	47.20	83.54	-36.34	43.91	1	Vertical	226	1.54	-	37.74	15.19	49.64
AV	19.21202G	33.56	63.54	-29.98	30.27	1	Vertical	226	1.54	-	37.75	15.18	49.64

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUT Y\_2TX  
Setting 12.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21354G	47.41	83.54	-36.13	44.12	1	Horizontal	197	1.52	-	37.74	15.19	49.64
AV	19.21332G	33.60	63.54	-29.94	30.31	1	Horizontal	197	1.52	-	37.74	15.19	49.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8626G	61.54	88.20	-26.66	53.05	3	Vertical	299	1.80	-	34.83	6.60	32.94
RMS	5.9224G	50.35	68.20	-17.85	41.70	3	Vertical	299	1.80	-	34.99	6.60	32.94
PK	6.445G	108.90	Inf	-Inf	99.43	3	Vertical	299	1.80	-	35.42	7.00	32.95
RMS	6.4346G	99.64	Inf	-Inf	90.13	3	Vertical	299	1.80	-	35.46	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8158G	61.21	88.20	-26.99	53.01	3	Horizontal	333	2.88	-	34.53	6.60	32.93
RMS	5.8782G	50.38	68.20	-17.82	41.86	3	Horizontal	333	2.88	-	34.86	6.60	32.94
PK	6.4398G	101.56	Inf	-Inf	92.07	3	Horizontal	333	2.88	-	35.44	7.00	32.95
RMS	6.4398G	93.01	Inf	-Inf	83.52	3	Horizontal	333	2.88	-	35.44	7.00	32.95

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88832G	57.97	88.20	-30.23	41.04	3	Vertical	119	2.30	-	39.29	9.40	31.76
RMS	12.89202G	44.27	68.20	-23.93	27.34	3	Vertical	119	2.30	-	39.29	9.40	31.76

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88726G	58.15	88.20	-30.05	41.22	3	Horizontal	64	1.71	-	39.29	9.40	31.76
RMS	12.89474G	44.35	68.20	-23.85	27.41	3	Horizontal	64	1.71	-	39.29	9.40	31.75

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6445MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33174G	48.28	83.54	-35.26	44.95	1	Vertical	195	1.54	-	37.77	15.23	49.67
AV	19.33766G	33.86	63.54	-29.68	30.52	1	Vertical	195	1.54	-	37.77	15.24	49.67



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6445MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33454G	48.18	83.54	-35.36	44.85	1	Horizontal	286	1.52	-	37.77	15.23	49.67
AV	19.33804G	33.81	63.54	-29.73	30.47	1	Horizontal	286	1.52	-	37.77	15.24	49.67

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7878G	60.82	88.20	-27.38	52.75	3	Vertical	298	1.80	-	34.40	6.60	32.93
RMS	5.9194G	50.40	68.20	-17.80	41.76	3	Vertical	298	1.80	-	34.98	6.60	32.94
PK	6.4962G	109.56	Inf	-Inf	99.93	3	Vertical	298	1.80	-	35.58	7.00	32.95
RMS	6.485G	99.46	Inf	-Inf	89.87	3	Vertical	298	1.80	-	35.54	7.00	32.95
PK	7.1542G	63.15	88.20	-25.05	52.14	3	Vertical	298	1.80	-	36.92	7.22	33.13
RMS	7.1738G	53.08	68.20	-15.12	42.00	3	Vertical	298	1.80	-	37.00	7.21	33.13

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8046G	60.67	88.20	-27.53	52.56	3	Horizontal	355	2.85	-	34.44	6.60	32.93
RMS	5.9194G	50.31	68.20	-17.89	41.67	3	Horizontal	355	2.85	-	34.98	6.60	32.94
PK	6.4766G	102.72	Inf	-Inf	93.16	3	Horizontal	355	2.85	-	35.51	7.00	32.95
RMS	6.4878G	93.62	Inf	-Inf	84.02	3	Horizontal	355	2.85	-	35.55	7.00	32.95
PK	7.1402G	62.71	88.20	-25.49	51.80	3	Horizontal	355	2.85	-	36.82	7.23	33.14
RMS	7.1766G	52.95	68.20	-15.25	41.86	3	Horizontal	355	2.85	-	37.01	7.21	33.13

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96598G	58.66	88.20	-29.54	41.39	3	Vertical	249	2.62	-	39.50	9.43	31.66
RMS	12.97468G	44.68	68.20	-23.52	27.37	3	Vertical	249	2.62	-	39.52	9.44	31.65

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




14/04/2022

EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96972G	58.69	88.20	-29.51	41.40	3	Horizontal	9	2.79	-	39.51	9.44	31.66
RMS	12.97284G	44.74	68.20	-23.46	27.43	3	Horizontal	9	2.79	-	39.52	9.44	31.65

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45696G	48.30	83.54	-35.24	44.84	1	Vertical	63	1.53	-	37.87	15.28	49.69
AV	19.45388G	34.44	63.54	-29.10	30.99	1	Vertical	63	1.53	-	37.86	15.28	49.69

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6485MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45532G	48.26	83.54	-35.28	44.81	1	Horizontal	326	1.53	-	37.86	15.28	49.69
AV	19.45668G	34.44	63.54	-29.10	30.98	1	Horizontal	326	1.53	-	37.87	15.28	49.69

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8362G	61.06	88.20	-27.14	52.70	3	Vertical	67	2.29	-	34.69	6.60	32.93
RMS	5.9202G	50.38	68.20	-17.82	41.74	3	Vertical	67	2.29	-	34.98	6.60	32.94
PK	6.525G	110.45	Inf	-Inf	100.71	3	Vertical	67	2.29	-	35.70	7.00	32.96
RMS	6.5362G	100.05	Inf	-Inf	90.28	3	Vertical	67	2.29	-	35.74	7.00	32.97
PK	7.183G	63.80	88.20	-24.40	52.68	3	Vertical	67	2.29	-	37.03	7.21	33.12
RMS	7.1942G	52.86	68.20	-15.34	41.70	3	Vertical	67	2.29	-	37.08	7.20	33.12



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	60.46	88.20	-27.74	51.92	3	Horizontal	340	1.28	-	34.88	6.60	32.94
RMS	5.8306G	50.35	68.20	-17.85	42.04	3	Horizontal	340	1.28	-	34.64	6.60	32.93
PK	6.5278G	102.14	Inf	-Inf	92.39	3	Horizontal	340	1.28	-	35.71	7.00	32.96
RMS	6.5306G	92.13	Inf	-Inf	82.37	3	Horizontal	340	1.28	-	35.72	7.00	32.96
PK	7.1578G	63.95	88.20	-24.25	52.93	3	Horizontal	340	1.28	-	36.93	7.22	33.13
RMS	7.1802G	52.87	68.20	-15.33	41.77	3	Horizontal	340	1.28	-	37.02	7.21	33.13

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




14/04/2022

EUT Y\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04526G	59.05	88.20	-29.15	41.49	3	Vertical	321	2.18	-	39.65	9.47	31.56
RMS	13.049G	44.57	68.20	-23.63	27.01	3	Vertical	321	2.18	-	39.65	9.47	31.56

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




14/04/2022

EUT Y\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05098G	58.54	88.20	-29.66	40.98	3	Horizontal	27	2.24	-	39.65	9.47	31.56
RMS	13.04616G	44.54	68.20	-23.66	26.98	3	Horizontal	27	2.24	-	39.65	9.47	31.56

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5701G	49.17	83.54	-34.37	45.67	1	Vertical	58	1.56	-	37.87	15.33	49.70
AV	19.57256G	34.73	63.54	-28.81	31.23	1	Vertical	58	1.56	-	37.87	15.33	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57372G	48.74	83.54	-34.80	45.24	1	Horizontal	137	1.50	-	37.87	15.33	49.70
AV	19.57032G	34.65	63.54	-28.89	31.15	1	Horizontal	137	1.50	-	37.87	15.33	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	111.16	Inf	-Inf	101.33	3	Vertical	297	1.67	-	35.81	7.00	32.98
RMS	6.5674G	100.40	Inf	-Inf	90.55	3	Vertical	297	1.67	-	35.83	7.00	32.98
PK	7.1314G	63.11	88.20	-25.09	52.27	3	Vertical	297	1.67	-	36.75	7.23	33.14
RMS	7.1458G	52.93	68.20	-15.27	41.97	3	Vertical	297	1.67	-	36.87	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5482G	102.62	Inf	-Inf	92.80	3	Horizontal	341	1.25	-	35.79	7.00	32.97
RMS	6.5602G	93.04	Inf	-Inf	83.20	3	Horizontal	341	1.25	-	35.82	7.00	32.98
PK	7.1626G	63.28	88.20	-24.92	52.24	3	Horizontal	341	1.25	-	36.95	7.22	33.13
RMS	7.1482G	52.91	68.20	-15.29	41.93	3	Horizontal	341	1.25	-	36.89	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13012G	58.16	88.20	-30.04	40.35	3	Vertical	335	2.41	-	39.76	9.51	31.46
RMS	13.1349G	44.58	68.20	-23.62	26.75	3	Vertical	335	2.41	-	39.77	9.51	31.45



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12618G	58.69	88.20	-29.51	40.89	3	Horizontal	131	1.53	-	39.75	9.51	31.46
RMS	13.13272G	44.48	68.20	-23.72	26.65	3	Horizontal	131	1.53	-	39.77	9.51	31.45

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69426G	47.86	83.54	-35.68	44.36	1	Vertical	176	1.57	-	37.82	15.38	49.70
AV	19.69122G	34.62	63.54	-28.92	31.12	1	Vertical	176	1.57	-	37.82	15.38	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69946G	48.30	83.54	-35.24	44.80	1	Horizontal	93	1.56	-	37.82	15.38	49.70
AV	19.69576G	34.46	63.54	-29.08	30.96	1	Horizontal	93	1.56	-	37.82	15.38	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	109.78	Inf	-Inf	99.86	3	Vertical	74	2.37	-	35.95	7.00	33.03
RMS	6.675G	99.72	Inf	-Inf	89.80	3	Vertical	74	2.37	-	35.95	7.00	33.03
PK	7.149G	64.24	88.20	-23.96	53.26	3	Vertical	74	2.37	-	36.89	7.23	33.14
RMS	7.147G	52.98	68.20	-15.22	42.01	3	Vertical	74	2.37	-	36.88	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	102.02	Inf	-Inf	92.14	3	Horizontal	343	1.20	-	35.92	7.00	33.04
RMS	6.681G	92.32	Inf	-Inf	82.42	3	Horizontal	343	1.20	-	35.94	7.00	33.04
PK	7.133G	63.20	88.20	-25.00	52.35	3	Horizontal	343	1.20	-	36.76	7.23	33.14
RMS	7.147G	53.00	68.20	-15.20	42.03	3	Horizontal	343	1.20	-	36.88	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36772G	59.34	74.00	-14.66	40.74	3	Vertical	38	1.12	-	40.14	9.62	31.16
RMS	13.3717G	45.95	54.00	-8.05	27.34	3	Vertical	38	1.12	-	40.14	9.62	31.15

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3705G	59.45	74.00	-14.55	40.84	3	Horizontal	177	1.72	-	40.14	9.62	31.15
RMS	13.37436G	45.96	54.00	-8.04	27.34	3	Horizontal	177	1.72	-	40.15	9.62	31.15

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0583G	48.38	83.54	-35.16	45.12	1	Vertical	126	1.56	-	37.45	15.53	49.72
AV	20.05352G	34.44	63.54	-29.10	31.20	1	Vertical	126	1.56	-	37.44	15.52	49.72



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05796G	47.91	83.54	-35.63	44.65	1	Horizontal	321	1.55	-	37.45	15.53	49.72
AV	20.05468G	34.45	63.54	-29.09	31.21	1	Horizontal	321	1.55	-	37.44	15.52	49.72

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	110.03	Inf	-Inf	99.51	3	Vertical	70	2.20	-	36.57	7.07	33.12
RMS	6.8466G	99.75	Inf	-Inf	89.23	3	Vertical	70	2.20	-	36.57	7.07	33.12
PK	7.205G	63.96	88.20	-24.24	52.77	3	Vertical	70	2.20	-	37.10	7.21	33.12
RMS	7.173G	53.11	68.20	-15.09	42.04	3	Vertical	70	2.20	-	36.99	7.21	33.13

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	100.51	Inf	-Inf	90.03	3	Horizontal	339	1.59	-	36.53	7.06	33.11
RMS	6.8418G	91.29	Inf	-Inf	80.81	3	Horizontal	339	1.59	-	36.53	7.06	33.11
PK	7.2322G	64.51	88.20	-23.69	53.29	3	Horizontal	339	1.59	-	37.10	7.23	33.11
RMS	7.173G	53.09	68.20	-15.11	42.02	3	Horizontal	339	1.59	-	36.99	7.21	33.13

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




14/04/2022

EUT Y\_2TX  
Setting 13  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68994G	62.64	88.20	-25.56	43.52	3	Vertical	173	2.43	-	40.48	9.76	31.12
RMS	13.69478G	49.01	68.20	-19.19	29.88	3	Vertical	173	2.43	-	40.49	9.76	31.12

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT V\_2TX  
Setting 13  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69068G	63.01	88.20	-25.19	43.89	3	Horizontal	90	2.45	-	40.48	9.76	31.12
RMS	13.6942G	48.96	68.20	-19.24	29.83	3	Horizontal	90	2.45	-	40.49	9.76	31.12

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6845MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53042G	48.11	83.54	-35.43	44.52	1	Vertical	163	1.51	-	37.74	15.74	49.89
AV	20.53966G	34.46	63.54	-29.08	30.85	1	Vertical	163	1.51	-	37.75	15.74	49.88

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53092G	48.66	83.54	-34.88	45.07	1	Horizontal	123	1.57	-	37.74	15.74	49.89
AV	20.53974G	34.43	63.54	-29.11	30.82	1	Horizontal	123	1.57	-	37.75	15.74	49.88

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8864G	108.99	Inf	-Inf	98.69	3	Vertical	70	1.72	-	36.31	7.13	33.14
RMS	6.8864G	99.77	Inf	-Inf	89.47	3	Vertical	70	1.72	-	36.31	7.13	33.14
PK	7.1258G	63.92	88.20	-24.28	53.11	3	Vertical	70	1.72	-	36.71	7.24	33.14
RMS	7.1468G	53.20	68.20	-15.00	42.24	3	Vertical	70	1.72	-	36.87	7.23	33.14



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.899G	103.51	Inf	-Inf	93.29	3	Horizontal	45	3.00	-	36.21	7.15	33.14
RMS	6.8892G	94.06	Inf	-Inf	83.78	3	Horizontal	45	3.00	-	36.29	7.13	33.14
PK	7.207G	63.66	88.20	-24.54	52.47	3	Horizontal	45	3.00	-	37.10	7.21	33.12
RMS	7.2056G	52.97	68.20	-15.23	41.78	3	Horizontal	45	3.00	-	37.10	7.21	33.12

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76772G	64.29	88.20	-23.91	44.96	3	Vertical	279	2.37	-	40.70	9.80	31.17
RMS	13.77284G	50.20	68.20	-18.00	30.86	3	Vertical	279	2.37	-	40.72	9.80	31.18

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77438G	64.06	88.20	-24.14	44.72	3	Horizontal	278	1.86	-	40.72	9.80	31.18
RMS	13.76694G	50.23	68.20	-17.97	30.90	3	Horizontal	278	1.86	-	40.70	9.80	31.17

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65884G	49.12	83.54	-34.42	45.27	1	Vertical	62	1.55	-	37.89	15.80	49.84
AV	20.65278G	35.48	63.54	-28.06	31.65	1	Vertical	62	1.55	-	37.88	15.79	49.84

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**

**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65296G	49.03	83.54	-34.51	45.20	1	Horizontal	106	1.50	-	37.88	15.79	49.84
AV	20.65696G	35.44	63.54	-28.10	31.59	1	Horizontal	106	1.50	-	37.89	15.80	49.84

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9358G	108.99	Inf	-Inf	98.54	3	Vertical	76	1.90	-	36.41	7.20	33.16
RMS	6.9358G	99.28	Inf	-Inf	88.83	3	Vertical	76	1.90	-	36.41	7.20	33.16
PK	7.2238G	63.91	88.20	-24.29	52.70	3	Vertical	76	1.90	-	37.10	7.22	33.11
RMS	7.1458G	53.20	68.20	-15.00	42.24	3	Vertical	76	1.90	-	36.87	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	105.37	Inf	-Inf	95.00	3	Horizontal	23	3.00	-	36.34	7.18	33.15
RMS	6.9346G	94.80	Inf	-Inf	84.35	3	Horizontal	23	3.00	-	36.41	7.20	33.16
PK	7.1746G	63.78	88.20	-24.42	52.70	3	Horizontal	23	3.00	-	37.00	7.21	33.13
RMS	7.1458G	53.07	68.20	-15.13	42.11	3	Horizontal	23	3.00	-	36.87	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT V\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8458G	63.82	88.20	-24.38	44.37	3	Vertical	330	1.17	-	40.85	9.83	31.23
RMS	13.85286G	50.31	68.20	-17.89	30.86	3	Vertical	330	1.17	-	40.85	9.83	31.23



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84958G	63.84	88.20	-24.36	44.39	3	Horizontal	139	1.32	-	40.85	9.83	31.23
RMS	13.85242G	50.37	68.20	-17.83	30.92	3	Horizontal	139	1.32	-	40.85	9.83	31.23

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77814G	48.40	83.54	-35.14	44.39	1	Vertical	299	1.54	-	37.95	15.85	49.79
AV	20.77514G	34.69	63.54	-28.85	30.67	1	Vertical	299	1.54	-	37.96	15.85	49.79

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7716G	48.50	83.54	-35.04	44.47	1	Horizontal	255	1.58	-	37.97	15.85	49.79
AV	20.77862G	34.72	63.54	-28.82	30.71	1	Horizontal	255	1.58	-	37.95	15.85	49.79

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT V\_2TX  
Setting 13  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0098G	109.42	Inf	-Inf	98.95	3	Vertical	291	1.56	-	36.36	7.30	33.19
RMS	7.009G	99.94	Inf	-Inf	89.48	3	Vertical	291	1.56	-	36.35	7.30	33.19
PK	7.1858G	63.59	88.20	-24.61	52.46	3	Vertical	291	1.56	-	37.04	7.21	33.12
RMS	7.1914G	53.05	68.20	-15.15	41.90	3	Vertical	291	1.56	-	37.07	7.20	33.12

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT V\_2TX  
Setting 13  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	103.65	Inf	-Inf	93.22	3	Horizontal	22	2.94	-	36.32	7.30	33.19
RMS	7.0146G	94.14	Inf	-Inf	83.64	3	Horizontal	22	2.94	-	36.39	7.29	33.18
PK	7.1818G	64.23	88.20	-23.97	53.11	3	Horizontal	22	2.94	-	37.03	7.21	33.12
RMS	7.197G	53.03	68.20	-15.17	41.86	3	Horizontal	22	2.94	-	37.09	7.20	33.12

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT V\_2TX  
Setting 13  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01146G	64.15	88.20	-24.05	44.69	3	Vertical	40	1.93	-	40.90	9.90	31.34
RMS	14.01012G	49.85	68.20	-18.35	30.39	3	Vertical	40	1.93	-	40.90	9.90	31.34

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01238G	63.30	88.20	-24.90	43.84	3	Horizontal	257	2.99	-	40.90	9.90	31.34
RMS	14.0058G	49.83	68.20	-18.37	30.37	3	Horizontal	257	2.99	-	40.90	9.90	31.34

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01524G	47.76	83.54	-35.78	43.90	1	Vertical	108	1.55	-	37.60	15.96	49.70
AV	21.01398G	33.06	63.54	-30.48	29.20	1	Vertical	108	1.55	-	37.60	15.96	49.70



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01138G	47.29	83.54	-36.25	43.43	1	Horizontal	117	1.51	-	37.60	15.96	49.70
AV	21.01558G	33.00	63.54	-30.54	29.14	1	Horizontal	117	1.51	-	37.60	15.96	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT V\_2TX  
Setting 14.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0862G	111.58	Inf	-Inf	100.95	3	Vertical	79	1.80	-	36.53	7.26	33.16
RMS	7.0954G	100.79	Inf	-Inf	90.19	3	Vertical	79	1.80	-	36.51	7.25	33.16
PK	7.179G	63.94	88.20	-24.26	52.84	3	Vertical	79	1.80	-	37.02	7.21	33.13
RMS	7.1262G	53.47	68.20	-14.73	42.66	3	Vertical	79	1.80	-	36.71	7.24	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT V\_2TX  
Setting 14.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.075G	107.75	Inf	-Inf	97.10	3	Horizontal	12	3.00	-	36.55	7.26	33.16
RMS	7.0862G	97.43	Inf	-Inf	86.80	3	Horizontal	12	3.00	-	36.53	7.26	33.16
PK	7.1434G	64.47	88.20	-23.73	53.53	3	Horizontal	12	3.00	-	36.85	7.23	33.14
RMS	7.129G	53.22	68.20	-14.98	42.39	3	Horizontal	12	3.00	-	36.73	7.24	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUT Y\_2TX  
Setting 14.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16534G	63.02	88.20	-25.18	43.73	3	Vertical	163	1.80	-	40.83	9.95	31.49
RMS	14.1686G	49.17	68.20	-19.03	29.89	3	Vertical	163	1.80	-	40.83	9.95	31.50

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




14/04/2022

EUT Y\_2TX  
Setting 14.5  
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1746G	63.52	88.20	-24.68	44.24	3	Horizontal	302	1.51	-	40.83	9.95	31.50
RMS	14.16814G	49.14	68.20	-19.06	29.85	3	Horizontal	302	1.51	-	40.83	9.95	31.49

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUT Y\_2TX  
Setting 14.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25248G	49.54	83.54	-34.00	45.53	1	Vertical	149	1.54	-	37.60	16.06	49.65
AV	21.25734G	35.57	63.54	-27.97	31.54	1	Vertical	149	1.54	-	37.61	16.07	49.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUT Y\_2TX  
Setting 14.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.255G	49.29	83.54	-34.25	45.27	1	Horizontal	197	1.51	-	37.61	16.06	49.65
AV	21.25194G	35.58	63.54	-27.96	31.57	1	Horizontal	197	1.51	-	37.60	16.06	49.65

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT V\_2TX  
Setting 19.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	81.21	88.20	-6.99	72.56	3	Vertical	296	1.68	-	34.99	6.60	32.94
RMS	5.9234G	67.86	68.20	-0.34	59.21	3	Vertical	296	1.68	-	34.99	6.60	32.94
PK	6.0026G	115.72	Inf	-Inf	106.78	3	Vertical	296	1.68	-	35.29	6.60	32.95
RMS	5.993G	105.96	Inf	-Inf	97.04	3	Vertical	296	1.68	-	35.27	6.60	32.95



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	70.09	88.20	-18.11	61.46	3	Horizontal	38	2.92	-	34.97	6.60	32.94
RMS	5.9178G	59.30	68.20	-8.90	50.67	3	Horizontal	38	2.92	-	34.97	6.60	32.94
PK	5.9978G	110.76	Inf	-Inf	101.82	3	Horizontal	38	2.92	-	35.29	6.60	32.95
RMS	5.9882G	99.80	Inf	-Inf	90.90	3	Horizontal	38	2.92	-	35.25	6.60	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96816G	55.98	74.00	-18.02	41.37	3	Vertical	82	1.23	-	38.50	8.99	32.88
AV	11.9718G	42.38	54.00	-11.62	27.77	3	Vertical	82	1.23	-	38.50	8.99	32.88
PK	17.95234G	68.10	74.00	-5.90	45.82	3	Vertical	165	2.99	-	42.85	11.09	31.66
AV	17.95918G	52.38	54.00	-1.62	30.09	3	Vertical	165	2.99	-	42.86	11.09	31.66

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96868G	55.85	74.00	-18.15	41.24	3	Horizontal	157	1.33	-	38.50	8.99	32.88
AV	11.965G	42.39	54.00	-11.61	27.78	3	Horizontal	157	1.33	-	38.50	8.99	32.88
PK	17.95764G	67.91	74.00	-6.09	45.62	3	Horizontal	219	1.37	-	42.86	11.09	31.66
AV	17.95356G	52.43	54.00	-1.57	30.15	3	Horizontal	219	1.37	-	42.85	11.09	31.66

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	61.01	88.20	-27.19	52.39	3	Vertical	302	1.66	-	34.96	6.60	32.94
RMS	5.92G	50.61	68.20	-17.59	41.97	3	Vertical	302	1.66	-	34.98	6.60	32.94
PK	6.144G	111.99	Inf	-Inf	102.82	3	Vertical	302	1.66	-	35.30	6.82	32.95
RMS	6.143G	100.83	Inf	-Inf	91.67	3	Vertical	302	1.66	-	35.30	6.81	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	60.74	88.20	-27.46	52.11	3	Horizontal	46	2.96	-	34.97	6.60	32.94
RMS	5.907G	50.55	68.20	-17.65	41.96	3	Horizontal	46	2.96	-	34.93	6.60	32.94
PK	6.129G	104.03	Inf	-Inf	94.89	3	Horizontal	46	2.96	-	35.30	6.79	32.95
RMS	6.148G	94.13	Inf	-Inf	84.96	3	Horizontal	46	2.96	-	35.30	6.82	32.95

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28844G	56.98	74.00	-17.02	41.89	3	Vertical	20	1.57	-	38.48	9.13	32.52
RMS	12.2857G	43.24	54.00	-10.76	28.17	3	Vertical	20	1.57	-	38.47	9.13	32.53

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28814G	57.14	74.00	-16.86	42.05	3	Horizontal	98	3.00	-	38.48	9.13	32.52
RMS	12.29106G	43.24	54.00	-10.76	28.15	3	Horizontal	98	3.00	-	38.48	9.13	32.52

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43556G	47.79	83.54	-35.75	45.33	1	Vertical	234	1.56	-	37.72	14.87	50.13
AV	18.43602G	33.62	63.54	-29.92	31.16	1	Vertical	234	1.56	-	37.72	14.87	50.13



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43916G	46.86	83.54	-36.68	44.37	1	Horizontal	61	1.57	-	37.73	14.88	50.12
AV	18.437G	33.56	63.54	-29.98	31.10	1	Horizontal	61	1.57	-	37.72	14.87	50.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	60.70	88.20	-27.50	52.09	3	Vertical	300	1.77	-	34.95	6.60	32.94
RMS	5.893G	50.46	68.20	-17.74	41.91	3	Vertical	300	1.77	-	34.89	6.60	32.94
PK	6.3826G	110.13	Inf	-Inf	100.59	3	Vertical	300	1.77	-	35.50	6.99	32.95
RMS	6.3754G	99.92	Inf	-Inf	90.43	3	Vertical	300	1.77	-	35.45	6.99	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	61.19	88.20	-27.01	52.86	3	Horizontal	336	2.93	-	34.66	6.60	32.93
RMS	5.8258G	50.42	68.20	-17.78	42.14	3	Horizontal	336	2.93	-	34.61	6.60	32.93
PK	6.361G	101.71	Inf	-Inf	92.31	3	Horizontal	336	2.93	-	35.37	6.98	32.95
RMS	6.3802G	92.57	Inf	-Inf	83.05	3	Horizontal	336	2.93	-	35.48	6.99	32.95

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77146G	57.85	88.20	-30.35	41.27	3	Vertical	52	1.24	-	39.14	9.35	31.91
RMS	12.77452G	44.17	68.20	-24.03	27.58	3	Vertical	52	1.24	-	39.15	9.35	31.91

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76742G	57.94	88.20	-30.26	41.38	3	Horizontal	277	1.77	-	39.13	9.35	31.92
RMS	12.76568G	44.16	68.20	-24.04	27.61	3	Horizontal	277	1.77	-	39.13	9.34	31.92

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT Y\_2TX  
Setting 15  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15994G	48.42	83.54	-35.12	45.08	1	Vertical	25	1.50	-	37.81	15.16	49.63
AV	19.15066G	33.67	63.54	-29.87	30.32	1	Vertical	25	1.50	-	37.82	15.16	49.63

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT Y\_2TX  
Setting 15  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15414G	47.57	83.54	-35.97	44.22	1	Horizontal	174	1.53	-	37.82	15.16	49.63
AV	19.15834G	33.66	63.54	-29.88	30.32	1	Horizontal	174	1.53	-	37.81	15.16	49.63

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.39	88.20	-26.81	52.82	3	Vertical	301	1.79	-	34.91	6.60	32.94
RMS	5.8982G	50.37	68.20	-17.83	41.81	3	Vertical	301	1.79	-	34.90	6.60	32.94
PK	6.4754G	109.72	Inf	-Inf	100.17	3	Vertical	301	1.79	-	35.50	7.00	32.95
RMS	6.4442G	100.15	Inf	-Inf	90.68	3	Vertical	301	1.79	-	35.42	7.00	32.95



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8514G	61.29	88.20	-26.91	52.83	3	Horizontal	7	2.74	-	34.80	6.60	32.94
RMS	5.8202G	50.45	68.20	-17.75	42.22	3	Horizontal	7	2.74	-	34.56	6.60	32.93
PK	6.4442G	106.26	Inf	-Inf	96.79	3	Horizontal	7	2.74	-	35.42	7.00	32.95
RMS	6.4442G	95.17	Inf	-Inf	85.70	3	Horizontal	7	2.74	-	35.42	7.00	32.95

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92534G	58.27	88.20	-29.93	41.19	3	Vertical	244	2.26	-	39.38	9.42	31.72
RMS	12.9311G	44.52	68.20	-23.68	27.42	3	Vertical	244	2.26	-	39.39	9.42	31.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT V\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92686G	58.18	88.20	-30.02	41.09	3	Horizontal	98	2.14	-	39.38	9.42	31.71
RMS	12.9342G	44.65	68.20	-23.55	27.53	3	Horizontal	98	2.14	-	39.40	9.42	31.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6465MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39608G	48.14	83.54	-35.40	44.74	1	Vertical	42	1.51	-	37.82	15.26	49.68
AV	19.39056G	33.99	63.54	-29.55	30.60	1	Vertical	42	1.51	-	37.81	15.26	49.68

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39298G	47.52	83.54	-36.02	44.13	1	Horizontal	293	1.52	-	37.81	15.26	49.68
AV	19.39796G	34.05	63.54	-29.49	30.65	1	Horizontal	293	1.52	-	37.82	15.26	49.68

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8478G	60.23	88.20	-27.97	51.78	3	Vertical	66	2.36	-	34.78	6.60	32.93
RMS	5.915G	50.35	68.20	-17.85	41.73	3	Vertical	66	2.36	-	34.96	6.60	32.94
PK	6.545G	110.32	Inf	-Inf	100.51	3	Vertical	66	2.36	-	35.78	7.00	32.97
RMS	6.5562G	101.27	Inf	-Inf	91.44	3	Vertical	66	2.36	-	35.81	7.00	32.98
PK	7.203G	63.18	88.20	-25.02	52.00	3	Vertical	66	2.36	-	37.10	7.20	33.12
RMS	7.1834G	52.91	68.20	-15.29	41.79	3	Vertical	66	2.36	-	37.03	7.21	33.12

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	60.23	88.20	-27.97	51.58	3	Horizontal	343	1.25	-	34.99	6.60	32.94
RMS	5.845G	50.41	68.20	-17.79	41.98	3	Horizontal	343	1.25	-	34.76	6.60	32.93
PK	6.5394G	102.80	Inf	-Inf	93.01	3	Horizontal	343	1.25	-	35.76	7.00	32.97
RMS	6.559G	93.57	Inf	-Inf	83.73	3	Horizontal	343	1.25	-	35.82	7.00	32.98
PK	7.1834G	63.00	88.20	-25.20	51.88	3	Horizontal	343	1.25	-	37.03	7.21	33.12
RMS	7.245G	52.92	68.20	-15.28	41.67	3	Horizontal	343	1.25	-	37.10	7.25	33.10

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08756G	58.45	88.20	-29.75	40.78	3	Vertical	218	2.58	-	39.69	9.49	31.51
RMS	13.08658G	44.49	68.20	-23.71	26.82	3	Vertical	218	2.58	-	39.69	9.49	31.51



**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09306G	58.39	88.20	-29.81	40.71	3	Horizontal	235	3.00	-	39.69	9.49	31.50
AV	13.09292G	44.44	68.20	-23.76	26.76	3	Horizontal	235	3.00	-	39.69	9.49	31.50

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63642G	48.30	83.54	-35.24	44.80	1	Vertical	263	1.54	-	37.85	15.35	49.70
AV	19.63664G	34.51	63.54	-29.03	31.01	1	Vertical	263	1.54	-	37.85	15.35	49.70

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6311G	48.57	83.54	-34.97	45.07	1	Horizontal	353	1.54	-	37.85	15.35	49.70
AV	19.63664G	34.52	63.54	-29.02	31.02	1	Horizontal	353	1.54	-	37.85	15.35	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6154G	111.93	Inf	-Inf	102.01	3	Vertical	70	1.80	-	35.93	7.00	33.01
RMS	6.6154G	101.71	Inf	-Inf	91.79	3	Vertical	70	1.80	-	35.93	7.00	33.01
PK	7.2202G	63.93	88.20	-24.27	52.72	3	Vertical	70	1.80	-	37.10	7.22	33.11
RMS	7.165G	53.38	68.20	-14.82	42.33	3	Vertical	70	1.80	-	36.96	7.22	33.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	104.90	Inf	-Inf	94.95	3	Horizontal	342	1.24	-	35.96	7.00	33.01
RMS	6.6106G	94.49	Inf	-Inf	84.57	3	Horizontal	342	1.24	-	35.92	7.00	33.00
PK	7.1602G	63.72	88.20	-24.48	52.69	3	Horizontal	342	1.24	-	36.94	7.22	33.13
RMS	7.1482G	53.27	68.20	-14.93	42.29	3	Horizontal	342	1.24	-	36.89	7.23	33.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24554G	58.60	88.20	-29.60	40.40	3	Vertical	269	2.05	-	39.95	9.56	31.31
RMS	13.24534G	44.98	68.20	-23.22	26.78	3	Vertical	269	2.05	-	39.95	9.56	31.31

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24522G	59.33	88.20	-28.87	41.13	3	Horizontal	285	2.84	-	39.95	9.56	31.31
RMS	13.24516G	44.96	68.20	-23.24	26.76	3	Horizontal	285	2.84	-	39.95	9.56	31.31

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6625MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87446G	47.81	83.54	-35.73	44.46	1	Vertical	151	1.50	-	37.60	15.45	49.70
AV	19.87734G	33.85	63.54	-29.69	30.50	1	Vertical	151	1.50	-	37.60	15.45	49.70



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87268G	47.54	83.54	-36.00	44.19	1	Horizontal	113	1.52	-	37.60	15.45	49.70
AV	19.87816G	33.94	63.54	-29.60	30.60	1	Horizontal	113	1.52	-	37.59	15.45	49.70

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT V\_2TX  
Setting 17  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	112.85	Inf	-Inf	102.95	3	Vertical	58	3.00	-	35.95	7.00	33.05
RMS	6.707G	101.21	Inf	-Inf	91.32	3	Vertical	58	3.00	-	35.94	7.00	33.05
PK	7.205G	63.53	88.20	-24.67	52.34	3	Vertical	58	3.00	-	37.10	7.21	33.12
RMS	7.179G	53.23	68.20	-14.97	42.13	3	Vertical	58	3.00	-	37.02	7.21	33.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	104.86	Inf	-Inf	94.96	3	Horizontal	342	1.26	-	35.95	7.00	33.05
RMS	6.709G	93.62	Inf	-Inf	83.72	3	Horizontal	342	1.26	-	35.95	7.00	33.05
PK	7.159G	63.36	88.20	-24.84	52.33	3	Horizontal	342	1.26	-	36.94	7.22	33.13
RMS	7.181G	53.22	68.20	-14.98	42.11	3	Horizontal	342	1.26	-	37.02	7.21	33.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40708G	59.41	88.20	-28.79	40.69	3	Vertical	153	1.76	-	40.20	9.63	31.11
RMS	13.41364G	45.87	68.20	-22.33	27.13	3	Vertical	153	1.76	-	40.20	9.64	31.10

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT V\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41188G	59.39	88.20	-28.81	40.65	3	Horizontal	106	1.82	-	40.20	9.64	31.10
RMS	13.41382G	45.90	68.20	-22.30	27.16	3	Horizontal	106	1.82	-	40.20	9.64	31.10

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11198G	48.46	83.54	-35.08	45.16	1	Vertical	358	1.57	-	37.49	15.55	49.74
AV	20.11288G	35.12	63.54	-28.42	31.83	1	Vertical	358	1.57	-	37.49	15.55	49.75

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11584G	49.44	83.54	-34.10	46.15	1	Horizontal	173	1.50	-	37.49	15.55	49.75
AV	20.11172G	35.30	63.54	-28.24	32.00	1	Horizontal	173	1.50	-	37.49	15.55	49.74

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.785G	109.59	Inf	-Inf	99.48	3	Vertical	69	1.80	-	36.20	7.00	33.09
RMS	6.7754G	99.36	Inf	-Inf	89.24	3	Vertical	69	1.80	-	36.20	7.00	33.08
PK	7.1482G	63.58	88.20	-24.62	52.60	3	Vertical	69	1.80	-	36.89	7.23	33.14
RMS	7.1482G	53.16	68.20	-15.04	42.18	3	Vertical	69	1.80	-	36.89	7.23	33.14



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	101.81	Inf	-Inf	91.69	3	Horizontal	353	1.26	-	36.20	7.00	33.08
RMS	6.7786G	92.47	Inf	-Inf	82.35	3	Horizontal	353	1.26	-	36.20	7.00	33.08
PK	7.153G	64.48	88.20	-23.72	53.48	3	Horizontal	353	1.26	-	36.91	7.22	33.13
RMS	7.1754G	53.14	68.20	-15.06	42.06	3	Horizontal	353	1.26	-	37.00	7.21	33.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




14/04/2022

EUT Y\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	59.38	88.20	-28.82	40.44	3	Vertical	26	2.67	-	40.27	9.71	31.04
RMS	13.56602G	46.04	68.20	-22.16	27.10	3	Vertical	26	2.67	-	40.27	9.70	31.03

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57042G	60.82	88.20	-27.38	41.88	3	Horizontal	350	2.78	-	40.27	9.71	31.04
RMS	13.5658G	46.07	68.20	-22.13	27.13	3	Horizontal	350	2.78	-	40.27	9.70	31.03

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35902G	47.70	83.54	-35.84	44.24	1	Vertical	250	1.55	-	37.64	15.66	49.84
AV	20.35486G	34.25	63.54	-29.29	30.79	1	Vertical	250	1.55	-	37.64	15.66	49.84

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35804G	47.91	83.54	-35.63	44.45	1	Horizontal	238	1.50	-	37.64	15.66	49.84
AV	20.35188G	34.17	63.54	-29.37	30.71	1	Horizontal	238	1.50	-	37.64	15.66	49.84

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_2TX  
Setting 16  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	108.66	Inf	-Inf	98.15	3	Vertical	69	1.80	-	36.55	7.08	33.12
RMS	6.8554G	99.17	Inf	-Inf	88.65	3	Vertical	69	1.80	-	36.56	7.08	33.12
PK	7.1578G	63.60	88.20	-24.60	52.58	3	Vertical	69	1.80	-	36.93	7.22	33.13
RMS	7.147G	53.12	68.20	-15.08	42.15	3	Vertical	69	1.80	-	36.88	7.23	33.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	100.53	Inf	-Inf	90.05	3	Horizontal	337	1.64	-	36.53	7.06	33.11
RMS	6.8614G	91.37	Inf	-Inf	80.89	3	Horizontal	337	1.64	-	36.51	7.09	33.12
PK	7.1494G	63.22	88.20	-24.98	52.23	3	Horizontal	337	1.64	-	36.90	7.23	33.14
RMS	7.1458G	53.11	68.20	-15.09	42.15	3	Horizontal	337	1.64	-	36.87	7.23	33.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7301G	63.14	88.20	-25.06	43.92	3	Vertical	350	1.14	-	40.59	9.78	31.15
RMS	13.73244G	49.73	68.20	-18.47	30.50	3	Vertical	350	1.14	-	40.60	9.78	31.15



**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




14/04/2022

EUT Y\_2TX  
Setting 16  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72952G	63.34	88.20	-24.86	44.12	3	Horizontal	202	1.87	-	40.59	9.78	31.15
RMS	13.73354G	49.68	68.20	-18.52	30.45	3	Horizontal	202	1.87	-	40.60	9.78	31.15

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_V\_2TX  
Setting 16  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59672G	48.83	83.54	-34.71	45.10	1	Vertical	235	1.50	-	37.82	15.77	49.86
AV	20.59818G	35.24	63.54	-28.30	31.51	1	Vertical	235	1.50	-	37.82	15.77	49.86

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**

**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Y\_2TX  
Setting 16  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59494G	48.93	83.54	-34.61	45.21	1	Horizontal	206	1.55	-	37.81	15.77	49.86
AV	20.59G	35.11	63.54	-28.43	31.39	1	Horizontal	206	1.55	-	37.81	15.77	49.86

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9354G	108.76	Inf	-Inf	98.31	3	Vertical	75	1.80	-	36.41	7.20	33.16
RMS	6.9354G	98.75	Inf	-Inf	88.30	3	Vertical	75	1.80	-	36.41	7.20	33.16
PK	7.1574G	64.08	88.20	-24.12	53.06	3	Vertical	75	1.80	-	36.93	7.22	33.13
RMS	7.1466G	53.24	68.20	-14.96	42.28	3	Vertical	75	1.80	-	36.87	7.23	33.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9546G	105.74	Inf	-Inf	95.20	3	Horizontal	22	3.00	-	36.48	7.23	33.17
RMS	6.9534G	94.61	Inf	-Inf	84.06	3	Horizontal	22	3.00	-	36.49	7.23	33.17
PK	7.1286G	64.55	88.20	-23.65	53.72	3	Horizontal	22	3.00	-	36.73	7.24	33.14
RMS	7.1466G	53.15	68.20	-15.05	42.19	3	Horizontal	22	3.00	-	36.87	7.23	33.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88808G	64.00	88.20	-24.20	44.51	3	Vertical	255	1.73	-	40.89	9.85	31.25
RMS	13.8928G	50.27	68.20	-17.93	30.79	3	Vertical	255	1.73	-	40.89	9.85	31.26

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88688G	64.05	88.20	-24.15	44.56	3	Horizontal	341	1.12	-	40.89	9.85	31.25
RMS	13.88962G	50.23	68.20	-17.97	30.74	3	Horizontal	341	1.12	-	40.89	9.85	31.25

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83074G	48.80	83.54	-34.74	44.83	1	Vertical	107	1.51	-	37.87	15.87	49.77
AV	20.83044G	34.43	63.54	-29.11	30.46	1	Vertical	107	1.51	-	37.87	15.87	49.77



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83686G	48.04	83.54	-35.50	44.07	1	Horizontal	190	1.55	-	37.86	15.88	49.77
AV	20.8364G	34.45	63.54	-29.09	30.48	1	Horizontal	190	1.55	-	37.86	15.88	49.77

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT V\_2TX  
Setting 19.5  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0202G	114.25	Inf	-Inf	103.72	3	Vertical	290	1.59	-	36.42	7.29	33.18
RMS	7.0194G	104.38	Inf	-Inf	93.85	3	Vertical	290	1.59	-	36.42	7.29	33.18
PK	7.1298G	78.12	88.20	-10.08	67.28	3	Vertical	290	1.59	-	36.74	7.24	33.14
RMS	7.1298G	67.80	68.20	-0.40	56.96	3	Vertical	290	1.59	-	36.74	7.24	33.14

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT V\_2TX  
Setting 22  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0346G	110.93	Inf	-Inf	100.32	3	Horizontal	16	2.98	-	36.51	7.28	33.18
RMS	7.0146G	100.19	Inf	-Inf	89.69	3	Horizontal	16	2.98	-	36.39	7.29	33.18
PK	7.1266G	75.99	88.20	-12.21	65.18	3	Horizontal	16	2.98	-	36.71	7.24	33.14
RMS	7.125G	64.76	68.20	-3.44	53.96	3	Horizontal	16	2.98	-	36.70	7.24	33.14

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUT Y\_2TX  
Setting 22  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04766G	63.74	88.20	-24.46	44.31	3	Vertical	303	1.38	-	40.90	9.91	31.38
RMS	14.05294G	49.53	68.20	-18.67	30.09	3	Vertical	303	1.38	-	40.90	9.92	31.38

802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TnomVnom




EUT Y\_2TX  
Setting 22  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04606G	63.64	88.20	-24.56	44.21	3	Horizontal	40	2.37	-	40.90	9.91	31.38
RMS	14.04518G	49.59	68.20	-18.61	30.15	3	Horizontal	40	2.37	-	40.90	9.91	31.37

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUT Y\_2TX  
Setting 22  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07764G	47.11	83.54	-36.43	43.21	1	Vertical	189	1.52	-	37.60	15.98	49.68
AV	21.07866G	33.42	63.54	-30.12	29.51	1	Vertical	189	1.52	-	37.60	15.99	49.68

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUT Y\_2TX  
Setting 22  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07278G	46.76	83.54	-36.78	42.87	1	Horizontal	105	1.55	-	37.60	15.98	49.69
AV	21.0793G	33.33	63.54	-30.21	29.42	1	Horizontal	105	1.55	-	37.60	15.99	49.68

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	78.29	88.20	-9.91	69.63	3	Vertical	300	1.64	-	35.00	6.60	32.94
RMS	5.922G	67.07	68.20	-1.13	58.42	3	Vertical	300	1.64	-	34.99	6.60	32.94
PK	6.043G	114.69	Inf	-Inf	105.77	3	Vertical	300	1.64	-	35.21	6.66	32.95
RMS	6.033G	103.72	Inf	-Inf	94.79	3	Vertical	300	1.64	-	35.23	6.65	32.95



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	73.84	88.20	-14.36	65.21	3	Horizontal	36	3.00	-	34.97	6.60	32.94
RMS	5.918G	61.54	68.20	-6.66	52.91	3	Horizontal	36	3.00	-	34.97	6.60	32.94
PK	6.029G	108.44	Inf	-Inf	99.51	3	Horizontal	36	3.00	-	35.24	6.64	32.95
RMS	6.029G	98.39	Inf	-Inf	89.46	3	Horizontal	36	3.00	-	35.24	6.64	32.95

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0471G	56.32	74.00	-17.68	41.57	3	Vertical	25	2.99	-	38.55	9.02	32.82
AV	12.05414G	42.62	54.00	-11.38	27.86	3	Vertical	25	2.99	-	38.55	9.02	32.81

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05226G	57.05	74.00	-16.95	42.30	3	Horizontal	249	1.09	-	38.55	9.02	32.82
AV	12.04874G	42.70	54.00	-11.30	27.95	3	Horizontal	249	1.09	-	38.55	9.02	32.82

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07752G	46.60	83.54	-36.94	44.50	1	Vertical	254	1.54	-	37.64	14.73	50.27
AV	18.073G	32.84	63.54	-30.70	30.74	1	Vertical	254	1.54	-	37.64	14.73	50.27

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07056G	46.68	83.54	-36.86	44.58	1	Horizontal	260	1.55	-	37.64	14.73	50.27
AV	18.07396G	32.86	63.54	-30.68	30.76	1	Horizontal	260	1.55	-	37.64	14.73	50.27

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	61.76	88.20	-26.44	53.22	3	Vertical	300	1.65	-	34.88	6.60	32.94
RMS	5.9226G	50.75	68.20	-17.45	42.10	3	Vertical	300	1.65	-	34.99	6.60	32.94
PK	6.1642G	111.80	Inf	-Inf	102.54	3	Vertical	300	1.65	-	35.36	6.85	32.95
RMS	6.1642G	100.88	Inf	-Inf	91.62	3	Vertical	300	1.65	-	35.36	6.85	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	60.90	88.20	-27.30	52.59	3	Horizontal	335	1.41	-	34.64	6.60	32.93
RMS	5.9242G	50.30	68.20	-17.90	41.64	3	Horizontal	335	1.41	-	35.00	6.60	32.94
PK	6.1594G	101.46	Inf	-Inf	92.23	3	Horizontal	335	1.41	-	35.34	6.84	32.95
RMS	6.169G	92.18	Inf	-Inf	82.90	3	Horizontal	335	1.41	-	35.38	6.85	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36968G	58.04	74.00	-15.96	42.65	3	Vertical	230	2.20	-	38.64	9.17	32.42
AV	12.37222G	43.62	54.00	-10.38	28.23	3	Vertical	230	2.20	-	38.64	9.17	32.42



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUT V\_2TX  
Setting 17  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37168G	57.14	74.00	-16.86	41.75	3	Horizontal	139	2.89	-	38.64	9.17	32.42
AV	12.36948G	43.68	54.00	-10.32	28.29	3	Horizontal	139	2.89	-	38.64	9.17	32.42

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55806G	46.79	83.54	-36.75	44.13	1	Vertical	220	1.56	-	37.78	14.92	50.04
AV	18.55064G	33.64	63.54	-29.90	30.99	1	Vertical	220	1.56	-	37.78	14.92	50.05

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5587G	46.88	83.54	-36.66	44.22	1	Horizontal	187	1.58	-	37.78	14.92	50.04
AV	18.55092G	33.61	63.54	-29.93	30.96	1	Horizontal	187	1.58	-	37.78	14.92	50.05

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	61.14	88.20	-27.06	52.55	3	Vertical	60	1.80	-	34.93	6.60	32.94
RMS	5.913G	50.32	68.20	-17.88	41.71	3	Vertical	60	1.80	-	34.95	6.60	32.94
PK	6.335G	111.09	Inf	-Inf	101.77	3	Vertical	60	1.80	-	35.30	6.97	32.95
RMS	6.335G	99.76	Inf	-Inf	90.44	3	Vertical	60	1.80	-	35.30	6.97	32.95

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.43	88.20	-27.77	51.87	3	Horizontal	334	1.35	-	34.90	6.60	32.94
RMS	5.85G	50.25	68.20	-17.95	41.78	3	Horizontal	334	1.35	-	34.80	6.60	32.93
PK	6.339G	102.72	Inf	-Inf	93.40	3	Horizontal	334	1.35	-	35.30	6.97	32.95
RMS	6.309G	91.76	Inf	-Inf	82.46	3	Horizontal	334	1.35	-	35.30	6.95	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69424G	58.14	74.00	-15.86	41.86	3	Vertical	196	2.75	-	38.98	9.31	32.01
AV	12.69286G	43.96	54.00	-10.04	27.68	3	Vertical	196	2.75	-	38.98	9.31	32.01

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT V\_2TX  
Setting 18  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69298G	57.64	74.00	-16.36	41.36	3	Horizontal	192	1.83	-	38.98	9.31	32.01
AV	12.69238G	44.02	54.00	-9.98	27.74	3	Horizontal	192	1.83	-	38.98	9.31	32.01

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03058G	48.23	83.54	-35.31	44.77	1	Vertical	114	1.56	-	37.96	15.11	49.61
AV	19.03088G	34.32	63.54	-29.22	30.86	1	Vertical	114	1.56	-	37.96	15.11	49.61



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0336G	47.88	83.54	-35.66	44.42	1	Horizontal	59	1.57	-	37.96	15.11	49.61
AV	19.03452G	34.32	63.54	-29.22	30.86	1	Horizontal	59	1.57	-	37.96	15.11	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	60.84	88.20	-27.36	52.42	3	Vertical	299	1.74	-	34.75	6.60	32.93
RMS	5.9198G	50.35	68.20	-17.85	41.71	3	Vertical	299	1.74	-	34.98	6.60	32.94
PK	6.4966G	110.91	Inf	-Inf	101.27	3	Vertical	299	1.74	-	35.59	7.00	32.95
RMS	6.4854G	99.55	Inf	-Inf	89.96	3	Vertical	299	1.74	-	35.54	7.00	32.95
PK	7.149G	63.30	88.20	-24.90	52.32	3	Vertical	299	1.74	-	36.89	7.23	33.14
RMS	7.1742G	53.08	68.20	-15.12	42.00	3	Vertical	299	1.74	-	37.00	7.21	33.13

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.66	88.20	-27.54	52.05	3	Horizontal	340	1.44	-	34.95	6.60	32.94
RMS	5.9226G	50.30	68.20	-17.90	41.65	3	Horizontal	340	1.44	-	34.99	6.60	32.94
PK	6.491G	102.50	Inf	-Inf	92.89	3	Horizontal	340	1.44	-	35.56	7.00	32.95
RMS	6.5302G	92.70	Inf	-Inf	82.94	3	Horizontal	340	1.44	-	35.72	7.00	32.96
PK	7.1714G	62.79	88.20	-25.41	51.72	3	Horizontal	340	1.44	-	36.99	7.21	33.13
RMS	7.1742G	53.13	68.20	-15.07	42.05	3	Horizontal	340	1.44	-	37.00	7.21	33.13

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 19.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00598G	58.28	88.20	-29.92	40.83	3	Vertical	359	2.93	-	39.61	9.45	31.61
RMS	13.00542G	44.72	68.20	-23.48	27.27	3	Vertical	359	2.93	-	39.61	9.45	31.61

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 19.5  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01228G	58.55	88.20	-29.65	41.08	3	Horizontal	292	1.57	-	39.61	9.46	31.60
RMS	13.01228G	44.85	68.20	-23.35	27.38	3	Horizontal	292	1.57	-	39.61	9.46	31.60

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 19.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51644G	48.19	83.54	-35.35	44.69	1	Vertical	169	1.53	-	37.89	15.31	49.70
AV	19.51944G	34.84	63.54	-28.70	31.34	1	Vertical	169	1.53	-	37.89	15.31	49.70

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**

**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Y\_2TX  
Setting 19.5  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51876G	48.75	83.54	-34.79	45.25	1	Horizontal	77	1.56	-	37.89	15.31	49.70
AV	19.51976G	34.75	63.54	-28.79	31.25	1	Horizontal	77	1.56	-	37.89	15.31	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	110.69	Inf	-Inf	100.75	3	Vertical	70	2.30	-	35.97	7.00	33.03
RMS	6.645G	100.30	Inf	-Inf	90.33	3	Vertical	70	2.30	-	35.99	7.00	33.02
PK	7.145G	63.40	88.20	-24.80	52.45	3	Vertical	70	2.30	-	36.86	7.23	33.14
RMS	7.143G	53.01	68.20	-15.19	42.08	3	Vertical	70	2.30	-	36.84	7.23	33.14



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.645G	104.93	Inf	-Inf	94.96	3	Horizontal	0	2.71	-	35.99	7.00	33.02
RMS	6.647G	94.93	Inf	-Inf	84.96	3	Horizontal	0	2.71	-	35.99	7.00	33.02
PK	7.133G	63.23	88.20	-24.97	52.38	3	Horizontal	0	2.71	-	36.76	7.23	33.14
RMS	7.145G	53.01	68.20	-15.19	42.06	3	Horizontal	0	2.71	-	36.86	7.23	33.14

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33172G	59.42	74.00	-14.58	40.96	3	Vertical	76	2.89	-	40.06	9.60	31.20
AV	13.32872G	45.52	54.00	-8.48	27.07	3	Vertical	76	2.89	-	40.06	9.60	31.21

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3346G	59.30	74.00	-14.70	40.83	3	Horizontal	126	1.17	-	40.07	9.60	31.20
AV	13.33122G	45.50	54.00	-8.50	27.04	3	Horizontal	126	1.17	-	40.06	9.60	31.20

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9905G	48.36	83.54	-35.18	45.14	1	Vertical	41	1.51	-	37.42	15.50	49.70
AV	19.99678G	34.54	63.54	-29.00	31.33	1	Vertical	41	1.51	-	37.41	15.50	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99208G	47.81	83.54	-35.73	44.60	1	Horizontal	345	1.53	-	37.41	15.50	49.70
AV	19.99994G	34.48	63.54	-29.06	31.28	1	Horizontal	345	1.53	-	37.40	15.50	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7962G	111.41	Inf	-Inf	101.30	3	Vertical	71	1.77	-	36.20	7.00	33.09
RMS	6.7962G	100.13	Inf	-Inf	90.02	3	Vertical	71	1.77	-	36.20	7.00	33.09
PK	7.2218G	64.25	88.20	-23.95	53.04	3	Vertical	71	1.77	-	37.10	7.22	33.11
RMS	7.1274G	53.81	68.20	-14.39	42.99	3	Vertical	71	1.77	-	36.72	7.24	33.14

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.849G	104.23	Inf	-Inf	93.69	3	Horizontal	354	1.24	-	36.59	7.07	33.12
RMS	6.8186G	92.93	Inf	-Inf	82.65	3	Horizontal	354	1.24	-	36.35	7.03	33.10
PK	7.1706G	64.09	88.20	-24.11	53.03	3	Horizontal	354	1.24	-	36.98	7.21	33.13
RMS	7.1834G	53.15	68.20	-15.05	42.03	3	Horizontal	354	1.24	-	37.03	7.21	33.12

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6825MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64856G	62.32	88.20	-25.88	43.27	3	Vertical	327	1.04	-	40.40	9.74	31.09
AV	13.6482G	48.48	68.20	-19.72	29.43	3	Vertical	327	1.04	-	40.40	9.74	31.09



802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65474G	62.11	88.20	-26.09	43.06	3	Horizontal	10	2.25	-	40.41	9.74	31.10
AV	13.6482G	48.46	68.20	-19.74	29.41	3	Horizontal	10	2.25	-	40.40	9.74	31.09

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4751G	47.81	83.54	-35.73	44.30	1	Vertical	162	1.58	-	37.69	15.71	49.89
AV	20.47706G	34.02	63.54	-29.52	30.51	1	Vertical	162	1.58	-	37.69	15.71	49.89

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Y\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47796G	47.43	83.54	-36.11	43.91	1	Horizontal	317	1.54	-	37.69	15.72	49.89
AV	20.47102G	33.83	63.54	-29.71	30.32	1	Horizontal	317	1.54	-	37.69	15.71	49.89

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.949G	110.58	Inf	-Inf	100.04	3	Vertical	289	1.64	-	36.49	7.22	33.17
RMS	6.979G	100.84	Inf	-Inf	90.37	3	Vertical	289	1.64	-	36.38	7.27	33.18
PK	7.131G	77.69	88.20	-10.51	66.85	3	Vertical	289	1.64	-	36.75	7.23	33.14
RMS	7.13G	65.82	68.20	-2.38	54.98	3	Vertical	289	1.64	-	36.74	7.24	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.954G	105.64	Inf	-Inf	95.10	3	Horizontal	16	3.00	-	36.48	7.23	33.17
RMS	6.974G	95.68	Inf	-Inf	85.20	3	Horizontal	16	3.00	-	36.40	7.26	33.18
PK	7.13G	75.59	88.20	-12.61	64.75	3	Horizontal	16	3.00	-	36.74	7.24	33.14
RMS	7.125G	61.77	68.20	-6.43	50.97	3	Horizontal	16	3.00	-	36.70	7.24	33.14

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97166G	63.65	88.20	-24.55	44.17	3	Vertical	101	1.97	-	40.90	9.89	31.31
RMS	13.97072G	50.16	68.20	-18.04	30.68	3	Vertical	101	1.97	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96562G	63.58	88.20	-24.62	44.11	3	Horizontal	113	2.81	-	40.90	9.88	31.31
RMS	13.97078G	50.13	68.20	-18.07	30.65	3	Horizontal	113	2.81	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9547G	47.01	83.54	-36.53	43.13	1	Vertical	231	1.56	-	37.67	15.93	49.72
AV	20.95814G	33.53	63.54	-30.01	29.65	1	Vertical	231	1.56	-	37.67	15.93	49.72



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom



EUT\_V\_2TX  
Setting 19  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95592G	46.99	83.54	-36.55	43.11	1	Horizontal	173	1.52	-	37.67	15.93	49.72
AV	20.95548G	33.48	63.54	-30.06	29.60	1	Horizontal	173	1.52	-	37.67	15.93	49.72




For beamforming mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	Pass	AV	7.1255G	68.09	68.20	-0.11	3	Vertical	64.9	1.80	-

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	60.36	88.20	-27.84	53.33	3	Vertical	292.6	1.80	-	35.02	5.36	33.35
RMS	5.9238G	48.66	68.20	-19.54	41.61	3	Vertical	292.6	1.80	-	35.04	5.36	33.35
PK	5.9642G	106.34	Inf	-Inf	99.07	3	Vertical	292.6	1.80	-	35.26	5.38	33.37
RMS	5.9638G	96.37	Inf	-Inf	89.10	3	Vertical	292.6	1.80	-	35.26	5.38	33.37

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	59.49	88.20	-28.71	52.64	3	Horizontal	333	1.52	-	34.84	5.34	33.33
RMS	5.9234G	48.50	68.20	-19.70	41.45	3	Horizontal	333	1.52	-	35.04	5.36	33.35
PK	5.9602G	95.30	Inf	-Inf	88.04	3	Horizontal	333	1.52	-	35.24	5.38	33.36
RMS	5.9602G	85.23	Inf	-Inf	77.97	3	Horizontal	333	1.52	-	35.24	5.38	33.36

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90818G	56.80	74.00	-17.20	43.60	3	Vertical	282	2.99	-	39.18	8.94	34.92
AV	11.90724G	42.82	54.00	-11.18	29.61	3	Vertical	282	2.99	-	39.18	8.94	34.91
PK	17.8632G	63.06	74.00	-10.94	46.17	3	Vertical	49	2.42	-	41.89	9.75	34.75
AV	17.86958G	48.14	54.00	-5.86	31.23	3	Vertical	49	2.42	-	41.91	9.75	34.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90628G	57.77	74.00	-16.23	44.57	3	Horizontal	331	2.36	-	39.18	8.93	34.91
AV	11.90748G	42.81	54.00	-11.19	29.60	3	Horizontal	331	2.36	-	39.18	8.94	34.91
PK	17.86962G	62.39	74.00	-11.61	45.48	3	Horizontal	39	2.66	-	41.91	9.75	34.75
AV	17.8696G	48.14	54.00	-5.86	31.23	3	Horizontal	39	2.66	-	41.91	9.75	34.75

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	58.78	88.20	-29.42	51.92	3	Vertical	310	1.69	-	34.85	5.34	33.33
RMS	5.9242G	48.44	68.20	-19.76	41.38	3	Vertical	310	1.69	-	35.05	5.36	33.35
PK	6.169G	106.50	Inf	-Inf	98.69	3	Vertical	310	1.69	-	35.51	5.57	33.27
RMS	6.169G	96.42	Inf	-Inf	88.61	3	Vertical	310	1.69	-	35.51	5.57	33.27

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	59.33	88.20	-28.87	52.34	3	Horizontal	360	2.99	-	34.97	5.36	33.34
RMS	5.9242G	48.45	68.20	-19.75	41.39	3	Horizontal	360	2.99	-	35.05	5.36	33.35
PK	6.1822G	99.76	Inf	-Inf	91.85	3	Horizontal	360	2.99	-	35.59	5.58	33.26
RMS	6.1654G	88.53	Inf	-Inf	80.74	3	Horizontal	360	2.99	-	35.49	5.57	33.27



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35318G	56.81	74.00	-17.19	43.86	3	Vertical	249	1.87	-	38.86	8.93	34.84
AV	12.35366G	42.38	54.00	-11.62	29.43	3	Vertical	249	1.87	-	38.86	8.93	34.84

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3539G	56.37	74.00	-17.63	43.42	3	Horizontal	247	1.63	-	38.86	8.93	34.84
AV	12.35334G	42.39	54.00	-11.61	29.44	3	Horizontal	247	1.63	-	38.86	8.93	34.84

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52814G	58.24	83.54	-25.30	55.61	1	Vertical	110	1.53	-	37.79	14.91	50.07
AV	18.52736G	44.23	63.54	-19.31	41.60	1	Vertical	110	1.53	-	37.79	14.91	50.07

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52036G	58.18	83.54	-25.36	55.56	1	Horizontal	281	1.52	-	37.79	14.91	50.08
AV	18.5299G	44.27	63.54	-19.27	41.64	1	Horizontal	281	1.52	-	37.79	14.91	50.07

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6415MHz\_TnomVnom



EUTY\_2TX  
Setting 12  
04-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	59.02	88.20	-29.18	52.32	3	Vertical	302	1.80	-	34.69	5.32	33.31
RMS	5.925G	48.45	68.20	-19.75	41.39	3	Vertical	302	1.80	-	35.05	5.36	33.35
PK	6.4126G	107.68	Inf	-Inf	99.41	3	Vertical	302	1.80	-	35.67	5.70	33.10
RMS	6.415G	95.72	Inf	-Inf	87.45	3	Vertical	302	1.80	-	35.67	5.70	33.10