



For non beamforming mode
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.97
802.11ax HEW40_Nss1,(MCS0)_2TX	4.95
802.11ax HEW80_Nss1,(MCS0)_2TX	4.95
802.11ax HEW160_Nss1,(MCS0)_2TX	4.87
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.99
802.11ax HEW40_Nss1,(MCS0)_2TX	4.98
802.11ax HEW80_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160_Nss1,(MCS0)_2TX	4.68
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.75
802.11ax HEW40_Nss1,(MCS0)_2TX	4.77
802.11ax HEW80_Nss1,(MCS0)_2TX	4.99
802.11ax HEW160_Nss1,(MCS0)_2TX	4.66
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.75
802.11ax HEW40_Nss1,(MCS0)_2TX	4.71
802.11ax HEW80_Nss1,(MCS0)_2TX	4.98
802.11ax HEW160_Nss1,(MCS0)_2TX	4.85



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.72	5.00
6175MHz	Pass	4.97	5.00
6415MHz	Pass	4.92	5.00
6435MHz	Pass	4.99	5.00
6475MHz	Pass	4.85	5.00
6515MHz	Pass	4.86	5.00
6535MHz	Pass	4.56	5.00
6695MHz	Pass	4.72	5.00
6855MHz	Pass	4.75	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.64	5.00
6895MHz	Pass	4.72	5.00
6995MHz	Pass	4.75	5.00
7095MHz	Pass	4.65	5.00
7115MHz	Pass	0.87	5.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.95	5.00
6165MHz	Pass	4.68	5.00
6405MHz	Pass	4.81	5.00
6445MHz	Pass	4.98	5.00
6485MHz	Pass	4.65	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.70	5.00
6565MHz	Pass	4.72	5.00
6685MHz	Pass	4.63	5.00
6845MHz	Pass	4.77	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.70	5.00
6925MHz	Pass	4.64	5.00
7005MHz	Pass	4.71	5.00
7085MHz	Pass	4.71	5.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.76	5.00
6145MHz	Pass	4.95	5.00
6385MHz	Pass	4.54	5.00
6465MHz	Pass	4.89	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.82	5.00
6625MHz	Pass	4.99	5.00
6705MHz	Pass	4.89	5.00
6785MHz	Pass	4.72	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6945MHz	Pass	4.98	5.00
7025MHz	Pass	4.79	5.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.53	5.00
6185MHz	Pass	4.87	5.00
6345MHz	Pass	4.66	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.68	5.00
6665MHz	Pass	4.66	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.55	5.00
6985MHz	Pass	4.85	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






































































For beamforming mode
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.79
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.90
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.92
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	4.60
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.98
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.92
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.83
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	1.63
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.81
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.84
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.93
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	2.60
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.99
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.99
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.99
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	1.58


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-
5955MHz	Pass	4.79	5.00
6175MHz	Pass	4.25	5.00
6415MHz	Pass	4.13	5.00
6435MHz	Pass	4.98	5.00
6475MHz	Pass	4.37	5.00
6515MHz	Pass	4.48	5.00
6535MHz	Pass	4.36	5.00
6695MHz	Pass	4.65	5.00
6855MHz	Pass	4.81	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.08	5.00
6895MHz	Pass	4.24	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.43	5.00
7115MHz	Pass	-4.30	5.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-
5965MHz	Pass	4.71	5.00
6165MHz	Pass	4.90	5.00
6405MHz	Pass	4.71	5.00
6445MHz	Pass	4.25	5.00
6485MHz	Pass	4.92	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.90	5.00
6565MHz	Pass	4.84	5.00
6685MHz	Pass	4.71	5.00
6845MHz	Pass	4.45	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.29	5.00
6925MHz	Pass	4.99	5.00
7005MHz	Pass	4.30	5.00
7085MHz	Pass	4.14	5.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-
5985MHz	Pass	4.92	5.00
6145MHz	Pass	4.27	5.00
6385MHz	Pass	4.11	5.00
6465MHz	Pass	4.19	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6625MHz	Pass	4.43	5.00
6705MHz	Pass	4.79	5.00
6785MHz	Pass	4.52	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.93	5.00
6945MHz	Pass	4.76	5.00
7025MHz	Pass	4.99	5.00
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-	-	-
6025MHz	Pass	3.93	5.00
6185MHz	Pass	4.60	5.00
6345MHz	Pass	3.48	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	1.63	5.00
6665MHz	Pass	2.60	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	1.18	5.00
6985MHz	Pass	1.58	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;







































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.84	4.66
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.60	4.90
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.55	4.95
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.59	4.91

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	5.50	-0.84	-0.84	4.66	5.00
6175MHz	Pass	5.50	-0.84	-0.84	4.66	5.00
6415MHz	Pass	5.50	-0.88	-0.88	4.62	5.00
6435MHz	Pass	5.50	-0.81	-0.81	4.69	5.00
6475MHz	Pass	5.50	-0.60	-0.60	4.90	5.00
6515MHz	Pass	5.50	-0.98	-0.98	4.52	5.00
6535MHz	Pass	5.50	-0.82	-0.82	4.68	5.00
6695MHz	Pass	5.50	-0.85	-0.85	4.65	5.00
6855MHz	Pass	5.50	-0.69	-0.69	4.81	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	5.50	-0.55	-0.55	4.95	5.00
6895MHz	Pass	5.50	-0.59	-0.59	4.91	5.00
6995MHz	Pass	5.50	-0.63	-0.63	4.87	5.00
7095MHz	Pass	5.50	-1.09	-1.09	4.41	5.00
7115MHz	Pass	5.50	-0.64	-0.64	4.86	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5955MHz

01/04/2022

CF
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.84	-0.84	-0.84


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6175MHz

01/04/2022

CF
6.175GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.84	-0.84	-0.84

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6415MHz

01/04/2022

CF
6.415GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.88	-0.88	-0.88

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6435MHz

01/04/2022

CF
6.435GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.81	-0.81	-0.81

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6475MHz

01/04/2022

CF
6.475GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.60	-0.60	-0.60

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6515MHz

01/04/2022

CF
6.515GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.98	-0.98	-0.98

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6535MHz

01/04/2022

CF
6.535GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.82	-0.82	-0.82

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz

01/04/2022

CF
6.695GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.85	-0.85	-0.85

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6855MHz

01/04/2022

CF
6.855GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.69	-0.69	-0.69

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6875MHz Straddle 6.525-6.875GHz

01/04/2022

CF
6.875GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.55	-0.55	-0.55

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6895MHz

01/04/2022

CF
6.895GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.59	-0.59	-0.59

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6995MHz

01/04/2022

CF
6.995GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.63	-0.63	-0.63

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7095MHz

01/04/2022

CF
7.095GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.09	-1.09	-1.09

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7115MHz

11/04/2022

CF
7.115GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	73.35M	35.20	40.00	-4.80	Vertical
Mode 8	Pass	QP	39.78M	35.44	40.00	-4.56	Vertical












Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.16	68.20	-0.04	3	Vertical	289	1.65	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	60.56	88.20	-27.64	51.95	3	Vertical	56	1.76	-	34.95	6.60	32.94
RMS	5.9242G	49.92	68.20	-18.28	41.26	3	Vertical	56	1.76	-	35.00	6.60	32.94
PK	5.963G	109.56	Inf	-Inf	100.76	3	Vertical	56	1.76	-	35.15	6.60	32.95
RMS	5.9638G	98.45	Inf	-Inf	89.64	3	Vertical	56	1.76	-	35.16	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.86	88.20	-27.34	52.20	3	Horizontal	25	2.94	-	35.00	6.60	32.94
RMS	5.925G	49.78	68.20	-18.42	41.12	3	Horizontal	25	2.94	-	35.00	6.60	32.94
PK	5.9612G	102.44	Inf	-Inf	93.65	3	Horizontal	25	2.94	-	35.14	6.60	32.95
RMS	5.9636G	91.44	Inf	-Inf	82.64	3	Horizontal	25	2.94	-	35.15	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9059G	55.73	74.00	-18.27	41.12	3	Vertical	289	1.66	-	38.50	8.98	32.87
AV	11.91428G	41.88	54.00	-12.12	27.27	3	Vertical	289	1.66	-	38.50	8.98	32.87
PK	17.862G	66.26	74.00	-7.74	44.25	3	Vertical	112	1.03	-	42.65	11.06	31.70
AV	17.86188G	52.67	54.00	-1.33	30.66	3	Vertical	112	1.03	-	42.65	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT Y_1TX
Setting 13
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90546G	55.65	74.00	-18.35	41.04	3	Horizontal	62	1.75	-	38.50	8.98	32.87
AV	11.91132G	41.77	54.00	-12.23	27.16	3	Horizontal	62	1.75	-	38.50	8.98	32.87
PK	17.86694G	66.69	74.00	-7.31	44.66	3	Horizontal	163	1.18	-	42.67	11.06	31.70
AV	17.86344G	52.82	54.00	-1.18	30.81	3	Horizontal	163	1.18	-	42.65	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	60.13	88.20	-28.07	51.57	3	Vertical	58	1.73	-	34.90	6.60	32.94
RMS	5.9206G	49.58	68.20	-18.62	40.94	3	Vertical	58	1.73	-	34.98	6.60	32.94
PK	6.1666G	109.71	Inf	-Inf	100.44	3	Vertical	58	1.73	-	35.37	6.85	32.95
RMS	6.1834G	99.72	Inf	-Inf	90.36	3	Vertical	58	1.73	-	35.43	6.88	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	60.45	88.20	-27.75	51.93	3	Horizontal	50	2.98	-	34.86	6.60	32.94
RMS	5.925G	49.59	68.20	-18.61	40.93	3	Horizontal	50	2.98	-	35.00	6.60	32.94
PK	6.181G	103.32	Inf	-Inf	93.98	3	Horizontal	50	2.98	-	35.42	6.87	32.95
RMS	6.1666G	92.07	Inf	-Inf	82.80	3	Horizontal	50	2.98	-	35.37	6.85	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.345G	56.39	74.00	-17.61	41.09	3	Vertical	2	2.12	-	38.59	9.16	32.45
AV	12.34686G	42.51	54.00	-11.49	27.21	3	Vertical	2	2.12	-	38.59	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34856G	56.24	74.00	-17.76	40.93	3	Horizontal	98	2.36	-	38.60	9.16	32.45
AV	12.3475G	42.64	54.00	-11.36	27.34	3	Horizontal	98	2.36	-	38.59	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52154G	48.49	83.54	-35.05	45.87	1	Vertical	104	1.54	-	37.79	14.91	50.08
AV	18.52196G	33.80	63.54	-29.74	31.18	1	Vertical	104	1.54	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT V_1TX
Setting 13.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52246G	47.38	83.54	-36.16	44.76	1	Horizontal	140	1.55	-	37.79	14.91	50.08
AV	18.5208G	33.86	63.54	-29.68	31.24	1	Horizontal	140	1.55	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	60.09	88.20	-28.11	51.58	3	Vertical	59	1.73	-	34.85	6.60	32.94
RMS	5.9206G	49.54	68.20	-18.66	40.90	3	Vertical	59	1.73	-	34.98	6.60	32.94
PK	6.4198G	108.21	Inf	-Inf	98.64	3	Vertical	59	1.73	-	35.52	7.00	32.95
RMS	6.4078G	98.91	Inf	-Inf	89.29	3	Vertical	59	1.73	-	35.57	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8366G	60.05	88.20	-28.15	51.69	3	Horizontal	328	2.92	-	34.69	6.60	32.93
RMS	5.9206G	49.51	68.20	-18.69	40.87	3	Horizontal	328	2.92	-	34.98	6.60	32.94
PK	6.4078G	100.58	Inf	-Inf	90.96	3	Horizontal	328	2.92	-	35.57	7.00	32.95
RMS	6.4078G	90.02	Inf	-Inf	80.40	3	Horizontal	328	2.92	-	35.57	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82712G	57.20	88.20	-31.00	40.44	3	Vertical	233	2.36	-	39.23	9.37	31.84
RMS	12.8261G	43.58	68.20	-24.62	26.82	3	Vertical	233	2.36	-	39.23	9.37	31.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82854G	57.55	88.20	-30.65	40.79	3	Horizontal	307	1.12	-	39.23	9.37	31.84
RMS	12.82874G	43.54	68.20	-24.66	26.78	3	Horizontal	307	1.12	-	39.23	9.37	31.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT Y_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2434G	47.48	83.54	-36.06	44.22	1	Vertical	216	1.52	-	37.71	15.20	49.65
AV	19.24034G	33.15	63.54	-30.39	29.89	1	Vertical	216	1.52	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT Y_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2401G	47.04	83.54	-36.50	43.78	1	Horizontal	321	1.54	-	37.71	15.20	49.65
AV	19.24772G	33.17	63.54	-30.37	29.92	1	Horizontal	321	1.54	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	60.10	88.20	-28.10	51.53	3	Vertical	54	1.80	-	34.91	6.60	32.94
RMS	5.9124G	49.51	68.20	-18.69	40.90	3	Vertical	54	1.80	-	34.95	6.60	32.94
PK	6.4298G	109.29	Inf	-Inf	99.76	3	Vertical	54	1.80	-	35.48	7.00	32.95
RMS	6.4272G	99.08	Inf	-Inf	89.54	3	Vertical	54	1.80	-	35.49	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	61.23	88.20	-26.97	52.69	3	Horizontal	321	2.92	-	34.88	6.60	32.94
RMS	5.915G	49.53	68.20	-18.67	40.91	3	Horizontal	321	2.92	-	34.96	6.60	32.94
PK	6.4272G	98.03	Inf	-Inf	88.49	3	Horizontal	321	2.92	-	35.49	7.00	32.95
RMS	6.4272G	88.00	Inf	-Inf	78.46	3	Horizontal	321	2.92	-	35.49	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86782G	57.55	88.20	-30.65	40.68	3	Vertical	302	2.63	-	39.27	9.39	31.79
RMS	12.86852G	43.46	68.20	-24.74	26.59	3	Vertical	302	2.63	-	39.27	9.39	31.79

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87212G	57.10	88.20	-31.10	40.22	3	Horizontal	331	1.81	-	39.27	9.39	31.78
RMS	12.87432G	43.68	68.20	-24.52	26.80	3	Horizontal	331	1.81	-	39.27	9.39	31.78

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT Y_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30486G	47.29	83.54	-36.25	43.99	1	Vertical	11	1.51	-	37.74	15.22	49.66
AV	19.30312G	33.65	63.54	-29.89	30.35	1	Vertical	11	1.51	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT Y_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3098G	46.85	83.54	-36.69	43.54	1	Horizontal	186	1.57	-	37.75	15.22	49.66
AV	19.3015G	33.63	63.54	-29.91	30.33	1	Horizontal	186	1.57	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	60.95	88.20	-27.25	52.41	3	Vertical	51	1.81	-	34.88	6.60	32.94
RMS	5.9066G	49.66	68.20	-18.54	41.07	3	Vertical	51	1.81	-	34.93	6.60	32.94
PK	6.4834G	108.87	Inf	-Inf	99.29	3	Vertical	51	1.81	-	35.53	7.00	32.95
RMS	6.4834G	98.40	Inf	-Inf	88.82	3	Vertical	51	1.81	-	35.53	7.00	32.95
PK	7.1302G	62.09	88.20	-26.11	51.26	3	Vertical	51	1.81	-	36.74	7.23	33.14
RMS	7.1582G	52.05	68.20	-16.15	41.03	3	Vertical	51	1.81	-	36.93	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7974G	60.54	88.20	-27.66	52.47	3	Horizontal	329	2.84	-	34.40	6.60	32.93
RMS	5.9206G	49.53	68.20	-18.67	40.89	3	Horizontal	329	2.84	-	34.98	6.60	32.94
PK	6.4806G	100.70	Inf	-Inf	91.13	3	Horizontal	329	2.84	-	35.52	7.00	32.95
RMS	6.4834G	90.09	Inf	-Inf	80.51	3	Horizontal	329	2.84	-	35.53	7.00	32.95
PK	7.1694G	61.96	88.20	-26.24	50.89	3	Horizontal	329	2.84	-	36.98	7.22	33.13
RMS	7.1722G	51.97	68.20	-16.23	40.90	3	Horizontal	329	2.84	-	36.99	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94518G	57.42	88.20	-30.78	40.24	3	Vertical	69	1.65	-	39.44	9.43	31.69
RMS	12.9522G	44.10	68.20	-24.10	26.89	3	Vertical	69	1.65	-	39.46	9.43	31.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9487G	58.02	88.20	-30.18	40.83	3	Horizontal	113	2.12	-	39.45	9.43	31.69
RMS	12.95488G	44.14	68.20	-24.06	26.93	3	Horizontal	113	2.12	-	39.46	9.43	31.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT Y_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42676G	47.76	83.54	-35.78	44.34	1	Vertical	4	1.51	-	37.84	15.27	49.69
AV	19.42436G	34.25	63.54	-29.29	30.82	1	Vertical	4	1.51	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 15
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42582G	47.92	83.54	-35.62	44.50	1	Horizontal	355	1.54	-	37.84	15.27	49.69
AV	19.43G	34.32	63.54	-29.22	30.90	1	Horizontal	355	1.54	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	60.28	88.20	-27.92	51.96	3	Vertical	51	3.00	-	34.65	6.60	32.93
RMS	5.9046G	49.49	68.20	-18.71	40.91	3	Vertical	51	3.00	-	34.92	6.60	32.94
PK	6.5206G	108.39	Inf	-Inf	98.67	3	Vertical	51	3.00	-	35.68	7.00	32.96
RMS	6.5234G	98.99	Inf	-Inf	89.26	3	Vertical	51	3.00	-	35.69	7.00	32.96
PK	7.201G	62.82	88.20	-25.38	51.64	3	Vertical	51	3.00	-	37.10	7.20	33.12
RMS	7.215G	52.31	68.20	-15.89	41.10	3	Vertical	51	3.00	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	60.32	88.20	-27.88	51.78	3	Horizontal	327	2.83	-	34.88	6.60	32.94
RMS	5.8934G	49.48	68.20	-18.72	40.93	3	Horizontal	327	2.83	-	34.89	6.60	32.94
PK	6.5094G	99.71	Inf	-Inf	90.02	3	Horizontal	327	2.83	-	35.64	7.00	32.95
RMS	6.5234G	89.81	Inf	-Inf	80.08	3	Horizontal	327	2.83	-	35.69	7.00	32.96
PK	7.1898G	62.88	88.20	-25.32	51.73	3	Horizontal	327	2.83	-	37.06	7.21	33.12
RMS	7.2122G	52.33	68.20	-15.87	41.13	3	Horizontal	327	2.83	-	37.10	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02972G	58.05	88.20	-30.15	40.54	3	Vertical	263	1.55	-	39.63	9.46	31.58
RMS	13.02958G	44.29	68.20	-23.91	26.78	3	Vertical	263	1.55	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03416G	58.67	88.20	-29.53	41.15	3	Horizontal	199	2.49	-	39.63	9.47	31.58
RMS	13.02978G	44.26	68.20	-23.94	26.75	3	Horizontal	199	2.49	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54584G	48.43	83.54	-35.11	44.93	1	Vertical	1	1.50	-	37.88	15.32	49.70
AV	19.5428G	34.51	63.54	-29.03	31.01	1	Vertical	1	1.50	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54372G	48.06	83.54	-35.48	44.56	1	Horizontal	285	1.52	-	37.88	15.32	49.70
AV	19.54798G	34.70	63.54	-28.84	31.20	1	Horizontal	285	1.52	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	60.15	88.20	-28.05	51.61	3	Vertical	288	1.80	-	34.88	6.60	32.94
RMS	5.8854G	49.51	68.20	-18.69	40.98	3	Vertical	288	1.80	-	34.87	6.60	32.94
PK	6.5266G	109.89	Inf	-Inf	100.14	3	Vertical	288	1.80	-	35.71	7.00	32.96
RMS	6.5434G	99.10	Inf	-Inf	89.30	3	Vertical	288	1.80	-	35.77	7.00	32.97
PK	7.1622G	62.15	88.20	-26.05	51.11	3	Vertical	288	1.80	-	36.95	7.22	33.13
RMS	7.2182G	52.35	68.20	-15.85	41.14	3	Vertical	288	1.80	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	60.16	88.20	-28.04	51.68	3	Horizontal	27	2.79	-	34.82	6.60	32.94
RMS	5.8938G	49.47	68.20	-18.73	40.92	3	Horizontal	27	2.79	-	34.89	6.60	32.94
PK	6.5406G	104.68	Inf	-Inf	94.89	3	Horizontal	27	2.79	-	35.76	7.00	32.97
RMS	6.5294G	93.99	Inf	-Inf	84.23	3	Horizontal	27	2.79	-	35.72	7.00	32.96
PK	7.1258G	63.89	88.20	-24.31	53.08	3	Horizontal	27	2.79	-	36.71	7.24	33.14
RMS	7.2238G	52.41	68.20	-15.79	41.20	3	Horizontal	27	2.79	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0692G	58.14	88.20	-30.06	40.52	3	Vertical	111	1.28	-	39.67	9.48	31.53
RMS	13.06934G	43.81	68.20	-24.39	26.19	3	Vertical	111	1.28	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0736G	58.10	88.20	-30.10	40.48	3	Horizontal	293	1.73	-	39.67	9.48	31.53
RMS	13.07494G	43.84	68.20	-24.36	26.22	3	Horizontal	293	1.73	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60308G	48.39	83.54	-35.15	44.89	1	Vertical	250	1.58	-	37.86	15.34	49.70
AV	19.60102G	34.47	63.54	-29.07	30.97	1	Vertical	250	1.58	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6068G	48.60	83.54	-34.94	45.10	1	Horizontal	179	1.53	-	37.86	15.34	49.70
AV	19.6023G	34.41	63.54	-29.13	30.91	1	Horizontal	179	1.53	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	109.89	Inf	-Inf	100.03	3	Vertical	287	1.55	-	35.91	7.00	33.05
RMS	6.7016G	99.30	Inf	-Inf	89.44	3	Vertical	287	1.55	-	35.91	7.00	33.05
PK	7.2384G	62.53	88.20	-25.67	51.29	3	Vertical	287	1.55	-	37.10	7.24	33.10
RMS	7.245G	52.55	68.20	-15.65	41.30	3	Vertical	287	1.55	-	37.10	7.25	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	102.42	Inf	-Inf	92.56	3	Horizontal	0	1.00	-	35.91	7.00	33.05
RMS	6.7016G	92.82	Inf	-Inf	82.96	3	Horizontal	0	1.00	-	35.91	7.00	33.05
PK	7.2098G	63.05	88.20	-25.15	51.85	3	Horizontal	0	1.00	-	37.10	7.21	33.11
RMS	7.245G	52.51	68.20	-15.69	41.26	3	Horizontal	0	1.00	-	37.10	7.25	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38662G	59.15	74.00	-14.85	40.49	3	Vertical	330	2.79	-	40.17	9.62	31.13
AV	13.38968G	45.48	54.00	-8.52	26.80	3	Vertical	330	2.79	-	40.18	9.63	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38976G	59.61	74.00	-14.39	40.93	3	Horizontal	10	1.04	-	40.18	9.63	31.13
AV	13.38714G	45.52	54.00	-8.48	26.86	3	Horizontal	10	1.04	-	40.17	9.62	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08604G	48.88	83.54	-34.66	45.60	1	Vertical	137	1.53	-	37.47	15.54	49.73
AV	20.08072G	34.55	63.54	-28.99	31.28	1	Vertical	137	1.53	-	37.46	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08608G	48.81	83.54	-34.73	45.53	1	Horizontal	252	1.50	-	37.47	15.54	49.73
AV	20.08336G	34.54	63.54	-29.00	31.26	1	Horizontal	252	1.50	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 14
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	108.18	Inf	-Inf	97.65	3	Vertical	287	1.80	-	36.58	7.07	33.12
RMS	6.8466G	97.62	Inf	-Inf	87.10	3	Vertical	287	1.80	-	36.57	7.07	33.12
PK	7.1434G	63.67	88.20	-24.53	52.73	3	Vertical	287	1.80	-	36.85	7.23	33.14
RMS	7.2036G	52.21	68.20	-15.99	41.03	3	Vertical	287	1.80	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 14
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	100.63	Inf	-Inf	90.08	3	Horizontal	53	2.73	-	36.59	7.08	33.12
RMS	6.8634G	90.44	Inf	-Inf	79.97	3	Horizontal	53	2.73	-	36.49	7.10	33.12
PK	7.1896G	63.18	88.20	-25.02	52.03	3	Horizontal	53	2.73	-	37.06	7.21	33.12
RMS	7.2008G	52.13	68.20	-16.07	40.95	3	Horizontal	53	2.73	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 14
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71096G	62.22	88.20	-25.98	43.05	3	Vertical	66	1.77	-	40.53	9.77	31.13
RMS	13.7145G	48.26	68.20	-19.94	29.09	3	Vertical	66	1.77	-	40.54	9.77	31.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 14
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70578G	62.03	88.20	-26.17	42.87	3	Horizontal	294	1.02	-	40.52	9.77	31.13
RMS	13.71498G	48.24	68.20	-19.96	29.07	3	Horizontal	294	1.02	-	40.54	9.77	31.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT Y_1TX
Setting 14
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56332G	48.58	83.54	-34.96	44.92	1	Vertical	27	1.55	-	37.78	15.75	49.87
AV	20.56666G	34.94	63.54	-28.60	31.28	1	Vertical	27	1.55	-	37.78	15.75	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 14
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56114G	48.61	83.54	-34.93	44.97	1	Horizontal	264	1.54	-	37.77	15.75	49.88
AV	20.56928G	35.00	63.54	-28.54	31.33	1	Horizontal	264	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 14.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	108.16	Inf	-Inf	97.83	3	Vertical	288	1.72	-	36.34	7.12	33.13
RMS	6.8666G	98.89	Inf	-Inf	88.45	3	Vertical	288	1.72	-	36.47	7.10	33.13
PK	7.1354G	63.40	88.20	-24.80	52.53	3	Vertical	288	1.72	-	36.78	7.23	33.14
RMS	7.1366G	52.76	68.20	-15.44	41.88	3	Vertical	288	1.72	-	36.79	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	101.36	Inf	-Inf	90.92	3	Horizontal	29	2.72	-	36.47	7.10	33.13
RMS	6.8666G	92.18	Inf	-Inf	81.74	3	Horizontal	29	2.72	-	36.47	7.10	33.13
PK	7.127G	62.99	88.20	-25.21	52.17	3	Horizontal	29	2.72	-	36.72	7.24	33.14
RMS	7.1426G	52.68	68.20	-15.52	41.75	3	Horizontal	29	2.72	-	36.84	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




27/04/2022

EUT Y_1TX
Setting 14.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75004G	62.53	88.20	-25.67	43.25	3	Vertical	84	1.78	-	40.65	9.79	31.16
RMS	13.74914G	48.82	68.20	-19.38	29.54	3	Vertical	84	1.78	-	40.65	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75248G	63.17	88.20	-25.03	43.88	3	Horizontal	327	1.25	-	40.66	9.79	31.16
RMS	13.74954G	48.90	68.20	-19.30	29.62	3	Horizontal	327	1.25	-	40.65	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 14.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62952G	48.81	83.54	-34.73	45.02	1	Vertical	67	1.55	-	37.86	15.78	49.85
AV	20.62938G	35.43	63.54	-28.11	31.64	1	Vertical	67	1.55	-	37.86	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 14.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62708G	49.00	83.54	-34.54	45.22	1	Horizontal	103	1.50	-	37.85	15.78	49.85
AV	20.62804G	35.53	63.54	-28.01	31.75	1	Horizontal	103	1.50	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8854G	109.92	Inf	-Inf	99.60	3	Vertical	287	1.72	-	36.32	7.13	33.13
RMS	6.8866G	99.82	Inf	-Inf	89.52	3	Vertical	287	1.72	-	36.31	7.13	33.14
PK	7.1638G	63.34	88.20	-24.86	52.29	3	Vertical	287	1.72	-	36.96	7.22	33.13
RMS	7.1266G	52.72	68.20	-15.48	41.91	3	Vertical	287	1.72	-	36.71	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8938G	103.43	Inf	-Inf	93.18	3	Horizontal	52	2.70	-	36.25	7.14	33.14
RMS	6.9034G	93.51	Inf	-Inf	83.27	3	Horizontal	52	2.70	-	36.22	7.16	33.14
PK	7.1758G	63.28	88.20	-24.92	52.20	3	Horizontal	52	2.70	-	37.00	7.21	33.13
RMS	7.1542G	52.71	68.20	-15.49	41.70	3	Horizontal	52	2.70	-	36.92	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78828G	62.66	88.20	-25.54	43.29	3	Vertical	51	2.85	-	40.76	9.80	31.19
RMS	13.79208G	48.85	68.20	-19.35	29.45	3	Vertical	51	2.85	-	40.78	9.81	31.19

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78702G	62.90	88.20	-25.30	43.53	3	Horizontal	291	2.69	-	40.76	9.80	31.19
RMS	13.78596G	48.93	68.20	-19.27	29.55	3	Horizontal	291	2.69	-	40.76	9.80	31.18

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68258G	49.16	83.54	-34.38	45.26	1	Vertical	252	1.56	-	37.92	15.81	49.83
AV	20.6868G	35.45	63.54	-28.09	31.55	1	Vertical	252	1.56	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68648G	49.43	83.54	-34.11	45.53	1	Horizontal	258	1.57	-	37.92	15.81	49.83
AV	20.68042G	35.41	63.54	-28.13	31.51	1	Horizontal	258	1.57	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	110.46	Inf	-Inf	100.01	3	Vertical	286	1.57	-	36.35	7.28	33.18
RMS	7.003G	100.00	Inf	-Inf	89.57	3	Vertical	286	1.57	-	36.32	7.30	33.19
PK	7.151G	65.09	88.20	-23.11	54.11	3	Vertical	286	1.57	-	36.90	7.22	33.14
RMS	7.1454G	52.88	68.20	-15.32	41.93	3	Vertical	286	1.57	-	36.86	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0006G	104.50	Inf	-Inf	94.09	3	Horizontal	45	2.64	-	36.30	7.30	33.19
RMS	7.003G	94.36	Inf	-Inf	83.93	3	Horizontal	45	2.64	-	36.32	7.30	33.19
PK	7.1414G	63.38	88.20	-24.82	52.46	3	Horizontal	45	2.64	-	36.83	7.23	33.14
RMS	7.1454G	52.86	68.20	-15.34	41.91	3	Horizontal	45	2.64	-	36.86	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99064G	63.10	88.20	-25.10	43.62	3	Vertical	93	1.20	-	40.90	9.90	31.32
RMS	13.99468G	49.37	68.20	-18.83	29.90	3	Vertical	93	1.20	-	40.90	9.90	31.33

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98744G	63.19	88.20	-25.01	43.72	3	Horizontal	323	2.68	-	40.90	9.89	31.32
RMS	13.9891G	49.43	68.20	-18.77	29.95	3	Horizontal	323	2.68	-	40.90	9.90	31.32

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98556G	47.12	83.54	-36.42	43.27	1	Vertical	236	1.53	-	37.62	15.94	49.71
AV	20.98202G	33.07	63.54	-30.47	29.21	1	Vertical	236	1.53	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 14.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98012G	47.09	83.54	-36.45	43.23	1	Horizontal	254	1.58	-	37.63	15.94	49.71
AV	20.98636G	33.14	63.54	-30.40	29.29	1	Horizontal	254	1.58	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0886G	111.03	Inf	-Inf	100.41	3	Vertical	286	1.44	-	36.52	7.26	33.16
RMS	7.1038G	100.94	Inf	-Inf	90.31	3	Vertical	286	1.44	-	36.53	7.25	33.15
PK	7.125G	64.07	88.20	-24.13	53.27	3	Vertical	286	1.44	-	36.70	7.24	33.14
RMS	7.125G	53.22	68.20	-14.98	42.42	3	Vertical	286	1.44	-	36.70	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.103G	104.30	Inf	-Inf	93.68	3	Horizontal	21	1.97	-	36.52	7.25	33.15
RMS	7.1038G	94.46	Inf	-Inf	83.83	3	Horizontal	21	1.97	-	36.53	7.25	33.15
PK	7.1342G	63.74	88.20	-24.46	52.88	3	Horizontal	21	1.97	-	36.77	7.23	33.14
RMS	7.1274G	52.97	68.20	-15.23	42.15	3	Horizontal	21	1.97	-	36.72	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18954G	62.50	88.20	-25.70	43.25	3	Vertical	286	1.58	-	40.81	9.96	31.52
RMS	14.1928G	48.32	68.20	-19.88	29.07	3	Vertical	286	1.58	-	40.81	9.96	31.52

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19064G	62.14	88.20	-26.06	42.89	3	Horizontal	53	2.83	-	40.81	9.96	31.52
RMS	14.19022G	48.37	68.20	-19.83	29.12	3	Horizontal	53	2.83	-	40.81	9.96	31.52

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2871G	49.06	83.54	-34.48	44.98	1	Vertical	4	1.51	-	37.64	16.08	49.64
AV	21.28336G	35.56	63.54	-27.98	31.48	1	Vertical	4	1.51	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT Y_1TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.288G	48.80	83.54	-34.74	44.71	1	Horizontal	327	1.56	-	37.65	16.08	49.64
AV	21.2859G	35.47	63.54	-28.07	31.39	1	Horizontal	327	1.56	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10743G	96.82	Inf	-Inf	86.16	3	Vertical	289	1.65	-	36.56	7.25	33.15
RMS	7.1058G	86.76	Inf	-Inf	76.11	3	Vertical	289	1.65	-	36.55	7.25	33.15
PK	7.1255G	79.74	88.20	-8.46	68.94	3	Vertical	289	1.65	-	36.70	7.24	33.14
RMS	7.1255G	68.16	68.20	-0.04	57.36	3	Vertical	289	1.65	-	36.70	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10745G	89.51	Inf	-Inf	78.85	3	Horizontal	28	1.72	-	36.56	7.25	33.15
RMS	7.10613G	79.58	Inf	-Inf	68.93	3	Horizontal	28	1.72	-	36.55	7.25	33.15
PK	7.1255G	71.49	88.20	-16.71	60.69	3	Horizontal	28	1.72	-	36.70	7.24	33.14
RMS	7.1255G	60.49	68.20	-7.71	49.69	3	Horizontal	28	1.72	-	36.70	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23136G	62.53	88.20	-25.67	43.38	3	Vertical	262	1.02	-	40.74	9.97	31.56
RMS	14.22952G	48.35	68.20	-19.85	29.19	3	Vertical	262	1.02	-	40.74	9.97	31.55

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22998G	62.60	88.20	-25.60	43.45	3	Horizontal	354	2.81	-	40.74	9.97	31.56
RMS	14.22722G	48.42	68.20	-19.78	29.25	3	Horizontal	354	2.81	-	40.75	9.97	31.55

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.346G	48.89	83.54	-34.65	44.69	1	Vertical	98	1.56	-	37.72	16.11	49.63
AV	21.3437G	35.23	63.54	-28.31	31.05	1	Vertical	98	1.56	-	37.71	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34684G	48.90	83.54	-34.64	44.70	1	Horizontal	93	1.54	-	37.72	16.11	49.63
AV	21.3405G	35.31	63.54	-28.23	31.13	1	Horizontal	93	1.54	-	37.71	16.10	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	64.95	88.20	-23.25	56.29	3	Vertical	56	1.77	-	35.00	6.60	32.94
RMS	5.925G	53.91	68.20	-14.29	45.25	3	Vertical	56	1.77	-	35.00	6.60	32.94
PK	5.973G	110.81	Inf	-Inf	101.97	3	Vertical	56	1.77	-	35.19	6.60	32.95
RMS	5.971G	100.10	Inf	-Inf	91.27	3	Vertical	56	1.77	-	35.18	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8662G	61.47	88.20	-26.73	52.98	3	Horizontal	317	1.00	-	34.83	6.60	32.94
RMS	5.9246G	50.60	68.20	-17.60	41.94	3	Horizontal	317	1.00	-	35.00	6.60	32.94
PK	5.9746G	99.48	Inf	-Inf	90.63	3	Horizontal	317	1.00	-	35.20	6.60	32.95
RMS	5.9738G	88.92	Inf	-Inf	80.07	3	Horizontal	317	1.00	-	35.20	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92726G	56.71	74.00	-17.29	42.10	3	Vertical	227	2.89	-	38.50	8.98	32.87
AV	11.93442G	42.13	54.00	-11.87	27.52	3	Vertical	227	2.89	-	38.50	8.98	32.87
PK	17.89144G	66.01	74.00	-7.99	43.86	3	Vertical	271	1.41	-	42.77	11.07	31.69
AV	17.89322G	52.88	54.00	-1.12	30.73	3	Vertical	271	1.41	-	42.77	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93336G	56.00	74.00	-18.00	41.39	3	Horizontal	268	2.78	-	38.50	8.98	32.87
AV	11.92706G	42.01	54.00	-11.99	27.40	3	Horizontal	268	2.78	-	38.50	8.98	32.87
PK	17.89372G	67.43	74.00	-6.57	45.28	3	Horizontal	66	2.06	-	42.77	11.07	31.69
AV	17.89998G	52.91	54.00	-1.09	30.73	3	Horizontal	66	2.06	-	42.80	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.82	88.20	-27.38	52.28	3	Vertical	59	1.76	-	34.88	6.60	32.94
RMS	5.9238G	50.13	68.20	-18.07	41.47	3	Vertical	59	1.76	-	35.00	6.60	32.94
PK	6.1698G	111.10	Inf	-Inf	101.82	3	Vertical	59	1.76	-	35.38	6.85	32.95
RMS	6.1686G	101.01	Inf	-Inf	91.74	3	Vertical	59	1.76	-	35.37	6.85	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	61.16	88.20	-27.04	52.63	3	Horizontal	47	2.96	-	34.87	6.60	32.94
RMS	5.9118G	50.09	68.20	-18.11	41.48	3	Horizontal	47	2.96	-	34.95	6.60	32.94
PK	6.1626G	105.48	Inf	-Inf	96.24	3	Horizontal	47	2.96	-	35.35	6.84	32.95
RMS	6.1698G	94.94	Inf	-Inf	85.66	3	Horizontal	47	2.96	-	35.38	6.85	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33082G	56.51	74.00	-17.49	41.27	3	Vertical	100	1.85	-	38.56	9.15	32.47
AV	12.32748G	42.60	54.00	-11.40	27.37	3	Vertical	100	1.85	-	38.55	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32756G	57.19	74.00	-16.81	41.95	3	Horizontal	118	2.69	-	38.56	9.15	32.47
AV	12.32756G	42.66	54.00	-11.34	27.42	3	Horizontal	118	2.69	-	38.56	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 17
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49222G	48.04	83.54	-35.50	45.45	1	Vertical	266	1.58	-	37.79	14.90	50.10
AV	18.49124G	34.08	63.54	-29.46	31.49	1	Vertical	266	1.58	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT_V_1TX
Setting 17
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49724G	48.95	83.54	-34.59	46.35	1	Horizontal	202	1.52	-	37.80	14.90	50.10
AV	18.49504G	34.21	63.54	-29.33	31.62	1	Horizontal	202	1.52	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	60.43	88.20	-27.77	51.86	3	Vertical	53	1.77	-	34.91	6.60	32.94
RMS	5.8938G	50.15	68.20	-18.05	41.60	3	Vertical	53	1.77	-	34.89	6.60	32.94
PK	6.4002G	111.38	Inf	-Inf	101.73	3	Vertical	53	1.77	-	35.60	7.00	32.95
RMS	6.4026G	100.62	Inf	-Inf	90.98	3	Vertical	53	1.77	-	35.59	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8194G	60.30	88.20	-27.90	52.07	3	Horizontal	329	2.92	-	34.56	6.60	32.93
RMS	5.8794G	50.12	68.20	-18.08	41.60	3	Horizontal	329	2.92	-	34.86	6.60	32.94
PK	6.3978G	101.06	Inf	-Inf	91.42	3	Horizontal	329	2.92	-	35.59	7.00	32.95
RMS	6.3954G	91.25	Inf	-Inf	81.63	3	Horizontal	329	2.92	-	35.57	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8144G	58.08	88.20	-30.12	41.36	3	Vertical	218	2.34	-	39.21	9.37	31.86
RMS	12.80896G	43.77	68.20	-24.43	27.06	3	Vertical	218	2.34	-	39.21	9.36	31.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81042G	58.02	88.20	-30.18	41.31	3	Horizontal	305	2.09	-	39.21	9.36	31.86
RMS	12.8144G	43.71	68.20	-24.49	26.99	3	Horizontal	305	2.09	-	39.21	9.37	31.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2167G	47.56	83.54	-35.98	44.27	1	Vertical	277	1.51	-	37.74	15.19	49.64
AV	19.21242G	33.67	63.54	-29.87	30.38	1	Vertical	277	1.51	-	37.75	15.18	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT Y_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2161G	47.23	83.54	-36.31	43.94	1	Horizontal	171	1.58	-	37.74	15.19	49.64
AV	19.21172G	33.53	63.54	-30.01	30.24	1	Horizontal	171	1.58	-	37.75	15.18	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.99	88.20	-27.21	52.43	3	Vertical	54	1.74	-	34.90	6.60	32.94
RMS	5.8938G	50.10	68.20	-18.10	41.55	3	Vertical	54	1.74	-	34.89	6.60	32.94
PK	6.4398G	112.44	Inf	-Inf	102.95	3	Vertical	54	1.74	-	35.44	7.00	32.95
RMS	6.4398G	100.47	Inf	-Inf	90.98	3	Vertical	54	1.74	-	35.44	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8002G	60.31	88.20	-27.89	52.24	3	Horizontal	6	2.78	-	34.40	6.60	32.93
RMS	5.8964G	50.13	68.20	-18.07	41.58	3	Horizontal	6	2.78	-	34.89	6.60	32.94
PK	6.4346G	102.53	Inf	-Inf	93.02	3	Horizontal	6	2.78	-	35.46	7.00	32.95
RMS	6.4424G	92.86	Inf	-Inf	83.38	3	Horizontal	6	2.78	-	35.43	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88884G	57.39	88.20	-30.81	40.46	3	Vertical	209	1.65	-	39.29	9.40	31.76
RMS	12.8912G	43.40	68.20	-24.80	26.47	3	Vertical	209	1.65	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8907G	57.74	88.20	-30.46	40.81	3	Horizontal	49	1.87	-	39.29	9.40	31.76
RMS	12.89204G	43.44	68.20	-24.76	26.51	3	Horizontal	49	1.87	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3307G	47.28	83.54	-36.26	43.96	1	Vertical	87	1.52	-	37.76	15.23	49.67
AV	19.33846G	33.86	63.54	-29.68	30.52	1	Vertical	87	1.52	-	37.77	15.24	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT Y_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33162G	47.69	83.54	-35.85	44.36	1	Horizontal	154	1.50	-	37.77	15.23	49.67
AV	19.33772G	33.88	63.54	-29.66	30.54	1	Horizontal	154	1.50	-	37.77	15.24	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	60.79	88.20	-27.41	52.25	3	Vertical	50	2.94	-	34.88	6.60	32.94
RMS	5.9054G	50.10	68.20	-18.10	41.52	3	Vertical	50	2.94	-	34.92	6.60	32.94
PK	6.4794G	110.67	Inf	-Inf	101.10	3	Vertical	50	2.94	-	35.52	7.00	32.95
RMS	6.4822G	100.74	Inf	-Inf	91.16	3	Vertical	50	2.94	-	35.53	7.00	32.95
PK	7.1766G	63.20	88.20	-25.00	52.11	3	Vertical	50	2.94	-	37.01	7.21	33.13
RMS	7.1738G	52.68	68.20	-15.52	41.60	3	Vertical	50	2.94	-	37.00	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	60.61	88.20	-27.59	51.98	3	Horizontal	6	2.76	-	34.97	6.60	32.94
RMS	5.925G	50.12	68.20	-18.08	41.46	3	Horizontal	6	2.76	-	35.00	6.60	32.94
PK	6.4934G	102.30	Inf	-Inf	92.68	3	Horizontal	6	2.76	-	35.57	7.00	32.95
RMS	6.4822G	92.83	Inf	-Inf	83.25	3	Horizontal	6	2.76	-	35.53	7.00	32.95
PK	7.143G	62.69	88.20	-25.51	51.76	3	Horizontal	6	2.76	-	36.84	7.23	33.14
RMS	7.1738G	52.68	68.20	-15.52	41.60	3	Horizontal	6	2.76	-	37.00	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97476G	57.70	88.20	-30.50	40.39	3	Vertical	85	1.11	-	39.52	9.44	31.65
RMS	12.9694G	44.09	68.20	-24.11	26.80	3	Vertical	85	1.11	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96578G	58.02	88.20	-30.18	40.75	3	Horizontal	308	1.05	-	39.50	9.43	31.66
RMS	12.97456G	43.97	68.20	-24.23	26.66	3	Horizontal	308	1.05	-	39.52	9.44	31.65

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4554G	48.09	83.54	-35.45	44.64	1	Vertical	266	1.53	-	37.86	15.28	49.69
AV	19.45406G	34.60	63.54	-28.94	31.15	1	Vertical	266	1.53	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT Y_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45802G	48.33	83.54	-35.21	44.87	1	Horizontal	285	1.50	-	37.87	15.28	49.69
AV	19.45952G	34.52	63.54	-29.02	31.06	1	Horizontal	285	1.50	-	37.87	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.839G	60.57	88.20	-27.63	52.19	3	Vertical	51	3.00	-	34.71	6.60	32.93
RMS	5.9146G	50.14	68.20	-18.06	41.52	3	Vertical	51	3.00	-	34.96	6.60	32.94
PK	6.5306G	109.27	Inf	-Inf	99.51	3	Vertical	51	3.00	-	35.72	7.00	32.96
RMS	6.5334G	100.15	Inf	-Inf	90.39	3	Vertical	51	3.00	-	35.73	7.00	32.97
PK	7.2082G	64.14	88.20	-24.06	52.95	3	Vertical	51	3.00	-	37.10	7.21	33.12
RMS	7.1438G	52.77	68.20	-15.43	41.83	3	Vertical	51	3.00	-	36.85	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	60.23	88.20	-27.97	51.73	3	Horizontal	336	1.34	-	34.84	6.60	32.94
RMS	5.8894G	50.09	68.20	-18.11	41.55	3	Horizontal	336	1.34	-	34.88	6.60	32.94
PK	6.5306G	102.04	Inf	-Inf	92.28	3	Horizontal	336	1.34	-	35.72	7.00	32.96
RMS	6.5306G	93.28	Inf	-Inf	83.52	3	Horizontal	336	1.34	-	35.72	7.00	32.96
PK	7.169G	63.17	88.20	-25.03	52.10	3	Horizontal	336	1.34	-	36.98	7.22	33.13
RMS	7.1438G	52.82	68.20	-15.38	41.88	3	Horizontal	336	1.34	-	36.85	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05174G	58.29	88.20	-29.91	40.72	3	Vertical	350	2.79	-	39.65	9.47	31.55
RMS	13.05232G	43.99	68.20	-24.21	26.42	3	Vertical	350	2.79	-	39.65	9.47	31.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04554G	58.57	88.20	-29.63	41.01	3	Horizontal	78	2.45	-	39.65	9.47	31.56
RMS	13.0523G	44.06	68.20	-24.14	26.49	3	Horizontal	78	2.45	-	39.65	9.47	31.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57862G	48.35	83.54	-35.19	44.85	1	Vertical	211	1.58	-	37.87	15.33	49.70
AV	19.57136G	34.45	63.54	-29.09	30.95	1	Vertical	211	1.58	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57506G	47.78	83.54	-35.76	44.28	1	Horizontal	241	1.56	-	37.87	15.33	49.70
AV	19.5704G	34.36	63.54	-29.18	30.86	1	Horizontal	241	1.56	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	110.83	Inf	-Inf	100.98	3	Vertical	288	1.80	-	35.83	7.00	32.98
RMS	6.5674G	99.90	Inf	-Inf	90.05	3	Vertical	288	1.80	-	35.83	7.00	32.98
PK	7.1482G	62.43	88.20	-25.77	51.45	3	Vertical	288	1.80	-	36.89	7.23	33.14
RMS	7.1386G	52.75	68.20	-15.45	41.85	3	Vertical	288	1.80	-	36.81	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	105.50	Inf	-Inf	95.66	3	Horizontal	360	2.78	-	35.82	7.00	32.98
RMS	6.5626G	94.83	Inf	-Inf	84.98	3	Horizontal	360	2.78	-	35.83	7.00	32.98
PK	7.153G	63.52	88.20	-24.68	52.52	3	Horizontal	360	2.78	-	36.91	7.22	33.13
RMS	7.141G	52.75	68.20	-15.45	41.83	3	Horizontal	360	2.78	-	36.83	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13358G	58.04	88.20	-30.16	40.21	3	Vertical	16	2.80	-	39.77	9.51	31.45
RMS	13.12638G	44.08	68.20	-24.12	26.28	3	Vertical	16	2.80	-	39.75	9.51	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12614G	57.63	88.20	-30.57	39.83	3	Horizontal	25	1.58	-	39.75	9.51	31.46
RMS	13.13498G	44.08	68.20	-24.12	26.25	3	Horizontal	25	1.58	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT Y_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69266G	47.66	83.54	-35.88	44.16	1	Vertical	242	1.54	-	37.82	15.38	49.70
AV	19.69936G	34.27	63.54	-29.27	30.77	1	Vertical	242	1.54	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT Y_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69676G	47.53	83.54	-36.01	44.03	1	Horizontal	153	1.55	-	37.82	15.38	49.70
AV	19.6995G	34.18	63.54	-29.36	30.68	1	Horizontal	153	1.55	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	110.53	Inf	-Inf	100.61	3	Vertical	285	1.80	-	35.95	7.00	33.03
RMS	6.681G	100.61	Inf	-Inf	90.71	3	Vertical	285	1.80	-	35.94	7.00	33.04
PK	7.139G	63.07	88.20	-25.13	52.17	3	Vertical	285	1.80	-	36.81	7.23	33.14
RMS	7.129G	52.78	68.20	-15.42	41.95	3	Vertical	285	1.80	-	36.73	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.679G	103.19	Inf	-Inf	93.29	3	Horizontal	360	2.78	-	35.94	7.00	33.04
RMS	6.681G	93.72	Inf	-Inf	83.82	3	Horizontal	360	2.78	-	35.94	7.00	33.04
PK	7.155G	63.35	88.20	-24.85	52.34	3	Horizontal	360	2.78	-	36.92	7.22	33.13
RMS	7.141G	52.80	68.20	-15.40	41.88	3	Horizontal	360	2.78	-	36.83	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3705G	60.61	74.00	-13.39	42.00	3	Vertical	222	1.97	-	40.14	9.62	31.15
AV	13.37298G	45.39	54.00	-8.61	26.77	3	Vertical	222	1.97	-	40.15	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37478G	59.09	74.00	-14.91	40.47	3	Horizontal	219	2.93	-	40.15	9.62	31.15
AV	13.3728G	45.51	54.00	-8.49	26.89	3	Horizontal	219	2.93	-	40.15	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05872G	47.88	83.54	-35.66	44.62	1	Vertical	94	1.50	-	37.45	15.53	49.72
AV	20.0572G	34.41	63.54	-29.13	31.15	1	Vertical	94	1.50	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05192G	48.40	83.54	-35.14	45.16	1	Horizontal	9	1.57	-	37.44	15.52	49.72
AV	20.05736G	34.44	63.54	-29.10	31.18	1	Horizontal	9	1.57	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	109.01	Inf	-Inf	98.50	3	Vertical	284	1.81	-	36.55	7.07	33.11
RMS	6.8466G	98.89	Inf	-Inf	88.37	3	Vertical	284	1.81	-	36.57	7.07	33.12
PK	7.1874G	64.28	88.20	-23.92	53.14	3	Vertical	284	1.81	-	37.05	7.21	33.12
RMS	7.2386G	52.89	68.20	-15.31	41.65	3	Vertical	284	1.81	-	37.10	7.24	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8386G	103.16	Inf	-Inf	92.70	3	Horizontal	350	3.00	-	36.51	7.06	33.11
RMS	6.8482G	92.76	Inf	-Inf	82.22	3	Horizontal	350	3.00	-	36.59	7.07	33.12
PK	7.1394G	63.75	88.20	-24.45	52.84	3	Horizontal	350	3.00	-	36.82	7.23	33.14
RMS	7.2434G	52.93	68.20	-15.27	41.69	3	Horizontal	350	3.00	-	37.10	7.24	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68878G	62.02	88.20	-26.18	42.90	3	Vertical	135	2.19	-	40.48	9.76	31.12
RMS	13.69284G	48.18	68.20	-20.02	29.05	3	Vertical	135	2.19	-	40.49	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69162G	61.84	88.20	-26.36	42.72	3	Horizontal	134	2.92	-	40.48	9.76	31.12
RMS	13.69288G	48.16	68.20	-20.04	29.03	3	Horizontal	134	2.92	-	40.49	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53824G	48.22	83.54	-35.32	44.61	1	Vertical	244	1.53	-	37.75	15.74	49.88
AV	20.53416G	34.17	63.54	-29.37	30.58	1	Vertical	244	1.53	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53338G	47.96	83.54	-35.58	44.37	1	Horizontal	82	1.58	-	37.74	15.74	49.89
AV	20.53984G	34.28	63.54	-29.26	30.67	1	Horizontal	82	1.58	-	37.75	15.74	49.88

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	109.40	Inf	-Inf	99.12	3	Vertical	286	1.71	-	36.28	7.14	33.14
RMS	6.8878G	98.90	Inf	-Inf	88.61	3	Vertical	286	1.71	-	36.30	7.13	33.14
PK	7.13G	63.04	88.20	-25.16	52.20	3	Vertical	286	1.71	-	36.74	7.24	33.14
RMS	7.151G	52.92	68.20	-15.28	41.94	3	Vertical	286	1.71	-	36.90	7.22	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.878G	101.74	Inf	-Inf	91.37	3	Horizontal	351	2.99	-	36.38	7.12	33.13
RMS	6.878G	91.96	Inf	-Inf	81.59	3	Horizontal	351	2.99	-	36.38	7.12	33.13
PK	7.1748G	63.17	88.20	-25.03	52.09	3	Horizontal	351	2.99	-	37.00	7.21	33.13
RMS	7.2308G	52.83	68.20	-15.37	41.61	3	Horizontal	351	2.99	-	37.10	7.23	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7746G	63.10	88.20	-25.10	43.76	3	Vertical	222	2.06	-	40.72	9.80	31.18
RMS	13.76856G	48.95	68.20	-19.25	29.61	3	Vertical	222	2.06	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7738G	62.52	88.20	-25.68	43.18	3	Horizontal	334	2.61	-	40.72	9.80	31.18
RMS	13.77176G	48.95	68.20	-19.25	29.60	3	Horizontal	334	2.61	-	40.72	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65586G	49.45	83.54	-34.09	45.60	1	Vertical	268	1.57	-	37.89	15.80	49.84
AV	20.65518G	35.45	63.54	-28.09	31.61	1	Vertical	268	1.57	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6527G	49.05	83.54	-34.49	45.22	1	Horizontal	45	1.51	-	37.88	15.79	49.84
AV	20.6598G	35.42	63.54	-28.12	31.57	1	Horizontal	45	1.51	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	110.58	Inf	-Inf	100.15	3	Vertical	286	1.71	-	36.39	7.20	33.16
RMS	6.9322G	100.14	Inf	-Inf	89.71	3	Vertical	286	1.71	-	36.39	7.20	33.16
PK	7.1362G	64.06	88.20	-24.14	53.18	3	Vertical	286	1.71	-	36.79	7.23	33.14
RMS	7.1254G	52.95	68.20	-15.25	42.15	3	Vertical	286	1.71	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9262G	106.24	Inf	-Inf	95.84	3	Horizontal	52	2.68	-	36.36	7.19	33.15
RMS	6.931G	95.29	Inf	-Inf	84.86	3	Horizontal	52	2.68	-	36.39	7.20	33.16
PK	7.1854G	63.50	88.20	-24.70	52.37	3	Horizontal	52	2.68	-	37.04	7.21	33.12
RMS	7.1422G	52.96	68.20	-15.24	42.03	3	Horizontal	52	2.68	-	36.84	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85186G	62.99	88.20	-25.21	43.54	3	Vertical	243	2.48	-	40.85	9.83	31.23
RMS	13.8501G	49.23	68.20	-18.97	29.78	3	Vertical	243	2.48	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8526G	63.16	88.20	-25.04	43.71	3	Horizontal	272	1.06	-	40.85	9.83	31.23
RMS	13.84998G	49.28	68.20	-18.92	29.83	3	Horizontal	272	1.06	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT Y_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77082G	48.64	83.54	-34.90	44.61	1	Vertical	187	1.56	-	37.97	15.85	49.79
AV	20.77034G	34.70	63.54	-28.84	30.67	1	Vertical	187	1.56	-	37.97	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77564G	48.29	83.54	-35.25	44.27	1	Horizontal	223	1.58	-	37.96	15.85	49.79
AV	20.77058G	34.68	63.54	-28.86	30.65	1	Horizontal	223	1.58	-	37.97	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	110.48	Inf	-Inf	100.03	3	Vertical	287	1.55	-	36.34	7.30	33.19
RMS	7.0138G	100.27	Inf	-Inf	89.79	3	Vertical	287	1.55	-	36.38	7.29	33.19
PK	7.1458G	63.91	88.20	-24.29	52.95	3	Vertical	287	1.55	-	36.87	7.23	33.14
RMS	7.1458G	53.19	68.20	-15.01	42.23	3	Vertical	287	1.55	-	36.87	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	103.25	Inf	-Inf	92.82	3	Horizontal	50	2.68	-	36.32	7.30	33.19
RMS	7.0034G	93.35	Inf	-Inf	82.92	3	Horizontal	50	2.68	-	36.32	7.30	33.19
PK	7.129G	63.90	88.20	-24.30	53.07	3	Horizontal	50	2.68	-	36.73	7.24	33.14
RMS	7.1546G	53.09	68.20	-15.11	42.08	3	Horizontal	50	2.68	-	36.92	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01468G	62.98	88.20	-25.22	43.52	3	Vertical	110	1.74	-	40.90	9.90	31.34
RMS	14.006G	49.27	68.20	-18.93	29.81	3	Vertical	110	1.74	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00788G	63.44	88.20	-24.76	43.98	3	Horizontal	3	1.35	-	40.90	9.90	31.34
RMS	14.00816G	49.28	68.20	-18.92	29.82	3	Horizontal	3	1.35	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01632G	46.52	83.54	-37.02	42.66	1	Vertical	9	1.56	-	37.60	15.96	49.70
AV	21.0198G	33.01	63.54	-30.53	29.15	1	Vertical	9	1.56	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01096G	46.70	83.54	-36.84	42.85	1	Horizontal	19	1.50	-	37.60	15.95	49.70
AV	21.01414G	32.98	63.54	-30.56	29.12	1	Horizontal	19	1.50	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0898G	112.99	Inf	-Inf	102.37	3	Vertical	287	1.55	-	36.52	7.26	33.16
RMS	7.0882G	99.90	Inf	-Inf	89.28	3	Vertical	287	1.55	-	36.52	7.26	33.16
PK	7.1254G	83.06	88.20	-5.14	72.26	3	Vertical	287	1.55	-	36.70	7.24	33.14
RMS	7.1254G	66.91	68.20	-1.29	56.11	3	Vertical	287	1.55	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	110.73	Inf	-Inf	100.12	3	Horizontal	13	3.00	-	36.52	7.25	33.16
RMS	7.0926G	99.19	Inf	-Inf	88.59	3	Horizontal	13	3.00	-	36.51	7.25	33.16
PK	7.125G	79.70	88.20	-8.50	68.90	3	Horizontal	13	3.00	-	36.70	7.24	33.14
RMS	7.125G	65.39	68.20	-2.81	54.59	3	Horizontal	13	3.00	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17194G	62.35	88.20	-25.85	43.07	3	Vertical	151	1.41	-	40.83	9.95	31.50
RMS	14.17206G	49.22	68.20	-18.98	29.94	3	Vertical	151	1.41	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1734G	62.99	88.20	-25.21	43.71	3	Horizontal	283	1.15	-	40.83	9.95	31.50
RMS	14.1733G	49.17	68.20	-19.03	29.89	3	Horizontal	283	1.15	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT Y_1TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25732G	48.90	83.54	-34.64	44.87	1	Vertical	57	1.58	-	37.61	16.07	49.65
AV	21.25884G	35.95	63.54	-27.59	31.92	1	Vertical	57	1.58	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT Y_1TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25652G	48.81	83.54	-34.73	44.78	1	Horizontal	251	1.57	-	37.61	16.07	49.65
AV	21.25692G	35.90	63.54	-27.64	31.87	1	Horizontal	251	1.57	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 19.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	79.09	88.20	-9.11	70.48	3	Vertical	296	1.63	-	34.95	6.60	32.94
RMS	5.9242G	67.01	68.20	-1.19	58.35	3	Vertical	296	1.63	-	35.00	6.60	32.94
PK	5.997G	111.87	Inf	-Inf	102.93	3	Vertical	296	1.63	-	35.29	6.60	32.95
RMS	5.9898G	101.27	Inf	-Inf	92.36	3	Vertical	296	1.63	-	35.26	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 19.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	75.61	88.20	-12.59	66.97	3	Horizontal	36	3.00	-	34.98	6.60	32.94
RMS	5.9242G	62.39	68.20	-5.81	53.73	3	Horizontal	36	3.00	-	35.00	6.60	32.94
PK	6.0026G	107.53	Inf	-Inf	98.59	3	Horizontal	36	3.00	-	35.29	6.60	32.95
RMS	5.9914G	95.68	Inf	-Inf	86.76	3	Horizontal	36	3.00	-	35.27	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 19.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96656G	55.18	74.00	-18.82	40.57	3	Vertical	267	1.03	-	38.50	8.99	32.88
AV	11.96584G	41.51	54.00	-12.49	26.90	3	Vertical	267	1.03	-	38.50	8.99	32.88
PK	17.95778G	66.72	74.00	-7.28	44.43	3	Vertical	101	1.39	-	42.86	11.09	31.66
AV	17.95806G	52.32	54.00	-1.68	30.03	3	Vertical	101	1.39	-	42.86	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 19.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96566G	55.86	74.00	-18.14	41.25	3	Horizontal	262	2.17	-	38.50	8.99	32.88
AV	11.969G	41.48	54.00	-12.52	26.87	3	Horizontal	262	2.17	-	38.50	8.99	32.88
PK	17.95456G	66.23	74.00	-7.77	43.95	3	Horizontal	194	2.24	-	42.85	11.09	31.66
AV	17.95784G	52.42	54.00	-1.58	30.13	3	Horizontal	194	2.24	-	42.86	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	61.03	88.20	-27.17	52.43	3	Vertical	287	1.54	-	34.94	6.60	32.94
RMS	5.9218G	50.40	68.20	-17.80	41.75	3	Vertical	287	1.54	-	34.99	6.60	32.94
PK	6.1426G	112.52	Inf	-Inf	103.36	3	Vertical	287	1.54	-	35.30	6.81	32.95
RMS	6.1498G	101.76	Inf	-Inf	92.59	3	Vertical	287	1.54	-	35.30	6.82	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	60.81	88.20	-27.39	52.26	3	Horizontal	47	2.97	-	34.89	6.60	32.94
RMS	5.925G	50.24	68.20	-17.96	41.58	3	Horizontal	47	2.97	-	35.00	6.60	32.94
PK	6.1654G	105.57	Inf	-Inf	96.31	3	Horizontal	47	2.97	-	35.36	6.85	32.95
RMS	6.1666G	95.20	Inf	-Inf	85.93	3	Horizontal	47	2.97	-	35.37	6.85	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28504G	56.14	74.00	-17.86	41.07	3	Vertical	330	1.94	-	38.47	9.13	32.53
AV	12.29304G	42.75	54.00	-11.25	27.65	3	Vertical	330	1.94	-	38.49	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28718G	56.27	74.00	-17.73	41.19	3	Horizontal	65	1.49	-	38.47	9.13	32.52
AV	12.29352G	42.89	54.00	-11.11	27.79	3	Horizontal	65	1.49	-	38.49	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT Y_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43058G	47.20	83.54	-36.34	44.74	1	Vertical	163	1.52	-	37.72	14.87	50.13
AV	18.4377G	33.64	63.54	-29.90	31.15	1	Vertical	163	1.52	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT Y_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4381G	48.12	83.54	-35.42	45.63	1	Horizontal	65	1.58	-	37.73	14.88	50.12
AV	18.43836G	33.62	63.54	-29.92	31.13	1	Horizontal	65	1.58	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8594G	61.10	88.20	-27.10	52.62	3	Vertical	53	1.80	-	34.82	6.60	32.94
RMS	5.9242G	50.20	68.20	-18.00	41.54	3	Vertical	53	1.80	-	35.00	6.60	32.94
PK	6.3826G	110.31	Inf	-Inf	100.77	3	Vertical	53	1.80	-	35.50	6.99	32.95
RMS	6.3826G	100.76	Inf	-Inf	91.22	3	Vertical	53	1.80	-	35.50	6.99	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	60.82	88.20	-27.38	52.34	3	Horizontal	48	2.96	-	34.82	6.60	32.94
RMS	5.917G	50.16	68.20	-18.04	41.53	3	Horizontal	48	2.96	-	34.97	6.60	32.94
PK	6.3562G	100.74	Inf	-Inf	91.37	3	Horizontal	48	2.96	-	35.34	6.98	32.95
RMS	6.3682G	89.09	Inf	-Inf	79.65	3	Horizontal	48	2.96	-	35.41	6.98	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7652G	57.92	88.20	-30.28	41.37	3	Vertical	232	1.11	-	39.13	9.34	31.92
RMS	12.76894G	43.69	68.20	-24.51	27.12	3	Vertical	232	1.11	-	39.14	9.35	31.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77334G	57.82	88.20	-30.38	41.23	3	Horizontal	194	1.26	-	39.15	9.35	31.91
RMS	12.76634G	43.56	68.20	-24.64	27.01	3	Horizontal	194	1.26	-	39.13	9.34	31.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15822G	47.55	83.54	-35.99	44.21	1	Vertical	47	1.56	-	37.81	15.16	49.63
AV	19.15172G	33.74	63.54	-29.80	30.39	1	Vertical	47	1.56	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.154G	47.29	83.54	-36.25	43.94	1	Horizontal	360	1.52	-	37.82	15.16	49.63
AV	19.15252G	33.71	63.54	-29.83	30.36	1	Horizontal	360	1.52	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9112G	60.89	88.20	-27.31	52.29	3	Vertical	54	1.80	-	34.94	6.60	32.94
RMS	5.919G	50.18	68.20	-18.02	41.54	3	Vertical	54	1.80	-	34.98	6.60	32.94
PK	6.439G	109.94	Inf	-Inf	100.45	3	Vertical	54	1.80	-	35.44	7.00	32.95
RMS	6.4624G	100.39	Inf	-Inf	90.89	3	Vertical	54	1.80	-	35.45	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.841G	60.30	88.20	-27.90	51.90	3	Horizontal	5	2.78	-	34.73	6.60	32.93
RMS	5.88G	50.15	68.20	-18.05	41.63	3	Horizontal	5	2.78	-	34.86	6.60	32.94
PK	6.4494G	103.68	Inf	-Inf	94.23	3	Horizontal	5	2.78	-	35.40	7.00	32.95
RMS	6.4624G	93.50	Inf	-Inf	84.00	3	Horizontal	5	2.78	-	35.45	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.935G	57.08	88.20	-31.12	39.96	3	Vertical	201	1.93	-	39.40	9.42	31.70
RMS	12.93184G	43.68	68.20	-24.52	26.57	3	Vertical	201	1.93	-	39.40	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92696G	57.80	88.20	-30.40	40.71	3	Horizontal	239	1.43	-	39.38	9.42	31.71
RMS	12.93058G	43.79	68.20	-24.41	26.69	3	Horizontal	239	1.43	-	39.39	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39678G	47.55	83.54	-35.99	44.15	1	Vertical	25	1.51	-	37.82	15.26	49.68
AV	19.39804G	34.10	63.54	-29.44	30.70	1	Vertical	25	1.51	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39888G	47.44	83.54	-36.10	44.04	1	Horizontal	268	1.53	-	37.82	15.26	49.68
AV	19.39874G	34.18	63.54	-29.36	30.78	1	Horizontal	268	1.53	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	60.46	88.20	-27.74	51.86	3	Vertical	48	3.00	-	34.94	6.60	32.94
RMS	5.9206G	50.20	68.20	-18.00	41.56	3	Vertical	48	3.00	-	34.98	6.60	32.94
PK	6.559G	109.41	Inf	-Inf	99.57	3	Vertical	48	3.00	-	35.82	7.00	32.98
RMS	6.5562G	99.93	Inf	-Inf	90.10	3	Vertical	48	3.00	-	35.81	7.00	32.98
PK	7.2394G	63.40	88.20	-24.80	52.16	3	Vertical	48	3.00	-	37.10	7.24	33.10
RMS	7.245G	52.88	68.20	-15.32	41.63	3	Vertical	48	3.00	-	37.10	7.25	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	60.87	88.20	-27.33	52.26	3	Horizontal	336	1.50	-	34.95	6.60	32.94
RMS	5.9178G	50.22	68.20	-17.98	41.59	3	Horizontal	336	1.50	-	34.97	6.60	32.94
PK	6.5562G	102.56	Inf	-Inf	92.73	3	Horizontal	336	1.50	-	35.81	7.00	32.98
RMS	6.5562G	92.36	Inf	-Inf	82.53	3	Horizontal	336	1.50	-	35.81	7.00	32.98
PK	7.1694G	63.42	88.20	-24.78	52.35	3	Horizontal	336	1.50	-	36.98	7.22	33.13
RMS	7.2394G	52.86	68.20	-15.34	41.62	3	Horizontal	336	1.50	-	37.10	7.24	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08934G	58.59	88.20	-29.61	40.92	3	Vertical	343	1.00	-	39.69	9.49	31.51
RMS	13.09454G	44.24	68.20	-23.96	26.56	3	Vertical	343	1.00	-	39.69	9.49	31.50

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09098G	57.82	88.20	-30.38	40.15	3	Horizontal	273	1.75	-	39.69	9.49	31.51
RMS	13.0893G	44.23	68.20	-23.97	26.56	3	Horizontal	273	1.75	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63554G	47.79	83.54	-35.75	44.29	1	Vertical	108	1.53	-	37.85	15.35	49.70
AV	19.63952G	34.52	63.54	-29.02	31.02	1	Vertical	108	1.53	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63178G	48.27	83.54	-35.27	44.77	1	Horizontal	128	1.52	-	37.85	15.35	49.70
AV	19.6306G	34.55	63.54	-28.99	31.05	1	Horizontal	128	1.52	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	109.57	Inf	-Inf	99.65	3	Vertical	290	1.75	-	35.92	7.00	33.00
RMS	6.6394G	99.61	Inf	-Inf	89.65	3	Vertical	290	1.75	-	35.98	7.00	33.02
PK	7.1698G	63.65	88.20	-24.55	52.58	3	Vertical	290	1.75	-	36.98	7.22	33.13
RMS	7.1266G	52.78	68.20	-15.42	41.97	3	Vertical	290	1.75	-	36.71	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	103.72	Inf	-Inf	93.80	3	Horizontal	3	2.75	-	35.92	7.00	33.00
RMS	6.6154G	93.75	Inf	-Inf	83.83	3	Horizontal	3	2.75	-	35.93	7.00	33.01
PK	7.1962G	63.67	88.20	-24.53	52.51	3	Horizontal	3	2.75	-	37.08	7.20	33.12
RMS	7.1266G	52.80	68.20	-15.40	41.99	3	Horizontal	3	2.75	-	36.71	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25228G	58.97	74.00	-15.03	40.76	3	Vertical	343	2.73	-	39.95	9.56	31.30
RMS	13.24686G	44.75	68.20	-23.45	26.55	3	Vertical	343	2.73	-	39.95	9.56	31.31

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24606G	59.05	88.20	-29.15	40.85	3	Horizontal	61	2.08	-	39.95	9.56	31.31
RMS	13.24976G	44.71	68.20	-23.49	26.51	3	Horizontal	61	2.08	-	39.95	9.56	31.31

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87886G	47.87	83.54	-35.67	44.53	1	Vertical	265	1.54	-	37.59	15.45	49.70
AV	19.87324G	33.85	63.54	-29.69	30.50	1	Vertical	265	1.54	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT Y_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87532G	47.50	83.54	-36.04	44.15	1	Horizontal	146	1.57	-	37.60	15.45	49.70
AV	19.87892G	33.88	63.54	-29.66	30.54	1	Horizontal	146	1.57	-	37.59	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	110.51	Inf	-Inf	100.62	3	Vertical	288	1.80	-	35.94	7.00	33.05
RMS	6.709G	99.94	Inf	-Inf	90.04	3	Vertical	288	1.80	-	35.95	7.00	33.05
PK	7.199G	63.17	88.20	-25.03	51.99	3	Vertical	288	1.80	-	37.10	7.20	33.12
RMS	7.149G	52.73	68.20	-15.47	41.75	3	Vertical	288	1.80	-	36.89	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	102.84	Inf	-Inf	92.94	3	Horizontal	310	1.49	-	35.95	7.00	33.05
RMS	6.701G	92.79	Inf	-Inf	82.93	3	Horizontal	310	1.49	-	35.91	7.00	33.05
PK	7.187G	64.18	88.20	-24.02	53.04	3	Horizontal	310	1.49	-	37.05	7.21	33.12
RMS	7.149G	52.82	68.20	-15.38	41.84	3	Horizontal	310	1.49	-	36.89	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.406G	59.10	88.20	-29.10	40.38	3	Vertical	189	1.31	-	40.20	9.63	31.11
RMS	13.41472G	45.41	68.20	-22.79	26.67	3	Vertical	189	1.31	-	40.20	9.64	31.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4098G	59.03	88.20	-29.17	40.30	3	Horizontal	213	2.38	-	40.20	9.63	31.10
RMS	13.4095G	45.49	68.20	-22.71	26.76	3	Horizontal	213	2.38	-	40.20	9.63	31.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1181G	48.69	83.54	-34.85	45.40	1	Vertical	139	1.50	-	37.49	15.55	49.75
AV	20.11734G	35.29	63.54	-28.25	32.00	1	Vertical	139	1.50	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11918G	48.86	83.54	-34.68	45.56	1	Horizontal	5	1.53	-	37.50	15.55	49.75
AV	20.11448G	35.13	63.54	-28.41	31.84	1	Horizontal	5	1.53	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.769G	110.14	Inf	-Inf	100.02	3	Vertical	283	1.53	-	36.20	7.00	33.08
RMS	6.7786G	99.72	Inf	-Inf	89.60	3	Vertical	283	1.53	-	36.20	7.00	33.08
PK	7.1754G	63.48	88.20	-24.72	52.40	3	Vertical	283	1.53	-	37.00	7.21	33.13
RMS	7.137G	52.81	68.20	-15.39	41.92	3	Vertical	283	1.53	-	36.80	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8058G	104.42	Inf	-Inf	94.26	3	Horizontal	353	3.00	-	36.25	7.01	33.10
RMS	6.8074G	93.38	Inf	-Inf	83.21	3	Horizontal	353	3.00	-	36.26	7.01	33.10
PK	7.1402G	63.05	88.20	-25.15	52.14	3	Horizontal	353	3.00	-	36.82	7.23	33.14
RMS	7.137G	52.89	68.20	-15.31	42.00	3	Horizontal	353	3.00	-	36.80	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56946G	59.66	88.20	-28.54	40.72	3	Vertical	325	2.71	-	40.27	9.71	31.04
RMS	13.5701G	45.23	68.20	-22.97	26.29	3	Vertical	325	2.71	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56818G	58.99	88.20	-29.21	40.05	3	Horizontal	323	2.92	-	40.27	9.71	31.04
RMS	13.5731G	45.10	68.20	-23.10	26.16	3	Horizontal	323	2.92	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT Y_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35376G	47.86	83.54	-35.68	44.40	1	Vertical	22	1.51	-	37.64	15.66	49.84
AV	20.35052G	34.19	63.54	-29.35	30.73	1	Vertical	22	1.51	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35892G	47.51	83.54	-36.03	44.05	1	Horizontal	312	1.53	-	37.64	15.66	49.84
AV	20.35096G	34.07	63.54	-29.47	30.61	1	Horizontal	312	1.53	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8446G	110.06	Inf	-Inf	99.55	3	Vertical	288	1.58	-	36.56	7.07	33.12
RMS	6.847G	99.18	Inf	-Inf	88.65	3	Vertical	288	1.58	-	36.58	7.07	33.12
PK	7.1266G	63.30	88.20	-24.90	52.49	3	Vertical	288	1.58	-	36.71	7.24	33.14
RMS	7.1278G	52.91	68.20	-15.29	42.09	3	Vertical	288	1.58	-	36.72	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8614G	102.90	Inf	-Inf	92.42	3	Horizontal	352	3.00	-	36.51	7.09	33.12
RMS	6.8614G	93.09	Inf	-Inf	82.61	3	Horizontal	352	3.00	-	36.51	7.09	33.12
PK	7.135G	63.99	88.20	-24.21	53.12	3	Horizontal	352	3.00	-	36.78	7.23	33.14
RMS	7.1266G	52.85	68.20	-15.35	42.04	3	Horizontal	352	3.00	-	36.71	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72944G	62.49	88.20	-25.71	43.27	3	Vertical	317	1.76	-	40.59	9.78	31.15
RMS	13.73102G	48.56	68.20	-19.64	29.34	3	Vertical	317	1.76	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




27/04/2022

EUT V_1TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72752G	62.38	88.20	-25.82	43.16	3	Horizontal	263	1.88	-	40.58	9.78	31.14
RMS	13.73248G	48.60	68.20	-19.60	29.37	3	Horizontal	263	1.88	-	40.60	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59834G	49.19	83.54	-34.35	45.46	1	Vertical	160	1.51	-	37.82	15.77	49.86
AV	20.59876G	35.36	63.54	-28.18	31.63	1	Vertical	160	1.51	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 20.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59776G	48.90	83.54	-34.64	45.17	1	Horizontal	196	1.52	-	37.82	15.77	49.86
AV	20.59874G	35.32	63.54	-28.22	31.59	1	Horizontal	196	1.52	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9474G	110.50	Inf	-Inf	99.96	3	Vertical	285	1.65	-	36.48	7.22	33.16
RMS	6.9378G	100.44	Inf	-Inf	89.96	3	Vertical	285	1.65	-	36.43	7.21	33.16
PK	7.1298G	65.68	88.20	-22.52	54.84	3	Vertical	285	1.65	-	36.74	7.24	33.14
RMS	7.125G	55.03	68.20	-13.17	44.23	3	Vertical	285	1.65	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9462G	106.34	Inf	-Inf	95.80	3	Horizontal	51	2.68	-	36.48	7.22	33.16
RMS	6.951G	95.36	Inf	-Inf	84.80	3	Horizontal	51	2.68	-	36.50	7.23	33.17
PK	7.1682G	63.57	88.20	-24.63	52.51	3	Horizontal	51	2.68	-	36.97	7.22	33.13
RMS	7.125G	53.28	68.20	-14.92	42.48	3	Horizontal	51	2.68	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88994G	62.92	88.20	-25.28	43.44	3	Vertical	146	2.38	-	40.89	9.85	31.26
RMS	13.88708G	49.33	68.20	-18.87	29.84	3	Vertical	146	2.38	-	40.89	9.85	31.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88684G	64.56	88.20	-23.64	45.07	3	Horizontal	199	1.80	-	40.89	9.85	31.25
RMS	13.88982G	49.34	68.20	-18.86	29.86	3	Horizontal	199	1.80	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8354G	48.08	83.54	-35.46	44.11	1	Vertical	313	1.50	-	37.86	15.88	49.77
AV	20.83758G	34.42	63.54	-29.12	30.44	1	Vertical	313	1.50	-	37.86	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83288G	48.06	83.54	-35.48	44.09	1	Horizontal	81	1.51	-	37.87	15.87	49.77
AV	20.83538G	34.33	63.54	-29.21	30.36	1	Horizontal	81	1.51	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	110.79	Inf	-Inf	100.35	3	Vertical	287	1.59	-	36.33	7.30	33.19
RMS	7.0186G	100.68	Inf	-Inf	90.16	3	Vertical	287	1.59	-	36.41	7.29	33.18
PK	7.125G	77.95	88.20	-10.25	67.15	3	Vertical	287	1.59	-	36.70	7.24	33.14
RMS	7.125G	67.20	68.20	-1.00	56.40	3	Vertical	287	1.59	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	103.94	Inf	-Inf	93.43	3	Horizontal	27	1.76	-	36.40	7.29	33.18
RMS	7.0178G	92.89	Inf	-Inf	82.37	3	Horizontal	27	1.76	-	36.41	7.29	33.18
PK	7.125G	72.00	88.20	-16.20	61.20	3	Horizontal	27	1.76	-	36.70	7.24	33.14
RMS	7.125G	59.91	68.20	-8.29	49.11	3	Horizontal	27	1.76	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05312G	62.81	88.20	-25.39	43.37	3	Vertical	237	2.63	-	40.90	9.92	31.38
RMS	14.05172G	49.03	68.20	-19.17	29.59	3	Vertical	237	2.63	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05128G	63.27	88.20	-24.93	43.83	3	Horizontal	156	1.83	-	40.90	9.92	31.38
RMS	14.0547G	49.18	68.20	-19.02	29.74	3	Horizontal	156	1.83	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07018G	47.53	83.54	-36.01	43.64	1	Vertical	125	1.58	-	37.60	15.98	49.69
AV	21.07936G	33.60	63.54	-29.94	29.69	1	Vertical	125	1.58	-	37.60	15.99	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 21.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07618G	47.40	83.54	-36.14	43.50	1	Horizontal	48	1.51	-	37.60	15.98	49.68
AV	21.07748G	33.40	63.54	-30.14	29.50	1	Horizontal	48	1.51	-	37.60	15.98	49.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 21
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	78.96	88.20	-9.24	70.36	3	Vertical	60	1.67	-	34.94	6.60	32.94
RMS	5.924G	65.93	68.20	-2.27	57.27	3	Vertical	60	1.67	-	35.00	6.60	32.94
PK	6.005G	110.32	Inf	-Inf	101.37	3	Vertical	60	1.67	-	35.29	6.61	32.95
RMS	6.001G	99.02	Inf	-Inf	90.07	3	Vertical	60	1.67	-	35.30	6.60	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 21
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	72.79	88.20	-15.41	64.16	3	Horizontal	41	2.98	-	34.97	6.60	32.94
RMS	5.924G	60.09	68.20	-8.11	51.43	3	Horizontal	41	2.98	-	35.00	6.60	32.94
PK	6.001G	104.61	Inf	-Inf	95.66	3	Horizontal	41	2.98	-	35.30	6.60	32.95
RMS	6.028G	92.80	Inf	-Inf	83.87	3	Horizontal	41	2.98	-	35.24	6.64	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 21
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04842G	55.66	74.00	-18.34	40.91	3	Vertical	224	1.01	-	38.55	9.02	32.82
AV	12.0522G	41.92	54.00	-12.08	27.17	3	Vertical	224	1.01	-	38.55	9.02	32.82

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 21
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05342G	55.71	74.00	-18.29	40.95	3	Horizontal	269	2.26	-	38.55	9.02	32.81
AV	12.05448G	41.95	54.00	-12.05	27.19	3	Horizontal	269	2.26	-	38.55	9.02	32.81

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0719G	46.05	83.54	-37.49	43.95	1	Vertical	321	1.58	-	37.64	14.73	50.27
AV	18.07136G	32.61	63.54	-30.93	30.51	1	Vertical	321	1.58	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07146G	46.35	83.54	-37.19	44.25	1	Horizontal	198	1.51	-	37.64	14.73	50.27
AV	18.07024G	32.73	63.54	-30.81	30.63	1	Horizontal	198	1.51	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 22
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.16	88.20	-21.04	58.53	3	Vertical	59	1.80	-	34.97	6.60	32.94
RMS	5.9242G	57.43	68.20	-10.77	48.77	3	Vertical	59	1.80	-	35.00	6.60	32.94
PK	6.2218G	111.34	Inf	-Inf	102.05	3	Vertical	59	1.80	-	35.33	6.91	32.95
RMS	6.201G	101.20	Inf	-Inf	91.76	3	Vertical	59	1.80	-	35.49	6.90	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 22
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	62.48	88.20	-25.72	53.84	3	Horizontal	48	2.94	-	34.98	6.60	32.94
RMS	5.9226G	52.14	68.20	-16.06	43.49	3	Horizontal	48	2.94	-	34.99	6.60	32.94
PK	6.2026G	106.44	Inf	-Inf	97.01	3	Horizontal	48	2.94	-	35.48	6.90	32.95
RMS	6.201G	95.00	Inf	-Inf	85.56	3	Horizontal	48	2.94	-	35.49	6.90	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT Y_1TX
Setting 22
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37092G	56.67	74.00	-17.33	41.28	3	Vertical	337	1.23	-	38.64	9.17	32.42
AV	12.36766G	42.42	54.00	-11.58	27.03	3	Vertical	337	1.23	-	38.64	9.17	32.42

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom



EUT V_1TX
Setting 22
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37396G	56.22	74.00	-17.78	40.82	3	Horizontal	347	2.40	-	38.65	9.17	32.42
AV	12.37004G	42.52	54.00	-11.48	27.13	3	Horizontal	347	2.40	-	38.64	9.17	32.42