


802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 20.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00512G	54.07	74.00	-19.93	40.79	3	Horizontal	151	1.01	-	39.49	8.30	34.51
AV	11.02324G	40.99	54.00	-13.01	27.74	3	Horizontal	151	1.01	-	39.45	8.32	34.52
PK	16.52202G	57.80	68.20	-10.40	43.75	3	Horizontal	330	1.36	-	39.84	9.28	35.07

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.18	74.00	-10.82	57.38	3	Vertical	57	2.20	-	33.82	5.16	33.18
AV	5.46G	49.83	54.00	-4.17	44.03	3	Vertical	57	2.20	-	33.82	5.16	33.18
PK	5.4678G	66.23	68.20	-1.97	60.40	3	Vertical	57	2.20	-	33.84	5.17	33.18
PK	5.547G	113.63	Inf	-Inf	107.49	3	Vertical	57	2.20	-	34.09	5.25	33.20
AV	5.5518G	101.58	Inf	-Inf	95.43	3	Vertical	57	2.20	-	34.10	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	62.60	74.00	-11.40	56.80	3	Horizontal	57	2.20	-	33.82	5.16	33.18
AV	5.46G	49.95	54.00	-4.05	44.15	3	Horizontal	57	2.20	-	33.82	5.16	33.18
PK	5.4654G	66.12	68.20	-2.08	60.30	3	Horizontal	57	2.20	-	33.83	5.17	33.18
PK	5.547G	113.65	Inf	-Inf	107.51	3	Horizontal	57	2.20	-	34.09	5.25	33.20
AV	5.5524G	101.59	Inf	-Inf	95.44	3	Horizontal	57	2.20	-	34.10	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08746G	53.65	74.00	-20.35	40.51	3	Vertical	277	1.93	-	39.33	8.36	34.55
AV	11.08692G	40.87	54.00	-13.13	27.73	3	Vertical	277	1.93	-	39.33	8.36	34.55
PK	16.6542G	57.82	68.20	-10.38	43.50	3	Vertical	275	2.33	-	40.00	9.33	35.01

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1126G	53.64	74.00	-20.36	40.53	3	Horizontal	2	2.51	-	39.30	8.38	34.57
AV	11.08578G	40.81	54.00	-13.19	27.67	3	Horizontal	2	2.51	-	39.33	8.36	34.55
PK	16.66044G	58.37	68.20	-9.83	44.05	3	Horizontal	318	2.76	-	40.00	9.33	35.01

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	112.87	Inf	-Inf	106.56	3	Vertical	56	2.14	-	34.26	5.30	33.25
AV	5.668G	99.61	Inf	-Inf	93.30	3	Vertical	56	2.14	-	34.26	5.30	33.25
PK	5.7252G	68.11	68.20	-0.09	61.78	3	Vertical	56	2.14	-	34.30	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6708G	106.31	Inf	-Inf	100.00	3	Horizontal	338	2.81	-	34.26	5.30	33.25
AV	5.6684G	93.18	Inf	-Inf	86.87	3	Horizontal	338	2.81	-	34.26	5.30	33.25
PK	5.7264G	62.60	68.20	-5.60	56.26	3	Horizontal	338	2.81	-	34.31	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
 Setting 22
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34294G	54.01	74.00	-19.99	40.75	3	Vertical	50	2.58	-	39.40	8.54	34.68
AV	11.34426G	41.03	54.00	-12.97	27.77	3	Vertical	50	2.58	-	39.40	8.54	34.68
PK	16.99632G	59.55	68.20	-8.65	44.35	3	Vertical	274	1.12	-	40.60	9.45	34.85

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 22
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34114G	54.14	74.00	-19.86	40.88	3	Horizontal	137	1.87	-	39.40	8.54	34.68
AV	11.3418G	40.99	54.00	-13.01	27.73	3	Horizontal	137	1.87	-	39.40	8.54	34.68
PK	17.0139G	59.29	68.20	-8.91	44.02	3	Horizontal	270	1.30	-	40.66	9.45	34.84

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	115.30	Inf	-Inf	109.03	3	Vertical	97	2.14	-	34.23	5.30	33.26
AV	5.7116G	102.48	Inf	-Inf	96.19	3	Vertical	97	2.14	-	34.25	5.30	33.26
PK	5.854G	65.15	68.20	-3.05	58.33	3	Vertical	97	2.14	-	34.81	5.33	33.32

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	107.86	Inf	-Inf	101.56	3	Horizontal	0	2.80	-	34.27	5.30	33.27
AV	5.7116G	95.45	Inf	-Inf	89.16	3	Horizontal	0	2.80	-	34.25	5.30	33.26
PK	5.854G	60.10	68.20	-8.10	53.28	3	Horizontal	0	2.80	-	34.81	5.33	33.32

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42618G	54.26	74.00	-19.74	41.01	3	Vertical	182	2.64	-	39.37	8.60	34.72
AV	11.41262G	41.13	54.00	-12.87	27.87	3	Vertical	182	2.64	-	39.39	8.59	34.72
PK	17.14392G	59.64	68.20	-8.56	43.79	3	Vertical	226	2.56	-	41.09	9.50	34.74

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4224G	54.16	74.00	-19.84	40.90	3	Horizontal	327	1.89	-	39.38	8.60	34.72
AV	11.40608G	40.97	54.00	-13.03	27.71	3	Horizontal	327	1.89	-	39.39	8.58	34.71
PK	17.13954G	59.15	68.20	-9.05	43.32	3	Horizontal	276	1.33	-	41.08	9.50	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	57.17	74.00	-16.83	52.31	3	Vertical	60	1.80	-	33.00	5.03	33.17
AV	5.15G	44.01	54.00	-9.99	39.23	3	Vertical	60	1.80	-	32.90	5.05	33.17
PK	5.2732G	106.08	Inf	-Inf	101.10	3	Vertical	60	1.80	-	33.05	5.10	33.17
AV	5.2764G	92.66	Inf	-Inf	87.68	3	Vertical	60	1.80	-	33.05	5.10	33.17
PK	5.354G	68.50	74.00	-5.50	63.45	3	Vertical	60	1.80	-	33.12	5.10	33.17
AV	5.35G	53.83	54.00	-0.17	48.80	3	Vertical	60	1.80	-	33.10	5.10	33.17
PK	5.49G	57.14	68.20	-11.06	51.25	3	Vertical	60	1.80	-	33.88	5.19	33.18

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	56.37	74.00	-17.63	51.55	3	Horizontal	328	2.91	-	32.95	5.04	33.17
AV	5.1092G	43.95	54.00	-10.05	39.04	3	Horizontal	328	2.91	-	33.06	5.01	33.16
PK	5.2724G	99.99	Inf	-Inf	95.02	3	Horizontal	328	2.91	-	33.04	5.10	33.17
AV	5.2788G	87.51	Inf	-Inf	82.52	3	Horizontal	328	2.91	-	33.06	5.10	33.17
PK	5.3548G	63.96	74.00	-10.04	58.90	3	Horizontal	328	2.91	-	33.13	5.10	33.17
AV	5.3508G	49.91	54.00	-4.09	44.88	3	Horizontal	328	2.91	-	33.10	5.10	33.17
PK	5.4796G	57.16	68.20	-11.04	51.30	3	Horizontal	328	2.91	-	33.86	5.18	33.18

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5932G	53.93	68.20	-14.27	40.90	3	Vertical	8	1.07	-	39.20	8.02	34.19
PK	15.87576G	56.57	74.00	-17.43	43.80	3	Vertical	258	1.73	-	38.85	9.07	35.15
AV	15.88068G	43.16	54.00	-10.84	30.38	3	Vertical	258	1.73	-	38.86	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 21
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57886G	53.47	68.20	-14.73	40.44	3	Horizontal	123	2.57	-	39.20	8.01	34.18
PK	15.86604G	56.39	74.00	-17.61	43.64	3	Horizontal	28	2.17	-	38.83	9.07	35.15
AV	15.87612G	43.12	54.00	-10.88	30.35	3	Horizontal	28	2.17	-	38.85	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	56.73	68.20	-11.47	51.70	3	Vertical	55	2.01	-	33.10	5.10	33.17
PK	5.46G	66.03	74.00	-7.97	60.23	3	Vertical	55	2.01	-	33.82	5.16	33.18
AV	5.46G	52.82	54.00	-1.18	47.02	3	Vertical	55	2.01	-	33.82	5.16	33.18
PK	5.466G	67.41	68.20	-0.79	61.59	3	Vertical	55	2.01	-	33.83	5.17	33.18
PK	5.51G	106.55	Inf	-Inf	100.58	3	Vertical	55	2.01	-	33.94	5.21	33.18
AV	5.534G	93.88	Inf	-Inf	87.80	3	Vertical	55	2.01	-	34.04	5.23	33.19
PK	5.779G	58.15	68.20	-10.05	51.68	3	Vertical	55	2.01	-	34.46	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	56.84	68.20	-11.36	51.81	3	Horizontal	334	2.82	-	33.10	5.10	33.17
PK	5.457G	60.89	74.00	-13.11	55.10	3	Horizontal	334	2.82	-	33.81	5.16	33.18
AV	5.46G	48.02	54.00	-5.98	42.22	3	Horizontal	334	2.82	-	33.82	5.16	33.18
PK	5.47G	63.06	68.20	-5.14	57.23	3	Horizontal	334	2.82	-	33.84	5.17	33.18
PK	5.515G	100.58	Inf	-Inf	94.60	3	Horizontal	334	2.82	-	33.96	5.21	33.19
AV	5.524G	87.58	Inf	-Inf	81.55	3	Horizontal	334	2.82	-	34.00	5.22	33.19
PK	5.774G	59.28	68.20	-8.92	52.82	3	Horizontal	334	2.82	-	34.45	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 19.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05082G	54.02	74.00	-19.98	40.82	3	Vertical	82	2.24	-	39.40	8.34	34.54
AV	11.06462G	40.85	54.00	-13.15	27.67	3	Vertical	82	2.24	-	39.37	8.35	34.54
PK	16.6026G	57.88	68.20	-10.32	43.60	3	Vertical	171	1.80	-	40.00	9.31	35.03

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUTZ_1TX
Setting 19.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05496G	54.08	74.00	-19.92	40.89	3	Horizontal	150	1.87	-	39.39	8.34	34.54
AV	11.05664G	40.82	54.00	-13.18	27.63	3	Horizontal	150	1.87	-	39.39	8.34	34.54
PK	16.60008G	58.25	68.20	-9.95	43.97	3	Horizontal	175	1.82	-	40.00	9.31	35.03

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	63.93	74.00	-10.07	58.15	3	Vertical	356	2.05	-	33.81	5.15	33.18
AV	5.456G	50.92	54.00	-3.08	45.13	3	Vertical	356	2.05	-	33.81	5.16	33.18
PK	5.469G	64.03	68.20	-4.17	58.20	3	Vertical	356	2.05	-	33.84	5.17	33.18
PK	5.613G	110.96	Inf	-Inf	104.81	3	Vertical	356	2.05	-	34.08	5.30	33.23
AV	5.616G	98.63	Inf	-Inf	92.46	3	Vertical	356	2.05	-	34.10	5.30	33.23
PK	5.726G	67.91	68.20	-0.29	61.58	3	Vertical	356	2.05	-	34.30	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.17	74.00	-14.83	53.39	3	Horizontal	294	2.81	-	33.81	5.15	33.18
AV	5.455G	46.93	54.00	-7.07	41.15	3	Horizontal	294	2.81	-	33.81	5.15	33.18
PK	5.468G	59.34	68.20	-8.86	53.51	3	Horizontal	294	2.81	-	33.84	5.17	33.18
PK	5.616G	104.99	Inf	-Inf	98.82	3	Horizontal	294	2.81	-	34.10	5.30	33.23
AV	5.626G	92.64	Inf	-Inf	86.41	3	Horizontal	294	2.81	-	34.16	5.30	33.23
PK	5.728G	64.69	68.20	-3.51	58.35	3	Horizontal	294	2.81	-	34.31	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21982G	54.74	74.00	-19.26	41.59	3	Vertical	308	2.61	-	39.32	8.45	34.62
AV	11.23224G	40.59	54.00	-13.41	27.43	3	Vertical	308	2.61	-	39.33	8.46	34.63
PK	16.82814G	58.42	68.20	-9.78	43.75	3	Vertical	103	1.21	-	40.21	9.39	34.93

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 23.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2218G	54.39	74.00	-19.61	41.23	3	Horizontal	265	1.95	-	39.32	8.46	34.62
AV	11.22084G	40.47	54.00	-13.53	27.32	3	Horizontal	265	1.95	-	39.32	8.45	34.62
PK	16.84044G	58.93	68.20	-9.27	44.20	3	Horizontal	353	2.07	-	40.26	9.39	34.92

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 24.5
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	61.75	74.00	-12.25	55.96	3	Vertical	86	2.14	-	33.81	5.16	33.18
AV	5.4572G	48.90	54.00	-5.10	43.11	3	Vertical	86	2.14	-	33.81	5.16	33.18
PK	5.462G	61.32	68.20	-6.88	55.52	3	Vertical	86	2.14	-	33.82	5.16	33.18
PK	5.6924G	110.97	Inf	-Inf	104.71	3	Vertical	86	2.14	-	34.22	5.30	33.26
AV	5.6912G	98.80	Inf	-Inf	92.54	3	Vertical	86	2.14	-	34.22	5.30	33.26
PK	5.85G	67.82	68.20	-0.38	61.01	3	Vertical	86	2.14	-	34.80	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 24.5
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4032G	58.26	74.00	-15.74	52.91	3	Horizontal	297	2.83	-	33.43	5.10	33.18
PK	5.4692G	57.67	68.20	-10.53	51.84	3	Horizontal	297	2.83	-	33.84	5.17	33.18
AV	5.4584G	45.69	54.00	-8.31	39.89	3	Horizontal	297	2.83	-	33.82	5.16	33.18
PK	5.684G	105.67	Inf	-Inf	99.39	3	Horizontal	297	2.83	-	34.23	5.30	33.25
AV	5.6876G	93.41	Inf	-Inf	87.15	3	Horizontal	297	2.83	-	34.22	5.30	33.26
PK	5.85G	63.68	68.20	-4.52	56.87	3	Horizontal	297	2.83	-	34.80	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 24.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38972G	54.73	74.00	-19.27	41.46	3	Vertical	191	2.42	-	39.40	8.57	34.70
AV	11.39104G	40.88	54.00	-13.12	27.62	3	Vertical	191	2.42	-	39.40	8.57	34.71
PK	17.06628G	58.06	68.20	-10.14	42.52	3	Vertical	238	2.67	-	40.87	9.47	34.80

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 24.5
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38174G	53.87	74.00	-20.13	40.60	3	Horizontal	253	1.19	-	39.40	8.57	34.70
AV	11.38324G	40.88	54.00	-13.12	27.61	3	Horizontal	253	1.19	-	39.40	8.57	34.70
PK	17.07966G	59.03	68.20	-9.17	43.42	3	Horizontal	209	1.07	-	40.92	9.48	34.79




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.733G	67.90	68.20	-0.30	3	Horizontal	100	2.94	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	57.35	74.00	-16.65	52.56	3	Vertical	186	2.92	-	32.91	5.05	33.17
AV	5.1376G	44.76	54.00	-9.24	39.94	3	Vertical	186	2.92	-	32.95	5.04	33.17
PK	5.257G	118.60	Inf	-Inf	113.66	3	Vertical	186	2.92	-	33.01	5.10	33.17
AV	5.257G	107.47	Inf	-Inf	102.53	3	Vertical	186	2.92	-	33.01	5.10	33.17
PK	5.3938G	57.23	74.00	-16.77	51.95	3	Vertical	186	2.92	-	33.36	5.10	33.18
AV	5.3668G	45.26	54.00	-8.74	40.13	3	Vertical	186	2.92	-	33.20	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	57.34	74.00	-16.66	52.45	3	Horizontal	244	2.97	-	33.04	5.01	33.16
AV	5.1304G	45.23	54.00	-8.77	40.39	3	Horizontal	244	2.97	-	32.98	5.03	33.17
PK	5.2618G	121.97	Inf	-Inf	117.02	3	Horizontal	244	2.97	-	33.02	5.10	33.17
AV	5.257G	111.88	Inf	-Inf	106.94	3	Horizontal	244	2.97	-	33.01	5.10	33.17
PK	5.3572G	58.48	74.00	-15.52	53.41	3	Horizontal	244	2.97	-	33.14	5.10	33.17
AV	5.3518G	46.80	54.00	-7.20	41.76	3	Horizontal	244	2.97	-	33.11	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5166G	55.93	68.20	-12.27	42.90	3	Vertical	300	2.30	-	39.20	7.96	34.13
PK	15.77096G	59.63	74.00	-14.37	47.16	3	Vertical	167	1.88	-	38.58	9.04	35.15
AV	15.77704G	45.80	54.00	-8.20	33.30	3	Vertical	167	1.88	-	38.61	9.04	35.15

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51156G	55.24	68.20	-12.96	42.21	3	Horizontal	188	1.03	-	39.20	7.96	34.13
PK	15.78612G	58.81	74.00	-15.19	46.27	3	Horizontal	212	1.80	-	38.64	9.05	35.15
AV	15.7766G	45.54	54.00	-8.46	33.04	3	Horizontal	212	1.80	-	38.61	9.04	35.15

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	117.94	Inf	-Inf	112.92	3	Vertical	186	2.88	-	33.09	5.10	33.17
AV	5.2968G	106.96	Inf	-Inf	101.94	3	Vertical	186	2.88	-	33.09	5.10	33.17
PK	5.3508G	58.59	74.00	-15.41	53.56	3	Vertical	186	2.88	-	33.10	5.10	33.17
AV	5.3504G	46.36	54.00	-7.64	41.33	3	Vertical	186	2.88	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	121.30	Inf	-Inf	116.28	3	Horizontal	242	2.15	-	33.09	5.10	33.17
AV	5.3012G	110.98	Inf	-Inf	105.95	3	Horizontal	242	2.15	-	33.10	5.10	33.17
PK	5.35G	64.19	74.00	-9.81	59.16	3	Horizontal	242	2.15	-	33.10	5.10	33.17
AV	5.35G	50.95	54.00	-3.05	45.92	3	Horizontal	242	2.15	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89854G	56.44	74.00	-17.56	43.62	3	Vertical	334	1.10	-	38.90	9.07	35.15
AV	15.90104G	43.74	54.00	-10.26	30.91	3	Vertical	334	1.10	-	38.90	9.08	35.15

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89518G	56.42	74.00	-17.58	43.61	3	Horizontal	210	2.44	-	38.89	9.07	35.15
AV	15.90082G	43.65	54.00	-10.35	30.82	3	Horizontal	210	2.44	-	38.90	9.08	35.15

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	114.17	Inf	-Inf	109.14	3	Vertical	190	3.00	-	33.10	5.10	33.17
AV	5.3232G	104.30	Inf	-Inf	99.27	3	Vertical	190	3.00	-	33.10	5.10	33.17
PK	5.3528G	64.08	74.00	-9.92	59.03	3	Vertical	190	3.00	-	33.12	5.10	33.17
AV	5.3532G	49.86	54.00	-4.14	44.81	3	Vertical	190	3.00	-	33.12	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	118.71	Inf	-Inf	113.68	3	Horizontal	246	2.02	-	33.10	5.10	33.17
AV	5.3232G	108.60	Inf	-Inf	103.57	3	Horizontal	246	2.02	-	33.10	5.10	33.17
PK	5.3528G	66.78	74.00	-7.22	61.73	3	Horizontal	246	2.02	-	33.12	5.10	33.17
AV	5.3528G	53.27	54.00	-0.73	48.22	3	Horizontal	246	2.02	-	33.12	5.10	33.17

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95678G	56.21	74.00	-17.79	43.49	3	Vertical	156	2.84	-	38.79	9.09	35.16
AV	15.9597G	43.12	54.00	-10.88	30.41	3	Vertical	156	2.84	-	38.78	9.09	35.16

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95512G	56.66	74.00	-17.34	43.94	3	Horizontal	178	1.60	-	38.79	9.09	35.16
AV	15.95838G	43.26	54.00	-10.74	30.55	3	Horizontal	178	1.60	-	38.78	9.09	35.16

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	55.72	74.00	-18.28	50.14	3	Vertical	176	3.00	-	33.63	5.13	33.18
PK	5.4696G	61.45	68.20	-6.75	55.62	3	Vertical	176	3.00	-	33.84	5.17	33.18
AV	5.4552G	43.88	54.00	-10.12	38.09	3	Vertical	176	3.00	-	33.81	5.16	33.18
PK	5.4936G	108.38	Inf	-Inf	102.48	3	Vertical	176	3.00	-	33.89	5.19	33.18
AV	5.4948G	98.38	Inf	-Inf	92.48	3	Vertical	176	3.00	-	33.89	5.19	33.18

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	59.95	74.00	-14.05	54.15	3	Horizontal	243	3.00	-	33.82	5.16	33.18
AV	5.4584G	46.87	54.00	-7.13	41.07	3	Horizontal	243	3.00	-	33.82	5.16	33.18
PK	5.4688G	67.80	68.20	-0.40	61.97	3	Horizontal	243	3.00	-	33.84	5.17	33.18
PK	5.5032G	116.52	Inf	-Inf	110.59	3	Horizontal	243	3.00	-	33.91	5.20	33.18
AV	5.5036G	106.05	Inf	-Inf	100.12	3	Horizontal	243	3.00	-	33.91	5.20	33.18

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50284G	58.06	68.20	-10.14	44.05	3	Vertical	112	2.70	-	39.81	9.28	35.08

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49712G	57.84	68.20	-10.36	43.86	3	Horizontal	199	1.29	-	39.79	9.27	35.08

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	57.49	74.00	-16.51	51.84	3	Vertical	187	2.90	-	33.69	5.14	33.18
PK	5.4684G	57.03	68.20	-11.17	51.20	3	Vertical	187	2.90	-	33.84	5.17	33.18
AV	5.4576G	45.50	54.00	-8.50	39.70	3	Vertical	187	2.90	-	33.82	5.16	33.18
PK	5.5752G	115.50	Inf	-Inf	109.38	3	Vertical	187	2.90	-	34.05	5.28	33.21
AV	5.5812G	105.31	Inf	-Inf	99.20	3	Vertical	187	2.90	-	34.04	5.28	33.21
PK	5.7288G	58.15	68.20	-10.05	51.80	3	Vertical	187	2.90	-	34.32	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	58.33	74.00	-15.67	52.59	3	Horizontal	251	3.00	-	33.77	5.15	33.18
AV	5.4366G	46.11	54.00	-7.89	40.46	3	Horizontal	251	3.00	-	33.69	5.14	33.18
PK	5.4606G	58.63	68.20	-9.57	52.83	3	Horizontal	251	3.00	-	33.82	5.16	33.18
PK	5.5752G	123.29	Inf	-Inf	117.17	3	Horizontal	251	3.00	-	34.05	5.28	33.21
AV	5.5752G	113.49	Inf	-Inf	107.37	3	Horizontal	251	3.00	-	34.05	5.28	33.21
PK	5.727G	58.55	68.20	-9.65	52.21	3	Horizontal	251	3.00	-	34.31	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15964G	55.73	74.00	-18.27	42.61	3	Vertical	300	1.00	-	39.30	8.41	34.59
AV	11.15884G	42.19	54.00	-11.81	29.07	3	Vertical	300	1.00	-	39.30	8.41	34.59
PK	16.7318G	59.37	68.20	-8.83	44.95	3	Vertical	0	1.80	-	40.03	9.36	34.97

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	55.73	74.00	-18.27	42.61	3	Horizontal	327	1.80	-	39.30	8.41	34.59
AV	11.1598G	42.89	54.00	-11.11	29.77	3	Horizontal	327	1.80	-	39.30	8.41	34.59
PK	16.74904G	60.77	68.20	-7.43	46.33	3	Horizontal	22	1.80	-	40.05	9.36	34.97

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	109.34	Inf	-Inf	103.09	3	Vertical	181	2.40	-	34.21	5.30	33.26
AV	5.7012G	99.00	Inf	-Inf	92.76	3	Vertical	181	2.40	-	34.20	5.30	33.26
PK	5.7336G	59.40	68.20	-8.80	53.04	3	Vertical	181	2.40	-	34.33	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	117.22	Inf	-Inf	110.97	3	Horizontal	242	2.86	-	34.21	5.30	33.26
AV	5.6948G	107.82	Inf	-Inf	101.57	3	Horizontal	242	2.86	-	34.21	5.30	33.26
PK	5.726G	65.83	68.20	-2.37	59.50	3	Horizontal	242	2.86	-	34.30	5.30	33.27

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39918G	54.54	74.00	-19.46	41.27	3	Vertical	83	1.04	-	39.40	8.58	34.71
AV	11.39674G	41.58	54.00	-12.42	28.31	3	Vertical	83	1.04	-	39.40	8.58	34.71

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40058G	54.39	74.00	-19.61	41.12	3	Horizontal	324	2.20	-	39.40	8.58	34.71
AV	11.39518G	41.66	54.00	-12.34	28.39	3	Horizontal	324	2.20	-	39.40	8.58	34.71

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	115.17	Inf	-Inf	108.83	3	Vertical	187	2.88	-	34.31	5.30	33.27
AV	5.7224G	104.78	Inf	-Inf	98.46	3	Vertical	187	2.88	-	34.29	5.30	33.27
PK	5.8984G	59.33	68.20	-8.87	52.42	3	Vertical	187	2.88	-	34.90	5.35	33.34

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	123.59	Inf	-Inf	117.29	3	Horizontal	253	2.98	-	34.27	5.30	33.27
AV	5.7208G	112.49	Inf	-Inf	106.18	3	Horizontal	253	2.98	-	34.28	5.30	33.27
PK	5.904G	59.17	68.20	-9.03	52.24	3	Horizontal	253	2.98	-	34.92	5.35	33.34

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43908G	54.12	74.00	-19.88	40.88	3	Vertical	164	1.31	-	39.36	8.61	34.73
AV	11.43678G	41.44	54.00	-12.56	28.20	3	Vertical	164	1.31	-	39.36	8.61	34.73

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44284G	55.71	74.00	-18.29	42.47	3	Horizontal	309	2.69	-	39.36	8.61	34.73
AV	11.43636G	41.49	54.00	-12.51	28.25	3	Horizontal	309	2.69	-	39.36	8.61	34.73


802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TnomVnom



EUT Y_2TX
 Setting 25
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0712G	57.56	74.00	-16.44	52.71	3	Vertical	188	2.91	-	33.04	4.97	33.16
AV	5.088G	44.91	54.00	-9.09	40.00	3	Vertical	188	2.91	-	33.08	4.99	33.16
PK	5.2624G	118.29	Inf	-Inf	113.34	3	Vertical	188	2.91	-	33.02	5.10	33.17
AV	5.2632G	106.95	Inf	-Inf	101.99	3	Vertical	188	2.91	-	33.03	5.10	33.17
PK	5.424G	58.18	74.00	-15.82	52.65	3	Vertical	188	2.91	-	33.59	5.12	33.18
AV	5.4528G	45.24	54.00	-8.76	39.46	3	Vertical	188	2.91	-	33.81	5.15	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TnomVnom




EUT Y_2TX
 Setting 25
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	57.46	74.00	-16.54	52.55	3	Horizontal	241	2.98	-	33.06	5.01	33.16
AV	5.088G	46.16	54.00	-7.84	41.25	3	Horizontal	241	2.98	-	33.08	4.99	33.16
PK	5.2536G	124.07	Inf	-Inf	119.13	3	Horizontal	241	2.98	-	33.01	5.10	33.17
AV	5.2648G	111.74	Inf	-Inf	106.78	3	Horizontal	241	2.98	-	33.03	5.10	33.17
PK	5.3536G	59.42	74.00	-14.58	54.37	3	Horizontal	241	2.98	-	33.12	5.10	33.17
AV	5.3536G	46.93	54.00	-7.07	41.88	3	Horizontal	241	2.98	-	33.12	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52908G	55.71	68.20	-12.49	42.68	3	Vertical	-0	2.73	-	39.20	7.97	34.14
PK	16.90286G	61.16	68.20	-7.04	46.13	3	Vertical	170	1.80	-	40.50	9.42	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52148G	54.97	68.20	-13.23	41.94	3	Horizontal	186	1.66	-	39.20	7.97	34.14
PK	16.89202G	59.65	68.20	-8.55	44.67	3	Horizontal	213	1.80	-	40.47	9.41	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TnomVnom




EUT_Y_2TX
 Setting 24
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	118.81	Inf	-Inf	113.78	3	Vertical	186	2.87	-	33.10	5.10	33.17
AV	5.298G	106.08	Inf	-Inf	101.05	3	Vertical	186	2.87	-	33.10	5.10	33.17
PK	5.35G	59.85	74.00	-14.15	54.82	3	Vertical	186	2.87	-	33.10	5.10	33.17
AV	5.35G	46.51	54.00	-7.49	41.48	3	Vertical	186	2.87	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	122.98	Inf	-Inf	117.95	3	Horizontal	244	2.23	-	33.10	5.10	33.17
AV	5.2968G	110.31	Inf	-Inf	105.29	3	Horizontal	244	2.23	-	33.09	5.10	33.17
PK	5.356G	64.95	74.00	-9.05	59.88	3	Horizontal	244	2.23	-	33.14	5.10	33.17
AV	5.3548G	50.28	54.00	-3.72	45.22	3	Horizontal	244	2.23	-	33.13	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89726G	56.80	74.00	-17.20	43.99	3	Vertical	264	2.01	-	38.89	9.07	35.15
AV	15.90146G	43.20	54.00	-10.80	30.37	3	Vertical	264	2.01	-	38.90	9.08	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 24
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89626G	53.44	74.00	-20.56	40.63	3	Horizontal	188	2.32	-	38.89	9.07	35.15
AV	15.89792G	39.87	54.00	-14.13	27.05	3	Horizontal	188	2.32	-	38.90	9.07	35.15

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	117.34	Inf	-Inf	112.31	3	Vertical	186	3.00	-	33.10	5.10	33.17
AV	5.3232G	104.11	Inf	-Inf	99.08	3	Vertical	186	3.00	-	33.10	5.10	33.17
PK	5.3516G	66.76	74.00	-7.24	61.72	3	Vertical	186	3.00	-	33.11	5.10	33.17
AV	5.352G	51.99	54.00	-2.01	46.95	3	Vertical	186	3.00	-	33.11	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Y_2TX
Setting 22
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	116.67	Inf	-Inf	111.64	3	Horizontal	185	3.00	-	33.10	5.10	33.17
AV	5.3232G	104.93	Inf	-Inf	99.90	3	Horizontal	185	3.00	-	33.10	5.10	33.17
PK	5.3504G	66.54	74.00	-7.46	61.51	3	Horizontal	185	3.00	-	33.10	5.10	33.17
AV	5.352G	52.91	54.00	-1.09	47.87	3	Horizontal	185	3.00	-	33.11	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
 Setting 22
 04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95634G	56.20	74.00	-17.80	43.48	3	Vertical	317	1.32	-	38.79	9.09	35.16
AV	15.96032G	42.94	54.00	-11.06	30.23	3	Vertical	317	1.32	-	38.78	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95922G	56.24	74.00	-17.76	43.53	3	Horizontal	236	1.67	-	38.78	9.09	35.16
AV	15.96264G	42.91	54.00	-11.09	30.21	3	Horizontal	236	1.67	-	38.77	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 20.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.52	74.00	-15.48	52.72	3	Vertical	185	2.97	-	33.82	5.16	33.18
AV	5.46G	45.48	54.00	-8.52	39.68	3	Vertical	185	2.97	-	33.82	5.16	33.18
PK	5.47G	60.47	68.20	-7.73	54.64	3	Vertical	185	2.97	-	33.84	5.17	33.18
PK	5.5024G	114.33	Inf	-Inf	108.40	3	Vertical	185	2.97	-	33.91	5.20	33.18
AV	5.5024G	100.90	Inf	-Inf	94.97	3	Vertical	185	2.97	-	33.91	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 20.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	61.22	74.00	-12.78	55.44	3	Horizontal	244	3.00	-	33.81	5.15	33.18
AV	5.46G	48.20	54.00	-5.80	42.40	3	Horizontal	244	3.00	-	33.82	5.16	33.18
PK	5.47G	67.89	68.20	-0.31	62.06	3	Horizontal	244	3.00	-	33.84	5.17	33.18
PK	5.5024G	121.41	Inf	-Inf	115.48	3	Horizontal	244	3.00	-	33.91	5.20	33.18
AV	5.5016G	107.64	Inf	-Inf	101.71	3	Horizontal	244	3.00	-	33.91	5.20	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
 Setting 20.5
 04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00432G	50.56	74.00	-23.44	37.28	3	Vertical	87	2.51	-	39.49	8.30	34.51
AV	10.99538G	41.29	54.00	-12.71	28.00	3	Vertical	87	2.51	-	39.50	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 20.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9957G	49.34	74.00	-24.66	36.05	3	Horizontal	349	1.76	-	39.50	8.30	34.51
AV	10.99804G	36.14	54.00	-17.86	22.85	3	Horizontal	349	1.76	-	39.50	8.30	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	58.15	74.00	-15.85	52.43	3	Vertical	199	2.92	-	33.76	5.14	33.18
AV	5.4486G	45.29	54.00	-8.71	39.53	3	Vertical	199	2.92	-	33.79	5.15	33.18
PK	5.47G	57.25	68.20	-10.95	51.42	3	Vertical	199	2.92	-	33.84	5.17	33.18
PK	5.5818G	117.57	Inf	-Inf	111.46	3	Vertical	199	2.92	-	34.04	5.28	33.21
AV	5.5818G	105.14	Inf	-Inf	99.03	3	Vertical	199	2.92	-	34.04	5.28	33.21
PK	5.73G	57.79	68.20	-10.41	51.44	3	Vertical	199	2.92	-	34.32	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4348G	58.66	74.00	-15.34	53.03	3	Horizontal	115	2.59	-	33.68	5.13	33.18
AV	5.4462G	45.88	54.00	-8.12	40.14	3	Horizontal	115	2.59	-	33.77	5.15	33.18
PK	5.463G	58.46	68.20	-9.74	52.65	3	Horizontal	115	2.59	-	33.83	5.16	33.18
PK	5.5824G	125.01	Inf	-Inf	118.90	3	Horizontal	115	2.59	-	34.04	5.28	33.21
AV	5.5824G	111.77	Inf	-Inf	105.66	3	Horizontal	115	2.59	-	34.04	5.28	33.21
PK	5.7294G	58.96	68.20	-9.24	52.61	3	Horizontal	115	2.59	-	34.32	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1563G	54.27	74.00	-19.73	41.15	3	Vertical	318	2.05	-	39.30	8.41	34.59
AV	11.15928G	40.98	54.00	-13.02	27.86	3	Vertical	318	2.05	-	39.30	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16302G	54.50	74.00	-19.50	41.38	3	Horizontal	92	1.77	-	39.30	8.41	34.59
AV	11.15646G	41.14	54.00	-12.86	28.02	3	Horizontal	92	1.77	-	39.30	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 20
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	111.89	Inf	-Inf	105.64	3	Vertical	195	2.41	-	34.21	5.30	33.26
AV	5.7022G	98.89	Inf	-Inf	92.64	3	Vertical	195	2.41	-	34.21	5.30	33.26
PK	5.7254G	61.24	68.20	-6.96	54.91	3	Vertical	195	2.41	-	34.30	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 20
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	118.77	Inf	-Inf	112.52	3	Horizontal	103	3.00	-	34.21	5.30	33.26
AV	5.7026G	105.38	Inf	-Inf	99.13	3	Horizontal	103	3.00	-	34.21	5.30	33.26
PK	5.725G	67.86	68.20	-0.34	61.53	3	Horizontal	103	3.00	-	34.30	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 20
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40478G	55.12	74.00	-18.88	41.85	3	Vertical	100	2.29	-	39.40	8.58	34.71
AV	11.39644G	41.35	54.00	-12.65	28.08	3	Vertical	100	2.29	-	39.40	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 20
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39762G	54.77	74.00	-19.23	41.50	3	Horizontal	285	2.46	-	39.40	8.58	34.71
AV	11.4006G	41.29	54.00	-12.71	28.02	3	Horizontal	285	2.46	-	39.40	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	116.79	Inf	-Inf	110.47	3	Vertical	193	2.91	-	34.29	5.30	33.27
AV	5.7232G	104.62	Inf	-Inf	98.30	3	Vertical	193	2.91	-	34.29	5.30	33.27
PK	5.8632G	58.86	68.20	-9.34	52.03	3	Vertical	193	2.91	-	34.83	5.33	33.33

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	125.86	Inf	-Inf	119.54	3	Horizontal	254	2.95	-	34.29	5.30	33.27
AV	5.7232G	111.88	Inf	-Inf	105.56	3	Horizontal	254	2.95	-	34.29	5.30	33.27
PK	5.8504G	59.53	68.20	-8.67	52.72	3	Horizontal	254	2.95	-	34.80	5.33	33.32

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43952G	49.13	74.00	-24.87	35.89	3	Vertical	3	2.15	-	39.36	8.61	34.73
AV	11.44286G	39.19	54.00	-14.81	25.95	3	Vertical	3	2.15	-	39.36	8.61	34.73

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 25
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4365G	49.49	74.00	-24.51	36.25	3	Horizontal	1	2.66	-	39.36	8.61	34.73
AV	11.44164G	35.72	54.00	-18.28	22.48	3	Horizontal	1	2.66	-	39.36	8.61	34.73


802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TnomVnom



EUT Y_2TX
 Setting 22.5
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	57.76	74.00	-16.24	52.97	3	Vertical	185	2.91	-	32.91	5.05	33.17
AV	5.1398G	44.94	54.00	-9.06	40.13	3	Vertical	185	2.91	-	32.94	5.04	33.17
PK	5.2688G	114.34	Inf	-Inf	109.37	3	Vertical	185	2.91	-	33.04	5.10	33.17
AV	5.2682G	102.05	Inf	-Inf	97.08	3	Vertical	185	2.91	-	33.04	5.10	33.17
PK	5.35G	59.75	74.00	-14.25	54.72	3	Vertical	185	2.91	-	33.10	5.10	33.17
AV	5.35G	47.44	54.00	-6.56	42.41	3	Vertical	185	2.91	-	33.10	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TnomVnom




EUT Y_2TX
 Setting 22.5
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.23	74.00	-14.77	54.45	3	Horizontal	248	3.00	-	32.90	5.05	33.17
AV	5.15G	46.41	54.00	-7.59	41.63	3	Horizontal	248	3.00	-	32.90	5.05	33.17
PK	5.2688G	119.97	Inf	-Inf	115.00	3	Horizontal	248	3.00	-	33.04	5.10	33.17
AV	5.2682G	106.92	Inf	-Inf	101.95	3	Horizontal	248	3.00	-	33.04	5.10	33.17
PK	5.35G	64.59	74.00	-9.41	59.56	3	Horizontal	248	3.00	-	33.10	5.10	33.17
AV	5.35G	51.92	54.00	-2.08	46.89	3	Horizontal	248	3.00	-	33.10	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54082G	50.20	68.20	-18.00	37.17	3	Vertical	19	1.17	-	39.20	7.98	34.15
PK	15.81408G	57.04	74.00	-16.96	44.41	3	Vertical	331	1.03	-	38.73	9.05	35.15
AV	15.81072G	43.71	54.00	-10.29	31.09	3	Vertical	331	1.03	-	38.72	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53982G	50.04	68.20	-18.16	37.01	3	Horizontal	335	1.27	-	39.20	7.98	34.15
PK	15.80792G	56.74	74.00	-17.26	44.12	3	Horizontal	47	1.29	-	38.72	9.05	35.15
AV	15.81028G	43.75	54.00	-10.25	31.13	3	Horizontal	47	1.29	-	38.72	9.05	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
 Setting 19.5
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3034G	111.50	Inf	-Inf	106.47	3	Vertical	185	2.87	-	33.10	5.10	33.17
AV	5.3034G	99.14	Inf	-Inf	94.11	3	Vertical	185	2.87	-	33.10	5.10	33.17
PK	5.3538G	63.57	74.00	-10.43	58.52	3	Vertical	185	2.87	-	33.12	5.10	33.17
AV	5.3514G	48.57	54.00	-5.43	43.53	3	Vertical	185	2.87	-	33.11	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3022G	116.56	Inf	-Inf	111.53	3	Horizontal	247	2.79	-	33.10	5.10	33.17
AV	5.3022G	103.28	Inf	-Inf	98.25	3	Horizontal	247	2.79	-	33.10	5.10	33.17
PK	5.3508G	67.73	74.00	-6.27	62.70	3	Horizontal	247	2.79	-	33.10	5.10	33.17
AV	5.35G	52.61	54.00	-1.39	47.58	3	Horizontal	247	2.79	-	33.10	5.10	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93096G	54.40	74.00	-19.60	41.64	3	Vertical	205	2.04	-	38.84	9.08	35.16
AV	15.92732G	40.76	54.00	-13.24	27.99	3	Vertical	205	2.04	-	38.85	9.08	35.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9345G	53.96	74.00	-20.04	41.21	3	Horizontal	4	2.96	-	38.83	9.08	35.16
AV	15.92534G	41.02	54.00	-12.98	28.25	3	Horizontal	4	2.96	-	38.85	9.08	35.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 18.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.88	74.00	-15.12	53.08	3	Vertical	187	2.97	-	33.82	5.16	33.18
AV	5.46G	46.93	54.00	-7.07	41.13	3	Vertical	187	2.97	-	33.82	5.16	33.18
PK	5.462G	61.41	68.20	-6.79	55.61	3	Vertical	187	2.97	-	33.82	5.16	33.18
PK	5.5118G	109.71	Inf	-Inf	103.73	3	Vertical	187	2.97	-	33.95	5.21	33.18
AV	5.5118G	96.53	Inf	-Inf	90.55	3	Vertical	187	2.97	-	33.95	5.21	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 18.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.07	74.00	-8.93	59.27	3	Horizontal	249	3.00	-	33.82	5.16	33.18
AV	5.46G	51.74	54.00	-2.26	45.94	3	Horizontal	249	3.00	-	33.82	5.16	33.18
PK	5.4698G	67.60	68.20	-0.60	61.77	3	Horizontal	249	3.00	-	33.84	5.17	33.18
PK	5.5112G	115.66	Inf	-Inf	109.69	3	Horizontal	249	3.00	-	33.94	5.21	33.18
AV	5.501G	103.47	Inf	-Inf	97.55	3	Horizontal	249	3.00	-	33.90	5.20	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
 Setting 18.5
 04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01712G	54.89	74.00	-19.11	41.63	3	Vertical	339	1.76	-	39.47	8.31	34.52
AV	11.02242G	41.35	54.00	-12.65	28.09	3	Vertical	339	1.76	-	39.46	8.32	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 18.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01692G	55.31	74.00	-18.69	42.05	3	Horizontal	217	1.56	-	39.47	8.31	34.52
AV	11.025G	41.47	54.00	-12.53	28.22	3	Horizontal	217	1.56	-	39.45	8.32	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.13	74.00	-14.87	53.35	3	Vertical	185	2.94	-	33.81	5.15	33.18
AV	5.451G	46.13	54.00	-7.87	40.36	3	Vertical	185	2.94	-	33.80	5.15	33.18
PK	5.4606G	59.18	68.20	-9.02	53.38	3	Vertical	185	2.94	-	33.82	5.16	33.18
PK	5.5428G	113.69	Inf	-Inf	107.58	3	Vertical	185	2.94	-	34.07	5.24	33.20
AV	5.5518G	101.38	Inf	-Inf	95.23	3	Vertical	185	2.94	-	34.10	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.62	74.00	-10.38	57.83	3	Horizontal	246	2.97	-	33.81	5.16	33.18
AV	5.46G	51.08	54.00	-2.92	45.28	3	Horizontal	246	2.97	-	33.82	5.16	33.18
PK	5.47G	67.55	68.20	-0.65	61.72	3	Horizontal	246	2.97	-	33.84	5.17	33.18
PK	5.5518G	121.33	Inf	-Inf	115.18	3	Horizontal	246	2.97	-	34.10	5.25	33.20
AV	5.5512G	108.36	Inf	-Inf	102.21	3	Horizontal	246	2.97	-	34.10	5.25	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09584G	54.29	74.00	-19.71	41.17	3	Vertical	158	1.48	-	39.31	8.37	34.56
AV	11.09688G	40.94	54.00	-13.06	27.82	3	Vertical	158	1.48	-	39.31	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 22.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09672G	56.02	74.00	-17.98	42.90	3	Horizontal	168	2.08	-	39.31	8.37	34.56
AV	11.09614G	41.06	54.00	-12.94	27.94	3	Horizontal	168	2.08	-	39.31	8.37	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
 Setting 19.5
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6622G	110.17	Inf	-Inf	103.83	3	Vertical	194	2.97	-	34.28	5.30	33.24
AV	5.6622G	97.69	Inf	-Inf	91.35	3	Vertical	194	2.97	-	34.28	5.30	33.24
PK	5.7258G	60.42	68.20	-7.78	54.09	3	Vertical	194	2.97	-	34.30	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.676G	118.21	Inf	-Inf	111.91	3	Horizontal	236	2.90	-	34.25	5.30	33.25
AV	5.6658G	105.47	Inf	-Inf	99.15	3	Horizontal	236	2.90	-	34.27	5.30	33.25
PK	5.7252G	67.71	68.20	-0.49	61.38	3	Horizontal	236	2.90	-	34.30	5.30	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34418G	54.52	74.00	-19.48	41.26	3	Vertical	146	1.49	-	39.40	8.54	34.68
AV	11.34384G	41.07	54.00	-12.93	27.81	3	Vertical	146	1.49	-	39.40	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 19.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3429G	54.80	74.00	-19.20	41.54	3	Horizontal	93	1.73	-	39.40	8.54	34.68
AV	11.33672G	41.09	54.00	-12.91	27.83	3	Horizontal	93	1.73	-	39.40	8.54	34.68

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 23.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	113.14	Inf	-Inf	106.87	3	Vertical	182	2.28	-	34.23	5.30	33.26
AV	5.7076G	100.12	Inf	-Inf	93.85	3	Vertical	182	2.28	-	34.23	5.30	33.26
PK	5.8588G	59.64	68.20	-8.56	52.81	3	Vertical	182	2.28	-	34.82	5.33	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 23.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	120.97	Inf	-Inf	114.69	3	Horizontal	254	3.00	-	34.25	5.30	33.27
AV	5.7124G	108.85	Inf	-Inf	102.56	3	Horizontal	254	3.00	-	34.25	5.30	33.26
PK	5.8564G	67.73	68.20	-0.47	60.91	3	Horizontal	254	3.00	-	34.81	5.33	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 23.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41884G	54.46	74.00	-19.54	41.21	3	Vertical	27	1.89	-	39.38	8.59	34.72
AV	11.4199G	41.30	54.00	-12.70	28.05	3	Vertical	27	1.89	-	39.38	8.59	34.72

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 23.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42462G	55.00	74.00	-19.00	41.74	3	Horizontal	20	1.69	-	39.38	8.60	34.72
AV	11.41958G	41.15	54.00	-12.85	27.90	3	Horizontal	20	1.69	-	39.38	8.59	34.72


802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TnomVnom



EUT Y_2TX
 Setting 19
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	57.49	74.00	-16.51	52.68	3	Vertical	185	2.88	-	32.94	5.04	33.17
AV	5.0972G	44.78	54.00	-9.22	39.85	3	Vertical	185	2.88	-	33.09	5.00	33.16
PK	5.298G	108.40	Inf	-Inf	103.37	3	Vertical	185	2.88	-	33.10	5.10	33.17
AV	5.2884G	95.70	Inf	-Inf	90.69	3	Vertical	185	2.88	-	33.08	5.10	33.17
PK	5.358G	61.98	74.00	-12.02	56.90	3	Vertical	185	2.88	-	33.15	5.10	33.17
AV	5.3572G	48.50	54.00	-5.50	43.43	3	Vertical	185	2.88	-	33.14	5.10	33.17
PK	5.482G	57.56	68.20	-10.64	51.70	3	Vertical	185	2.88	-	33.86	5.18	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TnomVnom




EUT Y_2TX
 Setting 19
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	58.36	74.00	-15.64	53.49	3	Horizontal	247	2.78	-	33.01	5.02	33.16
AV	5.1484G	45.74	54.00	-8.26	40.95	3	Horizontal	247	2.78	-	32.91	5.05	33.17
PK	5.2764G	112.33	Inf	-Inf	107.35	3	Horizontal	247	2.78	-	33.05	5.10	33.17
AV	5.2876G	100.07	Inf	-Inf	95.06	3	Horizontal	247	2.78	-	33.08	5.10	33.17
PK	5.3548G	67.44	74.00	-6.56	62.38	3	Horizontal	247	2.78	-	33.13	5.10	33.17
AV	5.3548G	53.26	54.00	-0.74	48.20	3	Horizontal	247	2.78	-	33.13	5.10	33.17
PK	5.4756G	58.31	68.20	-9.89	52.46	3	Horizontal	247	2.78	-	33.85	5.18	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58248G	54.71	68.20	-13.49	41.68	3	Vertical	88	1.78	-	39.20	8.01	34.18
PK	15.873G	57.72	74.00	-16.28	44.95	3	Vertical	359	1.09	-	38.85	9.07	35.15
AV	15.87232G	43.58	54.00	-10.42	30.82	3	Vertical	359	1.09	-	38.84	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 19
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5799G	54.72	68.20	-13.48	41.69	3	Horizontal	31	2.92	-	39.20	8.01	34.18
PK	15.869G	57.22	74.00	-16.78	44.46	3	Horizontal	315	1.00	-	38.84	9.07	35.15
AV	15.86636G	43.61	54.00	-10.39	30.86	3	Horizontal	315	1.00	-	38.83	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 18
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	58.15	68.20	-10.05	53.12	3	Vertical	187	2.94	-	33.10	5.10	33.17
PK	5.456G	61.85	74.00	-12.15	56.06	3	Vertical	187	2.94	-	33.81	5.16	33.18
AV	5.457G	47.64	54.00	-6.36	41.85	3	Vertical	187	2.94	-	33.81	5.16	33.18
PK	5.466G	60.08	68.20	-8.12	54.26	3	Vertical	187	2.94	-	33.83	5.17	33.18
PK	5.537G	105.58	Inf	-Inf	99.48	3	Vertical	187	2.94	-	34.05	5.24	33.19
AV	5.546G	92.93	Inf	-Inf	86.80	3	Vertical	187	2.94	-	34.08	5.25	33.20
PK	5.778G	59.99	68.20	-8.21	53.52	3	Vertical	187	2.94	-	34.46	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 18
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	58.28	68.20	-9.92	53.25	3	Horizontal	115	2.59	-	33.10	5.10	33.17
PK	5.453G	65.34	74.00	-8.66	59.56	3	Horizontal	115	2.59	-	33.81	5.15	33.18
AV	5.453G	52.96	54.00	-1.04	47.18	3	Horizontal	115	2.59	-	33.81	5.15	33.18
PK	5.463G	65.40	68.20	-2.80	59.59	3	Horizontal	115	2.59	-	33.83	5.16	33.18
PK	5.532G	110.92	Inf	-Inf	104.85	3	Horizontal	115	2.59	-	34.03	5.23	33.19
AV	5.542G	98.97	Inf	-Inf	92.86	3	Horizontal	115	2.59	-	34.07	5.24	33.20
PK	5.772G	60.30	68.20	-7.90	53.85	3	Horizontal	115	2.59	-	34.44	5.30	33.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 18
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06204G	50.18	74.00	-23.82	37.00	3	Vertical	27	2.05	-	39.38	8.34	34.54
AV	11.06364G	36.57	54.00	-17.43	23.40	3	Vertical	27	2.05	-	39.37	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 18
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06386G	49.76	74.00	-24.24	36.59	3	Horizontal	5	1.37	-	39.37	8.34	34.54
AV	11.05796G	36.72	54.00	-17.28	23.54	3	Horizontal	5	1.37	-	39.38	8.34	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT Y_2TX
Setting 21.5
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.84	74.00	-14.16	54.04	3	Vertical	186	3.00	-	33.82	5.16	33.18
AV	5.458G	46.83	54.00	-7.17	41.03	3	Vertical	186	3.00	-	33.82	5.16	33.18
PK	5.469G	60.84	68.20	-7.36	55.01	3	Vertical	186	3.00	-	33.84	5.17	33.18
PK	5.627G	110.43	Inf	-Inf	104.20	3	Vertical	186	3.00	-	34.16	5.30	33.23
AV	5.616G	97.48	Inf	-Inf	91.31	3	Vertical	186	3.00	-	34.10	5.30	33.23
PK	5.728G	63.58	68.20	-4.62	57.24	3	Vertical	186	3.00	-	34.31	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TnomVnom




EUT Y_2TX
 Setting 21.5
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.10	74.00	-12.90	55.33	3	Horizontal	100	2.94	-	33.80	5.15	33.18
AV	5.453G	48.28	54.00	-5.72	42.50	3	Horizontal	100	2.94	-	33.81	5.15	33.18
PK	5.463G	63.29	68.20	-4.91	57.48	3	Horizontal	100	2.94	-	33.83	5.16	33.18
PK	5.604G	114.36	Inf	-Inf	108.26	3	Horizontal	100	2.94	-	34.02	5.30	33.22
AV	5.603G	101.81	Inf	-Inf	95.71	3	Horizontal	100	2.94	-	34.02	5.30	33.22
PK	5.733G	67.90	68.20	-0.30	61.54	3	Horizontal	100	2.94	-	34.33	5.30	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2235G	54.44	74.00	-19.56	41.28	3	Vertical	200	1.58	-	39.32	8.46	34.62
AV	11.22162G	41.10	54.00	-12.90	27.94	3	Vertical	200	1.58	-	39.32	8.46	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 21.5
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22418G	54.25	74.00	-19.75	41.09	3	Horizontal	41	2.45	-	39.32	8.46	34.62
AV	11.21892G	36.59	54.00	-17.41	23.44	3	Horizontal	41	2.45	-	39.32	8.45	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 22
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	58.92	74.00	-15.08	53.16	3	Vertical	188	2.94	-	33.79	5.15	33.18
PK	5.462G	57.36	68.20	-10.84	51.56	3	Vertical	188	2.94	-	33.82	5.16	33.18
AV	5.459G	45.51	54.00	-8.49	39.71	3	Vertical	188	2.94	-	33.82	5.16	33.18
PK	5.666G	109.34	Inf	-Inf	103.02	3	Vertical	188	2.94	-	34.27	5.30	33.25
AV	5.675G	96.65	Inf	-Inf	90.35	3	Vertical	188	2.94	-	34.25	5.30	33.25
PK	5.852G	60.81	68.20	-7.39	54.00	3	Vertical	188	2.94	-	34.80	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_2TX
Setting 22
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	59.88	74.00	-14.12	54.20	3	Horizontal	242	2.90	-	33.72	5.14	33.18
PK	5.461G	59.87	68.20	-8.33	54.07	3	Horizontal	242	2.90	-	33.82	5.16	33.18
AV	5.46G	47.38	54.00	-6.62	41.58	3	Horizontal	242	2.90	-	33.82	5.16	33.18
PK	5.684G	117.64	Inf	-Inf	111.36	3	Horizontal	242	2.90	-	34.23	5.30	33.25
AV	5.685G	104.73	Inf	-Inf	98.45	3	Horizontal	242	2.90	-	34.23	5.30	33.25
PK	5.851G	65.97	68.20	-2.23	59.16	3	Horizontal	242	2.90	-	34.80	5.33	33.32

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 22
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38242G	54.55	74.00	-19.45	41.28	3	Vertical	85	2.81	-	39.40	8.57	34.70
AV	11.3756G	41.34	54.00	-12.66	28.08	3	Vertical	85	2.81	-	39.40	8.56	34.70

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 22
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37536G	55.31	74.00	-18.69	42.05	3	Horizontal	67	2.26	-	39.40	8.56	34.70
AV	11.38094G	41.36	54.00	-12.64	28.09	3	Horizontal	67	2.26	-	39.40	8.57	34.70




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	58	1.79	-

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	58.73	74.00	-15.27	53.93	3	Vertical	32	1.08	-	32.93	5.04	33.17
AV	5.1472G	45.10	54.00	-8.90	40.31	3	Vertical	32	1.08	-	32.91	5.05	33.17
PK	5.2528G	106.95	Inf	-Inf	102.01	3	Vertical	32	1.08	-	33.01	5.10	33.17
AV	5.2534G	96.47	Inf	-Inf	91.53	3	Vertical	32	1.08	-	33.01	5.10	33.17
PK	5.3518G	59.41	74.00	-14.59	54.37	3	Vertical	32	1.08	-	33.11	5.10	33.17
AV	5.3524G	46.43	54.00	-7.57	41.39	3	Vertical	32	1.08	-	33.11	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUTX_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	67.01	74.00	-6.99	62.21	3	Horizontal	56	1.80	-	32.93	5.04	33.17
AV	5.149G	50.98	54.00	-3.02	46.20	3	Horizontal	56	1.80	-	32.90	5.05	33.17
PK	5.2672G	117.08	Inf	-Inf	112.12	3	Horizontal	56	1.80	-	33.03	5.10	33.17
AV	5.2672G	105.70	Inf	-Inf	100.74	3	Horizontal	56	1.80	-	33.03	5.10	33.17
PK	5.3638G	68.21	74.00	-5.79	63.10	3	Horizontal	56	1.80	-	33.18	5.10	33.17
AV	5.3512G	53.53	54.00	-0.47	48.49	3	Horizontal	56	1.80	-	33.11	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52072G	54.45	68.20	-13.75	41.43	3	Vertical	265	1.50	-	39.20	7.96	34.14
PK	15.77268G	56.94	74.00	-17.06	44.46	3	Vertical	153	1.18	-	38.59	9.04	35.15
AV	15.78356G	44.14	54.00	-9.86	31.61	3	Vertical	153	1.18	-	38.63	9.05	35.15

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52976G	54.12	68.20	-14.08	41.09	3	Horizontal	265	2.37	-	39.20	7.97	34.14
PK	15.774G	57.31	74.00	-16.69	44.82	3	Horizontal	238	2.13	-	38.60	9.04	35.15
AV	15.77328G	44.01	54.00	-9.99	31.53	3	Horizontal	238	2.13	-	38.59	9.04	35.15

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	104.38	Inf	-Inf	99.36	3	Vertical	27	1.14	-	33.09	5.10	33.17
AV	5.2932G	94.78	Inf	-Inf	89.76	3	Vertical	27	1.14	-	33.09	5.10	33.17
PK	5.3512G	59.55	74.00	-14.45	54.51	3	Vertical	27	1.14	-	33.11	5.10	33.17
AV	5.35G	46.53	54.00	-7.47	41.50	3	Vertical	27	1.14	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	113.39	Inf	-Inf	108.36	3	Horizontal	59	1.84	-	33.10	5.10	33.17
AV	5.3072G	104.25	Inf	-Inf	99.22	3	Horizontal	59	1.84	-	33.10	5.10	33.17
PK	5.3504G	68.40	74.00	-5.60	63.37	3	Horizontal	59	1.84	-	33.10	5.10	33.17
AV	5.35G	52.03	54.00	-1.97	47.00	3	Horizontal	59	1.84	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 22
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59904G	54.04	68.20	-14.16	41.02	3	Vertical	320	2.89	-	39.20	8.02	34.20
PK	15.90172G	57.91	74.00	-16.09	45.08	3	Vertical	196	2.20	-	38.90	9.08	35.15
AV	15.89264G	44.39	54.00	-9.61	31.58	3	Vertical	196	2.20	-	38.89	9.07	35.15

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 22
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6G	54.00	68.20	-14.20	40.98	3	Horizontal	304	2.19	-	39.20	8.02	34.20
PK	15.90296G	57.19	74.00	-16.81	44.37	3	Horizontal	4	1.33	-	38.89	9.08	35.15
AV	15.8932G	44.21	54.00	-9.79	31.40	3	Horizontal	4	1.33	-	38.89	9.07	35.15

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUTX_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	101.15	Inf	-Inf	96.12	3	Vertical	29	1.03	-	33.10	5.10	33.17
AV	5.313G	91.47	Inf	-Inf	86.44	3	Vertical	29	1.03	-	33.10	5.10	33.17
PK	5.35G	60.83	74.00	-13.17	55.80	3	Vertical	29	1.03	-	33.10	5.10	33.17
AV	5.3504G	46.59	54.00	-7.41	41.56	3	Vertical	29	1.03	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 22
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	110.43	Inf	-Inf	105.40	3	Horizontal	60	1.80	-	33.10	5.10	33.17
AV	5.313G	100.64	Inf	-Inf	95.61	3	Horizontal	60	1.80	-	33.10	5.10	33.17
PK	5.3502G	68.80	74.00	-5.20	63.77	3	Horizontal	60	1.80	-	33.10	5.10	33.17
AV	5.35G	52.91	54.00	-1.09	47.88	3	Horizontal	60	1.80	-	33.10	5.10	33.17

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 22
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6326G	54.25	74.00	-19.75	41.13	3	Vertical	230	2.39	-	39.30	8.04	34.22
AV	10.6466G	41.15	54.00	-12.85	27.99	3	Vertical	230	2.39	-	39.34	8.05	34.23
PK	15.95232G	57.27	74.00	-16.73	44.54	3	Vertical	269	2.99	-	38.80	9.09	35.16
AV	15.9604G	44.00	54.00	-10.00	31.29	3	Vertical	269	2.99	-	38.78	9.09	35.16

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 22
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63308G	53.76	74.00	-20.24	40.64	3	Horizontal	66	2.70	-	39.30	8.04	34.22
AV	10.64136G	41.21	54.00	-12.79	28.07	3	Horizontal	66	2.70	-	39.32	8.05	34.23
PK	15.95192G	56.99	74.00	-17.01	44.26	3	Horizontal	174	1.98	-	38.80	9.09	35.16
AV	15.95936G	43.79	54.00	-10.21	31.08	3	Horizontal	174	1.98	-	38.78	9.09	35.16

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUTX_1TX
Setting 18.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4336G	57.17	74.00	-16.83	51.55	3	Vertical	30	1.00	-	33.67	5.13	33.18
PK	5.4696G	58.59	68.20	-9.61	52.76	3	Vertical	30	1.00	-	33.84	5.17	33.18
AV	5.4596G	44.92	54.00	-9.08	39.12	3	Vertical	30	1.00	-	33.82	5.16	33.18
PK	5.4932G	101.81	Inf	-Inf	95.91	3	Vertical	30	1.00	-	33.89	5.19	33.18
AV	5.4932G	92.04	Inf	-Inf	86.14	3	Vertical	30	1.00	-	33.89	5.19	33.18

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.10	74.00	-14.90	53.30	3	Horizontal	59	1.80	-	33.82	5.16	33.18
AV	5.4576G	46.11	54.00	-7.89	40.31	3	Horizontal	59	1.80	-	33.82	5.16	33.18
PK	5.47G	67.81	68.20	-0.39	61.98	3	Horizontal	59	1.80	-	33.84	5.17	33.18
PK	5.4936G	110.79	Inf	-Inf	104.89	3	Horizontal	59	1.80	-	33.89	5.19	33.18
AV	5.5072G	101.40	Inf	-Inf	95.44	3	Horizontal	59	1.80	-	33.93	5.21	33.18

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0028G	54.67	74.00	-19.33	41.39	3	Vertical	95	1.52	-	39.49	8.30	34.51
AV	10.9912G	41.62	54.00	-12.38	28.33	3	Vertical	95	1.52	-	39.50	8.29	34.50
PK	16.50356G	58.66	68.20	-9.54	44.65	3	Vertical	276	1.81	-	39.81	9.28	35.08

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00532G	54.86	74.00	-19.14	41.58	3	Horizontal	93	2.17	-	39.49	8.30	34.51
AV	11.0034G	41.74	54.00	-12.26	28.46	3	Horizontal	93	2.17	-	39.49	8.30	34.51
PK	16.49124G	58.27	68.20	-9.93	44.32	3	Horizontal	110	1.54	-	39.76	9.27	35.08

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUTX_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	57.63	74.00	-16.37	51.84	3	Vertical	18	1.82	-	33.81	5.16	33.18
AV	5.4584G	45.33	54.00	-8.67	39.53	3	Vertical	18	1.82	-	33.82	5.16	33.18
PK	5.4608G	58.43	68.20	-9.77	52.63	3	Vertical	18	1.82	-	33.82	5.16	33.18
PK	5.5872G	106.80	Inf	-Inf	100.69	3	Vertical	18	1.82	-	34.03	5.29	33.21
AV	5.5872G	95.57	Inf	-Inf	89.46	3	Vertical	18	1.82	-	34.03	5.29	33.21
PK	5.7376G	58.42	68.20	-9.78	52.05	3	Vertical	18	1.82	-	34.35	5.30	33.28

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUTX_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	63.11	74.00	-10.89	57.32	3	Horizontal	57	2.95	-	33.81	5.16	33.18
AV	5.4592G	47.72	54.00	-6.28	41.92	3	Horizontal	57	2.95	-	33.82	5.16	33.18
PK	5.468G	65.78	68.20	-2.42	59.95	3	Horizontal	57	2.95	-	33.84	5.17	33.18
PK	5.588G	117.79	Inf	-Inf	111.70	3	Horizontal	57	2.95	-	34.02	5.29	33.22
AV	5.5728G	107.23	Inf	-Inf	101.12	3	Horizontal	57	2.95	-	34.05	5.27	33.21
PK	5.7304G	60.41	68.20	-7.79	54.06	3	Horizontal	57	2.95	-	34.32	5.30	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16568G	54.11	74.00	-19.89	40.98	3	Vertical	233	2.63	-	39.30	8.42	34.59
AV	11.16868G	41.36	54.00	-12.64	28.23	3	Vertical	233	2.63	-	39.30	8.42	34.59
PK	16.73112G	59.18	68.20	-9.02	44.76	3	Vertical	84	1.54	-	40.03	9.36	34.97

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15004G	54.82	74.00	-19.18	41.70	3	Horizontal	39	1.27	-	39.30	8.41	34.59
AV	11.1578G	41.40	54.00	-12.60	28.28	3	Horizontal	39	1.27	-	39.30	8.41	34.59
PK	16.73632G	59.01	68.20	-9.19	44.58	3	Horizontal	317	2.41	-	40.04	9.36	34.97

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7066G	99.36	Inf	-Inf	93.09	3	Vertical	10	1.93	-	34.23	5.30	33.26
AV	5.7072G	90.43	Inf	-Inf	84.16	3	Vertical	10	1.93	-	34.23	5.30	33.26
PK	5.7318G	58.95	68.20	-9.25	52.59	3	Vertical	10	1.93	-	34.33	5.30	33.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	110.30	Inf	-Inf	104.03	3	Horizontal	59	2.88	-	34.23	5.30	33.26
AV	5.7072G	101.17	Inf	-Inf	94.90	3	Horizontal	59	2.88	-	34.23	5.30	33.26
PK	5.7258G	66.09	68.20	-2.11	59.76	3	Horizontal	59	2.88	-	34.30	5.30	33.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39336G	54.90	74.00	-19.10	41.63	3	Vertical	314	1.95	-	39.40	8.58	34.71
AV	11.40408G	41.86	54.00	-12.14	28.59	3	Vertical	314	1.95	-	39.40	8.58	34.71
PK	17.1058G	60.02	68.20	-8.18	44.29	3	Vertical	9	1.58	-	41.01	9.49	34.77

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39436G	54.31	74.00	-19.69	41.04	3	Horizontal	138	1.08	-	39.40	8.58	34.71
AV	11.39136G	41.79	54.00	-12.21	28.53	3	Horizontal	138	1.08	-	39.40	8.57	34.71
PK	17.09132G	59.38	68.20	-8.82	43.71	3	Horizontal	138	1.79	-	40.97	9.48	34.78

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTX_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	108.60	Inf	-Inf	102.26	3	Vertical	14	1.91	-	34.31	5.30	33.27
AV	5.7272G	97.71	Inf	-Inf	91.37	3	Vertical	14	1.91	-	34.31	5.30	33.27
PK	5.8872G	58.71	68.20	-9.49	51.83	3	Vertical	14	1.91	-	34.87	5.34	33.33

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	118.64	Inf	-Inf	112.30	3	Horizontal	58	2.95	-	34.31	5.30	33.27
AV	5.7272G	107.45	Inf	-Inf	101.11	3	Horizontal	58	2.95	-	34.31	5.30	33.27
PK	5.85G	63.97	68.20	-4.23	57.16	3	Horizontal	58	2.95	-	34.80	5.33	33.32

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43472G	54.88	74.00	-19.12	41.64	3	Vertical	163	2.58	-	39.37	8.60	34.73
AV	11.44272G	41.82	54.00	-12.18	28.58	3	Vertical	163	2.58	-	39.36	8.61	34.73
PK	17.16448G	59.99	68.20	-8.21	44.08	3	Vertical	101	2.67	-	41.13	9.51	34.73

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43388G	54.65	74.00	-19.35	41.41	3	Horizontal	40	2.50	-	39.37	8.60	34.73
AV	11.44424G	41.77	54.00	-12.23	28.53	3	Horizontal	40	2.50	-	39.36	8.61	34.73
PK	17.1626G	59.71	68.20	-8.49	43.80	3	Horizontal	320	1.45	-	41.13	9.51	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 24
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.77	74.00	-17.23	51.99	3	Vertical	32	1.08	-	32.90	5.05	33.17
AV	5.15G	44.40	54.00	-9.60	39.62	3	Vertical	32	1.08	-	32.90	5.05	33.17
PK	5.2516G	109.27	Inf	-Inf	104.34	3	Vertical	32	1.08	-	33.00	5.10	33.17
AV	5.2684G	95.89	Inf	-Inf	90.92	3	Vertical	32	1.08	-	33.04	5.10	33.17
PK	5.3524G	59.11	74.00	-14.89	54.07	3	Vertical	32	1.08	-	33.11	5.10	33.17
AV	5.3506G	46.13	54.00	-7.87	41.10	3	Vertical	32	1.08	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUTX_1TX
Setting 24
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.35	74.00	-10.65	58.57	3	Horizontal	57	1.99	-	32.90	5.05	33.17
AV	5.15G	48.21	54.00	-5.79	43.43	3	Horizontal	57	1.99	-	32.90	5.05	33.17
PK	5.266G	117.41	Inf	-Inf	112.45	3	Horizontal	57	1.99	-	33.03	5.10	33.17
AV	5.2684G	105.83	Inf	-Inf	100.86	3	Horizontal	57	1.99	-	33.04	5.10	33.17
PK	5.3506G	69.61	74.00	-4.39	64.58	3	Horizontal	57	1.99	-	33.10	5.10	33.17
AV	5.35G	52.63	54.00	-1.37	47.60	3	Horizontal	57	1.99	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 24
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.517G	54.55	68.20	-13.65	41.52	3	Vertical	163	1.45	-	39.20	7.96	34.13
PK	15.78128G	57.25	74.00	-16.75	44.72	3	Vertical	245	2.06	-	38.63	9.05	35.15
AV	15.77176G	43.79	54.00	-10.21	31.31	3	Vertical	245	2.06	-	38.59	9.04	35.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 24
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52568G	56.10	68.20	-12.10	43.07	3	Horizontal	82	1.28	-	39.20	7.97	34.14
PK	15.7896G	57.44	74.00	-16.56	44.88	3	Horizontal	62	2.10	-	38.66	9.05	35.15
AV	15.77268G	43.87	54.00	-10.13	31.39	3	Horizontal	62	2.10	-	38.59	9.04	35.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 21
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	106.78	Inf	-Inf	101.77	3	Vertical	28	1.07	-	33.08	5.10	33.17
AV	5.2916G	93.84	Inf	-Inf	88.83	3	Vertical	28	1.07	-	33.08	5.10	33.17
PK	5.3504G	60.36	74.00	-13.64	55.33	3	Vertical	28	1.07	-	33.10	5.10	33.17
AV	5.3508G	46.21	54.00	-7.79	41.18	3	Vertical	28	1.07	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 21
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	115.92	Inf	-Inf	110.89	3	Horizontal	59	1.80	-	33.10	5.10	33.17
AV	5.3084G	103.40	Inf	-Inf	98.37	3	Horizontal	59	1.80	-	33.10	5.10	33.17
PK	5.3508G	68.12	74.00	-5.88	63.09	3	Horizontal	59	1.80	-	33.10	5.10	33.17
AV	5.35G	52.45	54.00	-1.55	47.42	3	Horizontal	59	1.80	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 21
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6088G	54.03	74.00	-19.97	40.97	3	Vertical	75	2.95	-	39.23	8.03	34.20
AV	10.60992G	40.84	54.00	-13.16	27.79	3	Vertical	75	2.95	-	39.23	8.03	34.21
PK	15.89536G	57.60	74.00	-16.40	44.79	3	Vertical	238	1.52	-	38.89	9.07	35.15
AV	15.89368G	43.86	54.00	-10.14	31.05	3	Vertical	238	1.52	-	38.89	9.07	35.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUTX_1TX
Setting 21
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60088G	54.44	74.00	-19.56	41.42	3	Horizontal	37	2.64	-	39.20	8.02	34.20
AV	10.60864G	40.83	54.00	-13.17	27.77	3	Horizontal	37	2.64	-	39.23	8.03	34.20
PK	15.89224G	57.41	74.00	-16.59	44.61	3	Horizontal	338	1.19	-	38.88	9.07	35.15
AV	15.89172G	43.95	54.00	-10.05	31.15	3	Horizontal	338	1.19	-	38.88	9.07	35.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	103.69	Inf	-Inf	98.66	3	Vertical	30	1.04	-	33.10	5.10	33.17
AV	5.3116G	91.42	Inf	-Inf	86.39	3	Vertical	30	1.04	-	33.10	5.10	33.17
PK	5.3522G	63.01	74.00	-10.99	57.97	3	Vertical	30	1.04	-	33.11	5.10	33.17
AV	5.35G	47.21	54.00	-6.79	42.18	3	Vertical	30	1.04	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	113.54	Inf	-Inf	108.51	3	Horizontal	58	1.79	-	33.10	5.10	33.17
AV	5.3116G	100.95	Inf	-Inf	95.92	3	Horizontal	58	1.79	-	33.10	5.10	33.17
PK	5.3542G	69.94	74.00	-4.06	64.88	3	Horizontal	58	1.79	-	33.13	5.10	33.17
AV	5.35G	53.93	54.00	-0.07	48.90	3	Horizontal	58	1.79	-	33.10	5.10	33.17

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6306G	54.22	74.00	-19.78	41.11	3	Vertical	105	2.35	-	39.29	8.04	34.22
AV	10.63116G	40.93	54.00	-13.07	27.82	3	Vertical	105	2.35	-	39.29	8.04	34.22
PK	15.96088G	56.77	74.00	-17.23	44.06	3	Vertical	333	1.59	-	38.78	9.09	35.16
AV	15.95668G	43.43	54.00	-10.57	30.71	3	Vertical	333	1.59	-	38.79	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64636G	54.22	74.00	-19.78	41.06	3	Horizontal	143	1.34	-	39.34	8.05	34.23
AV	10.6362G	40.83	54.00	-13.17	27.70	3	Horizontal	143	1.34	-	39.31	8.05	34.23
PK	15.96832G	56.91	74.00	-17.09	44.22	3	Horizontal	260	1.05	-	38.76	9.09	35.16
AV	15.9522G	43.46	54.00	-10.54	30.73	3	Horizontal	260	1.05	-	38.80	9.09	35.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.16	74.00	-15.84	52.38	3	Vertical	29	1.29	-	33.81	5.15	33.18
AV	5.4582G	44.82	54.00	-9.18	39.02	3	Vertical	29	1.29	-	33.82	5.16	33.18
PK	5.4662G	58.48	68.20	-9.72	52.66	3	Vertical	29	1.29	-	33.83	5.17	33.18
PK	5.4952G	102.83	Inf	-Inf	96.92	3	Vertical	29	1.29	-	33.89	5.20	33.18
AV	5.4912G	90.46	Inf	-Inf	84.57	3	Vertical	29	1.29	-	33.88	5.19	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	58.64	74.00	-15.36	52.86	3	Horizontal	59	1.80	-	33.81	5.15	33.18
AV	5.4596G	46.17	54.00	-7.83	40.37	3	Horizontal	59	1.80	-	33.82	5.16	33.18
PK	5.469G	66.48	68.20	-1.72	60.65	3	Horizontal	59	1.80	-	33.84	5.17	33.18
PK	5.5076G	113.75	Inf	-Inf	107.79	3	Horizontal	59	1.80	-	33.93	5.21	33.18
AV	5.4918G	100.46	Inf	-Inf	94.57	3	Horizontal	59	1.80	-	33.88	5.19	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00232G	53.80	74.00	-20.20	40.51	3	Vertical	315	1.12	-	39.50	8.30	34.51
AV	11.01472G	40.85	54.00	-13.15	27.59	3	Vertical	315	1.12	-	39.47	8.31	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTX_1TX
Setting 17.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0072G	54.80	74.00	-19.20	41.51	3	Horizontal	87	2.13	-	39.49	8.31	34.51
AV	11.01832G	40.81	54.00	-13.19	27.56	3	Horizontal	87	2.13	-	39.46	8.31	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUTX_1TX
Setting 25
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.02	74.00	-16.98	51.22	3	Vertical	0	3.00	-	33.82	5.16	33.18
AV	5.4544G	44.84	54.00	-9.16	39.06	3	Vertical	0	3.00	-	33.81	5.15	33.18
PK	5.4616G	56.26	68.20	-11.94	50.46	3	Vertical	0	3.00	-	33.82	5.16	33.18
PK	5.5728G	107.68	Inf	-Inf	101.57	3	Vertical	0	3.00	-	34.05	5.27	33.21
AV	5.5728G	95.70	Inf	-Inf	89.59	3	Vertical	0	3.00	-	34.05	5.27	33.21
PK	5.7592G	58.68	68.20	-9.52	52.24	3	Vertical	0	3.00	-	34.42	5.30	33.28

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUTX_1TX
Setting 25
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	65.50	74.00	-8.50	59.72	3	Horizontal	62	2.98	-	33.81	5.15	33.18
AV	5.4592G	50.01	54.00	-3.99	44.21	3	Horizontal	62	2.98	-	33.82	5.16	33.18
PK	5.468G	65.03	68.20	-3.17	59.20	3	Horizontal	62	2.98	-	33.84	5.17	33.18
PK	5.5784G	118.12	Inf	-Inf	112.01	3	Horizontal	62	2.98	-	34.04	5.28	33.21
AV	5.5712G	106.52	Inf	-Inf	100.40	3	Horizontal	62	2.98	-	34.06	5.27	33.21
PK	5.732G	64.34	68.20	-3.86	57.98	3	Horizontal	62	2.98	-	34.33	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16114G	54.23	74.00	-19.77	41.11	3	Vertical	316	1.77	-	39.30	8.41	34.59
AV	11.1562G	40.31	54.00	-13.69	27.19	3	Vertical	316	1.77	-	39.30	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1566G	53.74	74.00	-20.26	40.62	3	Horizontal	236	1.26	-	39.30	8.41	34.59
AV	11.1591G	40.35	54.00	-13.65	27.23	3	Horizontal	236	1.26	-	39.30	8.41	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 16.5
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	101.07	Inf	-Inf	94.80	3	Vertical	0	3.00	-	34.23	5.30	33.26
AV	5.7084G	88.74	Inf	-Inf	82.47	3	Vertical	0	3.00	-	34.23	5.30	33.26
PK	5.7256G	59.24	68.20	-8.96	52.91	3	Vertical	0	3.00	-	34.30	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUTX_1TX
Setting 16.5
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.12	Inf	-Inf	106.86	3	Horizontal	59	2.90	-	34.22	5.30	33.26
AV	5.7086G	99.99	Inf	-Inf	93.72	3	Horizontal	59	2.90	-	34.23	5.30	33.26
PK	5.7264G	67.56	68.20	-0.64	61.22	3	Horizontal	59	2.90	-	34.31	5.30	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUTX_1TX
Setting 16.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40222G	54.41	74.00	-19.59	41.14	3	Vertical	203	1.84	-	39.40	8.58	34.71
AV	11.39502G	40.78	54.00	-13.22	27.51	3	Vertical	203	1.84	-	39.40	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUTX_1TX
Setting 16.5
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4029G	55.12	74.00	-18.88	41.85	3	Horizontal	271	1.33	-	39.40	8.58	34.71
AV	11.40364G	40.78	54.00	-13.22	27.51	3	Horizontal	271	1.33	-	39.40	8.58	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	107.18	Inf	-Inf	100.86	3	Vertical	20	1.80	-	34.29	5.30	33.27
AV	5.7288G	95.81	Inf	-Inf	89.46	3	Vertical	20	1.80	-	34.32	5.30	33.27
PK	5.8568G	58.79	68.20	-9.41	51.97	3	Vertical	20	1.80	-	34.81	5.33	33.32

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	118.40	Inf	-Inf	112.06	3	Horizontal	62	2.95	-	34.31	5.30	33.27
AV	5.7288G	106.24	Inf	-Inf	99.89	3	Horizontal	62	2.95	-	34.32	5.30	33.27
PK	5.8576G	64.56	68.20	-3.64	57.73	3	Horizontal	62	2.95	-	34.82	5.33	33.32

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom




EUT_X_1TX
Setting 25
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44256G	54.23	74.00	-19.77	40.99	3	Vertical	58	2.05	-	39.36	8.61	34.73
AV	11.44484G	40.70	54.00	-13.30	27.46	3	Vertical	58	2.05	-	39.36	8.61	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom



EUT_X_1TX
Setting 25
04-D-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44482G	54.50	74.00	-19.50	41.26	3	Horizontal	108	2.26	-	39.36	8.61	34.73
AV	11.44232G	40.69	54.00	-13.31	27.45	3	Horizontal	108	2.26	-	39.36	8.61	34.73



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.98821G	24.57	54.00	-29.43	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.98947G	32.33	74.00	-41.67	-3.23	3	Vertical	131	1.00	-	35.56	28.39	3.09	34.71
AV	1.98554G	24.33	54.00	-29.67	-3.32	3	Vertical	131	1.00	-	27.65	28.31	3.09	34.72

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.98821G	35.40	74.00	-38.60	-3.26	3	Horizontal	29	1.00	-	38.66	28.36	3.09	34.71
AV	1.98821G	24.57	54.00	-29.43	-3.26	3	Horizontal	29	1.00	-	27.83	28.36	3.09	34.71