


### 802.11a\_Nss1,(6Mbps)\_2TX

### 5745MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49G	56.35	74.00	-17.65	43.15	3	Horizontal	241	1.89	-	39.31	8.64	34.75
AV	11.48992G	44.23	54.00	-9.77	31.03	3	Horizontal	241	1.89	-	39.31	8.64	34.75
PK	17.23776G	61.47	68.20	-6.73	45.22	3	Horizontal	-0	1.36	-	41.39	9.53	34.67

802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	58.30	68.20	-9.90	52.19	3	Vertical	193	3.00	-	34.05	5.27	33.21
PK	5.788G	115.80	Inf	-Inf	109.32	3	Vertical	193	3.00	-	34.48	5.30	33.30
AV	5.788G	105.60	Inf	-Inf	99.12	3	Vertical	193	3.00	-	34.48	5.30	33.30
PK	5.927G	59.48	68.20	-8.72	52.41	3	Vertical	193	3.00	-	35.06	5.36	33.35

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	60.08	68.20	-8.12	53.77	3	Horizontal	242	2.90	-	34.25	5.30	33.24
PK	5.789G	122.87	Inf	-Inf	116.39	3	Horizontal	242	2.90	-	34.48	5.30	33.30
AV	5.78G	112.21	Inf	-Inf	105.74	3	Horizontal	242	2.90	-	34.46	5.30	33.29
PK	6.012G	59.22	68.20	-8.98	51.78	3	Horizontal	242	2.90	-	35.40	5.41	33.37

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	55.45	74.00	-18.55	42.24	3	Vertical	238	1.46	-	39.30	8.70	34.79
AV	11.56922G	42.46	54.00	-11.54	29.25	3	Vertical	238	1.46	-	39.30	8.70	34.79

802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5665G	56.12	74.00	-17.88	42.91	3	Horizontal	61	2.67	-	39.30	8.70	34.79
AV	11.56958G	42.55	54.00	-11.45	29.34	3	Horizontal	61	2.67	-	39.30	8.70	34.79

802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	58.26	68.20	-9.94	52.03	3	Vertical	186	2.95	-	34.16	5.30	33.23
PK	5.82G	115.29	Inf	-Inf	108.67	3	Vertical	186	2.95	-	34.62	5.31	33.31
AV	5.82G	104.01	Inf	-Inf	97.39	3	Vertical	186	2.95	-	34.62	5.31	33.31
PK	5.997G	59.50	68.20	-8.70	52.09	3	Vertical	186	2.95	-	35.39	5.40	33.38

802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.95	68.20	-8.25	53.66	3	Horizontal	243	2.87	-	34.23	5.30	33.24
PK	5.824G	122.59	Inf	-Inf	115.95	3	Horizontal	243	2.87	-	34.64	5.31	33.31
AV	5.824G	112.12	Inf	-Inf	105.48	3	Horizontal	243	2.87	-	34.64	5.31	33.31
PK	5.978G	59.32	68.20	-8.88	51.99	3	Horizontal	243	2.87	-	35.31	5.39	33.37

802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65252G	55.70	74.00	-18.30	42.51	3	Vertical	69	1.80	-	39.25	8.76	34.82
AV	11.65432G	42.26	54.00	-11.74	29.07	3	Vertical	69	1.80	-	39.25	8.76	34.82



802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65482G	55.66	74.00	-18.34	42.47	3	Horizontal	360	1.97	-	39.25	8.76	34.82
AV	11.65218G	42.11	54.00	-11.89	28.92	3	Horizontal	360	1.97	-	39.25	8.76	34.82

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TnomVnom




EUT Y\_2TX  
Setting 21.5  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	62.94	74.00	-11.06	58.15	3	Vertical	185	3.00	-	32.92	5.04	33.17
AV	5.1466G	47.72	54.00	-6.28	42.93	3	Vertical	185	3.00	-	32.91	5.05	33.17
PK	5.1834G	116.16	Inf	-Inf	111.28	3	Vertical	185	3.00	-	32.97	5.08	33.17
AV	5.1836G	102.16	Inf	-Inf	97.28	3	Vertical	185	3.00	-	32.97	5.08	33.17

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TnomVnom




EUT Y\_2TX  
Setting 21.5  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.69	74.00	-6.31	62.91	3	Horizontal	244	2.16	-	32.90	5.05	33.17
AV	5.15G	52.54	54.00	-1.46	47.76	3	Horizontal	244	2.16	-	32.90	5.05	33.17
PK	5.1822G	120.65	Inf	-Inf	115.78	3	Horizontal	244	2.16	-	32.96	5.08	33.17
AV	5.1828G	106.38	Inf	-Inf	101.50	3	Horizontal	244	2.16	-	32.97	5.08	33.17

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TnomVnom




EUT Y\_2TX  
 Setting 21.5  
 04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54044G	56.90	74.00	-17.10	44.20	3	Vertical	130	2.24	-	38.84	8.99	35.13
AV	15.53712G	43.84	54.00	-10.16	31.14	3	Vertical	130	2.24	-	38.85	8.98	35.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TnomVnom



EUT Y\_2TX  
Setting 21.5  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53898G	56.76	74.00	-17.24	44.07	3	Horizontal	168	1.42	-	38.84	8.98	35.13
AV	15.53728G	43.77	54.00	-10.23	31.07	3	Horizontal	168	1.42	-	38.85	8.98	35.13


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5200MHz\_TnomVnom**



EUT Y\_2TX  
 Setting 24  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.81	74.00	-9.19	60.03	3	Vertical	245	2.13	-	32.90	5.05	33.17
AV	5.1488G	51.05	54.00	-2.95	46.27	3	Vertical	245	2.13	-	32.90	5.05	33.17
PK	5.1976G	123.56	Inf	-Inf	118.63	3	Vertical	245	2.13	-	33.00	5.10	33.17
AV	5.1968G	110.01	Inf	-Inf	105.09	3	Vertical	245	2.13	-	32.99	5.10	33.17

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5200MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 24  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.50	74.00	-9.50	59.72	3	Horizontal	246	2.92	-	32.90	5.05	33.17
AV	5.1496G	51.50	54.00	-2.50	46.72	3	Horizontal	246	2.92	-	32.90	5.05	33.17
PK	5.1976G	123.38	Inf	-Inf	118.45	3	Horizontal	246	2.92	-	33.00	5.10	33.17
AV	5.198G	110.12	Inf	-Inf	105.19	3	Horizontal	246	2.92	-	33.00	5.10	33.17

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TnomVnom




EUT Y\_2TX  
 Setting 24  
 04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60296G	56.71	74.00	-17.29	44.26	3	Vertical	137	2.11	-	38.59	9.00	35.14
AV	15.59968G	43.59	54.00	-10.41	31.13	3	Vertical	137	2.11	-	38.60	9.00	35.14



802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TnomVnom



EUT Y\_2TX  
Setting 24  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59526G	56.92	74.00	-17.08	44.44	3	Horizontal	326	1.82	-	38.62	9.00	35.14
AV	15.6028G	43.64	54.00	-10.36	31.19	3	Horizontal	326	1.82	-	38.59	9.00	35.14


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5240MHz\_TnomVnom**



EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.26	74.00	-16.74	52.46	3	Vertical	188	2.94	-	32.93	5.04	33.17
AV	5.144G	44.55	54.00	-9.45	39.76	3	Vertical	188	2.94	-	32.92	5.04	33.17
PK	5.2328G	120.70	Inf	-Inf	115.77	3	Vertical	188	2.94	-	33.00	5.10	33.17
AV	5.243G	106.30	Inf	-Inf	101.37	3	Vertical	188	2.94	-	33.00	5.10	33.17
PK	5.3894G	57.22	74.00	-16.78	51.96	3	Vertical	188	2.94	-	33.34	5.10	33.18
AV	5.3876G	44.86	54.00	-9.14	39.61	3	Vertical	188	2.94	-	33.33	5.10	33.18

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5240MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.00	74.00	-15.00	54.20	3	Horizontal	245	3.00	-	32.92	5.05	33.17
AV	5.144G	45.90	54.00	-8.10	41.11	3	Horizontal	245	3.00	-	32.92	5.04	33.17
PK	5.2334G	124.96	Inf	-Inf	120.03	3	Horizontal	245	3.00	-	33.00	5.10	33.17
AV	5.243G	111.02	Inf	-Inf	106.09	3	Horizontal	245	3.00	-	33.00	5.10	33.17
PK	5.3768G	58.00	74.00	-16.00	52.82	3	Horizontal	245	3.00	-	33.26	5.10	33.18
AV	5.3762G	45.63	54.00	-8.37	40.45	3	Horizontal	245	3.00	-	33.26	5.10	33.18

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TnomVnom



EUT Y\_2TX  
Setting 24  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71864G	57.14	74.00	-16.86	44.88	3	Vertical	19	2.55	-	38.37	9.03	35.14
AV	15.72288G	43.43	54.00	-10.57	31.15	3	Vertical	19	2.55	-	38.39	9.03	35.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TnomVnom




EUT Y\_2TX  
Setting 24  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72002G	56.77	74.00	-17.23	44.50	3	Horizontal	354	2.83	-	38.38	9.03	35.14
AV	15.7244G	43.30	54.00	-10.70	31.01	3	Horizontal	354	2.83	-	38.40	9.03	35.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TnomVnom



EUT Y\_2TX  
Setting 25  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.19	68.20	-9.01	52.86	3	Vertical	188	2.88	-	34.27	5.30	33.24
PK	5.746G	115.53	Inf	-Inf	109.13	3	Vertical	188	2.88	-	34.38	5.30	33.28
AV	5.744G	103.20	Inf	-Inf	96.80	3	Vertical	188	2.88	-	34.38	5.30	33.28
PK	5.939G	59.15	68.20	-9.05	52.01	3	Vertical	188	2.88	-	35.13	5.37	33.36

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5745MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	66.13	69.68	-3.55	59.77	3	Horizontal	246	2.81	-	34.30	5.30	33.24
PK	5.744G	124.00	Inf	-Inf	117.60	3	Horizontal	246	2.81	-	34.38	5.30	33.28
AV	5.743G	111.19	Inf	-Inf	104.80	3	Horizontal	246	2.81	-	34.37	5.30	33.28
PK	5.939G	59.28	68.20	-8.92	52.14	3	Horizontal	246	2.81	-	35.13	5.37	33.36

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49952G	55.61	74.00	-18.39	42.42	3	Vertical	307	1.80	-	39.30	8.65	34.76
AV	11.4898G	42.32	54.00	-11.68	29.12	3	Vertical	307	1.80	-	39.31	8.64	34.75
PK	17.23596G	61.52	68.20	-6.68	45.29	3	Vertical	73	1.80	-	41.38	9.53	34.68



802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TnomVnom



EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49016G	56.96	74.00	-17.04	43.77	3	Horizontal	230	1.84	-	39.31	8.64	34.76
AV	11.48992G	43.36	54.00	-10.64	30.16	3	Horizontal	230	1.84	-	39.31	8.64	34.75
PK	17.245G	61.38	68.20	-6.82	45.09	3	Horizontal	360	2.42	-	41.42	9.54	34.67


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5785MHz\_TnomVnom**



EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.60	68.20	-9.60	52.31	3	Vertical	187	3.00	-	34.22	5.30	33.23
PK	5.78G	117.82	Inf	-Inf	111.35	3	Vertical	187	3.00	-	34.46	5.30	33.29
AV	5.789G	104.73	Inf	-Inf	98.25	3	Vertical	187	3.00	-	34.48	5.30	33.30
PK	5.986G	59.87	68.20	-8.33	52.51	3	Vertical	187	3.00	-	35.34	5.39	33.37

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5785MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	60.30	68.20	-7.90	54.21	3	Horizontal	242	2.92	-	34.01	5.30	33.22
PK	5.78G	124.81	Inf	-Inf	118.34	3	Horizontal	242	2.92	-	34.46	5.30	33.29
AV	5.788G	111.61	Inf	-Inf	105.13	3	Horizontal	242	2.92	-	34.48	5.30	33.30
PK	5.934G	59.04	68.20	-9.16	51.92	3	Horizontal	242	2.92	-	35.10	5.37	33.35

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	55.78	74.00	-18.22	42.57	3	Vertical	360	2.27	-	39.30	8.70	34.79
AV	11.57016G	41.94	54.00	-12.06	28.73	3	Vertical	360	2.27	-	39.30	8.70	34.79

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57374G	55.98	74.00	-18.02	42.77	3	Horizontal	183	1.64	-	39.30	8.70	34.79
AV	11.5671G	42.04	54.00	-11.96	28.83	3	Horizontal	183	1.64	-	39.30	8.70	34.79

802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TnomVnom



EUT Y\_2TX  
Setting 25  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.81	68.20	-9.39	52.54	3	Vertical	190	3.00	-	34.20	5.30	33.23
PK	5.818G	115.71	Inf	-Inf	109.10	3	Vertical	190	3.00	-	34.61	5.31	33.31
AV	5.828G	102.06	Inf	-Inf	95.39	3	Vertical	190	3.00	-	34.67	5.31	33.31
PK	6.033G	60.66	68.20	-7.54	53.19	3	Vertical	190	3.00	-	35.40	5.43	33.36

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5825MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	60.40	68.20	-7.80	54.11	3	Horizontal	244	2.88	-	34.22	5.30	33.23
PK	5.827G	123.43	Inf	-Inf	116.77	3	Horizontal	244	2.88	-	34.66	5.31	33.31
AV	5.828G	110.94	Inf	-Inf	104.27	3	Horizontal	244	2.88	-	34.67	5.31	33.31
PK	5.987G	59.17	68.20	-9.03	51.80	3	Horizontal	244	2.88	-	35.35	5.39	33.37

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6493G	56.10	74.00	-17.90	42.92	3	Vertical	39	2.92	-	39.25	8.75	34.82
AV	11.65436G	41.75	54.00	-12.25	28.56	3	Vertical	39	2.92	-	39.25	8.76	34.82



802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65188G	55.24	74.00	-18.76	42.05	3	Horizontal	345	1.42	-	39.25	8.76	34.82
AV	11.6509G	41.65	54.00	-12.35	28.46	3	Horizontal	345	1.42	-	39.25	8.76	34.82

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.5  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	64.37	74.00	-9.63	59.58	3	Vertical	184	3.00	-	32.92	5.04	33.17
AV	5.1456G	50.51	54.00	-3.49	45.71	3	Vertical	184	3.00	-	32.92	5.05	33.17
PK	5.1948G	112.40	Inf	-Inf	107.49	3	Vertical	184	3.00	-	32.99	5.09	33.17
AV	5.1942G	98.94	Inf	-Inf	94.03	3	Vertical	184	3.00	-	32.99	5.09	33.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TnomVnom




EUT Y\_2TX  
 Setting 19.5  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1438G	67.58	74.00	-6.42	62.79	3	Horizontal	248	2.90	-	32.92	5.04	33.17
AV	5.1438G	53.19	54.00	-0.81	48.40	3	Horizontal	248	2.90	-	32.92	5.04	33.17
PK	5.193G	115.34	Inf	-Inf	110.43	3	Horizontal	248	2.90	-	32.99	5.09	33.17
AV	5.193G	103.11	Inf	-Inf	98.20	3	Horizontal	248	2.90	-	32.99	5.09	33.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.5  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57102G	57.00	74.00	-17.00	44.42	3	Vertical	315	1.02	-	38.72	8.99	35.13
AV	15.56782G	43.41	54.00	-10.59	30.82	3	Vertical	315	1.02	-	38.73	8.99	35.13

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TnomVnom



EUT Y\_2TX  
Setting 19.5  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5729G	57.34	74.00	-16.66	44.77	3	Horizontal	161	1.13	-	38.71	8.99	35.13
AV	15.5652G	43.35	54.00	-10.65	30.75	3	Horizontal	161	1.13	-	38.74	8.99	35.13

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5230MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 23  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	63.37	74.00	-10.63	58.58	3	Vertical	184	2.96	-	32.91	5.05	33.17
AV	5.1454G	49.22	54.00	-4.78	44.42	3	Vertical	184	2.96	-	32.92	5.05	33.17
PK	5.2348G	115.67	Inf	-Inf	110.74	3	Vertical	184	2.96	-	33.00	5.10	33.17
AV	5.224G	102.58	Inf	-Inf	97.65	3	Vertical	184	2.96	-	33.00	5.10	33.17
PK	5.3542G	58.16	74.00	-15.84	53.10	3	Vertical	184	2.96	-	33.13	5.10	33.17
AV	5.3644G	45.42	54.00	-8.58	40.30	3	Vertical	184	2.96	-	33.19	5.10	33.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	65.26	74.00	-8.74	60.47	3	Horizontal	247	2.69	-	32.92	5.04	33.17
AV	5.15G	51.74	54.00	-2.26	46.96	3	Horizontal	247	2.69	-	32.90	5.05	33.17
PK	5.2234G	119.54	Inf	-Inf	114.61	3	Horizontal	247	2.69	-	33.00	5.10	33.17
AV	5.233G	107.19	Inf	-Inf	102.26	3	Horizontal	247	2.69	-	33.00	5.10	33.17
PK	5.3566G	59.92	74.00	-14.08	54.85	3	Horizontal	247	2.69	-	33.14	5.10	33.17
AV	5.3764G	46.94	54.00	-7.06	41.76	3	Horizontal	247	2.69	-	33.26	5.10	33.18

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69498G	57.06	74.00	-16.94	44.86	3	Vertical	189	1.05	-	38.32	9.02	35.14
AV	15.69072G	43.61	54.00	-10.39	31.40	3	Vertical	189	1.05	-	38.33	9.02	35.14



802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69468G	56.73	74.00	-17.27	44.53	3	Horizontal	354	1.37	-	38.32	9.02	35.14
AV	15.68568G	43.54	54.00	-10.46	31.32	3	Horizontal	354	1.37	-	38.34	9.02	35.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
 Setting 22.5  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	61.03	68.20	-7.17	54.70	3	Vertical	188	3.00	-	34.27	5.30	33.24
PK	5.755G	111.77	Inf	-Inf	105.34	3	Vertical	188	3.00	-	34.41	5.30	33.28
AV	5.765G	100.17	Inf	-Inf	93.73	3	Vertical	188	3.00	-	34.43	5.30	33.29
PK	5.939G	58.88	68.20	-9.32	51.74	3	Vertical	188	3.00	-	35.13	5.37	33.36

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 22.5  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.14	68.20	-2.06	59.78	3	Horizontal	104	2.95	-	34.30	5.30	33.24
PK	5.762G	118.13	Inf	-Inf	111.69	3	Horizontal	104	2.95	-	34.42	5.30	33.28
AV	5.753G	105.44	Inf	-Inf	99.01	3	Horizontal	104	2.95	-	34.41	5.30	33.28
PK	5.98G	59.47	68.20	-8.73	52.13	3	Horizontal	104	2.95	-	35.32	5.39	33.37

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 22.5  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50806G	55.79	74.00	-18.21	42.59	3	Vertical	104	1.28	-	39.30	8.66	34.76
AV	11.51062G	41.73	54.00	-12.27	28.53	3	Vertical	104	1.28	-	39.30	8.66	34.76

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 22.5  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5061G	55.71	74.00	-18.29	42.52	3	Horizontal	203	1.78	-	39.30	8.65	34.76
AV	11.51202G	41.81	54.00	-12.19	28.61	3	Horizontal	203	1.78	-	39.30	8.66	34.76

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.76	68.20	-4.44	57.42	3	Vertical	186	3.00	-	34.28	5.30	33.24
PK	5.784G	114.48	Inf	-Inf	108.00	3	Vertical	186	3.00	-	34.47	5.30	33.29
AV	5.785G	101.69	Inf	-Inf	95.21	3	Vertical	186	3.00	-	34.47	5.30	33.29
PK	5.928G	59.36	68.20	-8.84	52.28	3	Vertical	186	3.00	-	35.07	5.36	33.35

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.65	68.20	-0.55	61.34	3	Horizontal	112	2.90	-	34.25	5.30	33.24
PK	5.801G	119.41	Inf	-Inf	112.90	3	Horizontal	112	2.90	-	34.51	5.30	33.30
AV	5.792G	106.69	Inf	-Inf	100.21	3	Horizontal	112	2.90	-	34.48	5.30	33.30
PK	5.948G	59.24	68.20	-8.96	52.04	3	Horizontal	112	2.90	-	35.19	5.37	33.36

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58772G	55.80	74.00	-18.20	42.58	3	Vertical	279	2.72	-	39.30	8.71	34.79
AV	11.5881G	41.88	54.00	-12.12	28.66	3	Vertical	279	2.72	-	39.30	8.71	34.79



802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TnomVnom



EUT Y\_2TX  
Setting 23  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58564G	55.67	74.00	-18.33	42.45	3	Horizontal	80	2.03	-	39.30	8.71	34.79
AV	11.5894G	41.82	54.00	-12.18	28.60	3	Horizontal	80	2.03	-	39.30	8.71	34.79

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	64.78	74.00	-9.22	59.96	3	Vertical	187	2.97	-	32.95	5.04	33.17
AV	5.149G	50.10	54.00	-3.90	45.32	3	Vertical	187	2.97	-	32.90	5.05	33.17
PK	5.239G	107.38	Inf	-Inf	102.45	3	Vertical	187	2.97	-	33.00	5.10	33.17
AV	5.219G	95.81	Inf	-Inf	90.88	3	Vertical	187	2.97	-	33.00	5.10	33.17
PK	5.376G	57.33	74.00	-16.67	52.15	3	Vertical	187	2.97	-	33.26	5.10	33.18
AV	5.365G	44.95	54.00	-9.05	39.83	3	Vertical	187	2.97	-	33.19	5.10	33.17

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	67.42	74.00	-6.58	62.62	3	Horizontal	112	2.61	-	32.93	5.04	33.17
AV	5.142G	53.69	54.00	-0.31	48.89	3	Horizontal	112	2.61	-	32.93	5.04	33.17
PK	5.213G	111.76	Inf	-Inf	106.83	3	Horizontal	112	2.61	-	33.00	5.10	33.17
AV	5.203G	98.94	Inf	-Inf	94.01	3	Horizontal	112	2.61	-	33.00	5.10	33.17
PK	5.351G	58.84	74.00	-15.16	53.80	3	Horizontal	112	2.61	-	33.11	5.10	33.17
AV	5.353G	45.72	54.00	-8.28	40.67	3	Horizontal	112	2.61	-	33.12	5.10	33.17

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62638G	56.79	74.00	-17.21	44.40	3	Vertical	5	2.00	-	38.52	9.01	35.14
AV	15.62576G	43.21	54.00	-10.79	30.82	3	Vertical	5	2.00	-	38.52	9.01	35.14

802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TnomVnom



EUT Y\_2TX  
Setting 19  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63152G	57.30	74.00	-16.70	44.92	3	Horizontal	237	1.64	-	38.51	9.01	35.14
AV	15.62562G	43.22	54.00	-10.78	30.83	3	Horizontal	237	1.64	-	38.52	9.01	35.14


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TnomVnom**



EUT Y\_2TX  
 Setting 20  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.37	68.20	-5.83	56.04	3	Vertical	187	3.00	-	34.27	5.30	33.24
PK	5.795G	107.78	Inf	-Inf	101.29	3	Vertical	187	3.00	-	34.49	5.30	33.30
AV	5.785G	95.38	Inf	-Inf	88.90	3	Vertical	187	3.00	-	34.47	5.30	33.29
PK	5.999G	58.90	68.20	-9.30	51.48	3	Vertical	187	3.00	-	35.40	5.40	33.38

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 20  
 04-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.35	68.20	-0.85	61.03	3	Horizontal	252	2.94	-	34.26	5.30	33.24
PK	5.771G	114.57	Inf	-Inf	108.12	3	Horizontal	252	2.94	-	34.44	5.30	33.29
AV	5.772G	101.86	Inf	-Inf	95.41	3	Horizontal	252	2.94	-	34.44	5.30	33.29
PK	6.002G	58.97	68.20	-9.23	51.55	3	Horizontal	252	2.94	-	35.40	5.40	33.38

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
04-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54604G	55.92	74.00	-18.08	42.72	3	Vertical	122	1.25	-	39.30	8.68	34.78
AV	11.55048G	41.93	54.00	-12.07	28.72	3	Vertical	122	1.25	-	39.30	8.69	34.78



802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TnomVnom



EUT Y\_2TX  
Setting 20  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54502G	55.70	74.00	-18.30	42.50	3	Horizontal	248	1.89	-	39.30	8.68	34.78
AV	11.55036G	41.83	54.00	-12.17	28.62	3	Horizontal	248	1.89	-	39.30	8.69	34.78




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.636G	66.05	68.20	-2.15	3	Vertical	45	2.32	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.75	68.20	-9.45	52.58	3	Vertical	45	2.33	-	34.10	5.30	33.23
PK	5.846G	116.94	Inf	-Inf	110.16	3	Vertical	45	2.33	-	34.78	5.32	33.32
AV	5.843G	106.14	Inf	-Inf	99.38	3	Vertical	45	2.33	-	34.76	5.32	33.32
PK	5.988G	59.83	88.20	-28.37	52.47	3	Vertical	45	2.33	-	35.35	5.39	33.38

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	58.51	68.20	-9.69	52.25	3	Horizontal	114	2.94	-	34.19	5.30	33.23
PK	5.852G	111.64	Inf	-Inf	104.83	3	Horizontal	114	2.94	-	34.80	5.33	33.32
AV	5.846G	100.35	Inf	-Inf	93.57	3	Horizontal	114	2.94	-	34.78	5.32	33.32
PK	6.07G	60.81	88.20	-27.39	53.23	3	Horizontal	114	2.94	-	35.44	5.47	33.33

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69221G	56.21	74.00	-17.79	43.05	3	Vertical	110	2.83	-	39.21	8.78	34.83
AV	11.69073G	42.22	54.00	-11.78	29.06	3	Vertical	110	2.83	-	39.21	8.78	34.83
PK	17.5345G	62.02	88.20	-26.18	44.82	3	Vertical	209	1.79	-	42.07	9.64	34.51

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6874G	56.85	74.00	-17.15	43.69	3	Horizontal	41.3	2.78	-	39.21	8.78	34.83
AV	11.6914G	42.38	54.00	-11.62	29.22	3	Horizontal	41.3	2.78	-	39.21	8.78	34.83
PK	17.53486G	61.74	88.20	-26.46	44.54	3	Horizontal	29	2.06	-	42.07	9.64	34.51

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	58.35	68.20	-9.85	52.15	3	Vertical	41	2.19	-	34.13	5.30	33.23
PK	5.866G	115.31	Inf	-Inf	108.48	3	Vertical	41	2.19	-	34.83	5.33	33.33
AV	5.868G	104.79	Inf	-Inf	97.95	3	Vertical	41	2.19	-	34.84	5.33	33.33
PK	5.895G	86.94	110.20	-23.26	80.04	3	Vertical	41	2.19	-	34.89	5.35	33.34

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.44	68.20	-8.76	53.09	3	Horizontal	157	2.96	-	34.29	5.30	33.24
PK	5.866G	109.60	Inf	-Inf	102.77	3	Horizontal	157	2.96	-	34.83	5.33	33.33
AV	5.868G	99.04	Inf	-Inf	92.20	3	Horizontal	157	2.96	-	34.84	5.33	33.33
PK	6.043G	60.55	88.20	-27.65	53.06	3	Horizontal	157	2.96	-	35.40	5.44	33.35



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72108G	55.88	74.00	-18.12	42.74	3	Vertical	324	1.12	-	39.18	8.80	34.84
AV	11.73004G	42.98	54.00	-11.02	29.85	3	Vertical	324	1.12	-	39.17	8.81	34.85
PK	17.5934G	62.03	88.20	-26.17	44.91	3	Vertical	169	1.80	-	42.01	9.66	34.55

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72196G	55.47	74.00	-18.53	42.32	3	Horizontal	242	1.80	-	39.18	8.81	34.84
AV	11.72576G	42.63	54.00	-11.37	29.50	3	Horizontal	242	1.80	-	39.17	8.81	34.85
PK	17.6022G	62.35	88.20	-25.85	45.25	3	Horizontal	214	1.82	-	42.00	9.66	34.56

### 802.11a\_Nss1,(6Mbps)\_1TX

#### 5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.08	68.20	-10.12	51.77	3	Vertical	40	2.37	-	34.25	5.30	33.24
PK	5.881G	114.42	Inf	-Inf	107.55	3	Vertical	40	2.37	-	34.86	5.34	33.33
AV	5.882G	103.44	Inf	-Inf	96.57	3	Vertical	40	2.37	-	34.86	5.34	33.33
PK	5.898G	99.64	108.00	-8.36	92.73	3	Vertical	40	2.37	-	34.90	5.35	33.34

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.09	68.20	-10.11	51.80	3	Horizontal	158	3.00	-	34.23	5.30	33.24
PK	5.88G	107.99	Inf	-Inf	101.12	3	Horizontal	158	3.00	-	34.86	5.34	33.33
AV	5.882G	97.60	Inf	-Inf	90.73	3	Horizontal	158	3.00	-	34.86	5.34	33.33
PK	5.895G	95.06	110.20	-15.14	88.16	3	Horizontal	158	3.00	-	34.89	5.35	33.34

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76968G	55.45	74.00	-18.55	42.34	3	Vertical	230	1.15	-	39.13	8.84	34.86
AV	11.77065G	42.45	54.00	-11.55	29.34	3	Vertical	230	1.15	-	39.13	8.84	34.86
PK	17.65409G	61.59	88.20	-26.61	44.61	3	Vertical	73	1.90	-	41.89	9.68	34.59

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76964G	55.78	74.00	-18.22	42.67	3	Horizontal	161	2.36	-	39.13	8.84	34.86
AV	11.76904G	42.39	54.00	-11.61	29.28	3	Horizontal	161	2.36	-	39.13	8.84	34.86
PK	17.6541G	62.80	88.20	-25.40	45.82	3	Horizontal	251	2.49	-	41.89	9.68	34.59

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	58.21	68.20	-9.99	51.85	3	Vertical	43.7	2.34	-	34.30	5.30	33.24
PK	5.843G	116.57	Inf	-Inf	109.81	3	Vertical	43.7	2.34	-	34.76	5.32	33.32
AV	5.842G	103.95	Inf	-Inf	97.20	3	Vertical	43.7	2.34	-	34.75	5.32	33.32
PK	6.053G	59.86	88.20	-28.34	52.34	3	Vertical	43.7	2.34	-	35.41	5.45	33.34

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.46	68.20	-9.74	52.32	3	Horizontal	114	2.94	-	34.06	5.30	33.22
PK	5.854G	111.46	Inf	-Inf	104.64	3	Horizontal	114	2.94	-	34.81	5.33	33.32
AV	5.842G	98.93	Inf	-Inf	92.18	3	Horizontal	114	2.94	-	34.75	5.32	33.32
PK	6.093G	59.65	88.20	-28.55	51.99	3	Horizontal	114	2.94	-	35.49	5.49	33.32



802.11ax HEW20\_Nss1,(MCS0)\_1TX

5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69028G	55.26	74.00	-18.74	42.10	3	Vertical	271	2.76	-	39.21	8.78	34.83
AV	11.68962G	41.93	54.00	-12.07	28.77	3	Vertical	271	2.76	-	39.21	8.78	34.83
PK	17.53444G	61.88	88.20	-26.32	44.68	3	Vertical	100	1.34	-	42.07	9.64	34.51

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5845MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68935G	55.66	74.00	-18.34	42.50	3	Horizontal	133	1.90	-	39.21	8.78	34.83
AV	11.69038G	41.99	54.00	-12.01	28.83	3	Horizontal	133	1.90	-	39.21	8.78	34.83
PK	17.53532G	61.75	88.20	-26.45	44.56	3	Horizontal	298	1.17	-	42.06	9.64	34.51

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.72	68.20	-9.48	52.38	3	Vertical	40	2.29	-	34.28	5.30	33.24
PK	5.859G	115.08	Inf	-Inf	108.25	3	Vertical	40	2.29	-	34.82	5.33	33.32
AV	5.862G	103.01	Inf	-Inf	96.18	3	Vertical	40	2.29	-	34.82	5.33	33.32
PK	5.895G	87.68	110.20	-22.52	80.78	3	Vertical	40	2.29	-	34.89	5.35	33.34

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	60.18	68.20	-8.02	53.88	3	Horizontal	157	2.97	-	34.24	5.30	33.24
PK	5.858G	110.30	Inf	-Inf	103.47	3	Horizontal	157	2.97	-	34.82	5.33	33.32
AV	5.868G	96.85	Inf	-Inf	90.01	3	Horizontal	157	2.97	-	34.84	5.33	33.33
PK	5.895G	82.28	110.20	-27.92	75.38	3	Horizontal	157	2.97	-	34.89	5.35	33.34

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72996G	55.76	74.00	-18.24	42.63	3	Vertical	219	1.69	-	39.17	8.81	34.85
AV	11.7302G	41.97	54.00	-12.03	28.84	3	Vertical	219	1.69	-	39.17	8.81	34.85
PK	17.59406G	61.81	88.20	-26.39	44.69	3	Vertical	302	2.70	-	42.01	9.66	34.55

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5865MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73021G	55.65	74.00	-18.35	42.52	3	Horizontal	173	2.89	-	39.17	8.81	34.85
AV	11.72984G	42.04	54.00	-11.96	28.91	3	Horizontal	173	2.89	-	39.17	8.81	34.85
PK	17.59465G	61.59	88.20	-26.61	44.47	3	Horizontal	7	1.91	-	42.01	9.66	34.55

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.53	68.20	-9.67	52.18	3	Vertical	47	2.79	-	34.29	5.30	33.24
PK	5.879G	114.10	Inf	-Inf	107.23	3	Vertical	47	2.79	-	34.86	5.34	33.33
AV	5.878G	101.84	Inf	-Inf	94.97	3	Vertical	47	2.79	-	34.86	5.34	33.33
PK	5.895G	104.02	110.20	-6.18	97.12	3	Vertical	47	2.79	-	34.89	5.35	33.34

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	58.31	68.20	-9.89	52.02	3	Horizontal	158	2.98	-	34.22	5.30	33.23
PK	5.887G	108.01	Inf	-Inf	101.13	3	Horizontal	158	2.98	-	34.87	5.34	33.33
AV	5.88G	96.06	Inf	-Inf	89.19	3	Horizontal	158	2.98	-	34.86	5.34	33.33
PK	5.895G	99.07	110.20	-11.13	92.17	3	Horizontal	158	2.98	-	34.89	5.35	33.34



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76913G	55.03	74.00	-18.97	41.92	3	Vertical	101	2.65	-	39.13	8.84	34.86
AV	11.76944G	41.72	54.00	-12.28	28.61	3	Vertical	101	2.65	-	39.13	8.84	34.86
PK	17.65545G	62.84	88.20	-25.36	45.87	3	Vertical	310	2.28	-	41.89	9.68	34.60

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5885MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7708G	55.17	74.00	-18.83	42.06	3	Horizontal	200	2.20	-	39.13	8.84	34.86
AV	11.76923G	41.69	54.00	-12.31	28.58	3	Horizontal	200	2.20	-	39.13	8.84	34.86
PK	17.65441G	61.83	88.20	-26.37	44.85	3	Horizontal	148	1.52	-	41.89	9.68	34.59

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5835MHz\_TnomVnom




EUTZ\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	65.52	68.94	-3.42	59.16	3	Vertical	50	2.65	-	34.30	5.30	33.24
PK	5.83G	113.40	Inf	-Inf	106.72	3	Vertical	50	2.65	-	34.68	5.31	33.31
AV	5.833G	101.07	Inf	-Inf	94.36	3	Vertical	50	2.65	-	34.70	5.32	33.31
PK	5.911G	71.73	98.47	-26.74	64.74	3	Vertical	50	2.65	-	34.97	5.36	33.34

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5835MHz\_TnomVnom




EUTZ\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.66	68.20	-6.54	55.32	3	Horizontal	156	3.00	-	34.28	5.30	33.24
PK	5.82G	107.86	Inf	-Inf	101.24	3	Horizontal	156	3.00	-	34.62	5.31	33.31
AV	5.827G	95.35	Inf	-Inf	88.69	3	Horizontal	156	3.00	-	34.66	5.31	33.31
PK	5.951G	59.41	88.20	-28.79	52.19	3	Horizontal	156	3.00	-	35.20	5.38	33.36

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5835MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67094G	55.50	74.00	-18.50	42.32	3	Vertical	310	2.95	-	39.23	8.77	34.82
AV	11.67054G	41.71	54.00	-12.29	28.53	3	Vertical	310	2.95	-	39.23	8.77	34.82
PK	17.50511G	62.32	88.20	-25.88	45.08	3	Vertical	147	2.80	-	42.09	9.63	34.48

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5835MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66912G	54.87	74.00	-19.13	41.69	3	Horizontal	153	1.47	-	39.23	8.77	34.82
AV	11.67023G	41.77	54.00	-12.23	28.59	3	Horizontal	153	1.47	-	39.23	8.77	34.82
PK	17.50502G	62.79	88.20	-25.41	45.55	3	Horizontal	144	1.63	-	42.09	9.63	34.48

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5875MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.93	68.20	-7.27	54.64	3	Vertical	40	2.49	-	34.22	5.30	33.23
PK	5.864G	111.71	Inf	-Inf	104.88	3	Vertical	40	2.49	-	34.83	5.33	33.33
AV	5.866G	99.40	Inf	-Inf	92.57	3	Vertical	40	2.49	-	34.83	5.33	33.33
PK	5.895G	96.28	110.20	-13.92	89.38	3	Vertical	40	2.49	-	34.89	5.35	33.34

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5875MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.55	68.20	-8.65	53.22	3	Horizontal	157	2.95	-	34.27	5.30	33.24
PK	5.87G	106.00	Inf	-Inf	99.16	3	Horizontal	157	2.95	-	34.84	5.33	33.33
AV	5.869G	93.63	Inf	-Inf	86.79	3	Horizontal	157	2.95	-	34.84	5.33	33.33
PK	5.895G	89.98	110.20	-20.22	83.08	3	Horizontal	157	2.95	-	34.89	5.35	33.34



802.11ax HEW40\_Nss1,(MCS0)\_1TX

5875MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74952G	55.96	74.00	-18.04	42.84	3	Vertical	221	1.33	-	39.15	8.82	34.85
AV	11.74923G	41.63	54.00	-12.37	28.51	3	Vertical	221	1.33	-	39.15	8.82	34.85
PK	17.62512G	62.21	88.20	-25.99	45.16	3	Vertical	187	2.88	-	41.95	9.67	34.57

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5875MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74951G	55.32	74.00	-18.68	42.20	3	Horizontal	248	2.72	-	39.15	8.82	34.85
AV	11.75074G	41.62	54.00	-12.38	28.50	3	Horizontal	248	2.72	-	39.15	8.83	34.86
PK	17.6258G	62.46	88.20	-25.74	45.41	3	Horizontal	37	2.79	-	41.95	9.67	34.57

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5855MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 23.5  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.05	68.20	-2.15	59.76	3	Vertical	45	2.32	-	34.22	5.30	33.23
PK	5.832G	110.34	Inf	-Inf	103.64	3	Vertical	45	2.32	-	34.69	5.32	33.31
AV	5.843G	97.49	Inf	-Inf	90.73	3	Vertical	45	2.32	-	34.76	5.32	33.32
PK	5.895G	91.64	110.20	-18.56	84.74	3	Vertical	45	2.32	-	34.89	5.35	33.34

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5855MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 23.5  
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	61.13	68.20	-7.07	54.89	3	Horizontal	161	2.98	-	34.17	5.30	33.23
PK	5.848G	103.12	Inf	-Inf	96.33	3	Horizontal	161	2.98	-	34.79	5.32	33.32
AV	5.845G	90.34	Inf	-Inf	83.57	3	Horizontal	161	2.98	-	34.77	5.32	33.32
PK	5.895G	87.79	110.20	-22.41	80.89	3	Horizontal	161	2.98	-	34.89	5.35	33.34

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5855MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 23.5  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70975G	55.26	74.00	-18.74	42.11	3	Vertical	136	1.51	-	39.19	8.80	34.84
AV	11.71059G	41.72	54.00	-12.28	28.57	3	Vertical	136	1.51	-	39.19	8.80	34.84
PK	17.56531G	62.95	88.20	-25.25	45.80	3	Vertical	261	1.45	-	42.03	9.65	34.53

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5855MHz\_TnomVnom



EUT\_Z\_1TX  
Setting 23.5  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70997G	54.92	74.00	-19.08	41.77	3	Horizontal	51	2.40	-	39.19	8.80	34.84
AV	11.71081G	41.63	54.00	-12.37	28.48	3	Horizontal	51	2.40	-	39.19	8.80	34.84
PK	17.56472G	62.59	88.20	-25.61	45.43	3	Horizontal	222	1.88	-	42.04	9.65	34.53




For non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.636G	66.29	68.20	-1.91	3	Horizontal	50	2.78	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	56.55	68.20	-11.65	50.22	3	Vertical	5	3.00	-	34.27	5.30	33.24
PK	5.842G	109.75	Inf	-Inf	103.00	3	Vertical	5	3.00	-	34.75	5.32	33.32
AV	5.843G	99.67	Inf	-Inf	92.91	3	Vertical	5	3.00	-	34.76	5.32	33.32
PK	6.095G	57.64	88.20	-30.56	49.97	3	Vertical	5	3.00	-	35.49	5.50	33.32



802.11a\_Nss1,(6Mbps)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	56.22	68.20	-11.98	49.87	3	Horizontal	50	2.60	-	34.29	5.30	33.24
PK	5.843G	115.93	Inf	-Inf	109.17	3	Horizontal	50	2.60	-	34.76	5.32	33.32
AV	5.848G	106.04	Inf	-Inf	99.25	3	Horizontal	50	2.60	-	34.79	5.32	33.32
PK	6.068G	57.72	88.20	-30.48	50.14	3	Horizontal	50	2.60	-	35.44	5.47	33.33

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68901G	54.87	74.00	-19.13	41.71	3	Vertical	80	2.95	-	39.21	8.78	34.83
AV	11.68986G	42.03	54.00	-11.97	28.87	3	Vertical	80	2.95	-	39.21	8.78	34.83
PK	17.53584G	62.52	88.20	-25.68	45.33	3	Vertical	84	2.04	-	42.06	9.64	34.51

802.11a\_Nss1,(6Mbps)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69039G	55.16	74.00	-18.84	42.00	3	Horizontal	337	2.77	-	39.21	8.78	34.83
AV	11.69011G	42.22	54.00	-11.78	29.06	3	Horizontal	337	2.77	-	39.21	8.78	34.83
PK	17.53543G	62.52	88.20	-25.68	45.33	3	Horizontal	358	1.75	-	42.06	9.64	34.51

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	56.70	68.20	-11.50	50.38	3	Vertical	12	3.00	-	34.26	5.30	33.24
PK	5.859G	109.83	Inf	-Inf	103.00	3	Vertical	12	3.00	-	34.82	5.33	33.32
AV	5.864G	98.84	Inf	-Inf	92.01	3	Vertical	12	3.00	-	34.83	5.33	33.33
PK	6.044G	57.29	88.20	-30.91	49.80	3	Vertical	12	3.00	-	35.40	5.44	33.35

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.04	68.20	-11.16	50.75	3	Horizontal	60	2.61	-	34.22	5.30	33.23
PK	5.86G	116.27	Inf	-Inf	109.44	3	Horizontal	60	2.61	-	34.82	5.33	33.32
AV	5.864G	105.93	Inf	-Inf	99.10	3	Horizontal	60	2.61	-	34.83	5.33	33.33
PK	5.895G	82.54	110.20	-27.66	75.64	3	Horizontal	60	2.61	-	34.89	5.35	33.34

802.11a\_Nss1,(6Mbps)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73043G	54.83	74.00	-19.17	41.70	3	Vertical	110	2.76	-	39.17	8.81	34.85
AV	11.72976G	42.23	54.00	-11.77	29.10	3	Vertical	110	2.76	-	39.17	8.81	34.85
PK	17.59458G	61.70	88.20	-26.50	44.58	3	Vertical	78	2.94	-	42.01	9.66	34.55

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72956G	55.17	74.00	-18.83	42.04	3	Horizontal	329	1.51	-	39.17	8.81	34.85
AV	11.73058G	42.23	54.00	-11.77	29.10	3	Horizontal	329	1.51	-	39.17	8.81	34.85
PK	17.59433G	62.03	88.20	-26.17	44.91	3	Horizontal	282	1.34	-	42.01	9.66	34.55

802.11a\_Nss1,(6Mbps)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	55.84	68.20	-12.36	49.54	3	Vertical	-0	2.97	-	34.24	5.30	33.24
PK	5.88G	106.69	Inf	-Inf	99.82	3	Vertical	-0	2.97	-	34.86	5.34	33.33
AV	5.88G	95.98	Inf	-Inf	89.11	3	Vertical	-0	2.97	-	34.86	5.34	33.33
PK	5.895G	90.82	110.20	-19.38	83.92	3	Vertical	-0	2.97	-	34.89	5.35	33.34



802.11a\_Nss1,(6Mbps)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	56.92	68.20	-11.28	50.62	3	Horizontal	50	2.56	-	34.24	5.30	33.24
PK	5.88G	112.91	Inf	-Inf	106.04	3	Horizontal	50	2.56	-	34.86	5.34	33.33
AV	5.88G	102.59	Inf	-Inf	95.72	3	Horizontal	50	2.56	-	34.86	5.34	33.33
PK	5.895G	96.67	110.20	-13.53	89.77	3	Horizontal	50	2.56	-	34.89	5.35	33.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76907G	55.57	74.00	-18.43	42.46	3	Vertical	203	2.03	-	39.13	8.84	34.86
AV	11.76954G	42.39	54.00	-11.61	29.28	3	Vertical	203	2.03	-	39.13	8.84	34.86
PK	17.6557G	61.65	88.20	-26.55	44.68	3	Vertical	185	2.21	-	41.89	9.68	34.60

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76914G	56.04	74.00	-17.96	42.93	3	Horizontal	25	2.62	-	39.13	8.84	34.86
AV	11.76957G	42.15	54.00	-11.85	29.04	3	Horizontal	25	2.62	-	39.13	8.84	34.86
PK	17.65528G	62.12	88.20	-26.08	45.14	3	Horizontal	187	1.83	-	41.89	9.68	34.59

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	57.12	68.20	-11.08	50.85	3	Vertical	12	3.00	-	34.20	5.30	33.23
PK	5.838G	115.13	Inf	-Inf	108.40	3	Vertical	12	3.00	-	34.73	5.32	33.32
AV	5.848G	101.99	Inf	-Inf	95.20	3	Vertical	12	3.00	-	34.79	5.32	33.32
PK	6.011G	59.06	88.20	-29.14	51.62	3	Vertical	12	3.00	-	35.40	5.41	33.37

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	56.90	68.20	-11.30	50.55	3	Horizontal	51	1.77	-	34.29	5.30	33.24
PK	5.85G	115.40	Inf	-Inf	108.59	3	Horizontal	51	1.77	-	34.80	5.33	33.32
AV	5.84G	102.35	Inf	-Inf	95.61	3	Horizontal	51	1.77	-	34.74	5.32	33.32
PK	5.955G	58.84	88.20	-29.36	51.60	3	Horizontal	51	1.77	-	35.22	5.38	33.36

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76983G	56.24	74.00	-17.76	43.13	3	Vertical	98	1.22	-	39.13	8.84	34.86
AV	11.77036G	41.74	54.00	-12.26	28.63	3	Vertical	98	1.22	-	39.13	8.84	34.86
PK	17.53533G	61.60	88.20	-26.60	44.41	3	Vertical	186	1.12	-	42.06	9.64	34.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68908G	55.15	74.00	-18.85	41.99	3	Horizontal	106	1.68	-	39.21	8.78	34.83
AV	11.69061G	41.79	54.00	-12.21	28.63	3	Horizontal	106	1.68	-	39.21	8.78	34.83
PK	17.53405G	62.11	88.20	-26.09	44.91	3	Horizontal	104	2.77	-	42.07	9.64	34.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	55.64	68.20	-12.56	49.29	3	Vertical	10	3.00	-	34.29	5.30	33.24
PK	5.858G	111.48	Inf	-Inf	104.65	3	Vertical	10	3.00	-	34.82	5.33	33.32
AV	5.858G	98.39	Inf	-Inf	91.56	3	Vertical	10	3.00	-	34.82	5.33	33.32
PK	6.11G	57.45	88.20	-30.75	49.77	3	Vertical	10	3.00	-	35.48	5.51	33.31



802.11ax HEW20\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	56.67	68.20	-11.53	50.46	3	Horizontal	61	2.87	-	34.14	5.30	33.23
PK	5.868G	116.87	Inf	-Inf	110.03	3	Horizontal	61	2.87	-	34.84	5.33	33.33
AV	5.858G	104.24	Inf	-Inf	97.41	3	Horizontal	61	2.87	-	34.82	5.33	33.32
PK	6.087G	58.31	88.20	-29.89	50.67	3	Horizontal	61	2.87	-	35.47	5.49	33.32

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72936G	55.14	74.00	-18.86	42.01	3	Vertical	61	2.29	-	39.17	8.81	34.85
AV	11.72942G	41.69	54.00	-12.31	28.56	3	Vertical	61	2.29	-	39.17	8.81	34.85
PK	17.59483G	62.08	88.20	-26.12	44.96	3	Vertical	15	1.05	-	42.01	9.66	34.55

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72994G	55.24	74.00	-18.76	42.11	3	Horizontal	307	2.22	-	39.17	8.81	34.85
AV	11.72993G	41.73	54.00	-12.27	28.60	3	Horizontal	307	2.22	-	39.17	8.81	34.85
PK	17.59436G	61.97	88.20	-26.23	44.85	3	Horizontal	266	1.46	-	42.01	9.66	34.55

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	56.56	68.20	-11.64	50.25	3	Vertical	-0	2.93	-	34.25	5.30	33.24
PK	5.876G	106.16	Inf	-Inf	99.30	3	Vertical	-0	2.93	-	34.85	5.34	33.33
AV	5.876G	94.62	Inf	-Inf	87.76	3	Vertical	-0	2.93	-	34.85	5.34	33.33
PK	5.895G	93.07	110.20	-17.13	86.17	3	Vertical	-0	2.93	-	34.89	5.35	33.34

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	55.97	68.20	-12.23	49.61	3	Horizontal	45	2.77	-	34.30	5.30	33.24
PK	5.877G	112.88	Inf	-Inf	106.02	3	Horizontal	45	2.77	-	34.85	5.34	33.33
AV	5.877G	101.92	Inf	-Inf	95.06	3	Horizontal	45	2.77	-	34.85	5.34	33.33
PK	5.895G	96.85	110.20	-13.35	89.95	3	Horizontal	45	2.77	-	34.89	5.35	33.34

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7693G	55.19	74.00	-18.81	42.08	3	Vertical	312	2.56	-	39.13	8.84	34.86
AV	11.76939G	41.80	54.00	-12.20	28.69	3	Vertical	312	2.56	-	39.13	8.84	34.86
PK	17.65405G	61.89	88.20	-26.31	44.91	3	Vertical	14	2.91	-	41.89	9.68	34.59

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77075G	55.51	74.00	-18.49	42.40	3	Horizontal	182	2.59	-	39.13	8.84	34.86
AV	11.77078G	41.83	54.00	-12.17	28.72	3	Horizontal	182	2.59	-	39.13	8.84	34.86
PK	17.65538G	61.64	88.20	-26.56	44.66	3	Horizontal	276	2.36	-	41.89	9.68	34.59

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.06	68.20	-10.14	51.79	3	Vertical	15	3.00	-	34.20	5.30	33.23
PK	5.821G	107.93	Inf	-Inf	101.30	3	Vertical	15	3.00	-	34.63	5.31	33.31
AV	5.822G	94.74	Inf	-Inf	88.11	3	Vertical	15	3.00	-	34.63	5.31	33.31
PK	5.964G	57.90	88.20	-30.30	50.63	3	Vertical	15	3.00	-	35.26	5.38	33.37



802.11ax HEW40\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	62.87	68.20	-5.33	56.53	3	Horizontal	63	2.86	-	34.28	5.30	33.24
PK	5.834G	114.11	Inf	-Inf	107.40	3	Horizontal	63	2.86	-	34.70	5.32	33.31
AV	5.833G	102.56	Inf	-Inf	95.85	3	Horizontal	63	2.86	-	34.70	5.32	33.31
PK	6.064G	57.46	88.20	-30.74	49.91	3	Horizontal	63	2.86	-	35.43	5.46	33.34

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66964G	54.93	74.00	-19.07	41.75	3	Vertical	46	1.32	-	39.23	8.77	34.82
AV	11.6708G	41.76	54.00	-12.24	28.58	3	Vertical	46	1.32	-	39.23	8.77	34.82
PK	17.50534G	62.44	88.20	-25.76	45.20	3	Vertical	272	1.49	-	42.09	9.63	34.48

802.11ax HEW40\_Nss1,(MCS0)\_2TX


5835MHz\_TnomVnom



EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66977G	55.17	74.00	-18.83	41.99	3	Horizontal	92	2.52	-	39.23	8.77	34.82
AV	11.67097G	41.66	54.00	-12.34	28.48	3	Horizontal	92	2.52	-	39.23	8.77	34.82
PK	17.50468G	63.69	88.20	-24.51	46.44	3	Horizontal	288	2.92	-	42.10	9.63	34.48

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5875MHz\_TnomVnom**




EUT Y\_2TX  
 Setting 25  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	56.72	68.20	-11.48	50.36	3	Vertical	13	2.94	-	34.30	5.30	33.24
PK	5.862G	104.57	Inf	-Inf	97.74	3	Vertical	13	2.94	-	34.82	5.33	33.32
AV	5.862G	93.16	Inf	-Inf	86.33	3	Vertical	13	2.94	-	34.82	5.33	33.32
PK	5.895G	84.40	110.20	-25.80	77.50	3	Vertical	13	2.94	-	34.89	5.35	33.34

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.08	68.20	-9.12	52.80	3	Horizontal	59	2.85	-	34.21	5.30	33.23
PK	5.864G	112.70	Inf	-Inf	105.87	3	Horizontal	59	2.85	-	34.83	5.33	33.33
AV	5.863G	100.63	Inf	-Inf	93.80	3	Horizontal	59	2.85	-	34.83	5.33	33.33
PK	5.895G	94.36	110.20	-15.84	87.46	3	Horizontal	59	2.85	-	34.89	5.35	33.34

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66964G	54.93	74.00	-19.07	41.75	3	Vertical	46	1.32	-	39.23	8.77	34.82
AV	11.6708G	41.76	54.00	-12.24	28.58	3	Vertical	46	1.32	-	39.23	8.77	34.82
PK	17.50534G	62.44	88.20	-25.76	45.20	3	Vertical	272	1.49	-	42.09	9.63	34.48

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT Y\_2TX  
 Setting 25  
 04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75091G	55.97	74.00	-18.03	42.85	3	Horizontal	254	2.79	-	39.15	8.83	34.86
AV	11.75024G	41.74	54.00	-12.26	28.62	3	Horizontal	254	2.79	-	39.15	8.83	34.86
PK	17.62475G	62.09	88.20	-26.11	45.04	3	Horizontal	288	1.53	-	41.95	9.67	34.57

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.13	68.20	-7.07	54.77	3	Vertical	349	2.82	-	34.30	5.30	33.24
PK	5.851G	104.18	Inf	-Inf	97.37	3	Vertical	349	2.82	-	34.80	5.33	33.32
AV	5.832G	92.64	Inf	-Inf	85.94	3	Vertical	349	2.82	-	34.69	5.32	33.31
PK	5.895G	82.61	110.20	-27.59	75.71	3	Vertical	349	2.82	-	34.89	5.35	33.34



802.11ax HEW80\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.29	68.20	-1.91	60.00	3	Horizontal	50	2.78	-	34.22	5.30	33.23
PK	5.846G	111.02	Inf	-Inf	104.24	3	Horizontal	50	2.78	-	34.78	5.32	33.32
AV	5.846G	99.02	Inf	-Inf	92.24	3	Horizontal	50	2.78	-	34.78	5.32	33.32
PK	5.895G	89.49	110.20	-20.71	82.59	3	Horizontal	50	2.78	-	34.89	5.35	33.34

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71009G	55.13	74.00	-18.87	41.98	3	Vertical	163	2.26	-	39.19	8.80	34.84
AV	11.71088G	41.54	54.00	-12.46	28.39	3	Vertical	163	2.26	-	39.19	8.80	34.84
PK	17.56504G	62.17	88.20	-26.03	45.02	3	Vertical	84	1.62	-	42.03	9.65	34.53

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom



EUT Y\_2TX  
Setting 23  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71026G	55.12	74.00	-18.88	41.97	3	Horizontal	350	2.52	-	39.19	8.80	34.84
AV	11.7106G	41.65	54.00	-12.35	28.50	3	Horizontal	350	2.52	-	39.19	8.80	34.84
PK	17.56526G	62.19	88.20	-26.01	45.04	3	Horizontal	100	2.76	-	42.03	9.65	34.53




For beamforming mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.636G	68.19	68.20	-0.01	3	Horizontal	50	2.78	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	59.02	68.20	-9.18	52.75	3	Vertical	12	3.00	-	34.20	5.30	33.23
PK	5.838G	117.03	Inf	-Inf	110.30	3	Vertical	12	3.00	-	34.73	5.32	33.32
AV	5.848G	103.89	Inf	-Inf	97.10	3	Vertical	12	3.00	-	34.79	5.32	33.32
PK	6.011G	60.96	88.20	-27.24	53.52	3	Vertical	12	3.00	-	35.40	5.41	33.37

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT V\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.80	68.20	-9.40	52.45	3	Horizontal	51	1.77	-	34.29	5.30	33.24
PK	5.85G	117.30	Inf	-Inf	110.49	3	Horizontal	51	1.77	-	34.80	5.33	33.32
AV	5.84G	104.25	Inf	-Inf	97.51	3	Horizontal	51	1.77	-	34.74	5.32	33.32
PK	5.955G	60.74	88.20	-27.46	53.50	3	Horizontal	51	1.77	-	35.22	5.38	33.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76983G	58.14	74.00	-15.86	45.03	3	Vertical	98	1.22	-	39.13	8.84	34.86
AV	11.77036G	43.64	54.00	-10.36	30.53	3	Vertical	98	1.22	-	39.13	8.84	34.86
PK	17.53533G	63.50	88.20	-24.70	46.31	3	Vertical	186	1.12	-	42.06	9.64	34.51

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5845MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68908G	57.05	74.00	-16.95	43.89	3	Horizontal	106	1.68	-	39.21	8.78	34.83
AV	11.69061G	43.69	54.00	-10.31	30.53	3	Horizontal	106	1.68	-	39.21	8.78	34.83
PK	17.53405G	64.01	88.20	-24.19	46.81	3	Horizontal	104	2.77	-	42.07	9.64	34.51



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	57.54	68.20	-10.66	51.19	3	Vertical	10	3.00	-	34.29	5.30	33.24
PK	5.858G	113.38	Inf	-Inf	106.55	3	Vertical	10	3.00	-	34.82	5.33	33.32
AV	5.858G	100.29	Inf	-Inf	93.46	3	Vertical	10	3.00	-	34.82	5.33	33.32
PK	6.11G	59.35	88.20	-28.85	51.67	3	Vertical	10	3.00	-	35.48	5.51	33.31

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT V\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	58.57	68.20	-9.63	52.36	3	Horizontal	61	2.87	-	34.14	5.30	33.23
PK	5.868G	118.77	Inf	-Inf	111.93	3	Horizontal	61	2.87	-	34.84	5.33	33.33
AV	5.858G	106.14	Inf	-Inf	99.31	3	Horizontal	61	2.87	-	34.82	5.33	33.32
PK	6.087G	60.21	88.20	-27.99	52.57	3	Horizontal	61	2.87	-	35.47	5.49	33.32

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72936G	57.04	74.00	-16.96	43.91	3	Vertical	61	2.29	-	39.17	8.81	34.85
AV	11.72942G	43.59	54.00	-10.41	30.46	3	Vertical	61	2.29	-	39.17	8.81	34.85
PK	17.59483G	63.98	88.20	-24.22	46.86	3	Vertical	15	1.05	-	42.01	9.66	34.55

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5865MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72994G	57.14	74.00	-16.86	44.01	3	Horizontal	307	2.22	-	39.17	8.81	34.85
AV	11.72993G	43.63	54.00	-10.37	30.50	3	Horizontal	307	2.22	-	39.17	8.81	34.85
PK	17.59436G	63.87	88.20	-24.33	46.75	3	Horizontal	266	1.46	-	42.01	9.66	34.55

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.46	68.20	-9.74	52.15	3	Vertical	-0	2.93	-	34.25	5.30	33.24
PK	5.876G	108.06	Inf	-Inf	101.20	3	Vertical	-0	2.93	-	34.85	5.34	33.33
AV	5.876G	96.52	Inf	-Inf	89.66	3	Vertical	-0	2.93	-	34.85	5.34	33.33
PK	5.895G	94.97	110.20	-15.23	88.07	3	Vertical	-0	2.93	-	34.89	5.35	33.34

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	57.87	68.20	-10.33	51.51	3	Horizontal	45	2.77	-	34.30	5.30	33.24
PK	5.877G	114.78	Inf	-Inf	107.92	3	Horizontal	45	2.77	-	34.85	5.34	33.33
AV	5.877G	103.82	Inf	-Inf	96.96	3	Horizontal	45	2.77	-	34.85	5.34	33.33
PK	5.895G	98.75	110.20	-11.45	91.85	3	Horizontal	45	2.77	-	34.89	5.35	33.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7693G	57.09	74.00	-16.91	43.98	3	Vertical	312	2.56	-	39.13	8.84	34.86
AV	11.76939G	43.70	54.00	-10.30	30.59	3	Vertical	312	2.56	-	39.13	8.84	34.86
PK	17.65405G	63.79	88.20	-24.41	46.81	3	Vertical	14	2.91	-	41.89	9.68	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5885MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77075G	57.41	74.00	-16.59	44.30	3	Horizontal	182	2.59	-	39.13	8.84	34.86
AV	11.77078G	43.73	54.00	-10.27	30.62	3	Horizontal	182	2.59	-	39.13	8.84	34.86
PK	17.65538G	63.54	88.20	-24.66	46.56	3	Horizontal	276	2.36	-	41.89	9.68	34.59



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	59.96	68.20	-8.24	53.69	3	Vertical	15	3.00	-	34.20	5.30	33.23
PK	5.821G	109.83	Inf	-Inf	103.20	3	Vertical	15	3.00	-	34.63	5.31	33.31
AV	5.822G	96.64	Inf	-Inf	90.01	3	Vertical	15	3.00	-	34.63	5.31	33.31
PK	5.964G	59.80	88.20	-28.40	52.53	3	Vertical	15	3.00	-	35.26	5.38	33.37

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT V\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	64.77	68.20	-3.43	58.43	3	Horizontal	63	2.86	-	34.28	5.30	33.24
PK	5.834G	116.01	Inf	-Inf	109.30	3	Horizontal	63	2.86	-	34.70	5.32	33.31
AV	5.833G	104.46	Inf	-Inf	97.75	3	Horizontal	63	2.86	-	34.70	5.32	33.31
PK	6.064G	59.36	88.20	-28.84	51.81	3	Horizontal	63	2.86	-	35.43	5.46	33.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66964G	56.83	74.00	-17.17	43.65	3	Vertical	46	1.32	-	39.23	8.77	34.82
AV	11.6708G	43.66	54.00	-10.34	30.48	3	Vertical	46	1.32	-	39.23	8.77	34.82
PK	17.50534G	64.34	88.20	-23.86	47.10	3	Vertical	272	1.49	-	42.09	9.63	34.48

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5835MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66977G	57.07	74.00	-16.93	43.89	3	Horizontal	92	2.52	-	39.23	8.77	34.82
AV	11.67097G	43.56	54.00	-10.44	30.38	3	Horizontal	92	2.52	-	39.23	8.77	34.82
PK	17.50468G	65.59	88.20	-22.61	48.34	3	Horizontal	288	2.92	-	42.10	9.63	34.48

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT V\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	58.62	68.20	-9.58	52.26	3	Vertical	13	2.94	-	34.30	5.30	33.24
PK	5.862G	106.47	Inf	-Inf	99.64	3	Vertical	13	2.94	-	34.82	5.33	33.32
AV	5.862G	95.06	Inf	-Inf	88.23	3	Vertical	13	2.94	-	34.82	5.33	33.32
PK	5.895G	86.30	110.20	-23.90	79.40	3	Vertical	13	2.94	-	34.89	5.35	33.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT V\_2TX  
Setting 25  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	60.98	68.20	-7.22	54.70	3	Horizontal	59	2.85	-	34.21	5.30	33.23
PK	5.864G	114.60	Inf	-Inf	107.77	3	Horizontal	59	2.85	-	34.83	5.33	33.33
AV	5.863G	102.53	Inf	-Inf	95.70	3	Horizontal	59	2.85	-	34.83	5.33	33.33
PK	5.895G	96.26	110.20	-13.94	89.36	3	Horizontal	59	2.85	-	34.89	5.35	33.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66964G	56.83	74.00	-17.17	43.65	3	Vertical	46	1.32	-	39.23	8.77	34.82
AV	11.6708G	43.66	54.00	-10.34	30.48	3	Vertical	46	1.32	-	39.23	8.77	34.82
PK	17.50534G	64.34	88.20	-23.86	47.10	3	Vertical	272	1.49	-	42.09	9.63	34.48

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5875MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75091G	57.87	74.00	-16.13	44.75	3	Horizontal	254	2.79	-	39.15	8.83	34.86
AV	11.75024G	43.64	54.00	-10.36	30.52	3	Horizontal	254	2.79	-	39.15	8.83	34.86
PK	17.62475G	63.99	88.20	-24.21	46.94	3	Horizontal	288	1.53	-	41.95	9.67	34.57



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT V\_2TX  
Setting 23  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.03	68.20	-5.17	56.67	3	Vertical	349	2.82	-	34.30	5.30	33.24
PK	5.851G	106.08	Inf	-Inf	99.27	3	Vertical	349	2.82	-	34.80	5.33	33.32
AV	5.832G	94.54	Inf	-Inf	87.84	3	Vertical	349	2.82	-	34.69	5.32	33.31
PK	5.895G	84.51	110.20	-25.69	77.61	3	Vertical	349	2.82	-	34.89	5.35	33.34

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT V\_2TX  
Setting 23  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	68.19	68.20	-0.01	61.90	3	Horizontal	50	2.78	-	34.22	5.30	33.23
PK	5.846G	112.92	Inf	-Inf	106.14	3	Horizontal	50	2.78	-	34.78	5.32	33.32
AV	5.846G	100.92	Inf	-Inf	94.14	3	Horizontal	50	2.78	-	34.78	5.32	33.32
PK	5.895G	91.39	110.20	-18.81	84.49	3	Horizontal	50	2.78	-	34.89	5.35	33.34

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71009G	57.03	74.00	-16.97	43.88	3	Vertical	163	2.26	-	39.19	8.80	34.84
AV	11.71088G	43.44	54.00	-10.56	30.29	3	Vertical	163	2.26	-	39.19	8.80	34.84
PK	17.56504G	64.07	88.20	-24.13	46.92	3	Vertical	84	1.62	-	42.03	9.65	34.53

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5855MHz\_TnomVnom



EUT Y\_2TX  
Setting 23  
04-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71026G	57.02	74.00	-16.98	43.87	3	Horizontal	350	2.52	-	39.19	8.80	34.84
AV	11.7106G	43.55	54.00	-10.45	30.40	3	Horizontal	350	2.52	-	39.19	8.80	34.84
PK	17.56526G	64.09	88.20	-24.11	46.94	3	Horizontal	100	2.76	-	42.03	9.65	34.53




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1494G	53.95	54.00	-0.05	3	Horizontal	60	2.01	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.52	74.00	-10.48	58.74	3	Vertical	9	1.88	-	32.90	5.05	33.17
AV	5.15G	48.67	54.00	-5.33	43.89	3	Vertical	9	1.88	-	32.90	5.05	33.17
PK	5.1858G	104.81	Inf	-Inf	99.92	3	Vertical	9	1.88	-	32.97	5.09	33.17
AV	5.1872G	95.71	Inf	-Inf	90.82	3	Vertical	9	1.88	-	32.97	5.09	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.29	74.00	-5.71	63.51	3	Horizontal	299	1.97	-	32.90	5.05	33.17
AV	5.15G	52.36	54.00	-1.64	47.58	3	Horizontal	299	1.97	-	32.90	5.05	33.17
PK	5.1734G	110.50	Inf	-Inf	105.65	3	Horizontal	299	1.97	-	32.95	5.07	33.17
AV	5.1728G	101.01	Inf	-Inf	96.16	3	Horizontal	299	1.97	-	32.95	5.07	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3557G	48.26	68.20	-19.94	35.43	3	Vertical	324	1.80	-	38.96	7.85	33.98
PK	15.5486G	54.46	74.00	-19.54	41.79	3	Vertical	75	1.80	-	38.81	8.99	35.13
AV	15.5618G	40.86	54.00	-13.14	28.25	3	Vertical	75	1.80	-	38.75	8.99	35.13



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3455G	50.58	68.20	-17.62	37.76	3	Horizontal	304	1.80	-	38.95	7.84	33.97
PK	15.5564G	55.15	74.00	-18.85	42.52	3	Horizontal	186	1.80	-	38.77	8.99	35.13
AV	15.5576G	42.25	54.00	-11.75	29.62	3	Horizontal	186	1.80	-	38.77	8.99	35.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.69	74.00	-14.31	54.91	3	Vertical	352	1.15	-	32.90	5.05	33.17
AV	5.15G	46.28	54.00	-7.72	41.50	3	Vertical	352	1.15	-	32.90	5.05	33.17
PK	5.1936G	105.32	Inf	-Inf	100.41	3	Vertical	352	1.15	-	32.99	5.09	33.17
AV	5.1928G	95.79	Inf	-Inf	90.88	3	Vertical	352	1.15	-	32.99	5.09	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.81	74.00	-6.19	63.03	3	Horizontal	60	1.90	-	32.90	5.05	33.17
AV	5.15G	52.01	54.00	-1.99	47.23	3	Horizontal	60	1.90	-	32.90	5.05	33.17
PK	5.2076G	112.80	Inf	-Inf	107.87	3	Horizontal	60	1.90	-	33.00	5.10	33.17
AV	5.2068G	103.32	Inf	-Inf	98.39	3	Horizontal	60	1.90	-	33.00	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40004G	53.59	68.20	-14.61	40.73	3	Vertical	25	1.43	-	39.00	7.88	34.02
PK	15.6032G	57.38	74.00	-16.62	44.93	3	Vertical	97	1.49	-	38.59	9.00	35.14
AV	15.6024G	43.99	54.00	-10.01	31.54	3	Vertical	97	1.49	-	38.59	9.00	35.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40768G	54.45	68.20	-13.75	41.57	3	Horizontal	254	2.86	-	39.02	7.89	34.03
PK	15.59856G	56.58	74.00	-17.42	44.11	3	Horizontal	193	2.80	-	38.61	9.00	35.14
AV	15.60528G	43.94	54.00	-10.06	31.50	3	Horizontal	193	2.80	-	38.58	9.00	35.14

### 802.11a\_Nss1,(6Mbps)\_1TX


### 5240MHz\_TnomVnom



EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	60.18	74.00	-13.82	55.40	3	Vertical	30	1.04	-	32.90	5.05	33.17
AV	5.15G	47.03	54.00	-6.97	42.25	3	Vertical	30	1.04	-	32.90	5.05	33.17
PK	5.2472G	107.45	Inf	-Inf	102.52	3	Vertical	30	1.04	-	33.00	5.10	33.17
AV	5.2334G	96.27	Inf	-Inf	91.34	3	Vertical	30	1.04	-	33.00	5.10	33.17
PK	5.3654G	59.08	74.00	-14.92	53.96	3	Vertical	30	1.04	-	33.19	5.10	33.17
AV	5.3504G	45.94	54.00	-8.06	40.91	3	Vertical	30	1.04	-	33.10	5.10	33.17

**802.11a\_Nss1,(6Mbps)\_1TX**  
**5240MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 25  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.27	74.00	-3.73	65.49	3	Horizontal	60	2.01	-	32.90	5.05	33.17
AV	5.1494G	53.95	54.00	-0.05	49.17	3	Horizontal	60	2.01	-	32.90	5.05	33.17
PK	5.2472G	117.38	Inf	-Inf	112.45	3	Horizontal	60	2.01	-	33.00	5.10	33.17
AV	5.2334G	106.09	Inf	-Inf	101.16	3	Horizontal	60	2.01	-	33.00	5.10	33.17
PK	5.3576G	66.84	74.00	-7.16	61.76	3	Horizontal	60	2.01	-	33.15	5.10	33.17
AV	5.3504G	50.51	54.00	-3.49	45.48	3	Horizontal	60	2.01	-	33.10	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48852G	54.22	68.20	-13.98	41.21	3	Vertical	120	1.85	-	39.18	7.94	34.11
PK	15.7254G	57.22	74.00	-16.78	44.93	3	Vertical	1	1.66	-	38.40	9.03	35.14
AV	15.71208G	43.75	54.00	-10.25	31.51	3	Vertical	1	1.66	-	38.35	9.03	35.14



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48364G	54.05	68.20	-14.15	41.04	3	Horizontal	22	1.32	-	39.17	7.94	34.10
PK	15.71812G	57.07	74.00	-16.93	44.81	3	Horizontal	90	1.80	-	38.37	9.03	35.14
AV	15.72864G	44.08	54.00	-9.92	31.78	3	Horizontal	90	1.80	-	38.41	9.03	35.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	58.73	74.00	-15.27	53.93	3	Vertical	32	1.08	-	32.93	5.04	33.17
AV	5.1472G	45.10	54.00	-8.90	40.31	3	Vertical	32	1.08	-	32.91	5.05	33.17
PK	5.2528G	106.95	Inf	-Inf	102.01	3	Vertical	32	1.08	-	33.01	5.10	33.17
AV	5.2534G	96.47	Inf	-Inf	91.53	3	Vertical	32	1.08	-	33.01	5.10	33.17
PK	5.3518G	59.41	74.00	-14.59	54.37	3	Vertical	32	1.08	-	33.11	5.10	33.17
AV	5.3524G	46.43	54.00	-7.57	41.39	3	Vertical	32	1.08	-	33.11	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	67.01	74.00	-6.99	62.21	3	Horizontal	56	1.80	-	32.93	5.04	33.17
AV	5.149G	50.98	54.00	-3.02	46.20	3	Horizontal	56	1.80	-	32.90	5.05	33.17
PK	5.2672G	117.08	Inf	-Inf	112.12	3	Horizontal	56	1.80	-	33.03	5.10	33.17
AV	5.2672G	105.70	Inf	-Inf	100.74	3	Horizontal	56	1.80	-	33.03	5.10	33.17
PK	5.3638G	68.21	74.00	-5.79	63.10	3	Horizontal	56	1.80	-	33.18	5.10	33.17
AV	5.3512G	53.53	54.00	-0.47	48.49	3	Horizontal	56	1.80	-	33.11	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52072G	54.45	68.20	-13.75	41.43	3	Vertical	265	1.50	-	39.20	7.96	34.14
PK	15.77268G	56.94	74.00	-17.06	44.46	3	Vertical	153	1.18	-	38.59	9.04	35.15
AV	15.78356G	44.14	54.00	-9.86	31.61	3	Vertical	153	1.18	-	38.63	9.05	35.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52976G	54.12	68.20	-14.08	41.09	3	Horizontal	265	2.37	-	39.20	7.97	34.14
PK	15.774G	57.31	74.00	-16.69	44.82	3	Horizontal	238	2.13	-	38.60	9.04	35.15
AV	15.77328G	44.01	54.00	-9.99	31.53	3	Horizontal	238	2.13	-	38.59	9.04	35.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	104.38	Inf	-Inf	99.36	3	Vertical	27	1.14	-	33.09	5.10	33.17
AV	5.2932G	94.78	Inf	-Inf	89.76	3	Vertical	27	1.14	-	33.09	5.10	33.17
PK	5.3512G	59.55	74.00	-14.45	54.51	3	Vertical	27	1.14	-	33.11	5.10	33.17
AV	5.35G	46.53	54.00	-7.47	41.50	3	Vertical	27	1.14	-	33.10	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	113.39	Inf	-Inf	108.36	3	Horizontal	59	1.84	-	33.10	5.10	33.17
AV	5.3072G	104.25	Inf	-Inf	99.22	3	Horizontal	59	1.84	-	33.10	5.10	33.17
PK	5.3504G	68.40	74.00	-5.60	63.37	3	Horizontal	59	1.84	-	33.10	5.10	33.17
AV	5.35G	52.03	54.00	-1.97	47.00	3	Horizontal	59	1.84	-	33.10	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59904G	54.04	68.20	-14.16	41.02	3	Vertical	320	2.89	-	39.20	8.02	34.20
PK	15.90172G	57.91	74.00	-16.09	45.08	3	Vertical	196	2.20	-	38.90	9.08	35.15
AV	15.89264G	44.39	54.00	-9.61	31.58	3	Vertical	196	2.20	-	38.89	9.07	35.15



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6G	54.00	68.20	-14.20	40.98	3	Horizontal	304	2.19	-	39.20	8.02	34.20
PK	15.90296G	57.19	74.00	-16.81	44.37	3	Horizontal	4	1.33	-	38.89	9.08	35.15
AV	15.8932G	44.21	54.00	-9.79	31.40	3	Horizontal	4	1.33	-	38.89	9.07	35.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	101.15	Inf	-Inf	96.12	3	Vertical	29	1.03	-	33.10	5.10	33.17
AV	5.313G	91.47	Inf	-Inf	86.44	3	Vertical	29	1.03	-	33.10	5.10	33.17
PK	5.35G	60.83	74.00	-13.17	55.80	3	Vertical	29	1.03	-	33.10	5.10	33.17
AV	5.3504G	46.59	54.00	-7.41	41.56	3	Vertical	29	1.03	-	33.10	5.10	33.17

802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	110.43	Inf	-Inf	105.40	3	Horizontal	60	1.80	-	33.10	5.10	33.17
AV	5.313G	100.64	Inf	-Inf	95.61	3	Horizontal	60	1.80	-	33.10	5.10	33.17
PK	5.3502G	68.80	74.00	-5.20	63.77	3	Horizontal	60	1.80	-	33.10	5.10	33.17
AV	5.35G	52.91	54.00	-1.09	47.88	3	Horizontal	60	1.80	-	33.10	5.10	33.17

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6326G	54.25	74.00	-19.75	41.13	3	Vertical	230	2.39	-	39.30	8.04	34.22
AV	10.6466G	41.15	54.00	-12.85	27.99	3	Vertical	230	2.39	-	39.34	8.05	34.23
PK	15.95232G	57.27	74.00	-16.73	44.54	3	Vertical	269	2.99	-	38.80	9.09	35.16
AV	15.9604G	44.00	54.00	-10.00	31.29	3	Vertical	269	2.99	-	38.78	9.09	35.16

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 22  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63308G	53.76	74.00	-20.24	40.64	3	Horizontal	66	2.70	-	39.30	8.04	34.22
AV	10.64136G	41.21	54.00	-12.79	28.07	3	Horizontal	66	2.70	-	39.32	8.05	34.23
PK	15.95192G	56.99	74.00	-17.01	44.26	3	Horizontal	174	1.98	-	38.80	9.09	35.16
AV	15.95936G	43.79	54.00	-10.21	31.08	3	Horizontal	174	1.98	-	38.78	9.09	35.16

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18.5  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4336G	57.17	74.00	-16.83	51.55	3	Vertical	30	1.00	-	33.67	5.13	33.18
PK	5.4696G	58.59	68.20	-9.61	52.76	3	Vertical	30	1.00	-	33.84	5.17	33.18
AV	5.4596G	44.92	54.00	-9.08	39.12	3	Vertical	30	1.00	-	33.82	5.16	33.18
PK	5.4932G	101.81	Inf	-Inf	95.91	3	Vertical	30	1.00	-	33.89	5.19	33.18
AV	5.4932G	92.04	Inf	-Inf	86.14	3	Vertical	30	1.00	-	33.89	5.19	33.18

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18.5  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.10	74.00	-14.90	53.30	3	Horizontal	59	1.80	-	33.82	5.16	33.18
AV	5.4576G	46.11	54.00	-7.89	40.31	3	Horizontal	59	1.80	-	33.82	5.16	33.18
PK	5.47G	67.81	68.20	-0.39	61.98	3	Horizontal	59	1.80	-	33.84	5.17	33.18
PK	5.4936G	110.79	Inf	-Inf	104.89	3	Horizontal	59	1.80	-	33.89	5.19	33.18
AV	5.5072G	101.40	Inf	-Inf	95.44	3	Horizontal	59	1.80	-	33.93	5.21	33.18

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0028G	54.67	74.00	-19.33	41.39	3	Vertical	95	1.52	-	39.49	8.30	34.51
AV	10.9912G	41.62	54.00	-12.38	28.33	3	Vertical	95	1.52	-	39.50	8.29	34.50
PK	16.50356G	58.66	68.20	-9.54	44.65	3	Vertical	276	1.81	-	39.81	9.28	35.08



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_X\_1TX  
Setting 18.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00532G	54.86	74.00	-19.14	41.58	3	Horizontal	93	2.17	-	39.49	8.30	34.51
AV	11.0034G	41.74	54.00	-12.26	28.46	3	Horizontal	93	2.17	-	39.49	8.30	34.51
PK	16.49124G	58.27	68.20	-9.93	44.32	3	Horizontal	110	1.54	-	39.76	9.27	35.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	57.63	74.00	-16.37	51.84	3	Vertical	18	1.82	-	33.81	5.16	33.18
AV	5.4584G	45.33	54.00	-8.67	39.53	3	Vertical	18	1.82	-	33.82	5.16	33.18
PK	5.4608G	58.43	68.20	-9.77	52.63	3	Vertical	18	1.82	-	33.82	5.16	33.18
PK	5.5872G	106.80	Inf	-Inf	100.69	3	Vertical	18	1.82	-	34.03	5.29	33.21
AV	5.5872G	95.57	Inf	-Inf	89.46	3	Vertical	18	1.82	-	34.03	5.29	33.21
PK	5.7376G	58.42	68.20	-9.78	52.05	3	Vertical	18	1.82	-	34.35	5.30	33.28

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	63.11	74.00	-10.89	57.32	3	Horizontal	57	2.95	-	33.81	5.16	33.18
AV	5.4592G	47.72	54.00	-6.28	41.92	3	Horizontal	57	2.95	-	33.82	5.16	33.18
PK	5.468G	65.78	68.20	-2.42	59.95	3	Horizontal	57	2.95	-	33.84	5.17	33.18
PK	5.588G	117.79	Inf	-Inf	111.70	3	Horizontal	57	2.95	-	34.02	5.29	33.22
AV	5.5728G	107.23	Inf	-Inf	101.12	3	Horizontal	57	2.95	-	34.05	5.27	33.21
PK	5.7304G	60.41	68.20	-7.79	54.06	3	Horizontal	57	2.95	-	34.32	5.30	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16568G	54.11	74.00	-19.89	40.98	3	Vertical	233	2.63	-	39.30	8.42	34.59
AV	11.16868G	41.36	54.00	-12.64	28.23	3	Vertical	233	2.63	-	39.30	8.42	34.59
PK	16.73112G	59.18	68.20	-9.02	44.76	3	Vertical	84	1.54	-	40.03	9.36	34.97

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15004G	54.82	74.00	-19.18	41.70	3	Horizontal	39	1.27	-	39.30	8.41	34.59
AV	11.1578G	41.40	54.00	-12.60	28.28	3	Horizontal	39	1.27	-	39.30	8.41	34.59
PK	16.73632G	59.01	68.20	-9.19	44.58	3	Horizontal	317	2.41	-	40.04	9.36	34.97

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7066G	99.36	Inf	-Inf	93.09	3	Vertical	10	1.93	-	34.23	5.30	33.26
AV	5.7072G	90.43	Inf	-Inf	84.16	3	Vertical	10	1.93	-	34.23	5.30	33.26
PK	5.7318G	58.95	68.20	-9.25	52.59	3	Vertical	10	1.93	-	34.33	5.30	33.27

802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	110.30	Inf	-Inf	104.03	3	Horizontal	59	2.88	-	34.23	5.30	33.26
AV	5.7072G	101.17	Inf	-Inf	94.90	3	Horizontal	59	2.88	-	34.23	5.30	33.26
PK	5.7258G	66.09	68.20	-2.11	59.76	3	Horizontal	59	2.88	-	34.30	5.30	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39336G	54.90	74.00	-19.10	41.63	3	Vertical	314	1.95	-	39.40	8.58	34.71
AV	11.40408G	41.86	54.00	-12.14	28.59	3	Vertical	314	1.95	-	39.40	8.58	34.71
PK	17.1058G	60.02	68.20	-8.18	44.29	3	Vertical	9	1.58	-	41.01	9.49	34.77



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39436G	54.31	74.00	-19.69	41.04	3	Horizontal	138	1.08	-	39.40	8.58	34.71
AV	11.39136G	41.79	54.00	-12.21	28.53	3	Horizontal	138	1.08	-	39.40	8.57	34.71
PK	17.09132G	59.38	68.20	-8.82	43.71	3	Horizontal	138	1.79	-	40.97	9.48	34.78

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	108.60	Inf	-Inf	102.26	3	Vertical	14	1.91	-	34.31	5.30	33.27
AV	5.7272G	97.71	Inf	-Inf	91.37	3	Vertical	14	1.91	-	34.31	5.30	33.27
PK	5.8872G	58.71	68.20	-9.49	51.83	3	Vertical	14	1.91	-	34.87	5.34	33.33

802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
 Setting 25  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	118.64	Inf	-Inf	112.30	3	Horizontal	58	2.95	-	34.31	5.30	33.27
AV	5.7272G	107.45	Inf	-Inf	101.11	3	Horizontal	58	2.95	-	34.31	5.30	33.27
PK	5.85G	63.97	68.20	-4.23	57.16	3	Horizontal	58	2.95	-	34.80	5.33	33.32

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43472G	54.88	74.00	-19.12	41.64	3	Vertical	163	2.58	-	39.37	8.60	34.73
AV	11.44272G	41.82	54.00	-12.18	28.58	3	Vertical	163	2.58	-	39.36	8.61	34.73
PK	17.16448G	59.99	68.20	-8.21	44.08	3	Vertical	101	2.67	-	41.13	9.51	34.73

802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43388G	54.65	74.00	-19.35	41.41	3	Horizontal	40	2.50	-	39.37	8.60	34.73
AV	11.44424G	41.77	54.00	-12.23	28.53	3	Horizontal	40	2.50	-	39.36	8.61	34.73
PK	17.1626G	59.71	68.20	-8.49	43.80	3	Horizontal	320	1.45	-	41.13	9.51	34.73

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.69	68.20	-8.51	53.37	3	Vertical	15	2.00	-	34.26	5.30	33.24
PK	5.752G	108.78	Inf	-Inf	102.36	3	Vertical	15	2.00	-	34.40	5.30	33.28
AV	5.752G	97.57	Inf	-Inf	91.15	3	Vertical	15	2.00	-	34.40	5.30	33.28
PK	5.976G	58.51	68.20	-9.69	51.19	3	Vertical	15	2.00	-	35.30	5.39	33.37

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.46	68.20	-1.74	60.13	3	Horizontal	62	2.95	-	34.27	5.30	33.24
PK	5.753G	117.82	Inf	-Inf	111.39	3	Horizontal	62	2.95	-	34.41	5.30	33.28
AV	5.738G	107.22	Inf	-Inf	100.85	3	Horizontal	62	2.95	-	34.35	5.30	33.28
PK	5.986G	59.74	68.20	-8.46	52.38	3	Horizontal	62	2.95	-	35.34	5.39	33.37

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TnomVnom




EUT\_X\_1TX  
 Setting 25  
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48252G	55.23	74.00	-18.77	42.02	3	Vertical	246	2.41	-	39.32	8.64	34.75
AV	11.48G	41.73	54.00	-12.27	28.52	3	Vertical	246	2.41	-	39.32	8.64	34.75
PK	17.23728G	60.60	68.20	-7.60	44.35	3	Vertical	300	1.26	-	41.39	9.53	34.67



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49284G	54.77	74.00	-19.23	41.58	3	Horizontal	327	1.52	-	39.31	8.64	34.76
AV	11.49884G	41.88	54.00	-12.12	28.69	3	Horizontal	327	1.52	-	39.30	8.65	34.76
PK	17.22632G	61.26	68.20	-6.94	45.08	3	Horizontal	131	1.30	-	41.33	9.53	34.68

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.542G	58.11	68.20	-10.09	52.00	3	Vertical	15	1.99	-	34.07	5.24	33.20
PK	5.778G	108.20	Inf	-Inf	101.73	3	Vertical	15	1.99	-	34.46	5.30	33.29
AV	5.778G	98.05	Inf	-Inf	91.58	3	Vertical	15	1.99	-	34.46	5.30	33.29
PK	6.017G	59.18	68.20	-9.02	51.73	3	Vertical	15	1.99	-	35.40	5.42	33.37

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	63.02	68.20	-5.18	56.69	3	Horizontal	61	2.90	-	34.27	5.30	33.24
PK	5.791G	118.81	Inf	-Inf	112.33	3	Horizontal	61	2.90	-	34.48	5.30	33.30
AV	5.792G	107.70	Inf	-Inf	101.22	3	Horizontal	61	2.90	-	34.48	5.30	33.30
PK	5.923G	64.86	69.68	-4.82	57.81	3	Horizontal	61	2.90	-	35.04	5.36	33.35

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57536G	55.93	74.00	-18.07	42.72	3	Vertical	23	1.94	-	39.30	8.70	34.79
AV	11.57056G	41.84	54.00	-12.16	28.63	3	Vertical	23	1.94	-	39.30	8.70	34.79
PK	17.35704G	62.61	68.20	-5.59	45.76	3	Vertical	51	2.86	-	41.87	9.57	34.59

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56468G	54.67	74.00	-19.33	41.45	3	Horizontal	243	1.61	-	39.30	8.70	34.78
AV	11.56792G	42.00	54.00	-12.00	28.79	3	Horizontal	243	1.61	-	39.30	8.70	34.79
PK	17.35328G	62.49	68.20	-5.71	45.65	3	Horizontal	239	2.16	-	41.86	9.57	34.59

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	58.07	68.20	-10.13	51.98	3	Vertical	14	1.99	-	34.01	5.30	33.22
PK	5.818G	108.51	Inf	-Inf	101.90	3	Vertical	14	1.99	-	34.61	5.31	33.31
AV	5.818G	97.97	Inf	-Inf	91.36	3	Vertical	14	1.99	-	34.61	5.31	33.31
PK	5.929G	60.18	68.20	-8.02	53.10	3	Vertical	14	1.99	-	35.07	5.36	33.35

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.90	68.20	-10.30	51.61	3	Horizontal	60	2.86	-	34.22	5.30	33.23
PK	5.832G	118.99	Inf	-Inf	112.29	3	Horizontal	60	2.86	-	34.69	5.32	33.31
AV	5.818G	107.61	Inf	-Inf	101.00	3	Horizontal	60	2.86	-	34.61	5.31	33.31
PK	5.942G	66.97	68.20	-1.23	59.81	3	Horizontal	60	2.86	-	35.15	5.37	33.36

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64348G	54.57	74.00	-19.43	41.37	3	Vertical	218	2.86	-	39.26	8.75	34.81
AV	11.6482G	41.81	54.00	-12.19	28.63	3	Vertical	218	2.86	-	39.25	8.75	34.82
PK	17.46944G	61.98	68.20	-6.22	44.80	3	Vertical	169	1.14	-	42.07	9.61	34.50



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64952G	54.71	74.00	-19.29	41.53	3	Horizontal	269	2.76	-	39.25	8.75	34.82
AV	11.65136G	41.92	54.00	-12.08	28.73	3	Horizontal	269	2.76	-	39.25	8.76	34.82
PK	17.46516G	62.15	68.20	-6.05	44.98	3	Horizontal	150	2.02	-	42.07	9.61	34.51

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	59.27	74.00	-14.73	54.49	3	Vertical	31	1.20	-	32.90	5.05	33.17
AV	5.1498G	45.91	54.00	-8.09	41.13	3	Vertical	31	1.20	-	32.90	5.05	33.17
PK	5.1752G	102.31	Inf	-Inf	97.45	3	Vertical	31	1.20	-	32.95	5.08	33.17
AV	5.1884G	89.76	Inf	-Inf	84.86	3	Vertical	31	1.20	-	32.98	5.09	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	68.14	74.00	-5.86	63.36	3	Horizontal	64	1.82	-	32.90	5.05	33.17
AV	5.15G	52.77	54.00	-1.23	47.99	3	Horizontal	64	1.82	-	32.90	5.05	33.17
PK	5.1724G	112.70	Inf	-Inf	107.86	3	Horizontal	64	1.82	-	32.94	5.07	33.17
AV	5.1712G	99.95	Inf	-Inf	95.11	3	Horizontal	64	1.82	-	32.94	5.07	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36428G	53.64	68.20	-14.56	40.82	3	Vertical	323	1.35	-	38.96	7.85	33.99
PK	15.5494G	57.62	74.00	-16.38	44.96	3	Vertical	61	1.19	-	38.80	8.99	35.13
AV	15.54676G	43.84	54.00	-10.16	31.17	3	Vertical	61	1.19	-	38.81	8.99	35.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36192G	53.80	68.20	-14.40	40.97	3	Horizontal	5	1.88	-	38.96	7.85	33.98
PK	15.54656G	57.44	74.00	-16.56	44.77	3	Horizontal	309	2.20	-	38.81	8.99	35.13
AV	15.54588G	43.90	54.00	-10.10	31.22	3	Horizontal	309	2.20	-	38.82	8.99	35.13

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TnomVnom



EUT\_X\_1TX  
Setting 21  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	58.49	74.00	-15.51	53.70	3	Vertical	28	1.21	-	32.92	5.04	33.17
AV	5.15G	46.14	54.00	-7.86	41.36	3	Vertical	28	1.21	-	32.90	5.05	33.17
PK	5.1932G	106.32	Inf	-Inf	101.41	3	Vertical	28	1.21	-	32.99	5.09	33.17
AV	5.1912G	93.64	Inf	-Inf	88.74	3	Vertical	28	1.21	-	32.98	5.09	33.17

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5200MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 21  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.26	74.00	-4.74	64.48	3	Horizontal	59	1.88	-	32.90	5.05	33.17
AV	5.1496G	53.09	54.00	-0.91	48.31	3	Horizontal	59	1.88	-	32.90	5.05	33.17
PK	5.2084G	115.92	Inf	-Inf	110.99	3	Horizontal	59	1.88	-	33.00	5.10	33.17
AV	5.2076G	103.45	Inf	-Inf	98.52	3	Horizontal	59	1.88	-	33.00	5.10	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TnomVnom




EUT\_X\_1TX  
Setting 21  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39516G	53.57	68.20	-14.63	40.71	3	Vertical	269	1.87	-	39.00	7.88	34.02
PK	15.60068G	57.12	74.00	-16.88	44.66	3	Vertical	73	1.35	-	38.60	9.00	35.14
AV	15.59808G	43.47	54.00	-10.53	31.00	3	Vertical	73	1.35	-	38.61	9.00	35.14




**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5200MHz\_TnomVnom**



EUT\_X\_1TX  
 Setting 21  
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4006G	54.44	68.20	-13.76	41.58	3	Horizontal	269	2.56	-	39.00	7.88	34.02
PK	15.5938G	56.69	74.00	-17.31	44.21	3	Horizontal	224	1.03	-	38.62	9.00	35.14
AV	15.6024G	43.52	54.00	-10.48	31.07	3	Horizontal	224	1.03	-	38.59	9.00	35.14


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5240MHz\_TnomVnom**



EUT\_X\_1TX  
 Setting 24  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	60.53	74.00	-13.47	55.74	3	Vertical	28	1.01	-	32.91	5.05	33.17
AV	5.15G	46.68	54.00	-7.32	41.90	3	Vertical	28	1.01	-	32.90	5.05	33.17
PK	5.2328G	107.35	Inf	-Inf	102.42	3	Vertical	28	1.01	-	33.00	5.10	33.17
AV	5.2316G	95.69	Inf	-Inf	90.76	3	Vertical	28	1.01	-	33.00	5.10	33.17
PK	5.351G	59.49	74.00	-14.51	54.45	3	Vertical	28	1.01	-	33.11	5.10	33.17
AV	5.351G	45.01	54.00	-8.99	39.97	3	Vertical	28	1.01	-	33.11	5.10	33.17

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5240MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 24  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.81	74.00	-6.19	63.03	3	Horizontal	60	2.01	-	32.90	5.05	33.17
AV	5.15G	52.96	54.00	-1.04	48.18	3	Horizontal	60	2.01	-	32.90	5.05	33.17
PK	5.2322G	118.23	Inf	-Inf	113.30	3	Horizontal	60	2.01	-	33.00	5.10	33.17
AV	5.231G	106.02	Inf	-Inf	101.09	3	Horizontal	60	2.01	-	33.00	5.10	33.17
PK	5.351G	65.52	74.00	-8.48	60.48	3	Horizontal	60	2.01	-	33.11	5.10	33.17
AV	5.35G	48.17	54.00	-5.83	43.14	3	Horizontal	60	2.01	-	33.10	5.10	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT\_X\_1TX  
Setting 24  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4882G	53.48	68.20	-14.72	40.47	3	Vertical	325	1.79	-	39.18	7.94	34.11
PK	15.72124G	56.57	74.00	-17.43	44.30	3	Vertical	319	1.47	-	38.38	9.03	35.14
AV	15.72728G	43.35	54.00	-10.65	31.05	3	Vertical	319	1.47	-	38.41	9.03	35.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT\_X\_1TX  
Setting 24  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4728G	53.91	68.20	-14.29	40.92	3	Horizontal	342	2.52	-	39.15	7.93	34.09
PK	15.72444G	57.43	74.00	-16.57	45.14	3	Horizontal	258	2.23	-	38.40	9.03	35.14
AV	15.72988G	43.35	54.00	-10.65	31.04	3	Horizontal	258	2.23	-	38.42	9.03	35.14

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TnomVnom



EUT\_X\_1TX  
Setting 24  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.77	74.00	-17.23	51.99	3	Vertical	32	1.08	-	32.90	5.05	33.17
AV	5.15G	44.40	54.00	-9.60	39.62	3	Vertical	32	1.08	-	32.90	5.05	33.17
PK	5.2516G	109.27	Inf	-Inf	104.34	3	Vertical	32	1.08	-	33.00	5.10	33.17
AV	5.2684G	95.89	Inf	-Inf	90.92	3	Vertical	32	1.08	-	33.04	5.10	33.17
PK	5.3524G	59.11	74.00	-14.89	54.07	3	Vertical	32	1.08	-	33.11	5.10	33.17
AV	5.3506G	46.13	54.00	-7.87	41.10	3	Vertical	32	1.08	-	33.10	5.10	33.17

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5260MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 24  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.35	74.00	-10.65	58.57	3	Horizontal	57	1.99	-	32.90	5.05	33.17
AV	5.15G	48.21	54.00	-5.79	43.43	3	Horizontal	57	1.99	-	32.90	5.05	33.17
PK	5.2666G	117.41	Inf	-Inf	112.45	3	Horizontal	57	1.99	-	33.03	5.10	33.17
AV	5.2684G	105.83	Inf	-Inf	100.86	3	Horizontal	57	1.99	-	33.04	5.10	33.17
PK	5.3506G	69.61	74.00	-4.39	64.58	3	Horizontal	57	1.99	-	33.10	5.10	33.17
AV	5.35G	52.63	54.00	-1.37	47.60	3	Horizontal	57	1.99	-	33.10	5.10	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 24  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.517G	54.55	68.20	-13.65	41.52	3	Vertical	163	1.45	-	39.20	7.96	34.13
PK	15.78128G	57.25	74.00	-16.75	44.72	3	Vertical	245	2.06	-	38.63	9.05	35.15
AV	15.77176G	43.79	54.00	-10.21	31.31	3	Vertical	245	2.06	-	38.59	9.04	35.15



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_X\_1TX  
Setting 24  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52568G	56.10	68.20	-12.10	43.07	3	Horizontal	82	1.28	-	39.20	7.97	34.14
PK	15.7896G	57.44	74.00	-16.56	44.88	3	Horizontal	62	2.10	-	38.66	9.05	35.15
AV	15.77268G	43.87	54.00	-10.13	31.39	3	Horizontal	62	2.10	-	38.59	9.04	35.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 21  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	106.78	Inf	-Inf	101.77	3	Vertical	28	1.07	-	33.08	5.10	33.17
AV	5.2916G	93.84	Inf	-Inf	88.83	3	Vertical	28	1.07	-	33.08	5.10	33.17
PK	5.3504G	60.36	74.00	-13.64	55.33	3	Vertical	28	1.07	-	33.10	5.10	33.17
AV	5.3508G	46.21	54.00	-7.79	41.18	3	Vertical	28	1.07	-	33.10	5.10	33.17

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TnomVnom




EUT\_X\_1TX  
 Setting 21  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	115.92	Inf	-Inf	110.89	3	Horizontal	59	1.80	-	33.10	5.10	33.17
AV	5.3084G	103.40	Inf	-Inf	98.37	3	Horizontal	59	1.80	-	33.10	5.10	33.17
PK	5.3508G	68.12	74.00	-5.88	63.09	3	Horizontal	59	1.80	-	33.10	5.10	33.17
AV	5.35G	52.45	54.00	-1.55	47.42	3	Horizontal	59	1.80	-	33.10	5.10	33.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 21  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6088G	54.03	74.00	-19.97	40.97	3	Vertical	75	2.95	-	39.23	8.03	34.20
AV	10.60992G	40.84	54.00	-13.16	27.79	3	Vertical	75	2.95	-	39.23	8.03	34.21
PK	15.89536G	57.60	74.00	-16.40	44.79	3	Vertical	238	1.52	-	38.89	9.07	35.15
AV	15.89368G	43.86	54.00	-10.14	31.05	3	Vertical	238	1.52	-	38.89	9.07	35.15

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT\_X\_1TX  
Setting 21  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60088G	54.44	74.00	-19.56	41.42	3	Horizontal	37	2.64	-	39.20	8.02	34.20
AV	10.60864G	40.83	54.00	-13.17	27.77	3	Horizontal	37	2.64	-	39.23	8.03	34.20
PK	15.89224G	57.41	74.00	-16.59	44.61	3	Horizontal	338	1.19	-	38.88	9.07	35.15
AV	15.89172G	43.95	54.00	-10.05	31.15	3	Horizontal	338	1.19	-	38.88	9.07	35.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	103.69	Inf	-Inf	98.66	3	Vertical	30	1.04	-	33.10	5.10	33.17
AV	5.3116G	91.42	Inf	-Inf	86.39	3	Vertical	30	1.04	-	33.10	5.10	33.17
PK	5.3522G	63.01	74.00	-10.99	57.97	3	Vertical	30	1.04	-	33.11	5.10	33.17
AV	5.35G	47.21	54.00	-6.79	42.18	3	Vertical	30	1.04	-	33.10	5.10	33.17

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TnomVnom




EUT\_X\_1TX  
 Setting 17.5  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	113.54	Inf	-Inf	108.51	3	Horizontal	58	1.79	-	33.10	5.10	33.17
AV	5.3116G	100.95	Inf	-Inf	95.92	3	Horizontal	58	1.79	-	33.10	5.10	33.17
PK	5.3542G	69.94	74.00	-4.06	64.88	3	Horizontal	58	1.79	-	33.13	5.10	33.17
AV	5.35G	53.93	54.00	-0.07	48.90	3	Horizontal	58	1.79	-	33.10	5.10	33.17

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TnomVnom




EUT\_X\_1TX  
Setting 17.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6306G	54.22	74.00	-19.78	41.11	3	Vertical	105	2.35	-	39.29	8.04	34.22
AV	10.63116G	40.93	54.00	-13.07	27.82	3	Vertical	105	2.35	-	39.29	8.04	34.22
PK	15.96088G	56.77	74.00	-17.23	44.06	3	Vertical	333	1.59	-	38.78	9.09	35.16
AV	15.95668G	43.43	54.00	-10.57	30.71	3	Vertical	333	1.59	-	38.79	9.09	35.16



802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TnomVnom



EUT\_X\_1TX  
Setting 17.5  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64636G	54.22	74.00	-19.78	41.06	3	Horizontal	143	1.34	-	39.34	8.05	34.23
AV	10.6362G	40.83	54.00	-13.17	27.70	3	Horizontal	143	1.34	-	39.31	8.05	34.23
PK	15.96832G	56.91	74.00	-17.09	44.22	3	Horizontal	260	1.05	-	38.76	9.09	35.16
AV	15.9522G	43.46	54.00	-10.54	30.73	3	Horizontal	260	1.05	-	38.80	9.09	35.16


**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5500MHz\_TnomVnom**



EUT\_X\_1TX  
 Setting 17.5  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.16	74.00	-15.84	52.38	3	Vertical	29	1.29	-	33.81	5.15	33.18
AV	5.4582G	44.82	54.00	-9.18	39.02	3	Vertical	29	1.29	-	33.82	5.16	33.18
PK	5.4662G	58.48	68.20	-9.72	52.66	3	Vertical	29	1.29	-	33.83	5.17	33.18
PK	5.4952G	102.83	Inf	-Inf	96.92	3	Vertical	29	1.29	-	33.89	5.20	33.18
AV	5.4912G	90.46	Inf	-Inf	84.57	3	Vertical	29	1.29	-	33.88	5.19	33.18

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5500MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 17.5  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	58.64	74.00	-15.36	52.86	3	Horizontal	59	1.80	-	33.81	5.15	33.18
AV	5.4596G	46.17	54.00	-7.83	40.37	3	Horizontal	59	1.80	-	33.82	5.16	33.18
PK	5.469G	66.48	68.20	-1.72	60.65	3	Horizontal	59	1.80	-	33.84	5.17	33.18
PK	5.5076G	113.75	Inf	-Inf	107.79	3	Horizontal	59	1.80	-	33.93	5.21	33.18
AV	5.4918G	100.46	Inf	-Inf	94.57	3	Horizontal	59	1.80	-	33.88	5.19	33.18

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX


### 5500MHz\_TnomVnom



EUT X\_1TX  
Setting 17.5  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00232G	53.80	74.00	-20.20	40.51	3	Vertical	315	1.12	-	39.50	8.30	34.51
AV	11.01472G	40.85	54.00	-13.15	27.59	3	Vertical	315	1.12	-	39.47	8.31	34.52

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5500MHz\_TnomVnom**




EUT X\_1TX  
 Setting 17.5  
 04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0072G	54.80	74.00	-19.20	41.51	3	Horizontal	87	2.13	-	39.49	8.31	34.51
AV	11.01832G	40.81	54.00	-13.19	27.56	3	Horizontal	87	2.13	-	39.46	8.31	34.52

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.02	74.00	-16.98	51.22	3	Vertical	0	3.00	-	33.82	5.16	33.18
AV	5.4544G	44.84	54.00	-9.16	39.06	3	Vertical	0	3.00	-	33.81	5.15	33.18
PK	5.4616G	56.26	68.20	-11.94	50.46	3	Vertical	0	3.00	-	33.82	5.16	33.18
PK	5.5728G	107.68	Inf	-Inf	101.57	3	Vertical	0	3.00	-	34.05	5.27	33.21
AV	5.5728G	95.70	Inf	-Inf	89.59	3	Vertical	0	3.00	-	34.05	5.27	33.21
PK	5.7592G	58.68	68.20	-9.52	52.24	3	Vertical	0	3.00	-	34.42	5.30	33.28

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	65.50	74.00	-8.50	59.72	3	Horizontal	62	2.98	-	33.81	5.15	33.18
AV	5.4592G	50.01	54.00	-3.99	44.21	3	Horizontal	62	2.98	-	33.82	5.16	33.18
PK	5.468G	65.03	68.20	-3.17	59.20	3	Horizontal	62	2.98	-	33.84	5.17	33.18
PK	5.5784G	118.12	Inf	-Inf	112.01	3	Horizontal	62	2.98	-	34.04	5.28	33.21
AV	5.5712G	106.52	Inf	-Inf	100.40	3	Horizontal	62	2.98	-	34.06	5.27	33.21
PK	5.732G	64.34	68.20	-3.86	57.98	3	Horizontal	62	2.98	-	34.33	5.30	33.27

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TnomVnom




EUT X\_1TX  
 Setting 25  
 04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16114G	54.23	74.00	-19.77	41.11	3	Vertical	316	1.77	-	39.30	8.41	34.59
AV	11.1562G	40.31	54.00	-13.69	27.19	3	Vertical	316	1.77	-	39.30	8.41	34.59



802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TnomVnom




EUT X\_1TX  
Setting 25  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1566G	53.74	74.00	-20.26	40.62	3	Horizontal	236	1.26	-	39.30	8.41	34.59
AV	11.1591G	40.35	54.00	-13.65	27.23	3	Horizontal	236	1.26	-	39.30	8.41	34.59

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TnomVnom




EUT\_X\_1TX  
 Setting 16.5  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	101.07	Inf	-Inf	94.80	3	Vertical	0	3.00	-	34.23	5.30	33.26
AV	5.7084G	88.74	Inf	-Inf	82.47	3	Vertical	0	3.00	-	34.23	5.30	33.26
PK	5.7256G	59.24	68.20	-8.96	52.91	3	Vertical	0	3.00	-	34.30	5.30	33.27

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 16.5  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.12	Inf	-Inf	106.86	3	Horizontal	59	2.90	-	34.22	5.30	33.26
AV	5.7086G	99.99	Inf	-Inf	93.72	3	Horizontal	59	2.90	-	34.23	5.30	33.26
PK	5.7264G	67.56	68.20	-0.64	61.22	3	Horizontal	59	2.90	-	34.31	5.30	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 16.5  
04-D-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40222G	54.41	74.00	-19.59	41.14	3	Vertical	203	1.84	-	39.40	8.58	34.71
AV	11.39502G	40.78	54.00	-13.22	27.51	3	Vertical	203	1.84	-	39.40	8.58	34.71

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TnomVnom




EUT\_X\_1TX  
Setting 16.5  
04-D-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4029G	55.12	74.00	-18.88	41.85	3	Horizontal	271	1.33	-	39.40	8.58	34.71
AV	11.40364G	40.78	54.00	-13.22	27.51	3	Horizontal	271	1.33	-	39.40	8.58	34.71

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
Setting 25  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	107.18	Inf	-Inf	100.86	3	Vertical	20	1.80	-	34.29	5.30	33.27
AV	5.7288G	95.81	Inf	-Inf	89.46	3	Vertical	20	1.80	-	34.32	5.30	33.27
PK	5.8568G	58.79	68.20	-9.41	51.97	3	Vertical	20	1.80	-	34.81	5.33	33.32

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_1TX  
 Setting 25  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	118.40	Inf	-Inf	112.06	3	Horizontal	62	2.95	-	34.31	5.30	33.27
AV	5.7288G	106.24	Inf	-Inf	99.89	3	Horizontal	62	2.95	-	34.32	5.30	33.27
PK	5.8576G	64.56	68.20	-3.64	57.73	3	Horizontal	62	2.95	-	34.82	5.33	33.32

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz\_TnomVnom




EUT X\_1TX  
Setting 25  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44256G	54.23	74.00	-19.77	40.99	3	Vertical	58	2.05	-	39.36	8.61	34.73
AV	11.44484G	40.70	54.00	-13.30	27.46	3	Vertical	58	2.05	-	39.36	8.61	34.73



802.11ax HEW20\_Nss1,(MCS0)\_1TX


5720MHz\_TnomVnom



EUT X\_1TX  
Setting 25  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44482G	54.50	74.00	-19.50	41.26	3	Horizontal	108	2.26	-	39.36	8.61	34.73
AV	11.44232G	40.69	54.00	-13.31	27.45	3	Horizontal	108	2.26	-	39.36	8.61	34.73

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5745MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 23.5  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6506G	59.21	68.64	-9.43	52.85	3	Vertical	15	1.99	-	34.30	5.30	33.24
PK	5.7378G	107.97	Inf	-Inf	101.60	3	Vertical	15	1.99	-	34.35	5.30	33.28
AV	5.753G	95.96	Inf	-Inf	89.53	3	Vertical	15	1.99	-	34.41	5.30	33.28
PK	5.9258G	57.59	68.20	-10.61	50.53	3	Vertical	15	1.99	-	35.05	5.36	33.35

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TnomVnom



EUT\_X\_1TX  
Setting 23.5  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6474G	66.48	68.20	-1.72	60.14	3	Horizontal	59	2.86	-	34.28	5.30	33.24
PK	5.749G	117.58	Inf	-Inf	111.16	3	Horizontal	59	2.86	-	34.40	5.30	33.28
AV	5.753G	105.40	Inf	-Inf	98.97	3	Horizontal	59	2.86	-	34.41	5.30	33.28
PK	5.9306G	57.74	68.20	-10.46	50.64	3	Horizontal	59	2.86	-	35.08	5.37	33.35

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5745MHz\_TnomVnom**




EUT X\_1TX  
 Setting 23.5  
 04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49278G	54.37	74.00	-19.63	41.18	3	Vertical	258	2.01	-	39.31	8.64	34.76
AV	11.49452G	40.67	54.00	-13.33	27.47	3	Vertical	258	2.01	-	39.31	8.65	34.76

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TnomVnom




EUT X\_1TX  
Setting 23.5  
04-D-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4893G	55.33	74.00	-18.67	42.13	3	Horizontal	38	1.41	-	39.31	8.64	34.75
AV	11.48574G	40.67	54.00	-13.33	27.47	3	Horizontal	38	1.41	-	39.31	8.64	34.75

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5785MHz\_TnomVnom



EUT\_X\_1TX  
Setting 25  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	58.43	68.20	-9.77	52.22	3	Vertical	14	1.99	-	34.14	5.30	33.23
PK	5.776G	108.90	Inf	-Inf	102.44	3	Vertical	14	1.99	-	34.45	5.30	33.29
AV	5.776G	96.95	Inf	-Inf	90.49	3	Vertical	14	1.99	-	34.45	5.30	33.29
PK	5.945G	58.75	68.20	-9.45	51.57	3	Vertical	14	1.99	-	35.17	5.37	33.36

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5785MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 25  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.80	68.20	-4.40	57.44	3	Horizontal	55	2.89	-	34.30	5.30	33.24
PK	5.787G	118.34	Inf	-Inf	111.86	3	Horizontal	55	2.89	-	34.47	5.30	33.29
AV	5.794G	106.66	Inf	-Inf	100.17	3	Horizontal	55	2.89	-	34.49	5.30	33.30
PK	5.934G	64.22	68.20	-3.98	57.10	3	Horizontal	55	2.89	-	35.10	5.37	33.35

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TnomVnom




EUT X\_1TX  
 Setting 25  
 04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5734G	54.35	74.00	-19.65	41.14	3	Vertical	292	1.07	-	39.30	8.70	34.79
AV	11.56932G	41.02	54.00	-12.98	27.81	3	Vertical	292	1.07	-	39.30	8.70	34.79



802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TnomVnom




EUT X\_1TX  
Setting 25  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57146G	54.99	74.00	-19.01	41.78	3	Horizontal	324	1.71	-	39.30	8.70	34.79
AV	11.56798G	41.06	54.00	-12.94	27.85	3	Horizontal	324	1.71	-	39.30	8.70	34.79

802.11ax HEW20\_Nss1,(MCS0)\_1TX


5825MHz\_TnomVnom



EUT\_X\_1TX  
Setting 24.5  
04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	57.80	68.20	-10.40	51.47	3	Vertical	13	1.99	-	34.27	5.30	33.24
PK	5.818G	108.70	Inf	-Inf	102.09	3	Vertical	13	1.99	-	34.61	5.31	33.31
AV	5.816G	96.83	Inf	-Inf	90.23	3	Vertical	13	1.99	-	34.60	5.31	33.31
PK	5.928G	60.15	68.20	-8.05	53.07	3	Vertical	13	1.99	-	35.07	5.36	33.35

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5825MHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 24.5  
 04-D-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.62	68.20	-8.58	53.26	3	Horizontal	53	2.86	-	34.30	5.30	33.24
PK	5.826G	119.24	Inf	-Inf	112.58	3	Horizontal	53	2.86	-	34.66	5.31	33.31
AV	5.834G	106.52	Inf	-Inf	99.81	3	Horizontal	53	2.86	-	34.70	5.32	33.31
PK	5.949G	67.33	68.20	-0.87	60.13	3	Horizontal	53	2.86	-	35.19	5.37	33.36

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TnomVnom




EUT X\_1TX  
Setting 24.5  
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65086G	54.66	74.00	-19.34	41.47	3	Vertical	51	2.25	-	39.25	8.76	34.82
AV	11.64986G	41.03	54.00	-12.97	27.85	3	Vertical	51	2.25	-	39.25	8.75	34.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TnomVnom



EUT X\_1TX  
Setting 24.5  
04-D-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6478G	54.55	74.00	-19.45	41.37	3	Horizontal	102	2.36	-	39.25	8.75	34.82
AV	11.65366G	40.99	54.00	-13.01	27.80	3	Horizontal	102	2.36	-	39.25	8.76	34.82



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.98821G	24.57	54.00	-29.43	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.98947G	32.33	74.00	-41.67	-3.23	3	Vertical	131	1.00	-	35.56	28.39	3.09	34.71
AV	1.98554G	24.33	54.00	-29.67	-3.32	3	Vertical	131	1.00	-	27.65	28.31	3.09	34.72

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.98821G	35.40	74.00	-38.60	-3.26	3	Horizontal	29	1.00	-	38.66	28.36	3.09	34.71
AV	1.98821G	24.57	54.00	-29.43	-3.26	3	Horizontal	29	1.00	-	27.83	28.36	3.09	34.71