


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08071G	53.05	83.54	-30.49	50.14	1	Horizontal	164	1.79	-	37.53	17.30	51.92
AV	20.08278G	39.82	63.54	-23.72	36.91	1	Horizontal	164	1.79	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7086G	53.69	88.20	-34.51	45.80	3	Vertical	152	1.59	-	40.92	9.60	42.63
AV	13.71988G	42.28	68.20	-25.92	34.37	3	Vertical	152	1.59	-	40.94	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71412G	54.65	88.20	-33.55	46.75	3	Horizontal	281	1.36	-	40.93	9.60	42.63
AV	13.7167G	42.14	68.20	-26.06	34.24	3	Horizontal	281	1.36	-	40.93	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55009G	49.30	83.54	-34.24	46.07	1	Vertical	224	1.75	-	37.74	17.50	52.01
AV	20.56857G	37.37	63.54	-26.17	34.15	1	Vertical	224	1.75	-	37.72	17.51	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56701G	51.56	83.54	-31.98	48.34	1	Horizontal	215	1.75	-	37.72	17.51	52.01
AV	20.56665G	39.74	63.54	-23.80	36.52	1	Horizontal	215	1.75	-	37.72	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 20.5
02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.31	88.20	-10.89	68.00	3	Vertical	305	2.21	-	34.25	6.22	31.16
RMS	5.9248G	66.89	68.20	-1.31	57.58	3	Vertical	305	2.21	-	34.25	6.22	31.16
PK	5.9608G	113.43	Inf	-Inf	104.04	3	Vertical	305	2.21	-	34.30	6.26	31.17
RMS	5.9634G	103.25	Inf	-Inf	93.86	3	Vertical	305	2.21	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 20.5
 02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	69.17	88.20	-19.03	59.85	3	Horizontal	338	3.00	-	34.25	6.22	31.15
RMS	5.925G	57.64	68.20	-10.56	48.33	3	Horizontal	338	3.00	-	34.25	6.22	31.16
PK	5.9696G	105.40	Inf	-Inf	96.01	3	Horizontal	338	3.00	-	34.30	6.27	31.18
RMS	5.9738G	95.50	Inf	-Inf	86.11	3	Horizontal	338	3.00	-	34.30	6.27	31.18

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 20.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93954G	52.33	74.00	-21.67	47.28	3	Vertical	221	2.96	-	39.30	8.98	43.23
AV	11.92232G	40.48	54.00	-13.52	35.44	3	Vertical	221	2.96	-	39.30	8.97	43.23

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 20.5
 02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92764G	52.91	74.00	-21.09	47.87	3	Horizontal	227	1.43	-	39.30	8.97	43.23
AV	11.92222G	40.55	54.00	-13.45	35.51	3	Horizontal	227	1.43	-	39.30	8.97	43.23

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4092G	52.57	74.00	-21.43	47.99	3	Vertical	252	2.05	-	38.60	9.14	43.16
AV	12.41542G	40.49	54.00	-13.51	35.90	3	Vertical	252	2.05	-	38.60	9.15	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41714G	52.71	74.00	-21.29	48.12	3	Horizontal	174	2.43	-	38.60	9.15	43.16
AV	12.41492G	40.46	54.00	-13.54	35.87	3	Horizontal	174	2.43	-	38.60	9.15	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61395G	56.02	83.54	-27.52	52.04	1	Vertical	195	1.80	-	37.70	16.69	50.41
AV	18.61413G	42.86	63.54	-20.68	38.88	1	Vertical	195	1.80	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60471G	55.46	83.54	-28.08	51.47	1	Horizontal	176	1.80	-	37.70	16.69	50.40
AV	18.61587G	43.06	63.54	-20.48	39.09	1	Horizontal	176	1.80	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80678G	52.24	88.20	-35.96	46.89	3	Vertical	283	1.02	-	38.91	9.28	42.84
AV	12.81028G	40.36	68.20	-27.84	35.00	3	Vertical	283	1.02	-	38.92	9.28	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80472G	52.36	88.20	-35.84	47.02	3	Horizontal	41	2.40	-	38.91	9.28	42.85
AV	12.80038G	40.34	68.20	-27.86	35.01	3	Horizontal	41	2.40	-	38.90	9.28	42.85

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22316G	57.38	83.54	-26.16	53.80	1	Vertical	155	1.80	-	37.71	16.94	51.07
AV	19.2237G	44.48	63.54	-19.06	40.90	1	Vertical	155	1.80	-	37.71	16.94	51.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22307G	60.08	83.54	-23.46	56.50	1	Horizontal	230	1.80	-	37.71	16.94	51.07
AV	19.21614G	47.78	63.54	-15.76	44.19	1	Horizontal	230	1.80	-	37.71	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13156G	54.34	88.20	-33.86	47.76	3	Vertical	349	2.79	-	39.86	9.40	42.68
AV	13.1358G	42.34	68.20	-25.86	35.75	3	Vertical	349	2.79	-	39.87	9.40	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13266G	54.91	88.20	-33.29	48.32	3	Horizontal	230	1.74	-	39.87	9.40	42.68
AV	13.13302G	42.34	68.20	-25.86	35.75	3	Horizontal	230	1.74	-	39.87	9.40	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68504G	58.82	83.54	-24.72	55.41	1	Vertical	228	1.78	-	37.87	17.13	51.59
AV	19.6956G	46.47	63.54	-17.07	43.05	1	Vertical	228	1.78	-	37.88	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70556G	60.03	83.54	-23.51	56.62	1	Horizontal	32	1.66	-	37.88	17.14	51.61
AV	19.69449G	47.14	63.54	-16.40	43.72	1	Horizontal	32	1.66	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3742G	53.50	74.00	-20.50	46.30	3	Vertical	182	2.12	-	40.45	9.48	42.73
AV	13.37952G	42.16	54.00	-11.84	34.95	3	Vertical	182	2.12	-	40.46	9.48	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37992G	53.67	74.00	-20.33	46.46	3	Horizontal	111	1.98	-	40.46	9.48	42.73
AV	13.3671G	42.14	54.00	-11.86	34.96	3	Horizontal	111	1.98	-	40.43	9.48	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05509G	49.56	83.54	-33.98	46.67	1	Vertical	6	1.79	-	37.52	17.28	51.91
AV	20.05158G	37.23	63.54	-26.31	34.34	1	Vertical	6	1.79	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0634G	54.89	83.54	-28.65	51.98	1	Horizontal	208	1.80	-	37.53	17.29	51.91
AV	20.05383G	40.70	63.54	-22.84	37.81	1	Horizontal	208	1.80	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68968G	54.47	88.20	-33.73	46.67	3	Vertical	28	1.35	-	40.86	9.59	42.65
AV	13.68254G	42.02	68.20	-26.18	34.25	3	Vertical	28	1.35	-	40.83	9.59	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68702G	54.15	88.20	-34.05	46.36	3	Horizontal	333	2.81	-	40.85	9.59	42.65
AV	13.68088G	42.04	68.20	-26.16	34.28	3	Horizontal	333	2.81	-	40.82	9.59	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52159G	48.73	83.54	-34.81	45.47	1	Vertical	217	1.76	-	37.77	17.49	52.00
AV	20.5302G	36.47	63.54	-27.07	33.23	1	Vertical	217	1.76	-	37.76	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52969G	49.53	83.54	-34.01	46.29	1	Horizontal	204	1.74	-	37.76	17.49	52.01
AV	20.52816G	37.75	63.54	-25.79	34.50	1	Horizontal	204	1.74	-	37.77	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 20.5
02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	77.24	88.20	-10.96	67.95	3	Vertical	299	1.46	-	34.23	6.21	31.15
RMS	5.9246G	67.10	68.20	-1.10	57.79	3	Vertical	299	1.46	-	34.25	6.22	31.16
PK	5.9922G	109.91	Inf	-Inf	100.51	3	Vertical	299	1.46	-	34.30	6.29	31.19
RMS	5.9862G	100.56	Inf	-Inf	91.15	3	Vertical	299	1.46	-	34.30	6.29	31.18

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 20.5
 02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	72.69	88.20	-15.51	63.40	3	Horizontal	348	3.00	-	34.23	6.21	31.15
RMS	5.9218G	59.58	68.20	-8.62	50.27	3	Horizontal	348	3.00	-	34.24	6.22	31.15
PK	6.0022G	105.86	Inf	-Inf	96.44	3	Horizontal	348	3.00	-	34.31	6.30	31.19
RMS	6.0054G	94.41	Inf	-Inf	84.98	3	Horizontal	348	3.00	-	34.32	6.30	31.19

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 20.5
 02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96196G	52.07	74.00	-21.93	47.01	3	Vertical	159	1.58	-	39.30	8.99	43.23
AV	11.97054G	40.42	54.00	-13.58	35.35	3	Vertical	159	1.58	-	39.30	8.99	43.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 20.5
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9677G	52.27	74.00	-21.73	47.21	3	Horizontal	304	1.58	-	39.30	8.99	43.23
AV	11.96334G	40.41	54.00	-13.59	35.35	3	Horizontal	304	1.58	-	39.30	8.99	43.23

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45084G	52.03	74.00	-21.97	47.43	3	Vertical	67	2.04	-	38.60	9.16	43.16
AV	12.44822G	40.22	54.00	-13.78	35.62	3	Vertical	67	2.04	-	38.60	9.16	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44936G	52.77	74.00	-21.23	48.17	3	Horizontal	266	1.96	-	38.60	9.16	43.16
AV	12.44746G	40.29	54.00	-13.71	35.69	3	Horizontal	266	1.96	-	38.60	9.16	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66369G	55.15	83.54	-28.39	51.20	1	Vertical	193	1.81	-	37.70	16.71	50.46
AV	18.67374G	43.37	63.54	-20.17	39.42	1	Vertical	193	1.81	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67374G	57.75	83.54	-25.79	53.80	1	Horizontal	212	1.73	-	37.70	16.72	50.47
AV	18.67545G	45.43	63.54	-18.11	41.49	1	Horizontal	212	1.73	-	37.70	16.72	50.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76838G	52.67	88.20	-35.53	47.51	3	Vertical	117	2.55	-	38.77	9.27	42.88
AV	12.77266G	40.13	68.20	-28.07	34.95	3	Vertical	117	2.55	-	38.79	9.27	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76646G	52.09	88.20	-36.11	46.93	3	Horizontal	21	3.00	-	38.77	9.27	42.88
AV	12.7693G	40.00	68.20	-28.20	34.83	3	Horizontal	21	3.00	-	38.78	9.27	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14486G	57.02	83.54	-26.52	53.34	1	Vertical	155	1.80	-	37.74	16.91	50.97
AV	19.15332G	44.91	63.54	-18.63	41.24	1	Vertical	155	1.80	-	37.74	16.91	50.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15533G	58.71	83.54	-24.83	55.05	1	Horizontal	232	1.82	-	37.74	16.91	50.99
AV	19.15548G	46.24	63.54	-17.30	42.58	1	Horizontal	232	1.82	-	37.74	16.91	50.99

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25274G	54.66	74.00	-19.34	47.62	3	Vertical	149	1.83	-	40.31	9.44	42.71
AV	13.25966G	42.31	54.00	-11.69	35.26	3	Vertical	149	1.83	-	40.32	9.44	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25876G	54.62	74.00	-19.38	47.57	3	Horizontal	130	2.08	-	40.32	9.44	42.71
AV	13.25824G	42.36	54.00	-11.64	35.31	3	Horizontal	130	2.08	-	40.32	9.44	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86771G	55.05	83.54	-28.49	51.90	1	Vertical	192	1.78	-	37.71	17.21	51.77
AV	19.8669G	43.60	63.54	-19.94	40.45	1	Vertical	192	1.78	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87542G	58.60	83.54	-24.94	55.47	1	Horizontal	205	1.80	-	37.70	17.21	51.78
AV	19.87647G	46.42	63.54	-17.12	43.29	1	Horizontal	205	1.80	-	37.70	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41656G	54.05	88.20	-34.15	46.79	3	Vertical	87	1.78	-	40.50	9.50	42.74
AV	13.4127G	42.24	68.20	-25.96	34.99	3	Vertical	87	1.78	-	40.50	9.49	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41458G	54.65	88.20	-33.55	47.39	3	Horizontal	4	2.27	-	40.50	9.50	42.74
AV	13.41606G	42.12	68.20	-26.08	34.86	3	Horizontal	4	2.27	-	40.50	9.50	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11164G	47.98	83.54	-35.56	45.05	1	Vertical	223	1.80	-	37.54	17.31	51.92
AV	20.10318G	36.04	63.54	-27.50	33.12	1	Vertical	223	1.80	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12355G	51.79	83.54	-31.75	48.85	1	Horizontal	207	1.78	-	37.55	17.31	51.92
AV	20.11302G	39.46	63.54	-24.08	36.52	1	Horizontal	207	1.78	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5742G	53.52	88.20	-34.68	45.99	3	Vertical	199	2.38	-	40.70	9.55	42.72
AV	13.58455G	42.19	68.20	-26.01	34.65	3	Vertical	199	2.38	-	40.70	9.55	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57003G	55.04	88.20	-33.16	47.51	3	Horizontal	296	2.69	-	40.70	9.55	42.72
AV	13.58485G	42.26	68.20	-25.94	34.72	3	Horizontal	296	2.69	-	40.70	9.55	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35185G	49.36	83.54	-34.18	46.24	1	Vertical	206	1.64	-	37.68	17.41	51.97
AV	20.36109G	37.01	63.54	-26.53	33.87	1	Vertical	206	1.64	-	37.69	17.42	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36088G	49.77	83.54	-33.77	46.63	1	Horizontal	205	1.79	-	37.69	17.42	51.97
AV	20.34975G	37.61	63.54	-25.93	34.49	1	Horizontal	205	1.79	-	37.68	17.41	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 21
02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	76.51	88.20	-11.69	67.22	3	Vertical	60	2.78	-	34.23	6.21	31.15
RMS	5.9114G	66.53	68.20	-1.67	57.25	3	Vertical	60	2.78	-	34.22	6.21	31.15
PK	6.0154G	107.87	Inf	-Inf	98.41	3	Vertical	60	2.78	-	34.36	6.30	31.20
RMS	6.0226G	98.70	Inf	-Inf	89.21	3	Vertical	60	2.78	-	34.39	6.30	31.20

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 21
02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	72.95	88.20	-15.25	63.70	3	Horizontal	342	3.00	-	34.20	6.19	31.14
RMS	5.8978G	60.79	68.20	-7.41	51.55	3	Horizontal	342	3.00	-	34.19	6.19	31.14
PK	6.0234G	103.25	Inf	-Inf	93.76	3	Horizontal	342	3.00	-	34.39	6.30	31.20
RMS	6.021G	93.20	Inf	-Inf	83.72	3	Horizontal	342	3.00	-	34.38	6.30	31.20

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 21
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03506G	52.46	74.00	-21.54	47.51	3	Vertical	218	1.83	-	39.16	9.01	43.22
AV	12.03704G	40.33	54.00	-13.67	35.38	3	Vertical	218	1.83	-	39.15	9.01	43.21

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 21
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05906G	52.18	74.00	-21.82	47.31	3	Horizontal	168	2.68	-	39.06	9.02	43.21
AV	12.03545G	40.42	54.00	-13.58	35.47	3	Horizontal	168	2.68	-	39.16	9.01	43.22

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06219G	50.62	83.54	-32.92	46.52	1	Vertical	199	1.68	-	37.32	16.47	49.69
AV	18.06156G	38.86	63.54	-24.68	34.76	1	Vertical	199	1.68	-	37.32	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07473G	48.99	83.54	-34.55	44.89	1	Horizontal	293	1.80	-	37.33	16.47	49.70
AV	18.07467G	37.57	63.54	-25.97	33.47	1	Horizontal	293	1.80	-	37.33	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37744G	52.37	74.00	-21.63	47.76	3	Vertical	30	2.07	-	38.65	9.13	43.17
AV	12.38449G	40.01	54.00	-13.99	35.42	3	Vertical	30	2.07	-	38.63	9.13	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36202G	52.43	74.00	-21.57	47.79	3	Horizontal	280	1.89	-	38.68	9.13	43.17
AV	12.37744G	40.06	54.00	-13.94	35.45	3	Horizontal	280	1.89	-	38.65	9.13	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55896G	51.28	83.54	-32.26	47.27	1	Vertical	194	1.51	-	37.70	16.67	50.36
AV	18.54921G	39.01	63.54	-24.53	34.99	1	Vertical	194	1.51	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54405G	51.94	83.54	-31.60	47.92	1	Horizontal	175	1.80	-	37.70	16.66	50.34
AV	18.55482G	39.84	63.54	-23.70	35.82	1	Horizontal	175	1.80	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68994G	51.90	74.00	-22.10	47.02	3	Vertical	47	1.25	-	38.60	9.24	42.96
AV	12.69717G	39.68	54.00	-14.32	34.79	3	Vertical	47	1.25	-	38.60	9.24	42.95

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6909G	52.41	74.00	-21.59	47.53	3	Horizontal	218	2.37	-	38.60	9.24	42.96
AV	12.69594G	39.74	54.00	-14.26	34.85	3	Horizontal	218	2.37	-	38.60	9.24	42.95

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04754G	54.59	83.54	-28.95	50.80	1	Vertical	29	1.64	-	37.78	16.87	50.86
AV	19.03761G	42.57	63.54	-20.97	38.77	1	Vertical	29	1.64	-	37.78	16.87	50.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04958G	54.76	83.54	-28.78	50.97	1	Horizontal	281	1.80	-	37.78	16.87	50.86
AV	19.02966G	42.28	63.54	-21.26	38.47	1	Horizontal	281	1.80	-	37.79	16.86	50.84

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.31722G	54.90	74.00	-19.10	47.76	3	Vertical	121	2.59	-	40.40	9.46	42.72
AV	13.31857G	42.40	54.00	-11.60	35.26	3	Vertical	121	2.59	-	40.40	9.46	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32763G	54.05	74.00	-19.95	46.91	3	Horizontal	5	1.14	-	40.40	9.46	42.72
AV	13.32838G	42.39	54.00	-11.61	35.25	3	Horizontal	5	1.14	-	40.40	9.46	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98093G	48.25	83.54	-35.29	45.35	1	Vertical	5	1.80	-	37.53	17.25	51.88
AV	19.98057G	36.15	63.54	-27.39	33.25	1	Vertical	5	1.80	-	37.53	17.25	51.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98534G	51.22	83.54	-32.32	48.34	1	Horizontal	203	1.80	-	37.52	17.25	51.89
AV	19.98255G	38.86	63.54	-24.68	35.96	1	Horizontal	203	1.80	-	37.53	17.25	51.88

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 20.5
 02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.94	88.20	-7.26	71.62	3	Vertical	300	1.64	-	34.25	6.22	31.15
RMS	5.9239G	67.33	68.20	-0.87	58.01	3	Vertical	300	1.64	-	34.25	6.22	31.15
PK	5.963G	121.69	Inf	-Inf	112.30	3	Vertical	300	1.64	-	34.30	6.26	31.17
RMS	5.9628G	111.51	Inf	-Inf	102.12	3	Vertical	300	1.64	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20.5
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9196G	71.76	88.20	-16.44	62.45	3	Horizontal	40	2.94	-	34.24	6.22	31.15
RMS	5.9204G	57.31	68.20	-10.89	48.00	3	Horizontal	40	2.94	-	34.24	6.22	31.15
PK	5.9482G	115.55	Inf	-Inf	106.17	3	Horizontal	40	2.94	-	34.30	6.25	31.17
RMS	5.9484G	104.51	Inf	-Inf	95.13	3	Horizontal	40	2.94	-	34.30	6.25	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90514G	52.48	74.00	-21.52	47.45	3	Vertical	9	1.24	-	39.30	8.97	43.24
AV	11.90572G	40.90	54.00	-13.10	35.87	3	Vertical	9	1.24	-	39.30	8.97	43.24
PK	17.86386G	62.55	74.00	-11.45	46.44	3	Vertical	239	2.11	-	46.36	11.15	41.40
AV	17.8683G	50.42	54.00	-3.58	34.30	3	Vertical	239	2.11	-	46.37	11.15	41.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90648G	53.01	74.00	-20.99	47.97	3	Horizontal	231	1.86	-	39.30	8.97	43.23
AV	11.90512G	40.88	54.00	-13.12	35.85	3	Horizontal	231	1.86	-	39.30	8.97	43.24
PK	17.86602G	62.97	74.00	-11.03	46.86	3	Horizontal	255	2.45	-	46.36	11.15	41.40
AV	17.86504G	50.44	54.00	-3.56	34.33	3	Horizontal	255	2.45	-	46.36	11.15	41.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39016G	51.73	74.00	-22.27	47.14	3	Vertical	203	2.71	-	38.62	9.14	43.17
AV	12.38646G	39.69	54.00	-14.31	35.09	3	Vertical	203	2.71	-	38.63	9.14	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38978G	51.35	74.00	-22.65	46.76	3	Horizontal	1	2.86	-	38.62	9.14	43.17
AV	12.3869G	39.77	54.00	-14.23	35.17	3	Horizontal	1	2.86	-	38.63	9.14	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5853G	56.20	83.54	-27.34	52.21	1	Vertical	193	1.80	-	37.70	16.68	50.39
AV	18.58356G	43.59	63.54	-19.95	39.59	1	Vertical	193	1.80	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5775G	58.33	83.54	-25.21	54.33	1	Horizontal	175	1.53	-	37.70	16.68	50.38
AV	18.58686G	44.42	63.54	-19.12	40.43	1	Horizontal	175	1.53	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38892G	51.54	74.00	-22.46	46.95	3	Vertical	139	1.74	-	38.61	9.14	43.16
AV	12.38892G	39.67	54.00	-14.33	35.08	3	Vertical	139	1.74	-	38.62	9.14	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38638G	52.60	74.00	-21.40	48.01	3	Horizontal	198	1.95	-	38.61	9.14	43.16
AV	12.38638G	39.91	54.00	-14.09	35.31	3	Horizontal	198	1.95	-	38.63	9.14	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25376G	58.33	83.54	-25.21	54.78	1	Vertical	257	1.80	-	37.70	16.95	51.10
AV	19.24422G	45.61	63.54	-17.93	42.05	1	Vertical	257	1.80	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25652G	62.77	83.54	-20.77	59.22	1	Horizontal	230	1.80	-	37.70	16.96	51.11
AV	19.24638G	49.59	63.54	-13.95	46.04	1	Horizontal	230	1.80	-	37.70	16.95	51.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07444G	53.22	88.20	-34.98	46.86	3	Vertical	81	1.95	-	39.65	9.38	42.67
AV	13.0682G	41.19	68.20	-27.01	34.88	3	Vertical	81	1.95	-	39.61	9.37	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06988G	53.04	88.20	-35.16	46.72	3	Horizontal	309	2.92	-	39.62	9.37	42.67
AV	13.06706G	41.14	68.20	-27.06	34.83	3	Horizontal	309	2.92	-	39.60	9.37	42.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60776G	65.39	83.54	-18.15	61.96	1	Vertical	228	1.73	-	37.84	17.10	51.51
AV	19.60662G	50.90	63.54	-12.64	47.47	1	Vertical	228	1.73	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.614G	59.45	83.54	-24.09	56.01	1	Horizontal	32	1.78	-	37.85	17.10	51.51
AV	19.60566G	47.16	63.54	-16.38	43.73	1	Horizontal	32	1.78	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39436G	53.87	74.00	-20.13	46.63	3	Vertical	37	1.90	-	40.49	9.49	42.74
AV	13.38756G	42.32	54.00	-11.68	35.09	3	Vertical	37	1.90	-	40.48	9.49	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38708G	53.79	74.00	-20.21	46.57	3	Horizontal	293	2.91	-	40.47	9.49	42.74
AV	13.38728G	42.09	54.00	-11.91	34.87	3	Horizontal	293	2.91	-	40.47	9.49	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08032G	48.85	83.54	-34.69	45.95	1	Vertical	6	1.81	-	37.53	17.29	51.92
AV	20.07846G	36.48	63.54	-27.06	33.58	1	Vertical	6	1.81	-	37.53	17.29	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07312G	53.42	83.54	-30.12	50.51	1	Horizontal	162	1.72	-	37.53	17.29	51.91
AV	20.0826G	40.57	63.54	-22.97	37.66	1	Horizontal	162	1.72	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71154G	54.24	88.20	-33.96	46.35	3	Vertical	90	2.73	-	40.92	9.60	42.63
AV	13.71376G	42.04	68.20	-26.16	34.14	3	Vertical	90	2.73	-	40.93	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70878G	53.91	88.20	-34.29	46.02	3	Horizontal	168	1.68	-	40.92	9.60	42.63
AV	13.71482G	41.96	68.20	-26.24	34.06	3	Horizontal	168	1.68	-	40.93	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56218G	48.59	83.54	-34.95	45.37	1	Vertical	225	1.80	-	37.73	17.50	52.01
AV	20.5692G	36.88	63.54	-26.66	33.66	1	Vertical	225	1.80	-	37.72	17.51	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5584G	50.44	83.54	-33.10	47.22	1	Horizontal	216	1.76	-	37.73	17.50	52.01
AV	20.56716G	38.81	63.54	-24.73	35.59	1	Horizontal	216	1.76	-	37.72	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
 Setting 19.5
 02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	78.43	88.20	-9.77	69.12	3	Vertical	301	1.75	-	34.25	6.22	31.16
RMS	5.9228G	67.05	68.20	-1.15	57.73	3	Vertical	301	1.75	-	34.25	6.22	31.15
PK	5.9638G	116.16	Inf	-Inf	106.77	3	Vertical	301	1.75	-	34.30	6.26	31.17
RMS	5.963G	107.19	Inf	-Inf	97.80	3	Vertical	301	1.75	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 19.5
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	68.95	88.20	-19.25	59.65	3	Horizontal	33	2.92	-	34.24	6.21	31.15
RMS	5.9196G	56.69	68.20	-11.51	47.38	3	Horizontal	33	2.92	-	34.24	6.22	31.15
PK	5.9686G	111.53	Inf	-Inf	102.14	3	Horizontal	33	2.92	-	34.30	6.27	31.18
RMS	5.9594G	101.29	Inf	-Inf	91.90	3	Horizontal	33	2.92	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 19.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92778G	52.89	74.00	-21.11	47.85	3	Vertical	25	2.10	-	39.30	8.97	43.23
AV	11.92836G	40.79	54.00	-13.21	35.75	3	Vertical	25	2.10	-	39.30	8.97	43.23
PK	17.89442G	61.80	74.00	-12.20	45.51	3	Vertical	345	2.60	-	46.48	11.16	41.35
AV	17.89024G	50.20	54.00	-3.80	33.94	3	Vertical	345	2.60	-	46.46	11.16	41.36

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 19.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9301G	52.70	74.00	-21.30	47.65	3	Horizontal	328	1.26	-	39.30	8.98	43.23
AV	11.92886G	40.89	54.00	-13.11	35.84	3	Horizontal	328	1.26	-	39.30	8.98	43.23
PK	17.89028G	62.68	74.00	-11.32	46.42	3	Horizontal	276	2.04	-	46.46	11.16	41.36
AV	17.89014G	50.20	54.00	-3.80	33.94	3	Horizontal	276	2.04	-	46.46	11.16	41.36

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40682G	51.78	74.00	-22.22	47.20	3	Vertical	316	2.05	-	38.60	9.14	43.16
AV	12.4072G	39.90	54.00	-14.10	35.32	3	Vertical	316	2.05	-	38.60	9.14	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40798G	52.14	74.00	-21.86	47.56	3	Horizontal	12	1.60	-	38.60	9.14	43.16
AV	12.41116G	39.97	54.00	-14.03	35.39	3	Horizontal	12	1.60	-	38.60	9.14	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62364G	56.09	83.54	-27.45	52.11	1	Vertical	194	1.80	-	37.70	16.70	50.42
AV	18.61488G	42.79	63.54	-20.75	38.81	1	Vertical	194	1.80	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6159G	56.44	83.54	-27.10	52.47	1	Horizontal	175	1.80	-	37.70	16.69	50.42
AV	18.61572G	43.53	63.54	-20.01	39.56	1	Horizontal	175	1.80	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80674G	52.14	88.20	-36.06	46.79	3	Vertical	151	1.11	-	38.91	9.28	42.84
AV	12.81432G	40.35	68.20	-27.85	34.97	3	Vertical	151	1.11	-	38.93	9.29	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8116G	52.15	88.20	-36.05	46.79	3	Horizontal	121	1.77	-	38.92	9.28	42.84
AV	12.8137G	40.37	68.20	-27.83	35.00	3	Horizontal	121	1.77	-	38.93	9.28	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX



EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22328G	57.36	83.54	-26.18	53.78	1	Vertical	154	1.80	-	37.71	16.94	51.07
AV	19.22346G	44.96	63.54	-18.58	41.38	1	Vertical	154	1.80	-	37.71	16.94	51.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22514G	59.85	83.54	-23.69	56.27	1	Horizontal	231	1.84	-	37.71	16.94	51.07
AV	19.22544G	47.64	63.54	-15.90	44.06	1	Horizontal	231	1.84	-	37.71	16.94	51.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12644G	54.86	88.20	-33.34	48.30	3	Vertical	101	1.49	-	39.85	9.39	42.68
AV	13.13488G	42.58	68.20	-25.62	35.99	3	Vertical	101	1.49	-	39.87	9.40	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13092G	55.17	88.20	-33.03	48.59	3	Horizontal	136	2.24	-	39.86	9.40	42.68
AV	13.13206G	42.57	68.20	-25.63	35.99	3	Horizontal	136	2.24	-	39.86	9.40	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68534G	58.62	83.54	-24.92	55.21	1	Vertical	228	1.73	-	37.87	17.13	51.59
AV	19.68624G	46.21	63.54	-17.33	42.80	1	Vertical	228	1.73	-	37.87	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68792G	51.18	83.54	-32.36	47.76	1	Horizontal	280	1.87	-	37.88	17.13	51.59
AV	19.6884G	37.92	63.54	-25.62	34.50	1	Horizontal	280	1.87	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37212G	53.79	74.00	-20.21	46.60	3	Vertical	9	2.47	-	40.44	9.48	42.73
AV	13.36986G	42.20	54.00	-11.80	35.01	3	Vertical	9	2.47	-	40.44	9.48	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3691G	53.84	74.00	-20.16	46.65	3	Horizontal	135	2.74	-	40.44	9.48	42.73
AV	13.36958G	42.29	54.00	-11.71	35.10	3	Horizontal	135	2.74	-	40.44	9.48	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04966G	46.39	83.54	-37.15	43.50	1	Vertical	220	1.80	-	37.52	17.28	51.91
AV	20.05674G	34.75	63.54	-28.79	31.86	1	Vertical	220	1.80	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05818G	46.29	83.54	-37.25	43.39	1	Horizontal	251	1.52	-	37.52	17.29	51.91
AV	20.04978G	34.61	63.54	-28.93	31.72	1	Horizontal	251	1.52	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69348G	53.64	88.20	-34.56	45.82	3	Vertical	86	1.94	-	40.87	9.59	42.64
AV	13.68848G	41.72	68.20	-26.48	33.93	3	Vertical	86	1.94	-	40.85	9.59	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68944G	53.70	88.20	-34.50	45.90	3	Horizontal	31	2.98	-	40.86	9.59	42.65
AV	13.68656G	41.79	68.20	-26.41	34.00	3	Horizontal	31	2.98	-	40.85	9.59	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52072G	47.88	83.54	-35.66	44.61	1	Vertical	226	1.81	-	37.78	17.49	52.00
AV	20.52G	35.52	63.54	-28.02	32.25	1	Vertical	226	1.81	-	37.78	17.49	52.00

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 25
01-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53758G	49.49	83.54	-34.05	46.26	1	Horizontal	208	1.80	-	37.75	17.49	52.01
AV	20.5269G	37.28	63.54	-26.26	34.03	1	Horizontal	208	1.80	-	37.77	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
 Setting 19.5
 02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	77.91	88.20	-10.29	68.60	3	Vertical	297	1.64	-	34.25	6.22	31.16
RMS	5.9225G	67.31	68.20	-0.89	58.00	3	Vertical	297	1.64	-	34.24	6.22	31.15
PK	5.984G	112.26	Inf	-Inf	102.86	3	Vertical	297	1.64	-	34.30	6.28	31.18
RMS	5.983G	104.17	Inf	-Inf	94.77	3	Vertical	297	1.64	-	34.30	6.28	31.18

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 19.5
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	70.76	88.20	-17.44	61.47	3	Horizontal	346	3.00	-	34.23	6.21	31.15
RMS	5.9165G	59.04	68.20	-9.16	49.75	3	Horizontal	346	3.00	-	34.23	6.21	31.15
PK	6.006G	108.70	Inf	-Inf	99.27	3	Horizontal	346	3.00	-	34.32	6.30	31.19
RMS	6.006G	97.53	Inf	-Inf	88.10	3	Horizontal	346	3.00	-	34.32	6.30	31.19

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 19.5
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96574G	54.10	74.00	-19.90	49.04	3	Vertical	94	1.51	-	39.30	8.99	43.23
AV	11.97336G	41.28	54.00	-12.72	36.21	3	Vertical	94	1.51	-	39.30	8.99	43.22
PK	17.95456G	63.95	74.00	-10.05	47.43	3	Vertical	27	1.18	-	46.60	11.18	41.26
AV	17.95626G	50.46	54.00	-3.54	33.94	3	Vertical	27	1.18	-	46.60	11.18	41.26

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
 Setting 19.5
 02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95548G	54.54	74.00	-19.46	49.49	3	Horizontal	107	2.66	-	39.30	8.98	43.23
AV	11.97678G	41.22	54.00	-12.78	36.15	3	Horizontal	107	2.66	-	39.30	8.99	43.22
PK	17.95166G	62.96	74.00	-11.04	46.45	3	Horizontal	269	1.63	-	46.60	11.18	41.27
AV	17.95866G	50.57	54.00	-3.43	34.03	3	Horizontal	269	1.63	-	46.60	11.19	41.25

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4539G	52.49	74.00	-21.51	47.89	3	Vertical	14	1.86	-	38.60	9.16	43.16
AV	12.43968G	40.56	54.00	-13.44	35.97	3	Vertical	14	1.86	-	38.60	9.15	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4419G	53.18	74.00	-20.82	48.59	3	Horizontal	101	2.81	-	38.60	9.15	43.16
AV	12.43896G	40.63	54.00	-13.37	36.04	3	Horizontal	101	2.81	-	38.60	9.15	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66271G	47.31	83.54	-36.23	43.36	1	Vertical	71	1.56	-	37.70	16.71	50.46
AV	18.67102G	36.58	63.54	-26.96	32.63	1	Vertical	71	1.56	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67326G	47.62	83.54	-35.92	43.67	1	Horizontal	156	1.39	-	37.70	16.72	50.47
AV	18.67135G	36.12	63.54	-27.42	32.17	1	Horizontal	156	1.39	-	37.70	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.7676G	52.63	88.20	-35.57	47.47	3	Vertical	215	1.38	-	38.77	9.27	42.88
AV	12.77516G	40.16	68.20	-28.04	34.96	3	Vertical	215	1.38	-	38.80	9.27	42.87

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78434G	51.96	88.20	-36.24	46.72	3	Horizontal	48	2.49	-	38.84	9.27	42.87
AV	12.77618G	40.23	68.20	-27.97	35.03	3	Horizontal	48	2.49	-	38.80	9.27	42.87

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14813G	46.93	83.54	-36.61	43.26	1	Vertical	207	1.62	-	37.74	16.91	50.98
AV	19.15371G	36.77	63.54	-26.77	33.10	1	Vertical	207	1.62	-	37.74	16.91	50.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15712G	46.31	83.54	-37.23	42.65	1	Horizontal	167	1.50	-	37.74	16.91	50.99
AV	19.15338G	36.99	63.54	-26.55	33.32	1	Horizontal	167	1.50	-	37.74	16.91	50.98

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26056G	55.05	74.00	-18.95	48.00	3	Vertical	186	1.04	-	40.32	9.44	42.71
AV	13.26206G	42.65	54.00	-11.35	35.60	3	Vertical	186	1.04	-	40.32	9.44	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25264G	54.09	74.00	-19.91	47.05	3	Horizontal	211	1.07	-	40.31	9.44	42.71
AV	13.2593G	42.67	54.00	-11.33	35.62	3	Horizontal	211	1.07	-	40.32	9.44	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87612G	46.41	83.54	-37.13	43.28	1	Vertical	33	1.47	-	37.70	17.21	51.78
AV	19.86957G	35.96	63.54	-27.58	32.81	1	Vertical	33	1.47	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87702G	46.28	83.54	-37.26	43.15	1	Horizontal	88	1.50	-	37.70	17.21	51.78
AV	19.87641G	35.83	63.54	-27.71	32.70	1	Horizontal	88	1.50	-	37.70	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41846G	53.95	88.20	-34.25	46.69	3	Vertical	234	2.51	-	40.50	9.50	42.74
RMS	13.4013G	42.33	68.20	-25.87	35.08	3	Vertical	234	2.51	-	40.50	9.49	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40985G	54.05	88.20	-34.15	46.80	3	Horizontal	315	2.20	-	40.50	9.49	42.74
RMS	13.41002G	41.97	68.20	-26.23	34.72	3	Horizontal	315	2.20	-	40.50	9.49	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11692G	47.38	83.54	-36.16	44.44	1	Vertical	116	1.50	-	37.55	17.31	51.92
AV	20.11633G	36.97	63.54	-26.57	34.03	1	Vertical	116	1.50	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11572G	46.38	83.54	-37.16	43.44	1	Horizontal	39	1.37	-	37.55	17.31	51.92
AV	20.11493G	37.25	63.54	-26.29	34.31	1	Horizontal	39	1.37	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56568G	53.40	88.20	-34.80	45.87	3	Vertical	273	1.70	-	40.70	9.55	42.72
RMS	13.56794G	41.79	68.20	-26.41	34.26	3	Vertical	273	1.70	-	40.70	9.55	42.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56668G	53.68	88.20	-34.52	46.15	3	Horizontal	151	2.78	-	40.70	9.55	42.72
RMS	13.5652G	41.79	68.20	-26.41	34.26	3	Horizontal	151	2.78	-	40.70	9.55	42.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35571G	47.18	83.54	-36.36	44.06	1	Vertical	113	1.57	-	37.68	17.41	51.97
AV	20.35457G	37.09	63.54	-26.45	33.97	1	Vertical	113	1.57	-	37.68	17.41	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35416G	47.61	83.54	-35.93	44.49	1	Horizontal	281	1.72	-	37.68	17.41	51.97
AV	20.35538G	37.39	63.54	-26.15	34.27	1	Horizontal	281	1.72	-	37.68	17.41	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 20
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	77.02	88.20	-11.18	67.70	3	Vertical	297	1.69	-	34.25	6.22	31.15
RMS	5.9234G	67.42	68.20	-0.78	58.10	3	Vertical	297	1.69	-	34.25	6.22	31.15
PK	6.0234G	111.05	Inf	-Inf	101.56	3	Vertical	297	1.69	-	34.39	6.30	31.20
RMS	6.0226G	102.61	Inf	-Inf	93.12	3	Vertical	297	1.69	-	34.39	6.30	31.20

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 20
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	69.58	88.20	-18.62	60.34	3	Horizontal	331	3.00	-	34.19	6.19	31.14
RMS	5.8978G	59.60	68.20	-8.60	50.36	3	Horizontal	331	3.00	-	34.19	6.19	31.14
PK	6.0282G	105.23	Inf	-Inf	95.72	3	Horizontal	331	3.00	-	34.41	6.30	31.20
RMS	6.0186G	96.42	Inf	-Inf	86.95	3	Horizontal	331	3.00	-	34.37	6.30	31.20

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0502G	52.95	74.00	-21.05	48.04	3	Vertical	80	2.39	-	39.10	9.02	43.21
AV	12.0533G	40.66	54.00	-13.34	35.76	3	Vertical	80	2.39	-	39.09	9.02	43.21

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05096G	53.21	74.00	-20.79	48.30	3	Horizontal	333	1.23	-	39.10	9.02	43.21
AV	12.0529G	40.70	54.00	-13.30	35.80	3	Horizontal	333	1.23	-	39.09	9.02	43.21

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07912G	47.52	83.54	-36.02	43.43	1	Vertical	55	1.50	-	37.33	16.47	49.71
AV	18.07571G	37.91	63.54	-25.63	33.82	1	Vertical	55	1.50	-	37.33	16.47	49.71

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07617G	47.19	83.54	-36.35	43.10	1	Horizontal	341	1.57	-	37.33	16.47	49.71
AV	18.07588G	37.68	63.54	-25.86	33.59	1	Horizontal	341	1.57	-	37.33	16.47	49.71

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36692G	51.70	74.00	-22.30	47.07	3	Vertical	61	2.27	-	38.67	9.13	43.17
AV	12.36542G	39.84	54.00	-14.16	35.21	3	Vertical	61	2.27	-	38.67	9.13	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37112G	51.87	74.00	-22.13	47.25	3	Horizontal	46	1.99	-	38.66	9.13	43.17
AV	12.3651G	39.83	54.00	-14.17	35.20	3	Horizontal	46	1.99	-	38.67	9.13	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55491G	48.51	83.54	-35.03	44.49	1	Vertical	57	1.53	-	37.70	16.67	50.35
AV	18.55573G	39.68	63.54	-23.86	35.67	1	Vertical	57	1.53	-	37.70	16.67	50.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55516G	48.18	83.54	-35.36	44.17	1	Horizontal	222	1.50	-	37.70	16.67	50.36
AV	18.55487G	39.03	63.54	-24.51	35.01	1	Horizontal	222	1.50	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69258G	51.78	74.00	-22.22	46.90	3	Vertical	236	1.68	-	38.60	9.24	42.96
AV	12.6865G	39.53	54.00	-14.47	34.65	3	Vertical	236	1.68	-	38.60	9.24	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69372G	52.89	74.00	-21.11	48.01	3	Horizontal	264	1.94	-	38.60	9.24	42.96
AV	12.68524G	39.63	54.00	-14.37	34.75	3	Horizontal	264	1.94	-	38.60	9.24	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03561G	49.02	83.54	-34.52	45.21	1	Vertical	37	1.61	-	37.79	16.86	50.84
AV	19.034792G	38.97	63.54	-24.57	35.16	1	Vertical	37	1.61	-	37.79	16.86	50.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03521G	49.17	83.54	-34.37	45.36	1	Horizontal	57	1.41	-	37.79	16.86	50.84
AV	19.03547G	38.88	63.54	-24.66	35.07	1	Horizontal	57	1.41	-	37.79	16.86	50.84

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3284G	54.97	74.00	-19.03	47.83	3	Vertical	60	1.28	-	40.40	9.46	42.72
AV	13.32822G	42.46	54.00	-11.54	35.32	3	Vertical	60	1.28	-	40.40	9.46	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32864G	53.71	74.00	-20.29	46.56	3	Horizontal	96	1.26	-	40.40	9.47	42.72
AV	13.32856G	42.37	54.00	-11.63	35.23	3	Horizontal	96	1.26	-	40.40	9.46	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99493G	47.79	83.54	-35.75	44.91	1	Vertical	47	1.50	-	37.51	17.26	51.89
AV	19.99528G	40.29	63.54	-23.25	37.42	1	Vertical	47	1.50	-	37.51	17.26	51.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 25
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9967G	47.52	83.54	-36.02	44.65	1	Horizontal	39	1.52	-	37.51	17.26	51.90
AV	19.99538G	39.71	63.54	-23.83	36.84	1	Horizontal	39	1.52	-	37.51	17.26	51.90

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	62.96	88.20	-25.24	53.65	3	Vertical	57	1.80	-	34.24	6.22	31.15
RMS	5.9246G	52.61	68.20	-15.59	43.30	3	Vertical	57	1.80	-	34.25	6.22	31.16
PK	5.948G	117.18	Inf	-Inf	107.80	3	Vertical	57	1.80	-	34.30	6.25	31.17
RMS	5.9474G	107.31	Inf	-Inf	97.95	3	Vertical	57	1.80	-	34.29	6.24	31.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	62.43	88.20	-25.77	53.12	3	Horizontal	37	2.95	-	34.25	6.22	31.16
RMS	5.9223G	51.68	68.20	-16.52	42.37	3	Horizontal	37	2.95	-	34.24	6.22	31.15
PK	5.9522G	111.42	Inf	-Inf	102.04	3	Horizontal	37	2.95	-	34.30	6.25	31.17
RMS	5.9516G	101.34	Inf	-Inf	91.96	3	Horizontal	37	2.95	-	34.30	6.25	31.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91858G	51.00	74.00	-23.00	68.38	3	Vertical	288	2.56	-	39.30	8.97	65.65
AV	11.90676G	39.72	54.00	-14.28	57.11	3	Vertical	288	2.56	-	39.30	8.97	65.66
PK	17.85852G	58.97	74.00	-15.03	66.89	3	Vertical	360	1.64	-	46.33	11.15	65.40
AV	17.85984G	47.02	54.00	-6.98	54.93	3	Vertical	360	1.64	-	46.34	11.15	65.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5955MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90391G	51.00	74.00	-23.00	68.39	3	Horizontal	345	2.02	-	39.30	8.97	65.66
AV	11.90034G	39.44	54.00	-14.56	56.83	3	Horizontal	345	2.02	-	39.30	8.97	65.66
PK	17.85807G	58.66	74.00	-15.34	66.58	3	Horizontal	227	2.05	-	46.33	11.15	65.40
AV	17.85705G	46.93	54.00	-7.07	54.85	3	Horizontal	227	2.05	-	46.33	11.15	65.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39966G	51.45	74.00	-22.55	69.22	3	Vertical	0	1.53	-	38.61	9.14	65.52
AV	12.39996G	39.90	54.00	-14.10	57.68	3	Vertical	0	1.53	-	38.60	9.14	65.52

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37902G	49.58	74.00	-24.42	67.33	3	Horizontal	278	1.80	-	38.64	9.13	65.52
AV	12.40116G	37.67	54.00	-16.33	55.45	3	Horizontal	278	1.80	-	38.60	9.14	65.52

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58568G	46.52	83.54	-37.02	42.53	1	Vertical	89	1.50	-	37.70	16.68	50.39
AV	18.58498G	33.71	63.54	-29.83	29.71	1	Vertical	89	1.50	-	37.70	16.68	50.38

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6195MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58621G	46.08	83.54	-37.46	42.09	1	Horizontal	226	1.68	-	37.70	16.68	50.39
AV	18.58592G	33.91	63.54	-29.63	29.92	1	Horizontal	226	1.68	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83453G	51.13	88.20	-37.07	68.30	3	Vertical	115	1.80	-	38.97	9.29	65.43
RMS	12.81722G	39.40	68.20	-28.80	56.62	3	Vertical	115	1.80	-	38.93	9.29	65.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83087G	51.27	88.20	-36.93	68.45	3	Horizontal	166	2.16	-	38.96	9.29	65.43
RMS	12.82061G	39.20	68.20	-29.00	56.41	3	Horizontal	166	2.16	-	38.94	9.29	65.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
 Setting 20
 01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24491G	46.17	83.54	-37.37	42.61	1	Vertical	81	1.50	-	37.70	16.95	51.09
AV	19.24531G	33.61	63.54	-29.93	30.05	1	Vertical	81	1.50	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24607G	46.98	83.54	-36.56	43.43	1	Horizontal	208	1.58	-	37.70	16.95	51.10
AV	19.25614G	34.25	63.54	-29.29	30.70	1	Horizontal	208	1.58	-	37.70	16.96	51.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07597G	51.83	88.20	-36.37	68.14	3	Vertical	325	2.18	-	39.66	9.38	65.35
RMS	13.0751G	40.37	68.20	-27.83	56.69	3	Vertical	325	2.18	-	39.65	9.38	65.35

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.076G	52.40	88.20	-35.80	68.71	3	Horizontal	162	2.27	-	39.66	9.38	65.35
RMS	13.0844G	40.33	68.20	-27.87	56.59	3	Horizontal	162	2.27	-	39.71	9.38	65.35

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60571G	47.28	83.54	-36.26	43.85	1	Vertical	22	1.61	-	37.84	17.10	51.51
AV	19.60538G	36.81	63.54	-26.73	33.38	1	Vertical	22	1.61	-	37.84	17.10	51.51

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_2TX

6535MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60547G	47.51	83.54	-36.03	44.08	1	Horizontal	266	1.65	-	37.84	17.10	51.51
AV	19.60498G	36.73	63.54	-26.81	33.29	1	Horizontal	266	1.65	-	37.84	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39795G	51.89	74.00	-22.11	67.06	3	Vertical	293	1.18	-	40.50	9.49	65.16
AV	13.37884G	40.63	54.00	-13.37	55.86	3	Vertical	293	1.18	-	40.46	9.48	65.17

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37524G	51.67	74.00	-22.33	66.91	3	Horizontal	24	1.71	-	40.45	9.48	65.17
AV	13.38025G	40.60	54.00	-13.40	55.83	3	Horizontal	24	1.71	-	40.46	9.48	65.17

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08517G	46.88	83.54	-36.66	43.97	1	Vertical	52	1.79	-	37.53	17.30	51.92
AV	20.08591G	36.52	63.54	-27.02	33.61	1	Vertical	52	1.79	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_2TX

6695MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08491G	46.31	83.54	-37.23	43.40	1	Horizontal	311	1.53	-	37.53	17.30	51.92
AV	20.08555G	36.08	63.54	-27.46	33.17	1	Horizontal	311	1.53	-	37.53	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72152G	52.18	88.20	-36.02	66.70	3	Vertical	221	1.80	-	40.94	9.60	65.06
RMS	13.72284G	40.84	68.20	-27.36	55.35	3	Vertical	221	1.80	-	40.95	9.60	65.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71396G	52.43	88.20	-35.77	66.96	3	Horizontal	310	1.88	-	40.93	9.60	65.06
RMS	13.72305G	41.06	68.20	-27.14	55.57	3	Horizontal	310	1.88	-	40.95	9.60	65.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56533G	48.13	83.54	-35.41	44.91	1	Vertical	58	1.51	-	37.72	17.51	52.01
AV	20.56571G	36.51	63.54	-27.03	33.29	1	Vertical	58	1.51	-	37.72	17.51	52.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

6855MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56491G	48.08	83.54	-35.46	44.86	1	Horizontal	227	1.50	-	37.72	17.51	52.01
AV	20.56537G	36.81	63.54	-26.73	33.59	1	Horizontal	227	1.50	-	37.72	17.51	52.01

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	69.16	88.20	-19.04	59.85	3	Vertical	295	1.80	-	34.24	6.22	31.15
RMS	5.9244G	55.30	68.20	-12.90	45.99	3	Vertical	295	1.80	-	34.25	6.22	31.16
PK	5.9712G	113.58	Inf	-Inf	104.19	3	Vertical	295	1.80	-	34.30	6.27	31.18
RMS	5.9706G	104.03	Inf	-Inf	94.64	3	Vertical	295	1.80	-	34.30	6.27	31.18

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9232G	63.00	88.20	-25.20	53.68	3	Horizontal	34	2.92	-	34.25	6.22	31.15
RMS	5.925G	52.40	88.20	-35.80	43.09	3	Horizontal	34	2.92	-	34.25	6.22	31.16
PK	5.9698G	110.17	Inf	-Inf	100.78	3	Horizontal	34	2.92	-	34.30	6.27	31.18
RMS	5.9722G	101.30	Inf	-Inf	91.91	3	Horizontal	34	2.92	-	34.30	6.27	31.18

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94305G	50.18	74.00	-23.82	67.53	3	Vertical	4	3.00	-	39.30	8.98	65.63
AV	11.9375G	38.61	54.00	-15.39	55.97	3	Vertical	4	3.00	-	39.30	8.98	65.64
PK	17.89545G	57.91	74.00	-16.09	65.67	3	Vertical	251	1.80	-	46.48	11.16	65.40
AV	17.90997G	46.34	54.00	-7.66	54.05	3	Vertical	251	1.80	-	46.52	11.17	65.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5965MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94317G	49.23	74.00	-24.77	66.58	3	Horizontal	56	1.58	-	39.30	8.98	65.63
AV	11.91761G	38.56	54.00	-15.44	55.94	3	Horizontal	56	1.58	-	39.30	8.97	65.65
PK	17.88057G	57.32	74.00	-16.68	65.14	3	Horizontal	44	2.35	-	46.42	11.16	65.40
AV	17.90832G	46.32	54.00	-7.68	54.03	3	Horizontal	44	2.35	-	46.52	11.17	65.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40826G	50.96	74.00	-23.04	68.74	3	Vertical	239	1.80	-	38.60	9.14	65.52
AV	12.41726G	39.25	54.00	-14.75	57.02	3	Vertical	239	1.80	-	38.60	9.15	65.52

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41435G	50.53	74.00	-23.47	68.30	3	Horizontal	89	1.17	-	38.60	9.15	65.52
AV	12.41804G	38.90	54.00	-15.10	56.67	3	Horizontal	89	1.17	-	38.60	9.15	65.52

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61531G	47.55	83.54	-35.99	43.58	1	Vertical	34	1.50	-	37.70	16.69	50.42
AV	18.61483G	36.47	63.54	-27.07	32.49	1	Vertical	34	1.50	-	37.70	16.69	50.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61583G	47.62	83.54	-35.92	43.65	1	Horizontal	253	1.61	-	37.70	16.69	50.42
AV	18.61652G	36.87	63.54	-26.67	32.90	1	Horizontal	253	1.61	-	37.70	16.69	50.42

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79977G	50.88	88.20	-37.32	68.14	3	Vertical	156	1.47	-	38.90	9.28	65.44
RMS	12.80142G	39.45	68.20	-28.75	56.71	3	Vertical	156	1.47	-	38.90	9.28	65.44

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80793G	51.17	88.20	-37.03	68.41	3	Horizontal	309	2.57	-	38.92	9.28	65.44
RMS	12.81303G	39.42	68.20	-28.78	56.65	3	Horizontal	309	2.57	-	38.93	9.28	65.44

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21396G	47.52	83.54	-36.02	43.93	1	Vertical	38	1.50	-	37.71	16.94	51.06
AV	19.21437G	35.83	63.54	-27.71	32.24	1	Vertical	38	1.50	-	37.71	16.94	51.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21497G	47.25	83.54	-36.29	43.66	1	Horizontal	66	1.37	-	37.71	16.94	51.06
AV	19.21537G	35.91	63.54	-27.63	32.32	1	Horizontal	66	1.37	-	37.71	16.94	51.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12268G	52.55	88.20	-35.65	68.64	3	Vertical	99	2.90	-	39.85	9.39	65.33
RMS	13.12721G	40.67	68.20	-27.53	56.75	3	Vertical	99	2.90	-	39.85	9.39	65.32

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12394G	52.39	88.20	-35.81	68.48	3	Horizontal	133	1.80	-	39.85	9.39	65.33
RMS	13.13135G	40.72	68.20	-27.48	56.78	3	Horizontal	133	1.80	-	39.86	9.40	65.32

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69631G	47.38	83.54	-36.16	43.96	1	Vertical	26	1.61	-	37.88	17.14	51.60
AV	19.69583G	36.59	63.54	-26.95	33.17	1	Vertical	26	1.61	-	37.88	17.14	51.60

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6565MHz_TX




EUT_V_2TX
 Setting 20
 01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69531G	47.58	83.54	-35.96	44.16	1	Horizontal	116	1.50	-	37.88	17.14	51.60
AV	19.69491G	36.38	63.54	-27.16	32.96	1	Horizontal	116	1.50	-	37.88	17.13	51.59

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36544G	51.54	74.00	-22.46	66.81	3	Vertical	265	1.99	-	40.43	9.48	65.18
AV	13.37807G	40.39	54.00	-13.61	55.62	3	Vertical	265	1.99	-	40.46	9.48	65.17

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38119G	51.94	74.00	-22.06	67.17	3	Horizontal	164	1.80	-	40.46	9.48	65.17
AV	13.37537G	40.24	54.00	-13.76	55.48	3	Horizontal	164	1.80	-	40.45	9.48	65.17

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05537G	47.81	83.54	-35.73	44.92	1	Vertical	79	1.50	-	37.52	17.28	51.91
AV	20.05481G	36.95	63.54	-26.59	34.06	1	Vertical	79	1.50	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6685MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05571G	47.62	83.54	-35.92	44.73	1	Horizontal	281	1.65	-	37.52	17.28	51.91
AV	20.05583G	36.18	63.54	-27.36	33.29	1	Horizontal	281	1.65	-	37.52	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.67515G	51.92	88.20	-36.28	66.59	3	Vertical	62	3.00	-	40.80	9.59	65.06
RMS	13.70161G	40.54	68.20	-27.66	55.10	3	Vertical	62	3.00	-	40.90	9.60	65.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7011G	52.40	88.20	-35.80	66.96	3	Horizontal	322	2.74	-	40.90	9.60	65.06
RMS	13.7029G	40.52	68.20	-27.68	55.07	3	Horizontal	322	2.74	-	40.91	9.60	65.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53571G	46.91	83.54	-36.63	43.67	1	Vertical	90	1.50	-	37.76	17.49	52.01			
AV	20.53437G	35.88	63.54	-27.66	32.64	1	Vertical	90	1.50	-	37.76	17.49	52.01			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

6845MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54469G	47.89	83.54	-35.65	44.65	1	Horizontal	140	1.74	-	37.75	17.50	52.01
AV	20.53743G	36.08	63.54	-27.46	32.84	1	Horizontal	140	1.74	-	37.76	17.49	52.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	63.97	88.20	-24.23	54.65	3	Vertical	316.9	1.80	-	34.25	6.22	31.15
RMS	5.923G	54.66	68.20	-13.54	45.34	3	Vertical	316.9	1.80	-	34.25	6.22	31.15
PK	6.013G	107.35	Inf	-Inf	97.89	3	Vertical	316.9	1.80	-	34.35	6.30	31.19
RMS	6.009G	97.92	Inf	-Inf	88.47	3	Vertical	316.9	1.80	-	34.34	6.30	31.19

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8818G	61.96	88.20	-26.24	52.79	3	Horizontal	29	2.91	-	34.13	6.18	31.14
RMS	5.9234G	52.37	68.20	-15.83	43.05	3	Horizontal	29	2.91	-	34.25	6.22	31.15
PK	5.971G	108.16	Inf	-Inf	98.77	3	Horizontal	29	2.91	-	34.30	6.27	31.18
RMS	5.973G	98.26	Inf	-Inf	88.87	3	Horizontal	29	2.91	-	34.30	6.27	31.18

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9655G	51.53	74.00	-22.47	68.86	3	Vertical	326	2.49	-	39.30	8.99	65.62
AV	11.97882G	40.20	54.00	-13.80	57.52	3	Vertical	326	2.49	-	39.30	8.99	65.61
PK	17.96307G	58.57	74.00	-15.43	66.18	3	Vertical	168	1.80	-	46.60	11.19	65.40
AV	17.94207G	46.72	54.00	-7.28	54.36	3	Vertical	168	1.80	-	46.58	11.18	65.40

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5985MHz_TX




26/08/2023

EUT_Y_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97696G	50.88	74.00	-23.12	68.20	3	Horizontal	324	1.39	-	39.30	8.99	65.61
AV	11.98365G	39.61	54.00	-14.39	56.93	3	Horizontal	324	1.39	-	39.30	8.99	65.61
PK	17.94645G	57.49	74.00	-16.51	65.12	3	Horizontal	162	1.93	-	46.59	11.18	65.40
AV	17.94402G	46.57	54.00	-7.43	54.20	3	Horizontal	162	1.93	-	46.59	11.18	65.40

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4407G	50.06	74.00	-23.94	67.82	3	Vertical	302	2.50	-	38.60	9.15	65.51
AV	12.43788G	38.74	54.00	-15.26	56.50	3	Vertical	302	2.50	-	38.60	9.15	65.51

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4362G	49.69	74.00	-24.31	67.45	3	Horizontal	202	2.28	-	38.60	9.15	65.51
AV	12.4359G	38.71	54.00	-15.29	56.47	3	Horizontal	202	2.28	-	38.60	9.15	65.51

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68988G	46.65	83.54	-36.89	42.72	1	Vertical	308	1.70	-	37.70	16.72	50.49
AV	18.68526G	35.68	63.54	-27.86	31.75	1	Vertical	308	1.70	-	37.70	16.72	50.49

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6609G	47.45	83.54	-36.09	43.50	1	Horizontal	304	1.79	-	37.70	16.71	50.46
AV	18.66204G	35.71	63.54	-27.83	31.76	1	Horizontal	304	1.79	-	37.70	16.71	50.46

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77744G	50.72	88.20	-37.48	68.08	3	Vertical	192	2.83	-	38.81	9.27	65.44
RMS	12.77612G	38.75	68.20	-29.45	56.12	3	Vertical	192	2.83	-	38.80	9.27	65.44

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76886G	50.39	88.20	-37.81	67.79	3	Horizontal	203	1.71	-	38.78	9.27	65.45
RMS	12.77534G	38.83	68.20	-29.37	56.20	3	Horizontal	203	1.71	-	38.80	9.27	65.44

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15632G	46.57	83.54	-36.97	42.91	1	Vertical	323	1.36	-	37.74	16.91	50.99
AV	19.14084G	35.46	63.54	-28.08	31.78	1	Vertical	323	1.36	-	37.74	16.91	50.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14984G	47.00	83.54	-36.54	43.33	1	Horizontal	80	1.81	-	37.74	16.91	50.98
AV	19.15548G	35.45	63.54	-28.09	31.79	1	Horizontal	80	1.81	-	37.74	16.91	50.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25312G	51.73	74.00	-22.27	67.23	3	Vertical	208	1.52	-	40.31	9.44	65.25
AV	13.25528G	40.42	54.00	-13.58	55.92	3	Vertical	208	1.52	-	40.31	9.44	65.25

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2584G	51.96	74.00	-22.04	67.44	3	Horizontal	200	1.54	-	40.32	9.44	65.24
AV	13.25366G	40.42	54.00	-13.58	55.92	3	Horizontal	200	1.54	-	40.31	9.44	65.25

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87398G	47.62	83.54	-35.92	44.48	1	Vertical	223	1.71	-	37.70	17.21	51.77
AV	19.86804G	35.96	63.54	-27.58	32.81	1	Vertical	223	1.71	-	37.71	17.21	51.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6625MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86066G	47.17	83.54	-36.37	44.01	1	Horizontal	79	1.95	-	37.72	17.20	51.76
AV	19.87908G	35.97	63.54	-27.57	32.85	1	Horizontal	79	1.95	-	37.69	17.21	51.78

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4028G	52.55	88.20	-35.65	67.72	3	Vertical	212	1.01	-	40.50	9.49	65.16
RMS	13.41582G	40.13	68.20	-28.07	55.28	3	Vertical	212	1.01	-	40.50	9.50	65.15

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40112G	51.25	88.20	-36.95	66.42	3	Horizontal	157	2.28	-	40.50	9.49	65.16
RMS	13.4004G	40.25	68.20	-27.95	55.42	3	Horizontal	157	2.28	-	40.50	9.49	65.16

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10918G	47.05	83.54	-36.49	44.12	1	Vertical	48	1.39	-	37.54	17.31	51.92
AV	20.11362G	35.87	63.54	-27.67	32.93	1	Vertical	48	1.39	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6705MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10078G	47.39	83.54	-36.15	44.47	1	Horizontal	121	1.49	-	37.54	17.30	51.92
AV	20.11728G	35.96	63.54	-27.58	33.02	1	Horizontal	121	1.49	-	37.55	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57726G	52.69	88.20	-35.51	67.52	3	Vertical	359	1.10	-	40.70	9.55	65.08
RMS	13.55794G	40.22	68.20	-27.98	55.06	3	Vertical	359	1.10	-	40.70	9.55	65.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57126G	51.90	88.20	-36.30	66.74	3	Horizontal	166	1.63	-	40.70	9.55	65.09
RMS	13.5619G	40.35	68.20	-27.85	55.19	3	Horizontal	166	1.63	-	40.70	9.55	65.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36268G	48.11	83.54	-35.43	44.97	1	Vertical	66	1.69	-	37.69	17.42	51.97
AV	20.34066G	36.02	63.54	-27.52	32.91	1	Vertical	66	1.69	-	37.67	17.41	51.97

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_2TX

6785MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35296G	48.09	83.54	-35.45	44.97	1	Horizontal	173	1.86	-	37.68	17.41	51.97
AV	20.36256G	36.03	63.54	-27.51	32.89	1	Horizontal	173	1.86	-	37.69	17.42	51.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	71.34	88.20	-16.86	62.03	3	Vertical	52.1	1.48	-	34.24	6.22	31.15
RMS	5.9114G	54.58	88.20	-33.62	45.30	3	Vertical	52.1	1.48	-	34.22	6.21	31.15
PK	6.0186G	105.56	Inf	-Inf	96.09	3	Vertical	52.1	1.48	-	34.37	6.30	31.20
RMS	6.0226G	96.64	Inf	-Inf	87.15	3	Vertical	52.1	1.48	-	34.39	6.30	31.20

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT Y_2TX
Setting 20
02-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	64.98	88.20	-23.22	55.77	3	Horizontal	332.7	3.00	-	34.16	6.19	31.14
RMS	5.8962G	53.40	68.20	-14.80	44.17	3	Horizontal	332.7	3.00	-	34.18	6.19	31.14
PK	6.0362G	100.14	Inf	-Inf	90.60	3	Horizontal	332.7	3.00	-	34.44	6.30	31.20
RMS	6.0354G	91.30	Inf	-Inf	81.76	3	Horizontal	332.7	3.00	-	34.44	6.30	31.20

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05222G	52.02	74.00	-21.98	69.50	3	Vertical	14	1.73	-	39.09	9.02	65.59
AV	12.0581G	39.77	54.00	-14.23	57.27	3	Vertical	14	1.73	-	39.07	9.02	65.59

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0581G	50.86	74.00	-23.14	68.36	3	Horizontal	114	3.00	-	39.07	9.02	65.59
AV	12.05396G	39.81	54.00	-14.19	57.30	3	Horizontal	114	3.00	-	39.08	9.02	65.59

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06636G	47.88	83.54	-35.66	43.77	1	Vertical	355	1.74	-	37.33	16.47	49.69
AV	18.06492G	36.06	63.54	-27.48	31.95	1	Vertical	355	1.74	-	37.33	16.47	49.69

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0684G	47.86	83.54	-35.68	43.76	1	Horizontal	257	1.95	-	37.33	16.47	49.70
AV	18.0792G	35.91	63.54	-27.63	31.82	1	Horizontal	257	1.95	-	37.33	16.47	49.71

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3562G	49.49	74.00	-24.51	67.21	3	Vertical	134	2.97	-	38.69	9.12	65.53
AV	12.3802G	38.00	54.00	-16.00	55.75	3	Vertical	134	2.97	-	38.64	9.13	65.52

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37798G	49.77	74.00	-24.23	67.52	3	Horizontal	227	2.56	-	38.64	9.13	65.52
AV	12.37936G	38.10	54.00	-15.90	55.85	3	Horizontal	227	2.56	-	38.64	9.13	65.52

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55194G	47.08	83.54	-36.46	43.06	1	Vertical	281	1.93	-	37.70	16.67	50.35
AV	18.54894G	35.83	63.54	-27.71	31.81	1	Vertical	281	1.93	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54012G	47.57	83.54	-35.97	43.55	1	Horizontal	31	1.72	-	37.70	16.66	50.34
AV	18.55152G	35.81	63.54	-27.73	31.79	1	Horizontal	31	1.72	-	37.70	16.67	50.35

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68532G	50.33	74.00	-23.67	67.95	3	Vertical	158	2.06	-	38.60	9.24	65.46
AV	12.6852G	38.12	54.00	-15.88	55.74	3	Vertical	158	2.06	-	38.60	9.24	65.46

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67686G	49.55	74.00	-24.45	67.17	3	Horizontal	161	2.01	-	38.60	9.24	65.46
AV	12.67602G	38.15	54.00	-15.85	55.77	3	Horizontal	161	2.01	-	38.60	9.24	65.46

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03854G	47.12	83.54	-36.42	43.32	1	Vertical	245	1.61	-	37.78	16.87	50.85
AV	19.04196G	35.71	63.54	-27.83	31.91	1	Vertical	245	1.61	-	37.78	16.87	50.85

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03218G	47.40	83.54	-36.14	43.59	1	Horizontal	262	2.00	-	37.79	16.86	50.84
AV	19.04868G	35.95	63.54	-27.59	32.16	1	Horizontal	262	2.00	-	37.78	16.87	50.86

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.31722G	52.43	74.00	-21.57	67.78	3	Vertical	106	1.80	-	40.40	9.46	65.21
AV	13.3153G	41.25	54.00	-12.75	56.60	3	Vertical	106	1.80	-	40.40	9.46	65.21

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
02-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.333G	52.18	74.00	-21.82	67.51	3	Horizontal	103	1.80	-	40.40	9.47	65.20
AV	13.3153G	41.09	54.00	-12.91	56.44	3	Horizontal	103	1.80	-	40.40	9.46	65.21

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX




EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9983G	47.10	83.54	-36.44	44.24	1	Vertical	322	1.60	-	37.50	17.26	51.90
AV	19.98732G	35.60	63.54	-27.94	32.72	1	Vertical	322	1.60	-	37.52	17.25	51.89

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

6665MHz_TX



EUT_V_2TX
Setting 20
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99794G	46.93	83.54	-36.61	44.07	1	Horizontal	190	1.98	-	37.50	17.26	51.90
AV	19.99644G	35.69	63.54	-27.85	32.82	1	Horizontal	190	1.98	-	37.51	17.26	51.90




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.01	68.20	-1.19	3	Horizontal	292	1.93	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
Setting 22.5
02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	73.28	88.20	-14.92	63.97	3	Vertical	13	2.22	-	34.25	6.22	31.16
RMS	5.9249G	61.52	68.20	-6.68	52.21	3	Vertical	13	2.22	-	34.25	6.22	31.16
PK	5.9633G	110.87	Inf	-Inf	101.48	3	Vertical	13	2.22	-	34.30	6.26	31.17
RMS	5.9464G	100.96	Inf	-Inf	91.60	3	Vertical	13	2.22	-	34.29	6.24	31.17

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
 Setting 22.5
 02-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9233G	78.62	88.20	-9.58	69.30	3	Horizontal	292	1.93	-	34.25	6.22	31.15
RMS	5.925G	67.01	68.20	-1.19	57.70	3	Horizontal	292	1.93	-	34.25	6.22	31.16
PK	5.9638G	115.41	Inf	-Inf	106.02	3	Horizontal	292	1.93	-	34.30	6.26	31.17
RMS	5.9636G	105.65	Inf	-Inf	96.26	3	Horizontal	292	1.93	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
Setting 22.5
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91621G	53.10	74.00	-20.90	48.06	3	Vertical	229	2.72	-	39.30	8.97	43.23
AV	11.9025G	40.77	54.00	-13.23	35.74	3	Vertical	229	2.72	-	39.30	8.97	43.24
PK	17.86512G	62.33	74.00	-11.67	46.22	3	Vertical	360	1.80	-	46.36	11.15	41.40
AV	17.86911G	50.42	54.00	-3.58	34.28	3	Vertical	360	1.80	-	46.38	11.15	41.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
 Setting 22.5
 02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90817G	52.56	74.00	-21.44	47.52	3	Horizontal	200	1.10	-	39.30	8.97	43.23
AV	11.90031G	40.78	54.00	-13.22	35.75	3	Horizontal	200	1.10	-	39.30	8.97	43.24
PK	17.86752G	63.94	74.00	-10.06	47.82	3	Horizontal	103	1.80	-	46.37	11.15	41.40
AV	17.87052G	51.06	54.00	-2.94	34.92	3	Horizontal	103	1.80	-	46.38	11.15	41.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39831G	52.45	74.00	-21.55	47.87	3	Vertical	331	2.78	-	38.60	9.14	43.16
AV	12.40248G	40.52	54.00	-13.48	35.94	3	Vertical	331	2.78	-	38.60	9.14	43.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4008G	52.71	74.00	-21.29	48.13	3	Horizontal	266	2.31	-	38.60	9.14	43.16
AV	12.38994G	40.48	54.00	-13.52	35.89	3	Horizontal	266	2.31	-	38.62	9.14	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57021G	46.93	83.54	-36.61	42.93	1	Vertical	214	1.56	-	37.70	16.67	50.37
AV	18.59469G	35.16	63.54	-28.38	31.17	1	Vertical	214	1.56	-	37.70	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5994G	48.30	83.54	-35.24	44.31	1	Horizontal	111	1.53	-	37.70	16.69	50.40
AV	18.57108G	35.20	63.54	-28.34	31.20	1	Horizontal	111	1.53	-	37.70	16.67	50.37

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82061G	52.03	88.20	-36.17	46.63	3	Vertical	293	1.33	-	38.94	9.29	42.83
RMS	12.81896G	40.42	68.20	-27.78	35.02	3	Vertical	293	1.33	-	38.94	9.29	42.83

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82679G	53.10	88.20	-35.10	47.68	3	Horizontal	318	1.00	-	38.95	9.29	42.82
RMS	12.82997G	40.62	68.20	-27.58	35.19	3	Horizontal	318	1.00	-	38.96	9.29	42.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24206G	46.71	83.54	-36.83	43.15	1	Vertical	281	1.83	-	37.70	16.95	51.09
AV	19.24068G	34.85	63.54	-28.69	31.29	1	Vertical	281	1.83	-	37.70	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24524G	46.39	83.54	-37.15	42.83	1	Horizontal	52	1.98	-	37.70	16.95	51.09
AV	19.2564G	34.82	63.54	-28.72	31.27	1	Horizontal	52	1.98	-	37.70	16.96	51.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06388G	54.19	88.20	-34.01	47.90	3	Vertical	188	2.55	-	39.58	9.37	42.66
RMS	13.08467G	41.80	68.20	-26.40	35.38	3	Vertical	188	2.55	-	39.71	9.38	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08335G	54.14	88.20	-34.06	47.73	3	Horizontal	125	2.28	-	39.70	9.38	42.67
RMS	13.0847G	42.04	68.20	-26.16	35.62	3	Horizontal	125	2.28	-	39.71	9.38	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59969G	47.85	83.54	-35.69	44.41	1	Vertical	263	1.44	-	37.84	17.10	51.50
AV	19.61439G	35.30	63.54	-28.24	31.86	1	Vertical	263	1.44	-	37.85	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61895G	47.69	83.54	-35.85	44.26	1	Horizontal	313	1.67	-	37.85	17.10	51.52
AV	19.61481G	35.30	63.54	-28.24	31.86	1	Horizontal	313	1.67	-	37.85	17.10	51.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38433G	54.44	74.00	-19.56	47.22	3	Vertical	330	2.40	-	40.47	9.48	42.73
AV	13.38616G	42.19	54.00	-11.81	34.96	3	Vertical	330	2.40	-	40.47	9.49	42.73

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38586G	54.86	74.00	-19.14	47.63	3	Horizontal	326	2.37	-	40.47	9.49	42.73
AV	13.38202G	42.26	54.00	-11.74	35.05	3	Horizontal	326	2.37	-	40.46	9.48	42.73

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09595G	47.03	83.54	-36.51	44.11	1	Vertical	72	1.62	-	37.54	17.30	51.92
AV	20.09412G	35.53	63.54	-28.01	32.61	1	Vertical	72	1.62	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08542G	47.79	83.54	-35.75	44.88	1	Horizontal	138	1.35	-	37.53	17.30	51.92
AV	20.09343G	35.44	63.54	-28.10	32.52	1	Horizontal	138	1.35	-	37.54	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70544G	55.18	88.20	-33.02	47.31	3	Vertical	209	1.80	-	40.91	9.60	42.64
RMS	13.72416G	42.58	68.20	-25.62	34.66	3	Vertical	209	1.80	-	40.95	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT X_1TX
Setting 24
02-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71984G	54.77	88.20	-33.43	46.86	3	Horizontal	67	2.32	-	40.94	9.60	42.63
RMS	13.72443G	42.55	68.20	-25.65	34.63	3	Horizontal	67	2.32	-	40.95	9.60	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57763G	47.09	83.54	-36.45	43.89	1	Vertical	242	1.63	-	37.71	17.51	52.02
AV	20.57136G	35.38	63.54	-28.16	32.17	1	Vertical	242	1.63	-	37.71	17.51	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX



EUT X_1TX
Setting 24
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5728G	47.39	83.54	-36.15	44.18	1	Horizontal	70	1.36	-	37.71	17.51	52.01
AV	20.55579G	35.36	63.54	-28.18	32.14	1	Horizontal	70	1.36	-	37.73	17.50	52.01

