


Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	240M	33.27	46.00	-12.73	-12.94	3	Horizontal	122	1.25	-	46.21	17.16	1.70	31.80
PK	595.51M	30.69	46.00	-15.31	-4.72	3	Horizontal	360	1.00	-	35.41	24.82	2.61	32.15
PK	608M	32.57	46.00	-13.43	-4.49	3	Horizontal	0	1.25	-	37.06	25.05	2.64	32.18
PK	617.82M	34.11	46.00	-11.89	-4.34	3	Horizontal	7	1.25	"Worst"	38.45	25.22	2.66	32.22
PK	636.25M	29.80	46.00	-16.20	-4.32	3	Horizontal	0	1.25	-	34.12	25.26	2.71	32.29
PK	827.34M	31.75	46.00	-14.25	-3.00	3	Horizontal	352	1.50	-	34.75	26.20	3.12	32.32




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	68.19	68.20	-0.01	3	Vertical	23	1.68	-

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
 Setting 22
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.42	74.00	-8.58	56.08	3	Vertical	308	1.58	-	34.10	5.96	30.72
AV	5.4592G	52.07	54.00	-1.93	42.73	3	Vertical	308	1.58	-	34.10	5.96	30.72
PK	5.469G	67.10	68.20	-1.10	57.75	3	Vertical	308	1.58	-	34.10	5.97	30.72
PK	5.4968G	120.41	Inf	-Inf	111.03	3	Vertical	308	1.58	-	34.10	6.00	30.72
AV	5.5034G	110.41	Inf	-Inf	101.03	3	Vertical	308	1.58	-	34.10	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.994G	54.35	74.00	-19.65	39.12	3	Vertical	23	1.96	-	38.50	8.65	31.92
AV	11.00212G	40.96	54.00	-13.04	25.73	3	Vertical	23	1.96	-	38.50	8.65	31.92
PK	16.49936G	60.22	68.20	-7.98	41.63	3	Vertical	21	2.86	-	38.90	10.67	30.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9984G	54.40	74.00	-19.60	39.17	3	Horizontal	22	1.70	-	38.50	8.65	31.92
AV	11.00124G	40.99	54.00	-13.01	25.76	3	Horizontal	22	1.70	-	38.50	8.65	31.92
PK	16.4992G	60.20	68.20	-8.00	41.61	3	Horizontal	312	1.12	-	38.90	10.67	30.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.416G	62.09	74.00	-11.91	52.86	3	Vertical	308	1.64	-	34.03	5.92	30.72
AV	5.3832G	49.52	54.00	-4.48	40.35	3	Vertical	308	1.64	-	34.00	5.89	30.72
PK	5.4632G	61.01	68.20	-7.19	51.67	3	Vertical	308	1.64	-	34.10	5.96	30.72
PK	5.5872G	125.16	Inf	-Inf	115.83	3	Vertical	308	1.64	-	34.03	6.09	30.79
AV	5.5832G	115.05	Inf	-Inf	105.72	3	Vertical	308	1.64	-	34.03	6.08	30.78
PK	5.7784G	61.84	68.20	-6.36	52.67	3	Vertical	308	1.64	-	34.00	6.10	30.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
 Setting 26
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15536G	54.98	74.00	-19.02	39.66	3	Vertical	263	1.44	-	38.60	8.70	31.98
AV	11.16732G	40.90	54.00	-13.10	25.58	3	Vertical	263	1.44	-	38.60	8.71	31.99
PK	16.73568G	61.08	68.20	-7.12	40.95	3	Vertical	41	2.73	-	40.01	10.76	30.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16616G	54.79	74.00	-19.21	39.47	3	Horizontal	331	1.58	-	38.60	8.71	31.99
AV	11.153G	41.14	54.00	-12.86	25.82	3	Horizontal	331	1.58	-	38.60	8.70	31.98
PK	16.74148G	61.11	68.20	-7.09	40.93	3	Horizontal	336	2.15	-	40.05	10.76	30.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
 Setting 21
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7034G	119.20	Inf	-Inf	109.97	3	Vertical	305	1.75	-	34.00	6.10	30.87
AV	5.7034G	109.46	Inf	-Inf	100.23	3	Vertical	305	1.75	-	34.00	6.10	30.87
PK	5.7252G	68.07	68.20	-0.13	58.86	3	Vertical	305	1.75	-	34.00	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40832G	54.27	74.00	-19.73	38.84	3	Vertical	99	1.75	-	38.72	8.79	32.08
AV	11.40528G	40.96	54.00	-13.04	25.54	3	Vertical	99	1.75	-	38.71	8.79	32.08
PK	17.11G	63.95	68.20	-4.25	41.77	3	Vertical	66	2.31	-	41.54	10.89	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39152G	54.67	74.00	-19.33	39.28	3	Horizontal	50	1.20	-	38.68	8.79	32.08
AV	11.40704G	40.88	54.00	-13.12	25.46	3	Horizontal	50	1.20	-	38.71	8.79	32.08
PK	17.09772G	63.33	68.20	-4.87	41.21	3	Horizontal	64	1.62	-	41.49	10.88	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
 Setting 26
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	125.04	Inf	-Inf	115.83	3	Vertical	307	1.74	-	34.00	6.10	30.89
AV	5.7224G	114.55	Inf	-Inf	105.34	3	Vertical	307	1.74	-	34.00	6.10	30.89
PK	5.8824G	60.88	68.20	-7.32	51.58	3	Vertical	307	1.74	-	34.13	6.18	31.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44852G	54.07	74.00	-19.93	38.56	3	Vertical	349	1.55	-	38.80	8.81	32.10
AV	11.44712G	41.04	54.00	-12.96	25.54	3	Vertical	349	1.55	-	38.79	8.81	32.10
PK	17.15384G	64.46	68.20	-3.74	42.08	3	Vertical	128	2.18	-	41.72	10.90	30.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
 Setting 26
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44644G	54.37	74.00	-19.63	38.87	3	Horizontal	101	2.41	-	38.79	8.81	32.10
AV	11.44932G	41.05	54.00	-12.95	25.54	3	Horizontal	101	2.41	-	38.80	8.81	32.10
PK	17.1596G	63.73	68.20	-4.47	41.32	3	Horizontal	52	1.20	-	41.74	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
Setting 22
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	63.55	74.00	-10.45	54.21	3	Vertical	307	1.75	-	34.10	5.96	30.72
AV	5.46G	50.60	54.00	-3.40	41.26	3	Vertical	307	1.75	-	34.10	5.96	30.72
PK	5.4698G	68.18	68.20	-0.02	58.83	3	Vertical	307	1.75	-	34.10	5.97	30.72
PK	5.5024G	122.37	Inf	-Inf	112.99	3	Vertical	307	1.75	-	34.10	6.00	30.72
AV	5.5014G	108.21	Inf	-Inf	98.83	3	Vertical	307	1.75	-	34.10	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00984G	53.81	74.00	-20.19	38.58	3	Vertical	150	2.62	-	38.50	8.65	31.92
AV	10.99352G	40.19	54.00	-13.81	24.96	3	Vertical	150	2.62	-	38.50	8.65	31.92
PK	16.49208G	59.41	68.20	-8.79	40.86	3	Vertical	163	2.80	-	38.87	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 1)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99516G	53.77	74.00	-20.23	38.54	3	Horizontal	15	2.53	-	38.50	8.65	31.92
AV	11.00748G	40.24	54.00	-13.76	25.01	3	Horizontal	15	2.53	-	38.50	8.65	31.92
PK	16.4938G	59.54	68.20	-8.66	40.98	3	Horizontal	214	2.32	-	38.88	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3856G	61.26	74.00	-12.74	52.09	3	Vertical	307	1.65	-	34.00	5.89	30.72
AV	5.384G	48.85	54.00	-5.15	39.68	3	Vertical	307	1.65	-	34.00	5.89	30.72
PK	5.4696G	60.87	68.20	-7.33	51.52	3	Vertical	307	1.65	-	34.10	5.97	30.72
PK	5.5752G	126.90	Inf	-Inf	117.55	3	Vertical	307	1.65	-	34.05	6.08	30.78
AV	5.5768G	113.19	Inf	-Inf	103.84	3	Vertical	307	1.65	-	34.05	6.08	30.78
PK	5.7608G	62.28	68.20	-5.92	53.10	3	Vertical	307	1.65	-	34.00	6.10	30.92

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1672G	53.78	74.00	-20.22	38.46	3	Vertical	213	2.94	-	38.60	8.71	31.99
AV	11.16216G	40.10	54.00	-13.90	24.77	3	Vertical	213	2.94	-	38.60	8.71	31.98
PK	16.73928G	60.25	68.20	-7.95	40.09	3	Vertical	180	1.18	-	40.04	10.76	30.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16972G	55.13	74.00	-18.87	39.81	3	Horizontal	101	1.27	-	38.60	8.71	31.99
AV	11.16816G	40.16	54.00	-13.84	24.84	3	Horizontal	101	1.27	-	38.60	8.71	31.99
PK	16.73112G	60.52	68.20	-7.68	40.42	3	Horizontal	37	1.60	-	39.99	10.76	30.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	121.90	Inf	-Inf	112.67	3	Vertical	307	1.77	-	34.00	6.10	30.87
AV	5.7032G	107.33	Inf	-Inf	98.10	3	Vertical	307	1.77	-	34.00	6.10	30.87
PK	5.7258G	67.02	68.20	-1.18	57.81	3	Vertical	307	1.77	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39396G	53.84	74.00	-20.16	38.44	3	Vertical	314	2.19	-	38.69	8.79	32.08
AV	11.40764G	40.30	54.00	-13.70	24.87	3	Vertical	314	2.19	-	38.72	8.79	32.08
PK	17.09976G	63.26	68.20	-4.94	41.13	3	Vertical	97	2.39	-	41.50	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40748G	54.36	74.00	-19.64	38.94	3	Horizontal	145	1.09	-	38.71	8.79	32.08
AV	11.403G	40.27	54.00	-13.73	24.85	3	Horizontal	145	1.09	-	38.71	8.79	32.08
PK	17.09212G	62.91	68.20	-5.29	40.83	3	Horizontal	60	1.29	-	41.45	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	125.58	Inf	-Inf	116.37	3	Vertical	308	1.75	-	34.00	6.10	30.89
AV	5.7232G	112.79	Inf	-Inf	103.58	3	Vertical	308	1.75	-	34.00	6.10	30.89
PK	5.86G	60.70	68.20	-7.50	51.50	3	Vertical	308	1.75	-	34.04	6.15	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43464G	54.32	74.00	-19.68	38.84	3	Vertical	74	1.33	-	38.77	8.80	32.09
AV	11.44604G	40.30	54.00	-13.70	24.80	3	Vertical	74	1.33	-	38.79	8.81	32.10
PK	17.15916G	63.38	68.20	-4.82	40.97	3	Vertical	6	1.18	-	41.74	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4432G	54.29	74.00	-19.71	38.79	3	Horizontal	198	2.35	-	38.79	8.81	32.10
AV	11.45G	40.36	54.00	-13.64	24.85	3	Horizontal	198	2.35	-	38.80	8.81	32.10
PK	17.15588G	63.49	68.20	-4.71	41.11	3	Horizontal	260	2.84	-	41.72	10.90	30.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 1)
Setting 18
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.45	74.00	-11.55	53.11	3	Vertical	306	1.73	-	34.10	5.96	30.72
AV	5.46G	50.46	54.00	-3.54	41.12	3	Vertical	306	1.73	-	34.10	5.96	30.72
PK	5.47G	68.15	68.20	-0.05	58.80	3	Vertical	306	1.73	-	34.10	5.97	30.72
PK	5.52G	116.67	Inf	-Inf	107.29	3	Vertical	306	1.73	-	34.10	6.02	30.74
AV	5.5152G	102.84	Inf	-Inf	93.45	3	Vertical	306	1.73	-	34.10	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 1)
Setting 18
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03308G	54.42	74.00	-19.58	39.19	3	Vertical	198	1.80	-	38.50	8.66	31.93
AV	11.0167G	40.21	54.00	-13.79	24.98	3	Vertical	198	1.80	-	38.50	8.66	31.93
PK	16.5384G	59.88	68.20	-8.32	41.13	3	Vertical	128	2.69	-	38.98	10.69	30.92

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 1)
Setting 18
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03086G	52.96	74.00	-21.04	37.73	3	Horizontal	66	1.27	-	38.50	8.66	31.93
AV	11.02204G	40.06	54.00	-13.94	24.83	3	Horizontal	66	1.27	-	38.50	8.66	31.93
PK	16.51542G	59.35	68.20	-8.85	40.70	3	Horizontal	129	1.84	-	38.93	10.68	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 1)
Setting 23
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.82	74.00	-9.18	55.48	3	Vertical	307	1.68	-	34.10	5.96	30.72
AV	5.46G	52.09	54.00	-1.91	42.75	3	Vertical	307	1.68	-	34.10	5.96	30.72
PK	5.4678G	67.71	68.20	-0.49	58.36	3	Vertical	307	1.68	-	34.10	5.97	30.72
PK	5.5536G	121.12	Inf	-Inf	111.74	3	Vertical	307	1.68	-	34.09	6.05	30.76
AV	5.5458G	107.85	Inf	-Inf	98.45	3	Vertical	307	1.68	-	34.10	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 1)
Setting 23
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10912G	53.74	74.00	-20.26	38.41	3	Vertical	118	1.24	-	38.60	8.69	31.96
AV	11.09944G	40.01	54.00	-13.99	24.69	3	Vertical	118	1.24	-	38.60	8.68	31.96
PK	16.65308G	60.01	68.20	-8.19	40.62	3	Vertical	158	2.75	-	39.42	10.73	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 1)
Setting 23
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1038G	54.48	74.00	-19.52	39.15	3	Horizontal	316	1.02	-	38.60	8.69	31.96
AV	11.10284G	39.99	54.00	-14.01	24.66	3	Horizontal	316	1.02	-	38.60	8.69	31.96
PK	16.65948G	60.49	68.20	-7.71	41.03	3	Horizontal	192	2.57	-	39.48	10.73	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6784G	119.94	Inf	-Inf	110.74	3	Vertical	307	1.68	-	33.96	6.10	30.86
AV	5.6728G	105.56	Inf	-Inf	96.36	3	Vertical	307	1.68	-	33.95	6.10	30.85
PK	5.726G	67.30	68.20	-0.90	58.09	3	Vertical	307	1.68	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34424G	54.14	74.00	-19.86	38.83	3	Vertical	69	2.34	-	38.60	8.77	32.06
AV	11.33896G	40.15	54.00	-13.85	24.84	3	Vertical	69	2.34	-	38.60	8.77	32.06
PK	17.00072G	62.67	68.20	-5.53	41.08	3	Vertical	180	2.68	-	41.00	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 1)
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34288G	54.47	74.00	-19.53	39.16	3	Horizontal	144	1.45	-	38.60	8.77	32.06
AV	11.34068G	40.13	54.00	-13.87	24.82	3	Horizontal	144	1.45	-	38.60	8.77	32.06
PK	17.00576G	62.77	68.20	-5.43	41.16	3	Horizontal	209	1.69	-	41.02	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	124.34	Inf	-Inf	115.12	3	Vertical	306	1.75	-	34.00	6.10	30.88
AV	5.7076G	110.92	Inf	-Inf	101.70	3	Vertical	306	1.75	-	34.00	6.10	30.88
PK	5.8516G	67.32	68.20	-0.88	58.16	3	Vertical	306	1.75	-	34.01	6.14	30.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41922G	53.48	74.00	-20.52	38.03	3	Vertical	245	1.53	-	38.74	8.80	32.09
AV	11.4305G	40.16	54.00	-13.84	24.69	3	Vertical	245	1.53	-	38.76	8.80	32.09
PK	17.12244G	64.00	68.20	-4.20	41.77	3	Vertical	315	1.80	-	41.59	10.89	30.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41934G	54.23	74.00	-19.77	38.78	3	Horizontal	252	2.95	-	38.74	8.80	32.09
AV	11.42258G	40.17	54.00	-13.83	24.71	3	Horizontal	252	2.95	-	38.75	8.80	32.09
PK	17.12376G	63.13	68.20	-5.07	40.89	3	Horizontal	64	2.13	-	41.60	10.89	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 1)
Setting 17.5
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	59.96	68.20	-8.24	50.84	3	Vertical	308	1.81	-	33.97	5.87	30.72
AV	5.35G	47.47	54.00	-6.53	38.32	3	Vertical	308	1.81	-	34.00	5.87	30.72
PK	5.459G	67.01	74.00	-6.99	57.67	3	Vertical	308	1.81	-	34.10	5.96	30.72
AV	5.46G	53.69	54.00	-0.31	44.35	3	Vertical	308	1.81	-	34.10	5.96	30.72
PK	5.464G	67.46	68.20	-0.74	58.12	3	Vertical	308	1.81	-	34.10	5.96	30.72
PK	5.516G	111.98	Inf	-Inf	102.59	3	Vertical	308	1.81	-	34.10	6.02	30.73
AV	5.55G	99.12	Inf	-Inf	89.73	3	Vertical	308	1.81	-	34.10	6.05	30.76
PK	5.763G	62.19	68.20	-6.01	53.01	3	Vertical	308	1.81	-	34.00	6.10	30.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 1)
 Setting 17.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06824G	53.33	74.00	-20.67	38.07	3	Vertical	323	1.25	-	38.54	8.67	31.95
AV	11.06876G	39.74	54.00	-14.26	24.48	3	Vertical	323	1.25	-	38.54	8.67	31.95
PK	16.59508G	60.20	68.20	-8.00	41.15	3	Vertical	40	2.43	-	39.18	10.71	30.84

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 1)
 Setting 17.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.062G	53.79	74.00	-20.21	38.54	3	Horizontal	146	2.65	-	38.52	8.67	31.94
AV	11.06664G	39.86	54.00	-14.14	24.61	3	Horizontal	146	2.65	-	38.53	8.67	31.95
PK	16.58612G	60.20	68.20	-8.00	41.21	3	Horizontal	334	1.69	-	39.14	10.71	30.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 1)
Setting 21.5
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.47	74.00	-11.53	53.13	3	Vertical	310	1.71	-	34.10	5.96	30.72
AV	5.456G	50.15	54.00	-3.85	40.81	3	Vertical	310	1.71	-	34.10	5.96	30.72
PK	5.47G	63.63	68.20	-4.57	54.28	3	Vertical	310	1.71	-	34.10	5.97	30.72
PK	5.612G	116.38	Inf	-Inf	107.11	3	Vertical	310	1.71	-	33.98	6.10	30.81
AV	5.618G	102.78	Inf	-Inf	93.53	3	Vertical	310	1.71	-	33.96	6.10	30.81
PK	5.725G	67.70	68.20	-0.50	58.49	3	Vertical	310	1.71	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 1)
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21624G	53.37	74.00	-20.63	38.02	3	Vertical	155	1.46	-	38.63	8.73	32.01
AV	11.21152G	39.68	54.00	-14.32	24.34	3	Vertical	155	1.46	-	38.62	8.72	32.00
PK	16.83208G	60.96	68.20	-7.24	40.27	3	Vertical	181	2.24	-	40.40	10.79	30.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 1)
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22312G	54.03	74.00	-19.97	38.66	3	Horizontal	139	2.95	-	38.65	8.73	32.01
AV	11.215G	39.74	54.00	-14.26	24.39	3	Horizontal	139	2.95	-	38.63	8.73	32.01
PK	16.8298G	61.41	68.20	-6.79	40.73	3	Horizontal	156	2.69	-	40.40	10.79	30.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
 Setting 23.5
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	61.01	74.00	-12.99	51.67	3	Vertical	305	1.76	-	34.10	5.96	30.72
AV	5.456G	48.97	54.00	-5.03	39.63	3	Vertical	305	1.76	-	34.10	5.96	30.72
PK	5.461G	60.90	68.20	-7.30	51.56	3	Vertical	305	1.76	-	34.10	5.96	30.72
PK	5.689G	117.73	Inf	-Inf	108.51	3	Vertical	305	1.76	-	33.98	6.10	30.86
AV	5.688G	104.95	Inf	-Inf	95.73	3	Vertical	305	1.76	-	33.98	6.10	30.86
PK	5.855G	65.95	68.20	-2.25	56.77	3	Vertical	305	1.76	-	34.02	6.15	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
 Setting 23.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39G	53.98	74.00	-20.02	38.59	3	Vertical	358	1.97	-	38.68	8.79	32.08
AV	11.38324G	39.86	54.00	-14.14	24.48	3	Vertical	358	1.97	-	38.67	8.78	32.07
PK	17.07716G	62.46	68.20	-5.74	40.47	3	Vertical	248	2.09	-	41.36	10.88	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 1)
 Setting 23.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37836G	53.37	74.00	-20.63	38.00	3	Horizontal	276	1.46	-	38.66	8.78	32.07
AV	11.37064G	39.87	54.00	-14.13	24.52	3	Horizontal	276	1.46	-	38.64	8.78	32.07
PK	17.06224G	62.10	68.20	-6.10	40.21	3	Horizontal	102	1.09	-	41.27	10.87	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
 Setting 22.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.44	74.00	-10.56	54.10	3	Vertical	346	1.55	-	34.10	5.96	30.72
AV	5.4598G	50.52	54.00	-3.48	41.18	3	Vertical	346	1.55	-	34.10	5.96	30.72
PK	5.4684G	67.42	68.20	-0.78	58.07	3	Vertical	346	1.55	-	34.10	5.97	30.72
PK	5.4968G	119.24	Inf	-Inf	109.86	3	Vertical	346	1.55	-	34.10	6.00	30.72
AV	5.4968G	109.11	Inf	-Inf	99.73	3	Vertical	346	1.55	-	34.10	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
 Setting 22.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00968G	54.63	74.00	-19.37	39.40	3	Vertical	300	1.55	-	38.50	8.65	31.92
AV	11.00536G	41.16	54.00	-12.84	25.93	3	Vertical	300	1.55	-	38.50	8.65	31.92
PK	16.49292G	60.89	68.20	-7.31	42.34	3	Vertical	24	2.40	-	38.87	10.67	30.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
 Setting 22.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00112G	55.09	74.00	-18.91	39.86	3	Horizontal	315	2.78	-	38.50	8.65	31.92
AV	11.0038G	41.09	54.00	-12.91	25.86	3	Horizontal	315	2.78	-	38.50	8.65	31.92
PK	16.49252G	59.51	68.20	-8.69	40.96	3	Horizontal	123	2.14	-	38.87	10.67	30.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3912G	60.79	74.00	-13.21	51.61	3	Vertical	21	1.63	-	34.00	5.90	30.72
AV	5.392G	48.86	54.00	-5.14	39.68	3	Vertical	21	1.63	-	34.00	5.90	30.72
PK	5.4648G	61.21	68.20	-6.99	51.87	3	Vertical	21	1.63	-	34.10	5.96	30.72
PK	5.5768G	123.97	Inf	-Inf	114.62	3	Vertical	21	1.63	-	34.05	6.08	30.78
AV	5.5832G	113.75	Inf	-Inf	104.42	3	Vertical	21	1.63	-	34.03	6.08	30.78
PK	5.772G	61.45	68.20	-6.75	52.28	3	Vertical	21	1.63	-	34.00	6.10	30.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14068G	53.60	74.00	-20.40	38.28	3	Vertical	54	1.07	-	38.60	8.70	31.98
AV	11.17536G	40.99	54.00	-13.01	25.67	3	Vertical	54	1.07	-	38.60	8.71	31.99
PK	16.7322G	64.14	68.20	-4.06	44.04	3	Vertical	32	1.80	-	39.99	10.76	30.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16444G	53.85	74.00	-20.15	38.53	3	Horizontal	5	2.47	-	38.60	8.71	31.99
AV	11.13936G	41.09	54.00	-12.91	25.77	3	Horizontal	5	2.47	-	38.60	8.70	31.98
PK	16.76712G	63.04	68.20	-5.16	42.67	3	Horizontal	205	2.44	-	40.20	10.77	30.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
 Setting 21.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7034G	118.78	Inf	-Inf	109.55	3	Vertical	346	1.81	-	34.00	6.10	30.87
AV	5.7032G	108.90	Inf	-Inf	99.67	3	Vertical	346	1.81	-	34.00	6.10	30.87
PK	5.725G	67.47	68.20	-0.73	58.26	3	Vertical	346	1.81	-	34.00	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40988G	54.33	74.00	-19.67	38.90	3	Vertical	312	1.58	-	38.72	8.79	32.08
AV	11.41G	41.14	54.00	-12.86	25.71	3	Vertical	312	1.58	-	38.72	8.79	32.08
PK	17.10364G	63.36	68.20	-4.84	41.21	3	Vertical	48	2.96	-	41.51	10.89	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
Setting 21.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40552G	54.37	74.00	-19.63	38.95	3	Horizontal	155	2.35	-	38.71	8.79	32.08
AV	11.40784G	41.15	54.00	-12.85	25.72	3	Horizontal	155	2.35	-	38.72	8.79	32.08
PK	17.10644G	62.82	68.20	-5.38	40.65	3	Horizontal	287	2.43	-	41.53	10.89	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
 Setting 27
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	123.88	Inf	-Inf	114.67	3	Vertical	346	1.70	-	34.00	6.10	30.89
AV	5.7224G	113.85	Inf	-Inf	104.64	3	Vertical	346	1.70	-	34.00	6.10	30.89
PK	5.8712G	60.48	68.20	-7.72	51.24	3	Vertical	346	1.70	-	34.08	6.16	31.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
 Setting 27
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44672G	53.91	74.00	-20.09	38.41	3	Vertical	338	2.88	-	38.79	8.81	32.10
AV	11.45632G	41.33	54.00	-12.67	25.81	3	Vertical	338	2.88	-	38.81	8.81	32.10
PK	17.14764G	63.93	68.20	-4.27	41.59	3	Vertical	358	1.80	-	41.69	10.90	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43772G	53.63	74.00	-20.37	38.15	3	Horizontal	275	1.52	-	38.78	8.80	32.10
AV	11.4658G	41.43	54.00	-12.57	25.90	3	Horizontal	275	1.52	-	38.83	8.81	32.11
PK	17.1642G	64.06	68.20	-4.14	41.63	3	Horizontal	351	1.67	-	41.76	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.81	74.00	-12.19	52.47	3	Vertical	344	1.56	-	34.10	5.96	30.72
AV	5.46G	49.39	54.00	-4.61	40.05	3	Vertical	344	1.56	-	34.10	5.96	30.72
PK	5.47G	66.73	68.20	-1.47	57.38	3	Vertical	344	1.56	-	34.10	5.97	30.72
PK	5.4972G	120.68	Inf	-Inf	111.30	3	Vertical	344	1.56	-	34.10	6.00	30.72
AV	5.496G	107.10	Inf	-Inf	97.72	3	Vertical	344	1.56	-	34.10	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99748G	54.54	74.00	-19.46	39.31	3	Vertical	348	2.65	-	38.50	8.65	31.92
AV	11.00676G	40.60	54.00	-13.40	25.37	3	Vertical	348	2.65	-	38.50	8.65	31.92
PK	16.49392G	59.65	68.20	-8.55	41.09	3	Vertical	25	1.41	-	38.88	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00632G	54.91	74.00	-19.09	39.68	3	Horizontal	160	1.07	-	38.50	8.65	31.92
AV	10.99672G	40.50	54.00	-13.50	25.27	3	Horizontal	160	1.07	-	38.50	8.65	31.92
PK	16.4934G	59.53	68.20	-8.67	40.98	3	Horizontal	226	2.95	-	38.87	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3864G	60.88	74.00	-13.12	51.71	3	Vertical	24	1.72	-	34.00	5.89	30.72
AV	5.3944G	48.32	54.00	-5.68	39.14	3	Vertical	24	1.72	-	34.00	5.90	30.72
PK	5.4624G	60.39	68.20	-7.81	51.05	3	Vertical	24	1.72	-	34.10	5.96	30.72
PK	5.5864G	125.56	Inf	-Inf	116.23	3	Vertical	24	1.72	-	34.03	6.09	30.79
AV	5.584G	112.88	Inf	-Inf	103.55	3	Vertical	24	1.72	-	34.03	6.08	30.78
PK	5.7352G	61.84	68.20	-6.36	52.64	3	Vertical	24	1.72	-	34.00	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15384G	53.99	74.00	-20.01	38.67	3	Vertical	243	2.91	-	38.60	8.70	31.98
AV	11.16084G	40.34	54.00	-13.66	25.01	3	Vertical	243	2.91	-	38.60	8.71	31.98
PK	16.7322G	60.44	68.20	-7.76	40.34	3	Vertical	268	2.61	-	39.99	10.76	30.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15688G	54.07	74.00	-19.93	38.75	3	Horizontal	207	2.95	-	38.60	8.70	31.98
AV	11.16128G	40.41	54.00	-13.59	25.08	3	Horizontal	207	2.95	-	38.60	8.71	31.98
PK	16.73716G	60.65	68.20	-7.55	40.51	3	Horizontal	211	2.67	-	40.02	10.76	30.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
Setting 21.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	120.44	Inf	-Inf	111.21	3	Vertical	344	1.82	-	34.00	6.10	30.87
AV	5.703G	107.10	Inf	-Inf	97.87	3	Vertical	344	1.82	-	34.00	6.10	30.87
PK	5.7262G	67.24	68.20	-0.96	58.03	3	Vertical	344	1.82	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3992G	54.05	74.00	-19.95	38.64	3	Vertical	221	2.50	-	38.70	8.79	32.08
AV	11.40772G	40.59	54.00	-13.41	25.16	3	Vertical	221	2.50	-	38.72	8.79	32.08
PK	17.10464G	62.66	68.20	-5.54	40.50	3	Vertical	8	1.33	-	41.52	10.89	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX(port 2)
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39888G	54.39	74.00	-19.61	38.98	3	Horizontal	287	1.85	-	38.70	8.79	32.08
AV	11.4092G	40.61	54.00	-13.39	25.18	3	Horizontal	287	1.85	-	38.72	8.79	32.08
PK	17.1048G	63.34	68.20	-4.86	41.18	3	Horizontal	181	2.44	-	41.52	10.89	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	125.86	Inf	-Inf	116.65	3	Vertical	347	1.79	-	34.00	6.10	30.89
AV	5.7168G	112.57	Inf	-Inf	103.35	3	Vertical	347	1.79	-	34.00	6.10	30.88
PK	5.8624G	60.33	68.20	-7.87	51.12	3	Vertical	347	1.79	-	34.05	6.16	31.00

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44124G	54.79	74.00	-19.21	39.31	3	Vertical	346	2.40	-	38.78	8.80	32.10
AV	11.43296G	40.71	54.00	-13.29	25.23	3	Vertical	346	2.40	-	38.77	8.80	32.09
PK	17.16708G	63.11	68.20	-5.09	40.67	3	Vertical	174	2.05	-	41.77	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43668G	54.61	74.00	-19.39	39.13	3	Horizontal	292	1.02	-	38.77	8.80	32.09
AV	11.45G	40.71	54.00	-13.29	25.20	3	Horizontal	292	1.02	-	38.80	8.81	32.10
PK	17.16616G	64.15	68.20	-4.05	41.72	3	Horizontal	3	2.99	-	41.76	10.91	30.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 2)
Setting 19
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.64	74.00	-11.36	53.30	3	Vertical	23	1.68	-	34.10	5.96	30.72
AV	5.46G	50.37	54.00	-3.63	41.03	3	Vertical	23	1.68	-	34.10	5.96	30.72
PK	5.4692G	68.19	68.20	-0.01	58.84	3	Vertical	23	1.68	-	34.10	5.97	30.72
PK	5.5148G	115.72	Inf	-Inf	106.34	3	Vertical	23	1.68	-	34.10	6.01	30.73
AV	5.5172G	102.74	Inf	-Inf	93.35	3	Vertical	23	1.68	-	34.10	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 2)
Setting 19
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01392G	54.28	74.00	-19.72	39.06	3	Vertical	244	2.96	-	38.50	8.65	31.93
AV	11.01616G	40.64	54.00	-13.36	25.41	3	Vertical	244	2.96	-	38.50	8.66	31.93
PK	16.53256G	59.96	68.20	-8.24	41.23	3	Vertical	187	1.64	-	38.97	10.69	30.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX(port 2)
Setting 19
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01666G	54.68	74.00	-19.32	39.45	3	Horizontal	208	2.79	-	38.50	8.66	31.93
AV	11.01548G	40.63	54.00	-13.37	25.40	3	Horizontal	208	2.79	-	38.50	8.66	31.93
PK	16.53156G	60.01	68.20	-8.19	41.29	3	Horizontal	339	1.84	-	38.96	10.69	30.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 2)
Setting 24.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	63.14	74.00	-10.86	53.80	3	Vertical	344	1.55	-	34.10	5.96	30.72
AV	5.46G	51.00	54.00	-3.00	41.66	3	Vertical	344	1.55	-	34.10	5.96	30.72
PK	5.47G	67.99	68.20	-0.21	58.64	3	Vertical	344	1.55	-	34.10	5.97	30.72
PK	5.5608G	120.69	Inf	-Inf	111.32	3	Vertical	344	1.55	-	34.08	6.06	30.77
AV	5.5482G	107.64	Inf	-Inf	98.25	3	Vertical	344	1.55	-	34.10	6.05	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 2)
Setting 24.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09268G	54.35	74.00	-19.65	39.04	3	Vertical	217	1.57	-	38.59	8.68	31.96
AV	11.10144G	40.44	54.00	-13.56	25.11	3	Vertical	217	1.57	-	38.60	8.69	31.96
PK	16.64488G	61.55	68.20	-6.65	42.21	3	Vertical	206	1.80	-	39.38	10.73	30.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX(port 2)
Setting 24.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09476G	54.59	74.00	-19.41	39.28	3	Horizontal	313	1.21	-	38.59	8.68	31.96
AV	11.10388G	40.46	54.00	-13.54	25.13	3	Horizontal	313	1.21	-	38.60	8.69	31.96
PK	16.6558G	60.58	68.20	-7.62	41.16	3	Horizontal	270	2.83	-	39.45	10.73	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.676G	117.81	Inf	-Inf	108.61	3	Vertical	347	1.76	-	33.95	6.10	30.85
AV	5.6712G	104.60	Inf	-Inf	95.41	3	Vertical	347	1.76	-	33.94	6.10	30.85
PK	5.7252G	67.98	68.20	-0.22	58.77	3	Vertical	347	1.76	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34772G	54.62	74.00	-19.38	39.31	3	Vertical	360	1.86	-	38.60	8.77	32.06
AV	11.33816G	40.54	54.00	-13.46	25.23	3	Vertical	360	1.86	-	38.60	8.77	32.06
PK	17.00992G	62.70	68.20	-5.50	41.07	3	Vertical	340	2.72	-	41.04	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX(port 2)
Setting 22
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33556G	54.14	74.00	-19.86	38.82	3	Horizontal	56	1.32	-	38.60	8.77	32.05
AV	11.33856G	40.60	54.00	-13.40	25.29	3	Horizontal	56	1.32	-	38.60	8.77	32.06
PK	17.01864G	62.90	68.20	-5.30	41.23	3	Horizontal	308	1.84	-	41.07	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
 Setting 27
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	123.95	Inf	-Inf	114.73	3	Vertical	345	1.72	-	34.00	6.10	30.88
AV	5.7036G	110.53	Inf	-Inf	101.30	3	Vertical	345	1.72	-	34.00	6.10	30.87
PK	5.85G	64.25	68.20	-3.95	55.10	3	Vertical	345	1.72	-	34.00	6.14	30.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42456G	54.95	74.00	-19.05	39.49	3	Vertical	348	2.00	-	38.75	8.80	32.09
AV	11.42952G	40.76	54.00	-13.24	25.29	3	Vertical	348	2.00	-	38.76	8.80	32.09
PK	17.12796G	63.32	68.20	-4.88	41.07	3	Vertical	200	1.86	-	41.61	10.89	30.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41828G	55.28	74.00	-18.72	39.83	3	Horizontal	311	1.45	-	38.74	8.80	32.09
AV	11.42492G	40.71	54.00	-13.29	25.25	3	Horizontal	311	1.45	-	38.75	8.80	32.09
PK	17.13844G	63.04	68.20	-5.16	40.74	3	Horizontal	178	1.49	-	41.65	10.90	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 2)
Setting 17.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	59.71	68.20	-8.49	50.60	3	Vertical	346	1.47	-	33.96	5.87	30.72
AV	5.35G	47.44	54.00	-6.56	38.29	3	Vertical	346	1.47	-	34.00	5.87	30.72
PK	5.456G	64.71	74.00	-9.29	55.37	3	Vertical	346	1.47	-	34.10	5.96	30.72
AV	5.46G	52.70	54.00	-1.30	43.36	3	Vertical	346	1.47	-	34.10	5.96	30.72
PK	5.466G	67.67	68.20	-0.53	58.32	3	Vertical	346	1.47	-	34.10	5.97	30.72
PK	5.521G	111.63	Inf	-Inf	102.25	3	Vertical	346	1.47	-	34.10	6.02	30.74
AV	5.525G	97.73	Inf	-Inf	88.34	3	Vertical	346	1.47	-	34.10	6.03	30.74
PK	5.774G	60.71	68.20	-7.49	51.54	3	Vertical	346	1.47	-	34.00	6.10	30.93

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 2)
 Setting 17.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0652G	54.88	74.00	-19.12	39.63	3	Vertical	10	2.54	-	38.53	8.67	31.95
AV	11.05912G	40.42	54.00	-13.58	25.17	3	Vertical	10	2.54	-	38.52	8.67	31.94
PK	16.58536G	60.52	68.20	-7.68	41.54	3	Vertical	52	2.06	-	39.14	10.70	30.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX(port 2)
 Setting 17.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0682G	54.08	74.00	-19.92	38.82	3	Horizontal	183	2.21	-	38.54	8.67	31.95
AV	11.05516G	40.38	54.00	-13.62	25.14	3	Horizontal	183	2.21	-	38.51	8.67	31.94
PK	16.59712G	60.03	68.20	-8.17	40.97	3	Horizontal	347	2.01	-	39.19	10.71	30.84

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 2)
 Setting 22.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.58	74.00	-11.42	53.24	3	Vertical	5	1.71	-	34.10	5.96	30.72
AV	5.46G	49.66	54.00	-4.34	40.32	3	Vertical	5	1.71	-	34.10	5.96	30.72
PK	5.469G	63.04	68.20	-5.16	53.69	3	Vertical	5	1.71	-	34.10	5.97	30.72
PK	5.617G	114.87	Inf	-Inf	105.61	3	Vertical	5	1.71	-	33.97	6.10	30.81
AV	5.622G	102.40	Inf	-Inf	93.15	3	Vertical	5	1.71	-	33.96	6.10	30.81
PK	5.736G	67.86	68.20	-0.34	58.66	3	Vertical	5	1.71	-	34.00	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 2)
 Setting 22.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22064G	54.27	74.00	-19.73	38.91	3	Vertical	127	1.41	-	38.64	8.73	32.01
AV	11.21492G	40.22	54.00	-13.78	24.87	3	Vertical	127	1.41	-	38.63	8.73	32.01
PK	16.83852G	61.47	68.20	-6.73	40.77	3	Vertical	150	2.12	-	40.40	10.79	30.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX(port 2)
Setting 22.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21444G	54.23	74.00	-19.77	38.88	3	Horizontal	191	1.10	-	38.63	8.73	32.01
AV	11.21116G	40.23	54.00	-13.77	24.89	3	Horizontal	191	1.10	-	38.62	8.72	32.00
PK	16.83608G	60.85	68.20	-7.35	40.16	3	Horizontal	242	1.06	-	40.40	10.79	30.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
 Setting 25
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.62	74.00	-12.38	52.31	3	Vertical	344	1.80	-	34.09	5.94	30.72
PK	5.469G	61.79	68.20	-6.41	52.44	3	Vertical	344	1.80	-	34.10	5.97	30.72
AV	5.46G	49.54	54.00	-4.46	40.20	3	Vertical	344	1.80	-	34.10	5.96	30.72
PK	5.703G	118.08	Inf	-Inf	108.85	3	Vertical	344	1.80	-	34.00	6.10	30.87
AV	5.705G	105.09	Inf	-Inf	95.87	3	Vertical	344	1.80	-	34.00	6.10	30.88
PK	5.855G	66.46	68.20	-1.74	57.28	3	Vertical	344	1.80	-	34.02	6.15	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3806G	54.17	74.00	-19.83	38.80	3	Vertical	138	1.48	-	38.66	8.78	32.07
AV	11.38832G	40.52	54.00	-13.48	25.13	3	Vertical	138	1.48	-	38.68	8.79	32.08
PK	17.06344G	62.34	68.20	-5.86	40.44	3	Vertical	334	2.11	-	41.28	10.87	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX(port 2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3894G	54.64	74.00	-19.36	39.25	3	Horizontal	135	1.18	-	38.68	8.79	32.08
AV	11.38992G	40.52	54.00	-13.48	25.13	3	Horizontal	135	1.18	-	38.68	8.79	32.08
PK	17.06428G	63.42	68.20	-4.78	41.51	3	Horizontal	228	1.48	-	41.29	10.87	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 21.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	64.45	74.00	-9.55	55.11	3	Vertical	329	1.69	-	34.10	5.96	30.72
AV	5.4574G	51.06	54.00	-2.94	41.72	3	Vertical	329	1.69	-	34.10	5.96	30.72
PK	5.4664G	67.99	68.20	-0.21	58.64	3	Vertical	329	1.69	-	34.10	5.97	30.72
PK	5.4968G	124.06	Inf	-Inf	114.68	3	Vertical	329	1.69	-	34.10	6.00	30.72
AV	5.4968G	113.42	Inf	-Inf	104.04	3	Vertical	329	1.69	-	34.10	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 21.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00824G	54.00	74.00	-20.00	38.77	3	Vertical	150	1.15	-	38.50	8.65	31.92
AV	11.00896G	40.52	54.00	-13.48	25.29	3	Vertical	150	1.15	-	38.50	8.65	31.92
PK	16.50068G	60.57	68.20	-7.63	41.97	3	Vertical	178	1.92	-	38.90	10.68	30.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.009G	54.25	74.00	-19.75	39.02	3	Horizontal	202	1.86	-	38.50	8.65	31.92
AV	10.99348G	40.53	54.00	-13.47	25.30	3	Horizontal	202	1.86	-	38.50	8.65	31.92
PK	16.50188G	60.22	68.20	-7.98	41.62	3	Horizontal	137	1.19	-	38.90	10.68	30.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 25
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.388G	62.64	74.00	-11.36	53.47	3	Vertical	307	1.64	-	34.00	5.89	30.72
AV	5.3936G	50.71	54.00	-3.29	41.53	3	Vertical	307	1.64	-	34.00	5.90	30.72
PK	5.4632G	60.72	68.20	-7.48	51.38	3	Vertical	307	1.64	-	34.10	5.96	30.72
PK	5.5744G	126.69	Inf	-Inf	117.35	3	Vertical	307	1.64	-	34.05	6.07	30.78
AV	5.5744G	116.88	Inf	-Inf	107.54	3	Vertical	307	1.64	-	34.05	6.07	30.78
PK	5.76G	62.45	68.20	-5.75	53.27	3	Vertical	307	1.64	-	34.00	6.10	30.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16688G	54.25	74.00	-19.75	38.93	3	Vertical	333	3.00	-	38.60	8.71	31.99
AV	11.15872G	40.45	54.00	-13.55	25.12	3	Vertical	333	3.00	-	38.60	8.71	31.98
PK	16.736G	61.46	68.20	-6.74	41.32	3	Vertical	21	2.36	-	40.02	10.76	30.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16328G	53.26	74.00	-20.74	37.94	3	Horizontal	105	2.91	-	38.60	8.71	31.99
AV	11.15392G	40.45	54.00	-13.55	25.13	3	Horizontal	105	2.91	-	38.60	8.70	31.98
PK	16.74876G	60.99	68.20	-7.21	40.76	3	Horizontal	26	1.29	-	40.09	10.76	30.62

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	122.26	Inf	-Inf	113.03	3	Vertical	326	1.68	-	34.00	6.10	30.87
AV	5.7034G	112.29	Inf	-Inf	103.06	3	Vertical	326	1.68	-	34.00	6.10	30.87
PK	5.725G	67.04	68.20	-1.16	57.83	3	Vertical	326	1.68	-	34.00	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40248G	54.16	74.00	-19.84	38.75	3	Vertical	351	1.68	-	38.70	8.79	32.08
AV	11.40912G	40.43	54.00	-13.57	25.00	3	Vertical	351	1.68	-	38.72	8.79	32.08
PK	17.0938G	63.09	68.20	-5.11	41.00	3	Vertical	31	2.22	-	41.46	10.88	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40384G	54.09	74.00	-19.91	38.67	3	Horizontal	219	2.37	-	38.71	8.79	32.08
AV	11.40516G	40.42	54.00	-13.58	25.00	3	Horizontal	219	2.37	-	38.71	8.79	32.08
PK	17.104G	63.25	68.20	-4.95	41.09	3	Horizontal	260	2.08	-	41.52	10.89	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	126.13	Inf	-Inf	116.92	3	Vertical	328	1.68	-	34.00	6.10	30.89
AV	5.7232G	115.85	Inf	-Inf	106.64	3	Vertical	328	1.68	-	34.00	6.10	30.89
PK	5.864G	60.87	68.20	-7.33	51.65	3	Vertical	328	1.68	-	34.06	6.16	31.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4348G	54.24	74.00	-19.76	38.76	3	Vertical	287	1.63	-	38.77	8.80	32.09
AV	11.44868G	40.53	54.00	-13.47	25.02	3	Vertical	287	1.63	-	38.80	8.81	32.10
PK	17.1666G	64.93	68.20	-3.27	42.49	3	Vertical	67	1.53	-	41.77	10.91	30.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44644G	53.67	74.00	-20.33	38.17	3	Horizontal	356	1.44	-	38.79	8.81	32.10
AV	11.44624G	40.50	54.00	-13.50	25.00	3	Horizontal	356	1.44	-	38.79	8.81	32.10
PK	17.16368G	63.24	68.20	-4.96	40.82	3	Horizontal	96	2.70	-	41.75	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.47	74.00	-9.53	55.13	3	Vertical	333	1.64	-	34.10	5.96	30.72
AV	5.4568G	51.19	54.00	-2.81	41.85	3	Vertical	333	1.64	-	34.10	5.96	30.72
PK	5.468G	67.87	68.20	-0.33	58.52	3	Vertical	333	1.64	-	34.10	5.97	30.72
PK	5.4948G	125.82	Inf	-Inf	116.45	3	Vertical	333	1.64	-	34.10	5.99	30.72
AV	5.4956G	112.12	Inf	-Inf	102.74	3	Vertical	333	1.64	-	34.10	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
 Setting 21.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99544G	53.87	74.00	-20.13	38.64	3	Vertical	96	2.30	-	38.50	8.65	31.92
AV	11.00256G	40.26	54.00	-13.74	25.03	3	Vertical	96	2.30	-	38.50	8.65	31.92
PK	16.49896G	60.01	68.20	-8.19	41.42	3	Vertical	34	1.10	-	38.90	10.67	30.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 21.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00808G	53.91	74.00	-20.09	38.68	3	Horizontal	156	2.18	-	38.50	8.65	31.92
AV	11.00728G	40.02	54.00	-13.98	24.79	3	Horizontal	156	2.18	-	38.50	8.65	31.92
PK	16.49212G	59.67	68.20	-8.53	41.12	3	Horizontal	323	1.77	-	38.87	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.65	74.00	-11.35	53.31	3	Vertical	310	1.63	-	34.10	5.96	30.72
AV	5.3896G	50.93	54.00	-3.07	41.76	3	Vertical	310	1.63	-	34.00	5.89	30.72
PK	5.4632G	61.60	68.20	-6.60	52.26	3	Vertical	310	1.63	-	34.10	5.96	30.72
PK	5.5808G	129.28	Inf	-Inf	119.94	3	Vertical	310	1.63	-	34.04	6.08	30.78
AV	5.5816G	116.33	Inf	-Inf	106.99	3	Vertical	310	1.63	-	34.04	6.08	30.78
PK	5.76G	62.86	68.20	-5.34	53.68	3	Vertical	310	1.63	-	34.00	6.10	30.92

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1684G	54.09	74.00	-19.91	38.77	3	Vertical	281	1.56	-	38.60	8.71	31.99
AV	11.16012G	40.03	54.00	-13.97	24.70	3	Vertical	281	1.56	-	38.60	8.71	31.98
PK	16.73356G	60.54	68.20	-7.66	40.42	3	Vertical	277	1.89	-	40.00	10.76	30.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16444G	54.57	74.00	-19.43	39.25	3	Horizontal	235	1.16	-	38.60	8.71	31.99
AV	11.167G	39.92	54.00	-14.08	24.60	3	Horizontal	235	1.16	-	38.60	8.71	31.99
PK	16.7466G	60.19	68.20	-8.01	39.97	3	Horizontal	209	1.91	-	40.08	10.76	30.62

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 20.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	125.87	Inf	-Inf	116.64	3	Vertical	305	1.59	-	34.00	6.10	30.87
AV	5.6982G	111.55	Inf	-Inf	102.32	3	Vertical	305	1.59	-	34.00	6.10	30.87
PK	5.726G	66.89	68.20	-1.31	57.68	3	Vertical	305	1.59	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 20.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40688G	53.79	74.00	-20.21	38.37	3	Vertical	199	2.27	-	38.71	8.79	32.08
AV	11.40916G	40.11	54.00	-13.89	24.68	3	Vertical	199	2.27	-	38.72	8.79	32.08
PK	17.1068G	62.63	68.20	-5.57	40.46	3	Vertical	209	2.68	-	41.53	10.89	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
 Setting 20.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3986G	53.91	74.00	-20.09	38.50	3	Horizontal	164	2.15	-	38.70	8.79	32.08
AV	11.3992G	40.08	54.00	-13.92	24.67	3	Horizontal	164	2.15	-	38.70	8.79	32.08
PK	17.0999G	63.12	68.20	-5.08	41.00	3	Horizontal	314	1.42	-	41.49	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	127.75	Inf	-Inf	118.53	3	Vertical	305	1.73	-	34.00	6.10	30.88
AV	5.7232G	115.51	Inf	-Inf	106.30	3	Vertical	305	1.73	-	34.00	6.10	30.89
PK	5.8576G	61.32	68.20	-6.88	52.13	3	Vertical	305	1.73	-	34.03	6.15	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4492G	53.73	74.00	-20.27	38.22	3	Vertical	218	1.39	-	38.80	8.81	32.10
AV	11.44376G	40.15	54.00	-13.85	24.65	3	Vertical	218	1.39	-	38.79	8.81	32.10
PK	17.16984G	63.12	68.20	-5.08	40.67	3	Vertical	337	1.91	-	41.78	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43064G	54.00	74.00	-20.00	38.53	3	Horizontal	119	2.12	-	38.76	8.80	32.09
AV	11.44356G	40.06	54.00	-13.94	24.56	3	Horizontal	119	2.12	-	38.79	8.81	32.10
PK	17.15244G	63.86	68.20	-4.34	41.49	3	Horizontal	69	1.18	-	41.71	10.90	30.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 17
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.64	74.00	-11.36	53.30	3	Vertical	310	1.74	-	34.10	5.96	30.72
AV	5.46G	50.38	54.00	-3.62	41.04	3	Vertical	310	1.74	-	34.10	5.96	30.72
PK	5.47G	67.74	68.20	-0.46	58.39	3	Vertical	310	1.74	-	34.10	5.97	30.72
PK	5.512G	119.18	Inf	-Inf	109.80	3	Vertical	310	1.74	-	34.10	6.01	30.73
AV	5.5116G	105.77	Inf	-Inf	96.39	3	Vertical	310	1.74	-	34.10	6.01	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 17
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01789G	54.35	74.00	-19.65	39.12	3	Vertical	322	1.80	-	38.50	8.66	31.93
AV	11.01987G	40.51	54.00	-13.49	25.28	3	Vertical	322	1.80	-	38.50	8.66	31.93
PK	16.5299G	60.87	68.20	-7.33	42.16	3	Vertical	130	2.66	-	38.96	10.69	30.94

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 17
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02219G	53.80	74.00	-20.20	38.57	3	Horizontal	135	1.35	-	38.50	8.66	31.93
AV	11.02029G	40.47	54.00	-13.53	25.24	3	Horizontal	135	1.35	-	38.50	8.66	31.93
PK	16.53152G	60.64	68.20	-7.56	41.92	3	Horizontal	169	1.55	-	38.96	10.69	30.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.58	74.00	-7.42	57.24	3	Vertical	309	1.80	-	34.10	5.96	30.72
AV	5.457G	52.54	54.00	-1.46	43.20	3	Vertical	309	1.80	-	34.10	5.96	30.72
PK	5.469G	67.56	68.20	-0.64	58.21	3	Vertical	309	1.80	-	34.10	5.97	30.72
PK	5.5464G	124.21	Inf	-Inf	114.82	3	Vertical	309	1.80	-	34.10	6.05	30.76
AV	5.5458G	111.45	Inf	-Inf	102.05	3	Vertical	309	1.80	-	34.10	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 23
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10059G	54.19	74.00	-19.81	38.86	3	Vertical	168	1.80	-	38.60	8.69	31.96
AV	11.10205G	40.41	54.00	-13.59	25.08	3	Vertical	168	1.80	-	38.60	8.69	31.96
PK	16.64851G	61.17	68.20	-7.03	41.82	3	Vertical	128	2.77	-	39.39	10.73	30.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1008G	53.99	74.00	-20.01	38.66	3	Horizontal	108	2.28	-	38.60	8.69	31.96
AV	11.10142G	40.35	54.00	-13.65	25.02	3	Horizontal	108	2.28	-	38.60	8.69	31.96
PK	16.65182G	61.15	68.20	-7.05	41.77	3	Horizontal	154	1.94	-	39.41	10.73	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6844G	121.48	Inf	-Inf	112.27	3	Vertical	307	1.41	-	33.97	6.10	30.86
AV	5.674G	108.15	Inf	-Inf	98.95	3	Vertical	307	1.41	-	33.95	6.10	30.85
PK	5.7256G	67.81	68.20	-0.39	58.60	3	Vertical	307	1.41	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34124G	54.46	74.00	-19.54	39.15	3	Vertical	159	1.80	-	38.60	8.77	32.06
AV	11.34096G	40.40	54.00	-13.60	25.09	3	Vertical	159	1.80	-	38.60	8.77	32.06
PK	17.0078G	63.47	68.20	-4.73	41.85	3	Vertical	263	1.65	-	41.03	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34185G	53.82	74.00	-20.18	38.51	3	Horizontal	313	2.60	-	38.60	8.77	32.06
AV	11.34085G	40.35	54.00	-13.65	25.04	3	Horizontal	313	2.60	-	38.60	8.77	32.06
PK	17.00823G	63.75	68.20	-4.45	42.13	3	Horizontal	273	1.27	-	41.03	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	125.67	Inf	-Inf	116.44	3	Vertical	307	1.66	-	34.00	6.10	30.87
AV	5.7036G	113.63	Inf	-Inf	104.40	3	Vertical	307	1.66	-	34.00	6.10	30.87
PK	5.85G	64.23	68.20	-3.97	55.08	3	Vertical	307	1.66	-	34.00	6.14	30.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 25
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42456G	53.73	74.00	-20.27	38.27	3	Vertical	27	1.80	-	38.75	8.80	32.09
AV	11.41028G	40.35	54.00	-13.65	24.92	3	Vertical	27	1.80	-	38.72	8.79	32.08
PK	17.12424G	63.31	68.20	-4.89	41.07	3	Vertical	57	2.80	-	41.60	10.89	30.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42172G	54.75	74.00	-19.25	39.30	3	Horizontal	-0	1.13	-	38.74	8.80	32.09
AV	11.41016G	40.73	54.00	-13.27	25.30	3	Horizontal	-0	1.13	-	38.72	8.79	32.08
PK	17.13576G	63.61	68.20	-4.59	41.32	3	Horizontal	329	1.04	-	41.64	10.90	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 15.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	60.09	68.20	-8.11	51.09	3	Vertical	308	1.73	-	33.88	5.84	30.72
AV	5.35G	47.42	54.00	-6.58	38.27	3	Vertical	308	1.73	-	34.00	5.87	30.72
PK	5.456G	65.06	74.00	-8.94	55.72	3	Vertical	308	1.73	-	34.10	5.96	30.72
AV	5.456G	52.46	54.00	-1.54	43.12	3	Vertical	308	1.73	-	34.10	5.96	30.72
PK	5.465G	67.29	68.20	-0.91	57.95	3	Vertical	308	1.73	-	34.10	5.96	30.72
PK	5.525G	113.90	Inf	-Inf	104.51	3	Vertical	308	1.73	-	34.10	6.03	30.74
AV	5.525G	101.20	Inf	-Inf	91.81	3	Vertical	308	1.73	-	34.10	6.03	30.74
PK	5.76G	60.79	68.20	-7.41	51.61	3	Vertical	308	1.73	-	34.00	6.10	30.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 15.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06252G	53.55	74.00	-20.45	38.30	3	Vertical	169	1.49	-	38.53	8.67	31.95
AV	11.0576G	40.16	54.00	-13.84	24.91	3	Vertical	169	1.49	-	38.52	8.67	31.94
PK	16.58116G	60.88	68.20	-7.32	41.92	3	Vertical	329	2.73	-	39.12	10.70	30.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 15.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05676G	53.80	74.00	-20.20	38.56	3	Horizontal	186	2.36	-	38.51	8.67	31.94
AV	11.05196G	40.19	54.00	-13.81	24.96	3	Horizontal	186	2.36	-	38.50	8.67	31.94
PK	16.58152G	60.78	68.20	-7.42	41.81	3	Horizontal	290	2.92	-	39.13	10.70	30.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 20.5
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.77	74.00	-12.23	52.43	3	Vertical	310	1.63	-	34.10	5.96	30.72
AV	5.456G	49.84	54.00	-4.16	40.50	3	Vertical	310	1.63	-	34.10	5.96	30.72
PK	5.467G	62.90	68.20	-5.30	53.55	3	Vertical	310	1.63	-	34.10	5.97	30.72
PK	5.595G	119.80	Inf	-Inf	110.49	3	Vertical	310	1.63	-	34.01	6.09	30.79
AV	5.615G	105.75	Inf	-Inf	96.49	3	Vertical	310	1.63	-	33.97	6.10	30.81
PK	5.725G	67.13	68.20	-1.07	57.92	3	Vertical	310	1.63	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21388G	53.45	74.00	-20.55	38.11	3	Vertical	159	1.74	-	38.63	8.72	32.01
AV	11.21288G	40.29	54.00	-13.71	24.95	3	Vertical	159	1.74	-	38.63	8.72	32.01
PK	16.82264G	61.68	68.20	-6.52	41.01	3	Vertical	98	1.73	-	40.40	10.79	30.52

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21124G	53.12	74.00	-20.88	37.78	3	Horizontal	239	2.85	-	38.62	8.72	32.00
AV	11.21432G	40.31	54.00	-13.69	24.96	3	Horizontal	239	2.85	-	38.63	8.73	32.01
PK	16.83444G	62.92	68.20	-5.28	42.23	3	Horizontal	269	1.90	-	40.40	10.79	30.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
 Setting 23.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.37	74.00	-11.63	53.03	3	Vertical	305	1.76	-	34.10	5.96	30.72
AV	5.46G	50.30	54.00	-3.70	40.96	3	Vertical	305	1.76	-	34.10	5.96	30.72
PK	5.467G	62.46	68.20	-5.74	53.11	3	Vertical	305	1.76	-	34.10	5.97	30.72
PK	5.687G	122.23	Inf	-Inf	113.02	3	Vertical	305	1.76	-	33.97	6.10	30.86
AV	5.688G	108.93	Inf	-Inf	99.71	3	Vertical	305	1.76	-	33.98	6.10	30.86
PK	5.85G	67.74	68.20	-0.46	58.59	3	Vertical	305	1.76	-	34.00	6.14	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38354G	53.15	74.00	-20.85	37.77	3	Vertical	47	1.09	-	38.67	8.78	32.07
AV	11.36884G	39.83	54.00	-14.17	24.48	3	Vertical	47	1.09	-	38.64	8.78	32.07
PK	17.07612G	64.02	68.20	-4.18	42.03	3	Vertical	155	1.80	-	41.36	10.88	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37358G	54.30	74.00	-19.70	38.94	3	Horizontal	352	1.67	-	38.65	8.78	32.07
AV	11.39134G	40.04	54.00	-13.96	24.65	3	Horizontal	352	1.67	-	38.68	8.79	32.08
PK	17.08422G	63.44	68.20	-4.76	41.40	3	Horizontal	360	1.80	-	41.41	10.88	30.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4696G	68.17	68.20	-0.03	3	Horizontal	30	2.22	-

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	60.59	74.00	-13.41	51.26	3	Vertical	30	2.28	-	34.10	5.95	30.72
AV	5.4572G	48.31	54.00	-5.69	38.97	3	Vertical	30	2.28	-	34.10	5.96	30.72
PK	5.47G	64.37	68.20	-3.83	55.02	3	Vertical	30	2.28	-	34.10	5.97	30.72
PK	5.5022G	112.41	Inf	-Inf	103.03	3	Vertical	30	2.28	-	34.10	6.00	30.72
AV	5.5034G	102.55	Inf	-Inf	93.17	3	Vertical	30	2.28	-	34.10	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
 Setting 19.5
 02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.85	74.00	-13.15	51.51	3	Horizontal	32	2.12	-	34.10	5.96	30.72
AV	5.4596G	48.60	54.00	-5.40	39.26	3	Horizontal	32	2.12	-	34.10	5.96	30.72
PK	5.47G	66.36	68.20	-1.84	57.01	3	Horizontal	32	2.12	-	34.10	5.97	30.72
PK	5.5014G	113.99	Inf	-Inf	104.61	3	Horizontal	32	2.12	-	34.10	6.00	30.72
AV	5.4982G	103.28	Inf	-Inf	93.90	3	Horizontal	32	2.12	-	34.10	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0044G	54.68	74.00	-19.32	39.45	3	Vertical	195	2.11	-	38.50	8.65	31.92
AV	11.0082G	41.43	54.00	-12.57	26.20	3	Vertical	195	2.11	-	38.50	8.65	31.92
PK	16.50996G	61.10	68.20	-7.10	42.47	3	Vertical	82	2.63	-	38.92	10.68	30.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9998G	54.17	74.00	-19.83	38.94	3	Horizontal	1	1.84	-	38.50	8.65	31.92
AV	11.00484G	41.33	54.00	-12.67	26.10	3	Horizontal	1	1.84	-	38.50	8.65	31.92
PK	16.50832G	60.99	68.20	-7.21	42.36	3	Horizontal	358	2.87	-	38.92	10.68	30.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.16	74.00	-13.84	50.83	3	Vertical	30	2.41	-	34.10	5.95	30.72
AV	5.4416G	48.06	54.00	-5.94	38.76	3	Vertical	30	2.41	-	34.08	5.94	30.72
PK	5.4648G	59.63	68.20	-8.57	50.29	3	Vertical	30	2.41	-	34.10	5.96	30.72
PK	5.5832G	116.19	Inf	-Inf	106.86	3	Vertical	30	2.41	-	34.03	6.08	30.78
AV	5.5824G	106.64	Inf	-Inf	97.30	3	Vertical	30	2.41	-	34.04	6.08	30.78
PK	5.7648G	60.28	68.20	-7.92	51.10	3	Vertical	30	2.41	-	34.00	6.10	30.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4192G	60.37	74.00	-13.63	51.13	3	Horizontal	29	2.00	-	34.04	5.92	30.72
PK	5.4688G	60.06	68.20	-8.14	50.71	3	Horizontal	29	2.00	-	34.10	5.97	30.72
AV	5.4464G	47.99	54.00	-6.01	38.67	3	Horizontal	29	2.00	-	34.09	5.95	30.72
PK	5.5832G	118.10	Inf	-Inf	108.77	3	Horizontal	29	2.00	-	34.03	6.08	30.78
AV	5.5832G	108.15	Inf	-Inf	98.82	3	Horizontal	29	2.00	-	34.03	6.08	30.78
PK	5.7584G	60.18	68.20	-8.02	51.00	3	Horizontal	29	2.00	-	34.00	6.10	30.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15452G	54.54	74.00	-19.46	39.22	3	Vertical	158	1.12	-	38.60	8.70	31.98
AV	11.15952G	41.35	54.00	-12.65	26.02	3	Vertical	158	1.12	-	38.60	8.71	31.98
PK	16.73628G	62.19	68.20	-6.01	42.05	3	Vertical	104	1.03	-	40.02	10.76	30.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15608G	54.42	74.00	-19.58	39.10	3	Horizontal	185	2.22	-	38.60	8.70	31.98
AV	11.16768G	41.40	54.00	-12.60	26.08	3	Horizontal	185	2.22	-	38.60	8.71	31.99
PK	16.73056G	62.06	68.20	-6.14	41.97	3	Horizontal	344	2.28	-	39.98	10.76	30.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
 Setting 20
 02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	112.19	Inf	-Inf	102.96	3	Vertical	25	2.17	-	34.00	6.10	30.87
AV	5.6968G	101.74	Inf	-Inf	92.52	3	Vertical	25	2.17	-	33.99	6.10	30.87
PK	5.7252G	68.14	68.20	-0.06	58.93	3	Vertical	25	2.17	-	34.00	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
Setting 20
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	113.12	Inf	-Inf	103.90	3	Horizontal	29	2.00	-	33.99	6.10	30.87
AV	5.7034G	102.47	Inf	-Inf	93.24	3	Horizontal	29	2.00	-	34.00	6.10	30.87
PK	5.725G	67.77	68.20	-0.43	58.56	3	Horizontal	29	2.00	-	34.00	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
Setting 20
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40652G	55.11	74.00	-18.89	39.69	3	Vertical	132	1.65	-	38.71	8.79	32.08
AV	11.40352G	41.44	54.00	-12.56	26.02	3	Vertical	132	1.65	-	38.71	8.79	32.08
PK	17.09368G	63.68	68.20	-4.52	41.59	3	Vertical	190	1.58	-	41.46	10.88	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
Setting 20
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4082G	55.03	74.00	-18.97	39.60	3	Horizontal	178	2.12	-	38.72	8.79	32.08
AV	11.40496G	41.43	54.00	-12.57	26.01	3	Horizontal	178	2.12	-	38.71	8.79	32.08
PK	17.10064G	63.84	68.20	-4.36	41.70	3	Horizontal	161	1.19	-	41.50	10.89	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	114.83	Inf	-Inf	105.62	3	Vertical	24	2.14	-	34.00	6.10	30.89
AV	5.7232G	104.88	Inf	-Inf	95.67	3	Vertical	24	2.14	-	34.00	6.10	30.89
PK	5.8648G	60.36	68.20	-7.84	51.14	3	Vertical	24	2.14	-	34.06	6.16	31.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
 Setting 26
 02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	115.67	Inf	-Inf	106.46	3	Horizontal	29	2.08	-	34.00	6.10	30.89
AV	5.7168G	105.72	Inf	-Inf	96.50	3	Horizontal	29	2.08	-	34.00	6.10	30.88
PK	5.8824G	60.99	68.20	-7.21	51.69	3	Horizontal	29	2.08	-	34.13	6.18	31.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43616G	54.62	74.00	-19.38	39.14	3	Vertical	149	1.22	-	38.77	8.80	32.09
AV	11.44324G	41.37	54.00	-12.63	25.87	3	Vertical	149	1.22	-	38.79	8.81	32.10
PK	17.16184G	64.27	68.20	-3.93	41.85	3	Vertical	70	1.50	-	41.75	10.91	30.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44096G	54.90	74.00	-19.10	39.42	3	Horizontal	65	1.18	-	38.78	8.80	32.10
AV	11.43076G	41.33	54.00	-12.67	25.86	3	Horizontal	65	1.18	-	38.76	8.80	32.09
PK	17.16544G	64.58	68.20	-3.62	42.15	3	Horizontal	248	2.09	-	41.76	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	60.43	74.00	-13.57	51.09	3	Vertical	29	2.38	-	34.10	5.96	30.72
AV	5.4598G	48.16	54.00	-5.84	38.82	3	Vertical	29	2.38	-	34.10	5.96	30.72
PK	5.4692G	67.39	68.20	-0.81	58.04	3	Vertical	29	2.38	-	34.10	5.97	30.72
PK	5.5032G	114.42	Inf	-Inf	105.04	3	Vertical	29	2.38	-	34.10	6.00	30.72
AV	5.5012G	101.37	Inf	-Inf	91.99	3	Vertical	29	2.38	-	34.10	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	61.52	74.00	-12.48	52.18	3	Horizontal	32	2.12	-	34.10	5.96	30.72
AV	5.46G	48.70	54.00	-5.30	39.36	3	Horizontal	32	2.12	-	34.10	5.96	30.72
PK	5.47G	67.99	68.20	-0.21	58.64	3	Horizontal	32	2.12	-	34.10	5.97	30.72
PK	5.4988G	115.79	Inf	-Inf	106.41	3	Horizontal	32	2.12	-	34.10	6.00	30.72
AV	5.4986G	102.27	Inf	-Inf	92.89	3	Horizontal	32	2.12	-	34.10	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00788G	54.13	74.00	-19.87	38.90	3	Vertical	177	1.94	-	38.50	8.65	31.92
AV	11.0054G	40.86	54.00	-13.14	25.63	3	Vertical	177	1.94	-	38.50	8.65	31.92
PK	16.49196G	60.71	68.20	-7.49	42.16	3	Vertical	7	1.49	-	38.87	10.67	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
Setting 19
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9952G	54.38	74.00	-19.62	39.15	3	Horizontal	259	2.84	-	38.50	8.65	31.92
AV	11.00488G	40.84	54.00	-13.16	25.61	3	Horizontal	259	2.84	-	38.50	8.65	31.92
PK	16.49652G	60.59	68.20	-7.61	42.01	3	Horizontal	345	1.23	-	38.89	10.67	30.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	60.78	74.00	-13.22	51.45	3	Vertical	28	2.42	-	34.10	5.95	30.72
AV	5.4488G	47.72	54.00	-6.28	38.39	3	Vertical	28	2.42	-	34.10	5.95	30.72
PK	5.4688G	60.44	68.20	-7.76	51.09	3	Vertical	28	2.42	-	34.10	5.97	30.72
PK	5.5776G	119.04	Inf	-Inf	109.70	3	Vertical	28	2.42	-	34.04	6.08	30.78
AV	5.5776G	106.21	Inf	-Inf	96.87	3	Vertical	28	2.42	-	34.04	6.08	30.78
PK	5.752G	60.28	68.20	-7.92	51.09	3	Vertical	28	2.42	-	34.00	6.10	30.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	59.94	74.00	-14.06	50.67	3	Horizontal	29	2.00	-	34.06	5.93	30.72
AV	5.4456G	47.64	54.00	-6.36	38.32	3	Horizontal	29	2.00	-	34.09	5.95	30.72
PK	5.464G	59.08	68.20	-9.12	49.74	3	Horizontal	29	2.00	-	34.10	5.96	30.72
PK	5.5832G	119.57	Inf	-Inf	110.24	3	Horizontal	29	2.00	-	34.03	6.08	30.78
AV	5.5824G	107.17	Inf	-Inf	97.83	3	Horizontal	29	2.00	-	34.04	6.08	30.78
PK	5.78G	60.52	68.20	-7.68	51.35	3	Horizontal	29	2.00	-	34.00	6.10	30.93

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16952G	54.46	74.00	-19.54	39.14	3	Vertical	190	1.95	-	38.60	8.71	31.99
AV	11.15808G	40.83	54.00	-13.17	25.50	3	Vertical	190	1.95	-	38.60	8.71	31.98
PK	16.73088G	61.96	68.20	-6.24	41.86	3	Vertical	204	2.14	-	39.99	10.76	30.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16584G	54.11	74.00	-19.89	38.79	3	Horizontal	273	1.62	-	38.60	8.71	31.99
AV	11.15848G	40.81	54.00	-13.19	25.48	3	Horizontal	273	1.62	-	38.60	8.71	31.98
PK	16.7324G	61.81	68.20	-6.39	41.71	3	Horizontal	160	1.00	-	39.99	10.76	30.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7006G	114.00	Inf	-Inf	104.77	3	Vertical	25	2.17	-	34.00	6.10	30.87
AV	5.6986G	100.99	Inf	-Inf	91.76	3	Vertical	25	2.17	-	34.00	6.10	30.87
PK	5.7254G	67.54	68.20	-0.66	58.33	3	Vertical	25	2.17	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	115.07	Inf	-Inf	105.84	3	Horizontal	29	1.83	-	34.00	6.10	30.87
AV	5.6988G	101.92	Inf	-Inf	92.69	3	Horizontal	29	1.83	-	34.00	6.10	30.87
PK	5.7266G	67.01	68.20	-1.19	57.80	3	Horizontal	29	1.83	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39316G	55.39	74.00	-18.61	39.99	3	Vertical	264	1.50	-	38.69	8.79	32.08
AV	11.40848G	40.92	54.00	-13.08	25.49	3	Vertical	264	1.50	-	38.72	8.79	32.08
PK	17.09576G	63.79	68.20	-4.41	41.69	3	Vertical	251	2.07	-	41.47	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 19.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40496G	54.54	74.00	-19.46	39.12	3	Horizontal	99	2.78	-	38.71	8.79	32.08
AV	11.40856G	40.88	54.00	-13.12	25.45	3	Horizontal	99	2.78	-	38.72	8.79	32.08
PK	17.09808G	63.71	68.20	-4.49	41.59	3	Horizontal	120	2.37	-	41.49	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	118.13	Inf	-Inf	108.92	3	Vertical	25	2.26	-	34.00	6.10	30.89
AV	5.7184G	105.40	Inf	-Inf	96.19	3	Vertical	25	2.26	-	34.00	6.10	30.89
PK	5.876G	60.63	68.20	-7.57	51.37	3	Vertical	25	2.26	-	34.10	6.17	31.01

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	116.99	Inf	-Inf	107.78	3	Horizontal	28	2.08	-	34.00	6.10	30.89
AV	5.7184G	104.99	Inf	-Inf	95.78	3	Horizontal	28	2.08	-	34.00	6.10	30.89
PK	5.8616G	60.48	68.20	-7.72	51.27	3	Horizontal	28	2.08	-	34.05	6.15	30.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44324G	54.42	74.00	-19.58	38.92	3	Vertical	100	1.52	-	38.79	8.81	32.10
AV	11.44796G	40.97	54.00	-13.03	25.46	3	Vertical	100	1.52	-	38.80	8.81	32.10
PK	17.16004G	63.97	68.20	-4.23	41.56	3	Vertical	60	1.81	-	41.74	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	55.14	74.00	-18.86	39.66	3	Horizontal	354	2.51	-	38.78	8.80	32.10
AV	11.43348G	40.95	54.00	-13.05	25.47	3	Horizontal	354	2.51	-	38.77	8.80	32.09
PK	17.1634G	64.13	68.20	-4.07	41.71	3	Horizontal	12	1.92	-	41.75	10.91	30.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 17.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.51	74.00	-11.49	53.17	3	Vertical	27	2.89	-	34.10	5.96	30.72
AV	5.4596G	48.33	54.00	-5.67	38.99	3	Vertical	27	2.89	-	34.10	5.96	30.72
PK	5.47G	63.64	68.20	-4.56	54.29	3	Vertical	27	2.89	-	34.10	5.97	30.72
PK	5.5092G	108.62	Inf	-Inf	99.24	3	Vertical	27	2.89	-	34.10	6.01	30.73
AV	5.5124G	95.78	Inf	-Inf	86.40	3	Vertical	27	2.89	-	34.10	6.01	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 17.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.86	74.00	-9.14	55.52	3	Horizontal	32	2.09	-	34.10	5.96	30.72
AV	5.46G	49.57	54.00	-4.43	40.23	3	Horizontal	32	2.09	-	34.10	5.96	30.72
PK	5.4616G	67.10	68.20	-1.10	57.76	3	Horizontal	32	2.09	-	34.10	5.96	30.72
PK	5.5168G	110.08	Inf	-Inf	100.69	3	Horizontal	32	2.09	-	34.10	6.02	30.73
AV	5.5156G	97.35	Inf	-Inf	87.96	3	Horizontal	32	2.09	-	34.10	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 17.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02236G	54.62	74.00	-19.38	39.39	3	Vertical	206	2.47	-	38.50	8.66	31.93
AV	11.01264G	40.78	54.00	-13.22	25.56	3	Vertical	206	2.47	-	38.50	8.65	31.93
PK	16.53828G	60.33	68.20	-7.87	41.58	3	Vertical	90	1.61	-	38.98	10.69	30.92

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 17.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.014G	54.95	74.00	-19.05	39.73	3	Horizontal	93	2.62	-	38.50	8.65	31.93
AV	11.01552G	40.72	54.00	-13.28	25.49	3	Horizontal	93	2.62	-	38.50	8.66	31.93
PK	16.52996G	60.47	68.20	-7.73	41.76	3	Horizontal	66	1.31	-	38.96	10.69	30.94

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
Setting 22.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	64.24	74.00	-9.76	54.90	3	Vertical	28	2.44	-	34.10	5.96	30.72
AV	5.46G	50.11	54.00	-3.89	40.77	3	Vertical	28	2.44	-	34.10	5.96	30.72
PK	5.47G	66.22	68.20	-1.98	56.87	3	Vertical	28	2.44	-	34.10	5.97	30.72
PK	5.5518G	114.44	Inf	-Inf	105.05	3	Vertical	28	2.44	-	34.10	6.05	30.76
AV	5.5458G	100.87	Inf	-Inf	91.47	3	Vertical	28	2.44	-	34.10	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
Setting 22.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.19	74.00	-7.81	56.85	3	Horizontal	30	2.22	-	34.10	5.96	30.72
AV	5.46G	51.12	54.00	-2.88	41.78	3	Horizontal	30	2.22	-	34.10	5.96	30.72
PK	5.4696G	68.17	68.20	-0.03	58.82	3	Horizontal	30	2.22	-	34.10	5.97	30.72
PK	5.5476G	115.07	Inf	-Inf	105.68	3	Horizontal	30	2.22	-	34.10	6.05	30.76
AV	5.5452G	102.24	Inf	-Inf	92.84	3	Horizontal	30	2.22	-	34.10	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
Setting 22.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10632G	54.78	74.00	-19.22	39.45	3	Vertical	276	1.67	-	38.60	8.69	31.96
AV	11.1006G	40.71	54.00	-13.29	25.38	3	Vertical	276	1.67	-	38.60	8.69	31.96
PK	16.64404G	61.77	68.20	-6.43	42.43	3	Vertical	352	1.52	-	39.38	10.73	30.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT Y_1TX
Setting 22.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09596G	54.09	74.00	-19.91	38.78	3	Horizontal	231	2.34	-	38.59	8.68	31.96
AV	11.09908G	40.73	54.00	-13.27	25.41	3	Horizontal	231	2.34	-	38.60	8.68	31.96
PK	16.65112G	61.56	68.20	-6.64	42.18	3	Horizontal	183	2.86	-	39.41	10.73	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
Setting 21.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	111.57	Inf	-Inf	102.38	3	Vertical	8	2.47	-	33.94	6.10	30.85
AV	5.6708G	99.32	Inf	-Inf	90.13	3	Vertical	8	2.47	-	33.94	6.10	30.85
PK	5.728G	66.93	68.20	-1.27	57.72	3	Vertical	8	2.47	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
Setting 21.5
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	113.58	Inf	-Inf	104.38	3	Horizontal	29	2.01	-	33.95	6.10	30.85
AV	5.6676G	99.81	Inf	-Inf	90.62	3	Horizontal	29	2.01	-	33.94	6.10	30.85
PK	5.7324G	67.61	68.20	-0.59	58.41	3	Horizontal	29	2.01	-	34.00	6.10	30.90

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
Setting 21.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33716G	54.34	74.00	-19.66	39.02	3	Vertical	146	2.68	-	38.60	8.77	32.05
AV	11.33928G	41.02	54.00	-12.98	25.71	3	Vertical	146	2.68	-	38.60	8.77	32.06
PK	17.00656G	63.29	68.20	-4.91	41.67	3	Vertical	264	1.59	-	41.03	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
Setting 21.5
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3424G	54.77	74.00	-19.23	39.46	3	Horizontal	54	1.19	-	38.60	8.77	32.06
AV	11.34404G	40.99	54.00	-13.01	25.68	3	Horizontal	54	1.19	-	38.60	8.77	32.06
PK	17.0148G	63.36	68.20	-4.84	41.70	3	Horizontal	302	2.29	-	41.06	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	114.01	Inf	-Inf	104.80	3	Vertical	24	2.26	-	34.00	6.10	30.89
AV	5.7058G	100.62	Inf	-Inf	91.40	3	Vertical	24	2.26	-	34.00	6.10	30.88
PK	5.8588G	60.26	68.20	-7.94	51.06	3	Vertical	24	2.26	-	34.04	6.15	30.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6998G	114.10	Inf	-Inf	104.87	3	Horizontal	27	1.82	-	34.00	6.10	30.87
AV	5.7004G	101.26	Inf	-Inf	92.03	3	Horizontal	27	1.82	-	34.00	6.10	30.87
PK	5.8594G	59.71	68.20	-8.49	50.51	3	Horizontal	27	1.82	-	34.04	6.15	30.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4226G	54.83	74.00	-19.17	39.37	3	Vertical	196	1.07	-	38.75	8.80	32.09
AV	11.42796G	41.00	54.00	-13.00	25.53	3	Vertical	196	1.07	-	38.76	8.80	32.09
PK	17.13264G	63.65	68.20	-4.55	41.37	3	Vertical	127	1.30	-	41.63	10.90	30.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42492G	54.84	74.00	-19.16	39.38	3	Horizontal	340	1.22	-	38.75	8.80	32.09
AV	11.4206G	40.88	54.00	-13.12	25.43	3	Horizontal	340	1.22	-	38.74	8.80	32.09
PK	17.12176G	64.07	68.20	-4.13	41.84	3	Horizontal	10	1.01	-	41.59	10.89	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
Setting 18
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	64.65	74.00	-9.35	55.31	3	Vertical	12	2.67	-	34.10	5.96	30.72
AV	5.4562G	51.53	54.00	-2.47	42.19	3	Vertical	12	2.67	-	34.10	5.96	30.72
PK	5.4658G	64.16	68.20	-4.04	54.81	3	Vertical	12	2.67	-	34.10	5.97	30.72
PK	5.5354G	106.73	Inf	-Inf	97.34	3	Vertical	12	2.67	-	34.10	6.04	30.75
AV	5.5396G	93.66	Inf	-Inf	84.27	3	Vertical	12	2.67	-	34.10	6.04	30.75

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
Setting 18
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	67.70	74.00	-6.30	58.36	3	Horizontal	31	1.97	-	34.10	5.96	30.72
AV	5.4598G	53.74	54.00	-0.26	44.40	3	Horizontal	31	1.97	-	34.10	5.96	30.72
PK	5.4694G	67.99	68.20	-0.21	58.64	3	Horizontal	31	1.97	-	34.10	5.97	30.72
PK	5.5324G	108.05	Inf	-Inf	98.66	3	Horizontal	31	1.97	-	34.10	6.03	30.74
AV	5.5288G	95.43	Inf	-Inf	86.04	3	Horizontal	31	1.97	-	34.10	6.03	30.74

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
Setting 18
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06636G	53.89	74.00	-20.11	38.64	3	Vertical	192	1.51	-	38.53	8.67	31.95
AV	11.05876G	40.55	54.00	-13.45	25.30	3	Vertical	192	1.51	-	38.52	8.67	31.94
PK	16.58432G	60.76	68.20	-7.44	41.78	3	Vertical	185	2.75	-	39.14	10.70	30.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
Setting 18
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0566G	54.64	74.00	-19.36	39.40	3	Horizontal	8	1.25	-	38.51	8.67	31.94
AV	11.0512G	40.59	54.00	-13.41	25.36	3	Horizontal	8	1.25	-	38.50	8.67	31.94
PK	16.58796G	61.16	68.20	-7.04	42.15	3	Horizontal	156	2.36	-	39.15	10.71	30.85

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
Setting 22
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	65.10	74.00	-8.90	55.77	3	Vertical	27	2.41	-	34.10	5.95	30.72
AV	5.4596G	52.48	54.00	-1.52	43.14	3	Vertical	27	2.41	-	34.10	5.96	30.72
PK	5.4668G	67.79	68.20	-0.41	58.44	3	Vertical	27	2.41	-	34.10	5.97	30.72
PK	5.5892G	110.06	Inf	-Inf	100.74	3	Vertical	27	2.41	-	34.02	6.09	30.79
AV	5.6052G	97.04	Inf	-Inf	87.75	3	Vertical	27	2.41	-	33.99	6.10	30.80
PK	5.7316G	67.45	68.20	-0.75	58.25	3	Vertical	27	2.41	-	34.00	6.10	30.90

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
Setting 22
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.51	74.00	-7.49	57.17	3	Horizontal	32	1.98	-	34.10	5.96	30.72
AV	5.4596G	52.71	54.00	-1.29	43.37	3	Horizontal	32	1.98	-	34.10	5.96	30.72
PK	5.4636G	66.71	68.20	-1.49	57.37	3	Horizontal	32	1.98	-	34.10	5.96	30.72
PK	5.6028G	110.21	Inf	-Inf	100.92	3	Horizontal	32	1.98	-	33.99	6.10	30.80
AV	5.5908G	97.67	Inf	-Inf	88.35	3	Horizontal	32	1.98	-	34.02	6.09	30.79
PK	5.7268G	66.71	68.20	-1.49	57.50	3	Horizontal	32	1.98	-	34.00	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
Setting 22
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21G	54.45	74.00	-19.55	39.11	3	Vertical	199	2.70	-	38.62	8.72	32.00
AV	11.21456G	40.74	54.00	-13.26	25.39	3	Vertical	199	2.70	-	38.63	8.73	32.01
PK	16.82324G	62.55	68.20	-5.65	41.87	3	Vertical	294	1.92	-	40.40	10.79	30.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
Setting 22
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.215G	54.24	74.00	-19.76	38.89	3	Horizontal	28	1.42	-	38.63	8.73	32.01
AV	11.213G	40.76	54.00	-13.24	25.42	3	Horizontal	28	1.42	-	38.63	8.72	32.01
PK	16.83332G	63.23	68.20	-4.97	42.54	3	Horizontal	189	1.79	-	40.40	10.79	30.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 25
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.59	74.00	-11.41	53.25	3	Vertical	26	2.17	-	34.10	5.96	30.72
AV	5.458G	49.45	54.00	-4.55	40.11	3	Vertical	26	2.17	-	34.10	5.96	30.72
PK	5.467G	62.24	68.20	-5.96	52.89	3	Vertical	26	2.17	-	34.10	5.97	30.72
PK	5.696G	110.60	Inf	-Inf	101.38	3	Vertical	26	2.17	-	33.99	6.10	30.87
AV	5.698G	98.29	Inf	-Inf	89.06	3	Vertical	26	2.17	-	34.00	6.10	30.87
PK	5.85G	66.27	68.20	-1.93	57.12	3	Vertical	26	2.17	-	34.00	6.14	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 25
02-F-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.32	74.00	-10.68	53.98	3	Horizontal	28	1.86	-	34.10	5.96	30.72
AV	5.46G	50.53	54.00	-3.47	41.19	3	Horizontal	28	1.86	-	34.10	5.96	30.72
PK	5.469G	66.19	68.20	-2.01	56.84	3	Horizontal	28	1.86	-	34.10	5.97	30.72
PK	5.695G	112.06	Inf	-Inf	102.84	3	Horizontal	28	1.86	-	33.99	6.10	30.87
AV	5.682G	99.34	Inf	-Inf	90.14	3	Horizontal	28	1.86	-	33.96	6.10	30.86
PK	5.851G	67.52	68.20	-0.68	58.37	3	Horizontal	28	1.86	-	34.00	6.14	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 25
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38336G	53.99	74.00	-20.01	38.61	3	Vertical	344	2.63	-	38.67	8.78	32.07
AV	11.37812G	40.74	54.00	-13.26	25.37	3	Vertical	344	2.63	-	38.66	8.78	32.07
PK	17.06688G	63.18	68.20	-5.02	41.26	3	Vertical	179	1.63	-	41.30	10.87	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 25
02-F-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37496G	54.75	74.00	-19.25	39.39	3	Horizontal	53	1.92	-	38.65	8.78	32.07
AV	11.3784G	40.72	54.00	-13.28	25.35	3	Horizontal	53	1.92	-	38.66	8.78	32.07
PK	17.07512G	63.26	68.20	-4.94	41.28	3	Horizontal	243	2.77	-	41.35	10.88	30.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87403G	39.23	54.00	-14.77	Vertical



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	4.8742G	47.31	74.00	-26.69	5.54	3	Horizontal	-0	1.47	-	41.77	32.75	5.30	32.51
AV	4.87388G	34.05	54.00	-19.95	5.54	3	Horizontal	-0	1.47	-	28.51	32.75	5.30	32.51