


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX(Port1)
 Setting 23
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92658G	46.07	74.00	-27.93	38.41	3	Vertical	176	2.19	-	32.76	5.66	30.76
AV	4.93588G	32.80	54.00	-21.20	25.07	3	Vertical	176	2.19	-	32.82	5.67	30.76
PK	7.37904G	50.55	74.00	-23.45	39.10	3	Vertical	37	1.27	-	36.60	6.81	31.96
AV	7.3827G	36.84	54.00	-17.16	25.39	3	Vertical	37	1.27	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX(Port1)
Setting 23
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93654G	46.32	74.00	-27.68	38.59	3	Horizontal	10	2.04	-	32.82	5.67	30.76
AV	4.93378G	32.56	54.00	-21.44	24.85	3	Horizontal	10	2.04	-	32.80	5.67	30.76
PK	7.39404G	50.32	74.00	-23.68	38.89	3	Horizontal	103	2.50	-	36.60	6.80	31.97
AV	7.37364G	36.86	54.00	-17.14	25.41	3	Horizontal	103	2.50	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	61.28	74.00	-12.72	30.75	3	Vertical	121	1.76	-	27.34	3.19	-
AV	2.3892G	53.27	54.00	-0.73	22.74	3	Vertical	121	1.76	-	27.34	3.19	-
PK	2.411G	121.36	Inf	-Inf	90.71	3	Vertical	121	1.76	-	27.44	3.21	-
AV	2.4112G	117.76	Inf	-Inf	87.11	3	Vertical	121	1.76	-	27.44	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
 Setting 29
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82402G	54.60	74.00	-19.40	47.39	3	Vertical	294	2.92	-	32.40	5.61	30.80
AV	4.82398G	52.15	54.00	-1.85	44.94	3	Vertical	294	2.92	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82384G	47.22	74.00	-26.78	40.01	3	Horizontal	42	1.80	-	32.40	5.61	30.80
AV	4.82398G	40.57	54.00	-13.43	33.36	3	Horizontal	42	1.80	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	57.52	74.00	-16.48	27.00	3	Vertical	203	1.93	-	27.33	3.19	-
AV	2.3898G	46.57	54.00	-7.43	16.04	3	Vertical	203	1.93	-	27.34	3.19	-
PK	2.4378G	123.66	Inf	-Inf	92.89	3	Vertical	203	1.93	-	27.55	3.22	-
AV	2.4366G	119.89	Inf	-Inf	89.12	3	Vertical	203	1.93	-	27.55	3.22	-
PK	2.4835G	56.15	74.00	-17.85	25.11	3	Vertical	203	1.93	-	27.80	3.24	-
AV	2.485G	45.82	54.00	-8.18	14.77	3	Vertical	203	1.93	-	27.81	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
 Setting 28.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	55.93	74.00	-18.07	48.52	3	Vertical	357	2.87	-	32.55	5.64	30.78
AV	4.87398G	53.06	54.00	-0.94	45.65	3	Vertical	357	2.87	-	32.55	5.64	30.78
PK	7.30972G	49.78	74.00	-24.22	38.09	3	Vertical	177	1.08	-	36.76	6.85	31.92
AV	7.31362G	37.45	54.00	-16.55	25.78	3	Vertical	177	1.08	-	36.75	6.84	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
 Setting 28.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87394G	48.55	74.00	-25.45	41.14	3	Horizontal	289	1.82	-	32.55	5.64	30.78
AV	4.87404G	42.10	54.00	-11.90	34.69	3	Horizontal	289	1.82	-	32.55	5.64	30.78
PK	7.3109G	50.25	74.00	-23.75	38.57	3	Horizontal	349	1.18	-	36.76	6.84	31.92
AV	7.31592G	37.49	54.00	-16.51	25.83	3	Horizontal	349	1.18	-	36.74	6.84	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
 Setting 27.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	120.26	Inf	-Inf	89.36	3	Vertical	203	1.77	-	27.67	3.23	-
AV	2.4612G	116.63	Inf	-Inf	85.73	3	Vertical	203	1.77	-	27.67	3.23	-
PK	2.4836G	59.11	74.00	-14.89	28.07	3	Vertical	203	1.77	-	27.80	3.24	-
AV	2.4835G	50.87	54.00	-3.13	19.83	3	Vertical	203	1.77	-	27.80	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 27.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92394G	54.64	74.00	-19.36	47.00	3	Vertical	198	2.97	-	32.74	5.66	30.76
AV	4.92398G	51.86	54.00	-2.14	44.22	3	Vertical	198	2.97	-	32.74	5.66	30.76
PK	7.38556G	49.92	74.00	-24.08	38.47	3	Vertical	276	1.86	-	36.60	6.81	31.96
AV	7.39092G	38.14	54.00	-15.86	26.71	3	Vertical	276	1.86	-	36.60	6.80	31.97

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 27.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92396G	47.33	74.00	-26.67	39.69	3	Horizontal	286	1.80	-	32.74	5.66	30.76
AV	4.92396G	38.59	54.00	-15.41	30.95	3	Horizontal	286	1.80	-	32.74	5.66	30.76
PK	7.38228G	50.38	74.00	-23.62	38.93	3	Horizontal	99	1.57	-	36.60	6.81	31.96
AV	7.38682G	37.82	54.00	-16.18	26.37	3	Horizontal	99	1.57	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.35	74.00	-8.65	34.81	3	Vertical	172	1.76	-	27.34	3.20	-
AV	2.39G	52.14	54.00	-1.86	21.60	3	Vertical	172	1.76	-	27.34	3.20	-
PK	2.4088G	119.42	Inf	-Inf	88.78	3	Vertical	172	1.76	-	27.44	3.20	-
AV	2.409G	109.06	Inf	-Inf	78.42	3	Vertical	172	1.76	-	27.44	3.20	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	4.83756G	45.49	74.00	-28.51	38.22	3	Vertical	144	2.55	-	32.45	5.62	30.80
AV	4.82628G	33.22	54.00	-20.78	26.00	3	Vertical	144	2.55	-	32.41	5.61	30.80

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83006G	45.67	74.00	-28.33	38.43	3	Horizontal	80	2.83	-	32.42	5.62	30.80
AV	4.82616G	33.25	54.00	-20.75	26.04	3	Horizontal	80	2.83	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT Y_1TX(Port2)
 Setting 27
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	65.94	74.00	-8.06	35.42	3	Vertical	205	2.21	-	27.33	3.19	-
AV	2.3898G	52.59	54.00	-1.41	22.06	3	Vertical	205	2.21	-	27.34	3.19	-
PK	2.4138G	120.81	Inf	-Inf	90.14	3	Vertical	205	2.21	-	27.46	3.21	-
AV	2.4138G	110.75	Inf	-Inf	80.08	3	Vertical	205	2.21	-	27.46	3.21	-
PK	2.4922G	57.11	74.00	-16.89	26.01	3	Vertical	205	2.21	-	27.85	3.25	-
AV	2.4835G	45.14	54.00	-8.86	14.10	3	Vertical	205	2.21	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.15	74.00	-11.85	31.62	3	Vertical	203	1.94	-	27.34	3.19	-
AV	2.3898G	50.42	54.00	-3.58	19.89	3	Vertical	203	1.94	-	27.34	3.19	-
PK	2.4386G	125.38	Inf	-Inf	94.61	3	Vertical	203	1.94	-	27.55	3.22	-
AV	2.4402G	114.93	Inf	-Inf	84.15	3	Vertical	203	1.94	-	27.56	3.22	-
PK	2.4835G	59.40	74.00	-14.60	28.36	3	Vertical	203	1.94	-	27.80	3.24	-
AV	2.4835G	47.99	54.00	-6.01	16.95	3	Vertical	203	1.94	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87448G	54.32	74.00	-19.68	46.91	3	Vertical	334	2.87	-	32.55	5.64	30.78
AV	4.87424G	40.86	54.00	-13.14	33.45	3	Vertical	334	2.87	-	32.55	5.64	30.78
PK	7.32402G	50.23	74.00	-23.77	38.62	3	Vertical	12	1.01	-	36.70	6.84	31.93
AV	7.3218G	37.39	54.00	-16.61	25.77	3	Vertical	12	1.01	-	36.71	6.84	31.93

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86806G	46.47	74.00	-27.53	39.09	3	Horizontal	289	1.78	-	32.54	5.63	30.79
AV	4.87046G	33.61	54.00	-20.39	26.21	3	Horizontal	289	1.78	-	32.54	5.64	30.78
PK	7.32036G	50.47	74.00	-23.53	38.84	3	Horizontal	149	2.96	-	36.72	6.84	31.93
AV	7.3215G	37.02	54.00	-16.98	25.40	3	Horizontal	149	2.96	-	36.71	6.84	31.93

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX(Port2)
Setting 25.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	56.85	74.00	-17.15	26.32	3	Vertical	203	1.91	-	27.34	3.19	-
AV	2.3898G	45.89	54.00	-8.11	15.36	3	Vertical	203	1.91	-	27.34	3.19	-
PK	2.4538G	120.41	Inf	-Inf	89.56	3	Vertical	203	1.91	-	27.62	3.23	-
AV	2.4498G	110.58	Inf	-Inf	79.76	3	Vertical	203	1.91	-	27.60	3.22	-
PK	2.4835G	66.32	74.00	-7.68	35.28	3	Vertical	203	1.91	-	27.80	3.24	-
AV	2.4835G	51.67	54.00	-2.33	20.63	3	Vertical	203	1.91	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	119.40	Inf	-Inf	88.52	3	Vertical	203	1.92	-	27.65	3.23	-
AV	2.4554G	109.50	Inf	-Inf	78.64	3	Vertical	203	1.92	-	27.63	3.23	-
PK	2.486G	67.60	74.00	-6.40	36.54	3	Vertical	203	1.92	-	27.82	3.24	-
AV	2.4835G	53.99	54.00	-0.01	22.95	3	Vertical	203	1.92	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92016G	45.42	74.00	-28.58	37.80	3	Vertical	211	1.13	-	32.72	5.66	30.76
AV	4.9366G	32.75	54.00	-21.25	25.02	3	Vertical	211	1.13	-	32.82	5.67	30.76
PK	7.39152G	50.37	74.00	-23.63	38.94	3	Vertical	14	2.24	-	36.60	6.80	31.97
AV	7.39422G	37.01	54.00	-16.99	25.58	3	Vertical	14	2.24	-	36.60	6.80	31.97

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91608G	45.10	74.00	-28.90	37.51	3	Horizontal	135	2.29	-	32.70	5.66	30.77
AV	4.93222G	32.64	54.00	-21.36	24.94	3	Horizontal	135	2.29	-	32.79	5.67	30.76
PK	7.37298G	49.77	74.00	-24.23	38.32	3	Horizontal	240	2.17	-	36.60	6.81	31.96
AV	7.4007G	36.97	54.00	-17.03	25.54	3	Horizontal	240	2.17	-	36.60	6.80	31.97

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.27	74.00	-8.73	34.73	3	Vertical	170	1.80	-	27.34	3.20	-
AV	2.3898G	51.92	54.00	-2.08	21.39	3	Vertical	170	1.80	-	27.34	3.19	-
PK	2.4066G	120.86	Inf	-Inf	90.23	3	Vertical	170	1.80	-	27.43	3.20	-
AV	2.4086G	107.61	Inf	-Inf	76.98	3	Vertical	170	1.80	-	27.43	3.20	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82236G	45.58	74.00	-28.42	38.38	3	Vertical	237	1.58	-	32.39	5.61	30.80			
AV	4.8204G	32.12	54.00	-21.88	24.94	3	Vertical	237	1.58	-	32.38	5.61	30.81			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX(Port2)
 Setting 25.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82112G	45.72	74.00	-28.28	38.54	3	Horizontal	203	1.68	-	32.38	5.61	30.81
AV	4.8216G	32.02	54.00	-21.98	24.82	3	Horizontal	203	1.68	-	32.39	5.61	30.80

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX(Port2)
Setting 27
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	70.46	74.00	-3.54	39.93	3	Vertical	206	2.21	-	27.34	3.19	-
AV	2.3898G	51.68	54.00	-2.32	21.15	3	Vertical	206	2.21	-	27.34	3.19	-
PK	2.4134G	122.08	Inf	-Inf	91.42	3	Vertical	206	2.21	-	27.45	3.21	-
AV	2.4122G	109.14	Inf	-Inf	78.48	3	Vertical	206	2.21	-	27.45	3.21	-
PK	2.4838G	55.84	74.00	-18.16	24.80	3	Vertical	206	2.21	-	27.80	3.24	-
AV	2.4835G	44.84	54.00	-9.16	13.80	3	Vertical	206	2.21	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.07	74.00	-11.93	31.54	3	Vertical	202	1.95	-	27.34	3.19	-
AV	2.3898G	50.45	54.00	-3.55	19.92	3	Vertical	202	1.95	-	27.34	3.19	-
PK	2.4422G	126.31	Inf	-Inf	95.52	3	Vertical	202	1.95	-	27.57	3.22	-
AV	2.4414G	113.23	Inf	-Inf	82.44	3	Vertical	202	1.95	-	27.57	3.22	-
PK	2.4835G	59.79	74.00	-14.21	28.75	3	Vertical	202	1.95	-	27.80	3.24	-
AV	2.4835G	47.89	54.00	-6.11	16.85	3	Vertical	202	1.95	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
Setting 29
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87474G	54.24	74.00	-19.76	46.83	3	Vertical	355	2.86	-	32.55	5.64	30.78
AV	4.87272G	38.74	54.00	-15.26	31.33	3	Vertical	355	2.86	-	32.55	5.64	30.78
PK	7.31436G	49.99	74.00	-24.01	38.33	3	Vertical	190	1.28	-	36.74	6.84	31.92
AV	7.3154G	36.47	54.00	-17.53	24.81	3	Vertical	190	1.28	-	36.74	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX(Port2)
 Setting 29
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87228G	46.70	74.00	-27.30	39.30	3	Horizontal	262	1.07	-	32.54	5.64	30.78
AV	4.87262G	33.07	54.00	-20.93	25.66	3	Horizontal	262	1.07	-	32.55	5.64	30.78
PK	7.30886G	49.67	74.00	-24.33	37.98	3	Horizontal	290	1.05	-	36.76	6.85	31.92
AV	7.31418G	36.55	54.00	-17.45	24.89	3	Horizontal	290	1.05	-	36.74	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX(Port2)
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	57.39	74.00	-16.61	26.87	3	Vertical	203	1.92	-	27.33	3.19	-
AV	2.3898G	45.73	54.00	-8.27	15.20	3	Vertical	203	1.92	-	27.34	3.19	-
PK	2.4522G	122.40	Inf	-Inf	91.56	3	Vertical	203	1.92	-	27.61	3.23	-
AV	2.4506G	109.56	Inf	-Inf	78.73	3	Vertical	203	1.92	-	27.60	3.23	-
PK	2.4835G	68.05	74.00	-5.95	37.01	3	Vertical	203	1.92	-	27.80	3.24	-
AV	2.4838G	52.63	54.00	-1.37	21.59	3	Vertical	203	1.92	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	121.81	Inf	-Inf	90.94	3	Vertical	199	1.94	-	27.64	3.23	-
AV	2.4542G	107.88	Inf	-Inf	77.02	3	Vertical	199	1.94	-	27.63	3.23	-
PK	2.4835G	69.65	74.00	-4.35	38.61	3	Vertical	199	1.94	-	27.80	3.24	-
AV	2.4835G	53.10	54.00	-0.90	22.06	3	Vertical	199	1.94	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
 Setting 25
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92462G	45.70	74.00	-28.30	38.05	3	Vertical	91	2.27	-	32.75	5.66	30.76
AV	4.9237G	32.36	54.00	-21.64	24.72	3	Vertical	91	2.27	-	32.74	5.66	30.76
PK	7.38866G	50.30	74.00	-23.70	38.86	3	Vertical	292	2.15	-	36.60	6.81	31.97
AV	7.38584G	36.81	54.00	-17.19	25.36	3	Vertical	292	2.15	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX(Port2)
 Setting 25
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9263G	46.21	74.00	-27.79	38.55	3	Horizontal	131	1.55	-	32.76	5.66	30.76
AV	4.92326G	32.46	54.00	-21.54	24.82	3	Horizontal	131	1.55	-	32.74	5.66	30.76
PK	7.38244G	50.17	74.00	-23.83	38.72	3	Horizontal	125	2.92	-	36.60	6.81	31.96
AV	7.38376G	36.73	54.00	-17.27	25.28	3	Horizontal	125	2.92	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 28
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	61.74	74.00	-12.26	31.21	3	Vertical	174	1.59	-	27.34	3.19	-
AV	2.3888G	52.97	54.00	-1.03	22.45	3	Vertical	174	1.59	-	27.33	3.19	-
PK	2.413G	126.49	Inf	-Inf	95.83	3	Vertical	174	1.59	-	27.45	3.21	-
AV	2.4114G	122.62	Inf	-Inf	91.96	3	Vertical	174	1.59	-	27.45	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 28
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82396G	53.46	74.00	-20.54	46.25	3	Vertical	305	1.68	-	32.40	5.61	30.80
AV	4.82402G	50.20	54.00	-3.80	42.99	3	Vertical	305	1.68	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 28
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82398G	48.48	74.00	-25.52	41.27	3	Horizontal	159	1.80	-	32.40	5.61	30.80
AV	4.82404G	41.78	54.00	-12.22	34.57	3	Horizontal	159	1.80	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	56.07	74.00	-17.93	25.55	3	Vertical	151	1.72	-	27.33	3.19	-
AV	2.3898G	46.05	54.00	-7.95	15.52	3	Vertical	151	1.72	-	27.34	3.19	-
PK	2.4378G	106.23	Inf	-Inf	75.46	3	Vertical	151	1.72	-	27.55	3.22	-
AV	2.439G	102.44	Inf	-Inf	71.66	3	Vertical	151	1.72	-	27.56	3.22	-
PK	2.4838G	57.87	74.00	-16.13	26.83	3	Vertical	151	1.72	-	27.80	3.24	-
AV	2.4835G	47.49	54.00	-6.51	16.45	3	Vertical	151	1.72	-	27.80	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87406G	56.23	74.00	-17.77	48.82	3	Vertical	114	1.11	-	32.55	5.64	30.78
AV	4.874G	53.68	54.00	-0.32	46.27	3	Vertical	114	1.11	-	32.55	5.64	30.78
PK	7.30868G	49.77	74.00	-24.23	38.07	3	Vertical	144	2.59	-	36.77	6.85	31.92
AV	7.30952G	37.76	54.00	-16.24	26.07	3	Vertical	144	2.59	-	36.76	6.85	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87416G	48.75	74.00	-25.25	41.34	3	Horizontal	340	1.80	-	32.55	5.64	30.78
AV	4.87406G	42.55	54.00	-11.45	35.14	3	Horizontal	340	1.80	-	32.55	5.64	30.78
PK	7.31436G	49.38	74.00	-24.62	37.72	3	Horizontal	259	2.76	-	36.74	6.84	31.92
AV	7.30682G	37.25	54.00	-16.75	25.55	3	Horizontal	259	2.76	-	36.77	6.85	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 24.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	123.30	Inf	-Inf	92.39	3	Vertical	175	1.54	-	27.68	3.23	-
AV	2.4614G	119.73	Inf	-Inf	88.83	3	Vertical	175	1.54	-	27.67	3.23	-
PK	2.484G	58.70	74.00	-15.30	27.66	3	Vertical	175	1.54	-	27.80	3.24	-
AV	2.4842G	47.81	54.00	-6.19	16.76	3	Vertical	175	1.54	-	27.81	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 24.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9239G	56.58	74.00	-17.42	48.94	3	Vertical	42	1.74	-	32.74	5.66	30.76
AV	4.92402G	53.88	54.00	-0.12	46.24	3	Vertical	42	1.74	-	32.74	5.66	30.76
PK	7.38368G	50.60	74.00	-23.40	39.15	3	Vertical	12	1.86	-	36.60	6.81	31.96
AV	7.38368G	38.06	54.00	-15.94	26.61	3	Vertical	12	1.86	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 24.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.924G	49.06	74.00	-24.94	41.42	3	Horizontal	141	1.80	-	32.74	5.66	30.76
AV	4.92394G	42.48	54.00	-11.52	34.84	3	Horizontal	141	1.80	-	32.74	5.66	30.76
PK	7.3817G	50.22	74.00	-23.78	38.77	3	Horizontal	166	1.33	-	36.60	6.81	31.96
AV	7.38382G	38.21	54.00	-15.79	26.76	3	Horizontal	166	1.33	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.84	74.00	-5.16	38.31	3	Vertical	172	1.80	-	27.34	3.19	-
AV	2.39G	53.20	54.00	-0.80	22.66	3	Vertical	172	1.80	-	27.34	3.20	-
PK	2.4148G	123.52	Inf	-Inf	92.85	3	Vertical	172	1.80	-	27.46	3.21	-
AV	2.4146G	113.87	Inf	-Inf	83.20	3	Vertical	172	1.80	-	27.46	3.21	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8242G	47.27	74.00	-26.73	40.06	3	Vertical	318	2.53	-	32.40	5.61	30.80
AV	4.82364G	34.30	54.00	-19.70	27.10	3	Vertical	318	2.53	-	32.39	5.61	30.80

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8328G	45.82	74.00	-28.18	38.57	3	Horizontal	136	2.97	-	32.43	5.62	30.80			
AV	4.822G	32.19	54.00	-21.81	24.99	3	Horizontal	136	2.97	-	32.39	5.61	30.80			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUTY_2TX
Setting 25.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.49	74.00	-9.51	33.96	3	Vertical	175	1.93	-	27.34	3.19	-
AV	2.3898G	53.17	54.00	-0.83	22.64	3	Vertical	175	1.93	-	27.34	3.19	-
PK	2.4202G	124.64	Inf	-Inf	93.95	3	Vertical	175	1.93	-	27.48	3.21	-
AV	2.4198G	114.85	Inf	-Inf	84.16	3	Vertical	175	1.93	-	27.48	3.21	-
PK	2.4838G	57.75	74.00	-16.25	26.71	3	Vertical	175	1.93	-	27.80	3.24	-
AV	2.4838G	46.10	54.00	-7.90	15.06	3	Vertical	175	1.93	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	66.09	74.00	-7.91	35.57	3	Vertical	199	1.98	-	27.33	3.19	-
AV	2.3898G	53.92	54.00	-0.08	23.39	3	Vertical	199	1.98	-	27.34	3.19	-
PK	2.4402G	128.78	Inf	-Inf	98.00	3	Vertical	199	1.98	-	27.56	3.22	-
AV	2.4398G	118.69	Inf	-Inf	87.91	3	Vertical	199	1.98	-	27.56	3.22	-
PK	2.4835G	65.06	74.00	-8.94	34.02	3	Vertical	199	1.98	-	27.80	3.24	-
AV	2.4835G	53.25	54.00	-0.75	22.21	3	Vertical	199	1.98	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87452G	57.90	74.00	-16.10	50.49	3	Vertical	317	1.00	-	32.55	5.64	30.78
AV	4.87432G	44.01	54.00	-9.99	36.60	3	Vertical	317	1.00	-	32.55	5.64	30.78
PK	7.32088G	49.71	74.00	-24.29	38.08	3	Vertical	342	1.15	-	36.72	6.84	31.93
AV	7.32028G	36.61	54.00	-17.39	24.98	3	Vertical	342	1.15	-	36.72	6.84	31.93

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87612G	49.64	74.00	-24.36	42.23	3	Horizontal	168	1.00	-	32.55	5.64	30.78
AV	4.87588G	35.99	54.00	-18.01	28.58	3	Horizontal	168	1.00	-	32.55	5.64	30.78
PK	7.31456G	49.51	74.00	-24.49	37.85	3	Horizontal	360	1.69	-	36.74	6.84	31.92
AV	7.31148G	36.68	54.00	-17.32	25.01	3	Horizontal	360	1.69	-	36.75	6.84	31.92

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	57.69	74.00	-16.31	27.17	3	Vertical	178	1.77	-	27.33	3.19	-
AV	2.3898G	46.47	54.00	-7.53	15.94	3	Vertical	178	1.77	-	27.34	3.19	-
PK	2.4538G	124.39	Inf	-Inf	93.54	3	Vertical	178	1.77	-	27.62	3.23	-
AV	2.4578G	114.38	Inf	-Inf	83.50	3	Vertical	178	1.77	-	27.65	3.23	-
PK	2.4835G	68.72	74.00	-5.28	37.68	3	Vertical	178	1.77	-	27.80	3.24	-
AV	2.4835G	53.99	54.00	-0.01	22.95	3	Vertical	178	1.77	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 24
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	123.51	Inf	-Inf	92.63	3	Vertical	177	1.75	-	27.65	3.23	-
AV	2.4576G	113.35	Inf	-Inf	82.47	3	Vertical	177	1.75	-	27.65	3.23	-
PK	2.4835G	65.20	74.00	-8.80	34.16	3	Vertical	177	1.75	-	27.80	3.24	-
AV	2.4835G	53.99	54.00	-0.01	22.95	3	Vertical	177	1.75	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 24
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91924G	46.38	74.00	-27.62	38.76	3	Vertical	249	2.79	-	32.72	5.66	30.76
AV	4.9292G	34.62	54.00	-19.38	26.94	3	Vertical	249	2.79	-	32.78	5.66	30.76
PK	7.38556G	49.41	74.00	-24.59	37.96	3	Vertical	180	1.64	-	36.60	6.81	31.96
AV	7.3924G	36.83	54.00	-17.17	25.40	3	Vertical	180	1.64	-	36.60	6.80	31.97

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 24
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92784G	45.42	74.00	-28.58	37.75	3	Horizontal	1	2.47	-	32.77	5.66	30.76
AV	4.92368G	32.28	54.00	-21.72	24.64	3	Horizontal	1	2.47	-	32.74	5.66	30.76
PK	7.3762G	50.06	74.00	-23.94	38.61	3	Horizontal	6	2.89	-	36.60	6.81	31.96
AV	7.39108G	36.93	54.00	-17.07	25.50	3	Horizontal	6	2.89	-	36.60	6.80	31.97

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.84	74.00	-8.16	35.31	3	Vertical	177	1.97	-	27.34	3.19	-
AV	2.39G	53.96	54.00	-0.04	23.42	3	Vertical	177	1.97	-	27.34	3.20	-
PK	2.4132G	125.50	Inf	-Inf	94.84	3	Vertical	177	1.97	-	27.45	3.21	-
AV	2.4134G	112.98	Inf	-Inf	82.32	3	Vertical	177	1.97	-	27.45	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82532G	47.95	74.00	-26.05	40.74	3	Vertical	-0	2.51	-	32.40	5.61	30.80			
AV	4.8264G	33.85	54.00	-20.15	26.63	3	Vertical	-0	2.51	-	32.41	5.61	30.80			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 25
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82636G	47.81	74.00	-26.19	40.59	3	Horizontal	96	2.54	-	32.41	5.61	30.80
AV	4.82728G	33.78	54.00	-20.22	26.56	3	Horizontal	96	2.54	-	32.41	5.61	30.80

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 26
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.25	74.00	-1.75	41.72	3	Vertical	165	1.98	-	27.34	3.19	-
AV	2.3898G	53.83	54.00	-0.17	23.30	3	Vertical	165	1.98	-	27.34	3.19	-
PK	2.419G	126.71	Inf	-Inf	96.02	3	Vertical	165	1.98	-	27.48	3.21	-
AV	2.4198G	113.49	Inf	-Inf	82.80	3	Vertical	165	1.98	-	27.48	3.21	-
PK	2.4842G	57.44	74.00	-16.56	26.39	3	Vertical	165	1.98	-	27.81	3.24	-
AV	2.4835G	46.08	54.00	-7.92	15.04	3	Vertical	165	1.98	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	67.10	74.00	-6.90	36.57	3	Vertical	200	1.76	-	27.34	3.19	-
AV	2.3898G	53.72	54.00	-0.28	23.19	3	Vertical	200	1.76	-	27.34	3.19	-
PK	2.4426G	129.53	Inf	-Inf	98.74	3	Vertical	200	1.76	-	27.57	3.22	-
AV	2.433G	117.38	Inf	-Inf	86.63	3	Vertical	200	1.76	-	27.53	3.22	-
PK	2.4835G	66.68	74.00	-7.32	35.64	3	Vertical	200	1.76	-	27.80	3.24	-
AV	2.4846G	52.45	54.00	-1.55	21.40	3	Vertical	200	1.76	-	27.81	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.87658G	56.83	74.00	-17.17	49.42	3	Vertical	117	1.80	-	32.55	5.64	30.78			
AV	4.877G	41.35	54.00	-12.65	33.94	3	Vertical	117	1.80	-	32.55	5.64	30.78			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 28.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87526G	48.06	74.00	-25.94	40.65	3	Horizontal	341	1.80	-	32.55	5.64	30.78
AV	4.87658G	34.77	54.00	-19.23	27.36	3	Horizontal	341	1.80	-	32.55	5.64	30.78
PK	7.30098G	49.11	74.00	-24.89	37.37	3	Horizontal	347	1.07	-	36.80	6.85	31.91
AV	7.31676G	36.24	54.00	-17.76	24.59	3	Horizontal	347	1.07	-	36.73	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 25.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	56.85	74.00	-17.15	26.34	3	Vertical	179	1.75	-	27.32	3.19	-
AV	2.3898G	46.23	54.00	-7.77	15.70	3	Vertical	179	1.75	-	27.34	3.19	-
PK	2.4586G	126.92	Inf	-Inf	96.04	3	Vertical	179	1.75	-	27.65	3.23	-
AV	2.4586G	113.47	Inf	-Inf	82.59	3	Vertical	179	1.75	-	27.65	3.23	-
PK	2.4866G	68.76	74.00	-5.24	37.70	3	Vertical	179	1.75	-	27.82	3.24	-
AV	2.4835G	52.01	54.00	-1.99	20.97	3	Vertical	179	1.75	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 23.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	124.65	Inf	-Inf	93.74	3	Vertical	176	1.78	-	27.68	3.23	-
AV	2.463G	111.60	Inf	-Inf	80.69	3	Vertical	176	1.78	-	27.68	3.23	-
PK	2.4842G	67.85	74.00	-6.15	36.80	3	Vertical	176	1.78	-	27.81	3.24	-
AV	2.4835G	53.34	54.00	-0.66	22.30	3	Vertical	176	1.78	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 23.5
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92528G	44.63	74.00	-29.37	36.98	3	Vertical	318	2.43	-	32.75	5.66	30.76
AV	4.92596G	31.96	54.00	-22.04	24.30	3	Vertical	318	2.43	-	32.76	5.66	30.76
PK	7.37884G	49.68	74.00	-24.32	38.23	3	Vertical	350	2.99	-	36.60	6.81	31.96
AV	7.38276G	36.37	54.00	-17.63	24.92	3	Vertical	350	2.99	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX



EUT_Y_2TX
Setting 23.5
02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93272G	45.77	74.00	-28.23	38.06	3	Horizontal	232	1.47	-	32.80	5.67	30.76
AV	4.9306G	31.90	54.00	-22.10	24.21	3	Horizontal	232	1.47	-	32.78	5.67	30.76
PK	7.37872G	50.18	74.00	-23.82	38.73	3	Horizontal	170	2.13	-	36.60	6.81	31.96
AV	7.39348G	36.32	54.00	-17.68	24.89	3	Horizontal	170	2.13	-	36.60	6.80	31.97




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.99	54.00	-0.01	3	Vertical	137	1.91	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTY_1TX
Setting 25
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	64.96	74.00	-9.04	34.47	3	Vertical	136	1.75	-	27.30	3.19	-
AV	2.3864G	53.89	54.00	-0.11	23.38	3	Vertical	136	1.75	-	27.32	3.19	-
PK	2.411G	119.76	Inf	-Inf	89.11	3	Vertical	136	1.75	-	27.44	3.21	-
AV	2.4112G	116.11	Inf	-Inf	85.46	3	Vertical	136	1.75	-	27.44	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 25
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	59.84	74.00	-14.16	29.33	3	Horizontal	186	2.47	-	27.32	3.19	-
AV	2.387G	49.60	54.00	-4.40	19.09	3	Horizontal	186	2.47	-	27.32	3.19	-
PK	2.411G	114.87	Inf	-Inf	84.22	3	Horizontal	186	2.47	-	27.44	3.21	-
AV	2.4112G	111.12	Inf	-Inf	80.47	3	Horizontal	186	2.47	-	27.44	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 25
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82386G	51.63	74.00	-22.37	44.42	3	Vertical	190	1.80	-	32.40	5.61	30.80			
AV	4.82398G	47.43	54.00	-6.57	40.22	3	Vertical	190	1.80	-	32.40	5.61	30.80			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 25
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82398G	50.84	74.00	-23.16	43.63	3	Horizontal	140	1.80	-	32.40	5.61	30.80
AV	4.82398G	46.02	54.00	-7.98	38.81	3	Horizontal	140	1.80	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUTY_1TX
 Setting 25.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	63.72	74.00	-10.28	33.21	3	Vertical	142	2.18	-	27.32	3.19	-
AV	2.3888G	53.81	54.00	-0.19	23.29	3	Vertical	142	2.18	-	27.33	3.19	-
PK	2.418G	120.50	Inf	-Inf	89.82	3	Vertical	142	2.18	-	27.47	3.21	-
AV	2.4162G	116.64	Inf	-Inf	85.97	3	Vertical	142	2.18	-	27.46	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUTY_1TX
 Setting 25.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	59.86	74.00	-14.14	29.33	3	Horizontal	188	2.21	-	27.34	3.19	-
AV	2.3886G	49.25	54.00	-4.75	18.73	3	Horizontal	188	2.21	-	27.33	3.19	-
PK	2.418G	114.90	Inf	-Inf	84.22	3	Horizontal	188	2.21	-	27.47	3.21	-
AV	2.4162G	111.32	Inf	-Inf	80.65	3	Horizontal	188	2.21	-	27.46	3.21	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUTY_1TX
Setting 28.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.48	74.00	-12.52	30.95	3	Vertical	142	2.11	-	27.34	3.19	-
AV	2.3898G	49.96	54.00	-4.04	19.43	3	Vertical	142	2.11	-	27.34	3.19	-
PK	2.4362G	123.41	Inf	-Inf	92.65	3	Vertical	142	2.11	-	27.54	3.22	-
AV	2.4362G	119.84	Inf	-Inf	89.08	3	Vertical	142	2.11	-	27.54	3.22	-
PK	2.4874G	58.08	74.00	-15.92	27.02	3	Vertical	142	2.11	-	27.82	3.24	-
AV	2.4842G	47.01	54.00	-6.99	15.96	3	Vertical	142	2.11	-	27.81	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 28.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	56.77	74.00	-17.23	26.24	3	Horizontal	189	2.01	-	27.34	3.19	-
AV	2.3894G	46.19	54.00	-7.81	15.66	3	Horizontal	189	2.01	-	27.34	3.19	-
PK	2.4362G	117.27	Inf	-Inf	86.51	3	Horizontal	189	2.01	-	27.54	3.22	-
AV	2.4362G	113.65	Inf	-Inf	82.89	3	Horizontal	189	2.01	-	27.54	3.22	-
PK	2.4906G	55.37	74.00	-18.63	24.28	3	Horizontal	189	2.01	-	27.84	3.25	-
AV	2.485G	44.99	54.00	-9.01	13.94	3	Horizontal	189	2.01	-	27.81	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
 Setting 28.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	56.65	74.00	-17.35	49.24	3	Vertical	176	1.81	-	32.55	5.64	30.78
AV	4.874G	53.96	54.00	-0.04	46.55	3	Vertical	176	1.81	-	32.55	5.64	30.78
PK	7.30928G	55.27	74.00	-18.73	43.58	3	Vertical	138	1.47	-	36.76	6.85	31.92
AV	7.31174G	48.15	54.00	-5.85	36.48	3	Vertical	138	1.47	-	36.75	6.84	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
 Setting 28.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	55.07	74.00	-18.93	47.66	3	Horizontal	137	1.79	-	32.55	5.64	30.78
AV	4.87398G	51.98	54.00	-2.02	44.57	3	Horizontal	137	1.79	-	32.55	5.64	30.78
PK	7.31182G	57.51	74.00	-16.49	45.84	3	Horizontal	215	2.06	-	36.75	6.84	31.92
AV	7.31172G	51.18	54.00	-2.82	39.51	3	Horizontal	215	2.06	-	36.75	6.84	31.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTY_1TX
 Setting 27.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	121.56	Inf	-Inf	90.66	3	Vertical	140	2.26	-	27.67	3.23	-
AV	2.4614G	117.87	Inf	-Inf	86.97	3	Vertical	140	2.26	-	27.67	3.23	-
PK	2.4836G	61.33	74.00	-12.67	30.29	3	Vertical	140	2.26	-	27.80	3.24	-
AV	2.4835G	51.57	54.00	-2.43	20.53	3	Vertical	140	2.26	-	27.80	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTY_1TX
 Setting 27.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	116.93	Inf	-Inf	86.03	3	Horizontal	148	2.20	-	27.67	3.23	-
AV	2.4614G	113.25	Inf	-Inf	82.35	3	Horizontal	148	2.20	-	27.67	3.23	-
PK	2.4842G	59.06	74.00	-14.94	28.01	3	Horizontal	148	2.20	-	27.81	3.24	-
AV	2.4835G	49.03	54.00	-4.97	17.99	3	Horizontal	148	2.20	-	27.80	3.24	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 27.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92398G	51.92	74.00	-22.08	44.28	3	Vertical	172	2.00	-	32.74	5.66	30.76
AV	4.92398G	47.67	54.00	-6.33	40.03	3	Vertical	172	2.00	-	32.74	5.66	30.76
PK	7.38724G	52.75	74.00	-21.25	41.30	3	Vertical	138	1.46	-	36.60	6.81	31.96
AV	7.38672G	43.12	54.00	-10.88	31.67	3	Vertical	138	1.46	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTY_1TX
 Setting 27.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92396G	51.45	74.00	-22.55	43.81	3	Horizontal	229	1.91	-	32.74	5.66	30.76
AV	4.924G	47.09	54.00	-6.91	39.45	3	Horizontal	229	1.91	-	32.74	5.66	30.76
PK	7.3869G	54.50	74.00	-19.50	43.05	3	Horizontal	218	1.69	-	36.60	6.81	31.96
AV	7.38528G	46.20	54.00	-7.80	34.75	3	Horizontal	218	1.69	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTY_1TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.60	74.00	-5.40	38.07	3	Vertical	137	1.91	-	27.34	3.19	-
AV	2.39G	53.99	54.00	-0.01	23.45	3	Vertical	137	1.91	-	27.34	3.20	-
PK	2.4162G	116.91	Inf	-Inf	86.24	3	Vertical	137	1.91	-	27.46	3.21	-
AV	2.4098G	106.79	Inf	-Inf	76.15	3	Vertical	137	1.91	-	27.44	3.20	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	63.99	74.00	-10.01	33.46	3	Horizontal	189	2.48	-	27.34	3.19	-
AV	2.39G	49.72	54.00	-4.28	19.18	3	Horizontal	189	2.48	-	27.34	3.20	-
PK	2.4106G	111.51	Inf	-Inf	80.86	3	Horizontal	189	2.48	-	27.44	3.21	-
AV	2.4102G	101.88	Inf	-Inf	71.23	3	Horizontal	189	2.48	-	27.44	3.21	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81932G	45.91	74.00	-28.09	38.73	3	Vertical	117	1.83	-	32.38	5.61	30.81
AV	4.82246G	32.41	54.00	-21.59	25.21	3	Vertical	117	1.83	-	32.39	5.61	30.80

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82352G	45.71	74.00	-28.29	38.51	3	Horizontal	78	1.94	-	32.39	5.61	30.80
AV	4.82268G	32.34	54.00	-21.66	25.14	3	Horizontal	78	1.94	-	32.39	5.61	30.80

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.17	74.00	-5.83	37.64	3	Vertical	142	2.19	-	27.34	3.19	-
AV	2.3898G	53.53	54.00	-0.47	23.00	3	Vertical	142	2.19	-	27.34	3.19	-
PK	2.4192G	119.70	Inf	-Inf	89.01	3	Vertical	142	2.19	-	27.48	3.21	-
AV	2.4192G	110.02	Inf	-Inf	79.33	3	Vertical	142	2.19	-	27.48	3.21	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUTY_1TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.37	74.00	-10.63	32.84	3	Horizontal	187	2.46	-	27.34	3.19	-
AV	2.3898G	49.04	54.00	-4.96	18.51	3	Horizontal	187	2.46	-	27.34	3.19	-
PK	2.4136G	115.02	Inf	-Inf	84.36	3	Horizontal	187	2.46	-	27.45	3.21	-
AV	2.4138G	104.52	Inf	-Inf	73.85	3	Horizontal	187	2.46	-	27.46	3.21	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	64.72	74.00	-9.28	34.20	3	Vertical	141	2.10	-	27.33	3.19	-
AV	2.3898G	50.87	54.00	-3.13	20.34	3	Vertical	141	2.10	-	27.34	3.19	-
PK	2.4394G	122.32	Inf	-Inf	91.54	3	Vertical	141	2.10	-	27.56	3.22	-
AV	2.4338G	112.70	Inf	-Inf	81.94	3	Vertical	141	2.10	-	27.54	3.22	-
PK	2.485G	64.81	74.00	-9.19	33.76	3	Vertical	141	2.10	-	27.81	3.24	-
AV	2.4835G	50.18	54.00	-3.82	19.14	3	Vertical	141	2.10	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.09	74.00	-14.91	28.57	3	Horizontal	186	2.68	-	27.33	3.19	-
AV	2.3898G	46.74	54.00	-7.26	16.21	3	Horizontal	186	2.68	-	27.34	3.19	-
PK	2.433G	118.25	Inf	-Inf	87.50	3	Horizontal	186	2.68	-	27.53	3.22	-
AV	2.4338G	107.78	Inf	-Inf	77.02	3	Horizontal	186	2.68	-	27.54	3.22	-
PK	2.4835G	60.23	74.00	-13.77	29.19	3	Horizontal	186	2.68	-	27.80	3.24	-
AV	2.4838G	46.21	54.00	-7.79	15.17	3	Horizontal	186	2.68	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8751G	52.33	74.00	-21.67	44.92	3	Vertical	176	1.80	-	32.55	5.64	30.78
AV	4.87422G	38.48	54.00	-15.52	31.07	3	Vertical	176	1.80	-	32.55	5.64	30.78
PK	7.3074G	53.09	74.00	-20.91	41.39	3	Vertical	137	1.48	-	36.77	6.85	31.92
AV	7.30926G	40.22	54.00	-13.78	28.53	3	Vertical	137	1.48	-	36.76	6.85	31.92

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8704G	51.02	74.00	-22.98	43.62	3	Horizontal	139	1.80	-	32.54	5.64	30.78
AV	4.87424G	37.48	54.00	-16.52	30.07	3	Horizontal	139	1.80	-	32.55	5.64	30.78
PK	7.31574G	49.66	74.00	-24.34	38.00	3	Horizontal	161	2.56	-	36.74	6.84	31.92
AV	7.31568G	37.13	54.00	-16.87	25.47	3	Horizontal	161	2.56	-	36.74	6.84	31.92

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 24
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	119.64	Inf	-Inf	88.78	3	Vertical	142	2.22	-	27.63	3.23	-
AV	2.4546G	109.81	Inf	-Inf	78.95	3	Vertical	142	2.22	-	27.63	3.23	-
PK	2.4836G	71.00	74.00	-3.00	39.96	3	Vertical	142	2.22	-	27.80	3.24	-
AV	2.484G	53.09	54.00	-0.91	22.05	3	Vertical	142	2.22	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 24
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4572G	115.53	Inf	-Inf	84.66	3	Horizontal	150	2.20	-	27.64	3.23	-
AV	2.4596G	105.12	Inf	-Inf	74.23	3	Horizontal	150	2.20	-	27.66	3.23	-
PK	2.4835G	68.29	74.00	-5.71	37.25	3	Horizontal	150	2.20	-	27.80	3.24	-
AV	2.4835G	50.20	54.00	-3.80	19.16	3	Horizontal	150	2.20	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	119.63	Inf	-Inf	88.70	3	Vertical	142	2.28	-	27.70	3.23	-
AV	2.4588G	109.41	Inf	-Inf	78.53	3	Vertical	142	2.28	-	27.65	3.23	-
PK	2.4864G	71.27	74.00	-2.73	40.21	3	Vertical	142	2.28	-	27.82	3.24	-
AV	2.4835G	53.60	54.00	-0.40	22.56	3	Vertical	142	2.28	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTY_1TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.46G	114.59	Inf	-Inf	83.70	3	Horizontal	147	2.64	-	27.66	3.23	-
AV	2.4644G	104.75	Inf	-Inf	73.83	3	Horizontal	147	2.64	-	27.69	3.23	-
PK	2.4868G	66.88	74.00	-7.12	35.82	3	Horizontal	147	2.64	-	27.82	3.24	-
AV	2.4835G	50.46	54.00	-3.54	19.42	3	Horizontal	147	2.64	-	27.80	3.24	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92514G	46.77	74.00	-27.23	39.12	3	Vertical	172	1.80	-	32.75	5.66	30.76
AV	4.92538G	33.87	54.00	-20.13	26.22	3	Vertical	172	1.80	-	32.75	5.66	30.76
PK	7.3851G	50.62	74.00	-23.38	39.17	3	Vertical	142	1.59	-	36.60	6.81	31.96
AV	7.38186G	37.56	54.00	-16.44	26.11	3	Vertical	142	1.59	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93174G	45.76	74.00	-28.24	38.06	3	Horizontal	173	1.35	-	32.79	5.67	30.76
AV	4.93546G	32.41	54.00	-21.59	24.69	3	Horizontal	173	1.35	-	32.81	5.67	30.76
PK	7.38912G	50.58	74.00	-23.42	39.14	3	Horizontal	255	2.69	-	36.60	6.81	31.97
AV	7.38666G	37.42	54.00	-16.58	25.97	3	Horizontal	255	2.69	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 18
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.79	74.00	-4.21	39.26	3	Vertical	141	2.14	-	27.34	3.19	-
AV	2.39G	53.81	54.00	-0.19	23.27	3	Vertical	141	2.14	-	27.34	3.20	-
PK	2.4142G	117.20	Inf	-Inf	86.53	3	Vertical	141	2.14	-	27.46	3.21	-
AV	2.4104G	103.89	Inf	-Inf	73.24	3	Vertical	141	2.14	-	27.44	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 18
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	63.52	74.00	-10.48	32.99	3	Horizontal	192	2.48	-	27.34	3.19	-
AV	2.39G	49.66	54.00	-4.34	19.12	3	Horizontal	192	2.48	-	27.34	3.20	-
PK	2.4082G	112.22	Inf	-Inf	81.59	3	Horizontal	192	2.48	-	27.43	3.20	-
AV	2.4092G	98.78	Inf	-Inf	68.14	3	Horizontal	192	2.48	-	27.44	3.20	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 18
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8102G	45.82	74.00	-28.18	38.68	3	Vertical	190	1.80	-	32.34	5.61	30.81
AV	4.82508G	32.22	54.00	-21.78	25.01	3	Vertical	190	1.80	-	32.40	5.61	30.80

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 18
02-F-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8174G	44.78	74.00	-29.22	37.61	3	Horizontal	314	1.50	-	32.37	5.61	30.81			
AV	4.82538G	32.18	54.00	-21.82	24.97	3	Horizontal	314	1.50	-	32.40	5.61	30.80			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 23
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.50	74.00	-6.50	36.98	3	Vertical	136	2.27	-	27.33	3.19	-
AV	2.39G	53.75	54.00	-0.25	23.21	3	Vertical	136	2.27	-	27.34	3.20	-
PK	2.4188G	122.16	Inf	-Inf	91.47	3	Vertical	136	2.27	-	27.48	3.21	-
AV	2.4184G	108.44	Inf	-Inf	77.76	3	Vertical	136	2.27	-	27.47	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 23
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	64.27	74.00	-9.73	33.73	3	Horizontal	189	2.48	-	27.34	3.20	-
AV	2.39G	50.19	54.00	-3.81	19.65	3	Horizontal	189	2.48	-	27.34	3.20	-
PK	2.4118G	116.73	Inf	-Inf	86.07	3	Horizontal	189	2.48	-	27.45	3.21	-
AV	2.4136G	103.31	Inf	-Inf	72.65	3	Horizontal	189	2.48	-	27.45	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.77	74.00	-6.23	37.24	3	Vertical	142	2.10	-	27.34	3.19	-
AV	2.3898G	52.74	54.00	-1.26	22.21	3	Vertical	142	2.10	-	27.34	3.19	-
PK	2.4358G	125.49	Inf	-Inf	94.73	3	Vertical	142	2.10	-	27.54	3.22	-
AV	2.4346G	112.07	Inf	-Inf	81.31	3	Vertical	142	2.10	-	27.54	3.22	-
PK	2.4838G	67.00	74.00	-7.00	35.96	3	Vertical	142	2.10	-	27.80	3.24	-
AV	2.4835G	52.17	54.00	-1.83	21.13	3	Vertical	142	2.10	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	61.45	74.00	-12.55	30.94	3	Horizontal	187	2.68	-	27.32	3.19	-
AV	2.3894G	47.96	54.00	-6.04	17.43	3	Horizontal	187	2.68	-	27.34	3.19	-
PK	2.4346G	120.18	Inf	-Inf	89.42	3	Horizontal	187	2.68	-	27.54	3.22	-
AV	2.4338G	107.20	Inf	-Inf	76.44	3	Horizontal	187	2.68	-	27.54	3.22	-
PK	2.4846G	60.13	74.00	-13.87	29.08	3	Horizontal	187	2.68	-	27.81	3.24	-
AV	2.4835G	47.27	54.00	-6.73	16.23	3	Horizontal	187	2.68	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87202G	53.20	74.00	-20.80	45.80	3	Vertical	178	1.80	-	32.54	5.64	30.78
AV	4.87496G	37.78	54.00	-16.22	30.37	3	Vertical	178	1.80	-	32.55	5.64	30.78
PK	7.30644G	56.09	74.00	-17.91	44.39	3	Vertical	138	1.47	-	36.77	6.85	31.92
AV	7.30848G	39.72	54.00	-14.28	28.02	3	Vertical	138	1.47	-	36.77	6.85	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 29
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87298G	51.86	74.00	-22.14	44.45	3	Horizontal	137	1.80	-	32.55	5.64	30.78
AV	4.87388G	36.84	54.00	-17.16	29.43	3	Horizontal	137	1.80	-	32.55	5.64	30.78
PK	7.31256G	60.08	74.00	-13.92	48.41	3	Horizontal	223	1.56	-	36.75	6.84	31.92
AV	7.3143G	42.41	54.00	-11.59	30.75	3	Horizontal	223	1.56	-	36.74	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4506G	121.92	Inf	-Inf	91.09	3	Vertical	142	2.12	-	27.60	3.23	-
AV	2.4534G	108.83	Inf	-Inf	77.98	3	Vertical	142	2.12	-	27.62	3.23	-
PK	2.485G	73.22	74.00	-0.78	42.17	3	Vertical	142	2.12	-	27.81	3.24	-
AV	2.4835G	53.95	54.00	-0.05	22.91	3	Vertical	142	2.12	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4558G	117.42	Inf	-Inf	86.56	3	Horizontal	150	2.20	-	27.63	3.23	-
AV	2.4586G	103.92	Inf	-Inf	73.04	3	Horizontal	150	2.20	-	27.65	3.23	-
PK	2.484G	70.25	74.00	-3.75	39.21	3	Horizontal	150	2.20	-	27.80	3.24	-
AV	2.4836G	50.49	54.00	-3.51	19.45	3	Horizontal	150	2.20	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 22.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	121.37	Inf	-Inf	90.49	3	Vertical	141	2.27	-	27.65	3.23	-
AV	2.458G	107.92	Inf	-Inf	77.04	3	Vertical	141	2.27	-	27.65	3.23	-
PK	2.4836G	72.66	74.00	-1.34	41.62	3	Vertical	141	2.27	-	27.80	3.24	-
AV	2.4835G	51.36	54.00	-2.64	20.32	3	Vertical	141	2.27	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
 Setting 22.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4582G	116.83	Inf	-Inf	85.95	3	Horizontal	148	2.20	-	27.65	3.23	-
AV	2.4606G	103.31	Inf	-Inf	72.42	3	Horizontal	148	2.20	-	27.66	3.23	-
PK	2.4846G	67.93	74.00	-6.07	36.88	3	Horizontal	148	2.20	-	27.81	3.24	-
AV	2.4835G	48.54	54.00	-5.46	17.50	3	Horizontal	148	2.20	-	27.80	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
 Setting 22.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.38276G	50.12	74.00	-23.88	38.67	3	Vertical	243	2.76	-	36.60	6.81	31.96
AV	7.38246G	36.87	54.00	-17.13	25.42	3	Vertical	243	2.76	-	36.60	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 22.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.38516G	52.28	74.00	-21.72	40.83	3	Horizontal	219	1.55	-	36.60	6.81	31.96
AV	7.38378G	38.16	54.00	-15.84	26.71	3	Horizontal	219	1.55	-	36.60	6.81	31.96




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87403G	39.23	54.00	-14.77	Vertical



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	4.8742G	47.31	74.00	-26.69	5.54	3	Horizontal	-0	1.47	-	41.77	32.75	5.30	32.51
AV	4.87388G	34.05	54.00	-19.95	5.54	3	Horizontal	-0	1.47	-	28.51	32.75	5.30	32.51