


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 21
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4011G	56.70	74.00	-17.30	40.26	3	Vertical	185	1.97	-	38.60	9.14	31.30
AV	12.38868G	45.02	54.00	-8.98	28.56	3	Vertical	185	1.97	-	38.62	9.14	31.30

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 21
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37716G	57.97	74.00	-16.03	41.49	3	Horizontal	310	1.91	-	38.65	9.13	31.30
AV	12.38178G	45.08	54.00	-8.92	28.61	3	Horizontal	310	1.91	-	38.64	9.13	31.30

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 21
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58668G	43.45	74.00	-30.55	39.53	1	Vertical	188	1.35	-	37.63	16.68	50.39
AV	18.57444G	31.96	54.00	-22.04	28.02	1	Vertical	188	1.35	-	37.63	16.68	50.37

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 21
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59676G	43.14	74.00	-30.86	39.22	1	Horizontal	269	1.43	-	37.64	16.68	50.40
AV	18.57942G	31.99	54.00	-22.01	28.06	1	Horizontal	269	1.43	-	37.63	16.68	50.38

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83876G	57.56	88.20	-30.64	40.87	3	Vertical	342	1.83	-	38.98	9.29	31.58
RMS	12.84248G	45.17	68.20	-23.03	28.49	3	Vertical	342	1.83	-	38.98	9.29	31.59

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83516G	57.91	88.20	-30.29	41.23	3	Horizontal	179	1.77	-	38.97	9.29	31.58
RMS	12.82508G	45.28	68.20	-22.92	28.61	3	Horizontal	179	1.77	-	38.95	9.29	31.57

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23786G	43.66	74.00	-30.34	40.20	1	Vertical	153	1.57	-	37.60	16.95	51.09
AV	19.24062G	32.39	54.00	-21.61	28.93	1	Vertical	153	1.57	-	37.60	16.95	51.09

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2531G	44.41	74.00	-29.59	40.96	1	Horizontal	28	2.36	-	37.60	16.95	51.10
AV	19.2387G	32.43	54.00	-21.57	28.97	1	Horizontal	28	2.36	-	37.60	16.95	51.09

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 17
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07762G	57.59	88.20	-30.61	40.34	3	Vertical	230	1.87	-	39.67	9.38	31.80
RMS	13.07168G	45.84	68.20	-22.36	28.63	3	Vertical	230	1.87	-	39.63	9.38	31.80

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 17
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07348G	57.61	88.20	-30.59	40.39	3	Horizontal	329	1.38	-	39.64	9.38	31.80
RMS	13.08452G	45.81	68.20	-22.39	28.53	3	Horizontal	329	1.38	-	39.71	9.38	31.81

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 17
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60824G	46.55	74.00	-27.45	43.30	3	Vertical	275	2.41	-	37.66	17.10	51.51
AV	19.60488G	32.37	54.00	-21.63	29.11	3	Vertical	275	2.41	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 17
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59864G	45.63	74.00	-28.37	42.37	3	Horizontal	196	1.01	-	37.66	17.10	51.50
AV	19.60212G	32.34	54.00	-21.66	29.08	3	Horizontal	196	1.01	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3873G	58.44	74.00	-15.56	40.61	3	Vertical	43	1.95	-	40.47	9.49	32.13
AV	13.37896G	46.35	54.00	-7.65	28.53	3	Vertical	43	1.95	-	40.46	9.48	32.12

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3981G	58.02	74.00	-15.98	40.17	3	Horizontal	160	1.73	-	40.50	9.49	32.14
AV	13.3966G	46.37	54.00	-7.63	28.53	3	Horizontal	160	1.73	-	40.49	9.49	32.14

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08662G	41.47	74.00	-32.53	38.62	3	Vertical	153	1.70	-	37.47	17.30	51.92
AV	20.0772G	31.91	54.00	-22.09	29.08	3	Vertical	153	1.70	-	37.46	17.29	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0823G	43.07	74.00	-30.93	40.22	3	Horizontal	14	2.96	-	37.47	17.30	51.92
AV	20.09886G	31.91	54.00	-22.09	29.05	3	Horizontal	14	2.96	-	37.48	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72422G	59.11	88.20	-29.09	40.85	3	Vertical	86	1.62	-	40.95	9.60	32.29
RMS	13.71324G	46.88	68.20	-21.32	28.63	3	Vertical	86	1.62	-	40.93	9.60	32.28

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70712G	58.82	88.20	-29.38	40.59	3	Horizontal	290	1.32	-	40.91	9.60	32.28
RMS	13.72272G	46.79	68.20	-21.41	28.53	3	Horizontal	290	1.32	-	40.95	9.60	32.29

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56368G	45.61	74.00	-28.39	42.38	1	Vertical	145	2.21	-	37.73	17.51	52.01
AV	20.56422G	31.49	54.00	-22.51	28.26	1	Vertical	145	2.21	-	37.73	17.51	52.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57094G	44.72	74.00	-29.28	41.49	1	Horizontal	228	2.96	-	37.73	17.51	52.01
AV	20.56782G	31.64	54.00	-22.36	28.41	1	Horizontal	228	2.96	-	37.73	17.51	52.01

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 19
02-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	67.66	88.20	-20.54	58.35	3	Vertical	352.5	1.98	-	34.24	6.22	31.15
RMS	5.925G	54.98	68.20	-13.22	45.67	3	Vertical	352.5	1.98	-	34.25	6.22	31.16
PK	5.9686G	118.37	Inf	-Inf	108.98	3	Vertical	352.5	1.98	-	34.30	6.27	31.18
RMS	5.9716G	107.49	Inf	-Inf	98.10	3	Vertical	352.5	1.98	-	34.30	6.27	31.18

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 19
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9339G	57.99	74.00	-16.01	41.11	3	Vertical	-0	2.23	-	39.30	8.98	31.40
AV	11.92106G	45.23	54.00	-8.77	28.38	3	Vertical	-0	2.23	-	39.30	8.97	31.42
PK	17.88G	60.10	74.00	-13.90	34.91	3	Vertical	232	1.88	-	46.42	11.16	32.39
AV	17.88G	48.21	54.00	-5.79	23.02	3	Vertical	232	1.88	-	46.42	11.16	32.39

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 19
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92418G	57.18	74.00	-16.82	40.32	3	Horizontal	139	1.77	-	39.30	8.97	31.41
AV	11.94206G	45.28	54.00	-8.72	28.38	3	Horizontal	139	1.77	-	39.30	8.98	31.38
PK	17.88G	60.13	74.00	-13.87	34.94	3	Horizontal	135	1.78	-	46.42	11.16	32.39
AV	17.88G	48.17	54.00	-5.83	22.98	3	Horizontal	135	1.78	-	46.42	11.16	32.39

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 19
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86288G	44.57	74.00	-29.43	37.04	3	Vertical	28	1.23	-	38.80	18.98	50.25
AV	23.87452G	33.34	54.00	-20.66	25.81	3	Vertical	28	1.23	-	38.80	18.98	50.25

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 19
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84722G	43.84	74.00	-30.16	36.33	3	Horizontal	123	2.90	-	38.80	18.97	50.26
AV	23.8678G	33.36	54.00	-20.64	25.83	3	Horizontal	123	2.90	-	38.80	18.98	50.25

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42248G	56.67	74.00	-17.33	40.22	3	Vertical	202	1.58	-	38.60	9.15	31.30
AV	12.41396G	44.96	54.00	-9.04	28.52	3	Vertical	202	1.58	-	38.60	9.14	31.30

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.416G	57.07	74.00	-16.93	40.63	3	Horizontal	173	1.43	-	38.60	9.14	31.30
AV	12.416G	44.98	54.00	-9.02	28.53	3	Horizontal	173	1.43	-	38.60	9.15	31.30

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60228G	42.97	74.00	-31.03	39.04	3	Vertical	65	2.12	-	37.64	16.69	50.40
AV	18.61128G	32.26	54.00	-21.74	28.34	3	Vertical	65	2.12	-	37.64	16.69	50.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6231G	43.18	74.00	-30.82	39.25	3	Horizontal	321	1.04	-	37.65	16.70	50.42
AV	18.62964G	32.22	54.00	-21.78	28.30	3	Horizontal	321	1.04	-	37.65	16.70	50.43

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8103G	56.67	88.20	-31.53	40.03	3	Vertical	145	1.41	-	38.92	9.28	31.56
RMS	12.81888G	44.91	68.20	-23.29	28.25	3	Vertical	145	1.41	-	38.94	9.29	31.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81564G	56.37	88.20	-31.83	39.72	3	Horizontal	171	1.68	-	38.93	9.29	31.57
RMS	12.81864G	44.90	68.20	-23.30	28.24	3	Horizontal	171	1.68	-	38.94	9.29	31.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21194G	44.50	74.00	-29.50	41.03	3	Vertical	74	1.96	-	37.58	16.94	51.05
AV	19.2294G	32.36	54.00	-21.64	28.91	3	Vertical	74	1.96	-	37.59	16.94	51.08

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21806G	42.88	74.00	-31.12	39.41	3	Horizontal	178	1.61	-	37.59	16.94	51.06
AV	19.2156G	32.34	54.00	-21.66	28.87	3	Horizontal	178	1.61	-	37.59	16.94	51.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12784G	57.73	88.20	-30.47	40.34	3	Vertical	286	1.87	-	39.86	9.39	31.86
RMS	13.13966G	45.87	68.20	-22.33	28.46	3	Vertical	286	1.87	-	39.88	9.40	31.87

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14212G	57.59	88.20	-30.61	40.18	3	Horizontal	320	1.96	-	39.88	9.40	31.87
RMS	13.13882G	45.87	68.20	-22.33	28.46	3	Horizontal	320	1.96	-	39.88	9.40	31.87

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69608G	43.29	74.00	-30.71	40.13	3	Vertical	307	2.03	-	37.62	17.14	51.60
AV	19.68204G	32.42	54.00	-21.58	29.24	3	Vertical	307	2.03	-	37.63	17.13	51.58

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69248G	46.20	74.00	-27.80	43.04	3	Horizontal	34	1.98	-	37.62	17.13	51.59
AV	19.686G	32.43	54.00	-21.57	29.26	3	Horizontal	34	1.98	-	37.63	17.13	51.59

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3805G	57.85	74.00	-16.15	40.03	3	Vertical	347	1.99	-	40.46	9.48	32.12
AV	13.37552G	46.35	54.00	-7.65	28.54	3	Vertical	347	1.99	-	40.45	9.48	32.12

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37354G	57.71	74.00	-16.29	39.90	3	Horizontal	256	1.40	-	40.45	9.48	32.12
AV	13.37624G	46.24	54.00	-7.76	28.43	3	Horizontal	256	1.40	-	40.45	9.48	32.12

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07G	43.69	74.00	-30.31	40.85	3	Vertical	346	2.02	-	37.46	17.29	51.91
AV	20.0571G	32.04	54.00	-21.96	29.22	3	Vertical	346	2.02	-	37.45	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05164G	42.68	74.00	-31.32	39.87	3	Horizontal	199	1.46	-	37.44	17.28	51.91
AV	20.0448G	32.03	54.00	-21.97	29.22	3	Horizontal	199	1.46	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69414G	57.93	88.20	-30.27	39.74	3	Vertical	242	1.43	-	40.88	9.59	32.28
RMS	13.68886G	46.70	68.20	-21.50	28.53	3	Vertical	242	1.43	-	40.86	9.59	32.28

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6978G	58.43	88.20	-29.77	40.23	3	Horizontal	245	1.39	-	40.89	9.59	32.28
RMS	13.68466G	46.77	68.20	-21.43	28.62	3	Horizontal	245	1.39	-	40.84	9.59	32.28

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53656G	42.64	74.00	-31.36	39.45	3	Vertical	52	1.91	-	37.71	17.49	52.01
AV	20.52012G	31.63	54.00	-22.37	28.43	3	Vertical	52	1.91	-	37.71	17.49	52.00

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53404G	42.94	74.00	-31.06	39.75	3	Horizontal	128	1.10	-	37.71	17.49	52.01
AV	20.52078G	31.72	54.00	-22.28	28.52	3	Horizontal	128	1.10	-	37.71	17.49	52.00

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 19
02-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	67.48	88.20	-20.72	58.20	3	Vertical	173	1.81	-	34.22	6.21	31.15
RMS	5.8226G	53.72	68.20	-14.48	44.72	3	Vertical	173	1.81	-	34.00	6.11	31.11
PK	5.9874G	113.16	Inf	-Inf	103.75	3	Vertical	173	1.81	-	34.30	6.29	31.18
RMS	5.991G	103.37	Inf	-Inf	93.97	3	Vertical	173	1.81	-	34.30	6.29	31.19

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 19
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97096G	57.72	74.00	-16.28	40.76	3	Vertical	112	2.84	-	39.30	8.99	31.33
AV	11.95794G	45.11	54.00	-8.89	28.17	3	Vertical	112	2.84	-	39.30	8.99	31.35
PK	17.94G	61.55	74.00	-12.45	36.17	3	Vertical	265	1.51	-	46.58	11.18	32.38
AV	17.94G	48.33	54.00	-5.67	22.95	3	Vertical	265	1.51	-	46.58	11.18	32.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 19
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9562G	57.74	74.00	-16.26	40.82	3	Horizontal	81	1.63	-	39.30	8.98	31.36
AV	11.95512G	45.21	54.00	-8.79	28.29	3	Horizontal	81	1.63	-	39.30	8.98	31.36
PK	17.94G	61.58	74.00	-12.42	36.20	3	Horizontal	76	1.83	-	46.58	11.18	32.38
AV	17.94G	48.37	54.00	-5.63	22.99	3	Horizontal	76	1.83	-	46.58	11.18	32.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
 Setting 19
 05-M-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9523G	43.50	74.00	-30.50	35.90	3	Vertical	153	1.02	-	38.80	19.02	50.22			
AV	23.95296G	33.56	54.00	-20.44	25.96	3	Vertical	153	1.02	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 19
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9307G	44.81	74.00	-29.19	37.23	3	Horizontal	297	1.40	-	38.80	19.01	50.23
AV	23.95188G	33.43	54.00	-20.57	25.83	3	Horizontal	297	1.40	-	38.80	19.02	50.22

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
 Setting 20
 02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44748G	57.09	74.00	-16.91	40.63	3	Vertical	356	1.80	-	38.60	9.16	31.30
AV	12.45006G	45.29	54.00	-8.71	28.83	3	Vertical	356	1.80	-	38.60	9.16	31.30

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45786G	56.75	74.00	-17.25	40.29	3	Horizontal	340	1.37	-	38.60	9.16	31.30
AV	12.44994G	45.19	54.00	-8.81	28.73	3	Horizontal	340	1.37	-	38.60	9.16	31.30

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67362G	42.54	74.00	-31.46	38.62	3	Vertical	276	1.70	-	37.67	16.72	50.47
AV	18.67116G	32.67	54.00	-21.33	28.75	3	Vertical	276	1.70	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68172G	44.17	74.00	-29.83	40.26	3	Horizontal	355	2.71	-	37.67	16.72	50.48
AV	18.67116G	32.64	54.00	-21.36	28.72	3	Horizontal	355	2.71	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77534G	57.78	88.20	-30.42	41.24	3	Vertical	204	1.00	-	38.80	9.27	31.53
RMS	12.77516G	44.77	68.20	-23.43	28.23	3	Vertical	204	1.00	-	38.80	9.27	31.53

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78446G	56.48	88.20	-31.72	39.91	3	Horizontal	73	1.99	-	38.84	9.27	31.54
RMS	12.7694G	44.75	68.20	-23.45	28.23	3	Horizontal	73	1.99	-	38.78	9.27	31.53

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15416G	43.22	74.00	-30.78	39.73	3	Vertical	321	1.36	-	37.56	16.91	50.98
AV	19.15284G	32.26	54.00	-21.74	28.77	3	Vertical	321	1.36	-	37.56	16.91	50.98

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15872G	42.95	74.00	-31.05	39.46	3	Horizontal	191	1.83	-	37.56	16.92	50.99
AV	19.14576G	32.27	54.00	-21.73	28.77	3	Horizontal	191	1.83	-	37.56	16.91	50.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 16
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2525G	58.17	74.00	-15.83	40.42	3	Vertical	-0	1.00	-	40.30	9.44	31.99
AV	13.25408G	46.29	54.00	-7.71	28.53	3	Vertical	189	1.83	-	40.31	9.44	31.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 16
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2608G	58.47	74.00	-15.53	40.71	3	Horizontal	244	1.52	-	40.32	9.44	32.00
AV	13.25828G	46.30	54.00	-7.70	28.53	3	Horizontal	244	1.52	-	40.32	9.44	31.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87346G	43.58	74.00	-30.42	40.64	3	Vertical	226	1.59	-	37.50	17.21	51.77
AV	19.87499G	31.82	54.00	-22.18	28.88	3	Vertical	226	1.59	-	37.50	17.21	51.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87258G	43.67	74.00	-30.33	40.73	3	Horizontal	121	2.32	-	37.50	17.21	51.77
AV	19.87745G	31.78	54.00	-22.22	28.85	3	Horizontal	121	2.32	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39998G	58.59	74.00	-15.41	40.74	3	Vertical	106	1.99	-	40.50	9.49	32.14
AV	13.39986G	46.38	54.00	-7.62	28.53	3	Vertical	106	1.99	-	40.50	9.49	32.14

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39886G	58.53	74.00	-15.47	40.69	3	Horizontal	323	1.33	-	40.49	9.49	32.14
AV	13.3983G	46.28	54.00	-7.72	28.43	3	Horizontal	323	1.33	-	40.50	9.49	32.14

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11256G	43.51	74.00	-30.49	40.63	3	Vertical	166	2.67	-	37.49	17.31	51.92
AV	20.11764G	32.01	54.00	-21.99	29.13	3	Vertical	166	2.67	-	37.49	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1096G	43.28	74.00	-30.72	40.40	3	Horizontal	264	1.69	-	37.49	17.31	51.92
AV	20.12464G	31.87	54.00	-22.13	28.98	3	Horizontal	264	1.69	-	37.50	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 16
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55716G	52.50	88.20	-35.70	34.51	3	Vertical	75	1.45	-	40.70	9.55	32.26
RMS	13.57228G	39.80	68.20	-28.40	21.81	3	Vertical	75	1.45	-	40.70	9.55	32.26

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 16
02-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56376G	51.85	88.20	-36.35	33.86	3	Horizontal	253	1.80	-	40.70	9.55	32.26
RMS	13.57216G	39.80	68.20	-28.40	21.81	3	Horizontal	253	1.80	-	40.70	9.55	32.26

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35072G	43.31	74.00	-30.69	40.23	3	Vertical	82	2.70	-	37.64	17.41	51.97
AV	20.365G	32.57	54.00	-21.43	29.47	3	Vertical	82	2.70	-	37.65	17.42	51.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35716G	43.77	74.00	-30.23	40.68	3	Horizontal	182	1.16	-	37.64	17.42	51.97
AV	20.36476G	32.53	54.00	-21.47	29.43	3	Horizontal	182	1.16	-	37.65	17.42	51.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 20
02-L-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	70.31	88.20	-17.89	61.00	3	Vertical	120	2.10	-	34.24	6.22	31.15
RMS	5.921G	55.73	68.20	-12.47	46.42	3	Vertical	120	2.10	-	34.24	6.22	31.15
PK	6.016G	110.60	Inf	-Inf	101.14	3	Vertical	120	2.10	-	34.36	6.30	31.20
RMS	6.0035G	101.34	Inf	-Inf	91.92	3	Vertical	120	2.10	-	34.31	6.30	31.19

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03542G	56.53	74.00	-17.47	39.64	3	Vertical	104	1.58	-	39.16	9.01	31.28
AV	12.04994G	45.75	54.00	-8.25	28.91	3	Vertical	104	1.58	-	39.10	9.02	31.28

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05216G	57.79	74.00	-16.21	40.96	3	Horizontal	237	1.63	-	39.09	9.02	31.28
AV	12.05G	45.66	54.00	-8.34	28.82	3	Horizontal	237	1.63	-	39.10	9.02	31.28

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07376G	43.20	74.00	-30.80	38.93	3	Vertical	329	1.75	-	37.50	16.47	49.70
AV	18.07684G	32.20	54.00	-21.80	27.94	3	Vertical	329	1.75	-	37.50	16.47	49.71

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07048G	43.07	74.00	-30.93	38.80	3	Horizontal	329	1.77	-	37.50	16.47	49.70
AV	18.0718G	32.27	54.00	-21.73	28.00	3	Horizontal	329	1.77	-	37.50	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35842G	57.18	74.00	-16.82	40.66	3	Vertical	232	1.95	-	38.68	9.13	31.29
AV	12.36994G	44.99	54.00	-9.01	28.49	3	Vertical	232	1.95	-	38.66	9.13	31.29

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38212G	57.40	74.00	-16.60	40.93	3	Horizontal	31	1.57	-	38.64	9.13	31.30
AV	12.3697G	45.00	54.00	-9.00	28.50	3	Horizontal	31	1.57	-	38.66	9.13	31.29

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56176G	44.28	74.00	-29.72	40.35	3	Vertical	238	1.99	-	37.62	16.67	50.36			
AV	18.55808G	32.10	54.00	-21.90	28.17	3	Vertical	238	1.99	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55032G	43.52	74.00	-30.48	39.58	3	Horizontal	190	1.18	-	37.62	16.67	50.35
AV	18.5634G	32.06	54.00	-21.94	28.12	3	Horizontal	190	1.18	-	37.63	16.67	50.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67734G	56.51	74.00	-17.49	40.12	3	Vertical	261	1.72	-	38.60	9.24	31.45
AV	12.67914G	44.81	54.00	-9.19	28.42	3	Vertical	261	1.72	-	38.60	9.24	31.45

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69318G	56.56	74.00	-17.44	40.18	3	Horizontal	280	1.78	-	38.60	9.24	31.46
AV	12.67572G	44.83	54.00	-9.17	28.44	3	Horizontal	280	1.78	-	38.60	9.24	31.45

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02904G	43.55	74.00	-30.45	40.01	3	Vertical	150	2.33	-	37.51	16.86	50.83
AV	19.03588G	32.07	54.00	-21.93	28.54	3	Vertical	150	2.33	-	37.51	16.86	50.84

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04396G	42.99	74.00	-31.01	39.45	3	Horizontal	3	1.99	-	37.52	16.87	50.85
AV	19.03644G	32.06	54.00	-21.94	28.53	3	Horizontal	3	1.99	-	37.51	16.86	50.84

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32838G	58.11	74.00	-15.89	40.32	3	Vertical	26	1.61	-	40.40	9.46	32.07
AV	13.32124G	46.32	54.00	-7.68	28.52	3	Vertical	26	1.61	-	40.40	9.46	32.06

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 16
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3354G	57.30	74.00	-16.70	39.51	3	Horizontal	320	1.83	-	40.40	9.47	32.08
AV	13.32178G	46.31	54.00	-7.69	28.51	3	Horizontal	320	1.83	-	40.40	9.46	32.06

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99468G	42.77	74.00	-31.23	40.00	3	Vertical	304	2.76	-	37.40	17.26	51.89
AV	20.005G	31.85	54.00	-22.15	29.09	3	Vertical	304	2.76	-	37.40	17.26	51.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 16
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99252G	43.47	74.00	-30.53	40.69	3	Horizontal	335	2.55	-	37.41	17.26	51.89
AV	20.00468G	31.76	54.00	-22.24	29.00	3	Horizontal	335	2.55	-	37.40	17.26	51.90




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.26	68.20	-0.94	3	Horizontal	222	1.80	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	68.19	68.20	-0.01	3	Horizontal	221	1.80	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	RMS	5.9242G	67.78	68.20	-0.42	3	Horizontal	206	1.33	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	5.9178G	66.88	68.20	-1.32	3	Horizontal	204	1.80	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	13.70865G	50.29	68.20	-17.91	3	Horizontal	146	2.65	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	RMS	13.69651G	50.24	68.20	-17.96	3	Vertical	358	1.80	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	RMS	13.555G	47.29	68.20	-20.91	3	Vertical	75	1.80	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.33951G	47.19	54.00	-6.81	3	Vertical	333	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	81.09	88.20	-7.11	72.15	3	Vertical	140	1.80	-	35.39	6.36	32.81
RMS	5.925G	66.95	68.20	-1.25	58.00	3	Vertical	140	1.80	-	35.40	6.36	32.81
PK	5.9527G	118.53	Inf	-Inf	109.47	3	Vertical	140	1.80	-	35.50	6.38	32.82
RMS	5.9519G	105.59	Inf	-Inf	96.53	3	Vertical	140	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9243G	82.28	88.20	-5.92	73.33	3	Horizontal	222	1.80	-	35.40	6.36	32.81
RMS	5.925G	67.26	68.20	-0.94	58.31	3	Horizontal	222	1.80	-	35.40	6.36	32.81
PK	5.9563G	119.60	Inf	-Inf	110.54	3	Horizontal	222	1.80	-	35.50	6.38	32.82
RMS	5.9529G	106.63	Inf	-Inf	97.57	3	Horizontal	222	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90367G	52.97	74.00	-21.03	70.77	3	Vertical	179	1.80	-	38.80	9.06	65.66
AV	11.90994G	39.92	54.00	-14.08	57.70	3	Vertical	179	1.80	-	38.81	9.06	65.65
PK	17.87268G	59.60	74.00	-14.40	70.83	3	Vertical	0	1.80	-	42.72	11.45	65.40
AV	17.88G	47.71	54.00	-6.29	58.92	3	Vertical	0	1.80	-	42.74	11.45	65.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91357G	53.05	74.00	-20.95	70.82	3	Horizontal	136	2.37	-	38.81	9.07	65.65
AV	11.91G	39.91	54.00	-14.09	57.69	3	Horizontal	136	2.37	-	38.81	9.06	65.65
PK	17.87298G	59.42	74.00	-14.58	70.65	3	Horizontal	358	1.80	-	42.72	11.45	65.40
AV	17.8776G	47.77	54.00	-6.23	58.99	3	Horizontal	358	1.80	-	42.73	11.45	65.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81979G	50.45	83.54	-33.09	42.96	1	Vertical	12	1.80	-	38.80	18.96	50.27
AV	23.81991G	38.25	63.54	-25.29	30.76	1	Vertical	12	1.80	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82981G	49.94	83.54	-33.60	42.45	1	Horizontal	165	2.33	-	38.80	18.96	50.27
AV	23.81979G	38.28	63.54	-25.26	30.79	1	Horizontal	165	2.33	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39G	58.31	74.00	-15.69	41.65	3	Vertical	190	1.51	-	38.98	9.26	31.58
AV	12.38997G	46.81	54.00	-7.19	30.15	3	Vertical	190	1.51	-	38.98	9.26	31.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39015G	58.50	74.00	-15.50	41.84	3	Horizontal	222	1.80	-	38.98	9.26	31.58
AV	12.38313G	44.73	54.00	-9.27	28.09	3	Horizontal	222	1.80	-	38.97	9.25	31.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58665G	48.27	83.54	-35.27	44.35	1	Vertical	188	2.18	-	37.63	16.68	50.39
AV	18.59109G	34.16	63.54	-29.38	30.23	1	Vertical	188	2.18	-	37.64	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57129G	48.12	83.54	-35.42	44.19	1	Horizontal	166	1.62	-	37.63	16.67	50.37
AV	18.58524G	34.10	63.54	-29.44	30.18	1	Horizontal	166	1.62	-	37.63	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84146G	59.48	88.20	-28.72	41.26	3	Vertical	22	2.25	-	39.64	9.44	30.86
RMS	12.84137G	45.40	68.20	-22.80	27.18	3	Vertical	22	2.25	-	39.64	9.44	30.86

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8363G	59.53	88.20	-28.67	41.33	3	Horizontal	217	1.47	-	39.64	9.43	30.87
RMS	12.84128G	45.36	68.20	-22.84	27.14	3	Horizontal	217	1.47	-	39.64	9.44	30.86

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24701G	48.20	83.54	-35.34	44.75	1	Vertical	194	2.10	-	37.60	16.95	51.10
AV	19.24476G	34.69	63.54	-28.85	31.23	1	Vertical	194	2.10	-	37.60	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23624G	47.91	83.54	-35.63	44.45	1	Horizontal	7	2.82	-	37.59	16.95	51.08
AV	19.23288G	34.07	63.54	-29.47	30.61	1	Horizontal	7	2.82	-	37.59	16.95	51.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX








EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07144G	60.93	88.20	-27.27	41.84	3	Vertical	359	1.24	-	39.97	9.53	30.41
RMS	13.08131G	46.82	68.20	-21.38	27.71	3	Vertical	359	1.24	-	39.98	9.53	30.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


18/04/2023

EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06979G	60.84	88.20	-27.36	41.76	3	Horizontal	4	1.80	-	39.97	9.53	30.42			
RMS	13.07345G	46.86	68.20	-21.34	27.77	3	Horizontal	4	1.80	-	39.97	9.53	30.41			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 26
01-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60323G	50.43	83.54	-33.11	47.17	1	Vertical	178	2.12	-	37.66	17.10	51.50
AV	19.60203G	36.14	63.54	-27.40	32.88	1	Vertical	178	2.12	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60479G	48.25	83.54	-35.29	44.99	1	Horizontal	208	1.83	-	37.66	17.10	51.50
AV	19.60002G	34.82	63.54	-28.72	31.56	1	Horizontal	208	1.83	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40152G	60.97	88.20	-27.23	40.84	3	Vertical	113	1.80	-	40.40	9.66	29.93
RMS	13.40089G	47.47	68.20	-20.73	27.34	3	Vertical	113	1.80	-	40.40	9.66	29.93

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40311G	61.53	88.20	-26.67	41.39	3	Horizontal	317	1.80	-	40.40	9.66	29.92
RMS	13.40368G	47.69	68.20	-20.51	27.55	3	Horizontal	317	1.80	-	40.40	9.66	29.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07204G	47.55	83.54	-35.99	44.71	1	Vertical	239	1.58	-	37.46	17.29	51.91
AV	20.0865G	34.43	63.54	-29.11	31.58	1	Vertical	239	1.58	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08989G	51.04	83.54	-32.50	48.19	1	Horizontal	196	1.70	-	37.47	17.30	51.92
AV	20.08575G	36.21	63.54	-27.33	33.36	1	Horizontal	196	1.70	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69887G	63.78	88.20	-24.42	43.26	3	Vertical	298	1.80	-	40.40	9.78	29.66
RMS	13.70571G	50.25	68.20	-17.95	29.71	3	Vertical	298	1.80	-	40.42	9.78	29.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70364G	64.21	88.20	-23.99	43.68	3	Horizontal	146	2.65	-	40.41	9.78	29.66
RMS	13.70865G	50.29	68.20	-17.91	29.74	3	Horizontal	146	2.65	-	40.43	9.78	29.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56527G	50.97	83.54	-32.57	47.74	1	Vertical	257	2.48	-	37.73	17.51	52.01
AV	20.56272G	37.74	63.54	-25.80	34.52	1	Vertical	257	2.48	-	37.73	17.50	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56641G	52.04	83.54	-31.50	48.81	1	Horizontal	193	1.84	-	37.73	17.51	52.01
AV	20.56578G	37.75	63.54	-25.79	34.52	1	Horizontal	193	1.84	-	37.73	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	82.81	88.20	-5.39	73.86	3	Vertical	142	1.79	-	35.40	6.36	32.81
RMS	5.9244G	68.06	68.20	-0.14	59.11	3	Vertical	142	1.79	-	35.40	6.36	32.81
PK	5.9662G	112.73	Inf	-Inf	103.68	3	Vertical	142	1.79	-	35.50	6.38	32.83
RMS	5.9628G	99.95	Inf	-Inf	90.90	3	Vertical	142	1.79	-	35.50	6.38	32.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	83.13	88.20	-5.07	74.18	3	Horizontal	221	1.80	-	35.40	6.36	32.81
RMS	5.925G	68.19	68.20	-0.01	59.24	3	Horizontal	221	1.80	-	35.40	6.36	32.81
PK	5.9662G	114.24	Inf	-Inf	105.19	3	Horizontal	221	1.80	-	35.50	6.38	32.83
RMS	5.9622G	101.27	Inf	-Inf	92.21	3	Horizontal	221	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 22.5
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9393G	53.46	74.00	-20.54	48.77	3	Vertical	179	1.00	-	38.84	9.08	43.23
AV	11.93G	40.55	54.00	-13.45	35.88	3	Vertical	179	1.00	-	38.83	9.07	43.23
PK	17.88537G	62.96	74.00	-11.04	50.12	3	Vertical	267	2.80	-	42.76	11.45	41.37
AV	17.90358G	48.79	54.00	-5.21	35.85	3	Vertical	267	2.80	-	42.82	11.46	41.34

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 22.5
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91695G	53.23	74.00	-20.77	48.57	3	Horizontal	295	1.80	-	38.82	9.07	43.23
AV	11.94215G	39.99	54.00	-14.01	35.30	3	Horizontal	295	1.80	-	38.84	9.08	43.23
PK	17.90763G	62.14	74.00	-11.86	49.17	3	Horizontal	191	1.33	-	42.84	11.46	41.33
AV	17.90739G	48.40	54.00	-5.60	35.43	3	Horizontal	191	1.33	-	42.84	11.46	41.33

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85649G	50.79	83.54	-32.75	43.28	1	Vertical	12	1.80	-	38.80	18.97	50.26
AV	23.86G	37.94	63.54	-25.60	30.42	1	Vertical	12	1.80	-	38.80	18.98	50.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 22.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.87116G	49.97	83.54	-33.57	42.44	1	Horizontal	276	1.73	-	38.80	18.98	50.25
AV	23.85985G	38.05	63.54	-25.49	30.53	1	Horizontal	276	1.73	-	38.80	18.98	50.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39668G	58.19	74.00	-15.81	41.52	3	Vertical	192	1.52	-	38.99	9.26	31.58
AV	12.40994G	46.01	54.00	-7.99	29.32	3	Vertical	192	1.52	-	39.01	9.26	31.58

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41891G	58.61	74.00	-15.39	41.90	3	Horizontal	0	2.96	-	39.02	9.27	31.58
AV	12.39965G	44.34	54.00	-9.66	27.66	3	Horizontal	0	2.96	-	39.00	9.26	31.58

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61311G	47.71	83.54	-35.83	43.78	1	Vertical	150	1.46	-	37.65	16.69	50.41
AV	18.62487G	34.03	63.54	-29.51	30.10	1	Vertical	150	1.46	-	37.65	16.70	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62028G	47.61	83.54	-35.93	43.69	1	Horizontal	78	1.80	-	37.65	16.69	50.42
AV	18.62835G	34.03	63.54	-29.51	30.11	1	Horizontal	78	1.80	-	37.65	16.70	50.43

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81087G	58.46	88.20	-29.74	40.35	3	Vertical	308	1.80	-	39.61	9.42	30.92			
RMS	12.81735G	45.27	68.20	-22.93	27.13	3	Vertical	308	1.80	-	39.62	9.43	30.91			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79635G	58.44	88.20	-29.76	40.39	3	Horizontal	178	1.80	-	39.59	9.42	30.96
RMS	12.81876G	45.19	68.20	-23.01	27.05	3	Horizontal	178	1.80	-	39.62	9.43	30.91

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22193G	47.60	83.54	-35.94	44.14	1	Vertical	360	1.63	-	37.59	16.94	51.07
AV	19.22235G	34.02	63.54	-29.52	30.56	1	Vertical	360	1.63	-	37.59	16.94	51.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20978G	47.12	83.54	-36.42	43.65	1	Horizontal	258	1.43	-	37.58	16.94	51.05
AV	19.21947G	33.95	63.54	-29.59	30.48	1	Horizontal	258	1.43	-	37.59	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12352G	60.47	88.20	-27.73	41.21	3	Vertical	30	2.98	-	40.05	9.55	30.34
RMS	13.13171G	46.62	68.20	-21.58	27.34	3	Vertical	30	2.98	-	40.06	9.55	30.33

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11755G	60.47	88.20	-27.73	41.23	3	Horizontal	230	1.80	-	40.04	9.55	30.35
RMS	13.12916G	46.59	68.20	-21.61	27.31	3	Horizontal	230	1.80	-	40.06	9.55	30.33

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69998G	48.29	83.54	-35.25	45.13	1	Vertical	8	2.06	-	37.62	17.14	51.60
AV	19.7049G	35.01	63.54	-28.53	31.85	1	Vertical	8	2.06	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 26
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70775G	48.39	83.54	-35.15	45.24	1	Horizontal	201	1.80	-	37.62	17.14	51.61
AV	19.69029G	35.14	63.54	-28.40	31.98	1	Horizontal	201	1.80	-	37.62	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.592G	61.18	88.20	-27.02	40.77	3	Vertical	137	2.88	-	40.40	9.74	29.73
RMS	13.618G	48.02	68.20	-20.18	27.58	3	Vertical	137	2.88	-	40.40	9.75	29.71

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5365G	60.89	88.20	-27.31	40.54	3	Horizontal	304	1.80	-	40.40	9.71	29.76			
RMS	13.62G	47.99	68.20	-20.21	27.55	3	Horizontal	304	1.80	-	40.40	9.75	29.71			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0472G	47.45	83.54	-36.09	44.64	1	Vertical	193	1.35	-	37.44	17.28	51.91
AV	20.04528G	33.85	63.54	-29.69	31.04	1	Vertical	193	1.35	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04729G	46.93	83.54	-36.61	44.12	1	Horizontal	201	1.17	-	37.44	17.28	51.91
AV	20.0586G	33.72	63.54	-29.82	30.89	1	Horizontal	201	1.17	-	37.45	17.29	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.705G	63.76	88.20	-24.44	43.23	3	Vertical	358	1.80	-	40.41	9.78	29.66
RMS	13.69651G	50.24	68.20	-17.96	29.73	3	Vertical	358	1.80	-	40.40	9.78	29.67

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70404G	64.53	88.20	-23.67	44.00	3	Horizontal	353	2.55	-	40.41	9.78	29.66
RMS	13.6855G	50.17	68.20	-18.03	29.67	3	Horizontal	353	2.55	-	40.40	9.77	29.67

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52609G	51.34	83.54	-32.20	48.15	1	Vertical	211.8	2.20	-	37.71	17.49	52.01
AV	20.5272G	37.14	63.54	-26.40	33.95	1	Vertical	211.8	2.20	-	37.71	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53863G	47.49	83.54	-36.05	44.29	1	Horizontal	77	2.80	-	37.72	17.49	52.01
AV	20.52024G	34.24	63.54	-29.30	31.04	1	Horizontal	77	2.80	-	37.71	17.49	52.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	81.19	88.20	-7.01	72.25	3	Vertical	141	1.80	-	35.39	6.36	32.81
RMS	5.9246G	67.31	68.20	-0.89	58.36	3	Vertical	141	1.80	-	35.40	6.36	32.81
PK	5.9838G	108.94	Inf	-Inf	99.88	3	Vertical	141	1.80	-	35.50	6.39	32.83
RMS	5.9818G	96.14	Inf	-Inf	87.08	3	Vertical	141	1.80	-	35.50	6.39	32.83

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	81.32	88.20	-6.88	72.39	3	Horizontal	206	1.33	-	35.38	6.36	32.81
RMS	5.9242G	67.78	68.20	-0.42	58.83	3	Horizontal	206	1.33	-	35.40	6.36	32.81
PK	5.9726G	110.12	Inf	-Inf	101.06	3	Horizontal	206	1.33	-	35.50	6.39	32.83
RMS	5.9826G	97.52	Inf	-Inf	88.46	3	Horizontal	206	1.33	-	35.50	6.39	32.83

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97786G	53.17	74.00	-20.83	48.42	3	Vertical	352	1.80	-	38.88	9.09	43.22
AV	11.97147G	39.79	54.00	-14.21	35.05	3	Vertical	352	1.80	-	38.87	9.09	43.22
PK	17.94294G	61.77	74.00	-12.23	48.56	3	Vertical	151	1.80	-	43.01	11.48	41.28
AV	17.94G	48.36	54.00	-5.64	35.16	3	Vertical	151	1.80	-	43.00	11.48	41.28

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95593G	53.64	74.00	-20.36	48.93	3	Horizontal	330	1.80	-	38.86	9.08	43.23
AV	11.95869G	39.74	54.00	-14.26	35.03	3	Horizontal	330	1.80	-	38.86	9.08	43.23
PK	17.96979G	62.46	74.00	-11.54	49.06	3	Horizontal	174	1.80	-	43.15	11.49	41.24
AV	17.94057G	48.21	54.00	-5.79	35.01	3	Horizontal	174	1.80	-	43.00	11.48	41.28

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9259G	49.70	83.54	-33.84	42.12	1	Vertical	24	2.47	-	38.80	19.01	50.23			
AV	23.94006G	36.48	63.54	-27.06	28.89	1	Vertical	24	2.47	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93397G	49.57	83.54	-33.97	41.99	1	Horizontal	171	2.53	-	38.80	19.01	50.23
AV	23.93991G	36.62	63.54	-26.92	29.03	1	Horizontal	171	2.53	-	38.80	19.01	50.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45663G	58.04	74.00	-15.96	41.29	3	Vertical	350	1.80	-	39.06	9.28	31.59			
AV	12.43776G	44.13	54.00	-9.87	27.39	3	Vertical	350	1.80	-	39.04	9.28	31.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46377G	57.63	74.00	-16.37	40.87	3	Horizontal	151	1.80	-	39.06	9.29	31.59			
AV	12.44424G	44.08	54.00	-9.92	27.34	3	Horizontal	151	1.80	-	39.04	9.28	31.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66465G	47.82	83.54	-35.72	43.90	1	Vertical	137.3	2.17	-	37.67	16.71	50.46
AV	18.66336G	33.84	63.54	-29.70	29.92	1	Vertical	137.3	2.17	-	37.67	16.71	50.46

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67521G	47.30	83.54	-36.24	43.39	1	Horizontal	336	1.91	-	37.67	16.72	50.48
AV	18.66879G	33.74	63.54	-29.80	29.83	1	Horizontal	157	2.73	-	37.67	16.71	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76871G	59.04	88.20	-29.16	41.10	3	Vertical	349	1.95	-	39.54	9.41	31.01
RMS	12.75797G	44.69	68.20	-23.51	26.81	3	Vertical	349	1.95	-	39.52	9.40	31.04

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76058G	58.78	88.20	-29.42	40.89	3	Horizontal	218	1.80	-	39.52	9.40	31.03
RMS	12.7757G	44.82	68.20	-23.38	26.86	3	Horizontal	218	1.80	-	39.55	9.41	31.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.158G	46.97	83.54	-36.57	43.49	1	Vertical	201	1.82	-	37.56	16.91	50.99
AV	19.1535G	33.60	63.54	-29.94	30.11	1	Vertical	201	1.82	-	37.56	16.91	50.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14174G	46.93	83.54	-36.61	43.43	1	Horizontal	352	1.48	-	37.56	16.91	50.97
AV	19.15257G	33.62	63.54	-29.92	30.13	1	Horizontal	352	1.48	-	37.56	16.91	50.98

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24127G	60.41	88.20	-27.79	40.73	3	Vertical	328	1.03	-	40.24	9.60	30.16			
RMS	13.24043G	46.69	68.20	-21.51	27.01	3	Vertical	328	1.03	-	40.24	9.60	30.16			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24403G	60.39	88.20	-27.81	40.71	3	Horizontal	87	1.80	-	40.24	9.60	30.16
RMS	13.23743G	46.75	68.20	-21.45	27.09	3	Horizontal	87	1.80	-	40.24	9.59	30.17

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86633G	47.52	83.54	-36.02	44.57	1	Vertical	348	2.12	-	37.51	17.21	51.77
AV	19.86594G	34.30	63.54	-29.24	31.35	1	Vertical	348	2.12	-	37.51	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86393G	47.23	83.54	-36.31	44.28	1	Horizontal	102	1.98	-	37.51	17.20	51.76
AV	19.87542G	34.26	63.54	-29.28	31.33	1	Horizontal	102	1.98	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40562G	61.07	88.20	-27.13	40.93	3	Vertical	228	1.80	-	40.40	9.66	29.92			
RMS	13.42311G	47.24	68.20	-20.96	27.06	3	Vertical	228	1.80	-	40.40	9.67	29.89			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41195G	61.98	88.20	-26.22	41.83	3	Horizontal	358	1.80	-	40.40	9.66	29.91
RMS	13.42374G	47.25	68.20	-20.95	27.07	3	Horizontal	358	1.80	-	40.40	9.67	29.89

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10666G	46.70	83.54	-36.84	43.82	1	Vertical	54	2.22	-	37.49	17.31	51.92
AV	20.12838G	33.48	63.54	-30.06	30.59	1	Vertical	54	2.22	-	37.50	17.32	51.93

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12862G	47.46	83.54	-36.08	44.57	1	Horizontal	295	2.64	-	37.50	17.32	51.93
AV	20.12778G	33.54	63.54	-30.00	30.65	1	Horizontal	295	2.64	-	37.50	17.32	51.93

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55998G	61.19	88.20	-27.01	40.82	3	Vertical	75	1.80	-	40.40	9.72	29.75
RMS	13.555G	47.29	68.20	-20.91	26.92	3	Vertical	75	1.80	-	40.40	9.72	29.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56373G	60.95	88.20	-27.25	40.56	3	Horizontal	312	1.07	-	40.40	9.73	29.74
RMS	13.55683G	47.23	68.20	-20.97	26.86	3	Horizontal	312	1.07	-	40.40	9.72	29.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3421G	48.00	83.54	-35.54	44.92	1	Vertical	52	2.80	-	37.64	17.41	51.97
AV	20.36721G	34.78	63.54	-28.76	31.68	1	Vertical	52	2.80	-	37.65	17.42	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3538G	48.03	83.54	-35.51	44.95	1	Horizontal	303	1.80	-	37.64	17.41	51.97
AV	20.36751G	34.68	63.54	-28.86	31.58	1	Horizontal	303	1.80	-	37.65	17.42	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	81.56	88.20	-6.64	72.64	3	Vertical	142	1.80	-	35.37	6.36	32.81
RMS	5.9234G	66.60	68.20	-1.60	57.66	3	Vertical	142	1.80	-	35.39	6.36	32.81
PK	5.9738G	106.37	Inf	-Inf	97.31	3	Vertical	142	1.80	-	35.50	6.39	32.83
RMS	5.993G	93.35	Inf	-Inf	84.29	3	Vertical	142	1.80	-	35.50	6.40	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	79.95	88.20	-8.25	71.04	3	Horizontal	204	1.80	-	35.35	6.36	32.80
RMS	5.9178G	66.88	68.20	-1.32	57.96	3	Horizontal	204	1.80	-	35.37	6.36	32.81
PK	6.0434G	108.68	Inf	-Inf	99.51	3	Horizontal	204	1.80	-	35.59	6.42	32.84
RMS	6.0546G	95.95	Inf	-Inf	86.76	3	Horizontal	204	1.80	-	35.60	6.43	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22.5
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04802G	58.17	74.00	-15.83	41.74	3	Vertical	93	1.80	-	38.85	9.12	31.54
AV	12.05816G	44.10	54.00	-9.90	27.69	3	Vertical	93	1.80	-	38.84	9.12	31.55

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05948G	57.92	74.00	-16.08	41.51	3	Horizontal	298	1.80	-	38.84	9.12	31.55
AV	12.05312G	44.12	54.00	-9.88	27.70	3	Horizontal	298	1.80	-	38.85	9.12	31.55

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22.5
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08139G	47.04	83.54	-36.50	42.78	1	Vertical	168	1.35	-	37.50	16.47	49.71
AV	18.06297G	34.05	63.54	-29.49	29.77	1	Vertical	168	1.35	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08397G	47.37	83.54	-36.17	43.12	1	Horizontal	51	2.39	-	37.50	16.47	49.72
AV	18.06615G	34.04	63.54	-29.50	29.76	1	Horizontal	80	1.32	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36621G	58.61	74.00	-15.39	42.01	3	Vertical	189	1.57	-	38.93	9.25	31.58
AV	12.36986G	46.47	54.00	-7.53	29.86	3	Vertical	189	1.57	-	38.94	9.25	31.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37271G	58.22	74.00	-15.78	41.60	3	Horizontal	173	2.76	-	38.95	9.25	31.58
AV	12.36997G	44.30	54.00	-9.70	27.69	3	Horizontal	173	2.76	-	38.94	9.25	31.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54309G	47.76	83.54	-35.78	43.82	1	Vertical	194	2.75	-	37.62	16.66	50.34
AV	18.54336G	34.24	63.54	-29.30	30.30	1	Vertical	194	2.75	-	37.62	16.66	50.34

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54639G	47.34	83.54	-36.20	43.41	1	Horizontal	0	1.72	-	37.62	16.66	50.35
AV	18.54792G	34.24	63.54	-29.30	30.31	1	Horizontal	0	1.72	-	37.62	16.66	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.69591G	58.03	74.00	-15.97	40.43	3	Vertical	112	1.80	-	39.39	9.38	31.17
AV	12.69021G	44.95	54.00	-9.05	27.37	3	Vertical	112	1.80	-	39.38	9.38	31.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69522G	59.16	74.00	-14.84	41.56	3	Horizontal	9	1.80	-	39.39	9.38	31.17
AV	12.6771G	44.83	54.00	-9.17	27.32	3	Horizontal	9	1.80	-	39.35	9.37	31.21

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03371G	47.20	83.54	-36.34	43.67	1	Vertical	125	2.03	-	37.51	16.86	50.84
AV	19.02621G	34.05	63.54	-29.49	30.51	1	Vertical	125	2.03	-	37.51	16.86	50.83

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.032G	48.55	83.54	-34.99	45.02	1	Horizontal	71	2.85	-	37.51	16.86	50.84
AV	19.04271G	33.90	63.54	-29.64	30.36	1	Horizontal	71	2.85	-	37.52	16.87	50.85

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32472G	60.62	74.00	-13.38	40.71	3	Vertical	333	1.80	-	40.32	9.63	30.04
AV	13.33951G	47.19	54.00	-6.81	27.23	3	Vertical	333	1.80	-	40.34	9.64	30.02

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32883G	61.02	74.00	-12.98	41.09	3	Horizontal	90	1.80	-	40.33	9.63	30.03
AV	13.32883G	47.11	54.00	-6.89	27.18	3	Horizontal	90	1.80	-	40.33	9.63	30.03

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.98858G	46.86	83.54	-36.68	44.08	1	Vertical	322	2.03	-	37.41	17.26	51.89
AV	20.00796G	33.57	63.54	-29.97	30.80	1	Vertical	322	2.03	-	37.41	17.26	51.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



EUT Y_1TX
Setting 26
01-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99425G	46.95	83.54	-36.59	44.18	1	Horizontal	171	1.88	-	37.40	17.26	51.89
AV	19.99236G	33.50	63.54	-30.04	30.72	1	Horizontal	171	1.88	-	37.41	17.26	51.89



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.9518G	6.33	5.9724G	-20.56	-13.73	-6.83	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.206G	5.03	6.1432G	-39.15	-34.97	-4.18	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.9802G	3.62	6.1054G	-40.62	-35.78	-4.84	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.05777G	4.39	6.2746G	-39.60	-35.61	-3.99	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.8579G	0.35	6.8859G	-51.01	-39.65	-11.36	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.8462G	1.08	6.906G	-48.15	-38.92	-9.23	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.7014G	1.71	6.8742G	-45.07	-38.29	-6.78	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.68018G	2.08	6.9154G	-42.09	-37.92	-4.17	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9518G	6.33	5.9724G	-20.56	-13.73	-6.83	1
6195MHz	Pass	6.1913G	6.07	6.1805G	-22.23	-14.03	-8.20	1
6415MHz	Pass	6.4174G	6.07	6.4316G	-22.42	-14.81	-7.61	1
6535MHz	Pass	6.5304G	0.05	6.5034G	-52.24	-39.95	-12.29	1
6695MHz	Pass	6.6902G	0.26	6.7263G	-51.69	-39.68	-12.01	1
6855MHz	Pass	6.8579G	0.35	6.8859G	-51.01	-39.65	-11.36	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9668G	3.89	6.0254G	-42.14	-35.92	-6.22	1
6205MHz	Pass	6.206G	5.03	6.1432G	-39.15	-34.97	-4.18	1
6405MHz	Pass	6.402G	5.27	6.3688G	-23.50	-16.78	-6.72	1
6565MHz	Pass	6.563G	1.73	6.6258G	-48.41	-38.27	-10.14	1
6685MHz	Pass	6.6886G	1.34	6.7464G	-47.96	-38.66	-9.30	1
6845MHz	Pass	6.8462G	1.08	6.906G	-48.15	-38.92	-9.23	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9802G	3.62	6.1054G	-40.62	-35.78	-4.84	1
6225MHz	Pass	6.2226G	5.25	6.1598G	-22.83	-14.86	-7.97	1
6385MHz	Pass	6.37941G	5.54	6.319G	-21.72	-15.55	-6.17	1
6625MHz	Pass	6.6266G	1.64	6.7498G	-45.32	-38.36	-6.96	1
6705MHz	Pass	6.7014G	1.71	6.8742G	-45.07	-38.29	-6.78	1
6785MHz	Pass	6.7806G	1.83	6.9166G	-44.97	-38.17	-6.80	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05777G	4.39	6.2746G	-39.60	-35.61	-3.99	1
6185MHz	Pass	6.15063G	5.63	6.4802G	-39.47	-33.99	-5.48	1
6345MHz	Pass	6.36978G	5.82	6.6818G	-40.25	-34.13	-6.12	1
6665MHz	Pass	6.68018G	2.08	6.9154G	-42.09	-37.92	-4.17	1

