



Summary



Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	14.40
802.11ax HEW40_Nss1,(MCS0)_1TX	12.69
802.11ax HEW80_Nss1,(MCS0)_1TX	8.60
802.11ax HEW160_Nss1,(MCS0)_1TX	6.00
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.98
802.11ax HEW40_Nss1,(MCS0)_1TX	7.29
802.11ax HEW80_Nss1,(MCS0)_1TX	6.12
802.11ax HEW160_Nss1,(MCS0)_1TX	0.85



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	14.23	23.00
6195MHz	Pass	14.40	23.00
6415MHz	Pass	13.50	23.00
6535MHz	Pass	8.98	23.00
6695MHz	Pass	8.97	23.00
6855MHz	Pass	7.90	23.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	8.44	23.00
6205MHz	Pass	12.69	23.00
6405MHz	Pass	10.66	23.00
6565MHz	Pass	6.64	23.00
6685MHz	Pass	7.29	23.00
6845MHz	Pass	6.19	23.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	5.28	23.00
6225MHz	Pass	8.60	23.00
6385MHz	Pass	8.07	23.00
6625MHz	Pass	3.54	23.00
6705MHz	Pass	2.84	23.00
6785MHz	Pass	6.12	23.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	2.75	23.00
6185MHz	Pass	6.00	23.00
6345MHz	Pass	4.47	23.00
6665MHz	Pass	0.85	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	30M	35.99	40.00	-4.01	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30M	35.99	40.00	-4.01	-6.18	3	Vertical	54	1.25	"Worst"	42.17	24.34	0.63	31.15
PK	48.43M	32.89	40.00	-7.11	-15.75	3	Vertical	126	1.25	-	48.64	15.01	0.77	31.53
PK	67.83M	28.75	40.00	-11.25	-17.94	3	Vertical	349	3.00	-	46.69	12.89	0.91	31.74
PK	110.51M	30.67	43.50	-12.83	-12.65	3	Vertical	201	1.00	-	43.32	17.79	1.15	31.59
PK	733.25M	33.69	46.00	-12.31	-3.75	3	Vertical	0	1.25	-	37.44	25.65	2.92	32.32
PK	774.96M	31.88	46.00	-14.12	-3.52	3	Vertical	360	1.50	-	35.40	25.77	3.02	32.31

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	27.98	40.00	-12.02	-6.53	3	Horizontal	234	2.00	"Worst"	34.51	24.01	0.64	31.18
PK	66.86M	25.30	40.00	-14.70	-17.99	3	Horizontal	107	3.00	-	43.29	12.86	0.90	31.75
PK	67.83M	27.43	40.00	-12.57	-17.94	3	Horizontal	94	3.00	-	45.37	12.89	0.91	31.74
PK	557.68M	30.48	46.00	-15.52	-5.14	3	Horizontal	33	1.25	-	35.62	24.46	2.54	32.14
PK	566.41M	31.24	46.00	-14.76	-5.16	3	Horizontal	360	1.25	-	36.40	24.43	2.55	32.14
PK	763.32M	30.34	46.00	-15.66	-3.54	3	Horizontal	13	1.00	-	33.88	25.77	3.00	32.31




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX (1)	Pass	RMS	5.925G	68.18	68.20	-0.02	3	Vertical	125	1.79	-
802.11ax HEW20_Nss1,(MCS0)_1TX (2)	Pass	RMS	5.925G	66.89	68.20	-1.31	3	Vertical	172	1.94	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	RMS	5.9186G	68.06	68.20	-0.14	3	Vertical	129	2.04	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8-10
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	82.88	88.20	-5.32	73.95	3	Vertical	125	1.79	-	35.38	6.36	32.81
RMS	5.925G	68.18	68.20	-0.02	59.23	3	Vertical	125	1.79	-	35.40	6.36	32.81
PK	5.9526G	124.07	Inf	-Inf	115.01	3	Vertical	125	1.79	-	35.50	6.38	32.82
RMS	5.9562G	110.98	Inf	-Inf	101.92	3	Vertical	125	1.79	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8-10
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	66.64	88.20	-21.56	57.71	3	Horizontal	122	1.71	-	35.38	6.36	32.81
RMS	5.925G	52.48	68.20	-15.72	43.53	3	Horizontal	122	1.71	-	35.40	6.36	32.81
PK	5.9578G	106.49	Inf	-Inf	97.43	3	Horizontal	122	1.71	-	35.50	6.38	32.82
RMS	5.9572G	93.47	Inf	-Inf	84.41	3	Horizontal	122	1.71	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92446G	53.56	74.00	-20.44	48.90	3	Vertical	93	1.80	-	38.82	9.07	43.23
AV	11.89578G	39.40	54.00	-14.60	34.78	3	Vertical	93	1.80	-	38.80	9.06	43.24
PK	17.87733G	61.43	74.00	-12.57	48.63	3	Vertical	304	1.80	-	42.73	11.45	41.38
AV	17.87739G	48.05	54.00	-5.95	35.25	3	Vertical	304	1.80	-	42.73	11.45	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90934G	52.86	74.00	-21.14	48.22	3	Horizontal	323	2.93	-	38.81	9.06	43.23
AV	11.8971G	39.31	54.00	-14.69	34.69	3	Horizontal	323	2.93	-	38.80	9.06	43.24
PK	17.87748G	61.97	74.00	-12.03	49.17	3	Horizontal	163	2.40	-	42.73	11.45	41.38
AV	17.87319G	47.90	54.00	-6.10	35.12	3	Horizontal	163	2.40	-	42.72	11.45	41.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82615G	51.58	83.54	-31.96	44.09	1	Vertical	347	1.80	-	38.80	18.96	50.27
AV	23.81355G	37.50	63.54	-26.04	30.01	1	Vertical	347	1.80	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 24.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82324G	50.66	83.54	-32.88	43.17	1	Horizontal	298	2.10	-	38.80	18.96	50.27
AV	23.82597G	37.32	63.54	-26.22	29.83	1	Horizontal	298	2.10	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38043G	54.17	74.00	-19.83	49.13	3	Vertical	350	1.67	-	38.96	9.25	43.17
AV	12.3933G	40.28	54.00	-13.72	35.19	3	Vertical	350	1.67	-	38.99	9.26	43.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.39171G	53.66	74.00	-20.34	48.59	3	Horizontal	28	2.07	-	38.98	9.26	43.17
AV	12.39036G	40.22	54.00	-13.78	35.15	3	Horizontal	28	2.07	-	38.98	9.26	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58074G	62.30	83.54	-21.24	58.37	1	Vertical	360	2.14	-	37.63	16.68	50.38
AV	18.58512G	47.83	63.54	-15.71	43.91	1	Vertical	360	2.14	-	37.63	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58098G	61.11	83.54	-22.43	57.18	1	Horizontal	352	1.83	-	37.63	16.68	50.38
AV	18.58623G	47.94	63.54	-15.60	44.02	1	Horizontal	352	1.83	-	37.63	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82981G	54.58	88.20	-33.62	48.34	3	Vertical	109	2.07	-	39.63	9.43	42.82
RMS	12.83483G	40.83	68.20	-27.37	34.59	3	Vertical	109	2.07	-	39.63	9.43	42.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82762G	54.65	88.20	-33.55	48.41	3	Horizontal	168	2.71	-	39.63	9.43	42.82
RMS	12.82937G	40.86	68.20	-27.34	34.62	3	Horizontal	168	2.71	-	39.63	9.43	42.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24533G	62.39	83.54	-21.15	58.93	1	Vertical	349	1.79	-	37.60	16.95	51.09
AV	19.24413G	48.40	63.54	-15.14	44.94	1	Vertical	349	1.79	-	37.60	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2411G	63.18	83.54	-20.36	59.72	1	Horizontal	348	1.79	-	37.60	16.95	51.09
AV	19.24686G	49.67	63.54	-13.87	46.22	1	Horizontal	348	1.79	-	37.60	16.95	51.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07289G	55.62	88.20	-32.58	48.79	3	Vertical	251	3.00	-	39.97	9.53	42.67
RMS	13.06933G	41.92	68.20	-26.28	35.09	3	Vertical	251	3.00	-	39.97	9.53	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07357G	55.83	88.20	-32.37	49.00	3	Horizontal	231	2.80	-	39.97	9.53	42.67
RMS	13.06656G	41.91	68.20	-26.29	35.07	3	Horizontal	231	2.80	-	39.97	9.53	42.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60371G	63.63	83.54	-19.91	60.37	1	Vertical	44	2.12	-	37.66	17.10	51.50
AV	19.60221G	50.04	63.54	-13.50	46.78	1	Vertical	44	2.12	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60461G	63.76	83.54	-19.78	60.50	1	Horizontal	54	1.89	-	37.66	17.10	51.50
AV	19.60263G	49.93	63.54	-13.61	46.67	1	Horizontal	54	1.89	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38592G	56.31	74.00	-17.69	49.00	3	Vertical	147	1.11	-	40.39	9.65	42.73
AV	13.39105G	42.23	54.00	-11.77	34.92	3	Vertical	147	1.11	-	40.39	9.66	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39106G	56.09	74.00	-17.91	48.78	3	Horizontal	98	1.58	-	40.39	9.66	42.74
AV	13.38827G	42.09	54.00	-11.91	34.78	3	Horizontal	98	1.58	-	40.39	9.66	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08809G	64.80	83.54	-18.74	61.95	1	Vertical	317	2.25	-	37.47	17.30	51.92
AV	20.08527G	50.80	63.54	-12.74	47.95	1	Vertical	317	2.25	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08839G	61.06	83.54	-22.48	58.21	1	Horizontal	330	1.79	-	37.47	17.30	51.92
AV	20.08239G	47.67	63.54	-15.87	44.82	1	Horizontal	330	1.79	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.70578G	56.86	88.20	-31.34	49.30	3	Vertical	158	2.13	-	40.42	9.78	42.64
RMS	13.71493G	42.75	68.20	-25.45	35.15	3	Vertical	158	2.13	-	40.44	9.79	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70602G	56.79	88.20	-31.41	49.23	3	Horizontal	122	2.16	-	40.42	9.78	42.64
RMS	13.71209G	42.79	68.20	-25.41	35.20	3	Horizontal	122	2.16	-	40.44	9.78	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55879G	65.70	83.54	-17.84	62.49	1	Vertical	35	2.30	-	37.72	17.50	52.01
AV	20.56437G	52.38	63.54	-11.16	49.15	1	Vertical	35	2.30	-	37.73	17.51	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56185G	63.17	83.54	-20.37	59.96	1	Horizontal	350	1.80	-	37.72	17.50	52.01
AV	20.56434G	49.31	63.54	-14.23	46.08	1	Horizontal	350	1.80	-	37.73	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 21.5
01-D-J-8-10
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	81.29	88.20	-6.91	72.35	3	Vertical	125	1.90	-	35.39	6.36	32.81
RMS	5.925G	66.22	68.20	-1.98	57.27	3	Vertical	125	1.90	-	35.40	6.36	32.81
PK	5.9722G	119.24	Inf	-Inf	110.18	3	Vertical	125	1.90	-	35.50	6.39	32.83
RMS	5.9666G	106.14	Inf	-Inf	97.09	3	Vertical	125	1.90	-	35.50	6.38	32.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 21.5
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92842G	53.55	74.00	-20.45	48.88	3	Vertical	61	1.95	-	38.83	9.07	43.23
AV	11.93326G	39.22	54.00	-14.78	34.55	3	Vertical	61	1.95	-	38.83	9.07	43.23
PK	17.89984G	61.16	74.00	-12.84	48.25	3	Vertical	14	2.05	-	42.80	11.46	41.35
AV	17.89737G	47.78	54.00	-6.22	34.88	3	Vertical	14	2.05	-	42.79	11.46	41.35

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93162G	54.25	74.00	-19.75	49.58	3	Horizontal	184	2.53	-	38.83	9.07	43.23
AV	11.93424G	39.34	54.00	-14.66	34.67	3	Horizontal	184	2.53	-	38.83	9.07	43.23
PK	17.89031G	61.33	74.00	-12.67	48.46	3	Horizontal	115	2.72	-	42.77	11.46	41.36
AV	17.89616G	47.74	54.00	-6.26	34.84	3	Horizontal	115	2.72	-	42.79	11.46	41.35

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86066G	48.71	83.54	-34.83	41.19	1	Vertical	293	1.56	-	38.80	18.98	50.26
AV	23.8477G	35.28	63.54	-28.26	27.77	1	Vertical	293	1.56	-	38.80	18.97	50.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84956G	48.68	83.54	-34.86	41.17	1	Horizontal	56	2.20	-	38.80	18.97	50.26
AV	23.85058G	35.23	63.54	-28.31	27.72	1	Horizontal	56	2.20	-	38.80	18.97	50.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41156G	53.05	74.00	-20.95	47.94	3	Vertical	313	1.80	-	39.01	9.26	43.16
AV	12.39506G	39.71	54.00	-14.29	34.62	3	Vertical	313	1.80	-	38.99	9.26	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40079G	52.50	74.00	-21.50	47.40	3	Horizontal	349	1.53	-	39.00	9.26	43.16
AV	12.39542G	39.74	54.00	-14.26	34.65	3	Horizontal	349	1.53	-	38.99	9.26	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6252G	54.24	83.54	-29.30	50.32	1	Vertical	360	1.80	-	37.65	16.70	50.43
AV	18.61563G	40.62	63.54	-22.92	36.70	1	Vertical	360	1.80	-	37.65	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60357G	54.13	83.54	-29.41	50.20	1	Horizontal	289	2.64	-	37.64	16.69	50.40
AV	18.61572G	40.66	63.54	-22.88	36.74	1	Horizontal	289	2.64	-	37.65	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.81085G	54.37	88.20	-33.83	48.18	3	Vertical	186	1.94	-	39.61	9.42	42.84
RMS	12.81422G	40.58	68.20	-27.62	34.38	3	Vertical	186	1.94	-	39.61	9.43	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80624G	54.88	88.20	-33.32	48.69	3	Horizontal	230	2.15	-	39.61	9.42	42.84
RMS	12.81188G	40.70	68.20	-27.50	34.51	3	Horizontal	230	2.15	-	39.61	9.42	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22847G	55.76	83.54	-27.78	52.30	1	Vertical	43	2.11	-	37.59	16.94	51.07
AV	19.22202G	42.08	63.54	-21.46	38.62	1	Vertical	43	2.11	-	37.59	16.94	51.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22232G	56.10	83.54	-27.44	52.64	1	Horizontal	56	1.07	-	37.59	16.94	51.07
AV	19.21911G	42.19	63.54	-21.35	38.72	1	Horizontal	56	1.07	-	37.59	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13118G	55.91	88.20	-32.29	48.98	3	Vertical	131	2.19	-	40.06	9.55	42.68
RMS	13.135G	41.99	68.20	-26.21	35.05	3	Vertical	131	2.19	-	40.07	9.55	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13268G	56.47	88.20	-31.73	49.53	3	Horizontal	338	1.19	-	40.07	9.55	42.68
RMS	13.1333G	42.02	68.20	-26.18	35.08	3	Horizontal	338	1.19	-	40.07	9.55	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70904G	55.56	83.54	-27.98	52.41	1	Vertical	43	2.15	-	37.62	17.14	51.61
AV	19.69668G	40.76	63.54	-22.78	37.60	1	Vertical	43	2.15	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70508G	55.07	83.54	-28.47	51.92	1	Horizontal	3	2.69	-	37.62	17.14	51.61
AV	19.69986G	40.66	63.54	-22.88	37.50	1	Horizontal	3	2.69	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37428G	56.85	74.00	-17.15	49.56	3	Vertical	329	1.30	-	40.37	9.65	42.73
AV	13.36576G	42.26	54.00	-11.74	34.97	3	Vertical	329	1.30	-	40.37	9.65	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36572G	56.21	74.00	-17.79	48.92	3	Horizontal	324	2.48	-	40.37	9.65	42.73
AV	13.37332G	42.24	54.00	-11.76	34.95	3	Horizontal	324	2.48	-	40.37	9.65	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04915G	56.05	83.54	-27.49	53.24	1	Vertical	73	1.31	-	37.44	17.28	51.91
AV	20.05494G	42.88	63.54	-20.66	40.07	1	Vertical	73	1.31	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06328G	54.24	83.54	-29.30	51.41	1	Horizontal	329	1.80	-	37.45	17.29	51.91
AV	20.0547G	41.13	63.54	-22.41	38.32	1	Horizontal	329	1.80	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69271G	56.65	88.20	-31.55	49.11	3	Vertical	33	2.22	-	40.40	9.78	42.64
RMS	13.69388G	42.89	68.20	-25.31	35.35	3	Vertical	33	2.22	-	40.40	9.78	42.64

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69127G	56.82	88.20	-31.38	49.29	3	Horizontal	28	1.60	-	40.40	9.78	42.65
RMS	13.68931G	42.90	68.20	-25.30	35.37	3	Horizontal	28	1.60	-	40.40	9.78	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53167G	61.56	83.54	-21.98	58.37	1	Vertical	35	2.35	-	37.71	17.49	52.01
AV	20.53488G	47.95	63.54	-15.59	44.76	1	Vertical	35	2.35	-	37.71	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54853G	59.07	83.54	-24.47	55.86	1	Horizontal	347	1.49	-	37.72	17.50	52.01
AV	20.53467G	44.86	63.54	-18.68	41.67	1	Horizontal	347	1.49	-	37.71	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8-10
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	80.47	88.20	-7.73	71.52	3	Vertical	121	1.80	-	35.40	6.36	32.81
RMS	5.925G	65.94	68.20	-2.26	56.99	3	Vertical	121	1.80	-	35.40	6.36	32.81
PK	5.9858G	115.50	Inf	-Inf	106.44	3	Vertical	121	1.80	-	35.50	6.39	32.83
RMS	5.9882G	102.67	Inf	-Inf	93.62	3	Vertical	121	1.80	-	35.50	6.39	32.84

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 21.5
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96878G	53.65	74.00	-20.35	48.91	3	Vertical	149	1.34	-	38.87	9.09	43.22
AV	11.96654G	38.91	54.00	-15.09	34.18	3	Vertical	149	1.34	-	38.87	9.09	43.23
PK	17.95498G	60.62	74.00	-13.38	47.33	3	Vertical	166	2.36	-	43.07	11.48	41.26
AV	17.95209G	47.50	54.00	-6.50	34.22	3	Vertical	166	2.36	-	43.06	11.48	41.26

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97481G	53.00	74.00	-21.00	48.26	3	Horizontal	188	1.56	-	38.87	9.09	43.22
AV	11.96922G	38.95	54.00	-15.05	34.21	3	Horizontal	188	1.56	-	38.87	9.09	43.22
PK	17.9591G	60.96	74.00	-13.04	47.63	3	Horizontal	116	1.95	-	43.10	11.48	41.25
AV	17.95074G	47.44	54.00	-6.56	34.18	3	Horizontal	116	1.95	-	43.05	11.48	41.27

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.94822G	47.53	83.54	-36.01	39.93	1	Vertical	341	1.96	-	38.80	19.02	50.22
AV	23.925G	34.25	63.54	-29.29	26.67	1	Vertical	341	1.96	-	38.80	19.01	50.23

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 21.5
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9445G	47.75	83.54	-35.79	40.16	1	Horizontal	215	2.45	-	38.80	19.01	50.22
AV	23.95074G	34.35	63.54	-29.19	26.75	1	Horizontal	215	2.45	-	38.80	19.02	50.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46089G	53.14	74.00	-20.86	47.96	3	Vertical	5	2.74	-	39.06	9.28	43.16
AV	12.4353G	39.47	54.00	-14.53	34.32	3	Vertical	5	2.74	-	39.04	9.27	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43791G	52.22	74.00	-21.78	47.06	3	Horizontal	335	1.16	-	39.04	9.28	43.16
AV	12.4359G	39.40	54.00	-14.60	34.25	3	Horizontal	335	1.16	-	39.04	9.27	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66915G	54.91	83.54	-28.63	51.00	1	Vertical	10	1.66	-	37.67	16.71	50.47
AV	18.67452G	40.77	63.54	-22.77	36.85	1	Vertical	10	1.66	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68787G	52.30	83.54	-31.24	48.39	1	Horizontal	74	2.25	-	37.68	16.72	50.49
AV	18.6741G	39.65	63.54	-23.89	35.73	1	Horizontal	74	2.25	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.77277G	54.13	88.20	-34.07	48.05	3	Vertical	233	2.48	-	39.55	9.41	42.88
RMS	12.76727G	40.11	68.20	-28.09	34.05	3	Vertical	233	2.48	-	39.53	9.41	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77081G	54.12	88.20	-34.08	48.05	3	Horizontal	180	2.73	-	39.54	9.41	42.88
RMS	12.76534G	40.16	68.20	-28.04	34.10	3	Horizontal	180	2.73	-	39.53	9.41	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14012G	51.19	83.54	-32.35	47.69	1	Vertical	44	2.13	-	37.56	16.91	50.97
AV	19.14006G	38.17	63.54	-25.37	34.67	1	Vertical	44	2.13	-	37.56	16.91	50.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14039G	50.66	83.54	-32.88	47.16	1	Horizontal	17	1.39	-	37.56	16.91	50.97
AV	19.14G	37.95	63.54	-25.59	34.45	1	Horizontal	17	1.39	-	37.56	16.91	50.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25007G	55.96	74.00	-18.04	48.82	3	Vertical	227	1.84	-	40.25	9.60	42.71
AV	13.25053G	41.91	54.00	-12.09	34.77	3	Vertical	227	1.84	-	40.25	9.60	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25246G	55.84	74.00	-18.16	48.70	3	Horizontal	141	1.87	-	40.25	9.60	42.71
AV	13.25248G	41.88	54.00	-12.12	34.74	3	Horizontal	141	1.87	-	40.25	9.60	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87335G	52.03	83.54	-31.51	49.09	1	Vertical	315	1.79	-	37.50	17.21	51.77
AV	19.87077G	38.46	63.54	-25.08	35.52	1	Vertical	315	1.79	-	37.50	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86144G	51.11	83.54	-32.43	48.16	1	Horizontal	12	1.95	-	37.51	17.20	51.76
AV	19.87092G	38.59	63.54	-24.95	35.65	1	Horizontal	12	1.95	-	37.50	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41439G	56.35	88.20	-31.85	49.02	3	Vertical	239	2.93	-	40.40	9.67	42.74
RMS	13.41471G	42.24	68.20	-25.96	34.91	3	Vertical	239	2.93	-	40.40	9.67	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41198G	56.14	88.20	-32.06	48.82	3	Horizontal	33	2.16	-	40.40	9.66	42.74
RMS	13.405G	42.28	68.20	-25.92	34.96	3	Horizontal	33	2.16	-	40.40	9.66	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10732G	51.44	83.54	-32.10	48.56	1	Vertical	324	1.68	-	37.49	17.31	51.92
AV	20.11014G	38.14	63.54	-25.40	35.26	1	Vertical	324	1.68	-	37.49	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11305G	51.75	83.54	-31.79	48.87	1	Horizontal	197	2.45	-	37.49	17.31	51.92
AV	20.10156G	38.16	63.54	-25.38	35.30	1	Horizontal	197	2.45	-	37.48	17.30	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57221G	55.86	88.20	-32.34	48.45	3	Vertical	12	1.90	-	40.40	9.73	42.72			
RMS	13.56823G	41.75	68.20	-26.45	34.34	3	Vertical	12	1.90	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57241G	55.39	88.20	-32.81	47.98	3	Horizontal	293	2.89	-	40.40	9.73	42.72
RMS	13.57493G	41.74	68.20	-26.46	34.33	3	Horizontal	293	2.89	-	40.40	9.73	42.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34036G	54.85	83.54	-28.69	51.77	1	Vertical	44	1.79	-	37.64	17.41	51.97
AV	20.34G	41.66	63.54	-21.88	38.58	1	Vertical	44	1.79	-	37.64	17.41	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36715G	53.15	83.54	-30.39	50.05	1	Horizontal	276	1.72	-	37.65	17.42	51.97
AV	20.34006G	40.16	63.54	-23.38	37.08	1	Horizontal	276	1.72	-	37.64	17.41	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8-10
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	78.79	88.20	-9.41	69.86	3	Vertical	123	1.98	-	35.38	6.36	32.81
RMS	5.925G	65.53	68.20	-2.67	56.58	3	Vertical	123	1.98	-	35.40	6.36	32.81
PK	6.0058G	114.02	Inf	-Inf	104.95	3	Vertical	123	1.98	-	35.51	6.40	32.84
RMS	6.0282G	101.03	Inf	-Inf	91.90	3	Vertical	123	1.98	-	35.56	6.41	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0458G	52.68	74.00	-21.32	47.92	3	Vertical	252	2.40	-	38.85	9.12	43.21
AV	12.05024G	39.34	54.00	-14.66	34.58	3	Vertical	252	2.40	-	38.85	9.12	43.21
PK	18.0769G	60.97	74.00	-13.03	47.15	3	Vertical	141	1.29	-	43.68	11.53	41.39
AV	18.07028G	47.54	54.00	-6.46	33.73	3	Vertical	141	1.29	-	43.65	11.53	41.37

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04528G	53.36	74.00	-20.64	48.60	3	Horizontal	189	2.53	-	38.85	9.12	43.21
AV	12.05015G	39.39	54.00	-14.61	34.63	3	Horizontal	189	2.53	-	38.85	9.12	43.21
PK	18.07918G	60.93	74.00	-13.07	47.10	3	Horizontal	54	2.43	-	43.70	11.53	41.40
AV	18.07429G	47.53	54.00	-6.47	33.71	3	Horizontal	54	2.43	-	43.67	11.53	41.38

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07782G	45.41	83.54	-38.13	41.15	1	Vertical	67	1.28	-	37.50	16.47	49.71
AV	18.07242G	32.26	63.54	-31.28	27.99	1	Vertical	67	1.28	-	37.50	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08016G	44.90	83.54	-38.64	40.64	1	Horizontal	136	2.84	-	37.50	16.47	49.71
AV	18.06453G	32.15	63.54	-31.39	27.87	1	Horizontal	136	2.84	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37398G	53.61	74.00	-20.39	48.58	3	Vertical	140	2.52	-	38.95	9.25	43.17
AV	12.36833G	39.71	54.00	-14.29	34.69	3	Vertical	140	2.52	-	38.94	9.25	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36559G	55.26	74.00	-18.74	50.25	3	Horizontal	25	2.71	-	38.93	9.25	43.17
AV	12.36887G	39.65	54.00	-14.35	34.63	3	Horizontal	25	2.71	-	38.94	9.25	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56025G	49.60	83.54	-33.94	45.67	1	Vertical	0	2.17	-	37.62	16.67	50.36
AV	18.54552G	36.58	63.54	-26.96	32.65	1	Vertical	0	2.17	-	37.62	16.66	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55923G	49.96	83.54	-33.58	46.03	1	Horizontal	305	1.62	-	37.62	16.67	50.36
AV	18.54552G	36.50	63.54	-27.04	32.57	1	Horizontal	305	1.62	-	37.62	16.66	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68889G	54.66	74.00	-19.34	48.86	3	Vertical	132	2.52	-	39.38	9.38	42.96
AV	12.68954G	40.39	54.00	-13.61	34.59	3	Vertical	132	2.52	-	39.38	9.38	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69025G	54.18	74.00	-19.82	48.38	3	Horizontal	180	1.94	-	39.38	9.38	42.96
AV	12.69443G	40.29	54.00	-13.71	34.48	3	Horizontal	180	1.94	-	39.39	9.38	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02138G	50.11	83.54	-33.43	46.57	1	Vertical	330	1.80	-	37.51	16.86	50.83
AV	19.02G	36.55	63.54	-26.99	33.00	1	Vertical	330	1.80	-	37.51	16.86	50.82

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02132G	49.64	83.54	-33.90	46.10	1	Horizontal	120	1.80	-	37.51	16.86	50.83
AV	19.02045G	36.50	63.54	-27.04	32.95	1	Horizontal	120	1.80	-	37.51	16.86	50.82

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34482G	56.26	74.00	-17.74	49.01	3	Vertical	330	1.80	-	40.34	9.64	42.73
AV	13.34011G	42.16	54.00	-11.84	34.90	3	Vertical	330	1.80	-	40.34	9.64	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33363G	54.99	74.00	-19.01	47.75	3	Horizontal	74	1.12	-	40.33	9.63	42.72
AV	13.33573G	41.97	54.00	-12.03	34.72	3	Horizontal	74	1.12	-	40.34	9.63	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9812G	52.60	83.54	-30.94	49.81	1	Vertical	333	2.28	-	37.42	17.25	51.88
AV	19.98G	38.94	63.54	-24.60	36.15	1	Vertical	333	2.28	-	37.42	17.25	51.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port A

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98144G	52.74	83.54	-30.80	49.96	1	Horizontal	239	2.91	-	37.41	17.25	51.88
AV	19.98G	39.01	63.54	-24.53	36.22	1	Horizontal	239	2.91	-	37.42	17.25	51.88

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 25
01-D-J-8-10
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	83.51	88.20	-4.69	74.56	3	Vertical	172	1.94	-	35.40	6.36	32.81
RMS	5.925G	66.89	68.20	-1.31	57.94	3	Vertical	172	1.94	-	35.40	6.36	32.81
PK	5.954G	123.35	Inf	-Inf	114.29	3	Vertical	172	1.94	-	35.50	6.38	32.82
RMS	5.9576G	110.63	Inf	-Inf	101.57	3	Vertical	172	1.94	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 25
01-D-J-8-10
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	67.04	88.20	-21.16	58.09	3	Horizontal	172	1.80	-	35.40	6.36	32.81
RMS	5.925G	53.61	68.20	-14.59	44.66	3	Horizontal	172	1.80	-	35.40	6.36	32.81
PK	5.9572G	106.57	Inf	-Inf	97.51	3	Horizontal	172	1.80	-	35.50	6.38	32.82
RMS	5.9578G	93.96	Inf	-Inf	84.90	3	Horizontal	172	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 25
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90677G	53.06	74.00	-20.94	48.42	3	Vertical	52	1.92	-	38.81	9.06	43.23
AV	11.90739G	38.59	54.00	-15.41	33.95	3	Vertical	52	1.92	-	38.81	9.06	43.23
PK	17.86606G	61.46	74.00	-12.54	48.71	3	Vertical	30	2.70	-	42.70	11.45	41.40
AV	17.86528G	47.68	54.00	-6.32	34.93	3	Vertical	30	2.70	-	42.70	11.45	41.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 25
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90928G	52.44	74.00	-21.56	47.80	3	Horizontal	144	2.03	-	38.81	9.06	43.23
AV	11.91479G	38.59	54.00	-15.41	33.94	3	Horizontal	144	2.03	-	38.81	9.07	43.23
PK	17.86374G	61.57	74.00	-12.43	48.83	3	Horizontal	204	1.05	-	42.69	11.45	41.40
AV	17.86912G	47.73	54.00	-6.27	34.96	3	Horizontal	204	1.05	-	42.71	11.45	41.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 25
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81196G	50.15	83.54	-33.39	42.68	1	Vertical	27	1.35	-	38.80	18.95	50.28
AV	23.81991G	36.06	63.54	-27.48	28.57	1	Vertical	27	1.35	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 25
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81202G	50.17	83.54	-33.37	42.70	1	Horizontal	203	1.60	-	38.80	18.95	50.28
AV	23.82042G	35.91	63.54	-27.63	28.42	1	Horizontal	203	1.60	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39279G	53.17	74.00	-20.83	48.09	3	Vertical	208	2.05	-	38.99	9.26	43.17
AV	12.39013G	39.77	54.00	-14.23	34.70	3	Vertical	208	2.05	-	38.98	9.26	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39461G	53.67	74.00	-20.33	48.58	3	Horizontal	300	2.91	-	38.99	9.26	43.16
AV	12.38984G	39.73	54.00	-14.27	34.66	3	Horizontal	300	2.91	-	38.98	9.26	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59097G	53.91	83.54	-29.63	49.98	1	Vertical	312	2.34	-	37.64	16.68	50.39
AV	18.58752G	40.04	63.54	-23.50	36.11	1	Vertical	312	2.34	-	37.64	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58455G	53.82	83.54	-29.72	49.89	1	Horizontal	111	2.39	-	37.63	16.68	50.38
AV	18.58443G	39.98	63.54	-23.56	36.05	1	Horizontal	111	2.39	-	37.63	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83452G	54.41	88.20	-33.79	48.17	3	Vertical	82	2.12	-	39.63	9.43	42.82
RMS	12.82638G	40.72	68.20	-27.48	34.48	3	Vertical	82	2.12	-	39.63	9.43	42.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82934G	54.56	88.20	-33.64	48.32	3	Horizontal	18	1.30	-	39.63	9.43	42.82
RMS	12.83217G	40.68	68.20	-27.52	34.44	3	Horizontal	18	1.30	-	39.63	9.43	42.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24416G	59.49	83.54	-24.05	56.03	1	Vertical	314	2.18	-	37.60	16.95	51.09
AV	19.2414G	46.09	63.54	-17.45	42.63	1	Vertical	314	2.18	-	37.60	16.95	51.09

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24176G	55.30	83.54	-28.24	51.84	1	Horizontal	0	1.80	-	37.60	16.95	51.09
AV	19.24413G	42.05	63.54	-21.49	38.59	1	Horizontal	0	1.80	-	37.60	16.95	51.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06644G	55.79	88.20	-32.41	48.95	3	Vertical	198	1.65	-	39.97	9.53	42.66
AV	13.06684G	41.80	68.20	-26.40	34.96	3	Vertical	198	1.65	-	39.97	9.53	42.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07131G	55.78	88.20	-32.42	48.95	3	Horizontal	165	1.01	-	39.97	9.53	42.67
AV	13.0667G	41.79	68.20	-26.41	34.95	3	Horizontal	165	1.01	-	39.97	9.53	42.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59714G	58.84	83.54	-24.70	55.59	1	Vertical	342	1.96	-	37.66	17.09	51.50
AV	19.60143G	44.80	63.54	-18.74	41.54	1	Vertical	342	1.96	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60776G	55.68	83.54	-27.86	52.43	1	Horizontal	326	1.79	-	37.66	17.10	51.51
AV	19.60449G	42.10	63.54	-21.44	38.84	1	Horizontal	326	1.79	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.38524G	55.96	74.00	-18.04	48.65	3	Vertical	92	2.23	-	40.39	9.65	42.73
AV	13.39125G	42.13	54.00	-11.87	34.82	3	Vertical	92	2.23	-	40.39	9.66	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39164G	56.48	74.00	-17.52	49.17	3	Horizontal	32	1.53	-	40.39	9.66	42.74
AV	13.38755G	42.19	54.00	-11.81	34.88	3	Horizontal	32	1.53	-	40.39	9.66	42.74

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07099G	62.54	83.54	-21.00	59.70	1	Vertical	312	1.80	-	37.46	17.29	51.91
AV	20.08218G	49.11	63.54	-14.43	46.26	1	Vertical	312	1.80	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08542G	65.05	83.54	-18.49	62.20	1	Horizontal	322	1.54	-	37.47	17.30	51.92
AV	20.08227G	51.93	63.54	-11.61	49.08	1	Horizontal	322	1.54	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71382G	56.48	88.20	-31.72	48.88	3	Vertical	201	1.04	-	40.44	9.79	42.63
RMS	13.71332G	42.77	68.20	-25.43	35.17	3	Vertical	201	1.04	-	40.44	9.79	42.63

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.70956G	56.96	88.20	-31.24	49.38	3	Horizontal	87	1.91	-	40.43	9.78	42.63
RMS	13.70544G	42.71	68.20	-25.49	35.15	3	Horizontal	87	1.91	-	40.42	9.78	42.64

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55435G	65.12	83.54	-18.42	61.91	1	Vertical	1	1.77	-	37.72	17.50	52.01
AV	20.56179G	51.23	63.54	-12.31	48.02	1	Vertical	1	1.77	-	37.72	17.50	52.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56206G	64.98	83.54	-18.56	61.77	1	Horizontal	328	1.96	-	37.72	17.50	52.01
AV	20.56428G	50.75	63.54	-12.79	47.52	1	Horizontal	328	1.96	-	37.73	17.51	52.01

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5965MHz_TX



Lim.PK
PK
Lim.AV
AV


24/04/2023

EUT Y_1TX
Setting 22.5
01-D-J-8-10
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	83.03	88.20	-5.17	74.08	3	Vertical	173	2.05	-	35.40	6.36	32.81
RMS	5.925G	66.73	68.20	-1.47	57.78	3	Vertical	173	2.05	-	35.40	6.36	32.81
PK	5.9666G	119.31	Inf	-Inf	110.26	3	Vertical	173	2.05	-	35.50	6.38	32.83
RMS	5.966G	106.09	Inf	-Inf	97.04	3	Vertical	173	2.05	-	35.50	6.38	32.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 22.5
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93058G	53.03	74.00	-20.97	48.36	3	Vertical	4	1.14	-	38.83	9.07	43.23
AV	11.9307G	39.00	54.00	-15.00	34.33	3	Vertical	4	1.14	-	38.83	9.07	43.23
PK	17.89391G	62.14	74.00	-11.86	49.26	3	Vertical	223	2.13	-	42.78	11.46	41.36
AV	17.89743G	47.61	54.00	-6.39	34.71	3	Vertical	223	2.13	-	42.79	11.46	41.35

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93335G	52.88	74.00	-21.12	48.21	3	Horizontal	95	2.79	-	38.83	9.07	43.23
AV	11.93422G	39.02	54.00	-14.98	34.35	3	Horizontal	95	2.79	-	38.83	9.07	43.23
PK	17.89978G	60.80	74.00	-13.20	47.89	3	Horizontal	176	1.21	-	42.80	11.46	41.35
AV	17.89791G	47.69	54.00	-6.31	34.79	3	Horizontal	176	1.21	-	42.79	11.46	41.35

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86021G	48.46	83.54	-35.08	40.94	1	Vertical	185	2.94	-	38.80	18.98	50.26
AV	23.85136G	34.99	63.54	-28.55	27.48	1	Vertical	185	2.94	-	38.80	18.97	50.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 22.5
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.87239G	48.37	83.54	-35.17	40.84	1	Horizontal	23	1.20	-	38.80	18.98	50.25
AV	23.8699G	34.93	63.54	-28.61	27.40	1	Horizontal	23	1.20	-	38.80	18.98	50.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.41208G	53.22	74.00	-20.78	48.11	3	Vertical	299	1.89	-	39.01	9.26	43.16
AV	12.40672G	39.39	54.00	-14.61	34.28	3	Vertical	299	1.89	-	39.01	9.26	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40585G	53.38	74.00	-20.62	48.27	3	Horizontal	97	1.77	-	39.01	9.26	43.16
AV	12.41028G	39.46	54.00	-14.54	34.35	3	Horizontal	97	1.77	-	39.01	9.26	43.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62511G	54.34	83.54	-29.20	50.42	1	Vertical	312	2.33	-	37.65	16.70	50.43
AV	18.61863G	40.74	63.54	-22.80	36.82	1	Vertical	312	2.33	-	37.65	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62496G	53.36	83.54	-30.18	49.43	1	Horizontal	34	2.31	-	37.65	16.70	50.42
AV	18.61596G	39.53	63.54	-24.01	35.61	1	Horizontal	34	2.31	-	37.65	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81292G	54.44	88.20	-33.76	48.24	3	Vertical	216	1.29	-	39.61	9.43	42.84
RMS	12.81341G	40.51	68.20	-27.69	34.31	3	Vertical	216	1.29	-	39.61	9.43	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80999G	54.70	88.20	-33.50	48.51	3	Horizontal	154	2.12	-	39.61	9.42	42.84
RMS	12.81462G	40.57	68.20	-27.63	34.37	3	Horizontal	154	2.12	-	39.61	9.43	42.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22514G	57.28	83.54	-26.26	53.82	1	Vertical	316	2.16	-	37.59	16.94	51.07
AV	19.21944G	43.87	63.54	-19.67	40.40	1	Vertical	316	2.16	-	37.59	16.94	51.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21701G	56.23	83.54	-27.31	52.76	1	Horizontal	223	1.82	-	37.59	16.94	51.06
AV	19.21905G	42.61	63.54	-20.93	39.14	1	Horizontal	223	1.82	-	37.59	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13156G	55.44	88.20	-32.76	48.51	3	Vertical	123	1.84	-	40.06	9.55	42.68
RMS	13.12514G	41.89	68.20	-26.31	34.97	3	Vertical	123	1.84	-	40.05	9.55	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13092G	55.72	88.20	-32.48	48.79	3	Horizontal	257	2.85	-	40.06	9.55	42.68
RMS	13.13199G	41.89	68.20	-26.31	34.96	3	Horizontal	257	2.85	-	40.06	9.55	42.68

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70337G	56.66	83.54	-26.88	53.50	1	Vertical	311	1.86	-	37.62	17.14	51.60
AV	19.70229G	41.98	63.54	-21.56	38.82	1	Vertical	311	1.86	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70763G	55.15	83.54	-28.39	52.00	1	Horizontal	350	1.02	-	37.62	17.14	51.61
AV	19.70244G	41.93	63.54	-21.61	38.77	1	Horizontal	350	1.02	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37026G	56.31	74.00	-17.69	49.02	3	Vertical	243	1.05	-	40.37	9.65	42.73
AV	13.37483G	42.17	54.00	-11.83	34.88	3	Vertical	243	1.05	-	40.37	9.65	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37495G	55.97	74.00	-18.03	48.68	3	Horizontal	14	1.65	-	40.37	9.65	42.73
AV	13.36762G	42.13	54.00	-11.87	34.84	3	Horizontal	14	1.65	-	40.37	9.65	42.73

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04366G	60.58	83.54	-22.96	57.78	1	Vertical	313	1.80	-	37.43	17.28	51.91
AV	20.055G	47.80	63.54	-15.74	44.99	1	Vertical	313	1.80	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06061G	62.22	83.54	-21.32	59.39	1	Horizontal	323	1.53	-	37.45	17.29	51.91
AV	20.05794G	48.73	63.54	-14.81	45.90	1	Horizontal	323	1.53	-	37.45	17.29	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68866G	56.62	88.20	-31.58	49.09	3	Vertical	32	2.87	-	40.40	9.78	42.65
RMS	13.68814G	42.83	68.20	-25.37	35.30	3	Vertical	32	2.87	-	40.40	9.78	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68818G	57.02	88.20	-31.18	49.49	3	Horizontal	57	1.66	-	40.40	9.78	42.65
RMS	13.68947G	42.73	68.20	-25.47	35.20	3	Horizontal	57	1.66	-	40.40	9.78	42.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53746G	63.63	83.54	-19.91	60.44	1	Vertical	2	1.77	-	37.71	17.49	52.01
AV	20.53191G	49.93	63.54	-13.61	46.74	1	Vertical	2	1.77	-	37.71	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53176G	61.57	83.54	-21.97	58.38	1	Horizontal	349	1.79	-	37.71	17.49	52.01
AV	20.53176G	47.76	63.54	-15.78	44.57	1	Horizontal	349	1.79	-	37.71	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 22
 01-D-J-8-10
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	80.96	88.20	-7.24	72.01	3	Vertical	173	2.01	-	35.40	6.36	32.81
RMS	5.9246G	65.69	68.20	-2.51	56.74	3	Vertical	173	2.01	-	35.40	6.36	32.81
PK	5.9906G	115.20	Inf	-Inf	106.14	3	Vertical	173	2.01	-	35.50	6.40	32.84
RMS	5.9958G	102.06	Inf	-Inf	93.00	3	Vertical	173	2.01	-	35.50	6.40	32.84

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96813G	52.48	74.00	-21.52	47.75	3	Vertical	138	2.40	-	38.87	9.09	43.23
AV	11.97336G	38.57	54.00	-15.43	33.83	3	Vertical	138	2.40	-	38.87	9.09	43.22
PK	17.9575G	61.12	74.00	-12.88	47.81	3	Vertical	115	2.45	-	43.09	11.48	41.26
AV	17.95035G	47.58	54.00	-6.42	34.32	3	Vertical	115	2.45	-	43.05	11.48	41.27

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97112G	52.58	74.00	-21.42	47.84	3	Horizontal	187	1.02	-	38.87	9.09	43.22
AV	11.9672G	38.59	54.00	-15.41	33.86	3	Horizontal	187	1.02	-	38.87	9.09	43.23
PK	17.95124G	60.86	74.00	-13.14	47.59	3	Horizontal	140	1.91	-	43.06	11.48	41.27
AV	17.95166G	47.47	54.00	-6.53	34.20	3	Horizontal	140	1.91	-	43.06	11.48	41.27

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 22
 01-D-J-8
 Port B

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.94627G	47.98	83.54	-35.56	40.38	1	Vertical	115	2.55	-	38.80	19.02	50.22
AV	23.92806G	34.66	63.54	-28.88	27.08	1	Vertical	115	2.55	-	38.80	19.01	50.23

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 22
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94618G	47.53	83.54	-36.01	39.93	1	Horizontal	183	2.19	-	38.80	19.02	50.22
AV	23.93904G	34.56	63.54	-28.98	26.97	1	Horizontal	183	2.19	-	38.80	19.01	50.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45362G	53.13	74.00	-20.87	47.96	3	Vertical	102	2.20	-	39.05	9.28	43.16
AV	12.45021G	39.60	54.00	-14.40	34.43	3	Vertical	102	2.20	-	39.05	9.28	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4502G	53.28	74.00	-20.72	48.11	3	Horizontal	170	1.05	-	39.05	9.28	43.16
AV	12.45003G	39.42	54.00	-14.58	34.25	3	Horizontal	170	1.05	-	39.05	9.28	43.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66297G	47.04	83.54	-36.50	43.12	1	Vertical	11	1.08	-	37.67	16.71	50.46
AV	18.66846G	33.73	63.54	-29.81	29.82	1	Vertical	11	1.08	-	37.67	16.71	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68616G	48.13	83.54	-35.41	44.23	1	Horizontal	3	1.43	-	37.67	16.72	50.49
AV	18.6747G	34.52	63.54	-29.02	30.60	1	Horizontal	3	1.43	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76757G	53.61	88.20	-34.59	47.54	3	Vertical	120	1.21	-	39.54	9.41	42.88
RMS	12.77163G	39.92	68.20	-28.28	33.85	3	Vertical	120	1.21	-	39.54	9.41	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76585G	53.63	88.20	-34.57	47.57	3	Horizontal	204	1.37	-	39.53	9.41	42.88
RMS	12.76713G	40.00	68.20	-28.20	33.94	3	Horizontal	204	1.37	-	39.53	9.41	42.88

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14081G	55.76	83.54	-27.78	52.26	1	Vertical	315	2.20	-	37.56	16.91	50.97
AV	19.14006G	42.68	63.54	-20.86	39.18	1	Vertical	315	2.20	-	37.56	16.91	50.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14918G	54.17	83.54	-29.37	50.68	1	Horizontal	336	2.54	-	37.56	16.91	50.98
AV	19.14006G	41.54	63.54	-22.00	38.04	1	Horizontal	336	2.54	-	37.56	16.91	50.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25032G	56.54	74.00	-17.46	49.40	3	Vertical	213	1.10	-	40.25	9.60	42.71
AV	13.25227G	41.82	54.00	-12.18	34.68	3	Vertical	213	1.10	-	40.25	9.60	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25071G	55.83	74.00	-18.17	48.69	3	Horizontal	201	2.21	-	40.25	9.60	42.71
AV	13.25037G	41.81	54.00	-12.19	34.67	3	Horizontal	201	2.21	-	40.25	9.60	42.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87068G	57.68	83.54	-25.86	54.74	1	Vertical	313	1.82	-	37.50	17.21	51.77
AV	19.87638G	43.62	63.54	-19.92	40.69	1	Vertical	313	1.82	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86363G	56.12	83.54	-27.42	53.17	1	Horizontal	236	1.93	-	37.51	17.20	51.76
AV	19.87677G	42.46	63.54	-21.08	39.53	1	Horizontal	236	1.93	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40621G	55.94	88.20	-32.26	48.62	3	Vertical	118	2.10	-	40.40	9.66	42.74
RMS	13.40866G	42.08	68.20	-26.12	34.76	3	Vertical	118	2.10	-	40.40	9.66	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41132G	56.56	88.20	-31.64	49.24	3	Horizontal	359	2.10	-	40.40	9.66	42.74
RMS	13.40944G	42.17	68.20	-26.03	34.85	3	Horizontal	359	2.10	-	40.40	9.66	42.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10774G	59.09	83.54	-24.45	56.21	1	Vertical	292	1.86	-	37.49	17.31	51.92
AV	20.11593G	44.47	63.54	-19.07	41.59	1	Vertical	292	1.86	-	37.49	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11482G	58.21	83.54	-25.33	55.33	1	Horizontal	321	1.54	-	37.49	17.31	51.92
AV	20.11008G	43.96	63.54	-19.58	41.08	1	Horizontal	321	1.54	-	37.49	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56771G	55.40	88.20	-32.80	47.99	3	Vertical	162	2.95	-	40.40	9.73	42.72
RMS	13.57055G	41.80	68.20	-26.40	34.39	3	Vertical	162	2.95	-	40.40	9.73	42.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57063G	55.62	88.20	-32.58	48.21	3	Horizontal	277	1.11	-	40.40	9.73	42.72
RMS	13.56823G	41.73	68.20	-26.47	34.32	3	Horizontal	277	1.11	-	40.40	9.73	42.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34288G	66.28	83.54	-17.26	63.20	1	Vertical	2	1.80	-	37.64	17.41	51.97
AV	20.34G	52.54	63.54	-11.00	49.46	1	Vertical	2	1.80	-	37.64	17.41	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35476G	61.49	83.54	-22.05	58.41	1	Horizontal	329	1.98	-	37.64	17.41	51.97
AV	20.34G	48.14	63.54	-15.40	45.06	1	Horizontal	329	1.98	-	37.64	17.41	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8-10
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	79.03	88.20	-9.17	70.09	3	Vertical	172	2.12	-	35.39	6.36	32.81
RMS	5.9234G	65.06	68.20	-3.14	56.12	3	Vertical	172	2.12	-	35.39	6.36	32.81
PK	6.0466G	113.88	Inf	-Inf	104.71	3	Vertical	172	2.12	-	35.59	6.42	32.84
RMS	6.0522G	100.95	Inf	-Inf	91.76	3	Vertical	172	2.12	-	35.60	6.43	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04799G	53.02	74.00	-20.98	48.26	3	Vertical	356	1.80	-	38.85	9.12	43.21
AV	12.04592G	39.66	54.00	-14.34	34.90	3	Vertical	356	1.80	-	38.85	9.12	43.21
PK	18.07107G	60.97	74.00	-13.03	47.15	3	Vertical	95	1.01	-	43.66	11.53	41.37
AV	18.07182G	47.97	54.00	-6.03	34.16	3	Vertical	95	1.01	-	43.66	11.53	41.38

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05369G	53.13	74.00	-20.87	48.37	3	Horizontal	287	2.02	-	38.85	9.12	43.21
AV	12.05072G	39.56	54.00	-14.44	34.80	3	Horizontal	287	2.02	-	38.85	9.12	43.21
PK	18.06861G	61.00	74.00	-13.00	47.20	3	Horizontal	199	1.09	-	43.64	11.53	41.37
AV	18.07053G	47.86	54.00	-6.14	34.05	3	Horizontal	199	1.09	-	43.65	11.53	41.37

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 22
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07221G	47.32	83.54	-36.22	43.05	1	Vertical	87	1.06	-	37.50	16.47	49.70
AV	18.0648G	33.91	63.54	-29.63	29.63	1	Vertical	87	1.06	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 22
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06405G	47.14	83.54	-36.40	42.86	1	Horizontal	357	1.08	-	37.50	16.47	49.69
AV	18.06141G	33.92	63.54	-29.62	29.64	1	Horizontal	357	1.08	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37915G	53.09	74.00	-20.91	48.05	3	Vertical	139	1.80	-	38.96	9.25	43.17
AV	12.36892G	39.92	54.00	-14.08	34.90	3	Vertical	139	1.80	-	38.94	9.25	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36445G	54.23	74.00	-19.77	49.22	3	Horizontal	328	1.49	-	38.93	9.25	43.17
AV	12.37867G	39.96	54.00	-14.04	34.92	3	Horizontal	328	1.49	-	38.96	9.25	43.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56502G	51.44	83.54	-32.10	47.51	1	Vertical	313	2.37	-	37.63	16.67	50.37
AV	18.55101G	37.82	63.54	-25.72	33.88	1	Vertical	313	2.37	-	37.62	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54798G	50.92	83.54	-32.62	46.99	1	Horizontal	346	2.43	-	37.62	16.66	50.35
AV	18.54837G	37.66	63.54	-25.88	33.73	1	Horizontal	346	2.43	-	37.62	16.66	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69311G	53.76	74.00	-20.24	47.95	3	Vertical	33	2.82	-	39.39	9.38	42.96
AV	12.68883G	40.37	54.00	-13.63	34.57	3	Vertical	33	2.82	-	39.38	9.38	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68898G	54.05	74.00	-19.95	48.25	3	Horizontal	103	2.09	-	39.38	9.38	42.96
AV	12.68898G	40.44	54.00	-13.56	34.64	3	Horizontal	103	2.09	-	39.38	9.38	42.96

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02117G	54.34	83.54	-29.20	50.80	1	Vertical	313	2.37	-	37.51	16.86	50.83
AV	19.02G	39.99	63.54	-23.55	36.44	1	Vertical	313	2.37	-	37.51	16.86	50.82

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02126G	54.28	83.54	-29.26	50.74	1	Horizontal	144	2.95	-	37.51	16.86	50.83
AV	19.02006G	39.84	63.54	-23.70	36.29	1	Horizontal	144	2.95	-	37.51	16.86	50.82

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 28
01-D-J-8
Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33005G	55.88	74.00	-18.12	48.64	3	Vertical	9	2.30	-	40.33	9.63	42.72
AV	13.33444G	42.19	54.00	-11.81	34.95	3	Vertical	9	2.30	-	40.33	9.63	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32614G	56.18	74.00	-17.82	48.94	3	Horizontal	229	1.04	-	40.33	9.63	42.72
AV	13.33109G	42.15	54.00	-11.85	34.91	3	Horizontal	229	1.04	-	40.33	9.63	42.72

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98138G	59.11	83.54	-24.43	56.33	1	Vertical	312	1.80	-	37.41	17.25	51.88
AV	19.98006G	43.51	63.54	-20.03	40.72	1	Vertical	312	1.80	-	37.42	17.25	51.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
 Setting 28
 01-D-J-8
 Port B

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00517G	58.43	83.54	-25.11	55.67	1	Horizontal	322	1.54	-	37.40	17.26	51.90
AV	20.00328G	43.53	63.54	-20.01	40.77	1	Horizontal	322	1.54	-	37.40	17.26	51.90

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 24
01-D-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9188G	82.04	88.20	-6.16	73.11	3	Vertical	126	1.97	-	35.38	6.36	32.81
RMS	5.925G	67.91	68.20	-0.29	58.96	3	Vertical	126	1.97	-	35.40	6.36	32.81
PK	5.9572G	127.89	Inf	-Inf	118.83	3	Vertical	126	1.97	-	35.50	6.38	32.82
RMS	5.9576G	114.96	Inf	-Inf	105.90	3	Vertical	126	1.97	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 24
01-D-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	65.39	88.20	-22.81	56.44	3	Horizontal	173	1.80	-	35.40	6.36	32.81
RMS	5.9248G	52.39	68.20	-15.81	43.44	3	Horizontal	173	1.80	-	35.40	6.36	32.81
PK	5.9562G	107.48	Inf	-Inf	98.42	3	Horizontal	173	1.80	-	35.50	6.38	32.82
RMS	5.9566G	95.24	Inf	-Inf	86.18	3	Horizontal	173	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 24
01-D-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90166G	57.64	74.00	-16.36	75.44	3	Vertical	327	1.80	-	38.80	9.06	65.66
AV	11.92455G	43.62	54.00	-10.38	61.38	3	Vertical	327	1.80	-	38.82	9.07	65.65
PK	17.87217G	60.30	74.00	-13.70	71.53	3	Vertical	78	1.94	-	42.72	11.45	65.40
AV	17.877G	47.49	54.00	-6.51	58.71	3	Vertical	78	1.94	-	42.73	11.45	65.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-D-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90421G	57.05	74.00	-16.95	74.85	3	Horizontal	7	2.92	-	38.80	9.06	65.66
AV	11.90787G	43.51	54.00	-10.49	61.30	3	Horizontal	7	2.92	-	38.81	9.06	65.66
PK	17.87757G	59.20	74.00	-14.80	70.42	3	Horizontal	318	1.80	-	42.73	11.45	65.40
AV	17.87592G	47.53	54.00	-6.47	58.75	3	Horizontal	318	1.80	-	42.73	11.45	65.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 24
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80683G	52.62	83.54	-30.92	45.15	1	Vertical	2	1.65	-	38.80	18.95	50.28
AV	23.82015G	37.91	63.54	-25.63	30.42	1	Vertical	2	1.65	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 24
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81664G	52.72	83.54	-30.82	45.23	1	Horizontal	56	2.93	-	38.80	18.96	50.27
AV	23.82015G	37.83	63.54	-25.71	30.34	1	Horizontal	56	2.93	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40338G	58.41	74.00	-15.59	41.73	3	Vertical	106	1.80	-	39.00	9.26	31.58
AV	12.37782G	44.49	54.00	-9.51	27.86	3	Vertical	106	1.80	-	38.96	9.25	31.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39195G	57.62	74.00	-16.38	40.96	3	Horizontal	75	1.75	-	38.98	9.26	31.58
AV	12.37818G	44.44	54.00	-9.56	27.81	3	Horizontal	75	1.75	-	38.96	9.25	31.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57858G	68.05	83.54	-15.49	64.12	1	Vertical	323	2.04	-	37.63	16.68	50.38
AV	18.58851G	54.31	63.54	-9.23	50.38	1	Vertical	323	2.04	-	37.64	16.68	50.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58338G	63.99	83.54	-19.55	60.06	1	Horizontal	2	1.80	-	37.63	16.68	50.38
AV	18.58344G	51.13	63.54	-12.41	47.20	1	Horizontal	2	1.80	-	37.63	16.68	50.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.827G	59.19	88.20	-29.01	41.02	3	Vertical	10	1.80	-	39.63	9.43	30.89
RMS	12.83904G	45.18	68.20	-23.02	26.96	3	Vertical	10	1.80	-	39.64	9.44	30.86

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83756G	59.04	88.20	-29.16	40.83	3	Horizontal	0	1.80	-	39.64	9.44	30.87
RMS	12.83974G	45.20	68.20	-23.00	26.98	3	Horizontal	0	1.80	-	39.64	9.44	30.86

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23744G	72.75	83.54	-10.79	69.29	1	Vertical	329	2.07	-	37.59	16.95	51.08
AV	19.24821G	59.15	63.54	-4.39	55.70	1	Vertical	329	2.07	-	37.60	16.95	51.10

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25016G	67.14	83.54	-16.40	63.69	1	Horizontal	358	1.80	-	37.60	16.95	51.10
AV	19.24956G	53.83	63.54	-9.71	50.38	1	Horizontal	358	1.80	-	37.60	16.95	51.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07042G	59.70	88.20	-28.50	40.62	3	Vertical	20	1.80	-	39.97	9.53	30.42
RMS	13.0707G	46.26	68.20	-21.94	27.18	3	Vertical	20	1.80	-	39.97	9.53	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06928G	59.22	88.20	-28.98	40.14	3	Horizontal	357	2.10	-	39.97	9.53	30.42
RMS	13.07836G	46.14	68.20	-22.06	27.03	3	Horizontal	357	2.10	-	39.98	9.53	30.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60059G	73.28	83.54	-10.26	70.02	1	Vertical	48	2.16	-	37.66	17.10	51.50			
AV	19.60017G	58.17	63.54	-5.37	54.91	1	Vertical	48	2.16	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61178G	66.69	83.54	-16.85	63.44	1	Horizontal	296	2.02	-	37.66	17.10	51.51
AV	19.60278G	53.24	63.54	-10.30	49.98	1	Horizontal	296	2.02	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3811G	60.25	74.00	-13.75	40.18	3	Vertical	256	1.80	-	40.38	9.65	29.96
AV	13.39988G	47.33	54.00	-6.67	27.20	3	Vertical	256	1.80	-	40.40	9.66	29.93

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38576G	60.91	74.00	-13.09	40.82	3	Horizontal	1	1.80	-	40.39	9.65	29.95
AV	13.38252G	47.18	54.00	-6.82	27.10	3	Horizontal	1	1.80	-	40.38	9.65	29.95

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07924G	75.31	83.54	-8.23	72.48	1	Vertical	315	2.13	-	37.46	17.29	51.92
AV	20.0796G	61.47	63.54	-2.07	58.64	1	Vertical	315	2.13	-	37.46	17.29	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09229G	70.08	83.54	-13.46	67.23	1	Horizontal	339	1.80	-	37.47	17.30	51.92
AV	20.08284G	57.04	63.54	-6.50	54.19	1	Horizontal	339	1.80	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71838G	64.08	88.20	-24.12	43.48	3	Vertical	43	1.49	-	40.46	9.79	29.65
RMS	13.70948G	49.96	68.20	-18.24	29.41	3	Vertical	43	1.49	-	40.43	9.78	29.66

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70132G	64.15	88.20	-24.05	43.63	3	Horizontal	354	1.33	-	40.40	9.78	29.66
RMS	13.70298G	50.01	68.20	-18.19	29.48	3	Horizontal	354	1.33	-	40.41	9.78	29.66

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56758G	74.64	83.54	-8.90	71.41	1	Vertical	11	1.80	-	37.73	17.51	52.01			
AV	20.56764G	60.56	63.54	-2.98	57.33	1	Vertical	11	1.80	-	37.73	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5659G	70.17	83.54	-13.37	66.94	1	Horizontal	360	1.80	-	37.73	17.51	52.01
AV	20.56656G	57.24	63.54	-6.30	54.01	1	Horizontal	360	1.80	-	37.73	17.51	52.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 21.5
01-D-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	83.74	88.20	-4.46	74.79	3	Vertical	125	1.87	-	35.40	6.36	32.81
RMS	5.9248G	67.88	68.20	-0.32	58.93	3	Vertical	125	1.87	-	35.40	6.36	32.81
PK	5.9564G	123.00	Inf	-Inf	113.94	3	Vertical	125	1.87	-	35.50	6.38	32.82
RMS	5.9672G	110.64	Inf	-Inf	101.59	3	Vertical	125	1.87	-	35.50	6.38	32.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93646G	57.89	74.00	-16.11	41.55	3	Vertical	136	1.80	-	38.84	9.07	31.57
AV	11.93688G	43.76	54.00	-10.24	27.42	3	Vertical	136	1.80	-	38.84	9.07	31.57
PK	17.90266G	60.89	74.00	-13.11	37.29	3	Vertical	359	1.80	-	42.81	11.46	30.67
AV	17.90358G	47.88	54.00	-6.12	24.27	3	Vertical	359	1.80	-	42.82	11.46	30.67

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93324G	57.33	74.00	-16.67	41.00	3	Horizontal	220	2.96	-	38.83	9.07	31.57
AV	11.93042G	43.90	54.00	-10.10	27.57	3	Horizontal	220	2.96	-	38.83	9.07	31.57
PK	17.88802G	60.63	74.00	-13.37	37.08	3	Horizontal	243	1.81	-	42.76	11.46	30.67
AV	17.89652G	47.95	54.00	-6.05	24.37	3	Horizontal	243	1.81	-	42.79	11.46	30.67

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8462G	50.67	83.54	-32.87	43.16	1	Vertical	24	1.97	-	38.80	18.97	50.26
AV	23.86378G	36.65	63.54	-26.89	29.12	1	Vertical	24	1.97	-	38.80	18.98	50.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86564G	49.96	83.54	-33.58	42.43	1	Horizontal	126	1.31	-	38.80	18.98	50.25
AV	23.87203G	36.55	63.54	-26.99	29.02	1	Horizontal	126	1.31	-	38.80	18.98	50.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40444G	58.03	74.00	-15.97	41.35	3	Vertical	250	1.80	-	39.00	9.26	31.58
AV	12.4074G	44.22	54.00	-9.78	27.53	3	Vertical	250	1.80	-	39.01	9.26	31.58

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4123G	57.56	74.00	-16.44	40.87	3	Horizontal	12	1.80	-	39.01	9.26	31.58
AV	12.40304G	44.00	54.00	-10.00	27.32	3	Horizontal	12	1.80	-	39.00	9.26	31.58

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62091G	64.75	83.54	-18.79	60.83	1	Vertical	322	2.02	-	37.65	16.69	50.42
AV	18.62013G	51.89	63.54	-11.65	47.97	1	Vertical	322	2.02	-	37.65	16.69	50.42

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62508G	61.48	83.54	-22.06	57.56	1	Horizontal	0	1.80	-	37.65	16.70	50.43
AV	18.60519G	47.09	63.54	-16.45	43.17	1	Horizontal	0	1.80	-	37.64	16.69	50.41

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81292G	58.41	88.20	-29.79	40.29	3	Vertical	123	1.80	-	39.61	9.43	30.92
RMS	12.8173G	44.84	68.20	-23.36	26.70	3	Vertical	123	1.80	-	39.62	9.43	30.91

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81742G	58.64	88.20	-29.56	40.50	3	Horizontal	336	1.99	-	39.62	9.43	30.91
RMS	12.8193G	44.77	68.20	-23.43	26.63	3	Horizontal	336	1.99	-	39.62	9.43	30.91

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22934G	69.08	83.54	-14.46	65.63	1	Vertical	328	2.10	-	37.59	16.94	51.08
AV	19.21749G	55.17	63.54	-8.37	51.70	1	Vertical	328	2.10	-	37.59	16.94	51.06

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22925G	66.45	83.54	-17.09	63.00	1	Horizontal	358	1.80	-	37.59	16.94	51.08
AV	19.21821G	50.94	63.54	-12.60	47.47	1	Horizontal	358	1.80	-	37.59	16.94	51.06

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13015G	60.46	88.20	-27.74	41.18	3	Vertical	281	2.84	-	40.06	9.55	30.33
RMS	13.14965G	46.71	68.20	-21.49	27.35	3	Vertical	281	2.84	-	40.10	9.56	30.30

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14695G	59.83	88.20	-28.37	40.48	3	Horizontal	96	1.80	-	40.09	9.56	30.30
RMS	13.1459G	46.86	68.20	-21.34	27.51	3	Horizontal	96	1.80	-	40.09	9.56	30.30

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69131G	64.68	83.54	-18.86	61.52	1	Vertical	150	2.15	-	37.62	17.13	51.59
AV	19.6914G	51.49	63.54	-12.05	48.33	1	Vertical	150	2.15	-	37.62	17.13	51.59

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70496G	62.89	83.54	-20.65	59.73	1	Horizontal	154	2.02	-	37.62	17.14	51.60
AV	19.69578G	49.77	63.54	-13.77	46.61	1	Horizontal	154	2.02	-	37.62	17.14	51.60

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3808G	60.92	74.00	-13.08	40.85	3	Vertical	100	1.80	-	40.38	9.65	29.96
AV	13.389G	47.60	54.00	-6.40	27.49	3	Vertical	100	1.80	-	40.39	9.66	29.94

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39135G	61.41	74.00	-12.59	41.30	3	Horizontal	345	1.80	-	40.39	9.66	29.94
AV	13.3828G	47.58	54.00	-6.42	27.50	3	Horizontal	345	1.80	-	40.38	9.65	29.95

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05734G	68.96	83.54	-14.58	66.14	1	Vertical	135	1.81	-	37.45	17.28	51.91
AV	20.05776G	54.98	63.54	-8.56	52.15	1	Vertical	135	1.81	-	37.45	17.29	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06334G	67.60	83.54	-15.94	64.77	1	Horizontal	154	1.81	-	37.45	17.29	51.91
AV	20.05476G	53.82	63.54	-9.72	51.01	1	Horizontal	154	1.81	-	37.44	17.28	51.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6655G	64.57	88.20	-23.63	44.08	3	Vertical	345	1.80	-	40.40	9.77	29.68
RMS	13.6828G	50.43	68.20	-17.77	29.93	3	Vertical	345	1.80	-	40.40	9.77	29.67

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68415G	64.17	88.20	-24.03	43.67	3	Horizontal	131	1.80	-	40.40	9.77	29.67
RMS	13.6972G	50.36	68.20	-17.84	29.85	3	Horizontal	131	1.80	-	40.40	9.78	29.67

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5401G	71.37	83.54	-12.17	68.17	1	Vertical	146	1.80	-	37.72	17.49	52.01
AV	20.53926G	58.03	63.54	-5.51	54.83	1	Vertical	146	1.80	-	37.72	17.49	52.01

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53377G	68.20	83.54	-15.34	65.01	1	Horizontal	200	1.63	-	37.71	17.49	52.01
AV	20.53449G	54.75	63.54	-8.79	51.56	1	Horizontal	200	1.63	-	37.71	17.49	52.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21.5
01-D-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	82.67	88.20	-5.53	73.79	3	Vertical	129	2.04	-	35.33	6.35	32.80
RMS	5.9186G	68.06	68.20	-0.14	59.14	3	Vertical	129	2.04	-	35.37	6.36	32.81
PK	5.989G	118.97	Inf	-Inf	109.92	3	Vertical	129	2.04	-	35.50	6.39	32.84
RMS	5.9882G	106.72	Inf	-Inf	97.67	3	Vertical	129	2.04	-	35.50	6.39	32.84

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21.5
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9699G	55.02	74.00	-18.98	50.28	3	Vertical	53	2.94	-	38.87	9.09	43.22
AV	12.0031G	42.88	54.00	-11.12	38.10	3	Vertical	53	2.94	-	38.90	9.10	43.22
PK	17.9066G	61.52	74.00	-12.48	48.57	3	Vertical	139	1.70	-	42.83	11.46	41.34
AV	17.9982G	48.32	54.00	-5.68	34.72	3	Vertical	139	1.70	-	43.29	11.50	41.19

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21.5
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0197G	54.09	74.00	-19.91	49.32	3	Horizontal	127	2.16	-	38.88	9.11	43.22
AV	12.0078G	42.02	54.00	-11.98	37.25	3	Horizontal	127	2.16	-	38.89	9.10	43.22
PK	17.9122G	62.06	74.00	-11.94	49.07	3	Horizontal	90	2.13	-	42.86	11.46	41.33
AV	17.9311G	48.27	54.00	-5.73	35.14	3	Horizontal	90	2.13	-	42.96	11.47	41.30

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94681G	49.41	83.54	-34.13	41.81	1	Vertical	275	1.07	-	38.80	19.02	50.22
AV	23.94003G	36.49	63.54	-27.05	28.90	1	Vertical	275	1.07	-	38.80	19.01	50.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21.5
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93187G	49.54	83.54	-34.00	41.96	1	Horizontal	55	1.69	-	38.80	19.01	50.23
AV	23.93985G	36.67	63.54	-26.87	29.08	1	Horizontal	55	1.69	-	38.80	19.01	50.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4327G	57.75	74.00	-16.25	41.03	3	Vertical	19	1.80	-	39.03	9.27	31.58
AV	12.4001G	44.22	54.00	-9.78	27.54	3	Vertical	19	1.80	-	39.00	9.26	31.58

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4307G	57.85	74.00	-16.15	41.13	3	Horizontal	46	1.80	-	39.03	9.27	31.58
AV	12.4057G	44.23	54.00	-9.77	27.54	3	Horizontal	46	1.80	-	39.01	9.26	31.58

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67098G	61.91	83.54	-21.63	57.99	1	Vertical	185	2.12	-	37.67	16.72	50.47
AV	18.67134G	48.84	63.54	-14.70	44.92	1	Vertical	185	2.12	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66366G	59.46	83.54	-24.08	55.54	1	Horizontal	153	1.80	-	37.67	16.71	50.46
AV	18.67362G	45.86	63.54	-17.68	41.94	1	Horizontal	153	1.80	-	37.67	16.72	50.47

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7442G	58.40	88.20	-29.80	40.58	3	Vertical	58	1.80	-	39.49	9.40	31.07
RMS	12.8162G	45.22	68.20	-22.98	27.08	3	Vertical	58	1.80	-	39.62	9.43	30.91

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.816G	57.90	88.20	-30.30	39.76	3	Horizontal	360	1.80	-	39.62	9.43	30.91
RMS	12.8151G	45.29	68.20	-22.91	27.16	3	Horizontal	360	1.80	-	39.62	9.43	30.92

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14702G	65.69	83.54	-17.85	62.20	1	Vertical	141	2.16	-	37.56	16.91	50.98
AV	19.15755G	51.58	63.54	-11.96	48.10	1	Vertical	141	2.16	-	37.56	16.91	50.99

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15887G	60.20	83.54	-23.34	56.71	1	Horizontal	147	1.80	-	37.56	16.92	50.99
AV	19.14879G	46.83	63.54	-16.71	43.34	1	Horizontal	147	1.80	-	37.56	16.91	50.98

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2755G	60.27	74.00	-13.73	40.49	3	Vertical	270	1.15	-	40.28	9.61	30.11
AV	13.2715G	46.90	54.00	-7.10	27.14	3	Vertical	270	1.15	-	40.27	9.61	30.12

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2942G	60.38	74.00	-13.62	40.55	3	Horizontal	356	1.80	-	40.29	9.62	30.08
AV	13.2844G	46.91	54.00	-7.09	27.12	3	Horizontal	356	1.80	-	40.28	9.61	30.10

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8801G	66.21	83.54	-17.33	63.28	1	Vertical	223	2.16	-	37.50	17.21	51.78
AV	19.86894G	52.65	63.54	-10.89	49.71	1	Vertical	223	2.16	-	37.50	17.21	51.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87818G	61.61	83.54	-21.93	58.68	1	Horizontal	151	1.80	-	37.50	17.21	51.78
AV	19.87701G	48.70	63.54	-14.84	45.77	1	Horizontal	151	1.80	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.377G	61.14	74.00	-12.86	41.07	3	Vertical	31	1.80	-	40.38	9.65	29.96
AV	13.3813G	47.60	54.00	-6.40	27.53	3	Vertical	31	1.80	-	40.38	9.65	29.96

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3811G	60.74	74.00	-13.26	40.67	3	Horizontal	338	1.80	-	40.38	9.65	29.96
AV	13.3854G	47.64	54.00	-6.36	27.55	3	Horizontal	338	1.80	-	40.39	9.65	29.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11281G	68.97	83.54	-14.57	66.09	1	Vertical	184	1.99	-	37.49	17.31	51.92
AV	20.12376G	54.66	63.54	-8.88	51.77	1	Vertical	184	1.99	-	37.50	17.31	51.92

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11386G	65.44	83.54	-18.10	62.56	1	Horizontal	152	1.83	-	37.49	17.31	51.92
AV	20.11317G	52.23	63.54	-11.31	49.35	1	Horizontal	152	1.83	-	37.49	17.31	51.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5414G	61.42	88.20	-26.78	41.06	3	Vertical	181	1.86	-	40.40	9.72	29.76
RMS	13.6189G	47.96	68.20	-20.24	27.52	3	Vertical	181	1.86	-	40.40	9.75	29.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6197G	61.23	88.20	-26.97	40.79	3	Horizontal	334	1.80	-	40.40	9.75	29.71
RMS	13.6199G	48.01	68.20	-20.19	27.57	3	Horizontal	334	1.80	-	40.40	9.75	29.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3646G	75.73	83.54	-7.81	72.63	1	Vertical	184	1.85	-	37.65	17.42	51.97
AV	20.3442G	60.88	63.54	-2.66	57.80	1	Vertical	184	1.85	-	37.64	17.41	51.97

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35323G	72.13	83.54	-11.41	69.05	1	Horizontal	204	1.81	-	37.64	17.41	51.97
AV	20.34378G	58.44	63.54	-5.10	55.36	1	Horizontal	204	1.81	-	37.64	17.41	51.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 22
01-D-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	80.62	88.20	-7.58	71.71	3	Vertical	351	1.80	-	35.36	6.36	32.81
RMS	5.925G	67.08	68.20	-1.12	58.13	3	Vertical	351	1.80	-	35.40	6.36	32.81
PK	6.057G	116.06	Inf	-Inf	106.87	3	Vertical	351	1.80	-	35.60	6.43	32.84
RMS	6.057G	103.55	Inf	-Inf	94.36	3	Vertical	351	1.80	-	35.60	6.43	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 22
01-D-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.1276G	58.24	74.00	-15.76	41.81	3	Vertical	322	1.80	-	38.83	9.15	31.55
AV	12.11512G	44.40	54.00	-9.60	27.98	3	Vertical	322	1.80	-	38.82	9.15	31.55

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 22
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00872G	57.99	74.00	-16.01	41.54	3	Horizontal	121	1.80	-	38.89	9.10	31.54
AV	12.06744G	44.41	54.00	-9.59	28.00	3	Horizontal	121	1.80	-	38.83	9.13	31.55

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 22
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07596G	47.13	83.54	-36.41	42.87	1	Vertical	52	1.63	-	37.50	16.47	49.71
AV	18.08598G	34.23	63.54	-29.31	29.97	1	Vertical	52	1.63	-	37.50	16.48	49.72

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 22
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07182G	48.04	83.54	-35.50	43.77	1	Horizontal	143	1.80	-	37.50	16.47	49.70
AV	18.06978G	34.56	63.54	-28.98	30.29	1	Horizontal	143	1.80	-	37.50	16.47	49.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36792G	57.48	74.00	-16.52	40.87	3	Vertical	67	1.62	-	38.94	9.25	31.58
AV	12.36952G	44.54	54.00	-9.46	27.93	3	Vertical	67	1.62	-	38.94	9.25	31.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32168G	58.03	74.00	-15.97	41.53	3	Horizontal	291	2.06	-	38.84	9.23	31.57
AV	12.33192G	44.54	54.00	-9.46	28.02	3	Horizontal	291	2.06	-	38.86	9.23	31.57

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56502G	59.71	83.54	-23.83	55.78	1	Vertical	172	1.78	-	37.63	16.67	50.37
AV	18.55278G	45.58	63.54	-17.96	41.64	1	Vertical	172	1.78	-	37.62	16.67	50.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56508G	58.02	83.54	-25.52	54.09	1	Horizontal	193	1.80	-	37.63	16.67	50.37
AV	18.55566G	43.21	63.54	-20.33	39.28	1	Horizontal	193	1.80	-	37.62	16.67	50.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68632G	58.51	74.00	-15.49	40.96	3	Vertical	219	2.02	-	39.37	9.37	31.19
AV	12.6996G	45.20	54.00	-8.80	27.58	3	Vertical	219	2.02	-	39.40	9.38	31.16

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68832G	58.34	74.00	-15.66	40.75	3	Horizontal	51	2.11	-	39.39	9.38	31.18
AV	12.68832G	45.14	54.00	-8.86	27.57	3	Horizontal	51	2.11	-	39.38	9.38	31.19

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03362G	62.21	83.54	-21.33	58.68	1	Vertical	166	2.11	-	37.51	16.86	50.84
AV	19.02468G	48.64	63.54	-14.90	45.10	1	Vertical	166	2.11	-	37.51	16.86	50.83

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 28
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02144G	59.36	83.54	-24.18	55.82	1	Horizontal	132	1.82	-	37.51	16.86	50.83
AV	19.02204G	44.49	63.54	-19.05	40.95	1	Horizontal	132	1.82	-	37.51	16.86	50.83

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38648G	61.56	74.00	-12.44	41.47	3	Vertical	139	1.70	-	40.39	9.65	29.95
AV	13.39256G	47.54	54.00	-6.46	27.43	3	Vertical	139	1.70	-	40.39	9.66	29.94

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 28
01-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38312G	61.05	74.00	-12.95	40.97	3	Horizontal	6	1.80	-	40.38	9.65	29.95
AV	13.35424G	47.64	54.00	-6.36	27.65	3	Horizontal	6	1.80	-	40.35	9.64	30.00

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98648G	63.90	83.54	-19.64	61.13	1	Vertical	136	1.83	-	37.41	17.25	51.89
AV	19.99003G	49.71	63.54	-13.83	46.93	1	Vertical	136	1.83	-	37.41	17.26	51.89

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 28
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00484G	62.91	83.54	-20.63	60.15	1	Horizontal	154	1.81	-	37.40	17.26	51.90
AV	20.004G	48.11	63.54	-15.43	45.35	1	Horizontal	154	1.81	-	37.40	17.26	51.90




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	17.94G	48.37	54.00	-5.63	3	Horizontal	76	1.83	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
02-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.90	88.20	-23.30	55.59	3	Vertical	333.6	2.00	-	34.25	6.22	31.16
RMS	5.9244G	53.88	68.20	-14.32	44.57	3	Vertical	333.6	2.00	-	34.25	6.22	31.16
PK	5.9618G	121.86	Inf	-Inf	112.47	3	Vertical	333.6	2.00	-	34.30	6.26	31.17
RMS	5.9612G	110.13	Inf	-Inf	100.74	3	Vertical	333.6	2.00	-	34.30	6.26	31.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91984G	57.43	74.00	-16.57	40.58	3	Vertical	360	1.80	-	39.30	8.97	31.42
AV	11.92008G	45.43	54.00	-8.57	28.58	3	Vertical	360	1.80	-	39.30	8.97	31.42
PK	17.88G	62.05	74.00	-11.95	36.86	3	Vertical	265	1.58	-	46.42	11.16	32.39
AV	17.88G	47.19	54.00	-6.81	22.00	3	Vertical	265	1.58	-	46.42	11.16	32.39

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
02-L-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8968G	57.35	74.00	-16.65	40.54	3	Horizontal	91	1.45	-	39.31	8.96	31.46
AV	11.91894G	45.32	54.00	-8.68	28.47	3	Horizontal	91	1.45	-	39.30	8.97	31.42
PK	17.88G	62.02	74.00	-11.98	36.83	3	Horizontal	108	1.48	-	46.42	11.16	32.39
AV	17.88G	47.18	54.00	-6.82	21.99	3	Horizontal	108	1.48	-	46.42	11.16	32.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80596G	46.82	74.00	-27.18	39.35	1	Vertical	191	2.47	-	38.80	18.95	50.28
AV	23.829G	33.39	54.00	-20.61	25.90	1	Vertical	191	2.47	-	38.80	18.96	50.27

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



EUT_V_2TX
Setting 20
05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83158G	46.78	74.00	-27.22	39.29	1	Horizontal	307	2.25	-	38.80	18.96	50.27
AV	23.82378G	33.37	54.00	-20.63	25.88	1	Horizontal	307	2.25	-	38.80	18.96	50.27