






5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14909G	57.06	83.54	-26.48	51.05	1	Horizontal	295	1.75	23.5	37.70	19.29	50.98
AV	19.14429G	43.53	63.54	-20.01	37.49	1	Horizontal	295	1.75	23.5	37.72	19.29	50.97
PK	25.5189G	56.16	97.74	-41.58	44.41	1	Horizontal	325	1.68	23.5	39.40	21.65	49.30
AV	25.5392G	42.77	77.74	-34.97	31.01	1	Horizontal	325	1.68	23.5	39.40	21.66	49.30

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX







EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25205G	57.07	74.00	-16.93	48.38	3	Vertical	231	1.45	22	39.80	11.60	42.71
AV	13.2587G	45.33	54.00	-8.67	36.62	3	Vertical	231	1.45	22	39.82	11.60	42.71

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2596G	57.26	74.00	-16.74	48.55	3	Horizontal	284	2.32	22	39.82	11.60	42.71
AV	13.25407G	45.29	54.00	-8.71	36.59	3	Horizontal	284	2.32	22	39.81	11.60	42.71

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88043G	52.14	83.54	-31.40	46.34	1	Vertical	306	1.59	22	37.78	19.80	51.78
AV	19.89178G	40.50	63.54	-23.04	34.64	1	Vertical	306	1.59	22	37.85	19.80	51.79
PK	26.43319G	51.27	97.74	-46.47	38.85	1	Vertical	327	1.50	22	39.60	21.95	49.13
AV	26.5G	42.11	77.74	-35.63	29.55	1	Vertical	327	1.50	22	39.70	21.96	49.10

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX








EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.89098G	54.79	83.54	-28.75	48.93	1	Horizontal	305	1.49	22	37.85	19.80	51.79
AV	19.89114G	40.84	63.54	-22.70	34.98	1	Horizontal	305	1.49	22	37.85	19.80	51.79
PK	26.46531G	51.26	97.74	-46.48	38.72	1	Horizontal	327	1.50	22	39.70	21.95	49.11
AV	26.5G	41.93	77.74	-35.81	29.37	1	Horizontal	327	1.50	22	39.70	21.96	49.10

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40964G	57.51	88.20	-30.69	48.35	3	Vertical	181	1.80	22	40.24	11.66	42.74
AV	13.40797G	45.31	68.20	-22.89	36.16	3	Vertical	181	1.80	22	40.23	11.66	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41151G	56.93	88.20	-31.27	47.76	3	Horizontal	34	2.83	22	40.25	11.66	42.74
AV	13.41133G	45.35	68.20	-22.85	36.18	3	Horizontal	34	2.83	22	40.25	11.66	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
SET 22





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.16919G	57.77	83.54	-25.77	52.12	1	Vertical	312	1.46	22	37.72	19.86	51.93
AV	20.13322G	45.26	63.54	-18.28	39.62	1	Vertical	312	1.46	22	37.70	19.87	51.93
PK	26.81984G	53.00	97.74	-44.74	40.29	1	Vertical	327	1.66	22	39.80	22.01	49.10
AV	26.82032G	42.66	77.74	-35.08	29.95	1	Vertical	327	1.66	22	39.80	22.01	49.10



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.138666G	59.55	83.54	-23.99	53.94	1	Horizontal	327	1.82	22	37.67	19.87	51.93
AV	20.12859G	47.12	63.54	-16.42	41.45	1	Horizontal	327	1.82	22	37.73	19.87	51.93
PK	26.82016G	52.36	97.74	-45.38	39.65	1	Horizontal	326	1.67	22	39.80	22.01	49.10
AV	26.81984G	43.40	77.74	-34.34	30.69	1	Horizontal	326	1.67	22	39.80	22.01	49.10

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57015G	58.60	88.20	-29.60	49.04	3	Vertical	192	1.23	22	40.56	11.72	42.72
AV	13.57029G	46.09	68.20	-22.11	36.53	3	Vertical	192	1.23	22	40.56	11.72	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57154G	58.06	88.20	-30.14	48.50	3	Horizontal	220	2.30	22	40.56	11.72	42.72
AV	13.57104G	46.15	68.20	-22.05	36.59	3	Horizontal	220	2.30	22	40.56	11.72	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.40903G	65.29	83.54	-18.25	59.43	1	Vertical	302	1.64	22	38.00	19.84	51.98
AV	20.36331G	51.68	63.54	-11.86	45.73	1	Vertical	302	1.64	22	38.07	19.85	51.97
PK	27.11666G	51.97	97.74	-45.77	39.02	1	Vertical	319	1.50	22	39.97	22.06	49.08
AV	27.14016G	40.09	77.74	-37.65	27.18	1	Vertical	319	1.50	22	39.92	22.06	49.07

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.40631G	59.55	83.54	-23.99	53.69	1	Horizontal	306	1.61	22	38.00	19.84	51.98
AV	20.39512G	46.62	63.54	-16.92	40.75	1	Horizontal	306	1.61	22	38.01	19.84	51.98
PK	27.07063G	51.80	97.74	-45.94	38.90	1	Horizontal	325	1.64	22	39.94	22.05	49.09
AV	27.14G	42.22	77.74	-35.52	29.31	1	Horizontal	325	1.64	22	39.92	22.06	49.07

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
 SET 22.5  
 23\19\21\22\22.5  
 -2.91\12.57\9.96\4.64\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.80	88.20	-7.40	72.13	3	Vertical	360	1.80	22.5	34.00	7.64	32.97
AV	5.9242G	67.51	68.20	-0.69	58.84	3	Vertical	360	1.80	22.5	34.00	7.64	32.97
PK	6.0762G	116.10	Inf	-Inf	107.46	3	Vertical	360	1.80	22.5	33.95	7.70	33.01
AV	6.0658G	104.52	Inf	-Inf	95.87	3	Vertical	360	1.80	22.5	33.97	7.69	33.01

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT Y\_2TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	78.76	88.20	-9.44	70.09	3	Horizontal	47	1.80	22.5	34.00	7.64	32.97
AV	5.9202G	65.37	68.20	-2.83	56.70	3	Horizontal	47	1.80	22.5	34.00	7.64	32.97
PK	6.021G	115.22	Inf	-Inf	106.60	3	Horizontal	47	1.80	22.5	33.94	7.68	33.00
AV	6.061G	103.11	Inf	-Inf	94.45	3	Horizontal	47	1.80	22.5	33.98	7.69	33.01

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT Y\_2TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89336G	55.21	74.00	-18.79	49.00	3	Vertical	301	1.80	22.5	38.39	11.06	43.24
AV	11.89464G	43.05	54.00	-10.95	36.84	3	Vertical	301	1.80	22.5	38.39	11.06	43.24



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9135G	55.12	74.00	-18.88	48.85	3	Horizontal	59	1.80	22.5	38.43	11.07	43.23
AV	11.89751G	43.15	54.00	-10.85	36.93	3	Horizontal	59	1.80	22.5	38.40	11.06	43.24

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX








EUT\_Y\_2TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.20127G	49.02	83.54	-34.52	42.67	1	Vertical	320	1.50	22.5	37.60	18.63	49.88
AV	18.07884G	37.25	63.54	-26.29	30.90	1	Vertical	320	1.50	22.5	37.52	18.54	49.71
PK	24.09584G	50.22	97.74	-47.52	40.46	1	Vertical	1	1.50	22.5	38.90	20.98	50.12
AV	24.1G	38.51	77.74	-39.23	28.75	1	Vertical	1	1.50	22.5	38.90	20.98	50.12

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT Y\_2TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0702G	51.10	83.54	-32.44	44.78	1	Horizontal	56	1.50	22.5	37.48	18.54	49.70
AV	18.09098G	39.31	63.54	-24.23	32.93	1	Horizontal	56	1.50	22.5	37.56	18.55	49.73
PK	24.11982G	50.40	97.74	-47.34	40.53	1	Horizontal	330	1.76	22.5	38.98	20.99	50.10
AV	24.11982G	41.91	77.74	-35.83	32.04	1	Horizontal	330	1.76	22.5	38.98	20.99	50.10

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX








EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43362G	56.19	74.00	-17.81	49.47	3	Vertical	301	1.79	23.5	38.60	11.28	43.16
AV	12.45631G	43.81	54.00	-10.19	37.08	3	Vertical	301	1.79	23.5	38.60	11.29	43.16

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


26/10/2023

EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44449G	55.93	74.00	-18.07	49.20	3	Horizontal	247	1.57	23.5	38.60	11.29	43.16
AV	12.43777G	43.87	54.00	-10.13	37.14	3	Horizontal	247	1.57	23.5	38.60	11.29	43.16

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX








EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.555G	48.88	83.54	-34.66	42.65	1	Vertical	171	1.50	23.5	37.70	18.88	50.35
AV	18.55276G	37.83	63.54	-25.71	31.61	1	Vertical	171	1.50	23.5	37.70	18.87	50.35
PK	24.84613G	51.19	97.74	-46.55	40.22	1	Vertical	328	1.55	23.5	39.30	21.33	49.66
AV	24.74G	43.02	77.74	-34.72	32.20	1	Vertical	328	1.55	23.5	39.24	21.28	49.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58889G	50.72	83.54	-32.82	44.51	1	Horizontal	322	1.57	23.5	37.70	18.90	50.39
AV	18.59272G	38.81	63.54	-24.73	32.60	1	Horizontal	322	1.57	23.5	37.70	18.90	50.39
PK	24.78699G	50.11	97.74	-47.63	39.20	1	Horizontal	299	1.50	23.5	39.30	21.30	49.69
AV	24.74032G	39.93	77.74	-37.81	29.11	1	Horizontal	299	1.50	23.5	39.24	21.28	49.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Y\_2TX  
SET 23.5





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68489G	56.74	74.00	-17.26	49.06	3	Vertical	244	1.68	23.5	39.27	11.38	42.97
AV	12.62383G	44.60	54.00	-9.40	37.17	3	Vertical	244	1.68	23.5	39.10	11.36	43.03



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.60337G	56.34	74.00	-17.66	49.03	3	Horizontal	170	1.85	23.5	39.01	11.35	43.05
AV	12.62542G	44.65	54.00	-9.35	37.21	3	Horizontal	170	1.85	23.5	39.10	11.36	43.02

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04747G	53.16	83.54	-30.38	46.90	1	Vertical	323	1.50	23.5	37.90	19.22	50.86
AV	19.02989G	41.12	63.54	-22.42	34.85	1	Vertical	323	1.50	23.5	37.90	19.21	50.84
PK	25.41069G	51.88	97.74	-45.86	40.41	1	Vertical	333	1.50	23.5	39.22	21.60	49.35
AV	25.38G	40.10	77.74	-37.64	28.56	1	Vertical	333	1.50	23.5	39.32	21.59	49.37

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.01486G	56.98	83.54	-26.56	50.70	1	Horizontal	318	1.50	23.5	37.90	19.20	50.82
AV	19.03436G	44.80	63.54	-18.74	38.53	1	Horizontal	318	1.50	23.5	37.90	19.21	50.84
PK	25.42571G	50.79	97.74	-46.95	39.27	1	Horizontal	310	1.50	23.5	39.25	21.61	49.34
AV	25.38G	40.79	77.74	-36.95	29.25	1	Horizontal	310	1.50	23.5	39.32	21.59	49.37

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX








EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41919G	58.29	88.20	-29.91	49.09	3	Vertical	88	2.90	22	40.28	11.66	42.74
AV	13.26542G	45.54	54.00	-8.46	36.82	3	Vertical	88	2.90	22	39.83	11.60	42.71

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34598G	57.98	74.00	-16.02	49.00	3	Horizontal	313	1.75	22	40.08	11.63	42.73
AV	13.25583G	45.51	54.00	-8.49	36.81	3	Horizontal	313	1.75	22	39.81	11.60	42.71

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.03464G	54.26	83.54	-29.28	48.56	1	Vertical	307	1.74	22	37.73	19.88	51.91
AV	20.02313G	41.67	63.54	-21.87	35.94	1	Vertical	307	1.74	22	37.75	19.88	51.90
PK	26.75846G	51.93	97.74	-45.81	39.06	1	Vertical	326	1.50	22	39.97	22.00	49.10
AV	26.66G	43.19	77.74	-34.55	29.94	1	Vertical	326	1.50	22	40.36	21.99	49.10

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.034G	53.30	83.54	-30.24	47.60	1	Horizontal	306	1.69	22	37.73	19.88	51.91
AV	20.05254G	41.77	63.54	-21.77	36.09	1	Horizontal	306	1.69	22	37.71	19.88	51.91
PK	26.7818G	51.97	97.74	-45.77	39.19	1	Horizontal	325	1.50	22	39.87	22.01	49.10
AV	26.66G	42.65	77.74	-35.09	29.40	1	Horizontal	325	1.50	22	40.36	21.99	49.10




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.9248G	67.81	68.20	-0.39	3	Horizontal	42	1.78	-



5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	68.96	88.20	-19.24	60.10	3	Vertical	356	1.83	-	34.25	5.77	31.16
RMS	5.9249G	57.91	68.20	-10.29	49.05	3	Vertical	356	1.83	-	34.25	5.77	31.16
PK	5.948G	123.60	Inf	-Inf	114.68	3	Vertical	356	1.83	-	34.30	5.79	31.17
RMS	5.9479G	113.49	Inf	-Inf	104.57	3	Vertical	356	1.83	-	34.30	5.79	31.17

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9221G	70.77	88.20	-17.43	61.92	3	Horizontal	55	1.84	-	34.24	5.76	31.15
RMS	5.925G	57.27	68.20	-10.93	48.41	3	Horizontal	55	1.84	-	34.25	5.77	31.16
PK	5.9562G	120.47	Inf	-Inf	111.54	3	Horizontal	55	1.84	-	34.30	5.80	31.17
RMS	5.9568G	111.13	Inf	-Inf	102.20	3	Horizontal	55	1.84	-	34.30	5.80	31.17

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91562G	52.75	74.00	-21.25	47.97	3	Vertical	302	1.80	-	39.30	8.71	43.23
AV	11.9076G	39.47	54.00	-14.53	34.69	3	Vertical	302	1.80	-	39.30	8.71	43.23
PK	17.86098G	64.38	74.00	-9.62	47.88	3	Vertical	153	1.83	-	46.34	11.57	41.41
AV	17.87046G	50.14	54.00	-3.86	33.57	3	Vertical	153	1.83	-	46.38	11.58	41.39

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90994G	53.07	74.00	-20.93	48.29	3	Horizontal	308	1.92	-	39.30	8.71	43.23
AV	11.90994G	41.82	54.00	-12.18	37.04	3	Horizontal	308	1.92	-	39.30	8.71	43.23
PK	17.86978G	64.07	74.00	-9.93	47.50	3	Horizontal	304	1.67	-	46.38	11.58	41.39
AV	17.87418G	50.11	54.00	-3.89	33.52	3	Horizontal	304	1.67	-	46.40	11.58	41.39

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80626G	54.03	83.54	-29.51	44.44	1	Vertical	311	1.80	-	39.06	20.81	50.28
AV	23.80245G	39.19	63.54	-24.35	29.57	1	Vertical	311	1.80	-	39.09	20.81	50.28

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82261G	52.30	74.00	-21.70	42.79	1	Horizontal	29	2.00	-	38.96	20.82	50.27
AV	23.82561G	38.77	63.54	-24.77	29.27	1	Horizontal	29	2.00	-	38.95	20.82	50.27

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38516G	52.90	74.00	-21.10	48.53	3	Vertical	335	1.80	-	38.61	8.92	43.16
AV	12.38516G	39.02	54.00	-14.98	34.64	3	Vertical	335	1.80	-	38.63	8.92	43.17

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39112G	52.30	74.00	-21.70	NaN	3	Horizontal	0	1.80	-	NaN	NaN	43.17
AV	12.38862G	39.18	54.00	-14.82	NaN	3	Horizontal	0	1.80	-	NaN	NaN	43.17



5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58605G	49.07	83.54	-34.47	42.86	1	Vertical	137	2.90	-	37.70	18.90	50.39
AV	18.57048G	36.45	63.54	-27.09	30.23	1	Vertical	137	2.90	-	37.70	18.89	50.37

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57939G	49.65	83.54	-33.89	43.44	1	Horizontal	197	1.47	-	37.70	18.89	50.38
AV	18.57366G	36.52	63.54	-27.02	30.30	1	Horizontal	197	1.47	-	37.70	18.89	50.37

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8205G	51.14	88.20	-37.06	45.91	3	Vertical	324	1.80	-	38.94	9.12	42.83
RMS	12.8205G	38.30	68.20	-29.90	33.07	3	Vertical	324	1.80	-	38.94	9.12	42.83

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8289G	52.16	88.20	-36.04	46.89	3	Horizontal	-0	1.80	-	38.96	9.13	42.82
RMS	12.82476G	38.24	68.20	-29.96	33.00	3	Horizontal	-0	1.80	-	38.95	9.12	42.83

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23864G	48.47	83.54	-35.07	42.29	1	Vertical	161	1.06	-	37.92	19.35	51.09
AV	19.25628G	35.23	63.54	-28.31	29.07	1	Vertical	161	1.06	-	37.91	19.36	51.11

5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24479G	47.67	83.54	-35.87	41.49	1	Horizontal	319	1.81	-	37.91	19.36	51.09
AV	19.23156G	35.22	63.54	-28.32	29.01	1	Horizontal	319	1.81	-	37.94	19.35	51.08

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06118G	52.59	88.20	-35.61	46.45	3	Vertical	360	1.80	-	39.57	9.23	42.66
RMS	13.07532G	39.64	68.20	-28.56	33.42	3	Vertical	360	1.80	-	39.65	9.24	42.67

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06276G	53.19	88.20	-35.01	47.04	3	Horizontal	13	2.91	-	39.58	9.23	42.66
RMS	13.07752G	39.95	68.20	-28.25	33.71	3	Horizontal	13	2.91	-	39.67	9.24	42.67



6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6134G	48.65	83.54	-34.89	42.67	1	Vertical	44	1.80	-	37.88	19.61	51.51
AV	19.60252G	35.88	63.54	-27.66	29.96	1	Vertical	44	1.80	-	37.82	19.60	51.50

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61666G	48.80	83.54	-34.74	42.81	1	Horizontal	307	1.69	-	37.90	19.61	51.52
AV	19.59412G	35.79	63.54	-27.75	29.84	1	Horizontal	307	1.69	-	37.84	19.60	51.49

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38788G	53.26	74.00	-20.74	46.12	3	Vertical	3	1.80	-	40.49	9.39	42.74
AV	13.38788G	40.44	54.00	-13.56	33.31	3	Vertical	3	1.80	-	40.48	9.39	42.74

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39482G	54.49	74.00	-19.51	47.35	3	Horizontal	245	1.80	-	40.49	9.39	42.74
AV	13.38206G	41.19	54.00	-12.81	34.08	3	Horizontal	245	1.80	-	40.46	9.38	42.73

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11756G	47.86	83.54	-35.68	42.12	1	Vertical	309	1.95	-	37.79	19.87	51.92
AV	20.05484G	35.03	63.54	-28.51	29.34	1	Vertical	309	1.95	-	37.72	19.88	51.91

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07764G	48.14	83.54	-35.40	42.38	1	Horizontal	47	1.26	-	37.81	19.87	51.92
AV	20.0474G	35.02	63.54	-28.52	29.34	1	Horizontal	47	1.26	-	37.71	19.88	51.91

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7171G	55.90	88.20	-32.30	48.06	3	Vertical	7	1.80	-	40.93	9.54	42.63
RMS	13.7007G	41.59	68.20	-26.61	33.80	3	Vertical	7	1.80	-	40.90	9.53	42.64

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70158G	54.84	88.20	-33.36	47.05	3	Horizontal	120	1.00	-	40.90	9.53	42.64
RMS	13.70864G	41.60	68.20	-26.60	33.78	3	Horizontal	120	1.00	-	40.92	9.53	42.63



6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56324G	53.98	83.54	-29.56	48.23	1	Vertical	226	1.87	-	37.93	19.83	52.01
AV	20.551G	41.47	63.54	-22.07	35.75	1	Vertical	226	1.87	-	37.90	19.83	52.01

6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5414G	53.83	83.54	-29.71	48.16	1	Horizontal	274	2.47	-	37.85	19.83	52.01
AV	20.52996G	41.36	63.54	-22.18	35.76	1	Horizontal	274	2.47	-	37.78	19.83	52.01

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	77.82	88.20	-10.38	68.95	3	Vertical	355	1.50	-	34.25	5.77	31.15
RMS	5.9248G	66.59	68.20	-1.61	57.73	3	Vertical	355	1.50	-	34.25	5.77	31.16
PK	5.9608G	119.51	Inf	-Inf	110.57	3	Vertical	355	1.50	-	34.30	5.81	31.17
RMS	5.9618G	109.99	Inf	-Inf	101.05	3	Vertical	355	1.50	-	34.30	5.81	31.17

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.78	88.20	-7.42	71.92	3	Horizontal	42	1.78	-	34.25	5.77	31.16
RMS	5.9248G	67.81	68.20	-0.39	58.95	3	Horizontal	42	1.78	-	34.25	5.77	31.16
PK	5.9578G	120.74	Inf	-Inf	111.81	3	Horizontal	42	1.78	-	34.30	5.80	31.17
RMS	5.9624G	109.60	Inf	-Inf	100.66	3	Horizontal	42	1.78	-	34.30	5.81	31.17

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92738G	52.29	74.00	-21.71	47.50	3	Vertical	200	1.50	-	39.30	8.72	43.23
AV	11.92856G	39.35	54.00	-14.65	34.56	3	Vertical	200	1.50	-	39.30	8.72	43.23
PK	17.89401G	64.97	74.00	-9.03	48.25	3	Vertical	110	1.70	-	46.48	11.60	41.36
AV	17.89967G	50.75	54.00	-3.25	34.00	3	Vertical	110	1.70	-	46.50	11.60	41.35

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93069G	52.74	74.00	-21.26	47.95	3	Horizontal	315	1.80	-	39.30	8.72	43.23
AV	11.92994G	41.24	54.00	-12.76	36.45	3	Horizontal	315	1.80	-	39.30	8.72	43.23
PK	17.8979G	65.02	74.00	-8.98	48.28	3	Horizontal	235	1.80	-	46.49	11.60	41.35
AV	17.89994G	50.86	54.00	-3.14	34.11	3	Horizontal	235	1.80	-	46.50	11.60	41.35

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.89624G	50.83	83.54	-32.71	41.40	1	Vertical	217	1.43	-	38.80	20.87	50.24
AV	23.84904G	38.07	63.54	-25.47	28.68	1	Vertical	217	1.43	-	38.81	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.89784G	51.21	83.54	-32.33	41.78	1	Horizontal	160	1.04	-	38.80	20.87	50.24
AV	23.82184G	38.05	63.54	-25.49	28.53	1	Horizontal	160	1.04	-	38.97	20.82	50.27



5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41499G	53.39	74.00	-20.61	49.02	3	Vertical	242	1.80	-	38.60	8.93	43.16
AV	12.40677G	39.42	54.00	-14.58	35.05	3	Vertical	242	1.80	-	38.60	8.93	43.16

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41451G	52.87	74.00	-21.13	48.50	3	Horizontal	217	1.58	-	38.60	8.93	43.16
AV	12.4065G	39.55	54.00	-14.45	35.18	3	Horizontal	217	1.58	-	38.60	8.93	43.16

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6478G	48.36	83.54	-35.18	42.07	1	Vertical	224	1.01	-	37.80	18.94	50.45
AV	18.58476G	35.93	63.54	-27.61	29.71	1	Vertical	224	1.01	-	37.70	18.90	50.38

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58284G	48.97	83.54	-34.57	42.75	1	Horizontal	334	2.32	-	37.70	18.90	50.38
AV	18.57852G	35.97	63.54	-27.57	29.76	1	Horizontal	334	2.32	-	37.70	18.89	50.38

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81278G	54.76	88.20	-33.44	49.55	3	Vertical	314	2.77	-	38.93	9.12	42.84
RMS	12.81401G	39.63	68.20	-28.57	34.42	3	Vertical	314	2.77	-	38.93	9.12	42.84

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81414G	52.97	88.20	-35.23	47.76	3	Horizontal	54	2.00	-	38.93	9.12	42.84
RMS	12.81396G	38.68	68.20	-29.52	33.47	3	Horizontal	54	2.00	-	38.93	9.12	42.84

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1866G	47.30	83.54	-36.24	41.09	1	Vertical	341	2.07	-	37.92	19.31	51.02
AV	19.18756G	34.79	63.54	-28.75	28.57	1	Vertical	341	2.07	-	37.93	19.32	51.03

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.19468G	47.71	83.54	-35.83	41.45	1	Horizontal	218	2.48	-	37.97	19.32	51.03
AV	19.17548G	34.73	63.54	-28.81	28.58	1	Horizontal	218	2.48	-	37.85	19.31	51.01



6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13405G	53.34	88.20	-34.86	46.88	3	Vertical	-0	1.80	-	39.87	9.27	42.68
RMS	13.13025G	40.00	68.20	-28.20	33.55	3	Vertical	-0	1.80	-	39.86	9.27	42.68

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12688G	53.28	88.20	-34.92	46.85	3	Horizontal	79	1.00	-	39.85	9.26	42.68
RMS	13.13255G	39.83	68.20	-28.37	33.37	3	Horizontal	79	1.00	-	39.87	9.27	42.68

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.65724G	47.97	83.54	-35.57	41.83	1	Vertical	43	1.14	-	38.06	19.64	51.56
AV	19.66212G	35.38	63.54	-28.16	29.26	1	Vertical	43	1.14	-	38.03	19.65	51.56

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70236G	48.93	83.54	-34.61	43.06	1	Horizontal	360	2.59	-	37.80	19.67	51.60
AV	19.65708G	35.44	63.54	-28.10	29.30	1	Horizontal	360	2.59	-	38.06	19.64	51.56

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37154G	53.35	74.00	-20.65	46.26	3	Vertical	226	1.62	-	40.44	9.38	42.73
AV	13.37322G	40.57	54.00	-13.43	33.47	3	Vertical	226	1.62	-	40.45	9.38	42.73

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37066G	53.68	74.00	-20.32	46.59	3	Horizontal	334	1.90	-	40.44	9.38	42.73
AV	13.37502G	40.38	54.00	-13.62	33.28	3	Horizontal	334	1.90	-	40.45	9.38	42.73

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05228G	51.90	83.54	-31.64	46.22	1	Vertical	318	1.80	-	37.71	19.88	51.91
AV	20.06212G	38.02	63.54	-25.52	32.31	1	Vertical	318	1.80	-	37.75	19.87	51.91

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05052G	50.80	83.54	-32.74	45.13	1	Horizontal	39	1.90	-	37.70	19.88	51.91
AV	20.05684G	37.80	63.54	-25.74	32.11	1	Horizontal	39	1.90	-	37.73	19.87	51.91



6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT Y\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69032G	55.97	88.20	-32.23	48.23	3	Vertical	360	1.80	-	40.86	9.53	42.65
RMS	13.693G	42.08	68.20	-26.12	34.32	3	Vertical	360	1.80	-	40.87	9.53	42.64

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6982G	56.06	88.20	-32.14	48.28	3	Horizontal	127	1.62	-	40.89	9.53	42.64
RMS	13.7G	41.99	68.20	-26.21	34.20	3	Horizontal	127	1.62	-	40.90	9.53	42.64

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54236G	55.33	83.54	-28.21	49.66	1	Vertical	41	1.96	-	37.85	19.83	52.01
AV	20.51588G	40.44	63.54	-23.10	34.91	1	Vertical	41	1.96	-	37.70	19.83	52.00

6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.547G	52.57	83.54	-30.97	46.87	1	Horizontal	318	1.59	-	37.88	19.83	52.01
AV	20.51724G	38.31	63.54	-25.23	32.78	1	Horizontal	318	1.59	-	37.70	19.83	52.00

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	72.76	88.20	-15.44	63.89	3	Vertical	348	1.64	-	34.25	5.77	31.15
RMS	5.925G	61.18	68.20	-7.02	52.32	3	Vertical	348	1.64	-	34.25	5.77	31.16
PK	5.9974G	115.03	Inf	-Inf	106.07	3	Vertical	348	1.64	-	34.30	5.85	31.19
RMS	5.9962G	104.89	Inf	-Inf	95.93	3	Vertical	348	1.64	-	34.30	5.85	31.19

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 23  
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	77.25	88.20	-10.95	68.39	3	Horizontal	35	1.70	-	34.25	5.77	31.16
RMS	5.925G	62.99	68.20	-5.21	54.13	3	Horizontal	35	1.70	-	34.25	5.77	31.16
PK	5.9742G	115.16	Inf	-Inf	106.22	3	Horizontal	35	1.70	-	34.30	5.82	31.18
RMS	5.9742G	105.51	Inf	-Inf	96.57	3	Horizontal	35	1.70	-	34.30	5.82	31.18

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT Y\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96226G	53.08	74.00	-20.92	48.28	3	Vertical	360	1.80	-	39.30	8.73	43.23
AV	11.96212G	38.95	54.00	-15.05	34.15	3	Vertical	360	1.80	-	39.30	8.73	43.23
PK	17.96224G	65.17	74.00	-8.83	48.18	3	Vertical	193	1.67	-	46.60	11.64	41.25
AV	17.95508G	50.91	54.00	-3.09	33.93	3	Vertical	193	1.67	-	46.60	11.64	41.26

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT Y\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9723G	52.43	74.00	-21.57	47.62	3	Horizontal	96	1.66	-	39.30	8.73	43.22
AV	11.97002G	39.65	54.00	-14.35	34.84	3	Horizontal	96	1.66	-	39.30	8.73	43.22
PK	17.9531G	65.07	74.00	-8.93	48.09	3	Horizontal	205	1.73	-	46.60	11.64	41.26
AV	17.95434G	50.82	54.00	-3.18	33.84	3	Horizontal	205	1.73	-	46.60	11.64	41.26



5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92784G	50.78	83.54	-32.76	41.26	1	Vertical	0	1.95	-	38.86	20.89	50.23
AV	23.91496G	38.35	63.54	-25.19	28.87	1	Vertical	0	1.95	-	38.83	20.88	50.23

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93784G	50.50	83.54	-33.04	40.95	1	Horizontal	255	2.49	-	38.88	20.89	50.22
AV	23.92848G	37.11	63.54	-26.43	27.59	1	Horizontal	255	2.49	-	38.86	20.89	50.23

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.456G	51.58	74.00	-22.42	47.19	3	Vertical	182	1.82	-	38.60	8.95	43.16
AV	12.44062G	39.10	54.00	-14.90	34.72	3	Vertical	182	1.82	-	38.60	8.94	43.16

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44844G	52.67	74.00	-21.33	48.28	3	Horizontal	200	2.85	-	38.60	8.95	43.16
AV	12.44026G	39.28	54.00	-14.72	34.90	3	Horizontal	200	2.85	-	38.60	8.94	43.16

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6546G	47.22	83.54	-36.32	40.95	1	Vertical	113	3.00	-	37.78	18.94	50.45
AV	18.64932G	34.91	63.54	-28.63	28.62	1	Vertical	113	3.00	-	37.80	18.94	50.45

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.675G	47.36	83.54	-36.18	41.17	1	Horizontal	280	2.22	-	37.70	18.96	50.47
AV	18.6542G	34.79	63.54	-28.75	28.52	1	Horizontal	280	2.22	-	37.78	18.94	50.45

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76016G	52.39	88.20	-35.81	47.45	3	Vertical	331	1.47	-	38.74	9.09	42.89
RMS	12.77268G	38.68	68.20	-29.52	33.67	3	Vertical	331	1.47	-	38.79	9.10	42.88

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76688G	52.00	88.20	-36.20	47.01	3	Horizontal	9	1.98	-	38.77	9.10	42.88
RMS	12.76076G	38.65	68.20	-29.55	33.71	3	Horizontal	9	1.98	-	38.74	9.09	42.89



5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12596G	48.67	83.54	-34.87	42.55	1	Vertical	291	2.69	-	37.80	19.27	50.95
AV	19.121G	35.98	63.54	-27.56	29.84	1	Vertical	291	2.69	-	37.82	19.27	50.95

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12308G	47.89	83.54	-35.65	41.76	1	Horizontal	26	2.41	-	37.81	19.27	50.95
AV	19.11628G	35.01	63.54	-28.53	28.85	1	Horizontal	26	2.41	-	37.83	19.27	50.94

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT Y\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24416G	53.87	88.20	-34.33	46.99	3	Vertical	314	1.45	-	40.26	9.32	42.70
RMS	13.24004G	40.70	68.20	-27.50	33.84	3	Vertical	314	1.45	-	40.24	9.32	42.70

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24104G	54.21	88.20	-33.99	47.34	3	Horizontal	258	1.78	-	40.25	9.32	42.70
RMS	13.24052G	40.59	68.20	-27.61	33.73	3	Horizontal	258	1.78	-	40.24	9.32	42.70

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86996G	52.58	83.54	-30.96	46.84	1	Vertical	141	2.34	-	37.72	19.79	51.77
AV	19.83724G	38.84	63.54	-24.70	33.08	1	Vertical	141	2.34	-	37.73	19.77	51.74

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.89524G	52.86	83.54	-30.68	46.98	1	Horizontal	228	2.16	-	37.87	19.81	51.80
AV	19.83716G	38.88	63.54	-24.66	33.12	1	Horizontal	228	2.16	-	37.73	19.77	51.74

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41208G	54.11	88.20	-34.09	46.95	3	Vertical	185	1.93	-	40.50	9.40	42.74
RMS	13.4055G	41.40	68.20	-26.80	34.25	3	Vertical	185	1.93	-	40.50	9.39	42.74

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41676G	53.30	88.20	-34.90	46.14	3	Horizontal	82	1.93	-	40.50	9.40	42.74
RMS	13.40938G	40.70	68.20	-27.50	33.54	3	Horizontal	82	1.93	-	40.50	9.40	42.74



6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10556G	52.16	83.54	-31.38	46.34	1	Vertical	23	1.44	-	37.87	19.87	51.92
AV	20.07644G	38.51	63.54	-25.03	32.75	1	Vertical	23	1.44	-	37.81	19.87	51.92

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10756G	51.45	83.54	-32.09	45.65	1	Horizontal	127	1.47	-	37.85	19.87	51.92
AV	20.07508G	38.30	63.54	-25.24	32.55	1	Horizontal	127	1.47	-	37.80	19.87	51.92

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT Y\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5754G	54.79	88.20	-33.41	47.33	3	Vertical	223	1.57	-	40.70	9.47	42.71
RMS	13.56152G	42.03	68.20	-26.17	34.58	3	Vertical	223	1.57	-	40.70	9.47	42.72

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57028G	54.95	88.20	-33.25	47.50	3	Horizontal	268	1.91	-	40.70	9.47	42.72
RMS	13.56448G	42.02	68.20	-26.18	34.57	3	Horizontal	268	1.91	-	40.70	9.47	42.72

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35764G	51.84	83.54	-31.70	45.88	1	Vertical	334	2.06	-	38.08	19.85	51.97
AV	20.34788G	38.75	63.54	-24.79	32.77	1	Vertical	334	2.06	-	38.10	19.85	51.97

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.31556G	51.04	83.54	-32.50	44.98	1	Horizontal	257	2.44	-	38.17	19.85	51.96
AV	20.315G	38.77	63.54	-24.77	32.71	1	Horizontal	257	2.44	-	38.17	19.85	51.96

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	71.20	88.20	-17.00	62.34	3	Vertical	345	1.50	-	34.25	5.77	31.16
RMS	5.909G	63.23	68.20	-4.97	54.41	3	Vertical	345	1.50	-	34.22	5.75	31.15
PK	6.0602G	112.54	Inf	-Inf	103.38	3	Vertical	345	1.50	-	34.50	5.87	31.21
RMS	6.0594G	104.17	Inf	-Inf	95.02	3	Vertical	345	1.50	-	34.50	5.86	31.21

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT Y\_2TX  
Setting 24  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	73.78	88.20	-14.42	65.03	3	Horizontal	35	1.73	-	34.16	5.73	31.14
RMS	5.921G	63.81	68.20	-4.39	54.96	3	Horizontal	35	1.73	-	34.24	5.76	31.15
PK	6.0002G	112.56	Inf	-Inf	103.60	3	Horizontal	35	1.73	-	34.30	5.85	31.19
RMS	6.0602G	103.24	Inf	-Inf	94.08	3	Horizontal	35	1.73	-	34.50	5.87	31.21



5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04158G	51.34	74.00	-22.66	46.66	3	Vertical	6	1.80	-	39.13	8.76	43.21
AV	12.04002G	38.24	54.00	-15.76	33.55	3	Vertical	6	1.80	-	39.14	8.76	43.21

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04826G	51.94	74.00	-22.06	47.28	3	Horizontal	291	1.65	-	39.11	8.76	43.21
AV	12.04996G	40.56	54.00	-13.44	35.91	3	Horizontal	291	1.65	-	39.10	8.76	43.21

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.10908G	48.69	83.54	-34.85	42.23	1	Vertical	226	1.57	-	37.64	18.57	49.75
AV	18.1022G	34.66	63.54	-28.88	28.23	1	Vertical	226	1.57	-	37.61	18.56	49.74

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07068G	48.11	83.54	-35.43	41.79	1	Horizontal	352	2.07	-	37.48	18.54	49.70
AV	18.10196G	34.70	63.54	-28.84	28.27	1	Horizontal	352	2.07	-	37.61	18.56	49.74

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36682G	51.82	74.00	-22.18	47.41	3	Vertical	360	2.98	-	38.67	8.91	43.17
AV	12.37758G	38.65	54.00	-15.35	34.26	3	Vertical	360	2.98	-	38.64	8.92	43.17

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36606G	52.07	74.00	-21.93	47.66	3	Horizontal	350	1.04	-	38.67	8.91	43.17
AV	12.37718G	38.75	54.00	-15.25	34.35	3	Horizontal	350	1.04	-	38.65	8.92	43.17

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53556G	48.50	83.54	-35.04	42.22	1	Vertical	357	2.55	-	37.76	18.86	50.34
AV	18.53724G	34.96	63.54	-28.58	28.69	1	Vertical	357	2.55	-	37.75	18.86	50.34

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58868G	47.88	83.54	-35.66	41.67	1	Horizontal	57	2.50	-	37.70	18.90	50.39
AV	18.515G	34.92	63.54	-28.62	28.54	1	Horizontal	57	2.50	-	37.84	18.85	50.31



5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68486G	51.29	74.00	-22.71	46.60	3	Vertical	254	1.78	-	38.60	9.06	42.97
AV	12.69998G	38.48	54.00	-15.52	33.76	3	Vertical	254	1.78	-	38.60	9.07	42.95

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 24  
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69288G	51.28	74.00	-22.72	46.58	3	Horizontal	159	1.80	-	38.60	9.06	42.96
AV	12.69718G	38.47	54.00	-15.53	33.76	3	Horizontal	159	1.80	-	38.60	9.06	42.95

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02628G	47.42	83.54	-36.12	41.15	1	Vertical	331	2.43	-	37.90	19.20	50.83
AV	19.00332G	34.28	63.54	-29.26	27.99	1	Vertical	331	2.43	-	37.90	19.19	50.80

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 24  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0302G	46.81	83.54	-36.73	40.54	1	Horizontal	224	2.99	-	37.90	19.21	50.84
AV	19.00324G	34.25	63.54	-29.29	27.96	1	Horizontal	224	2.99	-	37.90	19.19	50.80

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33918G	53.47	74.00	-20.53	46.43	3	Vertical	96	2.28	-	40.40	9.36	42.72
AV	13.32388G	40.49	54.00	-13.51	33.45	3	Vertical	96	2.28	-	40.40	9.36	42.72

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 23  
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33516G	54.05	74.00	-19.95	47.01	3	Horizontal	99	2.97	-	40.40	9.36	42.72
AV	13.3267G	40.66	54.00	-13.34	33.62	3	Horizontal	99	2.97	-	40.40	9.36	42.72

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98668G	48.37	83.54	-35.17	42.59	1	Vertical	202	1.15	-	37.80	19.87	51.89
AV	19.96052G	34.89	63.54	-28.65	29.10	1	Vertical	202	1.15	-	37.80	19.85	51.86

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX



6665MHz\_TX





EUT\_Y\_2TX  
Setting 23  
04-F-J-8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9606G	47.94	83.54	-35.60	42.15	1	Horizontal	138	1.24	-	37.80	19.85	51.86
AV	19.9582G	34.79	63.54	-28.75	29.00	1	Horizontal	138	1.24	-	37.80	19.85	51.86












































**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.95555G	9.59	5.974525G	-16.64	-10.68	-5.96	1
6195MHz	Pass	6.196825G	13.19	6.21715G	-14.38	-6.93	-7.45	1
6415MHz	Pass	6.417324G	10.29	6.39785G	-14.41	-9.89	-4.52	1
6535MHz	Pass	6.5365G	10.15	6.552575G	-17.24	-10.11	-7.13	1
6695MHz	Pass	6.696575G	8.62	6.6804G	-18.58	-11.48	-7.10	1
6855MHz	Pass	6.856275G	9.00	6.876025G	-17.93	-11.11	-6.82	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971248G	3.75	6.024G	-41.48	-36.01	-5.47	1
6205MHz	Pass	6.207249G	13.31	6.15075G	-15.67	-6.70	-8.97	1
6405MHz	Pass	6.40645G	11.39	6.4461G	-15.96	-8.64	-7.32	1
6565MHz	Pass	6.556552G	8.49	6.53415G	-19.98	-13.75	-6.23	1
6685MHz	Pass	6.68565G	9.57	6.65105G	-16.01	-10.70	-5.31	1
6845MHz	Pass	6.842651G	8.27	6.88315G	-16.99	-11.80	-5.19	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9938G	6.03	6.1056G	-38.00	-33.82	-4.18	1
6225MHz	Pass	6.2175G	12.94	6.3277G	-14.73	-7.10	-7.63	1
6385MHz	Pass	6.3806G	10.83	6.3028G	-15.97	-9.24	-6.73	1
6625MHz	Pass	6.6112G	9.01	6.6895G	-16.33	-11.06	-5.27	1
6705MHz	Pass	6.7035G	8.53	6.7796G	-18.83	-11.50	-7.33	1
6785MHz	Pass	6.7771G	11.07	6.8728G	-17.81	-9.03	-8.78	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.016G	6.27	6.2704G	-38.14	-33.42	-4.72	1
6185MHz	Pass	6.21539G	11.64	6.3858G	-14.82	-8.36	-6.46	1
6345MHz	Pass	6.3272G	10.08	6.1686G	-18.11	-9.97	-8.14	1
6665MHz	Pass	6.63581G	11.27	6.5038G	-16.66	-8.75	-7.91	1

















































5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

CF (Hz)  
6.205G

Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS






31/10/2023


Port 1


Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200251G	4.77	6.1466G	-40.81	-34.53	-6.28	1
6.207049G	4.18	6.26375G	-41.51	-35.73	-5.78	2









6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

CF (Hz)  
6.625G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




31/10/2023



Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6333G	4.28	6.7468G	-46.55	-35.72	-10.83	1
6.6188G	4.84	6.5013G	-46.40	-35.16	-11.24	2











5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

26/10/2023

CF (Hz)

6.195G

Span (Hz)

100M

RBW (Hz)

200k

VBW (Hz)

1M

Sweep Time (s)

4.01m

Detector Type

RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.193625G	2.41	6.1647G	-50.03	-37.59	-12.44	1
6.192601G	3.32	6.226375G	-49.83	-36.68	-13.15	2

