

Summary



Mode	Radiated EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	21.03
802.11ax HEW40_Nss1,(MCS0)_2TX	18.51
802.11ax HEW80_Nss1,(MCS0)_2TX	15.22
802.11ax HEW160_Nss1,(MCS0)_2TX	13.03
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	19.60
802.11ax HEW40_Nss1,(MCS0)_2TX	16.88
802.11ax HEW80_Nss1,(MCS0)_2TX	13.82
802.11ax HEW160_Nss1,(MCS0)_2TX	11.16



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result



Mode	Result	Radiated EIRP PD (dBm/RBW)	Radiated EIRP PD Limit
			(dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	19.10	23.00
6195MHz	Pass	20.01	23.00
6415MHz	Pass	21.03	23.00
6535MHz	Pass	18.90	23.00
6695MHz	Pass	19.35	23.00
6855MHz	Pass	19.60	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	16.76	23.00
6205MHz	Pass	17.52	23.00
6405MHz	Pass	18.51	23.00
6565MHz	Pass	16.15	23.00
6685MHz	Pass	16.43	23.00
6845MHz	Pass	16.88	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	13.65	23.00
6225MHz	Pass	14.87	23.00
6385MHz	Pass	15.22	23.00
6625MHz	Pass	13.24	23.00
6705MHz	Pass	13.58	23.00
6785MHz	Pass	13.82	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	11.71	23.00
6185MHz	Pass	11.79	23.00
6345MHz	Pass	13.03	23.00
6665MHz	Pass	11.16	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	20.31
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.93
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	14.39
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	11.22
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.84
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	17.19
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	14.14
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	10.78



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	20.31	23.00
6195MHz	Pass	19.67	23.00
6415MHz	Pass	19.70	23.00
6535MHz	Pass	17.78	23.00
6695MHz	Pass	19.84	23.00
6855MHz	Pass	19.20	23.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	16.82	23.00
6205MHz	Pass	18.93	23.00
6405MHz	Pass	17.98	23.00
6565MHz	Pass	16.91	23.00
6685MHz	Pass	17.19	23.00
6845MHz	Pass	16.80	23.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	12.35	23.00
6225MHz	Pass	13.89	23.00
6385MHz	Pass	14.39	23.00
6625MHz	Pass	14.01	23.00
6705MHz	Pass	13.63	23.00
6785MHz	Pass	14.14	23.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	11.22	23.00
6185MHz	Pass	10.14	23.00
6345MHz	Pass	10.86	23.00
6665MHz	Pass	10.78	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;











































**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	QP	41.64M	35.99	40.00	-4.01	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	33.88M	35.92	40.00	-4.08	-21.86	3	Vertical	124	1.00	-	57.78	21.76	0.70	44.32
QP	41.64M	35.99	40.00	-4.01	-26.19	3	Vertical	354	1.00	"Worst"	62.18	17.40	0.78	44.37
QP	48.43M	35.95	40.00	-4.05	-29.85	3	Vertical	360	1.00	-	65.80	13.88	0.84	44.57
QP	57.16M	31.09	40.00	-8.91	-31.91	3	Vertical	0	2.00	-	63.00	11.80	0.91	44.62
PK	388.9M	38.41	46.00	-7.59	-21.61	3	Vertical	360	1.50	-	60.02	20.35	2.19	44.15
PK	389.87M	38.62	46.00	-7.38	-21.56	3	Vertical	357	1.50	-	60.18	20.39	2.19	44.14

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	42.61M	32.03	40.00	-7.97	-26.73	3	Horizontal	89	2.00	-	58.76	16.87	0.80	44.40
PK	81.41M	33.12	40.00	-6.88	-31.23	3	Horizontal	353	3.00	-	64.35	12.35	1.01	44.59
PK	155.13M	31.84	43.50	-11.66	-27.93	3	Horizontal	23	1.50	-	59.77	15.25	1.37	44.55
PK	386.96M	33.08	46.00	-12.92	-21.71	3	Horizontal	204	1.00	-	54.79	20.26	2.18	44.15
PK	560.59M	40.45	46.00	-5.55	-17.45	3	Horizontal	86	1.25	"Worst"	57.90	23.81	2.57	43.83
PK	788.54M	34.03	46.00	-11.97	-15.57	3	Horizontal	228	1.00	-	49.60	24.93	3.02	43.52




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	68.09	68.20	-0.11	3	Vertical	6	1.82	26.5

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUTY\_1TX  
 SET 26.5  
 27.2\1.24\25.5\26\26.5  
 -4.28\17.75\6.5\1.2.24\1.43\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9196G	81.16	88.20	-7.04	73.54	3	Vertical	6	1.82	26.5	34.82	6.31	33.51
RMS	5.925G	68.09	68.20	-0.11	60.44	3	Vertical	6	1.82	26.5	34.85	6.31	33.51
PK	5.9577G	120.95	Inf	-Inf	113.13	3	Vertical	6	1.82	26.5	35.00	6.34	33.52
RMS	5.9575G	108.50	Inf	-Inf	100.68	3	Vertical	6	1.82	26.5	35.00	6.34	33.52



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT Y\_1TX  
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9232G	80.36	88.20	-7.84	72.72	3	Horizontal	47	1.65	26.5	34.84	6.31	33.51
RMS	5.925G	67.75	68.20	-0.45	60.10	3	Horizontal	47	1.65	26.5	34.85	6.31	33.51
PK	5.9601G	120.51	Inf	-Inf	112.69	3	Horizontal	47	1.65	26.5	35.00	6.34	33.52
RMS	5.9575G	107.98	Inf	-Inf	100.16	3	Horizontal	47	1.65	26.5	35.00	6.34	33.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_Y\_1TX  
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91108G	54.38	74.00	-19.62	49.33	3	Vertical	317	1.80	-	38.60	9.68	43.23
AV	11.9088G	40.68	54.00	-13.32	35.63	3	Vertical	317	1.80	-	38.60	9.68	43.23
PK	17.877G	61.39	74.00	-12.61	48.36	3	Vertical	107	1.95	-	41.45	12.96	41.38
AV	17.862G	48.38	54.00	-5.62	35.42	3	Vertical	107	1.95	-	41.42	12.95	41.41

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT Y\_1TX  
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90175G	53.12	74.00	-20.88	48.08	3	Horizontal	92	2.33	-	38.60	9.68	43.24
AV	11.8992G	40.82	54.00	-13.18	35.78	3	Horizontal	92	2.33	-	38.60	9.68	43.24
PK	17.86587G	61.24	74.00	-12.76	48.26	3	Horizontal	290	1.61	-	41.43	12.95	41.40
AV	17.86578G	48.26	54.00	-5.74	35.28	3	Horizontal	290	1.61	-	41.43	12.95	41.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT Y\_1TX  
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82747G	55.89	83.54	-27.65	46.40	1	Vertical	360	2.11	-	38.94	20.82	50.27
AV	23.82033G	41.56	63.54	-21.98	32.03	1	Vertical	360	2.11	-	38.98	20.82	50.27

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX








EUT Y\_1TX  
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82543G	56.14	83.54	-27.40	46.64	1	Horizontal	176	1.86	-	38.95	20.82	50.27
AV	23.82006G	41.55	63.54	-21.99	32.02	1	Horizontal	176	1.86	-	38.98	20.82	50.27

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39888G	53.34	74.00	-20.66	48.12	3	Vertical	144	2.14	-	38.50	9.88	43.16
AV	12.37623G	40.70	54.00	-13.30	35.55	3	Vertical	144	2.14	-	38.45	9.87	43.17

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39477G	54.05	74.00	-19.95	48.84	3	Horizontal	348	1.62	-	38.49	9.88	43.16
AV	12.37614G	40.63	54.00	-13.37	35.48	3	Horizontal	348	1.62	-	38.45	9.87	43.17

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 27





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58137G	61.85	83.54	-21.69	55.64	1	Vertical	292	1.90	-	37.70	18.89	50.38
AV	18.5874G	46.84	63.54	-16.70	40.63	1	Vertical	292	1.90	-	37.70	18.90	50.39



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58365G	60.15	83.54	-23.39	53.93	1	Horizontal	302	1.48	-	37.70	18.90	50.38
AV	18.58524G	46.93	63.54	-16.61	40.72	1	Horizontal	302	1.48	-	37.70	18.90	50.39

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT Y\_1TX  
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84137G	55.08	88.20	-33.12	48.67	3	Vertical	280	1.72	-	39.17	10.05	42.81
RMS	12.84107G	41.67	68.20	-26.53	35.27	3	Vertical	280	1.72	-	39.16	10.05	42.81

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT Y\_1TX  
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84359G	55.70	88.20	-32.50	49.29	3	Horizontal	98	1.63	-	39.17	10.05	42.81
RMS	12.83381G	41.70	68.20	-26.50	35.33	3	Horizontal	98	1.63	-	39.14	10.05	42.82

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_Y\_1TX  
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24494G	65.06	83.54	-18.48	58.88	1	Vertical	12	2.00	-	37.91	19.36	51.09
AV	19.24764G	51.07	63.54	-12.47	44.91	1	Vertical	12	2.00	-	37.90	19.36	51.10

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_Y\_1TX  
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24401G	60.33	83.54	-23.21	54.16	1	Horizontal	57	1.80	-	37.91	19.35	51.09
AV	19.24275G	46.56	63.54	-16.98	40.39	1	Horizontal	57	1.80	-	37.91	19.35	51.09

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06711G	55.72	88.20	-32.48	48.81	3	Vertical	242	1.83	-	39.43	10.14	42.66
RMS	13.07097G	42.32	68.20	-25.88	35.41	3	Vertical	242	1.83	-	39.44	10.14	42.67

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07358G	56.10	88.20	-32.10	49.18	3	Horizontal	199	2.42	-	39.45	10.14	42.67
RMS	13.07333G	42.43	68.20	-25.77	35.51	3	Horizontal	199	2.42	-	39.45	10.14	42.67

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60989G	60.96	83.54	-22.58	55.00	1	Vertical	28	2.94	-	37.86	19.61	51.51
AV	19.60266G	43.44	63.54	-20.10	37.52	1	Vertical	28	2.94	-	37.82	19.60	51.50



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60941G	60.62	83.54	-22.92	54.66	1	Horizontal	28	1.93	-	37.86	19.61	51.51
AV	19.60995G	43.30	63.54	-20.24	37.34	1	Horizontal	28	1.93	-	37.86	19.61	51.51

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39224G	56.58	74.00	-17.42	49.05	3	Vertical	37	1.22	-	40.00	10.27	42.74
AV	13.38886G	42.81	54.00	-11.19	35.29	3	Vertical	37	1.22	-	40.00	10.26	42.74

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38977G	55.95	74.00	-18.05	48.42	3	Horizontal	15	2.51	-	40.00	10.27	42.74
AV	13.38674G	42.79	54.00	-11.21	35.27	3	Horizontal	15	2.51	-	40.00	10.26	42.74

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09586G	56.16	83.54	-27.38	50.33	1	Vertical	65	1.52	-	37.88	19.87	51.92
AV	20.08941G	39.36	63.54	-24.18	33.55	1	Vertical	65	1.52	-	37.86	19.87	51.92

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09193G	54.74	83.54	-28.80	48.92	1	Horizontal	126	2.18	-	37.87	19.87	51.92
AV	20.09013G	39.33	63.54	-24.21	33.52	1	Horizontal	126	2.18	-	37.86	19.87	51.92

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69647G	57.28	88.20	-30.92	49.34	3	Vertical	219	1.13	-	40.20	10.38	42.64
RMS	13.69527G	44.09	68.20	-24.11	36.15	3	Vertical	219	1.13	-	40.20	10.38	42.64

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69902G	57.32	88.20	-30.88	49.38	3	Horizontal	356	1.55	-	40.20	10.38	42.64
RMS	13.69788G	44.05	68.20	-24.15	36.11	3	Horizontal	356	1.55	-	40.20	10.38	42.64

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56842G	55.94	83.54	-27.60	50.18	1	Vertical	178	1.09	-	37.94	19.83	52.01
AV	20.56728G	40.96	63.54	-22.58	35.21	1	Vertical	178	1.09	-	37.93	19.83	52.01



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56671G	55.78	83.54	-27.76	50.03	1	Horizontal	119	1.26	-	37.93	19.83	52.01
AV	20.56701G	40.86	63.54	-22.68	35.11	1	Horizontal	119	1.26	-	37.93	19.83	52.01

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_Y\_1TX  
 SET 23  
 26\20\23\24.5\24\18\21\22.5\23  
 -13.86\15.95\1.21\1-5.98\1-3.67\18.65\13.12\4.55\1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	81.63	88.20	-6.57	73.98	3	Vertical	7	1.80	23	34.85	6.31	33.51
RMS	5.925G	67.03	68.20	-1.17	59.38	3	Vertical	7	1.80	23	34.85	6.31	33.51
PK	5.963G	115.59	Inf	-Inf	107.76	3	Vertical	7	1.80	23	35.00	6.35	33.52
RMS	5.967G	103.05	Inf	-Inf	95.22	3	Vertical	7	1.80	23	35.00	6.35	33.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	79.86	88.20	-8.34	72.21	3	Horizontal	47	1.62	23	34.85	6.31	33.51
RMS	5.925G	66.43	68.20	-1.77	58.78	3	Horizontal	47	1.62	23	34.85	6.31	33.51
PK	5.9552G	115.12	Inf	-Inf	107.30	3	Horizontal	47	1.62	23	35.00	6.34	33.52
RMS	5.9672G	103.18	Inf	-Inf	95.35	3	Horizontal	47	1.62	23	35.00	6.35	33.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX








EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9331G	54.13	74.00	-19.87	49.06	3	Vertical	322	1.07	-	38.60	9.70	43.23
AV	11.93356G	40.79	54.00	-13.21	35.72	3	Vertical	322	1.07	-	38.60	9.70	43.23
PK	17.90343G	60.86	74.00	-13.14	47.71	3	Vertical	75	1.35	-	41.51	12.98	41.34
AV	17.88081G	47.85	54.00	-6.15	34.81	3	Vertical	75	1.35	-	41.46	12.96	41.38

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93236G	54.32	74.00	-19.68	49.25	3	Horizontal	263	1.12	-	38.60	9.70	43.23
AV	11.93345G	40.68	54.00	-13.32	35.61	3	Horizontal	263	1.12	-	38.60	9.70	43.23
PK	17.88597G	60.82	74.00	-13.18	47.75	3	Horizontal	196	1.24	-	41.47	12.97	41.37
AV	17.88294G	47.83	54.00	-6.17	34.76	3	Horizontal	196	1.24	-	41.47	12.97	41.37

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84587G	52.60	83.54	-30.94	43.20	1	Vertical	160	1.05	-	38.82	20.84	50.26
AV	23.87455G	38.79	63.54	-24.75	29.39	1	Vertical	160	1.05	-	38.80	20.85	50.25

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.87485G	51.69	83.54	-31.85	42.29	1	Horizontal	121	2.70	-	38.80	20.85	50.25
AV	23.84728G	38.68	63.54	-24.86	29.28	1	Horizontal	121	2.70	-	38.82	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41936G	53.59	74.00	-20.41	48.36	3	Vertical	149	1.93	-	38.50	9.89	43.16
AV	12.42338G	41.18	54.00	-12.82	35.95	3	Vertical	149	1.93	-	38.50	9.89	43.16



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4151G	54.28	74.00	-19.72	49.05	3	Horizontal	157	1.79	-	38.50	9.89	43.16
AV	12.42221G	41.19	54.00	-12.81	35.96	3	Horizontal	157	1.79	-	38.50	9.89	43.16

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61704G	54.52	83.54	-29.02	48.29	1	Vertical	58	1.80	-	37.73	18.92	50.42
AV	18.61983G	39.07	63.54	-24.47	32.83	1	Vertical	58	1.80	-	37.74	18.92	50.42

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60294G	52.19	83.54	-31.35	45.97	1	Horizontal	277	1.00	-	37.71	18.91	50.40
AV	18.62457G	39.32	63.54	-24.22	33.07	1	Horizontal	277	1.00	-	37.75	18.92	50.42

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80959G	54.87	88.20	-33.33	48.63	3	Vertical	333	2.11	-	39.04	10.04	42.84
RMS	12.81375G	41.28	68.20	-26.92	35.03	3	Vertical	333	2.11	-	39.05	10.04	42.84

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81378G	54.50	88.20	-33.70	48.24	3	Horizontal	11	2.08	-	39.06	10.04	42.84
RMS	12.80699G	41.32	68.20	-26.88	35.09	3	Horizontal	11	2.08	-	39.03	10.04	42.84

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21962G	48.45	83.54	-35.09	42.21	1	Vertical	265	1.30	-	37.96	19.34	51.06
AV	19.2159G	35.47	63.54	-28.07	29.22	1	Vertical	265	1.30	-	37.97	19.34	51.06

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22937G	48.17	83.54	-35.37	41.97	1	Horizontal	188	2.31	-	37.94	19.34	51.08
AV	19.22079G	35.53	63.54	-28.01	29.29	1	Horizontal	188	2.31	-	37.96	19.34	51.06

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12582G	57.20	88.20	-31.00	50.17	3	Vertical	44	2.52	-	39.55	10.16	42.68
RMS	13.13399G	42.94	68.20	-25.26	35.88	3	Vertical	44	2.52	-	39.57	10.17	42.68



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12674G	56.77	88.20	-31.43	49.74	3	Horizontal	211	2.64	-	39.55	10.16	42.68
RMS	13.1339G	42.85	68.20	-25.35	35.79	3	Horizontal	211	2.64	-	39.57	10.17	42.68

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.71076G	54.39	83.54	-29.15	48.50	1	Vertical	39	1.80	-	37.82	19.68	51.61
AV	19.70956G	40.53	63.54	-23.01	34.64	1	Vertical	39	1.80	-	37.82	19.68	51.61

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69254G	49.50	83.54	-34.04	43.58	1	Horizontal	222	1.59	-	37.84	19.67	51.59
AV	19.69926G	36.35	63.54	-27.19	30.48	1	Horizontal	222	1.59	-	37.80	19.67	51.60

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37274G	56.36	74.00	-17.64	48.83	3	Vertical	332	2.55	-	40.00	10.26	42.73
AV	13.36953G	43.04	54.00	-10.96	35.51	3	Vertical	332	2.55	-	40.00	10.26	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36757G	56.07	74.00	-17.93	48.54	3	Horizontal	284	1.09	-	40.00	10.26	42.73
AV	13.36584G	42.98	54.00	-11.02	35.45	3	Horizontal	284	1.09	-	40.00	10.26	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0691G	49.13	83.54	-34.41	43.39	1	Vertical	295	1.77	-	37.78	19.87	51.91
AV	20.04033G	35.81	63.54	-27.73	30.12	1	Vertical	295	1.77	-	37.72	19.88	51.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06508G	48.82	83.54	-34.72	43.10	1	Horizontal	88	2.92	-	37.76	19.87	51.91
AV	20.04234G	35.76	63.54	-27.78	30.07	1	Horizontal	88	2.92	-	37.72	19.88	51.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68992G	57.06	88.20	-31.14	49.13	3	Vertical	188	2.25	-	40.20	10.38	42.65
RMS	13.69212G	44.02	68.20	-24.18	36.08	3	Vertical	188	2.25	-	40.20	10.38	42.64



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68711G	57.52	88.20	-30.68	49.59	3	Horizontal	223	1.22	-	40.20	10.38	42.65
RMS	13.69295G	44.03	68.20	-24.17	36.09	3	Horizontal	223	1.22	-	40.20	10.38	42.64

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53524G	65.53	83.54	-18.01	59.90	1	Vertical	56	1.51	-	37.81	19.83	52.01
AV	20.53828G	52.11	63.54	-11.43	46.46	1	Vertical	56	1.51	-	37.83	19.83	52.01

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5333G	65.66	83.54	-17.88	60.04	1	Horizontal	52	1.92	-	37.80	19.83	52.01
AV	20.53748G	51.62	63.54	-11.92	45.98	1	Horizontal	52	1.92	-	37.82	19.83	52.01

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


24/10/2023

EUT Y\_1TX  
SET 23  
26\20\23\24.5\24\18\21\22.5\23  
-13.27\16.48\0.67\6.84\4.03\18.72\13.50\3.90\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	80.53	88.20	-7.67	72.90	3	Vertical	8	1.84	23	34.83	6.31	33.51
RMS	5.9242G	67.47	68.20	-0.73	59.82	3	Vertical	8	1.84	23	34.85	6.31	33.51
PK	6.0066G	112.65	Inf	-Inf	104.79	3	Vertical	8	1.84	23	35.00	6.39	33.53
RMS	5.9962G	100.31	Inf	-Inf	92.46	3	Vertical	8	1.84	23	35.00	6.38	33.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	81.69	88.20	-6.51	74.07	3	Horizontal	46	1.75	23	34.82	6.31	33.51
RMS	5.9242G	67.07	68.20	-1.13	59.42	3	Horizontal	46	1.75	23	34.85	6.31	33.51
PK	6.0034G	112.52	Inf	-Inf	104.67	3	Horizontal	46	1.75	23	35.00	6.38	33.53
RMS	5.981G	99.96	Inf	-Inf	92.12	3	Horizontal	46	1.75	23	35.00	6.36	33.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9664G	54.05	74.00	-19.95	48.97	3	Vertical	238	2.99	-	38.60	9.71	43.23
AV	11.97475G	40.67	54.00	-13.33	35.57	3	Vertical	238	2.99	-	38.60	9.72	43.22
PK	17.95168G	61.40	74.00	-12.60	48.05	3	Vertical	250	2.27	-	41.60	13.02	41.27
AV	17.95915G	47.79	54.00	-6.21	34.41	3	Vertical	250	2.27	-	41.60	13.03	41.25

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




24/10/2023

EUT Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96924G	54.18	74.00	-19.82	49.09	3	Horizontal	55	2.37	-	38.60	9.71	43.22
AV	11.97259G	40.50	54.00	-13.50	35.40	3	Horizontal	55	2.37	-	38.60	9.72	43.22
PK	17.95602G	61.35	74.00	-12.65	47.99	3	Horizontal	309	1.66	-	41.60	13.02	41.26
AV	17.96G	47.85	54.00	-6.15	34.47	3	Horizontal	309	1.66	-	41.60	13.03	41.25

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94963G	51.73	83.54	-31.81	42.15	1	Vertical	195	1.65	-	38.90	20.90	50.22
AV	23.92665G	38.86	63.54	-24.68	29.36	1	Vertical	195	1.65	-	38.85	20.88	50.23



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95428G	52.33	83.54	-31.21	42.73	1	Horizontal	164	2.95	-	38.92	20.90	50.22
AV	23.93838G	38.74	63.54	-24.80	29.19	1	Horizontal	164	2.95	-	38.88	20.89	50.22

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45313G	54.23	74.00	-19.77	48.99	3	Vertical	228	1.12	-	38.50	9.90	43.16
AV	12.45296G	40.84	54.00	-13.16	35.60	3	Vertical	228	1.12	-	38.50	9.90	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45383G	54.02	74.00	-19.98	48.78	3	Horizontal	204	1.04	-	38.50	9.90	43.16
AV	12.45287G	40.72	54.00	-13.28	35.48	3	Horizontal	204	1.04	-	38.50	9.90	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66282G	49.53	83.54	-34.01	43.29	1	Vertical	182	1.60	-	37.75	18.95	50.46
AV	18.66024G	37.21	63.54	-26.33	30.96	1	Vertical	182	1.60	-	37.76	18.95	50.46

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67362G	49.30	83.54	-34.24	43.10	1	Horizontal	4	2.45	-	37.71	18.96	50.47
AV	18.66021G	37.35	63.54	-26.19	31.10	1	Horizontal	4	2.45	-	37.76	18.95	50.46

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77496G	55.66	88.20	-32.54	49.61	3	Vertical	186	2.82	-	38.90	10.03	42.88
RMS	12.7748G	41.15	68.20	-27.05	35.10	3	Vertical	186	2.82	-	38.90	10.03	42.88

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76748G	54.52	88.20	-33.68	48.50	3	Horizontal	303	2.19	-	38.87	10.03	42.88
RMS	12.77112G	41.12	68.20	-27.08	35.09	3	Horizontal	303	2.19	-	38.88	10.03	42.88

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12004G	55.16	83.54	-28.38	49.01	1	Vertical	333	1.80	-	37.82	19.27	50.94
AV	19.12708G	41.35	63.54	-22.19	35.24	1	Vertical	333	1.80	-	37.79	19.27	50.95



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15887G	51.07	83.54	-32.47	45.01	1	Horizontal	287	1.38	-	37.75	19.30	50.99
AV	19.14186G	37.75	63.54	-25.79	31.71	1	Horizontal	287	1.38	-	37.73	19.28	50.97

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2481G	56.66	88.20	-31.54	49.35	3	Vertical	294	2.80	-	39.80	10.21	42.70
RM	13.24724G	43.19	68.20	-25.01	35.89	3	Vertical	294	2.80	-	39.79	10.21	42.70

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX








EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24551G	57.05	88.20	-31.15	49.75	3	Horizontal	194	1.24	-	39.79	10.21	42.70
RMS	13.24933G	43.23	68.20	-24.97	35.92	3	Horizontal	194	1.24	-	39.80	10.21	42.70

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


25/10/2023

EUT\_Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86332G	56.93	83.54	-26.61	51.22	1	Vertical	43	1.80	-	37.68	19.79	51.76
AV	19.86868G	43.06	63.54	-20.48	37.33	1	Vertical	43	1.80	-	37.71	19.79	51.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88889G	49.53	83.54	-34.01	43.69	1	Horizontal	205	2.70	-	37.83	19.80	51.79
AV	19.86609G	36.57	63.54	-26.97	30.85	1	Horizontal	205	2.70	-	37.70	19.79	51.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4081G	57.49	88.20	-30.71	49.94	3	Vertical	236	2.02	-	40.02	10.27	42.74
RMS	13.40534G	42.62	68.20	-25.58	35.08	3	Vertical	236	2.02	-	40.01	10.27	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40762G	56.15	88.20	-32.05	48.60	3	Horizontal	350	1.53	-	40.02	10.27	42.74
RMS	13.40849G	42.64	68.20	-25.56	35.09	3	Horizontal	350	1.53	-	40.02	10.27	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0978G	58.25	83.54	-25.29	52.41	1	Vertical	334	1.97	-	37.89	19.87	51.92
AV	20.09564G	44.21	63.54	-19.33	38.38	1	Vertical	334	1.97	-	37.88	19.87	51.92



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1129G	48.47	83.54	-35.07	42.70	1	Horizontal	8	2.96	-	37.82	19.87	51.92
AV	20.10498G	36.04	63.54	-27.50	30.22	1	Horizontal	8	2.96	-	37.87	19.87	51.92

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57374G	56.91	88.20	-31.29	49.09	3	Vertical	88	2.06	-	40.20	10.34	42.72
RMS	13.56819G	43.59	68.20	-24.61	35.78	3	Vertical	88	2.06	-	40.20	10.33	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56539G	57.00	88.20	-31.20	49.19	3	Horizontal	291	1.93	-	40.20	10.33	42.72
RMS	13.56573G	43.62	68.20	-24.58	35.81	3	Horizontal	291	1.93	-	40.20	10.33	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34492G	58.87	83.54	-24.67	52.88	1	Vertical	50	2.11	-	38.11	19.85	51.97
AV	20.3462G	44.32	63.54	-19.22	38.33	1	Vertical	50	2.11	-	38.11	19.85	51.97

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT Y\_1TX  
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34636G	50.30	83.54	-33.24	44.31	1	Horizontal	339	1.89	-	38.11	19.85	51.97
AV	20.34582G	37.28	63.54	-26.26	31.29	1	Horizontal	339	1.89	-	38.11	19.85	51.97

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUTY\_1TX  
 SET 23.5  
 25.5\19.5\22.5\24\23.5  
 -9.73\16.20\7.93\ -3.09\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	81.25	88.20	-6.95	73.62	3	Vertical	360	1.53	23.5	34.83	6.31	33.51
RMS	5.925G	67.81	68.20	-0.39	60.16	3	Vertical	360	1.53	23.5	34.85	6.31	33.51
PK	6.069G	113.21	Inf	-Inf	105.24	3	Vertical	360	1.53	23.5	35.04	6.46	33.53
RMS	6.0554G	99.95	Inf	-Inf	92.03	3	Vertical	360	1.53	23.5	35.01	6.44	33.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT Y\_1TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	79.61	88.20	-8.59	72.01	3	Horizontal	48	1.70	23.5	34.80	6.31	33.51
RMS	5.9242G	67.26	68.20	-0.94	59.61	3	Horizontal	48	1.70	23.5	34.85	6.31	33.51
PK	6.0394G	111.88	Inf	-Inf	103.98	3	Horizontal	48	1.70	23.5	35.00	6.43	33.53
RMS	6.0514G	99.08	Inf	-Inf	91.17	3	Horizontal	48	1.70	23.5	35.00	6.44	33.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT Y\_1TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05374G	53.62	74.00	-20.38	48.58	3	Vertical	330	1.99	-	38.50	9.75	43.21
AV	12.04595G	40.61	54.00	-13.39	35.56	3	Vertical	330	1.99	-	38.51	9.75	43.21



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT Y\_1TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04836G	54.81	74.00	-19.19	49.77	3	Horizontal	218	1.52	-	38.50	9.75	43.21
AV	12.05302G	40.54	54.00	-13.46	35.50	3	Horizontal	218	1.52	-	38.50	9.75	43.21

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08445G	49.02	83.54	-34.52	42.65	1	Vertical	92	2.65	-	37.54	18.55	49.72
AV	18.07668G	36.20	63.54	-27.34	29.86	1	Vertical	92	2.65	-	37.51	18.54	49.71

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT Y\_1TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.075G	48.65	83.54	-34.89	42.31	1	Horizontal	1	1.02	-	37.50	18.54	49.70
AV	18.075G	35.98	63.54	-27.56	29.64	1	Horizontal	1	1.02	-	37.50	18.54	49.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36822G	54.91	74.00	-19.09	49.77	3	Vertical	129	1.94	-	38.44	9.87	43.17
AV	12.36876G	40.90	54.00	-13.10	35.76	3	Vertical	129	1.94	-	38.44	9.87	43.17

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37071G	54.34	74.00	-19.66	49.20	3	Horizontal	117	2.49	-	38.44	9.87	43.17
AV	12.36603G	40.94	54.00	-13.06	35.81	3	Horizontal	117	2.49	-	38.43	9.87	43.17

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5574G	51.13	83.54	-32.41	44.91	1	Vertical	337	1.17	-	37.70	18.88	50.36
AV	18.54162G	39.58	63.54	-23.96	33.32	1	Vertical	337	1.17	-	37.73	18.87	50.34

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56436G	49.56	83.54	-33.98	43.34	1	Horizontal	86	1.43	-	37.70	18.88	50.36
AV	18.5406G	39.04	63.54	-24.50	32.77	1	Horizontal	86	1.43	-	37.74	18.87	50.34

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69272G	54.92	74.00	-19.08	49.09	3	Vertical	112	2.23	-	38.79	10.00	42.96
AV	12.68937G	41.38	54.00	-12.62	35.56	3	Vertical	112	2.23	-	38.78	10.00	42.96



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT Y\_1TX  
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68553G	55.08	74.00	-18.92	49.28	3	Horizontal	275	1.00	-	38.77	9.99	42.96
AV	12.68961G	41.40	54.00	-12.60	35.58	3	Horizontal	275	1.00	-	38.78	10.00	42.96

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT Y\_1TX  
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03194G	49.71	83.54	-33.83	43.44	1	Vertical	232	1.98	-	37.90	19.21	50.84
AV	19.02192G	36.37	63.54	-27.17	30.10	1	Vertical	232	1.98	-	37.90	19.20	50.83

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02387G	48.69	83.54	-34.85	42.42	1	Horizontal	292	1.76	-	37.90	19.20	50.83
AV	19.0296G	36.45	63.54	-27.09	30.18	1	Horizontal	292	1.76	-	37.90	19.21	50.84

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33462G	57.83	74.00	-16.17	50.34	3	Vertical	29	1.05	-	39.97	10.24	42.72
AV	13.3302G	43.13	54.00	-10.87	35.65	3	Vertical	29	1.05	-	39.96	10.24	42.72

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33346G	56.33	74.00	-17.67	48.84	3	Horizontal	214	1.81	-	39.97	10.24	42.72
AV	13.33276G	43.08	54.00	-10.92	35.59	3	Horizontal	214	1.81	-	39.97	10.24	42.72

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98354G	50.19	83.54	-33.35	44.40	1	Vertical	195	2.72	-	37.80	19.87	51.88
AV	19.98828G	36.24	63.54	-27.30	30.46	1	Vertical	195	2.72	-	37.80	19.87	51.89

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00688G	50.39	83.54	-33.15	44.62	1	Horizontal	76	1.49	-	37.79	19.88	51.90
AV	19.98348G	36.29	63.54	-27.25	30.50	1	Horizontal	76	1.49	-	37.80	19.87	51.88

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT Y\_1TX  
 SET 26.5  
 28\22\23\26.5\27\26.5  
 -12.66\14.48\3.90\0.57\ -1.69\0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9247G	80.89	88.20	-7.31	73.24	3	Vertical	360	1.56	26.5	34.85	6.31	33.51
AV	5.9248G	67.57	68.20	-0.63	59.92	3	Vertical	360	1.56	26.5	34.85	6.31	33.51
PK	5.9565G	121.32	Inf	-Inf	113.50	3	Vertical	360	1.56	26.5	35.00	6.34	33.52
AV	5.9589G	109.02	Inf	-Inf	101.20	3	Vertical	360	1.56	26.5	35.00	6.34	33.52



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX








EUT\_Y\_1TX  
 SET 26  
 26.5\24.5\25.5\26  
 -0.58\4.14\1.82\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	80.65	88.20	-7.55	73.02	3	Horizontal	42	1.80	26	34.83	6.31	33.51
AV	5.9249G	67.13	68.20	-1.07	59.48	3	Horizontal	42	1.80	26	34.85	6.31	33.51
PK	5.9611G	121.03	Inf	-Inf	113.21	3	Horizontal	42	1.80	26	35.00	6.34	33.52
AV	5.9607G	108.35	Inf	-Inf	100.53	3	Horizontal	42	1.80	26	35.00	6.34	33.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023





EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91029G	53.67	74.00	-20.33	48.62	3	Vertical	185	2.00	-	38.60	9.68	43.23
AV	11.90887G	40.52	54.00	-13.48	35.47	3	Vertical	185	2.00	-	38.60	9.68	43.23
PK	17.86035G	61.72	74.00	-12.28	48.76	3	Vertical	264	2.86	-	41.42	12.95	41.41
AV	17.86508G	48.22	54.00	-5.78	35.24	3	Vertical	264	2.86	-	41.43	12.95	41.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90695G	54.44	74.00	-19.56	49.39	3	Horizontal	222	2.02	-	38.60	9.68	43.23
AV	11.90866G	40.49	54.00	-13.51	35.44	3	Horizontal	222	2.02	-	38.60	9.68	43.23
PK	17.86169G	61.24	74.00	-12.76	48.28	3	Horizontal	11	2.30	-	41.42	12.95	41.41
AV	17.86522G	48.22	54.00	-5.78	35.24	3	Horizontal	11	2.30	-	41.43	12.95	41.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8408G	50.05	83.54	-33.49	40.62	1	Vertical	233	1.88	-	38.86	20.83	50.26
AV	23.79056G	37.81	63.54	-25.73	28.17	1	Vertical	233	1.88	-	39.12	20.80	50.28

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.79496G	50.40	83.54	-33.14	40.77	1	Horizontal	196	2.61	-	39.11	20.80	50.28
AV	23.79424G	37.85	63.54	-25.69	28.22	1	Horizontal	196	2.61	-	39.11	20.80	50.28

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38703G	54.33	74.00	-19.67	49.15	3	Vertical	282	1.80	-	38.47	9.88	43.17
AV	12.38094G	40.68	54.00	-13.32	35.51	3	Vertical	282	1.80	-	38.46	9.88	43.17

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37767G	53.87	74.00	-20.13	48.70	3	Horizontal	126	1.47	-	38.46	9.88	43.17
AV	12.37575G	40.70	54.00	-13.30	35.55	3	Horizontal	126	1.47	-	38.45	9.87	43.17

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58341G	65.54	83.54	-18.00	59.32	1	Vertical	-0	1.93	-	37.70	18.90	50.38
AV	18.58494G	49.64	63.54	-13.90	43.42	1	Vertical	-0	1.93	-	37.70	18.90	50.38



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58797G	66.29	83.54	-17.25	60.08	1	Horizontal	273	2.54	-	37.70	18.90	50.39
AV	18.58734G	49.49	63.54	-14.05	43.28	1	Horizontal	273	2.54	-	37.70	18.90	50.39

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




24/10/2023





EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83037G	55.07	88.20	-33.13	48.72	3	Vertical	112	2.75	-	39.12	10.05	42.82
RMS	12.83021G	41.90	68.20	-26.30	35.55	3	Vertical	112	2.75	-	39.12	10.05	42.82

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8333G	55.99	88.20	-32.21	49.63	3	Horizontal	283	1.35	-	39.13	10.05	42.82
RMS	12.83113G	41.86	68.20	-26.34	35.51	3	Horizontal	283	1.35	-	39.12	10.05	42.82

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24296G	64.43	83.54	-19.11	58.26	1	Vertical	309	1.82	-	37.91	19.35	51.09
AV	19.24521G	50.99	63.54	-12.55	44.81	1	Vertical	309	1.82	-	37.91	19.36	51.09

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24254G	64.20	83.54	-19.34	58.03	1	Horizontal	144	2.29	-	37.91	19.35	51.09
AV	19.24572G	50.73	63.54	-12.81	44.55	1	Horizontal	144	2.29	-	37.91	19.36	51.09

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07288G	56.54	88.20	-31.66	49.62	3	Vertical	189	1.84	-	39.45	10.14	42.67
RMS	13.07308G	42.55	68.20	-25.65	35.63	3	Vertical	189	1.84	-	39.45	10.14	42.67

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX








EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06708G	56.38	88.20	-31.62	49.67	3	Horizontal	324	2.75	-	39.43	10.14	42.66
RMS	13.0678G	42.55	68.20	-25.65	35.63	3	Horizontal	324	2.75	-	39.44	10.14	42.66

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 

24/10/2023


EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61316G	56.38	83.54	-27.16	50.40	1	Vertical	230	1.48	-	37.88	19.61	51.51
AV	19.61766G	42.83	63.54	-20.71	36.83	1	Vertical	230	1.48	-	37.91	19.61	51.52



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59258G	55.22	83.54	-28.32	49.27	1	Horizontal	345	2.92	-	37.84	19.60	51.49
AV	19.6149G	42.81	63.54	-20.73	36.82	1	Horizontal	345	2.92	-	37.89	19.61	51.51

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39G	56.48	74.00	-17.52	48.95	3	Vertical	79	2.77	-	40.00	10.27	42.74
AV	13.38775G	42.96	54.00	-11.04	35.44	3	Vertical	79	2.77	-	40.00	10.26	42.74

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39014G	56.50	74.00	-17.50	48.97	3	Horizontal	349	2.23	-	40.00	10.27	42.74
AV	13.3851G	42.93	54.00	-11.07	35.40	3	Horizontal	349	2.23	-	40.00	10.26	42.73

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07651G	46.13	83.54	-37.41	40.37	1	Vertical	169	1.16	-	37.81	19.87	51.92
AV	20.07243G	42.61	63.54	-20.93	36.86	1	Vertical	169	1.16	-	37.79	19.87	51.91

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09157G	56.46	83.54	-27.08	50.64	1	Horizontal	72	2.06	-	37.87	19.87	51.92
AV	20.07006G	42.52	63.54	-21.02	36.78	1	Horizontal	72	2.06	-	37.78	19.87	51.91

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70627G	57.49	88.20	-30.71	49.51	3	Vertical	131	2.80	-	40.23	10.39	42.64
RMS	13.70851G	44.07	68.20	-24.13	36.08	3	Vertical	131	2.80	-	40.23	10.39	42.63

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX








EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71417G	58.17	88.20	-30.03	50.15	3	Horizontal	183	1.84	-	40.26	10.39	42.63
RMS	13.70839G	44.02	68.20	-24.18	36.03	3	Horizontal	183	1.84	-	40.23	10.39	42.63

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 

24/10/2023


EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57934G	57.11	83.54	-26.43	51.34	1	Vertical	135	1.04	-	37.96	19.83	52.02
AV	20.55978G	43.95	63.54	-19.59	38.21	1	Vertical	135	1.04	-	37.92	19.83	52.01



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT\_Y\_1TX  
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55729G	57.81	83.54	-25.73	52.08	1	Horizontal	219	1.69	-	37.91	19.83	52.01
AV	20.56281G	43.66	63.54	-19.88	37.91	1	Horizontal	219	1.69	-	37.93	19.83	52.01

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUTY\_1TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.82	88.20	-7.38	73.17	3	Vertical	354	1.80	23	34.85	6.31	33.51
AV	5.9246G	67.93	68.20	-0.27	60.28	3	Vertical	354	1.80	23	34.85	6.31	33.51
PK	5.9662G	117.31	Inf	-Inf	109.48	3	Vertical	354	1.80	23	35.00	6.35	33.52
AV	5.966G	104.34	Inf	-Inf	96.51	3	Vertical	354	1.80	23	35.00	6.35	33.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
 SET 22.5  
 23\21\22\22.5  
 -0.40\11.11\5.87\2.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.85	88.20	-8.35	72.20	3	Horizontal	42	1.80	22.5	34.85	6.31	33.51
AV	5.9246G	65.56	68.20	-2.64	57.91	3	Horizontal	42	1.80	22.5	34.85	6.31	33.51
PK	5.9644G	116.33	Inf	-Inf	108.50	3	Horizontal	42	1.80	22.5	35.00	6.35	33.52
AV	5.9636G	103.51	Inf	-Inf	95.68	3	Horizontal	42	1.80	22.5	35.00	6.35	33.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9313G	54.21	74.00	-19.79	49.15	3	Vertical	210	2.49	-	38.60	9.69	43.23
AV	11.93334G	40.68	54.00	-13.32	35.61	3	Vertical	210	2.49	-	38.60	9.70	43.23
PK	17.8911G	60.93	74.00	-13.07	47.84	3	Vertical	98	1.50	-	41.48	12.97	41.36
AV	17.8803G	47.93	54.00	-6.07	34.89	3	Vertical	98	1.50	-	41.46	12.96	41.38

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93103G	53.91	74.00	-20.09	48.85	3	Horizontal	238	1.55	-	38.60	9.69	43.23
AV	11.93342G	40.70	54.00	-13.30	35.63	3	Horizontal	238	1.55	-	38.60	9.70	43.23
PK	17.90961G	60.49	74.00	-13.51	47.31	3	Horizontal	165	2.15	-	41.52	12.99	41.33
AV	17.88033G	48.05	54.00	-5.95	35.01	3	Horizontal	165	2.15	-	41.46	12.96	41.38

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85736G	52.32	83.54	-31.22	42.94	1	Vertical	327	2.92	-	38.80	20.84	50.26
AV	23.85598G	38.85	63.54	-24.69	29.47	1	Vertical	327	2.92	-	38.80	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT Y\_1TX  
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8462G	52.50	83.54	-31.04	43.10	1	Horizontal	43	1.70	-	38.82	20.84	50.26
AV	23.8474G	38.83	63.54	-24.71	29.43	1	Horizontal	43	1.70	-	38.82	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41455G	54.26	74.00	-19.74	49.03	3	Vertical	62	1.40	-	38.50	9.89	43.16
AV	12.41073G	40.55	54.00	-13.45	35.32	3	Vertical	62	1.40	-	38.50	9.89	43.16



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40899G	53.53	74.00	-20.47	48.30	3	Horizontal	22	1.11	-	38.50	9.89	43.16
AV	12.4062G	40.54	54.00	-13.46	35.31	3	Horizontal	22	1.11	-	38.50	9.89	43.16

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62052G	59.79	83.54	-23.75	53.55	1	Vertical	4	1.95	-	37.74	18.92	50.42
AV	18.6267G	46.97	63.54	-16.57	40.72	1	Vertical	4	1.95	-	37.75	18.93	50.43

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62841G	58.78	83.54	-24.76	52.52	1	Horizontal	2	1.55	-	37.76	18.93	50.43
AV	18.62475G	46.55	63.54	-16.99	40.30	1	Horizontal	2	1.55	-	37.75	18.92	50.42

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81478G	54.55	88.20	-33.65	48.29	3	Vertical	171	1.68	-	39.06	10.04	42.84
RMS	12.80542G	41.32	68.20	-26.88	35.10	3	Vertical	171	1.68	-	39.02	10.04	42.84

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80533G	55.64	88.20	-32.56	49.42	3	Horizontal	160	1.81	-	39.02	10.04	42.84
RMS	12.80507G	41.34	68.20	-26.86	35.12	3	Horizontal	160	1.81	-	39.02	10.04	42.84

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60066G	59.66	83.54	-23.88	53.45	1	Vertical	330	1.04	-	37.70	18.91	50.40
AV	18.62901G	46.36	63.54	-17.18	40.10	1	Vertical	330	1.04	-	37.76	18.93	50.43

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62892G	59.97	83.54	-23.57	53.71	1	Horizontal	63	1.00	-	37.76	18.93	50.43
AV	18.62997G	46.37	63.54	-17.17	40.11	1	Horizontal	63	1.00	-	37.76	18.93	50.43

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_Y\_1TX  
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13133G	56.49	88.20	-31.71	49.44	3	Vertical	297	2.54	-	39.56	10.17	42.68
RMS	13.13385G	42.95	68.20	-25.25	35.89	3	Vertical	297	2.54	-	39.57	10.17	42.68



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_Y\_1TX  
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13058G	56.26	88.20	-31.94	49.21	3	Horizontal	193	1.45	-	39.56	10.17	42.68
RMS	13.13402G	42.97	68.20	-25.23	35.91	3	Horizontal	193	1.45	-	39.57	10.17	42.68

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_Y\_1TX  
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6946G	62.54	83.54	-21.00	56.63	1	Vertical	305	1.68	-	37.83	19.67	51.59
AV	19.69932G	49.05	63.54	-14.49	43.18	1	Vertical	305	1.68	-	37.80	19.67	51.60

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TX







EUT\_Y\_1TX  
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6926G	62.14	83.54	-21.40	56.22	1	Horizontal	222	2.17	-	37.84	19.67	51.59
AV	19.69708G	49.14	63.54	-14.40	43.25	1	Horizontal	222	2.17	-	37.82	19.67	51.60

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36977G	56.47	74.00	-17.53	48.94	3	Vertical	342	2.13	-	40.00	10.26	42.73
AV	13.36564G	43.10	54.00	-10.90	35.57	3	Vertical	342	2.13	-	40.00	10.26	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX








EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37446G	57.04	74.00	-16.96	49.51	3	Horizontal	291	2.59	-	40.00	10.26	42.73
AV	13.36526G	43.04	54.00	-10.96	35.51	3	Horizontal	291	2.59	-	40.00	10.26	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


25/10/2023

EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0578G	69.30	83.54	-14.24	63.61	1	Vertical	312	1.80	-	37.73	19.87	51.91
AV	20.0578G	56.05	63.54	-7.49	50.36	1	Vertical	312	1.80	-	37.73	19.87	51.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0578G	68.47	83.54	-15.07	62.78	1	Horizontal	315	1.80	-	37.73	19.87	51.91
AV	20.0582G	55.45	63.54	-8.09	49.76	1	Horizontal	315	1.80	-	37.73	19.87	51.91

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68597G	57.40	88.20	-30.80	49.47	3	Vertical	142	2.49	-	40.20	10.38	42.65
RMS	13.69449G	44.02	68.20	-24.18	36.08	3	Vertical	142	2.49	-	40.20	10.38	42.64



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69012G	58.20	88.20	-30.00	50.27	3	Horizontal	235	2.26	-	40.20	10.38	42.65
RMS	13.6915G	44.12	68.20	-24.08	36.19	3	Horizontal	235	2.26	-	40.20	10.38	42.65

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53212G	72.00	83.54	-11.54	66.39	1	Vertical	347	1.83	-	37.79	19.83	52.01
AV	20.52996G	58.70	63.54	-4.84	53.10	1	Vertical	347	1.83	-	37.78	19.83	52.01

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52372G	70.17	83.54	-13.37	64.60	1	Horizontal	313	1.80	-	37.74	19.83	52.00
AV	20.52772G	57.21	63.54	-6.33	51.62	1	Horizontal	313	1.80	-	37.77	19.83	52.01

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


24/10/2023

EUT\_Y\_1TX  
SET 23  
28\13\20.5\24\22.5\23\23.5\23  
-19.22\19.54\13.73\ -3.29\4.34\1.84\ -1.22\1.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	79.12	88.20	-9.08	71.47	3	Vertical	360	1.82	23	34.85	6.31	33.51
RMS	5.9246G	66.25	68.20	-1.95	58.60	3	Vertical	360	1.82	23	34.85	6.31	33.51
PK	5.9818G	114.55	Inf	-Inf	106.71	3	Vertical	360	1.82	23	35.00	6.36	33.52
RMS	5.9826G	100.96	Inf	-Inf	93.13	3	Vertical	360	1.82	23	35.00	6.36	33.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX








EUT Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	79.85	88.20	-8.35	72.20	3	Horizontal	22	1.80	23	34.85	6.31	33.51
RMS	5.925G	66.19	68.20	-2.01	58.54	3	Horizontal	22	1.80	23	34.85	6.31	33.51
PK	6.0178G	113.14	Inf	-Inf	105.27	3	Horizontal	22	1.80	23	35.00	6.40	33.53
RMS	6.003G	100.99	Inf	-Inf	93.14	3	Horizontal	22	1.80	23	35.00	6.38	33.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97469G	55.57	74.00	-18.43	50.47	3	Vertical	316	1.46	-	38.60	9.72	43.22
AV	11.97446G	40.67	54.00	-13.33	35.57	3	Vertical	316	1.46	-	38.60	9.72	43.22
PK	17.96364G	60.93	74.00	-13.07	47.55	3	Vertical	304	1.86	-	41.60	13.03	41.25
AV	17.96895G	48.05	54.00	-5.95	34.65	3	Vertical	304	1.86	-	41.60	13.04	41.24

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97097G	54.31	74.00	-19.69	49.21	3	Horizontal	355	1.30	-	38.60	9.72	43.22
AV	11.97474G	40.80	54.00	-13.20	35.70	3	Horizontal	355	1.30	-	38.60	9.72	43.22
PK	17.96892G	60.73	74.00	-13.27	47.34	3	Horizontal	51	1.15	-	41.60	13.03	41.24
AV	17.96568G	47.94	54.00	-6.06	34.55	3	Horizontal	51	1.15	-	41.60	13.03	41.24

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9523G	52.02	83.54	-31.52	42.43	1	Vertical	50	2.82	-	38.91	20.90	50.22
AV	23.92737G	38.82	63.54	-24.72	29.31	1	Vertical	50	2.82	-	38.85	20.89	50.23



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92743G	51.74	83.54	-31.80	42.23	1	Horizontal	23	1.76	-	38.85	20.89	50.23
AV	23.925G	38.90	63.54	-24.64	29.40	1	Horizontal	23	1.76	-	38.85	20.88	50.23

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45307G	54.11	74.00	-19.89	48.87	3	Vertical	65	2.43	-	38.50	9.90	43.16
AV	12.45293G	41.08	54.00	-12.92	35.84	3	Vertical	65	2.43	-	38.50	9.90	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45309G	54.59	74.00	-19.41	49.35	3	Horizontal	114	1.32	-	38.50	9.90	43.16
AV	12.45491G	40.93	54.00	-13.07	35.68	3	Horizontal	114	1.32	-	38.50	9.91	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68684G	63.22	83.54	-20.32	57.09	1	Vertical	357	1.94	-	37.65	18.97	50.49
AV	18.68372G	50.00	63.54	-13.54	43.84	1	Vertical	357	1.94	-	37.67	18.97	50.48

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6225MHz\_TX








EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67668G	61.40	83.54	-22.14	55.23	1	Horizontal	24	1.12	-	37.69	18.96	50.48
AV	18.66708G	48.91	63.54	-14.63	42.70	1	Horizontal	24	1.12	-	37.73	18.95	50.47

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76675G	54.23	88.20	-33.97	48.21	3	Vertical	90	2.84	-	38.87	10.03	42.88
RMS	12.77389G	41.23	68.20	-26.97	35.18	3	Vertical	90	2.84	-	38.90	10.03	42.88

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77441G	54.79	88.20	-33.41	48.74	3	Horizontal	66	2.26	-	38.90	10.03	42.88
RMS	12.77488G	41.19	68.20	-27.01	35.14	3	Horizontal	66	2.26	-	38.90	10.03	42.88

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12812G	59.54	83.54	-24.00	53.43	1	Vertical	355	1.80	-	37.79	19.27	50.95
AV	19.12708G	45.96	63.54	-17.58	39.85	1	Vertical	355	1.80	-	37.79	19.27	50.95



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6385MHz\_TX






EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.13988G	57.03	83.54	-26.51	50.98	1	Horizontal	211	2.76	-	37.74	19.28	50.97
AV	19.1322G	44.93	63.54	-18.61	38.84	1	Horizontal	211	2.76	-	37.77	19.28	50.96

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24597G	56.85	88.20	-31.35	49.55	3	Vertical	54	2.34	-	39.79	10.21	42.70
RMS	13.2543G	43.16	54.00	-10.84	35.85	3	Vertical	54	2.34	-	39.81	10.21	42.71

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX








EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25012G	56.20	74.00	-17.80	48.90	3	Horizontal	135	2.29	-	39.80	10.21	42.71
RMS	13.2461G	43.14	68.20	-25.06	35.84	3	Horizontal	135	2.29	-	39.79	10.21	42.70

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8738G	65.17	83.54	-18.37	59.41	1	Vertical	332	1.96	-	37.74	19.79	51.77
AV	19.8686G	51.88	63.54	-11.66	46.15	1	Vertical	332	1.96	-	37.71	19.79	51.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87692G	52.58	83.54	-30.96	46.81	1	Horizontal	156	2.26	-	37.76	19.79	51.78
AV	19.86884G	49.84	63.54	-13.70	44.11	1	Horizontal	156	2.26	-	37.71	19.79	51.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40521G	56.36	88.20	-31.84	48.82	3	Vertical	47	2.63	-	40.01	10.27	42.74
RMS	13.40812G	42.65	68.20	-25.55	35.10	3	Vertical	47	2.63	-	40.02	10.27	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41148G	56.13	88.20	-32.07	48.58	3	Horizontal	42	2.02	-	40.02	10.27	42.74
RMS	13.40561G	42.77	68.20	-25.43	35.23	3	Horizontal	42	2.02	-	40.01	10.27	42.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10636G	68.12	83.54	-15.42	62.31	1	Vertical	313	1.80	-	37.86	19.87	51.92
AV	20.10996G	54.01	63.54	-9.53	48.22	1	Vertical	313	1.80	-	37.84	19.87	51.92



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12812G	65.12	83.54	-18.42	59.45	1	Horizontal	39	1.40	-	37.73	19.87	51.93
AV	20.11788G	51.35	63.54	-12.19	45.61	1	Horizontal	39	1.40	-	37.79	19.87	51.92

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57087G	56.99	88.20	-31.21	49.18	3	Vertical	74	1.55	-	40.20	10.33	42.72
RMS	13.57337G	43.59	68.20	-24.61	35.77	3	Vertical	74	1.55	-	40.20	10.34	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX







EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5715G	57.28	88.20	-30.92	49.46	3	Horizontal	323	2.31	-	40.20	10.34	42.72
RMS	13.5729G	43.60	68.20	-24.60	35.78	3	Horizontal	323	2.31	-	40.20	10.34	42.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


25/10/2023





EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35972G	71.89	83.54	-11.65	65.93	1	Vertical	353	2.00	-	38.08	19.85	51.97
AV	20.38052G	57.23	63.54	-6.31	51.32	1	Vertical	353	2.00	-	38.04	19.85	51.98

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


25/10/2023

EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.37812G	71.68	83.54	-11.86	65.77	1	Horizontal	350	1.94	-	38.04	19.85	51.98
AV	20.34852G	58.22	63.54	-5.32	52.24	1	Horizontal	350	1.94	-	38.10	19.85	51.97

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
 SET 23  
 28\13\20.5\24\22.5\23\23.5\23  
 -16.75\19.9\1\14.62\1-3.97\5.52\2.48\1-1.80\2.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	78.16	88.20	-10.04	70.52	3	Vertical	354	1.66	23	34.84	6.31	33.51
AV	5.9242G	65.80	68.20	-2.40	58.15	3	Vertical	354	1.66	23	34.85	6.31	33.51
PK	6.0618G	111.92	Inf	-Inf	103.98	3	Vertical	354	1.66	23	35.02	6.45	33.53
AV	6.0674G	99.48	Inf	-Inf	91.52	3	Vertical	354	1.66	23	35.03	6.46	33.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	78.18	88.20	-10.02	70.57	3	Horizontal	23	1.80	23	34.81	6.31	33.51
AV	5.925G	64.68	68.20	-3.52	57.03	3	Horizontal	23	1.80	23	34.85	6.31	33.51
PK	6.069G	111.81	Inf	-Inf	103.84	3	Horizontal	23	1.80	23	35.04	6.46	33.53
AV	6.0474G	99.79	Inf	-Inf	91.89	3	Horizontal	23	1.80	23	35.00	6.43	33.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04683G	53.96	74.00	-20.04	48.91	3	Vertical	74	1.66	-	38.51	9.75	43.21
AV	12.05177G	40.64	54.00	-13.36	35.60	3	Vertical	74	1.66	-	38.50	9.75	43.21



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05106G	53.77	74.00	-20.23	48.73	3	Horizontal	312	2.19	-	38.50	9.75	43.21
AV	12.05424G	40.61	54.00	-13.39	35.57	3	Horizontal	312	2.19	-	38.50	9.75	43.21

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX








EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08296G	49.05	83.54	-34.49	42.69	1	Vertical	274	2.67	-	37.53	18.55	49.72
AV	18.0738G	36.10	63.54	-27.44	29.76	1	Vertical	274	2.67	-	37.50	18.54	49.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


25/10/2023

EUT\_Y\_1TX  
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07878G	49.16	83.54	-34.38	42.81	1	Horizontal	82	1.67	-	37.52	18.54	49.71
AV	18.07282G	36.12	63.54	-27.42	29.79	1	Horizontal	82	1.67	-	37.49	18.54	49.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX







EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36567G	54.27	74.00	-19.73	49.14	3	Vertical	170	2.80	-	38.43	9.87	43.17
AV	12.36615G	40.76	54.00	-13.24	35.63	3	Vertical	170	2.80	-	38.43	9.87	43.17

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


24/10/2023

EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36711G	54.20	74.00	-19.80	49.07	3	Horizontal	254	1.93	-	38.43	9.87	43.17
AV	12.36557G	40.78	54.00	-13.22	35.65	3	Horizontal	254	1.93	-	38.43	9.87	43.17

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55958G	58.04	83.54	-25.50	51.82	1	Vertical	-0	1.96	-	37.70	18.88	50.36
AV	18.56024G	44.05	63.54	-19.49	37.83	1	Vertical	-0	1.96	-	37.70	18.88	50.36

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55478G	58.16	83.54	-25.38	51.93	1	Horizontal	233	2.96	-	37.70	18.88	50.35
AV	18.56296G	44.00	63.54	-19.54	37.78	1	Horizontal	233	2.96	-	37.70	18.88	50.36

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68729G	54.57	74.00	-19.43	48.77	3	Vertical	38	1.66	-	38.77	9.99	42.96
AV	12.6892G	41.20	54.00	-12.80	35.38	3	Vertical	38	1.66	-	38.78	10.00	42.96



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.688833G	54.88	74.00	-19.12	49.06	3	Horizontal	326	2.41	-	38.78	10.00	42.96
AV	12.68898G	41.25	54.00	-12.75	35.43	3	Horizontal	326	2.41	-	38.78	10.00	42.96

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02524G	59.30	83.54	-24.24	53.03	1	Vertical	356	1.92	-	37.90	19.20	50.83
AV	19.01972G	46.36	63.54	-17.18	40.08	1	Vertical	356	1.92	-	37.90	19.20	50.82

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_Y\_1TX  
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03324G	59.36	74.00	-14.64	53.09	1	Horizontal	356	1.92	-	37.90	19.21	50.84
AV	19.01748G	46.27	63.54	-17.27	39.99	1	Horizontal	356	1.92	-	37.90	19.20	50.82

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33379G	56.89	74.00	-17.11	49.40	3	Vertical	81	1.39	-	39.97	10.24	42.72
AV	13.33312G	43.20	54.00	-10.80	35.71	3	Vertical	81	1.39	-	39.97	10.24	42.72

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33256G	56.63	74.00	-17.37	49.14	3	Horizontal	245	1.93	-	39.97	10.24	42.72
AV	13.32969G	43.23	54.00	-10.77	35.75	3	Horizontal	245	1.93	-	39.96	10.24	42.72

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.96188G	55.95	83.54	-27.59	50.16	1	Vertical	35	2.86	-	37.80	19.85	51.86
AV	19.9599G	42.62	63.54	-20.92	36.83	1	Vertical	35	2.86	-	37.80	19.85	51.86

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT Y\_1TX  
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0218G	55.34	83.54	-28.20	49.60	1	Horizontal	275	2.63	-	37.76	19.88	51.90
AV	19.97404G	41.88	63.54	-21.66	36.09	1	Horizontal	275	2.63	-	37.80	19.86	51.87

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	82.07	88.20	-6.13	73.40	3	Vertical	356	1.80	23.5	34.00	7.64	32.97
AV	5.925G	65.91	68.20	-2.29	57.24	3	Vertical	356	1.80	23.5	34.00	7.64	32.97
PK	5.9541G	125.22	Inf	-Inf	116.55	3	Vertical	356	1.80	23.5	33.99	7.66	32.98
AV	5.9539G	112.19	Inf	-Inf	103.52	3	Vertical	356	1.80	23.5	33.99	7.66	32.98



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9193G	77.30	88.20	-10.90	68.63	3	Horizontal	44	1.80	23.5	34.00	7.64	32.97
AV	5.9209G	61.84	68.20	-6.36	53.17	3	Horizontal	44	1.80	23.5	34.00	7.64	32.97
PK	5.9512G	124.92	Inf	-Inf	116.24	3	Horizontal	44	1.80	23.5	34.00	7.66	32.98
AV	5.9503G	111.77	Inf	-Inf	103.09	3	Horizontal	44	1.80	23.5	34.00	7.66	32.98

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90213G	55.39	74.00	-18.61	49.16	3	Vertical	243	1.80	23.5	38.40	11.07	43.24
AV	11.89897G	42.72	54.00	-11.28	36.50	3	Vertical	243	1.80	23.5	38.40	11.06	43.24
PK	17.85569G	62.40	74.00	-11.60	47.74	3	Vertical	138	1.76	23.5	42.68	13.40	41.42
AV	17.86484G	50.14	54.00	-3.86	35.32	3	Vertical	138	1.76	23.5	42.81	13.41	41.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89086G	55.34	74.00	-18.66	49.14	3	Horizontal	315	2.09	23.5	38.38	11.06	43.24
AV	11.90996G	44.60	54.00	-9.40	38.34	3	Horizontal	315	2.09	23.5	38.42	11.07	43.23
PK	17.87683G	63.01	74.00	-10.99	48.00	3	Horizontal	118	1.80	23.5	42.98	13.41	41.38
AV	17.87455G	50.20	54.00	-3.80	35.24	3	Horizontal	118	1.80	23.5	42.94	13.41	41.39

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81772G	60.68	83.54	-22.86	51.14	1	Vertical	322	1.50	23.5	38.99	20.82	50.27
AV	23.81664G	43.29	63.54	-20.25	33.74	1	Vertical	322	1.50	23.5	39.00	20.82	50.27

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81696G	61.48	83.54	-22.06	51.93	1	Horizontal	327	1.58	23.5	39.00	20.82	50.27
AV	23.81992G	45.18	63.54	-18.36	35.65	1	Horizontal	327	1.58	23.5	38.98	20.82	50.27

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX








EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39607G	56.24	74.00	-17.76	49.52	3	Vertical	120	2.95	23.5	38.61	11.27	43.16
AV	12.40726G	43.60	54.00	-10.40	36.89	3	Vertical	120	2.95	23.5	38.60	11.27	43.16

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40227G	55.96	74.00	-18.04	49.25	3	Horizontal	270	1.80	23.5	38.60	11.27	43.16
AV	12.4093G	43.71	54.00	-10.29	36.99	3	Horizontal	270	1.80	23.5	38.60	11.28	43.16

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58188G	54.81	83.54	-28.73	48.60	1	Vertical	171	1.50	23.5	37.70	18.89	50.38
AV	18.58312G	39.48	63.54	-24.06	33.26	1	Vertical	171	1.50	23.5	37.70	18.90	50.38
PK	24.77992G	52.43	97.74	-45.31	41.52	1	Vertical	332	1.50	23.5	39.30	21.30	49.69
AV	24.78G	41.20	77.74	-36.54	30.29	1	Vertical	332	1.50	23.5	39.30	21.30	49.69



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX






EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58388G	60.50	83.54	-23.04	54.28	1	Horizontal	319	1.50	23.5	37.70	18.90	50.38
AV	18.58312G	42.25	63.54	-21.29	36.03	1	Horizontal	319	1.50	23.5	37.70	18.90	50.38
PK	24.78168G	52.00	97.74	-45.74	41.09	1	Horizontal	311	1.63	23.5	39.30	21.30	49.69
AV	24.78G	40.36	77.74	-37.38	29.45	1	Horizontal	311	1.63	23.5	39.30	21.30	49.69

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83172G	57.70	88.20	-30.50	49.42	3	Vertical	242	1.80	23.5	39.66	11.44	42.82
AV	12.81777G	44.90	68.20	-23.30	36.66	3	Vertical	242	1.80	23.5	39.64	11.43	42.83

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81705G	58.07	88.20	-30.13	49.84	3	Horizontal	103	2.09	23.5	39.63	11.43	42.83
AV	12.81757G	44.96	68.20	-23.24	36.72	3	Horizontal	103	2.09	23.5	39.64	11.43	42.83

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX








EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23781G	62.19	83.54	-21.35	56.01	1	Vertical	320	1.59	23.5	37.92	19.35	51.09
AV	19.24824G	43.80	63.54	-19.74	37.64	1	Vertical	320	1.59	23.5	37.90	19.36	51.10
PK	25.65864G	60.66	97.74	-37.08	48.97	1	Vertical	331	1.68	23.5	39.27	21.72	49.30
AV	25.66012G	43.91	77.74	-33.83	32.23	1	Vertical	331	1.68	23.5	39.26	21.72	49.30

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24384G	62.16	83.54	-21.38	55.99	1	Horizontal	316	1.47	23.5	37.91	19.35	51.09
AV	19.2434G	44.88	63.54	-18.66	38.71	1	Horizontal	316	1.47	23.5	37.91	19.35	51.09
PK	25.65672G	52.75	97.74	-44.99	41.06	1	Horizontal	318	1.73	23.5	39.27	21.72	49.30
AV	25.66012G	39.69	77.74	-38.05	28.01	1	Horizontal	318	1.73	23.5	39.26	21.72	49.30

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08243G	57.14	88.20	-31.06	48.68	3	Vertical	320	1.80	22	39.60	11.53	42.67
AV	13.05865G	44.94	68.20	-23.26	36.48	3	Vertical	320	1.80	22	39.60	11.52	42.66

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05154G	57.07	88.20	-31.13	48.61	3	Horizontal	10	1.80	22	39.60	11.52	42.66
AV	13.06856G	44.75	68.20	-23.45	36.29	3	Horizontal	10	1.80	22	39.60	11.53	42.67

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6036G	64.28	83.54	-19.26	58.36	1	Vertical	305	1.75	22	37.82	19.60	51.50
AV	19.60576G	45.05	63.54	-18.49	39.12	1	Vertical	305	1.75	22	37.83	19.61	51.51
PK	26.13996G	52.05	97.74	-45.69	40.09	1	Vertical	308	1.50	22	39.30	21.90	49.24
AV	26.14G	43.53	77.74	-34.21	31.57	1	Vertical	308	1.50	22	39.30	21.90	49.24



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60468G	63.61	83.54	-19.93	57.67	1	Horizontal	304	1.71	22	37.83	19.61	51.50
AV	19.60568G	44.89	63.54	-18.65	38.96	1	Horizontal	304	1.71	22	37.83	19.61	51.51
PK	26.14008G	51.97	97.74	-45.77	40.01	1	Horizontal	308	1.50	22	39.30	21.90	49.24
AV	26.14008G	43.61	77.74	-34.13	31.65	1	Horizontal	308	1.50	22	39.30	21.90	49.24

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40922G	58.72	88.20	-29.48	49.56	3	Vertical	311	1.47	22	40.24	11.66	42.74
AV	13.37685G	45.51	54.00	-8.49	36.45	3	Vertical	311	1.47	22	40.15	11.64	42.73

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38604G	57.84	74.00	-16.16	48.75	3	Horizontal	96	1.08	22	40.17	11.65	42.73
AV	13.37006G	45.20	54.00	-8.80	36.15	3	Horizontal	96	1.08	22	40.14	11.64	42.73

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08468G	66.02	83.54	-17.52	60.23	1	Vertical	306	1.74	22	37.84	19.87	51.92
AV	20.08424G	48.88	63.54	-14.66	43.09	1	Vertical	306	1.74	22	37.84	19.87	51.92
PK	26.78016G	54.22	97.74	-43.52	41.44	1	Vertical	327	1.64	22	39.88	22.00	49.10
AV	26.78008G	45.01	77.74	-32.73	32.23	1	Vertical	327	1.64	22	39.88	22.00	49.10

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08992G	64.83	83.54	-18.71	59.02	1	Horizontal	307	1.55	22	37.86	19.87	51.92
AV	20.08192G	48.94	63.54	-14.60	43.16	1	Horizontal	307	1.55	22	37.83	19.87	51.92
PK	26.79151G	55.33	97.74	-42.41	42.59	1	Horizontal	327	1.64	22	39.83	22.01	49.10
AV	26.78012G	45.22	77.74	-32.52	32.44	1	Horizontal	327	1.64	22	39.88	22.00	49.10

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70233G	57.98	88.20	-30.22	48.45	3	Vertical	350	1.80	22	40.40	11.77	42.64
AV	13.69701G	45.43	68.20	-22.77	35.92	3	Vertical	350	1.80	22	40.39	11.76	42.64

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX








EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69274G	58.25	88.20	-29.95	48.74	3	Horizontal	10	1.80	22	40.39	11.76	42.64
AV	13.72762G	45.57	68.20	-22.63	36.01	3	Horizontal	10	1.80	22	40.40	11.78	42.62

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 

27/10/2023


EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5662G	73.58	83.54	-9.96	67.83	1	Vertical	304	1.78	22	37.93	19.83	52.01
AV	20.56696G	56.98	63.54	-6.56	51.23	1	Vertical	304	1.78	22	37.93	19.83	52.01
PK	27.43259G	51.74	97.74	-46.00	38.81	1	Vertical	304	1.59	22	39.83	22.11	49.01
AV	27.42004G	41.52	77.74	-36.22	28.57	1	Vertical	304	1.59	22	39.86	22.11	49.02



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55545G	73.46	83.54	-10.08	67.73	1	Horizontal	309	1.50	22	37.91	19.83	52.01
AV	20.56596G	57.10	63.54	-6.44	51.35	1	Horizontal	309	1.50	22	37.93	19.83	52.01
PK	27.41796G	52.24	97.74	-45.50	39.29	1	Horizontal	326	1.71	22	39.86	22.11	49.02
AV	27.4202G	40.13	77.74	-37.61	27.18	1	Horizontal	326	1.71	22	39.86	22.11	49.02

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
 SET 22  
 23.5\17.5\20.5\22\22.5\22  
 -8.39\14.11\10.22\1.07\ -2.14\1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	82.63	88.20	-5.57	73.96	3	Vertical	360	1.80	22	34.00	7.64	32.97
AV	5.9248G	66.85	68.20	-1.35	58.18	3	Vertical	360	1.80	22	34.00	7.64	32.97
PK	5.9646G	121.23	Inf	-Inf	112.59	3	Vertical	360	1.80	22	33.97	7.66	32.99
AV	5.9748G	109.12	Inf	-Inf	100.49	3	Vertical	360	1.80	22	33.95	7.67	32.99

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	80.22	88.20	-7.98	71.55	3	Horizontal	42	1.80	22	34.00	7.64	32.97
AV	5.9204G	64.99	68.20	-3.21	56.32	3	Horizontal	42	1.80	22	34.00	7.64	32.97
PK	5.9598G	120.78	Inf	-Inf	112.13	3	Horizontal	42	1.80	22	33.98	7.66	32.99
AV	5.9702G	108.40	Inf	-Inf	99.76	3	Horizontal	42	1.80	22	33.96	7.67	32.99

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90419G	55.06	74.00	-18.94	48.82	3	Vertical	151	2.76	22	38.41	11.07	43.24
AV	11.89627G	42.75	54.00	-11.25	36.54	3	Vertical	151	2.76	22	38.39	11.06	43.24
PK	17.88309G	62.86	74.00	-11.14	47.76	3	Vertical	297	2.06	22	43.06	13.41	41.37
AV	17.89508G	50.58	54.00	-3.42	35.28	3	Vertical	297	2.06	22	43.23	13.42	41.35

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95845G	54.93	74.00	-19.07	48.54	3	Horizontal	315	2.07	22	38.52	11.10	43.23
AV	11.93016G	44.41	54.00	-9.59	38.10	3	Horizontal	315	2.07	22	38.46	11.08	43.23
PK	17.86183G	62.46	74.00	-11.54	47.69	3	Horizontal	250	1.80	22	42.77	13.41	41.41
AV	17.88885G	50.48	54.00	-3.52	35.29	3	Horizontal	250	1.80	22	43.14	13.41	41.36

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.84522G	51.42	83.54	-32.12	42.02	1	Vertical	323	1.53	22	38.83	20.83	50.26
AV	23.84745G	38.65	63.54	-24.89	29.25	1	Vertical	323	1.53	22	38.82	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82939G	52.29	83.54	-31.25	42.81	1	Horizontal	324	1.75	22	38.92	20.83	50.27
AV	23.85992G	39.14	63.54	-24.40	29.76	1	Horizontal	324	1.75	22	38.80	20.84	50.26

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44964G	57.00	74.00	-17.00	50.27	3	Vertical	91	1.80	23.5	38.60	11.29	43.16
AV	12.43773G	43.90	54.00	-10.10	37.17	3	Vertical	91	1.80	23.5	38.60	11.29	43.16



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40824G	56.08	74.00	-17.92	49.36	3	Horizontal	199	2.90	23.5	38.60	11.28	43.16
AV	12.43773G	43.99	54.00	-10.01	37.26	3	Horizontal	199	2.90	23.5	38.60	11.29	43.16

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62235G	50.83	83.54	-32.71	44.59	1	Vertical	168	1.50	23.5	37.74	18.92	50.42
AV	18.60269G	37.76	63.54	-25.78	31.54	1	Vertical	168	1.50	23.5	37.71	18.91	50.40
PK	24.82024G	51.13	97.74	-46.61	40.18	1	Vertical	334	1.50	23.5	39.30	21.32	49.67
AV	24.82G	40.13	77.74	-37.61	29.18	1	Vertical	334	1.50	23.5	39.30	21.32	49.67

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT Y\_2TX  
 SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60309G	54.12	83.54	-29.42	47.90	1	Horizontal	319	1.52	23.5	37.71	18.91	50.40
AV	18.60301G	39.91	63.54	-23.63	33.69	1	Horizontal	319	1.52	23.5	37.71	18.91	50.40
PK	24.79914G	50.64	97.74	-47.10	39.71	1	Horizontal	298	1.50	23.5	39.30	21.31	49.68
AV	24.81992G	39.26	77.74	-38.48	28.31	1	Horizontal	298	1.50	23.5	39.30	21.32	49.67

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80824G	57.00	88.20	-31.20	48.79	3	Vertical	317	1.80	23.5	39.62	11.43	42.84
AV	12.80409G	45.01	68.20	-23.19	36.82	3	Vertical	317	1.80	23.5	39.61	11.43	42.85

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82463G	57.25	88.20	-30.95	49.00	3	Horizontal	300	1.52	23.5	39.65	11.43	42.83
AV	12.81559G	45.05	68.20	-23.15	36.82	3	Horizontal	300	1.52	23.5	39.63	11.43	42.83

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22883G	56.76	83.54	-26.78	50.55	1	Vertical	320	1.59	23.5	37.94	19.34	51.07
AV	19.21916G	43.77	63.54	-19.77	37.53	1	Vertical	320	1.59	23.5	37.96	19.34	51.06
PK	25.60881G	61.12	97.74	-36.62	49.27	1	Vertical	329	1.65	23.5	39.46	21.69	49.30
AV	25.61992G	46.08	77.74	-31.66	34.26	1	Vertical	329	1.65	23.5	39.42	21.70	49.30

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20597G	57.03	83.54	-26.51	50.76	1	Horizontal	303	1.71	23.5	37.99	19.33	51.05
AV	19.21388G	42.52	63.54	-21.02	36.28	1	Horizontal	303	1.71	23.5	37.97	19.33	51.06
PK	25.60897G	50.74	97.74	-47.00	38.89	1	Horizontal	47	1.50	23.5	39.46	21.69	49.30
AV	25.61992G	39.13	77.74	-38.61	27.31	1	Horizontal	47	1.50	23.5	39.42	21.70	49.30

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_Y\_2TX  
SET 22





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16964G	57.66	88.20	-30.54	49.03	3	Vertical	141	1.56	22	39.76	11.56	42.69
AV	13.12872G	45.24	68.20	-22.96	36.66	3	Vertical	141	1.56	22	39.71	11.55	42.68



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16509G	57.68	88.20	-30.52	49.04	3	Horizontal	342	1.80	22	39.77	11.56	42.69
AV	13.15158G	45.36	68.20	-22.84	36.68	3	Horizontal	342	1.80	22	39.80	11.56	42.68

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6942G	54.61	83.54	-28.93	48.70	1	Vertical	307	1.82	22	37.83	19.67	51.59
AV	19.69404G	41.02	63.54	-22.52	35.10	1	Vertical	307	1.82	22	37.84	19.67	51.59
PK	26.26008G	51.94	97.74	-45.80	40.12	1	Vertical	306	1.60	22	39.10	21.92	49.20
AV	26.26008G	43.43	77.74	-34.31	31.61	1	Vertical	306	1.60	22	39.10	21.92	49.20

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX








EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69228G	58.18	83.54	-25.36	52.25	1	Horizontal	307	1.59	22	37.85	19.67	51.59
AV	19.69196G	41.54	63.54	-22.00	35.61	1	Horizontal	307	1.59	22	37.85	19.67	51.59
PK	26.25976G	51.66	97.74	-46.08	39.84	1	Horizontal	309	1.48	22	39.10	21.92	49.20
AV	26.26G	42.79	77.74	-34.95	30.97	1	Horizontal	309	1.48	22	39.10	21.92	49.20

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38158G	57.40	74.00	-16.60	48.32	3	Vertical	190	1.84	22	40.16	11.65	42.73
AV	13.37396G	45.59	54.00	-8.41	36.53	3	Vertical	190	1.84	22	40.15	11.64	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37467G	57.41	74.00	-16.59	48.35	3	Horizontal	328	2.38	22	40.15	11.64	42.73
AV	13.36989G	45.52	54.00	-8.48	36.47	3	Horizontal	328	2.38	22	40.14	11.64	42.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05732G	57.61	83.54	-25.93	51.92	1	Vertical	296	1.50	22	37.73	19.87	51.91
AV	20.05564G	43.59	63.54	-19.95	37.91	1	Vertical	296	1.50	22	37.72	19.87	51.91
PK	26.74016G	52.32	97.74	-45.42	39.38	1	Vertical	172	1.56	22	40.04	22.00	49.10
AV	26.74008G	43.08	77.74	-34.66	30.14	1	Vertical	172	1.56	22	40.04	22.00	49.10

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT Y\_2TX  
 SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04261G	61.80	83.54	-21.74	56.12	1	Horizontal	308	1.59	22	37.71	19.88	51.91
AV	20.05252G	47.83	63.54	-15.71	42.15	1	Horizontal	308	1.59	22	37.71	19.88	51.91
PK	26.73976G	52.44	97.74	-45.30	39.50	1	Horizontal	172	1.55	22	40.04	22.00	49.10
AV	26.74008G	43.43	77.74	-34.31	30.49	1	Horizontal	172	1.55	22	40.04	22.00	49.10

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6899G	58.42	88.20	-29.78	48.93	3	Vertical	38	1.73	22	40.38	11.76	42.65
AV	13.68706G	46.13	68.20	-22.07	36.65	3	Vertical	38	1.73	22	40.37	11.76	42.65



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6934G	57.82	88.20	-30.38	48.31	3	Horizontal	193	1.19	22	40.39	11.76	42.64
AV	13.68634G	46.25	68.20	-21.95	36.77	3	Horizontal	193	1.19	22	40.37	11.76	42.65

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53716G	70.78	83.54	-12.76	65.14	1	Vertical	304	1.47	22	37.82	19.83	52.01
AV	20.53588G	55.99	63.54	-7.55	50.35	1	Vertical	304	1.47	22	37.82	19.83	52.01
PK	27.36146G	51.22	97.74	-46.52	38.33	1	Vertical	329	1.50	22	39.82	22.10	49.03
AV	27.38024G	40.45	77.74	-37.29	27.51	1	Vertical	329	1.50	22	39.86	22.10	49.02

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53556G	69.13	83.54	-14.41	63.50	1	Horizontal	308	1.50	22	37.81	19.83	52.01
AV	20.53548G	53.81	63.54	-9.73	48.18	1	Horizontal	308	1.50	22	37.81	19.83	52.01
PK	27.39998G	52.15	97.74	-45.59	39.17	1	Horizontal	38	1.50	22	39.90	22.10	49.02
AV	27.38G	39.53	77.74	-38.21	26.59	1	Horizontal	38	1.50	22	39.86	22.10	49.02

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
 SET 22  
 23.5\17.5\20.5\22\22.5\22  
 -8.56\13.11\10.22\0.98\ -2.46\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	81.76	88.20	-6.44	73.09	3	Vertical	357	1.80	22	34.00	7.64	32.97
AV	5.925G	67.45	68.20	-0.75	58.78	3	Vertical	357	1.80	22	34.00	7.64	32.97
PK	5.995G	118.28	Inf	-Inf	109.69	3	Vertical	357	1.80	22	33.91	7.68	33.00
AV	5.9954G	106.37	Inf	-Inf	97.78	3	Vertical	357	1.80	22	33.91	7.68	33.00

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	81.03	88.20	-7.17	72.36	3	Horizontal	42	1.80	22	34.00	7.64	32.97
AV	5.9206G	66.19	68.20	-2.01	57.52	3	Horizontal	42	1.80	22	34.00	7.64	32.97
PK	5.9802G	116.81	Inf	-Inf	108.19	3	Horizontal	42	1.80	22	33.94	7.67	32.99
AV	5.9798G	105.24	Inf	-Inf	96.62	3	Horizontal	42	1.80	22	33.94	7.67	32.99

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.931G	55.56	74.00	-18.44	49.25	3	Vertical	33	1.05	22	38.46	11.08	43.23
AV	11.89663G	42.84	54.00	-11.16	36.63	3	Vertical	33	1.05	22	38.39	11.06	43.24
PK	17.88851G	62.41	74.00	-11.59	47.22	3	Vertical	329	1.12	22	43.14	13.41	41.36
AV	17.88547G	50.41	54.00	-3.59	35.27	3	Vertical	329	1.12	22	43.10	13.41	41.37

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9067G	55.21	74.00	-18.79	48.96	3	Horizontal	315	1.80	22	38.41	11.07	43.23
AV	11.96984G	43.71	54.00	-10.29	37.29	3	Horizontal	315	1.80	22	38.54	11.10	43.22
PK	18.00103G	63.87	74.00	-10.13	47.30	3	Horizontal	96	1.13	22	44.31	13.45	41.19
AV	17.89362G	50.64	54.00	-3.36	35.37	3	Horizontal	96	1.13	22	43.21	13.42	41.36

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92625G	49.94	83.54	-33.60	40.44	1	Vertical	326	1.50	22	38.85	20.88	50.23
AV	23.94G	38.34	63.54	-25.20	28.79	1	Vertical	326	1.50	22	38.88	20.89	50.22



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.0156G	49.35	97.74	-48.39	39.56	1	Horizontal	38	1.50	22	39.04	20.94	50.19
AV	24.01576G	37.30	77.74	-40.44	27.51	1	Horizontal	38	1.50	22	39.04	20.94	50.19

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48724G	55.81	74.00	-18.19	49.05	3	Vertical	130	1.79	23.5	38.60	11.31	43.15
AV	12.43945G	43.93	54.00	-10.07	37.20	3	Vertical	130	1.79	23.5	38.60	11.29	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40365G	56.28	74.00	-17.72	49.57	3	Horizontal	218	1.64	23.5	38.60	11.27	43.16
AV	12.43769G	43.99	54.00	-10.01	37.26	3	Horizontal	218	1.64	23.5	38.60	11.29	43.16

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.69402G	51.41	83.54	-32.13	45.31	1	Vertical	360	1.82	23.5	37.62	18.97	50.49
AV	18.6734G	39.16	63.54	-24.38	32.96	1	Vertical	360	1.82	23.5	37.71	18.96	50.47
PK	24.92446G	50.09	97.74	-47.65	39.15	1	Vertical	309	1.78	23.5	39.20	21.37	49.63
AV	24.93325G	38.28	77.74	-39.46	27.34	1	Vertical	309	1.78	23.5	39.20	21.37	49.63

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


27/10/2023

EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.72919G	55.30	83.54	-28.24	49.11	1	Horizontal	322	1.53	23.5	37.72	19.00	50.53
AV	18.69498G	41.76	63.54	-21.78	35.66	1	Horizontal	322	1.53	23.5	37.62	18.97	50.49
PK	24.89968G	50.79	97.74	-46.95	39.87	1	Horizontal	325	1.66	23.5	39.20	21.36	49.64
AV	24.9G	40.61	77.74	-37.13	29.69	1	Horizontal	325	1.66	23.5	39.20	21.36	49.64

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX








EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69558G	57.00	74.00	-17.00	49.28	3	Vertical	360	1.80	23.5	39.29	11.38	42.95
AV	12.69472G	44.69	54.00	-9.31	36.98	3	Vertical	360	1.80	23.5	39.29	11.38	42.96

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


27/10/2023

EUT\_Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69615G	56.66	74.00	-17.34	48.94	3	Horizontal	174	1.80	23.5	39.29	11.38	42.95
AV	12.69711G	44.72	54.00	-9.28	37.00	3	Horizontal	174	1.80	23.5	39.29	11.38	42.95

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX



EUT Y\_2TX  
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16539G	54.65	83.54	-28.89	48.56	1	Vertical	303	1.75	23.5	37.79	19.30	51.00
AV	19.14557G	42.44	63.54	-21.10	36.40	1	Vertical	303	1.75	23.5	37.72	19.29	50.97
PK	25.49972G	55.64	97.74	-42.10	43.90	1	Vertical	324	1.69	23.5	39.40	21.64	49.30
AV	25.54064G	42.60	77.74	-35.14	30.84	1	Vertical	324	1.69	23.5	39.40	21.66	49.30