


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.95932G	61.79	88.20	-26.41	40.35	3	Vertical	238	1.32	-	40.82	11.86	31.24
RMS	13.97162G	50.06	68.20	-18.14	28.60	3	Vertical	238	1.32	-	40.84	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96622G	61.52	88.20	-26.68	40.07	3	Horizontal	144	1.40	-	40.83	11.87	31.25
RMS	13.98014G	50.05	68.20	-18.15	28.57	3	Horizontal	144	1.40	-	40.86	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95974G	46.59	83.54	-36.95	41.46	1	Vertical	210	1.97	-	38.06	15.97	48.90
AV	20.94618G	35.71	63.54	-27.83	30.56	1	Vertical	210	1.97	-	38.10	15.96	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94858G	46.85	83.54	-36.69	41.70	1	Horizontal	285	1.82	-	38.10	15.96	48.91
AV	20.94099G	35.60	63.54	-27.94	30.46	1	Horizontal	285	1.82	-	38.10	15.95	48.91

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.70	88.20	-11.50	69.97	3	Vertical	301	3.00	-	34.20	8.11	35.58
RMS	5.925G	62.52	68.20	-5.68	55.79	3	Vertical	301	3.00	-	34.20	8.11	35.58
PK	6.109G	109.23	Inf	-Inf	102.32	3	Vertical	301	3.00	-	34.12	8.19	35.40
RMS	6.108G	97.41	Inf	-Inf	90.50	3	Vertical	301	3.00	-	34.12	8.19	35.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	71.38	88.20	-16.82	64.65	3	Horizontal	72	1.80	-	34.20	8.11	35.58
RMS	5.925G	58.60	68.20	-9.60	51.87	3	Horizontal	72	1.80	-	34.20	8.11	35.58
PK	6.031G	100.81	Inf	-Inf	94.09	3	Horizontal	72	1.80	-	34.10	8.17	35.55
RMS	6.014G	88.58	Inf	-Inf	81.90	3	Horizontal	72	1.80	-	34.10	8.16	35.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2026G	57.90	74.00	-16.10	41.10	3	Vertical	300	2.28	-	38.90	11.14	33.24
AV	12.1878G	45.79	54.00	-8.21	29.01	3	Vertical	300	2.28	-	38.90	11.13	33.25

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1907G	57.56	74.00	-16.44	40.77	3	Horizontal	78	1.09	-	38.90	11.14	33.25
AV	12.1907G	45.82	54.00	-8.18	29.03	3	Horizontal	78	1.09	-	38.90	11.14	33.25

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32135G	54.70	83.54	-28.84	51.51	1	Vertical	295	2.49	-	37.50	15.28	49.59
AV	18.31525G	42.29	63.54	-21.25	39.10	1	Vertical	295	2.49	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 7.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3261G	55.32	83.54	-28.22	52.14	1	Horizontal	100	1.09	-	37.50	15.28	49.60
AV	18.2911G	42.30	63.54	-21.24	39.05	1	Horizontal	100	1.09	-	37.54	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	69.07	88.20	-19.13	62.54	3	Vertical	302	2.95	-	34.00	8.11	35.58
RMS	5.925G	55.72	68.20	-12.48	49.19	3	Vertical	302	2.95	-	34.00	8.11	35.58
PK	6.0798G	107.32	Inf	-Inf	100.65	3	Vertical	302	2.95	-	33.94	8.18	35.45
RMS	6.1014G	97.15	Inf	-Inf	90.47	3	Vertical	302	2.95	-	33.90	8.19	35.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	65.45	88.20	-22.75	58.92	3	Horizontal	69	1.80	-	34.00	8.11	35.58
RMS	5.9244G	53.87	68.20	-14.33	47.34	3	Horizontal	69	1.80	-	34.00	8.11	35.58
PK	6.1026G	99.52	Inf	-Inf	92.85	3	Horizontal	69	1.80	-	33.89	8.19	35.41
RMS	6.1002G	88.56	Inf	-Inf	81.88	3	Horizontal	69	1.80	-	33.90	8.19	35.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2084G	57.91	74.00	-16.09	41.21	3	Vertical	304	2.60	-	38.79	11.14	33.23
AV	12.2187G	46.28	54.00	-7.72	29.57	3	Vertical	304	2.60	-	38.78	11.15	33.22

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2166G	57.60	74.00	-16.40	40.90	3	Horizontal	215	1.32	-	38.78	11.14	33.22
AV	12.2196G	46.37	54.00	-7.63	29.66	3	Horizontal	215	1.32	-	38.78	11.15	33.22

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31445G	53.78	83.54	-29.76	50.59	1	Vertical	230	1.00	-	37.50	15.28	49.59
AV	18.29955G	43.13	63.54	-20.41	39.92	1	Vertical	230	1.00	-	37.50	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 8.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3038G	54.12	83.54	-29.42	50.93	1	Horizontal	115	2.35	-	37.50	15.28	49.59
AV	18.30235G	43.13	63.54	-20.41	39.94	1	Horizontal	115	2.35	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	79.16	88.20	-9.04	72.43	3	Vertical	301	1.80	-	34.20	8.11	35.58
RMS	5.925G	65.26	68.20	-2.94	58.53	3	Vertical	301	1.80	-	34.20	8.11	35.58
PK	6.2034G	108.84	Inf	-Inf	101.52	3	Vertical	301	1.80	-	34.31	8.22	35.21
RMS	6.2088G	97.12	Inf	-Inf	89.75	3	Vertical	301	1.80	-	34.34	8.23	35.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	71.35	88.20	-16.85	64.62	3	Horizontal	72	1.80	-	34.20	8.11	35.58
RMS	5.925G	59.96	68.20	-8.24	53.23	3	Horizontal	72	1.80	-	34.20	8.11	35.58
PK	6.0102G	101.46	Inf	-Inf	94.79	3	Horizontal	72	1.80	-	34.10	8.16	35.59
RMS	6.018G	89.81	Inf	-Inf	83.11	3	Horizontal	72	1.80	-	34.10	8.17	35.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2106G	56.91	74.00	-17.09	40.10	3	Vertical	358	1.94	-	38.90	11.14	33.23
AV	12.2123G	45.60	54.00	-8.40	28.78	3	Vertical	358	1.94	-	38.90	11.14	33.22

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1969G	57.19	74.00	-16.81	40.39	3	Horizontal	198	1.56	-	38.90	11.14	33.24
AV	12.2022G	45.64	54.00	-8.36	28.84	3	Horizontal	198	1.56	-	38.90	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2987G	55.28	83.54	-28.26	52.06	1	Vertical	214	2.81	-	37.51	15.29	49.58
AV	18.2943G	41.64	63.54	-21.90	38.41	1	Vertical	214	2.81	-	37.52	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.325G	55.36	83.54	-28.18	52.18	1	Horizontal	36	2.19	-	37.50	15.28	49.60
AV	18.2935G	41.74	63.54	-21.80	38.50	1	Horizontal	36	2.19	-	37.53	15.29	49.58

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7526G	104.37	Inf	-Inf	94.86	3	Vertical	79	1.80	-	36.10	8.40	34.99
RMS	6.8624G	93.29	Inf	-Inf	83.92	3	Vertical	79	1.80	-	36.00	8.51	35.14
PK	7.1894G	77.59	88.20	-10.61	67.07	3	Vertical	79	1.80	-	36.96	8.56	35.00
RMS	7.1564G	58.18	68.20	-10.02	47.84	3	Vertical	79	1.80	-	36.83	8.57	35.06

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	97.31	Inf	-Inf	87.95	3	Horizontal	75	1.80	-	36.00	8.51	35.15
RMS	6.869G	85.82	Inf	-Inf	76.46	3	Horizontal	75	1.80	-	36.00	8.51	35.15
PK	7.1738G	68.19	88.20	-20.01	57.74	3	Horizontal	75	1.80	-	36.90	8.57	35.02
RMS	7.1264G	54.10	68.20	-14.10	43.97	3	Horizontal	75	1.80	-	36.66	8.58	35.11

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7853G	57.81	88.20	-30.39	39.24	3	Vertical	260	2.85	-	40.36	11.69	33.48
RMS	13.7853G	46.28	68.20	-21.92	27.71	3	Vertical	260	2.85	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7912G	57.09	88.20	-31.11	38.54	3	Horizontal	215	2.80	-	40.34	11.69	33.48
RMS	13.7852G	46.28	68.20	-21.92	27.71	3	Horizontal	215	2.80	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72915G	53.91	83.54	-29.63	49.31	1	Vertical	158	2.20	-	37.84	15.78	49.02
AV	20.6935G	41.16	63.54	-22.38	36.55	1	Vertical	158	2.20	-	37.90	15.75	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69305G	53.27	83.54	-30.27	48.66	1	Horizontal	215	2.37	-	37.90	15.75	49.04
AV	20.69625G	41.30	63.54	-22.24	36.68	1	Horizontal	215	2.37	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	104.52	Inf	-Inf	95.45	3	Vertical	79	1.80	-	35.70	8.50	35.13
RMS	6.827G	93.09	Inf	-Inf	83.95	3	Vertical	79	1.80	-	35.75	8.48	35.09
PK	7.1474G	72.92	88.20	-15.28	62.93	3	Vertical	79	1.80	-	36.49	8.57	35.07
RMS	7.1252G	60.50	68.20	-7.70	50.63	3	Vertical	79	1.80	-	36.40	8.58	35.11

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	99.17	Inf	-Inf	90.26	3	Horizontal	46	1.80	-	35.61	8.57	35.27
RMS	7.0004G	89.32	Inf	-Inf	80.35	3	Horizontal	46	1.80	-	35.70	8.61	35.34
PK	7.1294G	73.15	88.20	-15.05	63.25	3	Horizontal	46	1.80	-	36.42	8.58	35.10
RMS	7.1258G	62.39	68.20	-5.81	52.52	3	Horizontal	46	1.80	-	36.40	8.58	35.11

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7874G	59.28	88.20	-28.92	40.76	3	Vertical	81	2.39	-	40.31	11.69	33.48
RMS	13.7862G	47.86	68.20	-20.34	29.34	3	Vertical	81	2.39	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7873G	59.86	88.20	-28.34	41.34	3	Horizontal	316	2.19	-	40.31	11.69	33.48
AV	13.7893G	47.81	68.20	-20.39	29.29	3	Horizontal	316	2.19	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7249G	55.04	83.54	-28.50	50.43	1	Vertical	252	1.53	-	37.85	15.78	49.02
AV	20.7025G	43.36	63.54	-20.18	38.74	1	Vertical	252	1.53	-	37.89	15.76	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7363G	53.80	83.54	-29.74	49.20	1	Horizontal	235	2.01	-	37.83	15.79	49.02
AV	20.69735G	43.38	63.54	-20.16	38.76	1	Horizontal	235	2.01	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7922G	104.01	Inf	-Inf	94.50	3	Vertical	83	1.80	-	36.10	8.45	35.04
RMS	6.8012G	92.70	Inf	-Inf	83.20	3	Vertical	83	1.80	-	36.10	8.46	35.06
PK	7.2002G	71.44	88.20	-16.76	60.86	3	Vertical	83	1.80	-	37.00	8.56	34.98
RMS	7.2002G	53.69	68.20	-14.51	43.11	3	Vertical	83	1.80	-	37.00	8.56	34.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
 Setting 9
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	98.86	Inf	-Inf	89.58	3	Horizontal	46	1.80	-	36.01	8.61	35.34
RMS	6.8006G	87.38	Inf	-Inf	77.88	3	Horizontal	46	1.80	-	36.10	8.46	35.06
PK	7.1522G	67.03	88.20	-21.17	56.71	3	Horizontal	46	1.80	-	36.81	8.57	35.06
RMS	7.2002G	53.05	68.20	-15.15	42.47	3	Horizontal	46	1.80	-	37.00	8.56	34.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7962G	58.69	88.20	-29.51	40.16	3	Vertical	130	2.26	-	40.32	11.69	33.48
RMS	13.7851G	46.91	68.20	-21.29	28.34	3	Vertical	130	2.26	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7908G	58.55	88.20	-29.65	40.00	3	Horizontal	218	2.04	-	40.34	11.69	33.48
RMS	13.7852G	46.83	68.20	-21.37	28.26	3	Horizontal	218	2.04	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.73955G	54.25	83.54	-29.29	49.66	1	Vertical	3	2.79	-	37.82	15.79	49.02
AV	20.6904G	40.71	63.54	-22.83	36.10	1	Vertical	3	2.79	-	37.90	15.75	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 9
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69955G	53.31	83.54	-30.23	48.69	1	Horizontal	176	1.56	-	37.90	15.76	49.04
AV	20.6965G	40.82	63.54	-22.72	36.20	1	Horizontal	176	1.56	-	37.90	15.76	49.04

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.27	88.20	-25.93	55.74	3	Vertical	59	2.26	-	34.00	8.11	35.58
RMS	5.9235G	51.19	68.20	-17.01	44.66	3	Vertical	59	2.26	-	34.00	8.11	35.58
PK	6.009G	110.04	Inf	-Inf	103.55	3	Vertical	59	2.26	-	33.92	8.16	35.59
RMS	6.008G	99.91	Inf	-Inf	93.42	3	Vertical	59	2.26	-	33.92	8.16	35.59

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	68.10	88.20	-20.10	61.57	3	Horizontal	300	1.05	-	34.00	8.11	35.58
RMS	5.922G	52.51	68.20	-15.69	45.98	3	Horizontal	300	1.05	-	34.00	8.11	35.58
PK	5.982G	111.48	Inf	-Inf	104.99	3	Horizontal	300	1.05	-	33.94	8.15	35.60
RMS	6.021G	99.94	Inf	-Inf	93.40	3	Horizontal	300	1.05	-	33.94	8.17	35.57

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.988G	58.09	74.00	-15.91	41.89	3	Vertical	87	2.14	-	38.58	11.06	33.44
AV	11.9775G	46.77	54.00	-7.23	30.59	3	Vertical	87	2.14	-	38.55	11.06	33.43

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.983G	57.92	74.00	-16.08	41.73	3	Horizontal	52	1.69	-	38.57	11.06	33.44
AV	11.9715G	46.74	54.00	-7.26	30.56	3	Horizontal	52	1.69	-	38.54	11.06	33.42
PK	17.95878G	55.03	74.00	-18.97	31.40	3	Horizontal	124	1.59	-	43.89	13.34	33.60
AV	17.95824G	45.95	54.00	-8.05	22.33	3	Horizontal	124	1.59	-	43.88	13.34	33.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93754G	53.63	83.54	-41.51	32.89	1	Vertical	284	1.61	-	38.88	17.38	47.12
AV	23.93944G	42.99	63.54	-30.07	24.33	1	Vertical	284	1.61	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 0
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9387G	54.13	83.54	-40.65	33.75	1	Horizontal	107	2.20	-	38.88	17.38	47.12
AV	23.93622G	42.83	63.54	-29.67	24.74	1	Horizontal	107	2.20	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	65.64	88.20	-22.56	59.12	3	Vertical	55	2.21	-	34.00	8.10	35.58
RMS	5.925G	50.96	68.20	-17.24	44.43	3	Vertical	55	2.21	-	34.00	8.11	35.58
PK	6.008G	110.38	Inf	-Inf	103.89	3	Vertical	55	2.21	-	33.92	8.16	35.59
RMS	6.0085G	99.98	Inf	-Inf	93.49	3	Vertical	55	2.21	-	33.92	8.16	35.59

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	64.90	88.20	-23.30	58.37	3	Horizontal	300	1.05	-	34.00	8.10	35.57
RMS	5.9035G	51.05	68.20	-17.15	44.52	3	Horizontal	300	1.05	-	34.00	8.10	35.57
PK	6.019G	109.49	Inf	-Inf	102.95	3	Horizontal	300	1.05	-	33.94	8.17	35.57
RMS	6.0225G	99.38	Inf	-Inf	92.83	3	Horizontal	300	1.05	-	33.95	8.17	35.57

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9746G	57.29	74.00	-16.71	41.11	3	Vertical	298	2.71	-	38.55	11.06	33.43
AV	11.9743G	46.91	54.00	-7.09	30.73	3	Vertical	298	2.71	-	38.55	11.06	33.43

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.978G	58.17	74.00	-15.83	41.98	3	Horizontal	297	2.30	-	38.56	11.06	33.43
AV	11.9909G	46.77	54.00	-7.23	30.56	3	Horizontal	297	2.30	-	38.58	11.07	33.44
PK	17.95878G	54.36	74.00	-19.64	30.73	3	Horizontal	312	2.06	-	43.89	13.34	33.60
AV	17.95522G	46.14	54.00	-7.86	22.55	3	Horizontal	312	2.06	-	43.85	13.34	33.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93617G	54.15	83.54	-41.29	33.12	1	Vertical	0	1.93	-	38.87	17.38	47.12
AV	23.93758G	42.94	63.54	-29.79	24.61	1	Vertical	0	1.93	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 2
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93891G	53.93	83.54	-41.83	32.57	1	Horizontal	359	2.06	-	38.88	17.38	47.12
AV	23.94328G	42.99	63.54	-30.00	24.39	1	Horizontal	359	2.06	-	38.89	17.38	47.12

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
 Setting -0.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9946G	109.21	Inf	-Inf	100.24	3	Vertical	72	2.88	-	35.69	8.61	35.33
RMS	7.015G	99.32	Inf	-Inf	90.23	3	Vertical	72	2.88	-	35.79	8.61	35.31
PK	7.1266G	66.83	88.20	-21.37	56.95	3	Vertical	72	2.88	-	36.41	8.58	35.11
RMS	7.125G	54.65	68.20	-13.55	44.78	3	Vertical	72	2.88	-	36.40	8.58	35.11

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
Setting -0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.053G	107.17	Inf	-Inf	97.79	3	Horizontal	281	1.11	-	36.02	8.60	35.24
RMS	7.0114G	97.57	Inf	-Inf	88.51	3	Horizontal	281	1.11	-	35.77	8.61	35.32
PK	7.1258G	69.27	88.20	-18.93	59.40	3	Horizontal	281	1.11	-	36.40	8.58	35.11
RMS	7.1278G	54.42	68.20	-13.78	44.54	3	Horizontal	281	1.11	-	36.41	8.58	35.11

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
 Setting -0.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0645G	60.06	88.20	-28.14	41.28	3	Vertical	248	2.34	-	40.56	11.78	33.56
RMS	14.0529G	48.93	68.20	-19.27	30.16	3	Vertical	248	2.34	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
 Setting -0.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0677G	60.52	88.20	-27.68	41.73	3	Horizontal	276	2.87	-	40.57	11.78	33.56
RMS	14.053G	48.93	68.20	-19.27	30.16	3	Horizontal	276	2.87	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
Setting -0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07855G	55.48	83.54	-28.06	50.06	1	Vertical	215	2.63	-	38.23	16.06	48.87
AV	21.08255G	44.00	63.54	-19.54	38.60	1	Vertical	215	2.63	-	38.20	16.07	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_X_2TX
Setting -0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0546G	56.05	83.54	-27.49	50.51	1	Horizontal	33	1.49	-	38.37	16.04	48.87
AV	21.0508G	43.81	63.54	-19.73	38.24	1	Horizontal	33	1.49	-	38.40	16.04	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0482G	109.79	Inf	-Inf	100.45	3	Vertical	63	1.05	-	35.99	8.60	35.25
RMS	7.0506G	99.77	Inf	-Inf	90.42	3	Vertical	63	1.05	-	36.00	8.60	35.25
PK	7.1282G	68.14	88.20	-20.06	58.26	3	Vertical	63	1.05	-	36.41	8.58	35.11
RMS	7.1258G	54.26	68.20	-13.94	44.39	3	Vertical	63	1.05	-	36.40	8.58	35.11

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0594G	105.43	Inf	-Inf	96.00	3	Horizontal	293	1.13	-	36.06	8.60	35.23
RMS	7.0018G	96.56	Inf	-Inf	87.58	3	Horizontal	293	1.13	-	35.71	8.61	35.34
PK	7.1282G	62.15	88.20	-26.05	52.27	3	Horizontal	293	1.13	-	36.41	8.58	35.11
RMS	7.125G	53.11	68.20	-15.09	43.24	3	Horizontal	293	1.13	-	36.40	8.58	35.11

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0315G	60.15	88.20	-28.05	41.41	3	Vertical	70	2.28	-	40.53	11.77	33.56
RMS	14.0548G	48.87	68.20	-19.33	30.10	3	Vertical	70	2.28	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0676G	60.42	88.20	-27.78	41.63	3	Horizontal	306	2.99	-	40.57	11.78	33.56
RMS	14.0575G	49.03	68.20	-19.17	30.25	3	Horizontal	306	2.99	-	40.56	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08205G	55.42	83.54	-28.12	50.01	1	Vertical	249	2.18	-	38.21	16.07	48.87
AV	21.09775G	43.85	63.54	-19.69	38.53	1	Vertical	249	2.18	-	38.11	16.08	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_X_2TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07035G	55.35	83.54	-28.19	49.88	1	Horizontal	249	2.10	-	38.28	16.06	48.87
AV	21.0818G	43.91	63.54	-19.63	38.50	1	Horizontal	249	2.10	-	38.21	16.07	48.87

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	68.82	88.20	-19.38	62.29	3	Vertical	58	2.29	-	34.00	8.10	35.57
RMS	5.925G	55.48	68.20	-12.72	48.95	3	Vertical	58	2.29	-	34.00	8.11	35.58
PK	6.0682G	109.87	Inf	-Inf	103.21	3	Vertical	58	2.29	-	33.96	8.18	35.48
RMS	6.029G	99.43	Inf	-Inf	92.85	3	Vertical	58	2.29	-	33.96	8.17	35.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	67.96	88.20	-20.24	61.44	3	Horizontal	301	1.05	-	34.00	8.10	35.58
RMS	5.9226G	54.96	68.20	-13.24	48.43	3	Horizontal	301	1.05	-	34.00	8.11	35.58
PK	6.0442G	108.82	Inf	-Inf	102.18	3	Horizontal	301	1.05	-	33.99	8.17	35.52
RMS	6.041G	98.29	Inf	-Inf	91.67	3	Horizontal	301	1.05	-	33.98	8.17	35.53

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04546G	58.51	74.00	-15.49	42.13	3	Vertical	334	1.09	-	38.69	11.09	33.40
AV	12.04714G	46.43	54.00	-7.57	30.05	3	Vertical	334	1.09	-	38.69	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0477G	58.00	74.00	-16.00	41.61	3	Horizontal	324	2.49	-	38.70	11.09	33.40
AV	12.05178G	46.78	54.00	-7.22	30.39	3	Horizontal	324	2.49	-	38.70	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07309G	54.21	83.54	-29.33	50.90	1	Vertical	152	1.42	-	37.49	15.30	49.48
AV	18.07515G	43.27	63.54	-20.27	39.95	1	Vertical	152	1.42	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07107G	54.49	83.54	-29.05	51.18	1	Horizontal	156	1.52	-	37.48	15.30	49.47
AV	18.0777G	43.83	63.54	-19.71	40.50	1	Horizontal	156	1.52	-	37.51	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	63.51	88.20	-24.69	56.98	3	Vertical	52.9	2.28	-	34.00	8.11	35.58
RMS	5.911G	53.53	68.20	-14.67	47.01	3	Vertical	52.9	2.28	-	34.00	8.10	35.58
PK	6.0274G	106.48	Inf	-Inf	99.92	3	Vertical	52.9	2.28	-	33.95	8.17	35.56
RMS	6.0274G	99.20	Inf	-Inf	92.64	3	Vertical	52.9	2.28	-	33.95	8.17	35.56

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.89	88.20	-26.31	55.36	3	Horizontal	300	1.05	-	34.00	8.11	35.58
RMS	5.9224G	53.44	68.20	-14.76	46.91	3	Horizontal	300	1.05	-	34.00	8.11	35.58
PK	6.0394G	106.25	Inf	-Inf	99.63	3	Horizontal	300	1.05	-	33.98	8.17	35.53
RMS	6.001G	97.54	Inf	-Inf	91.09	3	Horizontal	300	1.05	-	33.90	8.16	35.61

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05294G	58.73	74.00	-15.27	42.32	3	Vertical	353	2.83	-	38.71	11.09	33.39
AV	12.0507G	46.39	54.00	-7.61	30.00	3	Vertical	353	2.83	-	38.70	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.052G	58.64	74.00	-15.36	42.24	3	Horizontal	21	2.54	-	38.70	11.09	33.39
AV	12.05394G	46.00	54.00	-8.00	29.59	3	Horizontal	21	2.54	-	38.71	11.09	33.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07642G	54.21	83.54	-29.33	50.88	1	Vertical	125	1.51	-	37.51	15.30	49.48
AV	18.07206G	43.79	63.54	-19.75	40.47	1	Vertical	125	1.51	-	37.49	15.30	49.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 6
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07956G	54.18	83.54	-29.36	50.84	1	Horizontal	308	2.60	-	37.52	15.30	49.48
AV	18.07599G	43.11	63.54	-20.43	39.79	1	Horizontal	308	2.60	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	60.34	88.20	-27.86	54.21	3	Vertical	61	2.33	-	33.63	8.05	35.55
RMS	5.8954G	50.75	68.20	-17.45	44.26	3	Vertical	61	2.33	-	33.97	8.09	35.57
PK	6.0886G	100.24	Inf	-Inf	93.57	3	Vertical	61	2.33	-	33.92	8.19	35.44
RMD	6.0694G	91.98	Inf	-Inf	85.31	3	Vertical	61	2.33	-	33.96	8.18	35.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	60.53	88.20	-27.67	54.06	3	Horizontal	295.1	1.09	-	33.95	8.09	35.57
RMS	5.8762G	50.35	68.20	-17.85	43.97	3	Horizontal	295.1	1.09	-	33.86	8.08	35.56
PK	5.9818G	98.01	Inf	-Inf	91.52	3	Horizontal	295.1	1.09	-	33.94	8.15	35.60
RMS	5.9818G	88.93	Inf	-Inf	82.44	3	Horizontal	295.1	1.09	-	33.94	8.15	35.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05274G	58.56	74.00	-15.44	42.15	3	Vertical	305	2.98	-	38.71	11.09	33.39
AV	12.04854G	46.93	54.00	-7.07	30.54	3	Vertical	305	2.98	-	38.70	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04704G	58.84	74.00	-15.16	42.46	3	Horizontal	53	1.27	-	38.69	11.09	33.40
AV	12.05214G	46.54	54.00	-7.46	30.14	3	Horizontal	53	1.27	-	38.70	11.09	33.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07382G	54.55	83.54	-28.99	51.23	1	Vertical	36	1.31	-	37.50	15.30	49.48
AV	18.07223G	43.96	63.54	-19.58	40.64	1	Vertical	36	1.31	-	37.49	15.30	49.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 11
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07033G	54.68	83.54	-28.86	51.37	1	Horizontal	218	1.63	-	37.48	15.30	49.47
AV	18.07785G	43.34	63.54	-20.20	40.01	1	Horizontal	218	1.63	-	37.51	15.30	49.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.914G	106.30	Inf	-Inf	95.74	3	Vertical	42	1.80	-	34.78	8.47	32.69
RMS	6.917G	96.89	Inf	-Inf	86.31	3	Vertical	42	1.80	-	34.80	8.47	32.69
PK	7.136G	75.25	88.20	-12.95	63.62	3	Vertical	42	1.80	-	35.82	8.51	32.70
RMS	7.1335G	62.17	68.20	-6.03	50.56	3	Vertical	42	1.80	-	35.80	8.51	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.989G	104.55	Inf	-Inf	95.59	3	Horizontal	47	1.80	-	35.68	8.60	35.32
RMS	6.911G	94.52	Inf	-Inf	85.59	3	Horizontal	47	1.80	-	35.60	8.54	35.21
PK	7.136G	72.05	88.20	-16.15	62.12	3	Horizontal	47	1.80	-	36.44	8.58	35.09
RMS	7.127G	58.93	68.20	-9.27	49.05	3	Horizontal	47	1.80	-	36.41	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98188G	62.54	88.20	-25.66	41.06	3	Vertical	41	2.17	-	40.86	11.87	31.25
RMS	13.98092G	50.05	68.20	-18.15	28.57	3	Vertical	41	2.17	-	40.86	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96874G	59.03	88.20	-29.17	40.32	3	Horizontal	307	1.45	-	40.50	11.75	33.54
RMS	13.97414G	47.30	68.20	-20.90	28.59	3	Horizontal	307	1.45	-	40.50	11.75	33.54

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94153G	46.84	83.54	-36.70	41.70	1	Vertical	102	2.12	-	38.10	15.95	48.91
AV	20.94183G	35.45	63.54	-28.09	30.31	1	Vertical	102	2.12	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9442G	47.36	83.54	-36.18	42.21	1	Horizontal	163	1.62	-	38.10	15.96	48.91
AV	20.94324G	35.61	63.54	-27.93	30.47	1	Horizontal	163	1.62	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.936G	107.96	Inf	-Inf	97.25	3	Vertical	42	1.80	-	34.92	8.49	32.70
RMS	6.917G	99.81	Inf	-Inf	89.23	3	Vertical	42	1.80	-	34.80	8.47	32.69
PK	7.132G	71.59	88.20	-16.61	59.99	3	Vertical	42	1.80	-	35.79	8.51	32.70
RMS	7.1345G	62.29	68.20	-5.91	50.67	3	Vertical	42	1.80	-	35.81	8.51	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.93G	105.34	Inf	-Inf	96.42	3	Horizontal	46	1.80	-	35.60	8.56	35.24
RMS	6.911G	97.46	Inf	-Inf	88.53	3	Horizontal	46	1.80	-	35.60	8.54	35.21
PK	7.131G	70.53	88.20	-17.67	60.63	3	Horizontal	46	1.80	-	36.42	8.58	35.10
RMS	7.1265G	60.24	68.20	-7.96	50.36	3	Horizontal	46	1.80	-	36.41	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97756G	62.50	88.20	-25.70	41.02	3	Vertical	10	1.65	-	40.86	11.87	31.25
RMS	13.98008G	52.34	68.20	-15.86	30.86	3	Vertical	10	1.65	-	40.86	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97684G	62.03	88.20	-26.17	40.56	3	Horizontal	313	1.69	-	40.85	11.87	31.25
RMS	13.97126G	52.47	68.20	-15.73	31.01	3	Horizontal	313	1.69	-	40.84	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96073G	46.57	83.54	-36.97	41.44	1	Vertical	241	1.80	-	38.06	15.97	48.90
AV	20.94753G	38.11	63.54	-25.43	32.96	1	Vertical	241	1.80	-	38.10	15.96	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9439G	46.75	83.54	-36.79	41.60	1	Horizontal	231	1.30	-	38.10	15.96	48.91
AV	20.94024G	38.02	63.54	-25.52	32.88	1	Horizontal	231	1.30	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	103.56	Inf	-Inf	92.99	3	Vertical	43	1.80	-	34.79	8.47	32.69
RMS	6.936G	92.13	Inf	-Inf	81.42	3	Vertical	43	1.80	-	34.92	8.49	32.70
PK	7.152G	63.64	88.20	-24.56	51.91	3	Vertical	43	1.80	-	35.91	8.51	32.69
RMS	7.136G	53.11	68.20	-15.09	41.48	3	Vertical	43	1.80	-	35.82	8.51	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.029G	99.54	Inf	-Inf	90.36	3	Horizontal	48	1.80	-	35.87	8.60	35.29
RMS	6.931G	90.07	Inf	-Inf	81.15	3	Horizontal	48	1.80	-	35.60	8.56	35.24
PK	7.151G	61.90	88.20	-26.30	51.90	3	Horizontal	48	1.80	-	36.50	8.57	35.07
RMS	7.15G	51.33	68.20	-16.87	41.33	3	Horizontal	48	1.80	-	36.50	8.57	35.07

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97198G	61.57	88.20	-26.63	40.11	3	Vertical	145	1.66	-	40.84	11.87	31.25
RMS	13.98362G	52.46	68.20	-15.74	30.97	3	Vertical	145	1.66	-	40.87	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9727G	62.33	88.20	-25.87	40.86	3	Horizontal	267	2.23	-	40.85	11.87	31.25
RMS	13.9589G	52.18	68.20	-16.02	30.74	3	Horizontal	267	2.23	-	40.82	11.86	31.24

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94993G	46.76	83.54	-36.78	41.61	1	Vertical	37	2.13	-	38.10	15.96	48.91
AV	20.94663G	37.55	63.54	-25.99	32.40	1	Vertical	37	2.13	-	38.10	15.96	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_X_2TX
Setting 7
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94111G	47.18	83.54	-36.36	42.04	1	Horizontal	291	1.93	-	38.10	15.95	48.91
AV	20.94459G	37.86	63.54	-25.68	32.71	1	Horizontal	291	1.93	-	38.10	15.96	48.91

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
 Setting 1.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	80.66	88.20	-7.54	73.93	3	Vertical	306	1.80	-	34.20	8.11	35.58
RMS	5.923G	68.01	68.20	-0.19	61.28	3	Vertical	306	1.80	-	34.20	8.11	35.58
PK	6.121G	110.54	Inf	-Inf	103.57	3	Vertical	306	1.80	-	34.14	8.20	35.37
RMS	6.143G	99.04	Inf	-Inf	91.98	3	Vertical	306	1.80	-	34.19	8.20	35.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
 Setting 1.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	81.30	88.20	-6.90	74.57	3	Horizontal	61	1.80	-	34.20	8.11	35.58
RMS	5.925G	67.20	68.20	-1.00	60.47	3	Horizontal	61	1.80	-	34.20	8.11	35.58
PK	6.023G	108.82	Inf	-Inf	102.11	3	Horizontal	61	1.80	-	34.10	8.17	35.56
RMS	6.14G	97.55	Inf	-Inf	90.51	3	Horizontal	61	1.80	-	34.18	8.20	35.34

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1989G	57.40	74.00	-16.60	40.60	3	Vertical	280	2.48	-	38.90	11.14	33.24
AV	12.1907G	46.05	54.00	-7.95	29.26	3	Vertical	280	2.48	-	38.90	11.14	33.25

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1978G	58.24	74.00	-15.76	41.44	3	Horizontal	328	2.29	-	38.90	11.14	33.24
AV	12.1944G	46.00	54.00	-8.00	29.20	3	Horizontal	328	2.29	-	38.90	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3069G	55.08	83.54	-28.46	51.89	1	Vertical	249	2.24	-	37.50	15.28	49.59
AV	18.29575G	42.05	63.54	-21.49	38.82	1	Vertical	249	2.24	-	37.52	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31465G	54.83	83.54	-28.71	51.64	1	Horizontal	29	2.68	-	37.50	15.28	49.59
AV	18.3077G	42.33	63.54	-21.21	39.14	1	Horizontal	29	2.68	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	72.05	88.20	-16.15	65.52	3	Vertical	301	1.05	-	34.00	8.11	35.58
RMS	5.9244G	60.22	68.20	-7.98	53.69	3	Vertical	301	1.05	-	34.00	8.11	35.58
PK	6.0474G	109.42	Inf	-Inf	102.78	3	Vertical	301	1.05	-	33.99	8.17	35.52
RMS	6.048G	99.23	Inf	-Inf	92.58	3	Vertical	301	1.05	-	34.00	8.17	35.52

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	72.69	88.20	-15.51	66.16	3	Horizontal	68	1.80	-	34.00	8.11	35.58
RMS	5.9244G	58.89	68.20	-9.31	52.36	3	Horizontal	68	1.80	-	34.00	8.11	35.58
PK	6.1002G	107.71	Inf	-Inf	101.03	3	Horizontal	68	1.80	-	33.90	8.19	35.41
RMS	6.1014G	97.45	Inf	-Inf	90.77	3	Horizontal	68	1.80	-	33.90	8.19	35.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2171G	58.24	74.00	-15.76	41.54	3	Vertical	214	2.41	-	38.78	11.14	33.22
AV	12.2278G	46.63	54.00	-7.37	29.92	3	Vertical	214	2.41	-	38.77	11.15	33.21

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22G	57.52	74.00	-16.48	40.81	3	Horizontal	340	2.04	-	38.78	11.15	33.22
AV	12.1971G	46.60	54.00	-7.40	29.90	3	Horizontal	340	2.04	-	38.80	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3391G	53.87	83.54	-29.67	50.69	1	Vertical	9	2.71	-	37.50	15.28	49.60
AV	18.3398G	43.09	63.54	-20.45	39.91	1	Vertical	9	2.71	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.29135G	53.83	83.54	-29.71	50.59	1	Horizontal	183	2.79	-	37.53	15.29	49.58
AV	18.3055G	43.42	63.54	-20.12	40.23	1	Horizontal	183	2.79	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	75.59	88.20	-12.61	68.86	3	Vertical	302	1.11	-	34.20	8.11	35.58
RMS	5.925G	62.39	68.20	-5.81	55.66	3	Vertical	302	1.11	-	34.20	8.11	35.58
PK	6.229G	109.92	Inf	-Inf	102.42	3	Vertical	302	1.11	-	34.42	8.24	35.16
RMS	6.007G	99.01	Inf	-Inf	92.35	3	Vertical	302	1.11	-	34.10	8.16	35.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	74.66	88.20	-13.54	67.93	3	Horizontal	77	1.80	-	34.20	8.11	35.58
RMS	5.924G	58.84	68.20	-9.36	52.11	3	Horizontal	77	1.80	-	34.20	8.11	35.58
PK	6.219G	108.80	Inf	-Inf	101.36	3	Horizontal	77	1.80	-	34.38	8.24	35.18
RMS	6.217G	97.48	Inf	-Inf	90.06	3	Horizontal	77	1.80	-	34.37	8.23	35.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.646G	58.26	74.00	-15.74	40.81	3	Vertical	262	2.14	-	39.28	11.29	33.12
AV	12.584G	46.68	54.00	-7.32	29.40	3	Vertical	262	2.14	-	39.04	11.27	33.03

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.504G	57.60	74.00	-16.40	40.48	3	Horizontal	114	2.78	-	38.81	11.24	32.93
AV	12.588G	46.69	54.00	-7.31	29.41	3	Horizontal	114	2.78	-	39.05	11.27	33.04

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3084G	55.61	83.54	-27.93	52.42	1	Vertical	330	1.82	-	37.50	15.28	49.59
AV	18.31315G	41.87	63.54	-21.67	38.68	1	Vertical	330	1.82	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3074G	54.99	83.54	-28.55	51.80	1	Horizontal	167	1.60	-	37.50	15.28	49.59
AV	18.29085G	41.80	63.54	-21.74	38.55	1	Horizontal	167	1.60	-	37.54	15.29	49.58

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 3.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7958G	106.68	Inf	-Inf	97.18	3	Vertical	47	1.80	-	36.10	8.45	35.05
RMS	6.857G	95.56	Inf	-Inf	86.20	3	Vertical	47	1.80	-	36.00	8.50	35.14
PK	7.1738G	77.35	88.20	-10.85	66.90	3	Vertical	47	1.80	-	36.90	8.57	35.02
RMS	7.1528G	57.84	68.20	-10.36	47.52	3	Vertical	47	1.80	-	36.81	8.57	35.06

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 3.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7754G	106.55	Inf	-Inf	97.04	3	Horizontal	74	1.80	-	36.10	8.43	35.02
RMS	6.797G	95.53	Inf	-Inf	86.02	3	Horizontal	74	1.80	-	36.10	8.46	35.05
PK	7.157G	76.04	88.20	-12.16	65.69	3	Horizontal	74	1.80	-	36.83	8.57	35.05
RMS	7.1312G	56.85	68.20	-11.35	46.68	3	Horizontal	74	1.80	-	36.69	8.58	35.10

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7871G	58.16	88.20	-30.04	39.60	3	Vertical	261	1.61	-	40.35	11.69	33.48
RMS	13.7851G	46.36	68.20	-21.84	27.79	3	Vertical	261	1.61	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7853G	57.67	88.20	-30.53	39.10	3	Horizontal	289	2.43	-	40.36	11.69	33.48
RMS	13.786G	46.28	68.20	-21.92	27.71	3	Horizontal	289	2.43	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69885G	54.16	83.54	-29.38	49.54	1	Vertical	331	2.57	-	37.90	15.76	49.04
AV	20.69015G	41.28	63.54	-22.26	36.67	1	Vertical	331	2.57	-	37.90	15.75	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69745G	54.03	83.54	-29.51	49.41	1	Horizontal	290	2.55	-	37.90	15.76	49.04
AV	20.70295G	41.11	63.54	-22.43	36.49	1	Horizontal	290	2.55	-	37.89	15.76	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8342G	104.73	Inf	-Inf	95.61	3	Vertical	333	1.80	-	35.73	8.49	35.10
RMS	6.857G	94.01	Inf	-Inf	84.96	3	Vertical	333	1.80	-	35.69	8.50	35.14
PK	7.1354G	68.17	88.20	-20.03	58.24	3	Vertical	333	1.80	-	36.44	8.58	35.09
RMS	7.1384G	56.28	68.20	-11.92	46.34	3	Vertical	333	1.80	-	36.45	8.58	35.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0538G	105.89	Inf	-Inf	96.51	3	Horizontal	71	1.48	-	36.02	8.60	35.24
RMS	6.8576G	95.59	Inf	-Inf	86.55	3	Horizontal	71	1.48	-	35.68	8.50	35.14
PK	7.1474G	70.70	88.20	-17.50	60.71	3	Horizontal	71	1.48	-	36.49	8.57	35.07
RMS	7.1324G	56.66	68.20	-11.54	46.75	3	Horizontal	71	1.48	-	36.43	8.58	35.10

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7869G	59.07	88.20	-29.13	40.55	3	Vertical	329	1.77	-	40.31	11.69	33.48
RMS	13.785G	47.62	68.20	-20.58	29.10	3	Vertical	329	1.77	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7989G	59.26	88.20	-28.94	40.76	3	Horizontal	337.1	1.80	-	40.30	11.69	33.49
RMS	13.7877G	47.48	68.20	-20.72	28.96	3	Horizontal	337.1	1.80	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71635G	54.48	83.54	-29.06	49.87	1	Vertical	52	1.11	-	37.87	15.77	49.03
AV	20.70085G	43.17	63.54	-20.37	38.55	1	Vertical	52	1.11	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.73325G	54.66	83.54	-28.88	50.06	1	Horizontal	84	1.62	-	37.83	15.79	49.02
AV	20.70875G	43.24	63.54	-20.30	38.62	1	Horizontal	84	1.62	-	37.88	15.77	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7562G	105.54	Inf	-Inf	96.02	3	Vertical	49	1.80	-	36.10	8.41	34.99
RMS	6.7568G	94.94	Inf	-Inf	85.42	3	Vertical	49	1.80	-	36.10	8.41	34.99
PK	7.1966G	70.53	88.20	-17.67	59.96	3	Vertical	49	1.80	-	36.99	8.56	34.98
RMS	7.1966G	53.74	68.20	-14.46	43.17	3	Vertical	49	1.80	-	36.99	8.56	34.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7766G	106.18	Inf	-Inf	96.67	3	Horizontal	74	1.80	-	36.10	8.43	35.02
RMS	6.7766G	95.68	Inf	-Inf	86.17	3	Horizontal	74	1.80	-	36.10	8.43	35.02
PK	7.2014G	67.67	88.20	-20.53	57.08	3	Horizontal	74	1.80	-	37.00	8.56	34.97
RMS	7.1966G	53.05	68.20	-15.15	42.48	3	Horizontal	74	1.80	-	36.99	8.56	34.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7875G	58.55	88.20	-29.65	39.99	3	Vertical	272	1.41	-	40.35	11.69	33.48
RMS	13.7853G	46.99	68.20	-21.21	28.42	3	Vertical	272	1.41	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7861G	58.38	88.20	-29.82	39.81	3	Horizontal	291	1.97	-	40.36	11.69	33.48
RMS	13.785G	46.90	68.20	-21.30	28.33	3	Horizontal	291	1.97	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7392G	53.26	83.54	-30.28	48.67	1	Vertical	198	1.14	-	37.82	15.79	49.02
AV	20.6902G	40.89	63.54	-22.65	36.28	1	Vertical	198	1.14	-	37.90	15.75	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.693G	53.91	83.54	-29.63	49.30	1	Horizontal	219	2.18	-	37.90	15.75	49.04
AV	20.6961G	40.84	63.54	-22.70	36.22	1	Horizontal	219	2.18	-	37.90	15.76	49.04

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.56	88.20	-26.64	55.03	3	Vertical	62.9	1.41	-	34.00	8.11	35.58
RMS	5.925G	51.24	68.20	-16.96	44.71	3	Vertical	62.9	1.41	-	34.00	8.11	35.58
PK	6.007G	109.69	Inf	-Inf	103.22	3	Vertical	62.9	1.41	-	33.91	8.16	35.60
RMS	6.006G	99.24	Inf	-Inf	92.77	3	Vertical	62.9	1.41	-	33.91	8.16	35.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.807G	61.56	88.20	-26.64	55.54	3	Horizontal	298	1.00	-	33.53	8.03	35.54
RMS	5.921G	51.31	68.20	-16.89	44.78	3	Horizontal	298	1.00	-	34.00	8.11	35.58
PK	5.982G	109.89	Inf	-Inf	103.40	3	Horizontal	298	1.00	-	33.94	8.15	35.60
RMS	6.0225G	99.71	Inf	-Inf	93.16	3	Horizontal	298	1.00	-	33.95	8.17	35.57

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9737G	56.94	74.00	-17.06	40.76	3	Vertical	90	1.31	-	38.55	11.06	33.43
AV	11.9889G	46.67	54.00	-7.33	30.46	3	Vertical	90	1.31	-	38.58	11.07	33.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9832G	57.93	74.00	-16.07	41.74	3	Horizontal	297	2.92	-	38.57	11.06	33.44
AV	11.9865G	46.69	54.00	-7.31	30.50	3	Horizontal	297	2.92	-	38.57	11.06	33.44
PK	17.95936G	56.61	74.00	-17.39	32.98	3	Horizontal	93	2.19	-	43.89	13.34	33.60
AV	17.952G	46.52	54.00	-7.48	22.95	3	Horizontal	93	2.19	-	43.82	13.34	33.59

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93989G	53.84	83.54	-41.52	32.88	1	Vertical	341	2.93	-	38.88	17.38	47.12
AV	23.94369G	42.81	63.54	-30.19	24.20	1	Vertical	341	2.93	-	38.89	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -3
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94346G	54.31	83.54	-41.58	32.81	1	Horizontal	139	1.76	-	38.89	17.38	47.12
AV	23.93664G	42.97	63.54	-30.15	24.26	1	Horizontal	139	1.76	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
 Setting -0.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	63.80	88.20	-24.40	57.27	3	Vertical	57	2.16	-	34.00	8.10	35.57
RMS	5.9245G	50.88	68.20	-17.32	44.35	3	Vertical	57	2.16	-	34.00	8.11	35.58
PK	6.006G	109.40	Inf	-Inf	102.93	3	Vertical	57	2.16	-	33.91	8.16	35.60
RMS	6.0235G	99.85	Inf	-Inf	93.29	3	Vertical	57	2.16	-	33.95	8.17	35.56

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -0.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	62.11	88.20	-26.09	55.79	3	Horizontal	300	1.05	-	33.81	8.07	35.56
RMS	5.901G	50.75	68.20	-17.45	44.22	3	Horizontal	300	1.05	-	34.00	8.10	35.57
PK	6.022G	109.22	Inf	-Inf	102.68	3	Horizontal	300	1.05	-	33.94	8.17	35.57
RMS	6.022G	98.68	Inf	-Inf	92.14	3	Horizontal	300	1.05	-	33.94	8.17	35.57

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
 Setting -0.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9923G	57.48	74.00	-16.52	41.27	3	Vertical	325	2.42	-	38.58	11.07	33.44
AV	11.9715G	46.74	54.00	-7.26	30.56	3	Vertical	325	2.42	-	38.54	11.06	33.42

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -0.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9758G	57.82	74.00	-16.18	41.64	3	Horizontal	231	2.94	-	38.55	11.06	33.43
AV	11.9921G	46.89	54.00	-7.11	30.68	3	Horizontal	231	2.94	-	38.58	11.07	33.44
PK	17.95914G	55.59	74.00	-18.41	31.96	3	Horizontal	70	2.93	-	43.89	13.34	33.60
AV	17.95354G	46.46	54.00	-7.54	22.88	3	Horizontal	70	2.93	-	43.84	13.34	33.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -0.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93684G	54.17	83.54	-41.44	32.97	1	Vertical	137	1.72	-	38.87	17.38	47.12
AV	23.93994G	42.86	63.54	-30.08	24.32	1	Vertical	137	1.72	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -0.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93867G	55.01	83.54	-40.98	33.42	1	Horizontal	211	1.90	-	38.88	17.38	47.12
AV	23.93967G	43.07	63.54	-29.79	24.61	1	Horizontal	211	1.90	-	38.88	17.38	47.12

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0218G	108.47	Inf	-Inf	99.34	3	Vertical	314	2.95	-	35.83	8.60	35.30
RMS	7.0014G	99.42	Inf	-Inf	90.44	3	Vertical	314	2.95	-	35.71	8.61	35.34
PK	7.221G	63.60	88.20	-24.60	53.33	3	Vertical	314	2.95	-	36.64	8.57	34.94
RMS	7.2154G	52.74	68.20	-15.46	42.49	3	Vertical	314	2.95	-	36.63	8.57	34.95

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0554G	107.93	Inf	-Inf	98.54	3	Horizontal	288	1.80	-	36.03	8.60	35.24
RMS	7.055G	98.49	Inf	-Inf	89.10	3	Horizontal	288	1.80	-	36.03	8.60	35.24
PK	7.1274G	62.78	88.20	-25.42	52.90	3	Horizontal	288	1.80	-	36.41	8.58	35.11
RMS	7.2242G	52.80	68.20	-15.40	42.51	3	Horizontal	288	1.80	-	36.65	8.57	34.93

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.066G	59.85	88.20	-28.35	41.06	3	Vertical	172	2.79	-	40.57	11.78	33.56
RMS	14.0525G	48.86	68.20	-19.34	30.09	3	Vertical	172	2.79	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX



EUT_X_4TX
Setting -2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.041G	60.54	88.20	-27.66	41.79	3	Horizontal	195	1.53	-	40.54	11.77	33.56
RMS	14.048G	48.99	68.20	-19.21	30.22	3	Horizontal	195	1.53	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08605G	55.64	83.54	-27.90	50.26	1	Vertical	354	1.96	-	38.18	16.07	48.87
AV	21.07715G	43.82	63.54	-19.72	38.39	1	Vertical	354	1.96	-	38.24	16.06	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.05535G	55.37	83.54	-28.17	49.83	1	Horizontal	277	2.58	-	38.37	16.04	48.87
AV	21.0823G	43.81	63.54	-19.73	38.40	1	Horizontal	277	2.58	-	38.21	16.07	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.057G	108.00	Inf	-Inf	98.60	3	Vertical	307	1.80	-	36.04	8.60	35.24
RMS	7.057G	98.42	Inf	-Inf	89.02	3	Vertical	307	1.80	-	36.04	8.60	35.24
PK	7.1298G	63.90	88.20	-24.30	54.00	3	Vertical	307	1.80	-	36.42	8.58	35.10
RMS	7.2246G	52.34	68.20	-15.86	42.05	3	Vertical	307	1.80	-	36.65	8.57	34.93

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0554G	108.74	Inf	-Inf	99.35	3	Horizontal	288	1.80	-	36.03	8.60	35.24
RMS	7.055G	99.98	Inf	-Inf	90.59	3	Horizontal	288	1.80	-	36.03	8.60	35.24
PK	7.1266G	65.25	88.20	-22.95	55.37	3	Horizontal	288	1.80	-	36.41	8.58	35.11
RMS	7.127G	52.49	68.20	-15.71	42.61	3	Horizontal	288	1.80	-	36.41	8.58	35.11

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0356G	60.06	88.20	-28.14	41.31	3	Vertical	70	1.78	-	40.54	11.77	33.56
RMS	14.0696G	49.00	68.20	-19.20	30.22	3	Vertical	70	1.78	-	40.57	11.78	33.57

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0728G	59.96	88.20	-28.24	41.18	3	Horizontal	78	2.05	-	40.57	11.78	33.57
RMS	14.0489G	48.86	68.20	-19.34	30.09	3	Horizontal	78	2.05	-	40.55	11.78	33.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08375G	55.65	83.54	-27.89	50.25	1	Vertical	201	1.62	-	38.20	16.07	48.87
AV	21.05255G	43.90	63.54	-19.64	38.35	1	Vertical	201	1.62	-	38.38	16.04	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08285G	56.18	83.54	-27.36	50.78	1	Horizontal	351	2.33	-	38.20	16.07	48.87
AV	21.0675G	43.95	63.54	-19.59	38.47	1	Horizontal	351	2.33	-	38.30	16.05	48.87

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	61.28	88.20	-26.92	54.78	3	Vertical	57.9	2.06	-	33.98	8.09	35.57
RMS	5.9242G	51.82	68.20	-16.38	45.29	3	Vertical	57.9	2.06	-	34.00	8.11	35.58
PK	6.0634G	108.75	Inf	-Inf	102.09	3	Vertical	57.9	2.06	-	33.97	8.18	35.49
RMS	6.0442G	99.79	Inf	-Inf	93.15	3	Vertical	57.9	2.06	-	33.99	8.17	35.52

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	63.84	88.20	-24.36	57.32	3	Horizontal	298	2.95	-	34.00	8.10	35.58
RMS	5.921G	51.65	68.20	-16.55	45.12	3	Horizontal	298	2.95	-	34.00	8.11	35.58
PK	6.033G	110.71	Inf	-Inf	104.12	3	Horizontal	298	2.95	-	33.97	8.17	35.55
RMS	6.0322G	99.45	Inf	-Inf	92.87	3	Horizontal	298	2.95	-	33.96	8.17	35.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04962G	58.38	74.00	-15.62	41.99	3	Vertical	337	2.16	-	38.70	11.09	33.40
AV	12.04988G	46.07	54.00	-7.93	29.68	3	Vertical	337	2.16	-	38.70	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0479G	58.22	74.00	-15.78	41.83	3	Horizontal	190	1.07	-	38.70	11.09	33.40
AV	12.05244G	46.11	54.00	-7.89	29.71	3	Horizontal	190	1.07	-	38.70	11.09	33.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07759G	54.17	83.54	-29.37	50.84	1	Vertical	224	2.44	-	37.51	15.30	49.48
AV	18.07575G	43.95	63.54	-19.59	40.63	1	Vertical	224	2.44	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07868G	54.95	83.54	-28.59	51.62	1	Horizontal	248	2.54	-	37.51	15.30	49.48
AV	18.07098G	43.31	63.54	-20.23	40.00	1	Horizontal	248	2.54	-	37.48	15.30	49.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	65.15	88.20	-23.05	58.62	3	Vertical	54	2.07	-	34.00	8.10	35.57
RMS	5.925G	52.64	68.20	-15.56	46.11	3	Vertical	54	2.07	-	34.00	8.11	35.58
PK	6.1034G	108.87	Inf	-Inf	102.20	3	Vertical	54	2.07	-	33.89	8.19	35.41
RMS	6.0442G	99.58	Inf	-Inf	92.94	3	Vertical	54	2.07	-	33.99	8.17	35.52

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	63.22	88.20	-24.98	56.70	3	Horizontal	300	2.95	-	34.00	8.10	35.58
RMS	5.913G	51.88	68.20	-16.32	45.36	3	Horizontal	300	2.95	-	34.00	8.10	35.58
PK	6.0314G	108.56	Inf	-Inf	101.98	3	Horizontal	300	2.95	-	33.96	8.17	35.55
RMS	6.0322G	100.07	Inf	-Inf	93.49	3	Horizontal	300	2.95	-	33.96	8.17	35.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05366G	58.28	74.00	-26.72	30.87	3	Vertical	350	1.98	-	38.71	11.09	33.39
AV	12.05306G	46.97	54.00	-16.03	21.56	3	Vertical	350	1.98	-	38.71	11.09	33.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04714G	58.80	74.00	-15.20	42.42	3	Horizontal	94	2.98	-	38.69	11.09	33.40
AV	12.04542G	46.08	54.00	-7.92	29.70	3	Horizontal	94	2.98	-	38.69	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07041G	54.89	83.54	-28.65	51.58	1	Vertical	332	2.81	-	37.48	15.30	49.47
AV	18.07278G	43.52	63.54	-20.02	40.20	1	Vertical	332	2.81	-	37.49	15.30	49.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07919G	54.85	83.54	-28.69	51.51	1	Horizontal	174	2.89	-	37.52	15.30	49.48
AV	18.07416G	43.73	63.54	-19.81	40.41	1	Horizontal	174	2.89	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.849G	62.35	88.20	-25.85	56.14	3	Vertical	56	2.33	-	33.70	8.06	35.55
RMS	5.9242G	51.64	68.20	-16.56	45.11	3	Vertical	56	2.33	-	34.00	8.11	35.58
PK	6.0842G	109.29	Inf	-Inf	102.61	3	Vertical	56	2.33	-	33.93	8.19	35.44
RMS	6.0842G	99.16	Inf	-Inf	92.48	3	Vertical	56	2.33	-	33.93	8.19	35.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7978G	60.87	88.20	-27.33	54.87	3	Horizontal	298	1.05	-	33.50	8.03	35.53
AV	5.9226G	51.62	68.20	-16.58	45.09	3	Horizontal	298	1.05	-	34.00	8.11	35.58
PK	5.9818G	105.52	Inf	-Inf	99.03	3	Horizontal	298	1.05	-	33.94	8.15	35.60
AV	5.9818G	97.05	Inf	-Inf	90.56	3	Horizontal	298	1.05	-	33.94	8.15	35.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04812G	58.45	74.00	-15.55	42.06	3	Vertical	188	1.87	-	38.70	11.09	33.40
AV	12.04534G	46.05	54.00	-7.95	29.67	3	Vertical	188	1.87	-	38.69	11.09	33.40

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05334G	58.96	74.00	-15.04	42.55	3	Horizontal	268	2.17	-	38.71	11.09	33.39
AV	12.04988G	46.00	54.00	-8.00	29.61	3	Horizontal	268	2.17	-	38.70	11.09	33.40



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07159G	54.90	83.54	-28.64	51.58	1	Vertical	191	2.24	-	37.49	15.30	49.47
AV	18.07548G	43.63	63.54	-19.91	40.31	1	Vertical	191	2.24	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0706G	54.98	83.54	-28.56	51.67	1	Horizontal	348	2.71	-	37.48	15.30	49.47
AV	18.07579G	43.39	63.54	-20.15	40.07	1	Horizontal	348	2.71	-	37.50	15.30	49.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_2TX
Setting -3
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	110.88	Inf	-Inf	100.17	3	Vertical	43	1.80	-	34.92	8.49	32.70
RMS	6.917G	100.09	Inf	-Inf	89.51	3	Vertical	43	1.80	-	34.80	8.47	32.69
PK	7.138G	75.86	88.20	-12.34	64.22	3	Vertical	43	1.80	-	35.83	8.51	32.70
RMS	7.1375G	60.43	68.20	-7.77	48.79	3	Vertical	43	1.80	-	35.83	8.51	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_2TX
Setting -3
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	105.74	Inf	-Inf	96.81	3	Horizontal	64	1.80	-	35.60	8.55	35.22
RMS	6.936G	96.72	Inf	-Inf	87.81	3	Horizontal	64	1.80	-	35.60	8.56	35.25
PK	7.129G	72.53	88.20	-15.67	62.64	3	Horizontal	64	1.80	-	36.42	8.58	35.11
RMS	7.128G	56.86	68.20	-11.34	46.98	3	Horizontal	64	1.80	-	36.41	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_4TX
Setting -3
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97396G	61.34	88.20	-26.86	39.87	3	Vertical	329	1.49	-	40.85	11.87	31.25
RMS	13.98044G	50.05	68.20	-18.15	28.57	3	Vertical	329	1.49	-	40.86	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_4TX
Setting -3
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9712G	62.06	88.20	-26.14	40.60	3	Horizontal	12	2.25	-	40.84	11.87	31.25
RMS	13.98308G	50.05	68.20	-18.15	28.56	3	Horizontal	12	2.25	-	40.87	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_4TX
Setting -3
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96628G	46.98	83.54	-36.56	41.88	1	Vertical	261	2.17	-	38.03	15.97	48.90
AV	20.94015G	35.60	63.54	-27.94	30.46	1	Vertical	261	2.17	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_X_4TX
Setting -3
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94366G	47.49	83.54	-36.05	42.35	1	Horizontal	306	1.70	-	38.10	15.95	48.91
AV	20.94864G	35.55	63.54	-27.99	30.40	1	Horizontal	306	1.70	-	38.10	15.96	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.917G	110.54	Inf	-Inf	99.96	3	Vertical	42	1.80	-	34.80	8.47	32.69
RMS	6.937G	100.36	Inf	-Inf	89.65	3	Vertical	42	1.80	-	34.92	8.49	32.70
PK	7.138G	67.24	88.20	-20.96	55.60	3	Vertical	42	1.80	-	35.83	8.51	32.70
RMS	7.137G	56.45	68.20	-11.75	44.82	3	Vertical	42	1.80	-	35.82	8.51	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	106.52	Inf	-Inf	97.61	3	Horizontal	68	1.80	-	35.61	8.58	35.28
RMS	6.9365G	96.89	Inf	-Inf	87.98	3	Horizontal	68	1.80	-	35.60	8.56	35.25
PK	7.13G	63.89	88.20	-24.31	53.99	3	Horizontal	68	1.80	-	36.42	8.58	35.10
RMS	7.129G	54.50	68.20	-13.70	44.61	3	Horizontal	68	1.80	-	36.42	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97222G	58.76	88.20	-29.44	37.30	3	Vertical	121	1.55	-	40.84	11.87	31.25
RMS	13.97966G	47.36	68.20	-20.84	25.88	3	Vertical	121	1.55	-	40.86	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
 Setting -1.5
 01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96142G	62.02	88.20	-26.18	40.57	3	Horizontal	171	1.74	-	40.82	11.87	31.24
RMS	13.98296G	50.05	68.20	-18.15	28.56	3	Horizontal	171	1.74	-	40.87	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95911G	47.46	83.54	-36.08	42.33	1	Vertical	293	1.75	-	38.06	15.97	48.90
AV	20.94111G	35.60	63.54	-27.94	30.46	1	Vertical	293	1.75	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1.5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96925G	46.82	83.54	-36.72	41.72	1	Horizontal	147	1.56	-	38.02	15.98	48.90
AV	20.94294G	35.69	63.54	-27.85	30.55	1	Horizontal	147	1.56	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.917G	109.55	Inf	-Inf	98.97	3	Vertical	43	1.80	-	34.80	8.47	32.69
RMS	6.9375G	100.03	Inf	-Inf	89.32	3	Vertical	43	1.80	-	34.92	8.49	32.70
PK	7.168G	69.07	88.20	-19.13	57.29	3	Vertical	43	1.80	-	35.97	8.50	32.69
RMS	7.1565G	56.48	68.20	-11.72	44.73	3	Vertical	43	1.80	-	35.93	8.51	32.69

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.936G	105.63	Inf	-Inf	96.72	3	Horizontal	62	1.80	-	35.60	8.56	35.25
RMS	6.9355G	97.01	Inf	-Inf	88.10	3	Horizontal	62	1.80	-	35.60	8.56	35.25
PK	7.168G	67.02	88.20	-21.18	56.94	3	Horizontal	62	1.80	-	36.54	8.57	35.03
RMS	7.1685G	54.00	68.20	-14.20	43.92	3	Horizontal	62	1.80	-	36.54	8.57	35.03

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97042G	62.29	88.20	-25.91	40.83	3	Vertical	198	2.01	-	40.84	11.87	31.25
RMS	13.97294G	49.90	68.20	-18.30	28.43	3	Vertical	198	2.01	-	40.85	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97576G	62.04	88.20	-26.16	40.57	3	Horizontal	129	2.02	-	40.85	11.87	31.25
RMS	13.98302G	50.13	68.20	-18.07	28.64	3	Horizontal	129	2.02	-	40.87	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95632G	47.20	83.54	-36.34	42.06	1	Vertical	346	1.40	-	38.07	15.97	48.90
AV	20.94024G	35.68	63.54	-27.86	30.54	1	Vertical	346	1.40	-	38.10	15.95	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_X_4TX
Setting -1
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94843G	46.78	83.54	-36.76	41.63	1	Horizontal	89	1.50	-	38.10	15.96	48.91
AV	20.94315G	35.69	63.54	-27.85	30.55	1	Horizontal	89	1.50	-	38.10	15.95	48.91

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.87	88.20	-15.33	66.14	3	Vertical	301	1.10	-	34.20	8.11	35.58
RMS	5.925G	55.67	68.20	-12.53	48.94	3	Vertical	301	1.10	-	34.20	8.11	35.58
PK	6.183G	110.11	Inf	-Inf	102.88	3	Vertical	301	1.10	-	34.27	8.21	35.25
RMS	6.044G	99.89	Inf	-Inf	93.14	3	Vertical	301	1.10	-	34.10	8.17	35.52

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	69.45	88.20	-18.75	62.72	3	Horizontal	78	1.80	-	34.20	8.11	35.58
RMS	5.916G	53.63	68.20	-14.57	46.90	3	Horizontal	78	1.80	-	34.20	8.11	35.58
PK	6.175G	109.49	Inf	-Inf	102.30	3	Horizontal	78	1.80	-	34.25	8.21	35.27
RMS	6.176G	98.66	Inf	-Inf	91.47	3	Horizontal	78	1.80	-	34.25	8.21	35.27

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1895G	58.57	74.00	-15.43	41.78	3	Vertical	18	1.80	-	38.90	11.14	33.25
AV	12.2115G	46.81	54.00	-7.19	30.00	3	Vertical	18	1.80	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2198G	58.56	74.00	-15.44	41.73	3	Horizontal	61	1.80	-	38.90	11.15	33.22
AV	12.2233G	46.81	54.00	-7.19	29.97	3	Horizontal	61	1.80	-	38.90	11.15	33.21

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3174G	55.11	83.54	-28.43	51.92	1	Vertical	41	1.34	-	37.50	15.28	49.59
AV	18.30072G	43.58	63.54	-19.96	40.38	1	Vertical	41	1.34	-	37.50	15.28	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32457G	55.25	83.54	-28.29	52.07	1	Horizontal	171	1.53	-	37.50	15.28	49.60
AV	18.30903G	43.67	63.54	-19.87	40.48	1	Horizontal	171	1.53	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	68.70	88.20	-19.50	62.17	3	Vertical	300	1.80	-	34.00	8.11	35.58
RMS	5.925G	54.66	68.20	-13.54	48.13	3	Vertical	300	1.80	-	34.00	8.11	35.58
PK	6.147G	109.17	Inf	-Inf	102.48	3	Vertical	300	1.80	-	33.81	8.20	35.32
RMS	6.086G	99.38	Inf	-Inf	92.70	3	Vertical	300	1.80	-	33.93	8.19	35.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	68.18	88.20	-20.02	61.65	3	Horizontal	67	1.80	-	34.00	8.11	35.58
RMS	5.923G	53.70	68.20	-14.50	47.17	3	Horizontal	67	1.80	-	34.00	8.11	35.58
PK	6.013G	108.27	Inf	-Inf	101.76	3	Horizontal	67	1.80	-	33.93	8.16	35.58
RMS	6.042G	98.46	Inf	-Inf	91.84	3	Horizontal	67	1.80	-	33.98	8.17	35.53

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.195G	57.87	74.00	-16.13	41.17	3	Vertical	0	1.80	-	38.80	11.14	33.24
AV	12.1907G	45.24	54.00	-8.76	28.55	3	Vertical	0	1.80	-	38.80	11.14	33.25

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2308G	57.62	74.00	-16.38	40.91	3	Horizontal	0	1.80	-	38.77	11.15	33.21
AV	12.2343G	45.18	54.00	-8.82	28.46	3	Horizontal	0	1.80	-	38.77	11.15	33.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31533G	54.75	83.54	-28.79	51.56	1	Vertical	338	1.67	-	37.50	15.28	49.59
AV	18.30075G	43.66	63.54	-19.88	40.46	1	Vertical	338	1.67	-	37.50	15.28	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31332G	55.20	83.54	-28.34	52.01	1	Horizontal	315	1.59	-	37.50	15.28	49.59
AV	18.30855G	43.67	63.54	-19.87	40.48	1	Horizontal	315	1.59	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	66.08	88.20	-22.12	59.35	3	Vertical	302	1.39	-	34.20	8.10	35.57
RMS	5.925G	53.31	68.20	-14.89	46.58	3	Vertical	302	1.39	-	34.20	8.11	35.58
PK	6.245G	110.52	Inf	-Inf	102.91	3	Vertical	302	1.39	-	34.48	8.26	35.13
RMS	6.244G	100.21	Inf	-Inf	92.60	3	Vertical	302	1.39	-	34.48	8.26	35.13

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	63.43	88.20	-24.77	56.70	3	Horizontal	78	1.80	-	34.20	8.11	35.58
RMS	5.923G	51.80	68.20	-16.40	45.07	3	Horizontal	78	1.80	-	34.20	8.11	35.58
PK	6.217G	109.99	Inf	-Inf	102.57	3	Horizontal	78	1.80	-	34.37	8.23	35.18
RMS	6.217G	99.26	Inf	-Inf	91.84	3	Horizontal	78	1.80	-	34.37	8.23	35.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1913G	56.35	74.00	-17.65	39.56	3	Vertical	73	1.50	-	38.90	11.14	33.25
AV	12.1967G	45.20	54.00	-8.80	28.40	3	Vertical	73	1.50	-	38.90	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2128G	56.78	74.00	-17.22	39.96	3	Horizontal	128	1.77	-	38.90	11.14	33.22
AV	12.196G	45.10	54.00	-8.90	28.30	3	Horizontal	128	1.77	-	38.90	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
 Setting -1.75
 05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30192G	55.05	83.54	-28.49	51.85	1	Vertical	188	1.43	-	37.50	15.28	49.58
AV	18.31089G	43.52	63.54	-20.02	40.33	1	Vertical	188	1.43	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting -1.75
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31233G	55.24	83.54	-28.30	52.05	1	Horizontal	1	1.36	-	37.50	15.28	49.59
AV	18.31614G	43.78	63.54	-19.76	40.59	1	Horizontal	1	1.36	-	37.50	15.28	49.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 0.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	107.95	Inf	-Inf	98.59	3	Vertical	50	1.80	-	36.00	8.50	35.14
RMS	6.857G	98.10	Inf	-Inf	88.74	3	Vertical	50	1.80	-	36.00	8.50	35.14
PK	7.1774G	70.26	88.20	-17.94	59.80	3	Vertical	50	1.80	-	36.91	8.57	35.02
RMS	7.1978G	53.90	68.20	-14.30	43.33	3	Vertical	50	1.80	-	36.99	8.56	34.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.755G	107.47	Inf	-Inf	97.96	3	Horizontal	75	1.80	-	36.10	8.40	34.99
RMS	6.776G	97.10	Inf	-Inf	87.59	3	Horizontal	75	1.80	-	36.10	8.43	35.02
PK	7.1966G	68.80	88.20	-19.40	58.23	3	Horizontal	75	1.80	-	36.99	8.56	34.98
RMS	7.1366G	53.14	68.20	-15.06	42.93	3	Horizontal	75	1.80	-	36.72	8.58	35.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7917G	57.60	88.20	-30.60	39.06	3	Vertical	4	1.48	-	40.33	11.69	33.48
RMS	13.7852G	46.28	68.20	-21.92	27.71	3	Vertical	4	1.48	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7899G	58.00	88.20	-30.20	39.45	3	Horizontal	202	1.36	-	40.34	11.69	33.48
RMS	13.7859G	46.20	68.20	-22.00	27.63	3	Horizontal	202	1.36	-	40.36	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7223G	53.36	83.54	-30.18	48.74	1	Vertical	39	2.11	-	37.86	15.78	49.02
AV	20.69615G	41.11	63.54	-22.43	36.49	1	Vertical	39	2.11	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 0.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7236G	54.15	83.54	-29.39	49.54	1	Horizontal	284	2.43	-	37.85	15.78	49.02
AV	20.6916G	41.25	63.54	-22.29	36.64	1	Horizontal	284	2.43	-	37.90	15.75	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	106.13	Inf	-Inf	97.08	3	Vertical	42.9	1.80	-	35.69	8.50	35.14
RMS	6.836G	96.62	Inf	-Inf	87.51	3	Vertical	42.9	1.80	-	35.73	8.49	35.11
PK	7.1378G	69.21	88.20	-18.99	59.27	3	Vertical	42.9	1.80	-	36.45	8.58	35.09
RMS	7.136G	55.23	68.20	-12.97	45.30	3	Vertical	42.9	1.80	-	36.44	8.58	35.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9554G	107.95	Inf	-Inf	99.04	3	Horizontal	75	1.57	-	35.61	8.58	35.28
RMS	6.8552G	98.33	Inf	-Inf	89.27	3	Horizontal	75	1.57	-	35.69	8.50	35.13
PK	7.1282G	67.45	88.20	-20.75	57.57	3	Horizontal	75	1.57	-	36.41	8.58	35.11
RMS	7.136G	55.73	68.20	-12.47	45.80	3	Horizontal	75	1.57	-	36.44	8.58	35.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7881G	59.49	88.20	-28.71	40.97	3	Vertical	265	1.80	-	40.31	11.69	33.48
RMS	13.7852G	47.42	68.20	-20.78	28.90	3	Vertical	265	1.80	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7856G	59.83	88.20	-28.37	41.31	3	Horizontal	5	1.80	-	40.31	11.69	33.48
RMS	13.7864G	47.42	68.20	-20.78	28.90	3	Horizontal	5	1.80	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71491G	55.12	83.54	-28.42	50.51	1	Vertical	215	1.82	-	37.87	15.77	49.03
AV	20.71119G	42.94	63.54	-20.60	38.32	1	Vertical	215	1.82	-	37.88	15.77	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 1
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71404G	55.15	83.54	-28.39	50.54	1	Horizontal	270	1.69	-	37.87	15.77	49.03
AV	20.70252G	42.89	63.54	-20.65	38.27	1	Horizontal	270	1.69	-	37.89	15.76	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7982G	105.72	Inf	-Inf	96.51	3	Vertical	52	1.80	-	35.80	8.46	35.05
RMS	6.7568G	96.80	Inf	-Inf	87.58	3	Vertical	52	1.80	-	35.80	8.41	34.99
PK	7.145G	63.70	88.20	-24.50	53.73	3	Vertical	52	1.80	-	36.48	8.57	35.08
RMS	7.187G	52.91	68.20	-15.29	42.78	3	Vertical	52	1.80	-	36.57	8.56	35.00

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7934G	106.26	Inf	-Inf	97.06	3	Horizontal	71	1.66	-	35.80	8.45	35.05
RMS	6.755G	98.25	Inf	-Inf	89.04	3	Horizontal	71	1.66	-	35.80	8.40	34.99
PK	7.1702G	64.25	88.20	-23.95	54.17	3	Horizontal	71	1.66	-	36.54	8.57	35.03
RMS	7.1366G	52.91	68.20	-15.29	42.97	3	Horizontal	71	1.66	-	36.45	8.58	35.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7872G	58.91	88.20	-29.29	40.39	3	Vertical	219	2.86	-	40.31	11.69	33.48
RMS	13.7852G	47.34	68.20	-20.86	28.82	3	Vertical	219	2.86	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7907G	59.03	88.20	-29.17	40.51	3	Horizontal	44	1.80	-	40.31	11.69	33.48
RMS	13.7863G	47.42	88.20	-40.78	28.90	3	Horizontal	44	1.80	-	40.31	11.69	33.48

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70636G	55.44	83.54	-28.10	50.81	1	Vertical	224	1.53	-	37.89	15.77	49.03
AV	20.6802G	43.05	63.54	-20.49	38.46	1	Vertical	224	1.53	-	37.90	15.74	49.05

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_4TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6986G	54.18	83.54	-29.36	49.56	1	Horizontal	255	1.79	-	37.90	15.76	49.04
AV	20.67764G	43.05	63.54	-20.49	38.46	1	Horizontal	255	1.79	-	37.90	15.74	49.05




RSE TX above 1GHz_Indoor Access Point_Radio 4_Puncturing Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
					(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	Pass	RMS	7.1282G	68.17	68.20	-0.03	3	Vertical	82	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	69.82	88.20	-18.38	62.22	3	Vertical	298	2.95	-	32.40	7.64	32.44
RMS	5.9246G	54.61	68.20	-13.59	47.01	3	Vertical	298	2.95	-	32.40	7.64	32.44
PK	6.0102G	110.47	Inf	-Inf	102.71	3	Vertical	298	2.95	-	32.52	7.68	32.44
RMS	6.0126G	99.64	Inf	-Inf	91.87	3	Vertical	298	2.95	-	32.53	7.68	32.44



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	63.97	88.20	-24.23	56.37	3	Horizontal	73	1.80	-	32.40	7.64	32.44
RMS	5.9238G	52.24	68.20	-15.96	44.64	3	Horizontal	73	1.80	-	32.40	7.64	32.44
PK	6.0042G	102.64	Inf	-Inf	94.89	3	Horizontal	73	1.80	-	32.51	7.68	32.44
RMS	6.0154G	91.70	Inf	-Inf	83.93	3	Horizontal	73	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97487G	56.67	74.00	-17.33	39.30	3	Vertical	51	1.67	-	39.05	11.11	32.79
AV	11.96702G	45.28	54.00	-8.72	27.94	3	Vertical	51	1.67	-	39.03	11.10	32.79
PK	17.95985G	61.54	74.00	-12.46	31.17	3	Vertical	89	1.12	-	48.32	13.44	31.39
AV	17.9595G	48.23	54.00	-5.77	17.88	3	Vertical	89	1.12	-	48.30	13.44	31.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97167G	56.97	74.00	-17.03	39.62	3	Horizontal	166	2.81	-	39.04	11.10	32.79
AV	11.96969G	46.21	54.00	-7.79	28.86	3	Horizontal	166	2.81	-	39.04	11.10	32.79
PK	17.95802G	62.56	74.00	-11.44	32.25	3	Horizontal	137	1.82	-	48.26	13.44	31.39
AV	17.95903G	48.88	54.00	-5.12	18.54	3	Horizontal	137	1.82	-	48.29	13.44	31.39



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93892G	54.34	83.54	-29.20	45.20	1	Vertical	111	1.47	-	38.88	17.38	47.12
AV	23.94912G	42.73	63.54	-20.81	33.57	1	Vertical	111	1.47	-	38.90	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 18.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94952G	54.89	83.54	-30.65	43.73	1	Horizontal	119	1.63	-	38.90	17.38	47.12
AV	23.93642G	42.67	63.54	-22.87	31.54	1	Horizontal	119	1.63	-	38.87	17.38	47.12

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0094G	110.03	Inf	-Inf	99.08	3	Vertical	85	1.80	-	35.14	8.56	32.75
AV	6.9866G	99.93	Inf	-Inf	89.05	3	Vertical	85	1.80	-	35.07	8.55	32.74
PK	7.125G	80.61	88.20	-7.59	69.04	3	Vertical	85	1.80	-	35.75	8.52	32.70
AV	7.125G	66.86	68.20	-1.34	55.29	3	Vertical	85	1.80	-	35.75	8.52	32.70

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9942G	104.92	Inf	-Inf	94.03	3	Horizontal	334	1.41	-	35.09	8.55	32.75
RMS	6.9918G	95.13	Inf	-Inf	84.24	3	Horizontal	334	1.41	-	35.08	8.55	32.74
PK	7.125G	74.95	88.20	-13.25	63.38	3	Horizontal	334	1.41	-	35.75	8.52	32.70
RMS	7.125G	62.35	68.20	-5.85	50.78	3	Horizontal	334	1.41	-	35.75	8.52	32.70

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04757G	58.87	88.20	-29.33	37.27	3	Vertical	351	2.55	-	41.00	11.90	31.30
RMS	14.04935G	47.20	68.20	-21.00	25.60	3	Vertical	351	2.55	-	41.00	11.90	31.30

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05204G	59.19	88.20	-29.01	37.58	3	Horizontal	309	1.73	-	41.01	11.90	31.30
RMS	14.05149G	47.13	68.20	-21.07	25.52	3	Horizontal	309	1.73	-	41.01	11.90	31.30

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06915G	49.00	83.54	-34.54	43.52	1	Vertical	329	2.07	-	38.29	16.06	48.87
AV	21.06426G	39.21	63.54	-24.33	33.72	1	Vertical	329	2.07	-	38.31	16.05	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06234G	50.95	83.54	-32.59	45.44	1	Horizontal	281	1.38	-	38.33	16.05	48.87
AV	21.08436G	39.33	63.54	-24.21	33.94	1	Horizontal	281	1.38	-	38.19	16.07	48.87

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	76.59	88.20	-11.61	69.00	3	Vertical	301	2.95	-	32.40	7.63	32.44
RMS	5.9245G	65.82	68.20	-2.38	58.22	3	Vertical	301	2.95	-	32.40	7.64	32.44
PK	6.0165G	110.28	Inf	-Inf	102.51	3	Vertical	301	2.95	-	32.53	7.68	32.44
RMS	6.082G	96.99	Inf	-Inf	89.18	3	Vertical	301	2.95	-	32.54	7.70	32.43



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	74.08	88.20	-14.12	66.48	3	Horizontal	71	1.80	-	32.40	7.64	32.44
RMS	5.925G	62.24	68.20	-5.96	54.64	3	Horizontal	71	1.80	-	32.40	7.64	32.44
PK	6.098G	101.33	Inf	-Inf	93.56	3	Horizontal	71	1.80	-	32.50	7.70	32.43
RMS	6.095G	91.37	Inf	-Inf	83.59	3	Horizontal	71	1.80	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05345G	58.95	74.00	-15.05	41.23	3	Vertical	291	1.64	-	39.30	11.14	32.72
AV	12.04859G	46.12	54.00	-7.88	28.42	3	Vertical	291	1.64	-	39.29	11.14	32.73



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05354G	59.58	74.00	-14.42	41.86	3	Horizontal	331	2.11	-	39.30	11.14	32.72
AV	12.05285G	46.98	54.00	-7.02	29.26	3	Horizontal	331	2.11	-	39.30	11.14	32.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07574G	55.62	83.54	-27.92	52.30	1	Vertical	226	1.79	-	37.50	15.30	49.48
AV	18.08378G	42.74	63.54	-20.80	39.38	1	Vertical	226	1.79	-	37.54	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07158G	55.32	83.54	-28.22	52.00	1	Horizontal	94	1.85	-	37.49	15.30	49.47
AV	18.08004G	42.68	63.54	-20.86	39.34	1	Horizontal	94	1.85	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	81.47	88.20	-6.73	73.88	3	Vertical	299	2.95	-	32.40	7.63	32.44
RMS	5.9245G	64.32	68.20	-3.88	56.72	3	Vertical	299	2.95	-	32.40	7.64	32.44
PK	6.0835G	108.32	Inf	-Inf	100.52	3	Vertical	299	2.95	-	32.53	7.70	32.43
RMS	6.095G	97.93	Inf	-Inf	90.15	3	Vertical	299	2.95	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	72.10	88.20	-16.10	64.51	3	Horizontal	69	1.80	-	32.40	7.63	32.44
RMS	5.9245G	58.50	68.20	-9.70	50.90	3	Horizontal	69	1.80	-	32.40	7.64	32.44
PK	6.0915G	100.27	Inf	-Inf	92.48	3	Horizontal	69	1.80	-	32.52	7.70	32.43
RMS	6.094G	89.78	Inf	-Inf	82.00	3	Horizontal	69	1.80	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05085G	58.27	74.00	-15.73	40.56	3	Vertical	115	2.90	-	39.30	11.14	32.73
AV	12.05101G	46.17	54.00	-7.83	28.46	3	Vertical	115	2.90	-	39.30	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05085G	58.57	74.00	-15.43	40.86	3	Horizontal	252	2.87	-	39.30	11.14	32.73
AV	12.05083G	46.75	54.00	-7.25	29.04	3	Horizontal	252	2.87	-	39.30	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0747G	53.72	83.54	-29.82	50.40	1	Vertical	235	2.87	-	37.50	15.30	49.48
AV	18.08844G	40.89	63.54	-22.65	37.52	1	Vertical	235	2.87	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08202G	53.59	83.54	-29.95	50.24	1	Horizontal	246	1.25	-	37.53	15.30	49.48
AV	18.06291G	40.89	63.54	-22.65	37.61	1	Horizontal	246	1.25	-	37.45	15.30	49.47



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX



13/06/2024


EUT_X_1TX
Setting 19.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9242G	106.21	Inf	-Inf	95.57	3	Vertical	81	1.80	-	34.85	8.48	32.69
RMS	6.9126G	96.39	Inf	-Inf	85.83	3	Vertical	81	1.80	-	34.78	8.47	32.69
PK	7.1286G	78.04	88.20	-10.16	66.46	3	Vertical	81	1.80	-	35.77	8.51	32.70
RMS	7.1266G	66.58	68.20	-1.62	55.00	3	Vertical	81	1.80	-	35.76	8.52	32.70



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX




EUTX_1TX
Setting 19.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	101.33	Inf	-Inf	90.44	3	Horizontal	334	1.42	-	35.08	8.55	32.74
RMS	6.9634G	90.69	Inf	-Inf	79.86	3	Horizontal	334	1.42	-	35.03	8.52	32.72
PK	7.1254G	75.01	88.20	-13.19	63.44	3	Horizontal	334	1.42	-	35.75	8.52	32.70
RMS	7.1254G	62.45	68.20	-5.75	50.88	3	Horizontal	334	1.42	-	35.75	8.52	32.70



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96813G	58.87	88.20	-29.33	37.41	3	Vertical	56	2.09	-	40.84	11.87	31.25
RMS	13.96941G	47.49	68.20	-20.71	26.03	3	Vertical	56	2.09	-	40.84	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97217G	59.41	88.20	-28.79	37.95	3	Horizontal	283	2.68	-	40.84	11.87	31.25
RMS	13.97022G	47.33	68.20	-20.87	25.87	3	Horizontal	283	2.68	-	40.84	11.87	31.25

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95056G	52.57	83.54	-30.97	47.42	1	Vertical	241	1.52	-	38.10	15.96	48.91
AV	20.96988G	39.46	63.54	-24.08	34.36	1	Vertical	241	1.52	-	38.02	15.98	48.90

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95611G	52.30	83.54	-31.24	47.16	1	Horizontal	30	2.74	-	38.08	15.96	48.90
AV	20.95032G	39.53	63.54	-24.01	34.38	1	Horizontal	30	2.74	-	38.10	15.96	48.91

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0018G	105.79	Inf	-Inf	96.51	3	Vertical	82	1.80	-	36.01	8.61	35.34
RMS	7.0018G	96.56	Inf	-Inf	87.28	3	Vertical	82	1.80	-	36.01	8.61	35.34
PK	7.133G	77.65	88.20	-10.55	67.47	3	Vertical	82	1.80	-	36.70	8.58	35.10
RMS	7.1282G	68.17	68.20	-0.03	58.03	3	Vertical	82	1.80	-	36.67	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0378G	99.59	Inf	-Inf	90.11	3	Horizontal	34	1.45	-	36.15	8.60	35.27
RMS	7.0318G	90.20	Inf	-Inf	80.75	3	Horizontal	34	1.45	-	36.13	8.60	35.28
PK	7.141G	73.88	88.20	-14.32	63.64	3	Horizontal	34	1.45	-	36.75	8.57	35.08
RMS	7.125G	62.20	68.20	-6.00	52.08	3	Horizontal	34	1.45	-	36.65	8.58	35.11

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97141G	58.68	88.20	-29.52	40.11	3	Vertical	298	1.62	-	40.36	11.75	33.54
RMS	13.97076G	47.57	68.20	-20.63	29.00	3	Vertical	298	1.62	-	40.36	11.75	33.54

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96928G	59.38	88.20	-28.82	40.81	3	Horizontal	360	1.81	-	40.36	11.75	33.54
RMS	13.97107G	47.41	68.20	-20.79	28.84	3	Horizontal	360	1.81	-	40.36	11.75	33.54

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95026G	50.19	83.54	-33.35	45.04	1	Vertical	214	2.68	-	38.10	15.96	48.91
AV	20.96313G	39.34	63.54	-24.20	34.22	1	Vertical	214	2.68	-	38.05	15.97	48.90

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 19.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96031G	49.75	83.54	-33.79	44.62	1	Horizontal	248	2.34	-	38.06	15.97	48.90
AV	20.95089G	39.41	63.54	-24.13	34.26	1	Horizontal	248	2.34	-	38.10	15.96	48.91

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.36	88.20	-7.84	73.63	3	Vertical	298	2.94	-	34.20	8.11	35.58
RMS	5.9226G	66.73	68.20	-1.47	60.00	3	Vertical	298	2.94	-	34.20	8.11	35.58
PK	6.0762G	107.88	Inf	-Inf	101.06	3	Vertical	298	2.94	-	34.10	8.18	35.46
RMS	6.0774G	97.06	Inf	-Inf	90.24	3	Vertical	298	2.94	-	34.10	8.18	35.46

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	72.44	88.20	-15.76	65.71	3	Horizontal	59	1.80	-	34.20	8.11	35.58
RMS	5.9244G	60.91	68.20	-7.29	54.18	3	Horizontal	59	1.80	-	34.20	8.11	35.58
PK	6.0462G	99.80	Inf	-Inf	93.05	3	Horizontal	59	1.80	-	34.10	8.17	35.52
RMS	6.0126G	88.33	Inf	-Inf	81.66	3	Horizontal	59	1.80	-	34.10	8.16	35.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20786G	57.37	74.00	-16.63	40.56	3	Vertical	99	2.47	-	38.90	11.14	33.23
AV	12.20832G	45.85	54.00	-8.15	29.04	3	Vertical	99	2.47	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20772G	57.95	74.00	-16.05	41.14	3	Horizontal	65	2.64	-	38.90	11.14	33.23
AV	12.21149G	45.80	54.00	-8.20	28.99	3	Horizontal	65	2.64	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32934G	54.96	83.54	-28.58	51.78	1	Vertical	33	2.40	-	37.50	15.28	49.60
AV	18.30735G	42.28	63.54	-21.26	39.09	1	Vertical	33	2.40	-	37.50	15.28	49.59



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
 Setting 20.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30777G	55.41	83.54	-28.13	52.22	1	Horizontal	251	2.03	-	37.50	15.28	49.59
AV	18.3066G	42.19	63.54	-21.35	39.00	1	Horizontal	251	2.03	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.30	88.20	-7.90	72.70	3	Vertical	297	2.95	-	32.40	7.64	32.44
RMS	5.9214G	64.12	68.20	-4.08	56.52	3	Vertical	297	2.95	-	32.40	7.64	32.44
PK	6.1158G	109.16	Inf	-Inf	101.33	3	Vertical	297	2.95	-	32.56	7.70	32.43
RMS	6.1122G	96.90	Inf	-Inf	89.08	3	Vertical	297	2.95	-	32.55	7.70	32.43



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	73.25	88.20	-14.95	65.65	3	Horizontal	71	1.80	-	32.40	7.64	32.44
RMS	5.9244G	57.91	68.20	-10.29	50.31	3	Horizontal	71	1.80	-	32.40	7.64	32.44
PK	6.0804G	99.88	Inf	-Inf	92.07	3	Horizontal	71	1.80	-	32.54	7.70	32.43
RMS	6.0948G	88.42	Inf	-Inf	80.64	3	Horizontal	71	1.80	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21224G	57.18	74.00	-16.82	39.37	3	Vertical	348	1.41	-	39.10	11.20	32.49
AV	12.21033G	45.87	54.00	-8.13	28.07	3	Vertical	348	1.41	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21192G	57.11	74.00	-16.89	39.30	3	Horizontal	107	2.76	-	39.10	11.20	32.49
AV	12.2086G	45.77	54.00	-8.23	27.97	3	Horizontal	107	2.76	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31224G	55.79	83.54	-27.75	52.60	1	Vertical	59	1.40	-	37.50	15.28	49.59
AV	18.30708G	42.28	63.54	-21.26	39.09	1	Vertical	59	1.40	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31428G	55.18	83.54	-28.36	51.99	1	Horizontal	324	1.83	-	37.50	15.28	49.59
AV	18.30342G	42.43	63.54	-21.11	39.24	1	Horizontal	324	1.83	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	75.25	88.20	-12.95	67.65	3	Vertical	299	3.00	-	32.40	7.64	32.44
RMS	5.9244G	63.48	68.20	-4.72	55.88	3	Vertical	299	3.00	-	32.40	7.64	32.44
PK	6.081G	107.52	Inf	-Inf	99.71	3	Vertical	299	3.00	-	32.54	7.70	32.43
RMS	6.0864G	96.97	Inf	-Inf	89.17	3	Vertical	299	3.00	-	32.53	7.70	32.43



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	68.77	88.20	-19.43	61.17	3	Horizontal	62	1.80	-	32.40	7.64	32.44
RMS	5.925G	57.25	68.20	-10.95	49.65	3	Horizontal	62	1.80	-	32.40	7.64	32.44
PK	6.027G	98.59	Inf	-Inf	90.79	3	Horizontal	62	1.80	-	32.55	7.69	32.44
RMS	6.0198G	87.98	Inf	-Inf	80.20	3	Horizontal	62	1.80	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21188G	58.15	74.00	-15.85	41.34	3	Vertical	237	1.21	-	38.90	11.14	33.23
AV	12.20879G	45.69	54.00	-8.31	28.88	3	Vertical	237	1.21	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20955G	57.60	74.00	-16.40	40.79	3	Horizontal	337	1.18	-	38.90	11.14	33.23
AV	12.21183G	45.72	54.00	-8.28	28.91	3	Horizontal	337	1.18	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30675G	55.01	83.54	-28.53	51.82	1	Vertical	198	1.89	-	37.50	15.28	49.59
AV	18.32523G	42.28	63.54	-21.26	39.10	1	Vertical	198	1.89	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32847G	55.66	83.54	-27.88	52.48	1	Horizontal	191	2.10	-	37.50	15.28	49.60
AV	18.31866G	42.29	63.54	-21.25	39.10	1	Horizontal	191	2.10	-	37.50	15.28	49.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7922G	104.41	Inf	-Inf	94.90	3	Vertical	74	1.80	-	36.10	8.45	35.04
RMS	6.7562G	93.16	Inf	-Inf	83.64	3	Vertical	74	1.80	-	36.10	8.41	34.99
PK	7.169G	80.46	88.20	-7.74	70.04	3	Vertical	74	1.80	-	36.88	8.57	35.03
RMS	7.1252G	63.92	68.20	-4.28	53.80	3	Vertical	74	1.80	-	36.65	8.58	35.11



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
 Setting 18.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.019G	95.42	Inf	-Inf	86.04	3	Horizontal	41	1.80	-	36.08	8.61	35.31
RMS	6.8126G	85.18	Inf	-Inf	75.71	3	Horizontal	41	1.80	-	36.07	8.47	35.07
PK	7.1942G	69.23	88.20	-18.97	58.68	3	Horizontal	41	1.80	-	36.98	8.56	34.99
RMS	7.1264G	56.52	68.20	-11.68	46.39	3	Horizontal	41	1.80	-	36.66	8.58	35.11

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80866G	57.05	88.20	-31.15	38.57	3	Vertical	25	1.86	-	40.28	11.69	33.49
RMS	13.8088G	44.51	68.20	-23.69	26.03	3	Vertical	25	1.86	-	40.28	11.69	33.49



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
 Setting 18.5
 05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80817G	56.87	88.20	-31.33	38.39	3	Horizontal	76	1.68	-	40.28	11.69	33.49
RMS	13.80754G	44.71	68.20	-23.49	26.23	3	Horizontal	76	1.68	-	40.28	11.69	33.49

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72481G	53.68	83.54	-29.86	49.07	1	Vertical	306	2.69	-	37.85	15.78	49.02
AV	20.7G	41.14	63.54	-22.40	36.52	1	Vertical	306	2.69	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72187G	54.15	83.54	-29.39	49.53	1	Horizontal	296	1.63	-	37.86	15.78	49.02
AV	20.70099G	41.20	63.54	-22.34	36.58	1	Horizontal	296	1.63	-	37.90	15.76	49.04

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	103.95	Inf	-Inf	93.75	3	Vertical	79	1.80	-	34.43	8.42	32.65
RMS	6.9014G	93.35	Inf	-Inf	82.86	3	Vertical	79	1.80	-	34.71	8.46	32.68
PK	7.1402G	76.01	88.20	-12.19	64.36	3	Vertical	79	1.80	-	35.84	8.51	32.70
RMS	7.1264G	58.57	68.20	-9.63	46.99	3	Vertical	79	1.80	-	35.76	8.52	32.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9902G	97.89	Inf	-Inf	87.00	3	Horizontal	335	1.40	-	35.08	8.55	32.74
RMS	6.9914G	86.96	Inf	-Inf	76.07	3	Horizontal	335	1.40	-	35.08	8.55	32.74
PK	7.1294G	70.94	88.20	-17.26	59.35	3	Horizontal	335	1.40	-	35.78	8.51	32.70
RMS	7.1264G	56.03	68.20	-12.17	44.45	3	Horizontal	335	1.40	-	35.76	8.52	32.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81176G	56.17	88.20	-32.03	35.32	3	Vertical	195	1.72	-	40.22	11.81	31.18
RMS	13.80978G	44.39	68.20	-23.81	23.54	3	Vertical	195	1.72	-	40.22	11.81	31.18

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_1TX
Setting 18.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81086G	55.82	88.20	-32.38	34.97	3	Horizontal	293	1.47	-	40.22	11.81	31.18
RMS	13.80793G	44.29	68.20	-23.91	23.44	3	Horizontal	293	1.47	-	40.22	11.81	31.18