


6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65321G    | 57.76             | 74.00             | -16.24         | 47.95         | 3           | Vertical  | 51             | 1.56          | -       | 40.40      | 12.08      | 42.67      |
| RMS  | 13.64847G    | 44.06             | 54.00             | -9.94          | 34.25         | 3           | Vertical  | 51             | 1.56          | -       | 40.40      | 12.08      | 42.67      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65261G    | 58.14             | 74.00             | -15.86         | 48.33         | 3           | Horizontal | 229            | 2.16          | -       | 40.40      | 12.08      | 42.67      |
| RMS  | 13.6502G     | 44.03             | 54.00             | -9.97          | 34.22         | 3           | Horizontal | 229            | 2.16          | -       | 40.40      | 12.08      | 42.67      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.47493G | 42.30          | 83.54          | -41.24      | 38.07      | 1        | Vertical  | 357         | 1.78       | -       | 37.80   | 15.58   | 49.15   |
| AV   | 20.47463G | 28.65          | 63.54          | -34.89      | 24.42      | 1        | Vertical  | 357         | 1.78       | -       | 37.80   | 15.58   | 49.15   |
| PK   | 27.29958G | 57.60          | 97.74          | -40.14      | 44.99      | 1        | Vertical  | 62          | 1.00       | -       | 39.90   | 18.48   | 45.77   |
| RMS  | 27.29953G | 43.85          | 77.74          | -33.89      | 31.24      | 1        | Vertical  | 62          | 1.00       | -       | 39.90   | 18.48   | 45.77   |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47458G    | 42.37             | 83.54             | -41.17         | 38.14         | 1           | Horizontal | 330            | 2.44          | -       | 37.80      | 15.58      | 49.15      |
| AV   | 20.47459G    | 28.49             | 63.54             | -35.05         | 24.26         | 1           | Horizontal | 330            | 2.44          | -       | 37.80      | 15.58      | 49.15      |
| PK   | 27.2997G     | 57.70             | 97.74             | -40.04         | 45.09         | 1           | Horizontal | 315            | 2.27          | -       | 39.90      | 18.48      | 45.77      |
| RMS  | 27.29987G    | 43.82             | 77.74             | -33.92         | 31.21         | 1           | Horizontal | 315            | 2.27          | -       | 39.90      | 18.48      | 45.77      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9195G      | 108.97            | Inf               | -Inf           | 100.46        | 3           | Vertical  | 288            | 1.20          | -       | 35.60      | 8.37       | 35.46      |
| RMS  | 6.9175G      | 97.68             | Inf               | -Inf           | 89.17         | 3           | Vertical  | 288            | 1.20          | -       | 35.60      | 8.37       | 35.46      |
| PK   | 7.137G       | 81.36             | 88.20             | -6.84          | 72.56         | 3           | Vertical  | 288            | 1.20          | -       | 35.85      | 8.43       | 35.48      |
| RMS  | 7.1285G      | 62.74             | 68.20             | -5.46          | 53.99         | 3           | Vertical  | 288            | 1.20          | -       | 35.81      | 8.43       | 35.49      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9295G   | 109.88         | Inf            | -Inf        | 101.38     | 3        | Horizontal | 68          | 1.60       | -       | 35.60   | 8.37    | 35.47   |
| RMS  | 6.928G    | 97.54          | Inf            | -Inf        | 89.04      | 3        | Horizontal | 68          | 1.60       | -       | 35.60   | 8.37    | 35.47   |
| PK   | 7.129G    | 83.98          | 88.20          | -4.22       | 75.22      | 3        | Horizontal | 68          | 1.60       | -       | 35.82   | 8.43    | 35.49   |
| RMS  | 7.1405G   | 62.46          | 68.20          | -5.74       | 53.64      | 3        | Horizontal | 68          | 1.60       | -       | 35.86   | 8.44    | 35.48   |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.96996G    | 57.87             | 88.20             | -30.33         | 47.08         | 3           | Vertical  | 239            | 1.91          | -       | 41.08      | 12.19      | 42.48      |
| RMS  | 13.96593G    | 44.77             | 68.20             | -23.43         | 34.00         | 3           | Vertical  | 239            | 1.91          | -       | 41.06      | 12.19      | 42.48      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97417G    | 57.61             | 88.20             | -30.59         | 46.80         | 3           | Horizontal | 132            | 2.91          | -       | 41.10      | 12.19      | 42.48      |
| RMS  | 13.97076G    | 44.87             | 68.20             | -23.33         | 34.08         | 3           | Horizontal | 132            | 2.91          | -       | 41.08      | 12.19      | 42.48      |



6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.95504G | 44.92          | 83.54          | -38.62      | 39.78      | 1        | Vertical  | 318         | 2.19       | -       | 38.08   | 15.96   | 48.90   |
| AV   | 20.95471G | 31.69          | 63.54          | -31.85      | 26.55      | 1        | Vertical  | 318         | 2.19       | -       | 38.08   | 15.96   | 48.90   |
| PK   | 27.93987G | 57.77          | 97.74          | -39.97      | 44.50      | 1        | Vertical  | 114         | 2.03       | -       | 40.06   | 18.86   | 45.65   |
| RMS  | 27.93953G | 43.96          | 77.74          | -33.78      | 30.69      | 1        | Vertical  | 114         | 2.03       | -       | 40.06   | 18.86   | 45.65   |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.95545G | 45.36          | 83.54          | -38.18      | 40.22      | 1        | Horizontal | 182         | 1.62       | -       | 38.08   | 15.96   | 48.90   |
| AV   | 20.95461G | 31.54          | 63.54          | -32.00      | 26.40      | 1        | Horizontal | 182         | 1.62       | -       | 38.08   | 15.96   | 48.90   |
| PK   | 27.93956G | 57.33          | 97.74          | -40.41      | 44.06      | 1        | Horizontal | 244         | 2.04       | -       | 40.06   | 18.86   | 45.65   |
| RMS  | 27.93979G | 43.89          | 77.74          | -33.85      | 30.62      | 1        | Horizontal | 244         | 2.04       | -       | 40.06   | 18.86   | 45.65   |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9114G      | 75.87             | 88.20             | -12.33         | 68.83         | 3           | Vertical  | 309            | 1.00          | -       | 34.52      | 7.62       | 35.10      |
| RMS  | 5.9242G      | 64.11             | 68.20             | -4.09          | 57.03         | 3           | Vertical  | 309            | 1.00          | -       | 34.55      | 7.63       | 35.10      |
| PK   | 6.0458G      | 107.18            | Inf               | -Inf           | 99.96         | 3           | Vertical  | 309            | 1.00          | -       | 34.60      | 7.74       | 35.12      |
| RMS  | 6.2314G      | 97.72             | Inf               | -Inf           | 89.89         | 3           | Vertical  | 309            | 1.00          | -       | 34.94      | 7.94       | 35.05      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9194G   | 76.49          | 88.20          | -11.71      | 69.42      | 3        | Horizontal | 61          | 1.80       | -       | 34.54   | 7.63    | 35.10   |
| RMS  | 5.9242G   | 66.16          | 68.20          | -2.04       | 59.08      | 3        | Horizontal | 61          | 1.80       | -       | 34.55   | 7.63    | 35.10   |
| PK   | 6.1626G   | 107.60         | Inf            | -Inf        | 99.87      | 3        | Horizontal | 61          | 1.80       | -       | 34.93   | 7.88    | 35.08   |
| RMS  | 6.1594G   | 97.33          | Inf            | -Inf        | 89.62      | 3        | Horizontal | 61          | 1.80       | -       | 34.92   | 7.87    | 35.08   |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.20896G    | 55.54             | 74.00             | -18.46         | 48.42         | 3           | Vertical  | 201            | 1.74          | -       | 38.72      | 11.59      | 43.19      |
| AV   | 12.20716G    | 42.15             | 54.00             | -11.85         | 35.04         | 3           | Vertical  | 201            | 1.74          | -       | 38.71      | 11.59      | 43.19      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.21214G    | 55.51             | 74.00             | -18.49         | 48.39         | 3           | Horizontal | 66             | 1.34          | -       | 38.72      | 11.59      | 43.19      |
| AV   | 12.21242G    | 42.05             | 54.00             | -11.95         | 34.93         | 3           | Horizontal | 66             | 1.34          | -       | 38.72      | 11.59      | 43.19      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.31487G | 43.46          | 83.54          | -40.08      | 40.27      | 1        | Vertical  | 16          | 2.98       | -       | 37.50   | 15.28   | 49.59   |
| AV   | 18.31454G | 29.62          | 63.54          | -33.92      | 26.43      | 1        | Vertical  | 16          | 2.98       | -       | 37.50   | 15.28   | 49.59   |
| PK   | 24.41975G | 53.11          | 97.74          | -44.63      | 43.58      | 1        | Vertical  | 302         | 2.31       | -       | 38.92   | 17.46   | 46.85   |
| RMS  | 24.41951G | 42.35          | 77.74          | -35.39      | 32.83      | 1        | Vertical  | 302         | 2.31       | -       | 38.92   | 17.46   | 46.86   |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 22  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.31476G    | 42.87             | 83.54             | -40.67         | 39.68         | 1           | Horizontal | 50             | 1.72          | -       | 37.50      | 15.28      | 49.59      |
| AV   | 18.3146G     | 29.31             | 63.54             | -34.23         | 26.12         | 1           | Horizontal | 50             | 1.72          | -       | 37.50      | 15.28      | 49.59      |
| PK   | 24.42025G    | 53.24             | 97.74             | -44.50         | 43.71         | 1           | Horizontal | 8              | 2.39          | -       | 38.92      | 17.46      | 46.85      |
| RMS  | 24.41968G    | 41.66             | 77.74             | -36.08         | 32.13         | 1           | Horizontal | 8              | 2.39          | -       | 38.92      | 17.46      | 46.85      |



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.52923G    | 55.33             | 74.00             | -18.67         | 48.05         | 3           | Vertical  | 133            | 1.08          | -       | 38.70      | 11.70      | 43.12      |
| AV   | 12.52681G    | 42.32             | 54.00             | -11.68         | 35.04         | 3           | Vertical  | 133            | 1.08          | -       | 38.70      | 11.70      | 43.12      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.52502G    | 55.87             | 74.00             | -18.13         | 48.59         | 3           | Horizontal | 59             | 2.92          | -       | 38.70      | 11.70      | 43.12      |
| AV   | 12.52546G    | 42.28             | 54.00             | -11.72         | 35.00         | 3           | Horizontal | 59             | 2.92          | -       | 38.70      | 11.70      | 43.12      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.79467G    | 44.32             | 83.54             | -39.22         | 40.74         | 1           | Vertical  | 321            | 2.79          | -       | 37.80      | 15.26      | 49.48      |
| AV   | 18.7947G     | 30.51             | 63.54             | -33.03         | 26.93         | 1           | Vertical  | 321            | 2.79          | -       | 37.80      | 15.26      | 49.48      |
| PK   | 25.06045G    | 55.97             | 97.74             | -41.77         | 45.59         | 1           | Vertical  | 123            | 1.39          | -       | 39.30      | 17.56      | 46.48      |
| RMS  | 25.05975G    | 42.03             | 77.74             | -35.71         | 31.65         | 1           | Vertical  | 123            | 1.39          | -       | 39.30      | 17.56      | 46.48      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.79504G    | 43.53             | 83.54             | -40.01         | 39.95         | 1           | Horizontal | 46             | 2.64          | -       | 37.80      | 15.26      | 49.48      |
| AV   | 18.79456G    | 30.20             | 63.54             | -33.34         | 26.62         | 1           | Horizontal | 46             | 2.64          | -       | 37.80      | 15.26      | 49.48      |
| PK   | 25.05968G    | 56.02             | 97.74             | -41.72         | 45.64         | 1           | Horizontal | 264            | 2.70          | -       | 39.30      | 17.56      | 46.48      |
| RMS  | 25.05963G    | 42.13             | 77.74             | -35.61         | 31.75         | 1           | Horizontal | 264            | 2.70          | -       | 39.30      | 17.56      | 46.48      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.84689G    | 54.96             | 88.20             | -33.24         | 46.76         | 3           | Vertical  | 155            | 2.05          | -       | 39.19      | 11.81      | 42.80      |
| RMS  | 12.84777G    | 42.36             | 68.20             | -25.84         | 34.16         | 3           | Vertical  | 155            | 2.05          | -       | 39.19      | 11.81      | 42.80      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.85375G    | 54.96             | 88.20             | -33.24         | 46.75         | 3           | Horizontal | 2              | 1.50          | -       | 39.20      | 11.81      | 42.80      |
| RMS  | 12.85007G    | 42.38             | 68.20             | -25.82         | 34.17         | 3           | Horizontal | 2              | 1.50          | -       | 39.20      | 11.81      | 42.80      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.27508G    | 43.18             | 83.54             | -40.36         | 39.52         | 1           | Vertical  | 29             | 2.70          | -       | 37.95      | 15.24      | 49.53      |
| AV   | 19.27457G    | 29.42             | 63.54             | -34.12         | 25.76         | 1           | Vertical  | 29             | 2.70          | -       | 37.95      | 15.24      | 49.53      |
| PK   | 25.70019G    | 55.29             | 97.74             | -42.45         | 44.72         | 1           | Vertical  | 206            | 1.95          | -       | 39.10      | 17.66      | 46.19      |
| RMS  | 25.69951G    | 42.92             | 77.74             | -34.82         | 32.36         | 1           | Vertical  | 206            | 1.95          | -       | 39.10      | 17.65      | 46.19      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.27468G    | 43.13             | 83.54             | -40.41         | 39.47         | 1           | Horizontal | 274            | 2.74          | -       | 37.95      | 15.24      | 49.53      |
| AV   | 19.27463G    | 29.13             | 63.54             | -34.41         | 25.47         | 1           | Horizontal | 274            | 2.74          | -       | 37.95      | 15.24      | 49.53      |
| PK   | 25.70033G    | 55.18             | 97.74             | -42.56         | 44.61         | 1           | Horizontal | 1              | 2.96          | -       | 39.10      | 17.66      | 46.19      |
| RMS  | 25.69965G    | 41.94             | 77.74             | -35.80         | 31.38         | 1           | Horizontal | 1              | 2.96          | -       | 39.10      | 17.65      | 46.19      |



6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.16549G    | 57.41             | 88.20             | -30.79         | 48.55         | 3           | Vertical  | 143            | 1.00          | -       | 39.63      | 11.92      | 42.69      |
| RMS  | 13.1668G     | 43.79             | 68.20             | -24.41         | 34.93         | 3           | Vertical  | 143            | 1.00          | -       | 39.63      | 11.92      | 42.69      |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.16648G    | 57.36             | 88.20             | -30.84         | 48.50         | 3           | Horizontal | 349            | 2.42          | -       | 39.63      | 11.92      | 42.69      |
| RMS  | 13.16777G    | 43.73             | 68.20             | -24.47         | 34.86         | 3           | Horizontal | 349            | 2.42          | -       | 39.64      | 11.92      | 42.69      |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.75455G | 43.16          | 83.54          | -40.38      | 39.50      | 1        | Vertical  | 321         | 1.35       | -       | 37.92   | 15.21   | 49.47   |
| AV   | 19.75468G | 29.58          | 63.54          | -33.96      | 25.92      | 1        | Vertical  | 321         | 1.35       | -       | 37.92   | 15.21   | 49.47   |
| PK   | 26.3395G  | 55.93          | 97.74          | -41.81      | 44.85      | 1        | Vertical  | 120         | 1.68       | -       | 39.18   | 17.90   | 46.00   |
| RMS  | 26.33964G | 42.49          | 77.74          | -35.25      | 31.41      | 1        | Vertical  | 120         | 1.68       | -       | 39.18   | 17.90   | 46.00   |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.75486G | 42.64          | 83.54          | -40.90      | 38.98      | 1        | Horizontal | 12          | 1.07       | -       | 37.92   | 15.21   | 49.47   |
| AV   | 19.75452G | 29.40          | 63.54          | -34.14      | 25.74      | 1        | Horizontal | 12          | 1.07       | -       | 37.92   | 15.21   | 49.47   |
| PK   | 26.33969G | 56.26          | 97.74          | -41.48      | 45.18      | 1        | Horizontal | 3           | 2.65       | -       | 39.18   | 17.90   | 46.00   |
| RMS  | 26.33964G | 42.38          | 77.74          | -35.36      | 31.30      | 1        | Horizontal | 3           | 2.65       | -       | 39.18   | 17.90   | 46.00   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.49442G    | 56.80             | 88.20             | -31.40         | 47.24         | 3           | Vertical  | 111            | 1.48          | -       | 40.29      | 12.03      | 42.76      |
| RMS  | 13.48787G    | 43.74             | 68.20             | -24.46         | 34.19         | 3           | Vertical  | 111            | 1.48          | -       | 40.28      | 12.03      | 42.76      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.48658G    | 56.60             | 88.20             | -31.60         | 47.06         | 3           | Horizontal | 112            | 2.89          | -       | 40.27      | 12.03      | 42.76      |
| RMS  | 13.49018G    | 43.78             | 68.20             | -24.42         | 34.23         | 3           | Horizontal | 112            | 2.89          | -       | 40.28      | 12.03      | 42.76      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.23493G | 42.27          | 83.54          | -41.27      | 38.12      | 1        | Vertical  | 8           | 2.16       | -       | 37.97   | 15.39   | 49.21   |
| AV   | 20.23472G | 28.86          | 63.54          | -34.68      | 24.71      | 1        | Vertical  | 8           | 2.16       | -       | 37.97   | 15.39   | 49.21   |
| PK   | 26.97982G | 56.17          | 97.74          | -41.57      | 44.24      | 1        | Vertical  | 121         | 1.70       | -       | 39.66   | 18.29   | 46.02   |
| RMS  | 26.97962G | 42.69          | 77.74          | -35.05      | 30.76      | 1        | Vertical  | 121         | 1.70       | -       | 39.66   | 18.29   | 46.02   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 24  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.23483G | 42.27          | 83.54          | -41.27      | 38.12      | 1        | Horizontal | 227         | 1.55       | -       | 37.97   | 15.39   | 49.21   |
| AV   | 20.23458G | 28.80          | 63.54          | -34.74      | 24.65      | 1        | Horizontal | 227         | 1.55       | -       | 37.97   | 15.39   | 49.21   |
| PK   | 26.9797G  | 55.75          | 97.74          | -41.99      | 43.82      | 1        | Horizontal | 162         | 1.21       | -       | 39.66   | 18.29   | 46.02   |
| RMS  | 26.97974G | 42.72          | 77.74          | -35.02      | 30.79      | 1        | Horizontal | 221         | 1.71       | -       | 39.66   | 18.29   | 46.02   |



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9546G   | 105.78         | Inf            | -Inf        | 97.30      | 3        | Vertical  | 32.7        | 1.46       | -       | 35.60   | 8.38    | 35.50   |
| AV   | 6.9578G   | 94.71          | Inf            | -Inf        | 86.24      | 3        | Vertical  | 32.7        | 1.46       | -       | 35.60   | 8.38    | 35.51   |
| PK   | 7.2618G   | 64.75          | 74.00          | -9.25       | 55.14      | 3        | Vertical  | 32.7        | 1.46       | -       | 36.55   | 8.47    | 35.41   |
| AV   | 7.2522G   | 53.92          | 54.00          | -0.08       | 44.36      | 3        | Vertical  | 32.7        | 1.46       | -       | 36.51   | 8.46    | 35.41   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8106G   | 106.32         | Inf            | -Inf        | 97.73      | 3        | Horizontal | 73          | 1.50       | -       | 35.60   | 8.32    | 35.33   |
| AV   | 6.929G    | 95.17          | Inf            | -Inf        | 86.67      | 3        | Horizontal | 73          | 1.50       | -       | 35.60   | 8.37    | 35.47   |
| PK   | 7.2714G   | 66.52          | 74.00          | -7.48       | 56.86      | 3        | Horizontal | 73          | 1.50       | -       | 36.59   | 8.47    | 35.40   |
| AV   | 7.2522G   | 53.26          | 54.00          | -0.74       | 43.70      | 3        | Horizontal | 73          | 1.50       | -       | 36.51   | 8.46    | 35.41   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80831G    | 57.12             | 88.20             | -31.08         | 48.15         | 3           | Vertical  | 315            | 1.80          | -       | 40.72      | 10.83      | 42.58      |
| AV   | 13.8061G     | 44.24             | 68.20             | -23.96         | 35.28         | 3           | Vertical  | 315            | 1.80          | -       | 40.71      | 10.83      | 42.58      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80595G    | 57.13             | 88.20             | -31.07         | 48.17         | 3           | Horizontal | 352            | 2.22          | -       | 40.71      | 10.83      | 42.58      |
| AV   | 13.81053G    | 44.25             | 68.20             | -23.95         | 35.27         | 3           | Horizontal | 352            | 2.22          | -       | 40.72      | 10.83      | 42.57      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.71514G | 42.61          | 83.54          | -40.93      | 38.00      | 1        | Vertical  | 319         | 1.23       | -       | 37.87   | 15.77   | 49.03   |
| AV   | 20.71474G | 29.56          | 63.54          | -33.98      | 24.95      | 1        | Vertical  | 319         | 1.23       | -       | 37.87   | 15.77   | 49.03   |
| PK   | 27.61953G | 56.76          | 97.74          | -40.98      | 43.82      | 1        | Vertical  | 268         | 1.16       | -       | 39.88   | 18.67   | 45.61   |
| RMS  | 27.61986G | 43.19          | 77.74          | -34.55      | 30.25      | 1        | Vertical  | 268         | 1.16       | -       | 39.88   | 18.67   | 45.61   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 21  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.71458G | 42.59          | 83.54          | -40.95      | 37.98      | 1        | Horizontal | 183         | 1.54       | -       | 37.87   | 15.77   | 49.03   |
| AV   | 20.71452G | 29.37          | 63.54          | -34.17      | 24.76      | 1        | Horizontal | 183         | 1.54       | -       | 37.87   | 15.77   | 49.03   |
| PK   | 27.62027G | 56.58          | 97.74          | -41.16      | 43.64      | 1        | Horizontal | 64          | 2.53       | -       | 39.88   | 18.67   | 45.61   |
| RMS  | 27.61961G | 43.18          | 77.74          | -34.56      | 30.24      | 1        | Horizontal | 64          | 2.53       | -       | 39.88   | 18.67   | 45.61   |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
01-S-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9064G   | 61.20          | 88.20          | -27.00      | 53.61      | 3        | Vertical  | 299         | 1.61       | -       | 32.40   | 7.63    | 32.44   |
| RMS  | 5.9216G   | 48.88          | 68.20          | -19.32      | 41.28      | 3        | Vertical  | 299         | 1.61       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 5.9608G   | 110.09         | Inf            | -Inf        | 102.45     | 3        | Vertical  | 299         | 1.61       | -       | 32.42   | 7.66    | 32.44   |
| RMS  | 5.9636G   | 98.83          | Inf            | -Inf        | 91.18      | 3        | Vertical  | 299         | 1.61       | -       | 32.43   | 7.66    | 32.44   |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
01-S-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8814G      | 59.75             | 88.20             | -28.45         | 52.24         | 3           | Horizontal | 75             | 1.84          | -       | 32.33      | 7.62       | 32.44      |
| RMS  | 5.9244G      | 48.82             | 68.20             | -19.38         | 41.22         | 3           | Horizontal | 75             | 1.84          | -       | 32.40      | 7.64       | 32.44      |
| PK   | 5.9572G      | 105.43            | Inf               | -Inf           | 97.80         | 3           | Horizontal | 75             | 1.84          | -       | 32.41      | 7.66       | 32.44      |
| RMS  | 5.9582G      | 95.19             | Inf               | -Inf           | 87.55         | 3           | Horizontal | 75             | 1.84          | -       | 32.42      | 7.66       | 32.44      |



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.908G      | 56.33             | 74.00             | -17.67         | 48.89         | 3           | Vertical  | 280            | 1.41          | -       | 39.20      | 11.47      | 43.23      |
| AV   | 11.90769G    | 42.99             | 54.00             | -11.01         | 35.55         | 3           | Vertical  | 280            | 1.41          | -       | 39.20      | 11.47      | 43.23      |
| PK   | 17.87991G    | 64.27             | 74.00             | -9.73          | 46.96         | 3           | Vertical  | 274            | 2.76          | -       | 44.84      | 13.85      | 41.38      |
| AV   | 17.87499G    | 51.64             | 54.00             | -2.36          | 34.33         | 3           | Vertical  | 274            | 2.76          | -       | 44.85      | 13.85      | 41.39      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.90951G | 55.70          | 74.00          | -18.30      | 48.26      | 3        | Horizontal | 286         | 2.17       | -       | 39.20   | 11.47   | 43.23   |
| AV   | 11.90521G | 43.16          | 54.00          | -10.84      | 35.73      | 3        | Horizontal | 286         | 2.17       | -       | 39.20   | 11.47   | 43.24   |
| PK   | 17.87733G | 63.49          | 74.00          | -10.51      | 46.17      | 3        | Horizontal | 179         | 2.81       | -       | 44.85   | 13.85   | 41.38   |
| AV   | 17.87202G | 51.51          | 54.00          | -2.49       | 34.19      | 3        | Horizontal | 179         | 2.81       | -       | 44.86   | 13.85   | 41.39   |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-S-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.81995G    | 42.03             | 83.54             | -41.51         | 32.88         | 1           | Vertical  | 11             | 1.50          | -       | 38.98      | 17.35      | 47.18      |
| AV   | 23.82G       | 34.50             | 63.54             | -29.04         | 25.35         | 1           | Vertical  | 11             | 1.50          | -       | 38.98      | 17.35      | 47.18      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-S-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.8199G     | 44.15             | 83.54             | -39.39         | 35.00         | 1           | Horizontal | 338            | 1.41          | -       | 38.98      | 17.35      | 47.18      |
| AV   | 23.81995G    | 37.84             | 63.54             | -25.70         | 28.69         | 1           | Horizontal | 338            | 1.41          | -       | 38.98      | 17.35      | 47.18      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.39025G    | 55.01             | 74.00             | -18.99         | 47.91         | 3           | Vertical  | 343            | 1.04          | -       | 38.62      | 11.65      | 43.17      |
| AV   | 12.38776G    | 42.71             | 54.00             | -11.29         | 35.61         | 3           | Vertical  | 343            | 1.04          | -       | 38.62      | 11.65      | 43.17      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.38788G    | 55.35             | 74.00             | -18.65         | 48.25         | 3           | Horizontal | 229            | 2.29          | -       | 38.62      | 11.65      | 43.17      |
| AV   | 12.38824G    | 42.56             | 54.00             | -11.44         | 35.46         | 3           | Horizontal | 229            | 2.29          | -       | 38.62      | 11.65      | 43.17      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.58471G    | 42.34             | 83.54             | -41.20         | 38.99         | 1           | Vertical  | 62             | 1.70          | -       | 37.70      | 15.27      | 49.62      |
| AV   | 18.58468G    | 28.71             | 63.54             | -34.83         | 25.36         | 1           | Vertical  | 62             | 1.70          | -       | 37.70      | 15.27      | 49.62      |
| PK   | 24.78015G    | 48.84             | 97.74             | -48.90         | 38.67         | 1           | Vertical  | 334            | 1.44          | -       | 39.30      | 17.52      | 46.65      |
| RMS  | 24.78G       | 42.80             | 77.74             | -34.94         | 32.63         | 1           | Vertical  | 334            | 1.44          | -       | 39.30      | 17.52      | 46.65      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.584556G   | 44.03             | 83.54             | -39.51         | 40.68         | 1           | Horizontal | 269            | 2.05          | -       | 37.70      | 15.27      | 49.62      |
| AV   | 18.58456G    | 30.40             | 63.54             | -33.14         | 27.05         | 1           | Horizontal | 269            | 2.05          | -       | 37.70      | 15.27      | 49.62      |
| PK   | 24.77995G    | 51.22             | 97.74             | -46.52         | 41.05         | 1           | Horizontal | 342            | 1.53          | -       | 39.30      | 17.52      | 46.65      |
| RMS  | 24.77995G    | 46.91             | 77.74             | -30.83         | 36.74         | 1           | Horizontal | 342            | 1.53          | -       | 39.30      | 17.52      | 46.65      |



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83356G    | 55.06             | 88.20             | -33.14         | 46.95         | 3           | Vertical  | 71             | 1.45          | -       | 39.13      | 11.80      | 42.82      |
| RMS  | 12.82619G    | 43.09             | 68.20             | -25.11         | 35.01         | 3           | Vertical  | 71             | 1.45          | -       | 39.10      | 11.80      | 42.82      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83223G    | 55.23             | 88.20             | -32.97         | 47.12         | 3           | Horizontal | 212            | 2.65          | -       | 39.13      | 11.80      | 42.82      |
| RMS  | 12.82999G    | 42.89             | 68.20             | -25.31         | 34.79         | 3           | Horizontal | 212            | 2.65          | -       | 39.12      | 11.80      | 42.82      |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.24474G | 39.94          | 83.54          | -43.60      | 36.30      | 1        | Vertical  | 71          | 2.62       | -       | 37.91   | 15.24   | 49.51   |
| AV   | 19.24467G | 27.36          | 63.54          | -36.18      | 23.72      | 1        | Vertical  | 71          | 2.62       | -       | 37.91   | 15.24   | 49.51   |
| PK   | 25.65988G | 49.74          | 97.74          | -48.00      | 39.01      | 1        | Vertical  | 341.9       | 1.49       | -       | 39.26   | 17.65   | 46.18   |
| RMS  | 25.66006G | 45.13          | 77.74          | -32.61      | 34.40      | 1        | Vertical  | 341.9       | 1.49       | -       | 39.26   | 17.65   | 46.18   |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24487G    | 41.15             | 83.54             | -42.39         | 37.51         | 1           | Horizontal | 4              | 2.55          | -       | 37.91      | 15.24      | 49.51      |
| AV   | 19.24452G    | 27.60             | 63.54             | -35.94         | 23.96         | 1           | Horizontal | 4              | 2.55          | -       | 37.91      | 15.24      | 49.51      |
| PK   | 25.66006G    | 50.02             | 97.74             | -47.72         | 39.29         | 1           | Horizontal | 39             | 1.52          | -       | 39.26      | 17.65      | 46.18      |
| RMS  | 25.65996G    | 46.16             | 97.74             | -51.58         | 35.43         | 1           | Horizontal | 39             | 1.52          | -       | 39.26      | 17.65      | 46.18      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87418G    | 55.63             | 88.20             | -32.57         | 47.39         | 3           | Vertical  | 49             | 2.61          | -       | 39.20      | 11.82      | 42.78      |
| RMS  | 12.87345G    | 43.01             | 68.20             | -25.19         | 34.77         | 3           | Vertical  | 49             | 2.61          | -       | 39.20      | 11.82      | 42.78      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.86946G    | 55.47             | 88.20             | -32.73         | 47.23         | 3           | Horizontal | 108            | 2.60          | -       | 39.20      | 11.82      | 42.78      |
| RMS  | 12.87375G    | 42.91             | 68.20             | -25.29         | 34.67         | 3           | Horizontal | 108            | 2.60          | -       | 39.20      | 11.82      | 42.78      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3047G     | 41.28             | 83.54             | -42.26         | 37.62         | 1           | Vertical  | 278            | 2.98          | -       | 37.98      | 15.23      | 49.55      |
| AV   | 19.30491G    | 28.32             | 63.54             | -35.22         | 24.66         | 1           | Vertical  | 278            | 2.98          | -       | 37.98      | 15.23      | 49.55      |
| PK   | 25.73999G    | 49.02             | 97.74             | -48.72         | 38.29         | 1           | Vertical  | 85             | 1.95          | -       | 39.26      | 17.66      | 46.19      |
| RMS  | 25.74013G    | 42.30             | 77.74             | -35.44         | 31.57         | 1           | Vertical  | 85             | 1.95          | -       | 39.26      | 17.66      | 46.19      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.30505G | 41.19          | 83.54          | -42.35      | 37.53      | 1        | Horizontal | 44          | 1.72       | -       | 37.98   | 15.23   | 49.55   |
| AV   | 19.30466G | 28.11          | 63.54          | -35.43      | 24.45      | 1        | Horizontal | 44          | 1.72       | -       | 37.98   | 15.23   | 49.55   |
| PK   | 25.74008G | 51.50          | 97.74          | -46.24      | 40.77      | 1        | Horizontal | 135         | 1.20       | -       | 39.26   | 17.66   | 46.19   |
| RMS  | 25.73981G | 46.43          | 77.74          | -31.31      | 35.70      | 1        | Horizontal | 135         | 1.20       | -       | 39.26   | 17.66   | 46.19   |



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95014G    | 56.90             | 88.20             | -31.30         | 48.46         | 3           | Vertical  | 316            | 2.51          | -       | 39.30      | 11.84      | 42.70      |
| RMS  | 12.95412G    | 43.59             | 68.20             | -24.61         | 35.15         | 3           | Vertical  | 316            | 2.51          | -       | 39.30      | 11.84      | 42.70      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94572G    | 55.89             | 88.20             | -32.31         | 47.46         | 3           | Horizontal | 56             | 2.93          | -       | 39.29      | 11.84      | 42.70      |
| RMS  | 12.94627G    | 43.52             | 68.20             | -24.68         | 35.09         | 3           | Horizontal | 56             | 2.93          | -       | 39.29      | 11.84      | 42.70      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


10/04/2024

EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42463G    | 42.32             | 83.54             | -41.22         | 38.82         | 1           | Vertical  | 84             | 2.20          | -       | 37.90      | 15.23      | 49.63      |
| AV   | 19.42471G    | 29.48             | 63.54             | -34.06         | 25.98         | 1           | Vertical  | 84             | 2.20          | -       | 37.90      | 15.23      | 49.63      |
| PK   | 25.90006G    | 48.54             | 97.74             | -49.20         | 37.97         | 1           | Vertical  | 248            | 1.62          | -       | 39.10      | 17.69      | 46.22      |
| RMS  | 25.89956G    | 41.44             | 77.74             | -36.30         | 30.88         | 1           | Vertical  | 248            | 1.62          | -       | 39.10      | 17.68      | 46.22      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42472G    | 42.47             | 83.54             | -41.07         | 38.97         | 1           | Horizontal | 58             | 1.91          | -       | 37.90      | 15.23      | 49.63      |
| AV   | 19.42466G    | 29.24             | 63.54             | -34.30         | 25.74         | 1           | Horizontal | 58             | 1.91          | -       | 37.90      | 15.23      | 49.63      |
| PK   | 25.89958G    | 49.98             | 97.74             | -47.76         | 39.42         | 1           | Horizontal | 173            | 2.20          | -       | 39.10      | 17.68      | 46.22      |
| RMS  | 25.9001G     | 42.53             | 77.74             | -35.21         | 31.96         | 1           | Horizontal | 173            | 2.20          | -       | 39.10      | 17.69      | 46.22      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03308G    | 56.27             | 88.20             | -31.93         | 47.69         | 3           | Vertical  | 232            | 2.39          | -       | 39.37      | 11.87      | 42.66      |
| RMS  | 13.0298G     | 43.87             | 68.20             | -24.33         | 35.30         | 3           | Vertical  | 232            | 2.39          | -       | 39.36      | 11.87      | 42.66      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02742G    | 56.60             | 88.20             | -31.60         | 48.04         | 3           | Horizontal | 124            | 1.03          | -       | 39.35      | 11.87      | 42.66      |
| RMS  | 13.02833G    | 43.99             | 68.20             | -24.21         | 35.42         | 3           | Horizontal | 124            | 1.03          | -       | 39.36      | 11.87      | 42.66      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54496G    | 43.76             | 83.54             | -39.78         | 40.09         | 1           | Vertical  | 234            | 2.82          | -       | 38.09      | 15.22      | 49.64      |
| AV   | 19.54488G    | 29.82             | 63.54             | -33.72         | 26.15         | 1           | Vertical  | 234            | 2.82          | -       | 38.09      | 15.22      | 49.64      |
| PK   | 26.06022G    | 48.86             | 97.74             | -48.88         | 38.10         | 1           | Vertical  | 209            | 1.04          | -       | 39.22      | 17.74      | 46.20      |
| RMS  | 26.05994G    | 42.92             | 77.74             | -34.82         | 32.16         | 1           | Vertical  | 209            | 1.04          | -       | 39.22      | 17.74      | 46.20      |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54469G    | 42.51             | 83.54             | -41.03         | 38.84         | 1           | Horizontal | 281            | 2.09          | -       | 38.09      | 15.22      | 49.64      |
| AV   | 19.5446G     | 29.88             | 63.54             | -33.66         | 26.21         | 1           | Horizontal | 281            | 2.09          | -       | 38.09      | 15.22      | 49.64      |
| PK   | 26.0601G     | 50.46             | 97.74             | -47.28         | 39.70         | 1           | Horizontal | 115            | 1.08          | -       | 39.22      | 17.74      | 46.20      |
| RMS  | 26.05981G    | 43.77             | 77.74             | -33.97         | 33.01         | 1           | Horizontal | 115            | 1.08          | -       | 39.22      | 17.74      | 46.20      |



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07243G    | 56.49             | 88.20             | -31.71         | 47.79         | 3           | Vertical  | 276            | 1.39          | -       | 39.49      | 11.88      | 42.67      |
| RMS  | 13.06564G    | 44.00             | 68.20             | -24.20         | 35.32         | 3           | Vertical  | 276            | 1.39          | -       | 39.46      | 11.88      | 42.66      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07275G    | 56.54             | 88.20             | -31.66         | 47.84         | 3           | Horizontal | 357            | 1.05          | -       | 39.49      | 11.88      | 42.67      |
| RMS  | 13.07353G    | 44.04             | 68.20             | -24.16         | 35.33         | 3           | Horizontal | 357            | 1.05          | -       | 39.49      | 11.89      | 42.67      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.60507G | 42.87          | 83.54          | -40.67      | 39.41      | 1        | Vertical  | 132         | 2.47       | -       | 37.83   | 15.22   | 49.59   |
| AV   | 19.60456G | 29.66          | 63.54          | -33.88      | 26.20      | 1        | Vertical  | 132         | 2.47       | -       | 37.83   | 15.22   | 49.59   |
| PK   | 26.1396G  | 49.75          | 97.74          | -47.99      | 38.81      | 1        | Vertical  | 314         | 2.97       | -       | 39.30   | 17.78   | 46.14   |
| RMS  | 26.14012G | 42.29          | 77.74          | -35.45      | 31.35      | 1        | Vertical  | 314         | 2.97       | -       | 39.30   | 17.78   | 46.14   |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60467G    | 42.56             | 83.54             | -40.98         | 39.10         | 1           | Horizontal | 314            | 1.83          | -       | 37.83      | 15.22      | 49.59      |
| AV   | 19.6045G     | 29.56             | 63.54             | -33.98         | 26.10         | 1           | Horizontal | 314            | 1.83          | -       | 37.83      | 15.22      | 49.59      |
| PK   | 26.14023G    | 50.94             | 97.74             | -46.80         | 40.00         | 1           | Horizontal | 218            | 1.72          | -       | 39.30      | 17.78      | 46.14      |
| RMS  | 26.13976G    | 43.54             | 77.74             | -34.20         | 32.60         | 1           | Horizontal | 218            | 1.72          | -       | 39.30      | 17.78      | 46.14      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39441G    | 56.82             | 74.00             | -17.18         | 47.48         | 3           | Vertical  | 309            | 2.36          | -       | 40.09      | 11.99      | 42.74      |
| AV   | 13.38598G    | 44.09             | 54.00             | -9.91          | 34.76         | 3           | Vertical  | 309            | 2.36          | -       | 40.07      | 11.99      | 42.73      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39213G    | 57.21             | 74.00             | -16.79         | 47.88         | 3           | Horizontal | 96             | 2.34          | -       | 40.08      | 11.99      | 42.74      |
| AV   | 13.38647G    | 44.22             | 54.00             | -9.78          | 34.90         | 3           | Horizontal | 96             | 2.34          | -       | 40.07      | 11.99      | 42.74      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08458G    | 41.98             | 83.54             | -41.56         | 38.12         | 1           | Vertical  | 302            | 2.53          | -       | 37.84      | 15.27      | 49.25      |
| AV   | 20.08455G    | 29.22             | 63.54             | -34.32         | 25.36         | 1           | Vertical  | 302            | 2.53          | -       | 37.84      | 15.27      | 49.25      |
| PK   | 26.7801G     | 49.23             | 97.74             | -48.51         | 37.15         | 1           | Vertical  | 311            | 2.24          | -       | 39.88      | 18.17      | 45.97      |
| RMS  | 26.77988G    | 42.74             | 77.74             | -35.00         | 30.66         | 1           | Vertical  | 311            | 2.24          | -       | 39.88      | 18.17      | 45.97      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08475G    | 41.31             | 83.54             | -42.23         | 37.45         | 1           | Horizontal | 209            | 1.00          | -       | 37.84      | 15.27      | 49.25      |
| AV   | 20.08492G    | 28.70             | 63.54             | -34.84         | 24.84         | 1           | Horizontal | 209            | 1.00          | -       | 37.84      | 15.27      | 49.25      |
| PK   | 26.77981G    | 52.37             | 97.74             | -45.37         | 40.29         | 1           | Horizontal | 236            | 1.66          | -       | 39.88      | 18.17      | 45.97      |
| RMS  | 26.77951G    | 43.97             | 77.74             | -33.77         | 31.89         | 1           | Horizontal | 236            | 1.66          | -       | 39.88      | 18.17      | 45.97      |



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74913G    | 58.04             | 88.20             | -30.16         | 47.94         | 3           | Vertical  | 209            | 1.36          | -       | 40.60      | 12.11      | 42.61      |
| RMS  | 13.74833G    | 44.78             | 68.20             | -23.42         | 34.69         | 3           | Vertical  | 209            | 1.36          | -       | 40.59      | 12.11      | 42.61      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74637G    | 57.42             | 88.20             | -30.78         | 47.33         | 3           | Horizontal | 322            | 1.35          | -       | 40.59      | 12.11      | 42.61      |
| RMS  | 13.75391G    | 44.72             | 68.20             | -23.48         | 34.60         | 3           | Horizontal | 322            | 1.35          | -       | 40.61      | 12.12      | 42.61      |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.62473G | 41.60          | 83.54          | -41.94      | 37.03      | 1        | Vertical  | 231         | 2.78       | -       | 37.95   | 15.70   | 49.08   |
| AV   | 20.62468G | 29.06          | 63.54          | -34.48      | 24.49      | 1        | Vertical  | 231         | 2.78       | -       | 37.95   | 15.70   | 49.08   |
| PK   | 27.50015G | 51.56          | 97.74          | -46.18      | 38.76      | 1        | Vertical  | 344         | 1.43       | -       | 39.80   | 18.60   | 45.60   |
| RMS  | 27.49995G | 45.36          | 77.74          | -32.38      | 32.56      | 1        | Vertical  | 344         | 1.43       | -       | 39.80   | 18.60   | 45.60   |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62462G    | 41.83             | 83.54             | -41.71         | 37.26         | 1           | Horizontal | 354            | 2.11          | -       | 37.95      | 15.70      | 49.08      |
| AV   | 20.62466G    | 28.88             | 63.54             | -34.66         | 24.31         | 1           | Horizontal | 354            | 2.11          | -       | 37.95      | 15.70      | 49.08      |
| PK   | 27.49998G    | 51.78             | 97.74             | -45.96         | 38.98         | 1           | Horizontal | 15             | 2.75          | -       | 39.80      | 18.60      | 45.60      |
| RMS  | 27.49993G    | 46.66             | 77.74             | -31.08         | 33.86         | 1           | Horizontal | 15             | 2.75          | -       | 39.80      | 18.60      | 45.60      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79026G    | 57.12             | 88.20             | -31.08         | 46.90         | 3           | Vertical  | 313            | 2.75          | -       | 40.68      | 12.13      | 42.59      |
| RMS  | 13.7942G     | 45.18             | 68.20             | -23.02         | 34.94         | 3           | Vertical  | 313            | 2.75          | -       | 40.69      | 12.13      | 42.58      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79049G    | 57.19             | 88.20             | -31.01         | 46.97         | 3           | Horizontal | 97             | 1.59          | -       | 40.68      | 12.13      | 42.59      |
| RMS  | 13.78533G    | 44.90             | 68.20             | -23.30         | 34.69         | 3           | Horizontal | 97             | 1.59          | -       | 40.67      | 12.13      | 42.59      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.68472G | 39.86          | 83.54          | -43.68      | 35.25      | 1        | Vertical  | 168         | 2.21       | -       | 37.90   | 15.75   | 49.04   |
| AV   | 20.6846G  | 27.55          | 63.54          | -35.99      | 22.94      | 1        | Vertical  | 168         | 2.21       | -       | 37.90   | 15.75   | 49.04   |
| PK   | 27.58016G | 49.59          | 97.74          | -48.15      | 36.79      | 1        | Vertical  | 106         | 2.50       | -       | 39.76   | 18.65   | 45.61   |
| RMS  | 27.57962G | 43.89          | 77.74          | -33.85      | 31.09      | 1        | Vertical  | 106         | 2.50       | -       | 39.76   | 18.65   | 45.61   |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68518G    | 39.72             | 83.54             | -43.82         | 35.11         | 1           | Horizontal | 187            | 2.52          | -       | 37.90      | 15.75      | 49.04      |
| AV   | 20.685G      | 27.18             | 63.54             | -36.36         | 22.57         | 1           | Horizontal | 187            | 2.52          | -       | 37.90      | 15.75      | 49.04      |
| PK   | 27.58034G    | 52.38             | 97.74             | -45.36         | 39.58         | 1           | Horizontal | 296            | 1.95          | -       | 39.76      | 18.65      | 45.61      |
| RMS  | 27.57968G    | 46.96             | 77.74             | -30.78         | 34.16         | 1           | Horizontal | 296            | 1.95          | -       | 39.76      | 18.65      | 45.61      |



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99421G    | 58.11             | 88.20             | -30.09         | 47.19         | 3           | Vertical  | 340            | 1.79          | -       | 41.18      | 12.20      | 42.46      |
| RMS  | 13.98698G    | 45.56             | 68.20             | -22.64         | 34.68         | 3           | Vertical  | 340            | 1.79          | -       | 41.15      | 12.20      | 42.47      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99292G    | 57.85             | 88.20             | -30.35         | 46.94         | 3           | Horizontal | 19             | 2.18          | -       | 41.17      | 12.20      | 42.46      |
| RMS  | 13.99283G    | 45.51             | 68.20             | -22.69         | 34.60         | 3           | Horizontal | 19             | 2.18          | -       | 41.17      | 12.20      | 42.46      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98512G    | 43.95             | 83.54             | -39.59         | 38.89         | 1           | Vertical  | 96             | 1.65          | -       | 37.96      | 15.99      | 48.89      |
| AV   | 20.98452G    | 31.18             | 63.54             | -32.36         | 26.12         | 1           | Vertical  | 96             | 1.65          | -       | 37.96      | 15.99      | 48.89      |
| PK   | 27.98027G    | 52.30             | 97.74             | -45.44         | 39.09         | 1           | Vertical  | 42             | 2.83          | -       | 39.98      | 18.89      | 45.66      |
| RMS  | 27.97991G    | 44.43             | 77.74             | -33.31         | 31.22         | 1           | Vertical  | 42             | 2.83          | -       | 39.98      | 18.89      | 45.66      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.9849G  | 44.15          | 83.54          | -39.39      | 39.09      | 1        | Horizontal | 27          | 1.53       | -       | 37.96   | 15.99   | 48.89   |
| AV   | 20.98464G | 30.89          | 63.54          | -32.65      | 25.83      | 1        | Horizontal | 27          | 1.53       | -       | 37.96   | 15.99   | 48.89   |
| PK   | 27.98034G | 53.66          | 97.74          | -44.08      | 40.45      | 1        | Horizontal | 293         | 2.17       | -       | 39.98   | 18.89   | 45.66   |
| RMS  | 27.98002G | 44.43          | 77.74          | -33.31      | 31.22      | 1        | Horizontal | 293         | 2.17       | -       | 39.98   | 18.89   | 45.66   |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.18705G    | 58.93             | 88.20             | -29.27         | 47.44         | 3           | Vertical  | 254            | 2.40          | -       | 41.65      | 12.26      | 42.42      |
| RMS  | 14.1916G     | 46.26             | 68.20             | -21.94         | 34.74         | 3           | Vertical  | 254            | 2.40          | -       | 41.67      | 12.26      | 42.41      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19374G    | 59.12             | 88.20             | -29.08         | 47.60         | 3           | Horizontal | 214            | 1.32          | -       | 41.67      | 12.26      | 42.41      |
| RMS  | 14.19081G    | 46.17             | 68.20             | -22.03         | 34.66         | 3           | Horizontal | 214            | 1.32          | -       | 41.66      | 12.26      | 42.41      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28455G    | 44.05             | 83.54             | -39.49         | 38.39         | 1           | Vertical  | 60             | 2.10          | -       | 38.28      | 16.23      | 48.85      |
| AV   | 21.28453G    | 30.03             | 63.54             | -33.51         | 24.37         | 1           | Vertical  | 60             | 2.10          | -       | 38.28      | 16.23      | 48.85      |
| PK   | 28.37958G    | 50.23             | 97.74             | -47.51         | 36.77         | 1           | Vertical  | 92             | 2.27          | -       | 40.00      | 19.07      | 45.61      |
| RMS  | 28.37951G    | 42.52             | 77.74             | -35.22         | 29.06         | 1           | Vertical  | 92             | 2.27          | -       | 40.00      | 19.07      | 45.61      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 12  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28483G    | 43.13             | 83.54             | -40.41         | 37.47         | 1           | Horizontal | 143            | 1.42          | -       | 38.28      | 16.23      | 48.85      |
| AV   | 21.28468G    | 29.95             | 63.54             | -33.59         | 24.29         | 1           | Horizontal | 143            | 1.42          | -       | 38.28      | 16.23      | 48.85      |
| PK   | 28.3799G     | 51.10             | 97.74             | -46.64         | 37.64         | 1           | Horizontal | 215            | 1.23          | -       | 40.00      | 19.07      | 45.61      |
| RMS  | 28.37979G    | 45.47             | 77.74             | -32.27         | 32.01         | 1           | Horizontal | 215            | 1.23          | -       | 40.00      | 19.07      | 45.61      |



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
01-S-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.1065G      | 109.79            | Inf               | -Inf           | 98.34         | 3           | Vertical  | 301            | 1.97          | BP 1MHz | 35.64      | 8.52       | 32.71      |
| RMS  | 7.1065G      | 103.96            | Inf               | -Inf           | 92.51         | 3           | Vertical  | 301            | 1.97          | BP 1MHz | 35.64      | 8.52       | 32.71      |
| PK   | 7.1255G      | 77.26             | 88.20             | -10.94         | 65.69         | 3           | Vertical  | 301            | 1.97          | BP 1MHz | 35.75      | 8.52       | 32.70      |
| RMS  | 7.1255G      | 67.32             | 68.20             | -0.88          | 55.75         | 3           | Vertical  | 301            | 1.97          | BP 1MHz | 35.75      | 8.52       | 32.70      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
01-S-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.1075G   | 106.32         | Inf            | -Inf        | 94.87      | 3        | Horizontal | 304         | 1.80       | BP 1MHz | 35.64   | 8.52    | 32.71   |
| RMS  | 7.1075G   | 100.54         | Inf            | -Inf        | 89.09      | 3        | Horizontal | 304         | 1.80       | BP 1MHz | 35.64   | 8.52    | 32.71   |
| PK   | 7.1255G   | 77.49          | 88.20          | -10.71      | 65.92      | 3        | Horizontal | 304         | 1.80       | BP 1MHz | 35.75   | 8.52    | 32.70   |
| RMS  | 7.1255G   | 66.25          | 68.20          | -1.95       | 54.68      | 3        | Horizontal | 304         | 1.80       | BP 1MHz | 35.75   | 8.52    | 32.70   |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.22965G    | 59.44             | 88.20             | -28.76         | 47.81         | 3           | Vertical  | 109            | 1.94          | -       | 41.76      | 12.27      | 42.40      |
| RMS  | 14.23009G    | 46.54             | 68.20             | -21.66         | 34.91         | 3           | Vertical  | 109            | 1.94          | -       | 41.76      | 12.27      | 42.40      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.22967G    | 59.36             | 88.20             | -28.84         | 47.73         | 3           | Horizontal | 17             | 1.09          | -       | 41.76      | 12.27      | 42.40      |
| RMS  | 14.22649G    | 46.57             | 68.20             | -21.63         | 34.96         | 3           | Horizontal | 17             | 1.09          | -       | 41.75      | 12.27      | 42.41      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.34468G    | 43.56             | 83.54             | -39.98         | 37.81         | 1           | Vertical  | 318            | 2.67          | -       | 38.31      | 16.28      | 48.84      |
| AV   | 21.34467G    | 31.08             | 63.54             | -32.46         | 25.33         | 1           | Vertical  | 318            | 2.67          | -       | 38.31      | 16.28      | 48.84      |
| PK   | 28.45995G    | 49.78             | 97.74             | -47.96         | 36.17         | 1           | Vertical  | 298            | 1.04          | -       | 40.10      | 19.11      | 45.60      |
| RMS  | 28.46003G    | 42.96             | 77.74             | -34.78         | 29.35         | 1           | Vertical  | 298            | 1.04          | -       | 40.10      | 19.11      | 45.60      |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 13  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.34491G    | 43.69             | 83.54             | -39.85         | 37.94         | 1           | Horizontal | 128            | 2.20          | -       | 38.31      | 16.28      | 48.84      |
| AV   | 21.34465G    | 30.78             | 63.54             | -32.76         | 25.03         | 1           | Horizontal | 128            | 2.20          | -       | 38.31      | 16.28      | 48.84      |
| PK   | 28.46044G    | 51.89             | 97.74             | -45.85         | 38.28         | 1           | Horizontal | 230            | 2.58          | -       | 40.10      | 19.11      | 45.60      |
| RMS  | 28.4599G     | 44.19             | 77.74             | -33.55         | 30.58         | 1           | Horizontal | 230            | 2.58          | -       | 40.10      | 19.11      | 45.60      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8678G      | 60.21             | 88.20             | -27.99         | 52.78         | 3           | Vertical  | 304            | 1.77          | -       | 32.27      | 7.61       | 32.45      |
| RMS  | 5.923G       | 49.17             | 68.20             | -19.03         | 41.57         | 3           | Vertical  | 304            | 1.77          | -       | 32.40      | 7.64       | 32.44      |
| PK   | 5.9638G      | 111.40            | Inf               | -Inf           | 103.75        | 3           | Vertical  | 304            | 1.77          | -       | 32.43      | 7.66       | 32.44      |
| RMS  | 5.964G       | 100.49            | Inf               | -Inf           | 92.84         | 3           | Vertical  | 304            | 1.77          | -       | 32.43      | 7.66       | 32.44      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9112G   | 60.00          | 88.20          | -28.20      | 52.40      | 3        | Horizontal | 71          | 1.36       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.915G    | 49.21          | 68.20          | -18.99      | 41.61      | 3        | Horizontal | 71          | 1.36       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 5.9836G   | 109.28         | Inf            | -Inf        | 101.58     | 3        | Horizontal | 71          | 1.36       | -       | 32.47   | 7.67    | 32.44   |
| RMS  | 5.9832G   | 100.22         | Inf            | -Inf        | 92.52      | 3        | Horizontal | 71          | 1.36       | -       | 32.47   | 7.67    | 32.44   |



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93017G    | 55.35             | 74.00             | -18.65         | 47.90         | 3           | Vertical  | 223            | 1.63          | -       | 39.20      | 11.48      | 43.23      |
| AV   | 11.93183G    | 42.43             | 54.00             | -11.57         | 34.98         | 3           | Vertical  | 223            | 1.63          | -       | 39.20      | 11.48      | 43.23      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93264G    | 55.42             | 74.00             | -18.58         | 47.97         | 3           | Horizontal | 170            | 2.29          | -       | 39.20      | 11.48      | 43.23      |
| AV   | 11.93392G    | 42.37             | 54.00             | -11.63         | 34.92         | 3           | Horizontal | 170            | 2.29          | -       | 39.20      | 11.48      | 43.23      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-S-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.85972G    | 46.30             | 83.54             | -37.24         | 37.30         | 1           | Vertical  | 114            | 2.99          | -       | 38.80      | 17.36      | 47.16      |
| AV   | 23.85966G    | 38.20             | 63.54             | -25.34         | 29.20         | 1           | Vertical  | 114            | 2.99          | -       | 38.80      | 17.36      | 47.16      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-S-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.85995G    | 51.89             | 83.54             | -31.65         | 42.89         | 1           | Horizontal | 311            | 2.33          | -       | 38.80      | 17.36      | 47.16      |
| AV   | 23.8597G     | 42.93             | 63.54             | -20.61         | 33.93         | 1           | Horizontal | 311            | 2.33          | -       | 38.80      | 17.36      | 47.16      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.40645G    | 55.49             | 74.00             | -18.51         | 48.39         | 3           | Vertical  | 310            | 1.46          | -       | 38.60      | 11.66      | 43.16      |
| AV   | 12.40918G    | 42.13             | 54.00             | -11.87         | 35.03         | 3           | Vertical  | 310            | 1.46          | -       | 38.60      | 11.66      | 43.16      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.41401G    | 55.57             | 74.00             | -18.43         | 48.47         | 3           | Horizontal | 272            | 2.83          | -       | 38.60      | 11.66      | 43.16      |
| AV   | 12.4118G     | 42.27             | 54.00             | -11.73         | 35.17         | 3           | Horizontal | 272            | 2.83          | -       | 38.60      | 11.66      | 43.16      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.6145G     | 42.52             | 83.54             | -41.02         | 39.12         | 1           | Vertical  | 26             | 2.16          | -       | 37.73      | 15.27      | 49.60      |
| AV   | 18.61492G    | 29.60             | 63.54             | -33.94         | 26.20         | 1           | Vertical  | 26             | 2.16          | -       | 37.73      | 15.27      | 49.60      |
| PK   | 24.81986G    | 49.21             | 97.74             | -48.53         | 39.02         | 1           | Vertical  | 47             | 1.24          | -       | 39.30      | 17.52      | 46.63      |
| RMS  | 24.81966G    | 43.34             | 77.74             | -34.40         | 33.15         | 1           | Vertical  | 47             | 1.24          | -       | 39.30      | 17.52      | 46.63      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV

10/04/2024


EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.61537G    | 42.57             | 83.54             | -40.97         | 39.17         | 1           | Horizontal | 144            | 1.01          | -       | 37.73      | 15.27      | 49.60      |
| AV   | 18.61477G    | 29.44             | 63.54             | -34.10         | 26.04         | 1           | Horizontal | 144            | 1.01          | -       | 37.73      | 15.27      | 49.60      |
| PK   | 24.8197G     | 52.32             | 97.74             | -45.42         | 42.13         | 1           | Horizontal | 97             | 1.50          | -       | 39.30      | 17.52      | 46.63      |
| RMS  | 24.8196G     | 45.27             | 77.74             | -32.47         | 35.08         | 1           | Horizontal | 97             | 1.50          | -       | 39.30      | 17.52      | 46.63      |



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.81158G    | 55.38             | 88.20             | -32.82         | 47.37         | 3           | Vertical  | 308            | 2.61          | -       | 39.05      | 11.80      | 42.84      |
| RMS  | 12.81027G    | 42.41             | 68.20             | -25.79         | 34.41         | 3           | Vertical  | 308            | 2.61          | -       | 39.04      | 11.80      | 42.84      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80978G    | 54.93             | 88.20             | -33.27         | 46.93         | 3           | Horizontal | 78             | 1.41          | -       | 39.04      | 11.80      | 42.84      |
| RMS  | 12.81344G    | 42.41             | 68.20             | -25.79         | 34.40         | 3           | Horizontal | 78             | 1.41          | -       | 39.05      | 11.80      | 42.84      |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.21546G | 41.69          | 83.54          | -41.85      | 37.97      | 1        | Vertical  | 322         | 1.94       | -       | 37.97   | 15.24   | 49.49   |
| AV   | 19.21461G | 28.55          | 63.54          | -34.99      | 24.83      | 1        | Vertical  | 322         | 1.94       | -       | 37.97   | 15.24   | 49.49   |
| PK   | 25.61956G | 49.15          | 97.74          | -48.59      | 38.26      | 1        | Vertical  | 354         | 2.55       | -       | 39.42   | 17.64   | 46.17   |
| RMS  | 25.61954G | 42.03          | 77.74          | -35.71      | 31.14      | 1        | Vertical  | 354         | 2.55       | -       | 39.42   | 17.64   | 46.17   |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21456G    | 42.04             | 83.54             | -41.50         | 38.32         | 1           | Horizontal | 68             | 1.41          | -       | 37.97      | 15.24      | 49.49      |
| AV   | 19.21469G    | 28.60             | 63.54             | -34.94         | 24.88         | 1           | Horizontal | 68             | 1.41          | -       | 37.97      | 15.24      | 49.49      |
| PK   | 25.61996G    | 52.80             | 97.74             | -44.94         | 41.91         | 1           | Horizontal | 52             | 2.96          | -       | 39.42      | 17.64      | 46.17      |
| RMS  | 25.61965G    | 45.15             | 77.74             | -32.59         | 34.26         | 1           | Horizontal | 52             | 2.96          | -       | 39.42      | 17.64      | 46.17      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
 Setting 15  
 03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.89032G    | 55.78             | 88.20             | -32.42         | 47.52         | 3           | Vertical  | 217            | 2.82          | -       | 39.20      | 11.82      | 42.76      |
| RMS  | 12.88745G    | 42.75             | 68.20             | -25.45         | 34.49         | 3           | Vertical  | 217            | 2.82          | -       | 39.20      | 11.82      | 42.76      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.89248G    | 55.75             | 88.20             | -32.45         | 47.49         | 3           | Horizontal | 204            | 1.23          | -       | 39.20      | 11.82      | 42.76      |
| RMS  | 12.88986G    | 42.71             | 68.20             | -25.49         | 34.45         | 3           | Horizontal | 204            | 1.23          | -       | 39.20      | 11.82      | 42.76      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.33467G    | 41.92             | 83.54             | -41.62         | 38.40         | 1           | Vertical  | 106            | 1.73          | -       | 37.86      | 15.23      | 49.57      |
| AV   | 19.33454G    | 28.61             | 63.54             | -34.93         | 25.09         | 1           | Vertical  | 106            | 1.73          | -       | 37.86      | 15.23      | 49.57      |
| PK   | 25.78012G    | 48.83             | 97.74             | -48.91         | 38.24         | 1           | Vertical  | 158            | 1.75          | -       | 39.12      | 17.67      | 46.20      |
| RMS  | 25.77986G    | 42.25             | 77.74             | -35.49         | 31.66         | 1           | Vertical  | 158            | 1.75          | -       | 39.12      | 17.67      | 46.20      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.33495G    | 42.08             | 83.54             | -41.46         | 38.56         | 1           | Horizontal | 131            | 2.37          | -       | 37.86      | 15.23      | 49.57      |
| AV   | 19.33463G    | 29.47             | 63.54             | -34.07         | 25.95         | 1           | Horizontal | 131            | 2.37          | -       | 37.86      | 15.23      | 49.57      |
| PK   | 25.77968G    | 52.54             | 97.74             | -45.20         | 41.95         | 1           | Horizontal | 345            | 1.00          | -       | 39.12      | 17.67      | 46.20      |
| RMS  | 25.77978G    | 45.24             | 77.74             | -32.50         | 34.65         | 1           | Horizontal | 345            | 1.00          | -       | 39.12      | 17.67      | 46.20      |



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.97026G    | 56.40             | 88.20             | -31.80         | 47.93         | 3           | Vertical  | 247            | 1.44          | -       | 39.30      | 11.85      | 42.68      |
| RMS  | 12.96623G    | 42.98             | 68.20             | -25.22         | 34.51         | 3           | Vertical  | 247            | 1.44          | -       | 39.30      | 11.85      | 42.68      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96897G    | 56.64             | 88.20             | -31.56         | 48.17         | 3           | Horizontal | 329            | 2.04          | -       | 39.30      | 11.85      | 42.68      |
| RMS  | 12.96558G    | 43.06             | 68.20             | -25.14         | 34.59         | 3           | Horizontal | 329            | 2.04          | -       | 39.30      | 11.85      | 42.68      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.45453G    | 43.32             | 83.54             | -40.22         | 39.92         | 1           | Vertical  | 138            | 2.42          | -       | 37.82      | 15.23      | 49.65      |
| AV   | 19.45454G    | 29.59             | 63.54             | -33.95         | 26.19         | 1           | Vertical  | 138            | 2.42          | -       | 37.82      | 15.23      | 49.65      |
| PK   | 25.93968G    | 49.75             | 97.74             | -47.99         | 39.35         | 1           | Vertical  | 325            | 1.48          | -       | 38.94      | 17.69      | 46.23      |
| RMS  | 25.9402G     | 42.48             | 77.74             | -35.26         | 32.08         | 1           | Vertical  | 325            | 1.48          | -       | 38.94      | 17.69      | 46.23      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.45496G    | 42.77             | 83.54             | -40.77         | 39.37         | 1           | Horizontal | 286            | 2.07          | -       | 37.82      | 15.23      | 49.65      |
| AV   | 19.45457G    | 29.49             | 63.54             | -34.05         | 26.09         | 1           | Horizontal | 286            | 2.07          | -       | 37.82      | 15.23      | 49.65      |
| PK   | 25.94G       | 51.49             | 97.74             | -46.25         | 41.09         | 1           | Horizontal | 358            | 2.57          | -       | 38.94      | 17.69      | 46.23      |
| RMS  | 25.93972G    | 45.44             | 77.74             | -32.30         | 35.04         | 1           | Horizontal | 358            | 2.57          | -       | 38.94      | 17.69      | 46.23      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04721G    | 56.75             | 88.20             | -31.45         | 48.14         | 3           | Vertical  | 96             | 1.79          | -       | 39.39      | 11.88      | 42.66      |
| RMS  | 13.05155G    | 43.41             | 68.20             | -24.79         | 34.78         | 3           | Vertical  | 96             | 1.79          | -       | 39.41      | 11.88      | 42.66      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04787G    | 57.28             | 88.20             | -30.92         | 48.66         | 3           | Horizontal | 136            | 1.82          | -       | 39.40      | 11.88      | 42.66      |
| RMS  | 13.04667G    | 43.45             | 68.20             | -24.75         | 34.84         | 3           | Horizontal | 136            | 1.82          | -       | 39.39      | 11.88      | 42.66      |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.57495G | 42.92          | 83.54          | -40.62      | 39.37      | 1        | Vertical  | 15          | 2.65       | -       | 37.95   | 15.22   | 49.62   |
| AV   | 19.57454G | 29.69          | 63.54          | -33.85      | 26.14      | 1        | Vertical  | 15          | 2.65       | -       | 37.95   | 15.22   | 49.62   |
| PK   | 26.10005G | 50.96          | 97.74          | -46.78      | 40.07      | 1        | Vertical  | 159         | 1.26       | -       | 39.30   | 17.76   | 46.17   |
| RMS  | 26.09983G | 42.57          | 77.74          | -35.17      | 31.68      | 1        | Vertical  | 159         | 1.26       | -       | 39.30   | 17.76   | 46.17   |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.57535G | 43.27          | 83.54          | -40.27      | 39.72      | 1        | Horizontal | 139         | 2.25       | -       | 37.95   | 15.22   | 49.62   |
| AV   | 19.57486G | 29.43          | 63.54          | -34.11      | 25.88      | 1        | Horizontal | 139         | 2.25       | -       | 37.95   | 15.22   | 49.62   |
| PK   | 26.09969G | 52.88          | 97.74          | -44.86      | 41.99      | 1        | Horizontal | 54          | 2.69       | -       | 39.30   | 17.76   | 46.17   |
| RMS  | 26.1004G  | 44.51          | 77.74          | -33.23      | 33.62      | 1        | Horizontal | 54          | 2.69       | -       | 39.30   | 17.76   | 46.17   |



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.1292G     | 57.14             | 88.20             | -31.06         | 48.32         | 3           | Vertical  | 2              | 1.94          | -       | 39.60      | 11.90      | 42.68      |
| RMS  | 13.13303G    | 43.61             | 68.20             | -24.59         | 34.78         | 3           | Vertical  | 2              | 1.94          | -       | 39.60      | 11.91      | 42.68      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.13183G    | 57.01             | 88.20             | -31.19         | 48.19         | 3           | Horizontal | 71             | 1.09          | -       | 39.60      | 11.90      | 42.68      |
| RMS  | 13.12736G    | 43.61             | 68.20             | -24.59         | 34.79         | 3           | Horizontal | 71             | 1.09          | -       | 39.60      | 11.90      | 42.68      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69507G    | 44.03             | 83.54             | -39.51         | 40.50         | 1           | Vertical  | 148            | 2.58          | -       | 37.83      | 15.22      | 49.52      |
| AV   | 19.69494G    | 30.00             | 63.54             | -33.54         | 26.47         | 1           | Vertical  | 148            | 2.58          | -       | 37.83      | 15.22      | 49.52      |
| PK   | 26.26038G    | 49.74             | 97.74             | -48.00         | 38.84         | 1           | Vertical  | 142            | 2.89          | -       | 39.10      | 17.86      | 46.06      |
| RMS  | 26.25952G    | 40.23             | 77.74             | -37.51         | 29.33         | 1           | Vertical  | 142            | 2.89          | -       | 39.10      | 17.86      | 46.06      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69495G    | 43.61             | 83.54             | -39.93         | 40.08         | 1           | Horizontal | 160            | 1.59          | -       | 37.83      | 15.22      | 49.52      |
| AV   | 19.69456G    | 29.80             | 63.54             | -33.74         | 26.27         | 1           | Horizontal | 160            | 1.59          | -       | 37.83      | 15.22      | 49.52      |
| PK   | 26.2604G     | 51.05             | 97.74             | -46.69         | 40.15         | 1           | Horizontal | 166            | 1.02          | -       | 39.10      | 17.86      | 46.06      |
| RMS  | 26.26002G    | 42.35             | 77.74             | -35.39         | 31.45         | 1           | Horizontal | 166            | 1.02          | -       | 39.10      | 17.86      | 46.06      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36897G    | 57.18             | 74.00             | -16.82         | 47.88         | 3           | Vertical  | 213            | 2.83          | -       | 40.04      | 11.99      | 42.73      |
| AV   | 13.3679G     | 43.83             | 54.00             | -10.17         | 34.53         | 3           | Vertical  | 213            | 2.83          | -       | 40.04      | 11.99      | 42.73      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3679G     | 56.96             | 74.00             | -17.04         | 47.66         | 3           | Horizontal | 78             | 2.63          | -       | 40.04      | 11.99      | 42.73      |
| AV   | 13.36929G    | 43.90             | 54.00             | -10.10         | 34.60         | 3           | Horizontal | 78             | 2.63          | -       | 40.04      | 11.99      | 42.73      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05111G    | 41.84             | 83.54             | -41.70         | 38.14         | 1           | Vertical  | 243            | 2.31          | -       | 37.72      | 15.24      | 49.26      |
| AV   | 20.05463G    | 28.88             | 63.54             | -34.66         | 25.18         | 1           | Vertical  | 243            | 2.31          | -       | 37.72      | 15.24      | 49.26      |
| PK   | 26.73956G    | 50.63             | 97.74             | -47.11         | 38.41         | 1           | Vertical  | 358            | 1.62          | -       | 40.04      | 18.14      | 45.96      |
| RMS  | 26.73967G    | 41.74             | 77.74             | -36.00         | 29.52         | 1           | Vertical  | 358            | 1.62          | -       | 40.04      | 18.14      | 45.96      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.05503G | 41.92          | 83.54          | -41.62      | 38.22      | 1        | Horizontal | 262         | 2.66       | -       | 37.72   | 15.24   | 49.26   |
| AV   | 20.05451G | 28.50          | 63.54          | -35.04      | 24.80      | 1        | Horizontal | 262         | 2.66       | -       | 37.72   | 15.24   | 49.26   |
| PK   | 26.73988G | 52.17          | 97.74          | -45.57      | 39.95      | 1        | Horizontal | 57          | 1.78       | -       | 40.04   | 18.14   | 45.96   |
| RMS  | 26.73968G | 43.71          | 77.74          | -34.03      | 31.49      | 1        | Horizontal | 57          | 1.78       | -       | 40.04   | 18.14   | 45.96   |



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76678G    | 57.38             | 88.20             | -30.82         | 47.23         | 3           | Vertical  | 305            | 2.09          | -       | 40.63      | 12.12      | 42.60      |
| RMS  | 13.77412G    | 44.31             | 68.20             | -23.89         | 34.14         | 3           | Vertical  | 305            | 2.09          | -       | 40.65      | 12.12      | 42.60      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.77185G    | 57.34             | 88.20             | -30.86         | 47.18         | 3           | Horizontal | 312            | 1.76          | -       | 40.64      | 12.12      | 42.60      |
| RMS  | 13.77322G    | 44.33             | 68.20             | -23.87         | 34.16         | 3           | Horizontal | 312            | 1.76          | -       | 40.65      | 12.12      | 42.60      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.65493G    | 42.85             | 83.54             | -40.69         | 38.29         | 1           | Vertical  | 291            | 2.88          | -       | 37.90      | 15.72      | 49.06      |
| AV   | 20.65463G    | 29.54             | 63.54             | -34.00         | 24.98         | 1           | Vertical  | 291            | 2.88          | -       | 37.90      | 15.72      | 49.06      |
| PK   | 27.5396G     | 50.37             | 97.74             | -47.37         | 37.63         | 1           | Vertical  | 49             | 1.12          | -       | 39.72      | 18.62      | 45.60      |
| RMS  | 27.53953G    | 41.74             | 77.74             | -36.00         | 29.00         | 1           | Vertical  | 49             | 1.12          | -       | 39.72      | 18.62      | 45.60      |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-5-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.65499G | 42.80          | 83.54          | -40.74      | 38.24      | 1        | Horizontal | 58          | 1.65       | -       | 37.90   | 15.72   | 49.06   |
| AV   | 20.65487G | 29.41          | 63.54          | -34.13      | 24.85      | 1        | Horizontal | 58          | 1.65       | -       | 37.90   | 15.72   | 49.06   |
| PK   | 27.53995G | 52.24          | 97.74          | -45.50      | 39.50      | 1        | Horizontal | 14          | 1.82       | -       | 39.72   | 18.62   | 45.60   |
| RMS  | 27.53973G | 43.82          | 77.74          | -33.92      | 31.08      | 1        | Horizontal | 14          | 1.82       | -       | 39.72   | 18.62   | 45.60   |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.84899G    | 58.42             | 88.20             | -29.78         | 48.02         | 3           | Vertical  | 109            | 1.09          | -       | 40.80      | 12.15      | 42.55      |
| RMS  | 13.84566G    | 44.66             | 68.20             | -23.54         | 34.27         | 3           | Vertical  | 109            | 1.09          | -       | 40.79      | 12.15      | 42.55      |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.85374G    | 57.35             | 88.20             | -30.85         | 46.94         | 3           | Horizontal | 22             | 2.12          | -       | 40.81      | 12.15      | 42.55      |
| RMS  | 13.8478G     | 44.64             | 68.20             | -23.56         | 34.24         | 3           | Horizontal | 22             | 2.12          | -       | 40.80      | 12.15      | 42.55      |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77452G    | 44.15             | 83.54             | -39.39         | 39.33         | 1           | Vertical  | 179            | 2.49          | -       | 38.00      | 15.82      | 49.00      |
| AV   | 20.77514G    | 30.51             | 63.54             | -33.03         | 25.69         | 1           | Vertical  | 179            | 2.49          | -       | 38.00      | 15.82      | 49.00      |
| PK   | 27.69998G    | 49.03             | 97.74             | -48.71         | 36.03         | 1           | Vertical  | 344            | 2.57          | -       | 39.90      | 18.72      | 45.62      |
| RMS  | 27.69988G    | 42.06             | 77.74             | -35.68         | 29.06         | 1           | Vertical  | 344            | 2.57          | -       | 39.90      | 18.72      | 45.62      |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-5-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77452G    | 44.63             | 83.54             | -38.91         | 39.81         | 1           | Horizontal | 28             | 1.19          | -       | 38.00      | 15.82      | 49.00      |
| AV   | 20.77497G    | 30.20             | 63.54             | -33.34         | 25.38         | 1           | Horizontal | 28             | 1.19          | -       | 38.00      | 15.82      | 49.00      |
| PK   | 27.69984G    | 50.56             | 97.74             | -47.18         | 37.56         | 1           | Horizontal | 289            | 2.52          | -       | 39.90      | 18.72      | 45.62      |
| RMS  | 27.70022G    | 43.02             | 77.74             | -34.72         | 30.02         | 1           | Horizontal | 289            | 2.52          | -       | 39.90      | 18.72      | 45.62      |



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-S-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0662G      | 108.22            | Inf               | -Inf           | 97.00         | 3           | Vertical  | 54             | 1.70          | -       | 35.40      | 8.54       | 32.72      |
| RMS  | 7.0666G      | 98.41             | Inf               | -Inf           | 87.19         | 3           | Vertical  | 54             | 1.70          | -       | 35.40      | 8.54       | 32.72      |
| PK   | 7.1836G      | 65.17             | 88.20             | -23.03         | 53.32         | 3           | Vertical  | 54             | 1.70          | -       | 36.03      | 8.50       | 32.68      |
| RMS  | 7.1814G      | 54.18             | 68.20             | -14.02         | 42.33         | 3           | Vertical  | 54             | 1.70          | -       | 36.03      | 8.50       | 32.68      |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-S-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0672G      | 108.30            | Inf               | -Inf           | 97.39         | 3           | Horizontal | 66.4           | 1.71          | -       | 35.40      | 8.54       | 33.03      |
| RMS  | 7.0672G      | 98.46             | Inf               | -Inf           | 87.55         | 3           | Horizontal | 66.4           | 1.71          | -       | 35.40      | 8.54       | 33.03      |
| PK   | 7.1782G      | 65.01             | 88.20             | -23.19         | 53.56         | 3           | Horizontal | 66.4           | 1.71          | -       | 36.01      | 8.50       | 33.06      |
| RMS  | 7.1846G      | 53.71             | 68.20             | -14.49         | 42.24         | 3           | Horizontal | 66.4           | 1.71          | -       | 36.04      | 8.50       | 33.07      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9218G   | 66.92          | 88.20          | -21.28      | 59.32      | 3        | Vertical  | 299         | 1.80       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.925G    | 49.53          | 68.20          | -18.67      | 41.93      | 3        | Vertical  | 299         | 1.80       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 5.9686G   | 110.90         | Inf            | -Inf        | 103.24     | 3        | Vertical  | 299         | 1.80       | -       | 32.44   | 7.66    | 32.44   |
| RMS  | 5.9682G   | 99.55          | Inf            | -Inf        | 91.89      | 3        | Vertical  | 299         | 1.80       | -       | 32.44   | 7.66    | 32.44   |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.917G    | 62.79          | 88.20          | -25.41      | 55.19      | 3        | Horizontal | 76          | 1.53       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.925G    | 49.18          | 68.20          | -19.02      | 41.58      | 3        | Horizontal | 76          | 1.53       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 6.0162G   | 110.58         | Inf            | -Inf        | 102.81     | 3        | Horizontal | 76          | 1.53       | -       | 32.53   | 7.68    | 32.44   |
| RMS  | 6.0134G   | 99.12          | Inf            | -Inf        | 91.35      | 3        | Horizontal | 76          | 1.53       | -       | 32.53   | 7.68    | 32.44   |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.97077G    | 55.41             | 74.00             | -18.59         | 47.97         | 3           | Vertical  | 290            | 2.61          | -       | 39.16      | 11.50      | 43.22      |
| AV   | 11.96511G    | 42.34             | 54.00             | -11.66         | 34.90         | 3           | Vertical  | 290            | 2.61          | -       | 39.17      | 11.50      | 43.23      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.96671G    | 55.14             | 74.00             | -18.86         | 47.70         | 3           | Horizontal | 152            | 2.29          | -       | 39.17      | 11.50      | 43.23      |
| AV   | 11.96571G    | 42.41             | 54.00             | -11.59         | 34.97         | 3           | Horizontal | 152            | 2.29          | -       | 39.17      | 11.50      | 43.23      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.94128G    | 52.63             | 83.54             | -30.91         | 43.49         | 1           | Vertical  | 233            | 1.20          | -       | 38.88      | 17.38      | 47.12      |
| AV   | 23.94308G    | 39.38             | 63.54             | -24.16         | 30.23         | 1           | Vertical  | 233            | 1.20          | -       | 38.89      | 17.38      | 47.12      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.94726G    | 52.24             | 83.54             | -31.30         | 43.09         | 1           | Horizontal | 25             | 1.18          | -       | 38.89      | 17.38      | 47.12      |
| AV   | 23.94118G    | 39.32             | 63.54             | -24.22         | 30.18         | 1           | Horizontal | 25             | 1.18          | -       | 38.88      | 17.38      | 47.12      |



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.45087G    | 55.27             | 74.00             | -18.73         | 48.16         | 3           | Vertical  | 315            | 2.71          | -       | 38.60      | 11.67      | 43.16      |
| AV   | 12.44638G    | 42.23             | 54.00             | -11.77         | 35.12         | 3           | Vertical  | 315            | 2.71          | -       | 38.60      | 11.67      | 43.16      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.45197G    | 55.26             | 74.00             | -18.74         | 48.15         | 3           | Horizontal | 82             | 1.69          | -       | 38.60      | 11.67      | 43.16      |
| AV   | 12.44928G    | 42.26             | 54.00             | -11.74         | 35.15         | 3           | Horizontal | 82             | 1.69          | -       | 38.60      | 11.67      | 43.16      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.66666G    | 44.31             | 83.54             | -39.23         | 40.88         | 1           | Vertical  | 357            | 1.35          | -       | 37.73      | 15.27      | 49.57      |
| AV   | 18.6688G     | 32.06             | 63.54             | -31.48         | 28.64         | 1           | Vertical  | 357            | 1.35          | -       | 37.72      | 15.27      | 49.57      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.67708G    | 44.79             | 83.54             | -38.75         | 41.39         | 1           | Horizontal | 165            | 1.84          | -       | 37.69      | 15.27      | 49.56      |
| AV   | 18.6715G     | 32.11             | 63.54             | -31.43         | 28.69         | 1           | Horizontal | 165            | 1.84          | -       | 37.71      | 15.27      | 49.56      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.77224G    | 54.85             | 88.20             | -33.35         | 47.06         | 3           | Vertical  | 284            | 2.30          | -       | 38.89      | 11.78      | 42.88      |
| RMS  | 12.76592G    | 42.13             | 68.20             | -26.07         | 34.37         | 3           | Vertical  | 284            | 2.30          | -       | 38.86      | 11.78      | 42.88      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.76638G    | 54.84             | 88.20             | -33.36         | 47.07         | 3           | Horizontal | 4              | 1.84          | -       | 38.87      | 11.78      | 42.88      |
| RMS  | 12.76794G    | 42.08             | 68.20             | -26.12         | 34.31         | 3           | Horizontal | 4              | 1.84          | -       | 38.87      | 11.78      | 42.88      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15162G    | 44.83             | 83.54             | -38.71         | 41.32         | 1           | Vertical  | 207            | 1.61          | -       | 37.71      | 15.24      | 49.44      |
| AV   | 19.16432G    | 32.13             | 63.54             | -31.41         | 28.55         | 1           | Vertical  | 207            | 1.61          | -       | 37.79      | 15.24      | 49.45      |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15738G    | 44.58             | 83.54             | -38.96         | 41.05         | 1           | Horizontal | 241            | 1.41          | -       | 37.74      | 15.24      | 49.45      |
| AV   | 19.14618G    | 32.09             | 63.54             | -31.45         | 28.57         | 1           | Horizontal | 241            | 1.41          | -       | 37.72      | 15.24      | 49.44      |



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_X\_4TX  
 Setting 17  
 03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93392G    | 55.92             | 88.20             | -32.28         | 47.53         | 3           | Vertical  | 322            | 1.44          | -       | 39.27      | 11.84      | 42.72      |
| RMS  | 12.92874G    | 42.73             | 68.20             | -25.47         | 34.35         | 3           | Vertical  | 322            | 1.44          | -       | 39.26      | 11.84      | 42.72      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93403G    | 55.76             | 88.20             | -32.44         | 47.37         | 3           | Horizontal | 185            | 2.54          | -       | 39.27      | 11.84      | 42.72      |
| RMS  | 12.93484G    | 42.65             | 68.20             | -25.55         | 34.26         | 3           | Horizontal | 185            | 2.54          | -       | 39.27      | 11.84      | 42.72      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39354G    | 46.63             | 83.54             | -36.91         | 43.04         | 1           | Vertical  | 250            | 1.79          | -       | 37.97      | 15.23      | 49.61      |
| AV   | 19.39266G    | 32.56             | 63.54             | -30.98         | 28.97         | 1           | Vertical  | 250            | 1.79          | -       | 37.97      | 15.23      | 49.61      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_X\_4TX  
 Setting 17  
 01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.38982G    | 45.59             | 83.54             | -37.95         | 42.01         | 1           | Horizontal | 207            | 1.03          | -       | 37.96      | 15.23      | 49.61      |
| AV   | 19.39302G    | 32.58             | 63.54             | -30.96         | 28.99         | 1           | Horizontal | 207            | 1.03          | -       | 37.97      | 15.23      | 49.61      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08958G    | 56.60             | 88.20             | -31.60         | 47.82         | 3           | Vertical  | 127            | 2.99          | -       | 39.56      | 11.89      | 42.67      |
| RMS  | 13.09226G    | 43.46             | 68.20             | -24.74         | 34.67         | 3           | Vertical  | 127            | 2.99          | -       | 39.57      | 11.89      | 42.67      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08562G    | 56.44             | 88.20             | -31.76         | 47.68         | 3           | Horizontal | 159            | 1.91          | -       | 39.54      | 11.89      | 42.67      |
| RMS  | 13.08834G    | 43.58             | 68.20             | -24.62         | 34.81         | 3           | Horizontal | 159            | 1.91          | -       | 39.55      | 11.89      | 42.67      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63544G    | 45.21             | 83.54             | -38.33         | 41.55         | 1           | Vertical  | 191            | 2.63          | -       | 38.01      | 15.22      | 49.57      |
| AV   | 19.63738G    | 32.79             | 63.54             | -30.75         | 29.12         | 1           | Vertical  | 191            | 2.63          | -       | 38.02      | 15.22      | 49.57      |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.62716G    | 45.65             | 83.54             | -37.89         | 42.05         | 1           | Horizontal | 62             | 2.48          | -       | 37.96      | 15.22      | 49.58      |
| AV   | 19.64428G    | 32.85             | 63.54             | -30.69         | 29.12         | 1           | Horizontal | 62             | 2.48          | -       | 38.07      | 15.22      | 49.56      |



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.2531G     | 56.98             | 74.00             | -17.02         | 47.83         | 3           | Vertical  | 28             | 2.92          | -       | 39.91      | 11.95      | 42.71      |
| AV   | 13.25919G    | 43.68             | 54.00             | -10.32         | 34.52         | 3           | Vertical  | 28             | 2.92          | -       | 39.92      | 11.95      | 42.71      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
Setting 15  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.2554G     | 56.15             | 74.00             | -17.85         | 47.00         | 3           | Horizontal | 132            | 2.81          | -       | 39.91      | 11.95      | 42.71      |
| AV   | 13.25214G    | 43.66             | 54.00             | -10.34         | 34.52         | 3           | Horizontal | 132            | 2.81          | -       | 39.90      | 11.95      | 42.71      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
Setting 15  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.8733G     | 45.15             | 83.54             | -38.39         | 41.57         | 1           | Vertical  | 220            | 1.47          | -       | 37.74      | 15.21      | 49.37      |
| AV   | 19.88496G    | 32.82             | 63.54             | -30.72         | 29.16         | 1           | Vertical  | 220            | 1.47          | -       | 37.81      | 15.21      | 49.36      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
Setting 15  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87906G    | 46.25             | 83.54             | -37.29         | 42.64         | 1           | Horizontal | 71             | 1.65          | -       | 37.77      | 15.21      | 49.37      |
| AV   | 19.87504G    | 32.90             | 63.54             | -30.64         | 29.31         | 1           | Horizontal | 71             | 1.65          | -       | 37.75      | 15.21      | 49.37      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41448G    | 56.83             | 88.20             | -31.37         | 47.44         | 3           | Vertical  | 328            | 1.60          | -       | 40.13      | 12.00      | 42.74      |
| RMS  | 13.4121G     | 43.61             | 88.20             | -44.59         | 34.23         | 3           | Vertical  | 328            | 1.60          | -       | 40.12      | 12.00      | 42.74      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41402G    | 57.22             | 88.20             | -30.98         | 47.83         | 3           | Horizontal | 99             | 1.86          | -       | 40.13      | 12.00      | 42.74      |
| RMS  | 13.41027G    | 43.63             | 68.20             | -24.57         | 34.25         | 3           | Horizontal | 99             | 1.86          | -       | 40.12      | 12.00      | 42.74      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11074G    | 47.36             | 83.54             | -36.18         | 43.47         | 1           | Vertical  | 116            | 2.94          | -       | 37.84      | 15.29      | 49.24      |
| AV   | 20.10664G    | 33.33             | 63.54             | -30.21         | 29.42         | 1           | Vertical  | 116            | 2.94          | -       | 37.86      | 15.29      | 49.24      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.10922G    | 46.78             | 83.54             | -36.76         | 42.89         | 1           | Horizontal | 94             | 2.81          | -       | 37.84      | 15.29      | 49.24      |
| AV   | 20.10906G    | 33.34             | 63.54             | -30.20         | 29.44         | 1           | Horizontal | 94             | 2.81          | -       | 37.85      | 15.29      | 49.24      |



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.57469G    | 56.52             | 88.20             | -31.68         | 46.78         | 3           | Vertical  | 219            | 2.03          | -       | 40.40      | 12.06      | 42.72      |
| RMS  | 13.56655G    | 44.09             | 68.20             | -24.11         | 34.36         | 3           | Vertical  | 219            | 2.03          | -       | 40.40      | 12.05      | 42.72      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.57241G    | 57.36             | 88.20             | -30.84         | 47.63         | 3           | Horizontal | 152            | 1.18          | -       | 40.40      | 12.05      | 42.72      |
| RMS  | 13.56781G    | 43.92             | 68.20             | -24.28         | 34.19         | 3           | Horizontal | 152            | 1.18          | -       | 40.40      | 12.05      | 42.72      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35174G    | 46.79             | 83.54             | -36.75         | 42.39         | 1           | Vertical  | 118            | 1.09          | -       | 38.10      | 15.48      | 49.18      |
| AV   | 20.34576G    | 34.21             | 63.54             | -29.33         | 29.80         | 1           | Vertical  | 118            | 1.09          | -       | 38.11      | 15.48      | 49.18      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.36218G    | 46.41             | 83.54             | -37.13         | 42.02         | 1           | Horizontal | 152            | 1.09          | -       | 38.08      | 15.49      | 49.18      |
| AV   | 20.35942G    | 34.24             | 63.54             | -29.30         | 29.85         | 1           | Horizontal | 152            | 1.09          | -       | 38.08      | 15.49      | 49.18      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 18  
03-S-5-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73499G    | 57.90             | 88.20             | -30.30         | 47.87         | 3           | Vertical  | 134            | 2.75          | -       | 40.54      | 12.11      | 42.62      |
| RMS  | 13.72676G    | 44.14             | 68.20             | -24.06         | 34.14         | 3           | Vertical  | 134            | 2.75          | -       | 40.51      | 12.11      | 42.62      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 18  
03-S-5-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72558G    | 58.06             | 88.20             | -30.14         | 48.07         | 3           | Horizontal | 116            | 2.33          | -       | 40.50      | 12.11      | 42.62      |
| RMS  | 13.72604G    | 44.22             | 68.20             | -23.98         | 34.23         | 3           | Horizontal | 116            | 2.33          | -       | 40.50      | 12.11      | 42.62      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.58554G    | 46.99             | 83.54             | -36.55         | 42.45         | 1           | Vertical  | 170            | 2.60          | -       | 37.97      | 15.67      | 49.10      |
| AV   | 20.60122G    | 34.28             | 63.54             | -29.26         | 29.69         | 1           | Vertical  | 170            | 2.60          | -       | 38.00      | 15.68      | 49.09      |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 18  
01-S-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.60224G | 46.69          | 83.54          | -36.85      | 42.10      | 1        | Horizontal | 161         | 2.73       | -       | 38.00   | 15.68   | 49.09   |
| AV   | 20.5977G  | 34.38          | 63.54          | -29.16      | 29.79      | 1        | Horizontal | 161         | 2.73       | -       | 38.00   | 15.68   | 49.09   |



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88752G    | 57.74             | 88.20             | -30.46         | 47.23         | 3           | Vertical  | 119            | 2.64          | -       | 40.88      | 12.16      | 42.53      |
| RMS  | 13.88895G    | 44.82             | 68.20             | -23.38         | 34.31         | 3           | Vertical  | 119            | 2.64          | -       | 40.88      | 12.16      | 42.53      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 16  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88616G    | 57.64             | 88.20             | -30.56         | 47.14         | 3           | Horizontal | 24             | 1.11          | -       | 40.87      | 12.16      | 42.53      |
| RMS  | 13.8866G     | 44.82             | 68.20             | -23.38         | 34.32         | 3           | Horizontal | 24             | 1.11          | -       | 40.87      | 12.16      | 42.53      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83984G    | 47.75             | 83.54             | -35.79         | 42.64         | 1           | Vertical  | 93             | 2.58          | -       | 38.20      | 15.87      | 48.96      |
| AV   | 20.84292G    | 35.74             | 63.54             | -27.80         | 30.63         | 1           | Vertical  | 93             | 2.58          | -       | 38.20      | 15.87      | 48.96      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 16  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.8374G     | 48.06             | 83.54             | -35.48         | 42.95         | 1           | Horizontal | 64             | 1.23          | -       | 38.20      | 15.87      | 48.96      |
| AV   | 20.83882G    | 35.79             | 63.54             | -27.75         | 30.68         | 1           | Horizontal | 64             | 1.23          | -       | 38.20      | 15.87      | 48.96      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.997G       | 110.56            | Inf               | -Inf           | 99.66         | 3           | Vertical  | 49             | 1.80          | -       | 35.09      | 8.56       | 32.75      |
| RMS  | 6.9874G      | 99.51             | Inf               | -Inf           | 88.63         | 3           | Vertical  | 49             | 1.80          | -       | 35.07      | 8.55       | 32.74      |
| PK   | 7.2166G      | 64.69             | 88.20             | -23.51         | 52.72         | 3           | Vertical  | 49             | 1.80          | -       | 36.13      | 8.51       | 32.67      |
| RMS  | 7.2246G      | 54.16             | 68.20             | -14.04         | 42.15         | 3           | Vertical  | 49             | 1.80          | -       | 36.15      | 8.52       | 32.66      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0338G   | 109.28         | Inf            | -Inf        | 98.23      | 3        | Horizontal | 62          | 1.80       | -       | 35.24   | 8.55    | 32.74   |
| RMS  | 7.0362G   | 98.99          | Inf            | -Inf        | 87.94      | 3        | Horizontal | 62          | 1.80       | -       | 35.24   | 8.55    | 32.74   |
| PK   | 7.1258G   | 66.18          | 88.20          | -22.02      | 54.61      | 3        | Horizontal | 62          | 1.80       | -       | 35.75   | 8.52    | 32.70   |
| RMS  | 7.2206G   | 54.10          | 68.20          | -14.10      | 42.12      | 3        | Horizontal | 62          | 1.80       | -       | 36.14   | 8.51    | 32.67   |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04887G    | 57.45             | 88.20             | -30.75         | 46.48         | 3           | Vertical  | 354            | 1.96          | -       | 41.20      | 12.22      | 42.45      |
| RMS  | 14.04571G    | 44.86             | 68.20             | -23.34         | 33.90         | 3           | Vertical  | 354            | 1.96          | -       | 41.20      | 12.21      | 42.45      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0452G     | 57.55             | 88.20             | -30.65         | 46.59         | 3           | Horizontal | 227            | 2.40          | -       | 41.20      | 12.21      | 42.45      |
| RMS  | 14.0509G     | 44.93             | 68.20             | -23.27         | 33.96         | 3           | Horizontal | 227            | 2.40          | -       | 41.20      | 12.22      | 42.45      |



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.06658G    | 48.37             | 83.54             | -35.17         | 42.89         | 1           | Vertical  | 307            | 1.42          | -       | 38.30      | 16.05      | 48.87      |
| AV   | 21.07066G    | 36.00             | 63.54             | -27.54         | 30.53         | 1           | Vertical  | 307            | 1.42          | -       | 38.28      | 16.06      | 48.87      |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07506G    | 49.25             | 83.54             | -34.29         | 43.81         | 1           | Horizontal | 308            | 1.21          | -       | 38.25      | 16.06      | 48.87      |
| AV   | 21.07502G    | 36.04             | 63.54             | -27.50         | 30.60         | 1           | Horizontal | 308            | 1.21          | -       | 38.25      | 16.06      | 48.87      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9175G   | 64.07          | 88.20          | -24.13      | 56.47      | 3        | Vertical  | 295         | 1.87       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.919G    | 49.82          | 68.20          | -18.38      | 42.22      | 3        | Vertical  | 295         | 1.87       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 6.0425G   | 109.29         | Inf            | -Inf        | 101.44     | 3        | Vertical  | 295         | 1.87       | -       | 32.59   | 7.69    | 32.43   |
| RMS  | 6.052G    | 98.27          | Inf            | -Inf        | 90.41      | 3        | Vertical  | 295         | 1.87       | -       | 32.60   | 7.69    | 32.43   |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9205G   | 71.00          | 88.20          | -17.20      | 63.40      | 3        | Horizontal | 60.5        | 1.80       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.923G    | 50.62          | 68.20          | -17.58      | 43.02      | 3        | Horizontal | 60.5        | 1.80       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 6.0615G   | 106.89         | Inf            | -Inf        | 99.05      | 3        | Horizontal | 60.5        | 1.80       | -       | 32.58   | 7.69    | 32.43   |
| RMS  | 6.0545G   | 97.20          | Inf            | -Inf        | 89.35      | 3        | Horizontal | 60.5        | 1.80       | -       | 32.59   | 7.69    | 32.43   |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05464G    | 55.16             | 74.00             | -18.84         | 47.84         | 3           | Vertical  | 301            | 1.37          | -       | 38.99      | 11.54      | 43.21      |
| AV   | 12.0522G     | 42.04             | 54.00             | -11.96         | 34.71         | 3           | Vertical  | 301            | 1.37          | -       | 39.00      | 11.54      | 43.21      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05208G    | 55.32             | 74.00             | -18.68         | 47.99         | 3           | Horizontal | 122            | 1.91          | -       | 39.00      | 11.54      | 43.21      |
| AV   | 12.05275G    | 42.09             | 54.00             | -11.91         | 34.77         | 3           | Horizontal | 122            | 1.91          | -       | 38.99      | 11.54      | 43.21      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07522G    | 44.63             | 83.54             | -38.91         | 41.31         | 1           | Vertical  | 195            | 2.91          | -       | 37.50      | 15.30      | 49.48      |
| AV   | 18.07696G    | 32.44             | 63.54             | -31.10         | 29.11         | 1           | Vertical  | 195            | 2.91          | -       | 37.51      | 15.30      | 49.48      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.08164G    | 44.63             | 83.54             | -38.91         | 41.28         | 1           | Horizontal | 350            | 2.42          | -       | 37.53      | 15.30      | 49.48      |
| AV   | 18.08104G    | 32.39             | 63.54             | -31.15         | 29.05         | 1           | Horizontal | 350            | 2.42          | -       | 37.52      | 15.30      | 49.48      |



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
Setting 21  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37447G    | 55.13             | 74.00             | -18.87         | 48.00         | 3           | Vertical  | 183            | 1.69          | -       | 38.65      | 11.65      | 43.17      |
| AV   | 12.37039G    | 42.06             | 54.00             | -11.94         | 34.92         | 3           | Vertical  | 183            | 1.69          | -       | 38.66      | 11.65      | 43.17      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
Setting 21  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37289G    | 54.88             | 74.00             | -19.12         | 47.75         | 3           | Horizontal | 198            | 1.52          | -       | 38.65      | 11.65      | 43.17      |
| AV   | 12.37086G    | 41.99             | 54.00             | -12.01         | 34.85         | 3           | Horizontal | 198            | 1.52          | -       | 38.66      | 11.65      | 43.17      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.56002G    | 45.34             | 83.54             | -38.20         | 42.01         | 1           | Vertical  | 62             | 1.65          | -       | 37.70      | 15.27      | 49.64      |
| AV   | 18.5637G     | 32.15             | 63.54             | -31.39         | 28.82         | 1           | Vertical  | 62             | 1.65          | -       | 37.70      | 15.27      | 49.64      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.56124G    | 44.52             | 83.54             | -39.02         | 41.19         | 1           | Horizontal | 75             | 2.98          | -       | 37.70      | 15.27      | 49.64      |
| AV   | 18.55964G    | 32.10             | 63.54             | -31.44         | 28.77         | 1           | Horizontal | 75             | 2.98          | -       | 37.70      | 15.27      | 49.64      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68933G    | 55.95             | 74.00             | -18.05         | 48.28         | 3           | Vertical  | 147            | 2.41          | -       | 38.88      | 11.75      | 42.96      |
| AV   | 12.68921G    | 42.30             | 54.00             | -11.70         | 34.63         | 3           | Vertical  | 147            | 2.41          | -       | 38.88      | 11.75      | 42.96      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68646G    | 56.20             | 74.00             | -17.80         | 48.54         | 3           | Horizontal | 119            | 2.75          | -       | 38.87      | 11.75      | 42.96      |
| AV   | 12.68604G    | 42.31             | 54.00             | -11.64         | 34.70         | 3           | Horizontal | 119            | 2.75          | -       | 38.87      | 11.75      | 42.96      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03684G    | 45.39             | 83.54             | -38.15         | 41.61         | 1           | Vertical  | 53             | 2.27          | -       | 37.90      | 15.25      | 49.37      |
| AV   | 19.03048G    | 32.71             | 63.54             | -30.83         | 28.92         | 1           | Vertical  | 53             | 2.27          | -       | 37.90      | 15.25      | 49.36      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03622G    | 46.76             | 83.54             | -36.78         | 42.97         | 1           | Horizontal | 133            | 1.24          | -       | 37.90      | 15.25      | 49.36      |
| AV   | 19.0428G     | 32.24             | 63.54             | -31.30         | 28.46         | 1           | Horizontal | 133            | 1.24          | -       | 37.90      | 15.25      | 49.37      |



6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 23  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.00876G    | 57.49             | 88.20             | -30.71         | 48.96         | 3           | Vertical  | 174            | 1.76          | -       | 39.32      | 11.86      | 42.65      |
| RMS  | 13.01147G    | 43.17             | 68.20             | -25.03         | 34.64         | 3           | Vertical  | 174            | 1.76          | -       | 39.32      | 11.86      | 42.65      |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 23  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01075G    | 56.65             | 88.20             | -31.55         | 48.12         | 3           | Horizontal | 224            | 2.81          | -       | 39.32      | 11.86      | 42.65      |
| RMS  | 13.01428G    | 43.18             | 68.20             | -25.02         | 34.64         | 3           | Horizontal | 224            | 2.81          | -       | 39.33      | 11.86      | 42.65      |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 23  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51178G    | 45.39             | 83.54             | -38.15         | 41.82         | 1           | Vertical  | 230            | 2.88          | -       | 38.02      | 15.22      | 49.67      |
| AV   | 19.52442G    | 32.99             | 63.54             | -30.55         | 29.38         | 1           | Vertical  | 230            | 2.88          | -       | 38.05      | 15.22      | 49.66      |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 23  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51964G    | 45.64             | 83.54             | -37.90         | 42.04         | 1           | Horizontal | 309            | 1.04          | -       | 38.04      | 15.22      | 49.66      |
| AV   | 19.51852G    | 33.01             | 63.54             | -30.53         | 29.41         | 1           | Horizontal | 309            | 1.04          | -       | 38.04      | 15.22      | 49.66      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
Setting 23  
03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33139G    | 56.47             | 74.00             | -17.53         | 47.22         | 3           | Vertical  | 118            | 2.71          | -       | 40.00      | 11.97      | 42.72      |
| AV   | 13.3281G     | 43.93             | 54.00             | -10.07         | 34.68         | 3           | Vertical  | 118            | 2.71          | -       | 40.00      | 11.97      | 42.72      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
 Setting 23  
 03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33119G    | 57.25             | 74.00             | -16.75         | 48.00         | 3           | Horizontal | 119            | 1.71          | -       | 40.00      | 11.97      | 42.72      |
| AV   | 13.32736G    | 43.87             | 54.00             | -10.13         | 34.62         | 3           | Horizontal | 119            | 1.71          | -       | 40.00      | 11.97      | 42.72      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
Setting 23  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.00074G    | 46.23             | 83.54             | -37.31         | 42.50         | 1           | Vertical  | 345            | 1.69          | -       | 37.80      | 15.20      | 49.27      |
| AV   | 20.0042G     | 33.41             | 63.54             | -30.13         | 29.69         | 1           | Vertical  | 345            | 1.69          | -       | 37.79      | 15.20      | 49.27      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
Setting 23  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.99672G    | 46.19             | 83.54             | -37.35         | 42.46         | 1           | Horizontal | 98             | 2.36          | -       | 37.80      | 15.20      | 49.27      |
| AV   | 20.00412G    | 33.46             | 63.54             | -30.08         | 29.74         | 1           | Horizontal | 98             | 2.36          | -       | 37.79      | 15.20      | 49.27      |



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64764G    | 57.82             | 88.20             | -30.38         | 48.01         | 3           | Vertical  | 90             | 1.88          | -       | 40.40      | 12.08      | 42.67      |
| RMS  | 13.64616G    | 44.09             | 68.20             | -24.11         | 34.28         | 3           | Vertical  | 90             | 1.88          | -       | 40.40      | 12.08      | 42.67      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65384G    | 57.69             | 88.20             | -30.51         | 47.88         | 3           | Horizontal | 270            | 2.50          | -       | 40.40      | 12.08      | 42.67      |
| RMS  | 13.652G      | 44.15             | 68.20             | -24.05         | 34.34         | 3           | Horizontal | 270            | 2.50          | -       | 40.40      | 12.08      | 42.67      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47272G    | 47.19             | 83.54             | -36.35         | 42.94         | 1           | Vertical  | 271            | 2.01          | -       | 37.82      | 15.58      | 49.15      |
| AV   | 20.47406G    | 34.56             | 63.54             | -28.98         | 30.32         | 1           | Vertical  | 271            | 2.01          | -       | 37.81      | 15.58      | 49.15      |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
 Setting 22  
 01-S-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.47174G | 47.06          | 83.54          | -36.48      | 42.80      | 1        | Horizontal | 91          | 2.36       | -       | 37.83   | 15.58   | 49.15   |
| AV   | 20.4703G  | 34.52          | 63.54          | -29.02      | 30.25      | 1        | Horizontal | 91          | 2.36       | -       | 37.84   | 15.58   | 49.15   |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9082G      | 107.25            | Inf               | -Inf           | 96.72         | 3           | Vertical  | 313            | 2.96          | -       | 34.75      | 8.46       | 32.68      |
| RMS  | 6.9954G      | 94.60             | Inf               | -Inf           | 83.70         | 3           | Vertical  | 313            | 2.96          | -       | 35.09      | 8.56       | 32.75      |
| PK   | 7.1386G      | 73.80             | 88.20             | -14.40         | 62.16         | 3           | Vertical  | 313            | 2.96          | -       | 35.83      | 8.51       | 32.70      |
| RMS  | 7.133G       | 57.63             | 68.20             | -10.57         | 46.02         | 3           | Vertical  | 313            | 2.96          | -       | 35.80      | 8.51       | 32.70      |
| PK   | 7.3738G      | 66.09             | 74.00             | -7.91          | 53.90         | 3           | Vertical  | 313            | 2.96          | -       | 36.10      | 8.70       | 32.61      |
| AV   | 7.3634G      | 52.30             | 54.00             | -1.70          | 40.12         | 3           | Vertical  | 313            | 2.96          | -       | 36.10      | 8.69       | 32.61      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9346G   | 105.40         | Inf            | -Inf        | 94.70      | 3        | Horizontal | 50          | 2.83       | -       | 34.91   | 8.49    | 32.70   |
| RMS  | 7.0114G   | 93.10          | Inf            | -Inf        | 82.14      | 3        | Horizontal | 50          | 2.83       | -       | 35.15   | 8.56    | 32.75   |
| PK   | 7.1826G   | 65.71          | 88.20          | -22.49      | 53.86      | 3        | Horizontal | 50          | 2.83       | -       | 36.03   | 8.50    | 32.68   |
| RMS  | 7.141G    | 56.06          | 68.20          | -12.14      | 44.40      | 3        | Horizontal | 50          | 2.83       | -       | 35.85   | 8.51    | 32.70   |
| PK   | 7.3242G   | 65.47          | 74.00          | -8.53       | 53.26      | 3        | Horizontal | 50          | 2.83       | -       | 36.20   | 8.64    | 32.63   |
| AV   | 7.3738G   | 52.22          | 54.00          | -1.78       | 40.03      | 3        | Horizontal | 50          | 2.83       | -       | 36.10   | 8.70    | 32.61   |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97028G    | 57.45             | 88.20             | -30.75         | 46.66         | 3           | Vertical  | 220            | 1.17          | -       | 41.08      | 12.19      | 42.48      |
| RMS  | 13.96994G    | 44.73             | 68.20             | -23.47         | 33.94         | 3           | Vertical  | 220            | 1.17          | -       | 41.08      | 12.19      | 42.48      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.96503G    | 57.97             | 88.20             | -30.23         | 47.20         | 3           | Horizontal | 12             | 2.53          | -       | 41.06      | 12.19      | 42.48      |
| RMS  | 13.9685G     | 44.82             | 68.20             | -23.38         | 34.04         | 3           | Horizontal | 12             | 2.53          | -       | 41.07      | 12.19      | 42.48      |



6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.95314G    | 47.20             | 83.54             | -36.34         | 42.05         | 1           | Vertical  | 95             | 1.85          | -       | 38.09      | 15.96      | 48.90      |
| AV   | 20.9541G     | 35.33             | 63.54             | -28.21         | 30.19         | 1           | Vertical  | 95             | 1.85          | -       | 38.08      | 15.96      | 48.90      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.96094G    | 48.63             | 83.54             | -34.91         | 43.50         | 1           | Horizontal | 258            | 1.89          | -       | 38.06      | 15.97      | 48.90      |
| AV   | 20.95958G    | 35.35             | 63.54             | -28.19         | 30.22         | 1           | Horizontal | 258            | 1.89          | -       | 38.06      | 15.97      | 48.90      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4042G      | 58.92             | 74.00             | -15.08         | 52.51         | 3           | Vertical  | 356            | 1.00          | -       | 31.52      | 7.37       | 32.48      |
| AV   | 5.457G       | 47.71             | 54.00             | -6.29          | 41.04         | 3           | Vertical  | 356            | 1.00          | -       | 31.73      | 7.41       | 32.47      |
| PK   | 5.9242G      | 69.84             | 88.20             | -18.36         | 62.24         | 3           | Vertical  | 356            | 1.00          | -       | 32.40      | 7.64       | 32.44      |
| RMS  | 5.9226G      | 59.33             | 68.20             | -8.87          | 51.73         | 3           | Vertical  | 356            | 1.00          | -       | 32.40      | 7.64       | 32.44      |
| PK   | 6.1786G      | 107.53            | Inf               | -Inf           | 99.47         | 3           | Vertical  | 356            | 1.00          | -       | 32.76      | 7.72       | 32.42      |
| RMS  | 6.177G       | 98.06             | Inf               | -Inf           | 90.01         | 3           | Vertical  | 356            | 1.00          | -       | 32.75      | 7.72       | 32.42      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3994G      | 57.90             | 74.00             | -16.10         | 51.51         | 3           | Horizontal | 115            | 1.80          | -       | 31.50      | 7.37       | 32.48      |
| AV   | 5.4554G      | 47.68             | 54.00             | -6.32          | 41.02         | 3           | Horizontal | 115            | 1.80          | -       | 31.72      | 7.41       | 32.47      |
| PK   | 5.9194G      | 67.94             | 88.20             | -20.26         | 60.34         | 3           | Horizontal | 115            | 1.80          | -       | 32.40      | 7.64       | 32.44      |
| RMS  | 5.9178G      | 56.69             | 68.20             | -11.51         | 49.09         | 3           | Horizontal | 115            | 1.80          | -       | 32.40      | 7.64       | 32.44      |
| PK   | 6.0938G      | 101.74            | Inf               | -Inf           | 93.96         | 3           | Horizontal | 115            | 1.80          | -       | 32.51      | 7.70       | 32.43      |
| RMS  | 6.0666G      | 91.01             | Inf               | -Inf           | 83.18         | 3           | Horizontal | 115            | 1.80          | -       | 32.57      | 7.69       | 32.43      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.21172G    | 55.69             | 74.00             | -18.31         | 48.57         | 3           | Vertical  | 333            | 3.00          | -       | 38.72      | 11.59      | 43.19      |
| AV   | 12.21274G    | 42.11             | 54.00             | -11.89         | 34.98         | 3           | Vertical  | 333            | 3.00          | -       | 38.73      | 11.59      | 43.19      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.20703G    | 55.23             | 74.00             | -18.77         | 48.12         | 3           | Horizontal | 71             | 2.48          | -       | 38.71      | 11.59      | 43.19      |
| AV   | 12.2068G     | 42.02             | 54.00             | -11.98         | 34.91         | 3           | Horizontal | 71             | 2.48          | -       | 38.71      | 11.59      | 43.19      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.30596G    | 45.64             | 83.54             | -37.90         | 42.45         | 1           | Vertical  | 127            | 2.60          | -       | 37.50      | 15.28      | 49.59      |
| AV   | 18.3185G     | 31.90             | 63.54             | -31.64         | 28.71         | 1           | Vertical  | 127            | 2.60          | -       | 37.50      | 15.28      | 49.59      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.31834G    | 45.09             | 83.54             | -38.45         | 41.90         | 1           | Horizontal | 268            | 1.40          | -       | 37.50      | 15.28      | 49.59      |
| AV   | 18.31646G    | 31.88             | 63.54             | -31.66         | 28.69         | 1           | Horizontal | 268            | 1.40          | -       | 37.50      | 15.28      | 49.59      |



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 12.52977G | 55.87    | 74.00    | -18.13 | 48.59  | 3    | Vertical  | 319     | 2.57   | -       | 38.70 | 11.70 | 43.12 |
| AV   | 12.52516G | 42.26    | 54.00    | -11.74 | 34.98  | 3    | Vertical  | 319     | 2.57   | -       | 38.70 | 11.70 | 43.12 |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.52957G    | 54.86             | 74.00             | -19.14         | 47.58         | 3           | Horizontal | 182            | 2.52          | -       | 38.70      | 11.70      | 43.12      |
| AV   | 12.53175G    | 42.22             | 54.00             | -11.78         | 34.94         | 3           | Horizontal | 182            | 2.52          | -       | 38.70      | 11.70      | 43.12      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.79316G    | 46.18             | 83.54             | -37.36         | 42.60         | 1           | Vertical  | 21             | 2.47          | -       | 37.80      | 15.26      | 49.48      |
| AV   | 18.787G      | 32.39             | 63.54             | -31.15         | 28.81         | 1           | Vertical  | 21             | 2.47          | -       | 37.80      | 15.26      | 49.48      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.80484G    | 45.79             | 83.54             | -37.75         | 42.18         | 1           | Horizontal | 115            | 1.43          | -       | 37.82      | 15.26      | 49.47      |
| AV   | 18.80342G    | 32.50             | 63.54             | -31.04         | 28.90         | 1           | Horizontal | 115            | 1.43          | -       | 37.81      | 15.26      | 49.47      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.84642G    | 54.88             | 88.20             | -33.32         | 46.68         | 3           | Vertical  | 34             | 1.92          | -       | 39.19      | 11.81      | 42.80      |
| RMS  | 12.8466G     | 42.44             | 68.20             | -25.76         | 34.24         | 3           | Vertical  | 34             | 1.92          | -       | 39.19      | 11.81      | 42.80      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8497G     | 55.60             | 88.20             | -32.60         | 47.39         | 3           | Horizontal | 158            | 1.41          | -       | 39.20      | 11.81      | 42.80      |
| RMS  | 12.85327G    | 42.37             | 68.20             | -25.83         | 34.16         | 3           | Horizontal | 158            | 1.41          | -       | 39.20      | 11.81      | 42.80      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.283G      | 44.89             | 83.54             | -38.65         | 41.21         | 1           | Vertical  | 282            | 1.64          | -       | 37.97      | 15.24      | 49.53      |
| AV   | 19.28038G    | 32.64             | 63.54             | -30.90         | 28.97         | 1           | Vertical  | 282            | 1.64          | -       | 37.96      | 15.24      | 49.53      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.27132G    | 45.40             | 83.54             | -38.14         | 41.74         | 1           | Horizontal | 127            | 2.11          | -       | 37.94      | 15.24      | 49.52      |
| AV   | 19.28094G    | 32.75             | 63.54             | -30.79         | 29.08         | 1           | Horizontal | 127            | 2.11          | -       | 37.96      | 15.24      | 49.53      |



6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.17499G    | 56.71             | 88.20             | -31.49         | 47.83         | 3           | Vertical  | 56             | 2.56          | -       | 39.65      | 11.92      | 42.69      |
| RMS  | 13.16739G    | 43.66             | 68.20             | -24.54         | 34.80         | 3           | Vertical  | 56             | 2.56          | -       | 39.63      | 11.92      | 42.69      |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 24  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.17306G    | 57.15             | 88.20             | -31.05         | 48.27         | 3           | Horizontal | 350            | 2.09          | -       | 39.65      | 11.92      | 42.69      |
| RMS  | 13.16748G    | 43.53             | 68.20             | -24.67         | 34.67         | 3           | Horizontal | 350            | 2.09          | -       | 39.63      | 11.92      | 42.69      |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.75296G    | 45.91             | 83.54             | -37.63         | 42.26         | 1           | Vertical  | 63             | 2.61          | -       | 37.91      | 15.21      | 49.47      |
| AV   | 19.75896G    | 33.01             | 63.54             | -30.53         | 29.33         | 1           | Vertical  | 63             | 2.61          | -       | 37.94      | 15.21      | 49.47      |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 24  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.75434G    | 45.54             | 83.54             | -38.00         | 41.88         | 1           | Horizontal | 294            | 2.91          | -       | 37.92      | 15.21      | 49.47      |
| AV   | 19.75936G    | 32.96             | 63.54             | -30.58         | 29.28         | 1           | Horizontal | 294            | 2.91          | -       | 37.94      | 15.21      | 49.47      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 25  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.48865G    | 56.85             | 88.20             | -31.35         | 47.30         | 3           | Vertical  | 43             | 1.30          | -       | 40.28      | 12.03      | 42.76      |
| RMS  | 13.48693G    | 43.82             | 68.20             | -24.38         | 34.28         | 3           | Vertical  | 43             | 1.30          | -       | 40.27      | 12.03      | 42.76      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 25  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.48575G    | 57.23             | 88.20             | -30.97         | 47.69         | 3           | Horizontal | 70             | 2.28          | -       | 40.27      | 12.03      | 42.76      |
| RMS  | 13.48829G    | 43.77             | 68.20             | -24.43         | 34.22         | 3           | Horizontal | 70             | 2.28          | -       | 40.28      | 12.03      | 42.76      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.24026G    | 47.92             | 83.54             | -35.62         | 43.76         | 1           | Vertical  | 19             | 2.62          | -       | 37.98      | 15.39      | 49.21      |
| AV   | 20.24284G    | 34.42             | 63.54             | -29.12         | 30.25         | 1           | Vertical  | 19             | 2.62          | -       | 37.99      | 15.39      | 49.21      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 25  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.24198G    | 47.51             | 83.54             | -36.03         | 43.35         | 1           | Horizontal | 320            | 1.04          | -       | 37.98      | 15.39      | 49.21      |
| AV   | 20.2437G     | 34.54             | 63.54             | -29.00         | 30.37         | 1           | Horizontal | 320            | 1.04          | -       | 37.99      | 15.39      | 49.21      |



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8986G      | 106.40            | Inf               | -Inf           | 95.93         | 3           | Vertical  | 314            | 2.25          | -       | 34.69      | 8.45       | 32.67      |
| RMS  | 6.9002G      | 93.34             | Inf               | -Inf           | 82.86         | 3           | Vertical  | 314            | 2.25          | -       | 34.70      | 8.46       | 32.68      |
| PK   | 7.2218G      | 68.18             | 88.20             | -20.02         | 56.19         | 3           | Vertical  | 314            | 2.25          | -       | 36.14      | 8.52       | 32.67      |
| RMS  | 7.2186G      | 55.51             | 68.20             | -12.69         | 43.53         | 3           | Vertical  | 314            | 2.25          | -       | 36.14      | 8.51       | 32.67      |
| PK   | 7.2962G      | 65.22             | 74.00             | -8.78          | 52.96         | 3           | Vertical  | 314            | 2.25          | -       | 36.29      | 8.61       | 32.64      |
| AV   | 7.2946G      | 52.26             | 54.00             | -1.74          | 40.01         | 3           | Vertical  | 314            | 2.25          | -       | 36.29      | 8.60       | 32.64      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9106G   | 114.74         | Inf            | -Inf        | 104.19     | 3        | Horizontal | 64          | 2.32       | -       | 34.76   | 8.47    | 32.68   |
| RMS  | 6.8482G   | 93.12          | Inf            | -Inf        | 83.07      | 3        | Horizontal | 64          | 2.32       | -       | 34.29   | 8.40    | 32.64   |
| PK   | 7.2202G   | 70.93          | 88.20          | -17.27      | 58.95      | 3        | Horizontal | 64          | 2.32       | -       | 36.14   | 8.51    | 32.67   |
| RMS  | 7.1746G   | 56.68          | 68.20          | -11.52      | 44.86      | 3        | Horizontal | 64          | 2.32       | -       | 36.00   | 8.50    | 32.68   |
| PK   | 7.2634G   | 65.28          | 74.00          | -8.72       | 53.13      | 3        | Horizontal | 64          | 2.32       | -       | 36.23   | 8.57    | 32.65   |
| AV   | 7.261G    | 52.22          | 54.00          | -1.78       | 40.09      | 3        | Horizontal | 64          | 2.32       | -       | 36.22   | 8.56    | 32.65   |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.81166G    | 57.68             | 88.20             | -30.52         | 47.39         | 3           | Vertical  | 16             | 2.38          | -       | 40.72      | 12.14      | 42.57      |
| RMS  | 13.80571G    | 44.22             | 68.20             | -23.98         | 33.96         | 3           | Vertical  | 16             | 2.38          | -       | 40.71      | 12.13      | 42.58      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-S-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.81174G    | 58.18             | 88.20             | -30.02         | 47.89         | 3           | Horizontal | 140            | 2.35          | -       | 40.72      | 12.14      | 42.57      |
| RMS  | 13.80998G    | 44.27             | 68.20             | -23.93         | 33.98         | 3           | Horizontal | 140            | 2.35          | -       | 40.72      | 12.14      | 42.57      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.71924G    | 47.65             | 83.54             | -35.89         | 43.04         | 1           | Vertical  | 202            | 1.53          | -       | 37.86      | 15.78      | 49.03      |
| AV   | 20.72158G    | 34.86             | 63.54             | -28.68         | 30.24         | 1           | Vertical  | 202            | 1.53          | -       | 37.86      | 15.78      | 49.02      |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX



EUT\_X\_4TX  
Setting 22  
01-S-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.70714G    | 48.05             | 83.54             | -35.49         | 43.42         | 1           | Horizontal | 52             | 2.98          | -       | 37.89      | 15.77      | 49.03      |
| AV   | 20.7131G     | 34.86             | 63.54             | -28.68         | 30.25         | 1           | Horizontal | 52             | 2.98          | -       | 37.87      | 15.77      | 49.03      |




Summary

| Mode  | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 6.875-7.125GHz  | -      | -    | -         | -              | -              | -           | -        | -         | -           | -          | -        |
| 802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX | Pass   | RMS  | 7.126G    | 68.08          | 68.20          | -0.12       | 3        | Vertical  | 72          | 1.80       | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.918G    | 72.35          | 88.20          | -15.85      | 65.82      | 3        | Vertical  | 57          | 2.26       | -       | 34.00   | 8.11    | 35.58   |
| RMS  | 5.925G    | 56.53          | 68.20          | -11.67      | 50.00      | 3        | Vertical  | 57          | 2.26       | -       | 34.00   | 8.11    | 35.58   |
| PK   | 6.013G    | 110.68         | Inf            | -Inf        | 104.17     | 3        | Vertical  | 57          | 2.26       | -       | 33.93   | 8.16    | 35.58   |
| RMS  | 6.01G     | 99.87          | Inf            | -Inf        | 93.38      | 3        | Vertical  | 57          | 2.26       | -       | 33.92   | 8.16    | 35.59   |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.925G    | 67.83          | 88.20          | -20.37      | 61.30      | 3        | Horizontal | 292         | 1.80       | -       | 34.00   | 8.11    | 35.58   |
| RMS  | 5.9215G   | 54.64          | 68.20          | -13.56      | 48.11      | 3        | Horizontal | 292         | 1.80       | -       | 34.00   | 8.11    | 35.58   |
| PK   | 5.963G    | 102.76         | Inf            | -Inf        | 96.25      | 3        | Horizontal | 292         | 1.80       | -       | 33.97   | 8.14    | 35.60   |
| RMS  | 6.023G    | 91.66          | Inf            | -Inf        | 85.10      | 3        | Horizontal | 292         | 1.80       | -       | 33.95   | 8.17    | 35.56   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.9671G  | 57.17          | 74.00          | -16.83      | 41.00      | 3        | Vertical  | 150         | 2.87       | -       | 38.53   | 11.06   | 33.42   |
| AV   | 11.99G    | 46.72          | 54.00          | -7.28       | 30.51      | 3        | Vertical  | 150         | 2.87       | -       | 38.58   | 11.07   | 33.44   |
| PK   | 17.95494G | 54.22          | 74.00          | -19.78      | 30.63      | 3        | Vertical  | 12          | 2.59       | -       | 43.85   | 13.34   | 33.60   |
| AV   | 17.95912G | 45.63          | 54.00          | -8.37       | 22.00      | 3        | Vertical  | 12          | 2.59       | -       | 43.89   | 13.34   | 33.60   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.9493G  | 57.07          | 74.00          | -16.93      | 40.93      | 3        | Horizontal | 85          | 2.88       | -       | 38.50   | 11.05   | 33.41   |
| AV   | 11.975G   | 46.75          | 54.00          | -7.25       | 30.57      | 3        | Horizontal | 85          | 2.88       | -       | 38.55   | 11.06   | 33.43   |
| PK   | 17.95138G | 54.09          | 74.00          | -19.91      | 30.53      | 3        | Horizontal | 336         | 2.45       | -       | 43.81   | 13.34   | 33.59   |
| AV   | 17.95554G | 46.03          | 54.00          | -7.97       | 22.43      | 3        | Horizontal | 336         | 2.45       | -       | 43.86   | 13.34   | 33.60   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 23.94467G | 53.42    | 83.54    | -30.12 | 44.27  | 1    | Vertical  | 3       | 2.62   | -       | 38.89 | 17.38 | 47.12 |
| AV   | 23.93982G | 42.86    | 63.54    | -20.68 | 33.72  | 1    | Vertical  | 3       | 2.62   | -       | 38.88 | 17.38 | 47.12 |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 4  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.93919G    | 53.54             | 83.54             | -30.00         | 44.40         | 1           | Horizontal | 34             | 2.59          | -       | 38.88      | 17.38      | 47.12      |
| AV   | 23.9408G     | 42.84             | 63.54             | -20.70         | 33.70         | 1           | Horizontal | 34             | 2.59          | -       | 38.88      | 17.38      | 47.12      |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.903G    | 62.24          | 88.20          | -25.96      | 55.71      | 3        | Vertical  | 63          | 2.53       | -       | 34.00   | 8.10    | 35.57   |
| RMS  | 5.9025G   | 51.57          | 68.20          | -16.63      | 45.04      | 3        | Vertical  | 63          | 2.53       | -       | 34.00   | 8.10    | 35.57   |
| PK   | 6.013G    | 110.28         | Inf            | -Inf        | 103.77     | 3        | Vertical  | 63          | 2.53       | -       | 33.93   | 8.16    | 35.58   |
| RMS  | 6.023G    | 99.64          | Inf            | -Inf        | 93.08      | 3        | Vertical  | 63          | 2.53       | -       | 33.95   | 8.17    | 35.56   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.744G    | 60.71          | 88.20          | -27.49      | 54.93      | 3        | Horizontal | 291.1       | 1.80       | -       | 33.35   | 7.94    | 35.51   |
| RMS  | 5.9085G   | 51.00          | 68.20          | -17.20      | 44.48      | 3        | Horizontal | 291.1       | 1.80       | -       | 34.00   | 8.10    | 35.58   |
| PK   | 6.008G    | 100.93         | Inf            | -Inf        | 94.44      | 3        | Horizontal | 291.1       | 1.80       | -       | 33.92   | 8.16    | 35.59   |
| RMS  | 6.0085G   | 90.98          | Inf            | -Inf        | 84.49      | 3        | Horizontal | 291.1       | 1.80       | -       | 33.92   | 8.16    | 35.59   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.979G      | 58.23             | 74.00             | -15.77         | 42.04         | 3           | Vertical  | 218            | 2.76          | -       | 38.56      | 11.06      | 33.43      |
| AV   | 11.9821G     | 46.77             | 54.00             | -7.23          | 30.58         | 3           | Vertical  | 218            | 2.76          | -       | 38.56      | 11.06      | 33.43      |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.9876G  | 58.29          | 74.00          | -15.71      | 42.09      | 3        | Horizontal | 16          | 2.90       | -       | 38.58   | 11.06   | 33.44   |
| AV   | 11.982G   | 46.77          | 54.00          | -7.23       | 30.58      | 3        | Horizontal | 16          | 2.90       | -       | 38.56   | 11.06   | 33.43   |
| PK   | 17.9578G  | 54.49          | 74.00          | -19.51      | 30.87      | 3        | Horizontal | 192         | 1.34       | -       | 43.88   | 13.34   | 33.60   |
| AV   | 17.95548G | 46.44          | 54.00          | -7.56       | 22.85      | 3        | Horizontal | 192         | 1.34       | -       | 43.85   | 13.34   | 33.60   |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.93926G    | 54.38             | 83.54             | -39.76         | 34.64         | 1           | Vertical  | 61             | 2.54          | -       | 38.88      | 17.38      | 47.12      |
| AV   | 23.94296G    | 42.97             | 63.54             | -30.23         | 24.16         | 1           | Vertical  | 61             | 2.54          | -       | 38.89      | 17.38      | 47.12      |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 23.93864G    | 54.72             | 83.54             | -28.82         | 45.58         | 1           | Horizontal | 191            | 1.53          | -       | 38.88      | 17.38      | 47.12      |
| AV   | 23.94368G    | 42.98             | 63.54             | -20.56         | 33.83         | 1           | Horizontal | 191            | 1.53          | -       | 38.89      | 17.38      | 47.12      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.013G    | 108.70         | Inf            | -Inf        | 99.63      | 3        | Vertical  | 306         | 1.80       | -       | 35.78   | 8.61    | 35.32   |
| RMS  | 7.013G    | 98.57          | Inf            | -Inf        | 89.50      | 3        | Vertical  | 306         | 1.80       | -       | 35.78   | 8.61    | 35.32   |
| PK   | 7.1282G   | 79.62          | 88.20          | -8.58       | 69.74      | 3        | Vertical  | 306         | 1.80       | -       | 36.41   | 8.58    | 35.11   |
| RMS  | 7.125G    | 67.74          | 68.20          | -0.46       | 57.87      | 3        | Vertical  | 306         | 1.80       | -       | 36.40   | 8.58    | 35.11   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0154G   | 105.74         | Inf            | -Inf        | 96.65      | 3        | Horizontal | 30          | 2.92       | -       | 35.79   | 8.61    | 35.31   |
| RMS  | 7.0002G   | 96.26          | Inf            | -Inf        | 87.29      | 3        | Horizontal | 30          | 2.92       | -       | 35.70   | 8.61    | 35.34   |
| PK   | 7.1258G   | 76.89          | 88.20          | -11.31      | 67.02      | 3        | Horizontal | 30          | 2.92       | -       | 36.40   | 8.58    | 35.11   |
| RMS  | 7.125G    | 64.97          | 68.20          | -3.23       | 55.10      | 3        | Horizontal | 30          | 2.92       | -       | 36.40   | 8.58    | 35.11   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0637G     | 60.90             | 88.20             | -27.30         | 42.12         | 3           | Vertical  | 168            | 2.47          | -       | 40.56      | 11.78      | 33.56      |
| RMS  | 14.0508G     | 48.93             | 68.20             | -19.27         | 30.16         | 3           | Vertical  | 168            | 2.47          | -       | 40.55      | 11.78      | 33.56      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0586G     | 61.05             | 88.20             | -27.15         | 42.27         | 3           | Horizontal | 126            | 1.93          | -       | 40.56      | 11.78      | 33.56      |
| RMS  | 14.0521G     | 48.93             | 68.20             | -19.27         | 30.16         | 3           | Horizontal | 126            | 1.93          | -       | 40.55      | 11.78      | 33.56      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.08795G    | 55.81             | 83.54             | -27.73         | 50.44         | 1           | Vertical  | 154            | 2.67          | -       | 38.17      | 16.07      | 48.87      |
| AV   | 21.07915G    | 43.91             | 63.54             | -19.63         | 38.49         | 1           | Vertical  | 154            | 2.67          | -       | 38.23      | 16.06      | 48.87      |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 1  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07895G    | 54.85             | 83.54             | -28.69         | 49.43         | 1           | Horizontal | 71             | 1.93          | -       | 38.23      | 16.06      | 48.87      |
| AV   | 21.07675G    | 43.92             | 63.54             | -19.62         | 38.49         | 1           | Horizontal | 71             | 1.93          | -       | 38.24      | 16.06      | 48.87      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0018G   | 110.05         | Inf            | -Inf        | 101.07     | 3        | Vertical  | 308         | 1.80       | -       | 35.71   | 8.61    | 35.34   |
| RMS  | 7.0034G   | 99.15          | Inf            | -Inf        | 90.15      | 3        | Vertical  | 308         | 1.80       | -       | 35.72   | 8.61    | 35.33   |
| PK   | 7.1274G   | 78.11          | 88.20          | -10.09      | 68.23      | 3        | Vertical  | 308         | 1.80       | -       | 36.41   | 8.58    | 35.11   |
| RMS  | 7.125G    | 66.97          | 68.20          | -1.23       | 57.10      | 3        | Vertical  | 308         | 1.80       | -       | 36.40   | 8.58    | 35.11   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.061G    | 105.86         | Inf            | -Inf        | 96.43      | 3        | Horizontal | 30          | 2.59       | -       | 36.07   | 8.59    | 35.23   |
| RMS  | 7.0014G   | 96.88          | Inf            | -Inf        | 87.90      | 3        | Horizontal | 30          | 2.59       | -       | 35.71   | 8.61    | 35.34   |
| PK   | 7.125G    | 80.21          | 88.20          | -7.99       | 70.34      | 3        | Horizontal | 30          | 2.59       | -       | 36.40   | 8.58    | 35.11   |
| RMS  | 7.125G    | 64.29          | 68.20          | -3.91       | 54.42      | 3        | Horizontal | 30          | 2.59       | -       | 36.40   | 8.58    | 35.11   |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0459G     | 59.99             | 88.20             | -28.21         | 41.22         | 3           | Vertical  | 257            | 2.96          | -       | 40.55      | 11.78      | 33.56      |
| RMS  | 14.0485G     | 48.86             | 68.20             | -19.34         | 30.09         | 3           | Vertical  | 257            | 2.96          | -       | 40.55      | 11.78      | 33.56      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0656G     | 59.93             | 88.20             | -28.27         | 41.14         | 3           | Horizontal | 310            | 2.18          | -       | 40.57      | 11.78      | 33.56      |
| RMS  | 14.0721G     | 48.94             | 68.20             | -19.26         | 30.16         | 3           | Horizontal | 310            | 2.18          | -       | 40.57      | 11.78      | 33.57      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.08565G    | 55.59             | 83.54             | -27.95         | 50.20         | 1           | Vertical  | 323            | 1.66          | -       | 38.19      | 16.07      | 48.87      |
| AV   | 21.07745G    | 43.72             | 63.54             | -19.82         | 38.29         | 1           | Vertical  | 323            | 1.66          | -       | 38.24      | 16.06      | 48.87      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_X\_1TX  
Setting 2  
05-R-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.05055G    | 56.84             | 83.54             | -26.70         | 51.27         | 1           | Horizontal | 99             | 2.34          | -       | 38.40      | 16.04      | 48.87      |
| AV   | 21.07355G    | 43.73             | 63.54             | -19.81         | 38.28         | 1           | Horizontal | 99             | 2.34          | -       | 38.26      | 16.06      | 48.87      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 6.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9018G   | 72.61          | 88.20          | -15.59      | 66.08      | 3        | Vertical  | 59.9        | 2.25       | -       | 34.00   | 8.10    | 35.57   |
| RMS  | 5.9242G   | 56.97          | 68.20          | -11.23      | 50.44      | 3        | Vertical  | 59.9        | 2.25       | -       | 34.00   | 8.11    | 35.58   |
| PK   | 6.0362G   | 108.58         | Inf            | -Inf        | 101.98     | 3        | Vertical  | 59.9        | 2.25       | -       | 33.97   | 8.17    | 35.54   |
| RMS  | 6.037G    | 97.65          | Inf            | -Inf        | 91.05      | 3        | Vertical  | 59.9        | 2.25       | -       | 33.97   | 8.17    | 35.54   |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9018G   | 64.78          | 88.20          | -23.42      | 58.25      | 3        | Horizontal | 290.1       | 1.80       | -       | 34.00   | 8.10    | 35.57   |
| RMS  | 5.925G    | 52.56          | 68.20          | -15.64      | 46.03      | 3        | Horizontal | 290.1       | 1.80       | -       | 34.00   | 8.11    | 35.58   |
| PK   | 6.0314G   | 99.98          | Inf            | -Inf        | 93.40      | 3        | Horizontal | 290.1       | 1.80       | -       | 33.96   | 8.17    | 35.55   |
| RMS  | 6.0338G   | 89.04          | Inf            | -Inf        | 82.44      | 3        | Horizontal | 290.1       | 1.80       | -       | 33.97   | 8.17    | 35.54   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 6.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04548G    | 58.62             | 74.00             | -15.38         | 42.24         | 3           | Vertical  | 60             | 1.80          | -       | 38.69      | 11.09      | 33.40      |
| AV   | 12.0475G     | 46.03             | 54.00             | -7.97          | 29.64         | 3           | Vertical  | 60             | 1.80          | -       | 38.70      | 11.09      | 33.40      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 6.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05414G    | 58.41             | 74.00             | -15.59         | 42.00         | 3           | Horizontal | 240            | 1.25          | -       | 38.71      | 11.09      | 33.39      |
| AV   | 12.04922G    | 46.88             | 54.00             | -7.12          | 30.49         | 3           | Horizontal | 240            | 1.25          | -       | 38.70      | 11.09      | 33.40      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 6.5  
05-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.07859G | 54.07          | 83.54          | -29.47      | 50.74      | 1        | Vertical  | 305         | 2.50       | -       | 37.51   | 15.30   | 49.48   |
| AV   | 18.07597G | 43.21          | 63.54          | -20.33      | 39.89      | 1        | Vertical  | 305         | 2.50       | -       | 37.50   | 15.30   | 49.48   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 6.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07416G    | 54.81             | 83.54             | -28.73         | 51.49         | 1           | Horizontal | 211            | 2.08          | -       | 37.50      | 15.30      | 49.48      |
| AV   | 18.07352G    | 43.59             | 63.54             | -19.95         | 40.28         | 1           | Horizontal | 211            | 2.08          | -       | 37.49      | 15.30      | 49.48      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9014G   | 67.31          | 88.20          | -20.89      | 60.78      | 3        | Vertical  | 57.9        | 2.24       | -       | 34.00   | 8.10    | 35.57   |
| RMS  | 5.9218G   | 53.27          | 68.20          | -14.93      | 46.74      | 3        | Vertical  | 57.9        | 2.24       | -       | 34.00   | 8.11    | 35.58   |
| PK   | 6.0358G   | 107.18         | Inf            | -Inf        | 100.58     | 3        | Vertical  | 57.9        | 2.24       | -       | 33.97   | 8.17    | 35.54   |
| RMS  | 6.0388G   | 97.38          | Inf            | -Inf        | 90.76      | 3        | Vertical  | 57.9        | 2.24       | -       | 33.98   | 8.17    | 35.53   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9134G   | 62.51          | 88.20          | -25.69      | 55.99      | 3        | Horizontal | 288         | 1.80       | -       | 34.00   | 8.10    | 35.58   |
| RMS  | 5.9152G   | 51.47          | 68.20          | -16.73      | 44.95      | 3        | Horizontal | 288         | 1.80       | -       | 34.00   | 8.10    | 35.58   |
| PK   | 6.0958G   | 99.32          | Inf            | -Inf        | 92.64      | 3        | Horizontal | 288         | 1.80       | -       | 33.91   | 8.19    | 35.42   |
| RMS  | 6.1G      | 89.30          | Inf            | -Inf        | 82.62      | 3        | Horizontal | 288         | 1.80       | -       | 33.90   | 8.19    | 35.41   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.0502G     | 58.99             | 74.00             | -15.01         | 42.60         | 3           | Vertical  | 196            | 1.31          | -       | 38.70      | 11.09      | 33.40      |
| AV   | 12.05418G    | 46.86             | 54.00             | -7.14          | 30.45         | 3           | Vertical  | 196            | 1.31          | -       | 38.71      | 11.09      | 33.39      |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05118G    | 58.89             | 74.00             | -15.11         | 42.50         | 3           | Horizontal | 150            | 2.13          | -       | 38.70      | 11.09      | 33.40      |
| AV   | 12.05406G    | 46.56             | 54.00             | -7.44          | 30.15         | 3           | Horizontal | 150            | 2.13          | -       | 38.71      | 11.09      | 33.39      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07235G    | 54.45             | 83.54             | -29.09         | 51.13         | 1           | Vertical  | 167            | 1.74          | -       | 37.49      | 15.30      | 49.47      |
| AV   | 18.07527G    | 43.46             | 63.54             | -20.08         | 40.14         | 1           | Vertical  | 167            | 1.74          | -       | 37.50      | 15.30      | 49.48      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8.5  
05-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.07208G | 54.71          | 83.54          | -28.83      | 51.39      | 1        | Horizontal | 216         | 2.69       | -       | 37.49   | 15.30   | 49.47   |
| AV   | 18.07319G | 43.60          | 63.54          | -19.94      | 40.29      | 1        | Horizontal | 216         | 2.69       | -       | 37.49   | 15.30   | 49.48   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-1-G-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9195G   | 63.96          | 88.20          | -24.24      | 56.36      | 3        | Vertical  | 296         | 3.00       | -       | 32.40   | 7.64    | 32.44   |
| RMS  | 5.9225G   | 52.48          | 68.20          | -15.72      | 44.88      | 3        | Vertical  | 296         | 3.00       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 6.0885G   | 108.35         | Inf            | -Inf        | 100.56     | 3        | Vertical  | 296         | 3.00       | -       | 32.52   | 7.70    | 32.43   |
| RMS  | 6.0935G   | 97.75          | Inf            | -Inf        | 89.97      | 3        | Vertical  | 296         | 3.00       | -       | 32.51   | 7.70    | 32.43   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-1-G-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.7905G   | 64.14          | 88.20          | -24.06      | 56.83      | 3        | Horizontal | 65          | 1.80       | -       | 32.18   | 7.58    | 32.45   |
| RMS  | 5.9115G   | 52.23          | 68.20          | -15.97      | 44.63      | 3        | Horizontal | 65          | 1.80       | -       | 32.40   | 7.64    | 32.44   |
| PK   | 5.98G     | 99.66          | Inf            | -Inf        | 91.97      | 3        | Horizontal | 65          | 1.80       | -       | 32.46   | 7.67    | 32.44   |
| RMS  | 5.982G    | 88.10          | Inf            | -Inf        | 80.41      | 3        | Horizontal | 65          | 1.80       | -       | 32.46   | 7.67    | 32.44   |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-1-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.102G      | 58.13             | 74.00             | -15.87         | 40.32         | 3           | Vertical  | 65             | 1.58          | -       | 39.30      | 11.16      | 32.65      |
| AV   | 12.1405G     | 46.80             | 54.00             | -7.20          | 28.93         | 3           | Vertical  | 65             | 1.58          | -       | 39.30      | 11.17      | 32.60      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-1-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04872G    | 58.34             | 74.00             | -15.66         | 40.64         | 3           | Horizontal | 26             | 2.68          | -       | 39.29      | 11.14      | 32.73      |
| AV   | 12.04716G    | 46.56             | 54.00             | -7.44          | 28.86         | 3           | Horizontal | 26             | 2.68          | -       | 39.29      | 11.14      | 32.73      |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-1-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07266G    | 54.28             | 83.54             | -29.26         | 50.96         | 1           | Vertical  | 199            | 1.13          | -       | 37.49      | 15.30      | 49.47      |
| AV   | 18.07726G    | 43.37             | 63.54             | -20.17         | 40.04         | 1           | Vertical  | 199            | 1.13          | -       | 37.51      | 15.30      | 49.48      |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_X\_1TX  
Setting 8  
01-I-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07498G    | 54.79             | 83.54             | -28.75         | 51.47         | 1           | Horizontal | 172            | 2.12          | -       | 37.50      | 15.30      | 49.48      |
| AV   | 18.07642G    | 43.31             | 63.54             | -20.23         | 39.98         | 1           | Horizontal | 172            | 2.12          | -       | 37.51      | 15.30      | 49.48      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 6  
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.937G    | 107.01         | Inf            | -Inf        | 96.30      | 3        | Vertical  | 74          | 1.80       | -       | 34.92   | 8.49    | 32.70   |
| RMS  | 6.9075G   | 96.42          | Inf            | -Inf        | 85.90      | 3        | Vertical  | 74          | 1.80       | -       | 34.74   | 8.46    | 32.68   |
| PK   | 7.138G    | 78.26          | 88.20          | -9.94       | 66.62      | 3        | Vertical  | 74          | 1.80       | -       | 35.83   | 8.51    | 32.70   |
| RMS  | 7.125G    | 67.62          | 68.20          | -0.58       | 56.05      | 3        | Vertical  | 74          | 1.80       | -       | 35.75   | 8.52    | 32.70   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
 Setting 6  
 01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.92G     | 97.98          | Inf            | -Inf        | 89.06      | 3        | Horizontal | 325         | 1.80       | -       | 35.60   | 8.55    | 35.23   |
| RMS  | 6.92G     | 87.23          | Inf            | -Inf        | 78.31      | 3        | Horizontal | 325         | 1.80       | -       | 35.60   | 8.55    | 35.23   |
| PK   | 7.143G    | 70.01          | 88.20          | -18.19      | 60.05      | 3        | Horizontal | 325         | 1.80       | -       | 36.47   | 8.57    | 35.08   |
| RMS  | 7.1265G   | 58.21          | 68.20          | -9.99       | 48.33      | 3        | Horizontal | 325         | 1.80       | -       | 36.41   | 8.58    | 35.11   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 6  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97066G    | 61.66             | 88.20             | -26.54         | 40.20         | 3           | Vertical  | 165            | 1.45          | -       | 40.84      | 11.87      | 31.25      |
| RMS  | 13.95998G    | 50.07             | 68.20             | -18.13         | 28.63         | 3           | Vertical  | 165            | 1.45          | -       | 40.82      | 11.86      | 31.24      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 6  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97744G    | 61.67             | 88.20             | -26.53         | 40.20         | 3           | Horizontal | 129            | 1.56          | -       | 40.85      | 11.87      | 31.25      |
| RMS  | 13.97324G    | 49.98             | 68.20             | -18.22         | 28.51         | 3           | Horizontal | 129            | 1.56          | -       | 40.85      | 11.87      | 31.25      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 6  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.95116G    | 46.86             | 83.54             | -36.68         | 41.71         | 1           | Vertical  | 154            | 1.78          | -       | 38.10      | 15.96      | 48.91      |
| AV   | 20.9442G     | 35.54             | 63.54             | -28.00         | 30.39         | 1           | Vertical  | 154            | 1.78          | -       | 38.10      | 15.96      | 48.91      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 6  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.94195G    | 47.63             | 83.54             | -35.91         | 42.49         | 1           | Horizontal | 256            | 1.32          | -       | 38.10      | 15.95      | 48.91      |
| AV   | 20.94546G    | 35.63             | 63.54             | -27.91         | 30.48         | 1           | Horizontal | 256            | 1.32          | -       | 38.10      | 15.96      | 48.91      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.94G        | 108.64            | Inf               | -Inf           | 97.91         | 3           | Vertical  | 72             | 1.80          | -       | 34.94      | 8.50       | 32.71      |
| RMS  | 6.9075G      | 98.27             | Inf               | -Inf           | 87.75         | 3           | Vertical  | 72             | 1.80          | -       | 34.74      | 8.46       | 32.68      |
| PK   | 7.129G       | 79.85             | 88.20             | -8.35          | 68.27         | 3           | Vertical  | 72             | 1.80          | -       | 35.77      | 8.51       | 32.70      |
| RMS  | 7.126G       | 68.08             | 68.20             | -0.12          | 56.50         | 3           | Vertical  | 72             | 1.80          | -       | 35.76      | 8.52       | 32.70      |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.924G    | 99.95          | Inf            | -Inf        | 91.03      | 3        | Horizontal | 324         | 1.80       | -       | 35.60   | 8.55    | 35.23   |
| RMS  | 6.921G    | 89.46          | Inf            | -Inf        | 80.54      | 3        | Horizontal | 324         | 1.80       | -       | 35.60   | 8.55    | 35.23   |
| PK   | 7.127G    | 69.40          | 88.20          | -18.80      | 59.52      | 3        | Horizontal | 324         | 1.80       | -       | 36.41   | 8.58    | 35.11   |
| RMS  | 7.133G    | 58.58          | 68.20          | -9.62       | 48.67      | 3        | Horizontal | 324         | 1.80       | -       | 36.43   | 8.58    | 35.10   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.982G   | 61.63          | 88.20          | -26.57      | 40.15      | 3        | Vertical  | 55          | 1.86       | -       | 40.86   | 11.87   | 31.25   |
| RMS  | 13.97648G | 50.13          | 68.20          | -18.07      | 28.66      | 3        | Vertical  | 55          | 1.86       | -       | 40.85   | 11.87   | 31.25   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.98422G | 61.12          | 88.20          | -27.08      | 39.63      | 3        | Horizontal | 222         | 1.89       | -       | 40.87   | 11.87   | 31.25   |
| RMS  | 13.98206G | 50.04          | 68.20          | -18.16      | 28.56      | 3        | Horizontal | 222         | 1.89       | -       | 40.86   | 11.87   | 31.25   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.96679G    | 47.49             | 83.54             | -36.05         | 42.39         | 1           | Vertical  | 53             | 2.20          | -       | 38.03      | 15.97      | 48.90      |
| AV   | 20.94522G    | 35.46             | 63.54             | -28.08         | 30.31         | 1           | Vertical  | 53             | 2.20          | -       | 38.10      | 15.96      | 48.91      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5  
01-R-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.94399G    | 47.26             | 83.54             | -36.28         | 42.11         | 1           | Horizontal | 299            | 1.99          | -       | 38.10      | 15.96      | 48.91      |
| AV   | 20.94048G    | 35.68             | 63.54             | -27.86         | 30.54         | 1           | Horizontal | 299            | 1.99          | -       | 38.10      | 15.95      | 48.91      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_X\_1TX  
Setting 5.5  
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.918G    | 108.93         | Inf            | -Inf        | 98.34      | 3        | Vertical  | 72          | 1.80       | -       | 34.81   | 8.47    | 32.69   |
| RMS  | 6.9355G   | 98.04          | Inf            | -Inf        | 87.34      | 3        | Vertical  | 72          | 1.80       | -       | 34.91   | 8.49    | 32.70   |
| PK   | 7.177G    | 80.45          | 88.20          | -7.75       | 68.62      | 3        | Vertical  | 72          | 1.80       | -       | 36.01   | 8.50    | 32.68   |
| RMS  | 7.168G    | 67.86          | 68.20          | -0.34       | 56.08      | 3        | Vertical  | 72          | 1.80       | -       | 35.97   | 8.50    | 32.69   |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX



EUT\_X\_1TX  
Setting 5.5  
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.927G    | 99.38          | Inf            | -Inf        | 90.46      | 3        | Horizontal | 323         | 1.80       | -       | 35.60   | 8.56    | 35.24   |
| RMS  | 6.92G     | 89.02          | Inf            | -Inf        | 80.10      | 3        | Horizontal | 323         | 1.80       | -       | 35.60   | 8.55    | 35.23   |
| PK   | 7.172G    | 67.67          | 88.20          | -20.53      | 57.59      | 3        | Horizontal | 323         | 1.80       | -       | 36.54   | 8.57    | 35.03   |
| RMS  | 7.1625G   | 57.03          | 68.20          | -11.17      | 46.98      | 3        | Horizontal | 323         | 1.80       | -       | 36.52   | 8.57    | 35.04   |