


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65483G	45.60	83.54	-37.94	41.04	1	Vertical	158	2.61	-	37.90	15.72	49.06
AV	20.65453G	32.82	63.54	-30.72	28.26	1	Vertical	158	2.61	-	37.90	15.72	49.06
PK	27.54035G	50.29	97.74	-47.45	37.55	1	Vertical	79	1.35	-	39.72	18.62	45.60
RMS	27.53958G	46.77	77.74	-30.97	34.03	1	Vertical	79	1.35	-	39.72	18.62	45.60

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65525G	47.34	83.54	-36.20	42.78	1	Horizontal	216	1.90	-	37.90	15.72	49.06
AV	20.65452G	34.79	63.54	-28.75	30.23	1	Horizontal	216	1.90	-	37.90	15.72	49.06
PK	27.54012G	52.09	97.74	-45.65	39.35	1	Horizontal	56	1.94	-	39.72	18.62	45.60
RMS	27.53962G	47.76	77.74	-29.98	35.02	1	Horizontal	56	1.94	-	39.72	18.62	45.60

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84828G	60.16	88.20	-28.04	39.84	3	Vertical	257	2.23	-	40.80	12.15	32.63
RMS	13.84801G	49.86	68.20	-18.34	29.54	3	Vertical	257	2.23	-	40.80	12.15	32.63

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84686G	60.83	88.20	-27.37	40.52	3	Horizontal	23	1.76	-	40.79	12.15	32.63
RMS	13.84804G	49.90	68.20	-18.30	29.58	3	Horizontal	23	1.76	-	40.80	12.15	32.63

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77486G	44.24	83.54	-39.30	39.42	1	Vertical	33	2.25	-	38.00	15.82	49.00
AV	20.77546G	32.41	63.54	-31.13	27.59	1	Vertical	33	2.25	-	38.00	15.82	49.00
PK	27.70014G	50.81	97.74	-46.93	37.81	1	Vertical	331	2.72	-	39.90	18.72	45.62
RMS	27.69979G	46.21	77.74	-31.53	33.21	1	Vertical	331	2.72	-	39.90	18.72	45.62

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
SET 11
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77491G	47.14	83.54	-36.40	42.32	1	Horizontal	328	2.65	-	38.00	15.82	49.00
AV	20.77477G	33.42	63.54	-30.12	28.60	1	Horizontal	328	2.65	-	38.00	15.82	49.00
PK	27.69993G	51.83	97.74	-45.91	38.83	1	Horizontal	187	2.01	-	39.90	18.72	45.62
RMS	27.69981G	47.23	77.74	-30.51	34.23	1	Horizontal	187	2.01	-	39.90	18.72	45.62

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_X_4TX
SET 10
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01212G	62.08	88.20	-26.12	41.29	3	Vertical	56	2.73	-	41.20	12.20	32.61
RMS	14.01067G	50.88	68.20	-17.32	30.08	3	Vertical	56	2.73	-	41.20	12.20	32.60

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_X_4TX
SET 10
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00693G	61.98	88.20	-26.22	41.18	3	Horizontal	268	1.44	-	41.20	12.20	32.60
RMS	14.01012G	50.81	68.20	-17.39	30.01	3	Horizontal	268	1.44	-	41.20	12.20	32.60

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_X_4TX
SET 10
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01458G	45.56	83.54	-37.98	40.38	1	Vertical	136	2.64	-	38.05	16.01	48.88
AV	21.01472G	32.53	63.54	-31.01	27.35	1	Vertical	136	2.64	-	38.05	16.01	48.88
PK	28.02017G	51.07	97.74	-46.67	38.00	1	Vertical	92	1.25	-	39.82	18.91	45.66
RMS	28.01963G	47.35	77.74	-30.39	34.28	1	Vertical	92	1.25	-	39.82	18.91	45.66

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_X_4TX
SET 10
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01528G	48.43	83.54	-35.11	43.25	1	Horizontal	301	2.12	-	38.05	16.01	48.88
AV	21.01466G	34.50	63.54	-29.04	29.32	1	Horizontal	301	2.12	-	38.05	16.01	48.88
PK	28.01968G	52.94	97.74	-44.80	39.87	1	Horizontal	208	2.46	-	39.82	18.91	45.66
RMS	28.02001G	48.37	77.74	-29.37	35.30	1	Horizontal	208	2.46	-	39.82	18.91	45.66

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0776G	109.02	Inf	-Inf	100.45	3	Vertical	27	2.03	-	35.66	8.42	35.51
RMS	7.0774G	96.16	Inf	-Inf	87.61	3	Vertical	27	2.03	-	35.65	8.42	35.52
PK	7.1454G	62.87	88.20	-25.33	54.03	3	Vertical	27	2.03	-	35.88	8.44	35.48
RMS	7.1784G	48.95	68.20	-19.25	39.90	3	Vertical	27	2.03	-	36.07	8.44	35.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0786G	109.52	Inf	-Inf	100.95	3	Horizontal	291	2.88	-	35.66	8.42	35.51
RMS	7.078G	96.03	Inf	-Inf	87.46	3	Horizontal	291	2.88	-	35.66	8.42	35.51
PK	7.1284G	62.87	88.20	-25.33	54.12	3	Horizontal	291	2.88	-	35.81	8.43	35.49
RMS	7.1814G	48.94	68.20	-19.26	39.85	3	Horizontal	291	2.88	-	36.09	8.45	35.45

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17194G	63.01	88.20	-25.19	41.85	3	Vertical	151	2.91	-	41.59	12.25	32.68
RMS	14.17392G	51.40	68.20	-16.80	30.23	3	Vertical	151	2.91	-	41.60	12.25	32.68

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17094G	62.04	88.20	-26.16	40.89	3	Horizontal	107	1.38	-	41.58	12.25	32.68
RMS	14.17394G	51.40	68.20	-16.80	30.23	3	Horizontal	107	1.38	-	41.60	12.25	32.68

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25535G	46.59	83.54	-36.95	41.20	1	Vertical	188	1.62	-	38.04	16.20	48.85
AV	21.25515G	33.96	63.54	-29.58	28.57	1	Vertical	188	1.62	-	38.04	16.20	48.85
PK	28.34044G	51.79	97.74	-45.95	38.35	1	Vertical	310	2.86	-	40.00	19.05	45.61
RMS	28.33975G	47.81	77.74	-29.93	34.37	1	Vertical	310	2.86	-	40.00	19.05	45.61

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
SET 11.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25511G	48.78	83.54	-34.76	43.39	1	Horizontal	345	2.55	-	38.04	16.20	48.85
AV	21.25485G	34.16	63.54	-29.38	28.77	1	Horizontal	345	2.55	-	38.04	16.20	48.85
PK	28.34003G	52.46	97.74	-45.28	39.02	1	Horizontal	129	2.18	-	40.00	19.05	45.61
RMS	28.33962G	48.67	77.74	-29.07	35.23	1	Horizontal	129	2.18	-	40.00	19.05	45.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7886G	62.15	88.20	-26.05	55.47	3	Vertical	52	2.12	-	34.20	7.52	35.04
RMS	5.9242G	46.91	68.20	-21.29	39.83	3	Vertical	52	2.12	-	34.55	7.63	35.10
PK	6.0046G	108.85	Inf	-Inf	101.69	3	Vertical	52	2.12	-	34.60	7.70	35.14
RMS	6.005G	95.86	Inf	-Inf	88.70	3	Vertical	52	2.12	-	34.60	7.70	35.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8846G	60.98	88.20	-27.22	54.02	3	Horizontal	289	2.68	-	34.44	7.60	35.08
RMS	5.925G	46.77	68.20	-21.43	39.69	3	Horizontal	289	2.68	-	34.55	7.63	35.10
PK	5.9866G	108.68	Inf	-Inf	101.53	3	Horizontal	289	2.68	-	34.60	7.68	35.13
RMS	5.9862G	95.96	Inf	-Inf	88.81	3	Horizontal	289	2.68	-	34.60	7.68	35.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97371G	62.19	74.00	-11.81	45.90	3	Vertical	25	2.25	-	39.15	11.51	34.37
AV	11.97394G	49.33	54.00	-4.67	33.04	3	Vertical	25	2.25	-	39.15	11.51	34.37

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96609G	61.54	74.00	-12.46	45.24	3	Horizontal	223	2.52	-	39.17	11.50	34.37
AV	11.97391G	49.31	54.00	-4.69	33.02	3	Horizontal	223	2.52	-	39.15	11.51	34.37

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9462G	45.87	83.54	-37.67	36.72	1	Vertical	253	2.08	-	38.89	17.38	47.12
AV	23.93328G	32.59	63.54	-30.95	23.46	1	Vertical	253	2.08	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.94528G	45.46	83.54	-38.08	36.31	1	Horizontal	192	2.75	-	38.89	17.38	47.12
AV	23.93368G	32.62	63.54	-30.92	23.49	1	Horizontal	192	2.75	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44712G	58.98	74.00	-15.02	42.73	3	Vertical	260	1.50	-	38.60	11.67	34.02
AV	12.4533G	48.53	54.00	-5.47	32.26	3	Vertical	260	1.50	-	38.61	11.67	34.01

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4544G	59.43	74.00	-14.57	43.16	3	Horizontal	318	2.03	-	38.61	11.67	34.01
AV	12.45389G	48.50	54.00	-5.50	32.23	3	Horizontal	318	2.03	-	38.61	11.67	34.01

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67629G	43.95	83.54	-39.59	40.55	1	Vertical	343	1.52	-	37.69	15.27	49.56
AV	18.67277G	30.98	63.54	-32.56	27.56	1	Vertical	343	1.52	-	37.71	15.27	49.56

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67781G	44.43	83.54	-39.11	41.03	1	Horizontal	75	1.55	-	37.69	15.27	49.56
AV	18.67358G	31.01	63.54	-32.53	27.59	1	Horizontal	75	1.55	-	37.71	15.27	49.56

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
SET 13
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76915G	59.61	88.20	-28.59	42.56	3	Vertical	339	1.40	-	38.88	11.78	33.61
RMS	12.76749G	48.56	68.20	-19.64	31.53	3	Vertical	339	1.40	-	38.87	11.78	33.62

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
SET 13
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77033G	59.81	88.20	-28.39	42.76	3	Horizontal	247	1.72	-	38.88	11.78	33.61
RMS	12.76737G	48.55	68.20	-19.65	31.52	3	Horizontal	247	1.72	-	38.87	11.78	33.62

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
SET 13
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15024G	43.97	83.54	-39.57	40.47	1	Vertical	297	1.54	-	37.70	15.24	49.44
AV	19.15679G	30.59	63.54	-32.95	27.06	1	Vertical	297	1.54	-	37.74	15.24	49.45

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
SET 13
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15589G	43.52	83.54	-40.02	39.99	1	Horizontal	120	1.56	-	37.74	15.24	49.45
AV	19.15803G	30.57	63.54	-32.97	27.03	1	Horizontal	120	1.56	-	37.75	15.24	49.45

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9304G	60.75	88.20	-27.45	43.04	3	Vertical	136	2.95	-	39.26	11.84	33.39
RMS	12.93013G	49.24	68.20	-18.96	31.54	3	Vertical	136	2.95	-	39.26	11.84	33.40

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92776G	60.97	88.20	-27.23	43.27	3	Horizontal	72	1.08	-	39.26	11.84	33.40
RMS	12.93064G	49.26	68.20	-18.94	31.55	3	Horizontal	72	1.08	-	39.26	11.84	33.39

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39324G	44.13	83.54	-39.41	40.54	1	Vertical	240	1.56	-	37.97	15.23	49.61
AV	19.39952G	30.67	63.54	-32.87	27.05	1	Vertical	240	1.56	-	38.00	15.23	49.61

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39174G	44.73	83.54	-38.81	41.14	1	Horizontal	203	1.50	-	37.97	15.23	49.61
AV	19.39992G	30.66	63.54	-32.88	27.04	1	Horizontal	203	1.50	-	38.00	15.23	49.61

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08985G	58.96	88.20	-29.24	40.70	3	Vertical	41	2.75	-	39.56	11.89	33.19
RMS	13.09327G	47.90	68.20	-20.30	29.63	3	Vertical	41	2.75	-	39.57	11.89	33.19

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08633G	61.14	88.20	-27.06	42.90	3	Horizontal	322	2.03	-	39.55	11.89	33.20
RMS	13.09389G	47.90	68.20	-20.30	29.62	3	Horizontal	322	2.03	-	39.58	11.89	33.19

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63753G	43.41	83.54	-40.13	39.73	1	Vertical	250	1.50	-	38.03	15.22	49.57
AV	19.63732G	30.28	63.54	-33.26	26.61	1	Vertical	250	1.50	-	38.02	15.22	49.57

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63078G	43.48	83.54	-40.06	39.85	1	Horizontal	206	1.50	-	37.98	15.22	49.57
AV	19.63737G	30.28	63.54	-33.26	26.61	1	Horizontal	206	1.50	-	38.02	15.22	49.57

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24584G	61.70	88.20	-26.50	42.88	3	Vertical	187	2.84	-	39.88	11.94	33.00
RMS	13.24502G	50.25	68.20	-17.95	31.44	3	Vertical	187	2.84	-	39.88	11.94	33.01

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24634G	61.89	88.20	-26.31	43.06	3	Horizontal	323	1.70	-	39.89	11.94	33.00
RMS	13.24691G	50.27	68.20	-17.93	31.44	3	Horizontal	323	1.70	-	39.89	11.94	33.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87746G	43.32	83.54	-40.22	39.72	1	Vertical	352	1.54	-	37.76	15.21	49.37
AV	19.8793G	30.20	63.54	-33.34	26.58	1	Vertical	352	1.54	-	37.78	15.21	49.37

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87101G	43.65	83.54	-39.89	40.09	1	Horizontal	158	1.51	-	37.73	15.21	49.38
AV	19.8792G	30.20	63.54	-33.34	26.58	1	Horizontal	158	1.51	-	37.78	15.21	49.37

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40782G	61.74	88.20	-26.46	42.43	3	Vertical	282	2.82	-	40.12	12.00	32.81
RMS	13.41078G	50.54	68.20	-17.66	31.23	3	Vertical	282	2.82	-	40.12	12.00	32.81

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40578G	62.60	88.20	-25.60	43.30	3	Horizontal	237	2.82	-	40.11	12.00	32.81
RMS	13.41125G	50.51	68.20	-17.69	31.20	3	Horizontal	237	2.82	-	40.12	12.00	32.81

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11761G	42.61	83.54	-40.93	38.77	1	Vertical	112	1.56	-	37.79	15.29	49.24			
AV	20.11182G	30.09	63.54	-33.45	26.21	1	Vertical	112	1.56	-	37.83	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
SET 12.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11848G	42.51	83.54	-41.03	38.67	1	Horizontal	316	1.50	-	37.79	15.29	49.24
AV	20.11571G	30.09	63.54	-33.45	26.23	1	Horizontal	316	1.50	-	37.81	15.29	49.24

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56872G	59.84	88.20	-28.36	40.08	3	Vertical	291	2.79	-	40.40	12.05	32.69
RMS	13.57329G	49.87	68.20	-18.33	30.11	3	Vertical	291	2.79	-	40.40	12.05	32.69

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57406G	61.12	88.20	-27.08	41.35	3	Horizontal	207	2.20	-	40.40	12.06	32.69
RMS	13.57335G	49.90	68.20	-18.30	30.14	3	Horizontal	207	2.20	-	40.40	12.05	32.69

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35519G	44.80	83.54	-38.74	40.41	1	Vertical	245	1.56	-	38.09	15.48	49.18
AV	20.35166G	30.56	63.54	-32.98	26.16	1	Vertical	245	1.56	-	38.10	15.48	49.18

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35017G	44.13	83.54	-39.41	39.73	1	Horizontal	105	1.52	-	38.10	15.48	49.18
AV	20.35035G	30.60	63.54	-32.94	26.20	1	Horizontal	105	1.52	-	38.10	15.48	49.18

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 13.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73269G	60.16	88.20	-28.04	40.17	3	Vertical	12	2.38	-	40.53	12.11	32.65
RMS	13.72738G	49.94	68.20	-18.26	29.97	3	Vertical	12	2.38	-	40.51	12.11	32.65

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 13.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73365G	60.95	88.20	-27.25	40.96	3	Horizontal	134	2.44	-	40.53	12.11	32.65
RMS	13.72682G	49.95	68.20	-18.25	29.98	3	Horizontal	134	2.44	-	40.51	12.11	32.65

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 13.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59647G	44.61	83.54	-38.93	40.03	1	Vertical	165	1.52	-	37.99	15.68	49.09
AV	20.59751G	30.81	63.54	-32.73	26.22	1	Vertical	165	1.52	-	38.00	15.68	49.09

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 13.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59578G	43.67	83.54	-39.87	39.09	1	Horizontal	339	1.54	-	37.99	15.68	49.09
AV	20.59878G	30.82	63.54	-32.72	26.23	1	Horizontal	339	1.54	-	38.00	15.68	49.09

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
SET 14
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88863G	60.98	88.20	-27.22	40.56	3	Vertical	64	1.42	-	40.88	12.16	32.62
RMS	13.89128G	50.63	68.20	-17.57	30.21	3	Vertical	64	1.42	-	40.88	12.16	32.62

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
SET 14
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88654G	60.71	88.20	-27.49	40.30	3	Horizontal	115	1.68	-	40.87	12.16	32.62
RMS	13.89127G	50.69	68.20	-17.51	30.27	3	Horizontal	115	1.68	-	40.88	12.16	32.62

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
SET 14
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83701G	44.18	83.54	-39.36	39.07	1	Vertical	341	1.50	-	38.20	15.87	48.96
AV	20.8379G	31.16	63.54	-32.38	26.05	1	Vertical	341	1.50	-	38.20	15.87	48.96

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
SET 14
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83744G	44.32	83.54	-39.22	39.21	1	Horizontal	354	1.50	-	38.20	15.87	48.96
AV	20.83824G	31.17	63.54	-32.37	26.06	1	Horizontal	354	1.50	-	38.20	15.87	48.96

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




18/04/2024

EUT_X_4TX
Setting 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9968G	108.69	Inf	-Inf	100.25	3	Vertical	304	1.93	-	35.60	8.40	35.56
AV	6.9968G	98.66	Inf	-Inf	90.22	3	Vertical	304	1.93	-	35.60	8.40	35.56
PK	7.25G	62.37	74.00	-11.63	52.83	3	Vertical	304	1.93	-	36.50	8.46	35.42
AV	7.25G	52.08	54.00	-1.92	42.54	3	Vertical	304	1.93	-	36.50	8.46	35.42
PK	7.271G	64.57	74.00	-9.43	54.92	3	Vertical	304	1.93	-	36.58	8.47	35.40
AV	7.322G	52.77	54.00	-1.23	42.87	3	Vertical	304	1.93	-	36.79	8.48	35.37

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	108.15	Inf	-Inf	99.70	3	Horizontal	279	2.09	-	35.60	8.40	35.55
AV	6.995G	98.04	Inf	-Inf	89.59	3	Horizontal	279	2.09	-	35.60	8.40	35.55
PK	7.25G	61.41	74.00	-12.59	51.87	3	Horizontal	279	2.09	-	36.50	8.46	35.42
AV	7.25G	52.22	54.00	-1.78	42.68	3	Horizontal	279	2.09	-	36.50	8.46	35.42
PK	7.2764G	63.81	74.00	-10.19	54.13	3	Horizontal	279	2.09	-	36.61	8.47	35.40
AV	7.3238G	52.68	54.00	-1.32	42.77	3	Horizontal	279	2.09	-	36.80	8.48	35.37

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0516G	62.12	88.20	-26.08	41.32	3	Vertical	160	2.27	-	41.20	12.22	32.62
RMS	14.05128G	51.29	68.20	-16.91	30.49	3	Vertical	160	2.27	-	41.20	12.22	32.62

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05178G	62.68	88.20	-25.52	41.88	3	Horizontal	167	2.31	-	41.20	12.22	32.62
RMS	14.05062G	51.27	68.20	-16.93	30.47	3	Horizontal	167	2.31	-	41.20	12.22	32.62

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07712G	45.12	83.54	-38.42	39.69	1	Vertical	265	1.58	-	38.24	16.06	48.87
AV	21.07161G	31.39	63.54	-32.15	25.93	1	Vertical	265	1.58	-	38.27	16.06	48.87

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
SET 14.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07417G	44.46	83.54	-39.08	39.02	1	Horizontal	246	1.51	-	38.25	16.06	48.87
AV	21.07113G	31.37	63.54	-32.17	25.91	1	Horizontal	246	1.51	-	38.27	16.06	48.87

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91492G	61.32	88.20	-26.88	54.27	3	Vertical	56	2.18	-	34.53	7.62	35.10
RMS	5.9242G	47.72	68.20	-20.48	40.64	3	Vertical	56	2.18	-	34.55	7.63	35.10
PK	6.08516G	109.04	Inf	-Inf	101.55	3	Vertical	56	2.18	-	34.81	7.79	35.11
RMS	6.04484G	96.10	Inf	-Inf	88.88	3	Vertical	56	2.18	-	34.60	7.74	35.12

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.90244G	60.56	88.20	-27.64	53.54	3	Horizontal	289	2.67	-	34.50	7.61	35.09
RMS	5.92452G	47.40	68.20	-20.80	40.32	3	Horizontal	289	2.67	-	34.55	7.63	35.10
PK	5.96644G	109.46	Inf	-Inf	102.32	3	Horizontal	289	2.67	-	34.60	7.66	35.12
RMS	5.98628G	95.99	Inf	-Inf	88.84	3	Horizontal	289	2.67	-	34.60	7.68	35.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05286G	62.52	74.00	-11.48	46.30	3	Vertical	285	1.64	-	38.99	11.54	34.31
AV	12.05298G	49.73	54.00	-4.27	33.51	3	Vertical	285	1.64	-	38.99	11.54	34.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0453G	62.17	74.00	-11.83	45.94	3	Horizontal	252	1.62	-	39.01	11.54	34.32
AV	12.05338G	49.73	54.00	-4.27	33.51	3	Horizontal	252	1.62	-	38.99	11.54	34.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07616G	44.83	83.54	-38.71	41.51	1	Vertical	36	1.80	-	37.50	15.30	49.48
AV	18.07742G	31.63	63.54	-31.91	28.30	1	Vertical	36	1.80	-	37.51	15.30	49.48
PK	24.10006G	51.41	97.74	-46.33	42.12	1	Vertical	-0	1.85	-	38.90	17.42	47.03
AV	24.10002G	47.72	77.74	-30.02	38.43	1	Vertical	-0	1.85	-	38.90	17.42	47.03

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 16
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.083G	44.67	83.54	-38.87	41.32	1	Horizontal	32	1.80	-	37.53	15.30	49.48
AV	18.08074G	31.74	63.54	-31.80	28.40	1	Horizontal	32	1.80	-	37.52	15.30	49.48
PK	24.09994G	51.03	97.74	-46.71	41.75	1	Horizontal	300	1.80	-	38.90	17.41	47.03
AV	24.10002G	46.90	77.74	-30.84	37.61	1	Horizontal	300	1.80	-	38.90	17.42	47.03

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37214G	59.51	74.00	-14.49	43.27	3	Vertical	184	2.01	-	38.66	11.65	34.07
AV	12.3713G	47.72	54.00	-6.28	31.49	3	Vertical	184	2.01	-	38.66	11.65	34.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37214G	58.25	74.00	-15.75	42.01	3	Horizontal	287	1.65	-	38.66	11.65	34.07
AV	12.37132G	47.73	54.00	-6.27	31.50	3	Horizontal	287	1.65	-	38.66	11.65	34.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55178G	44.29	83.54	-39.25	40.96	1	Vertical	32	1.51	-	37.70	15.27	49.64
AV	18.55727G	30.89	63.54	-32.65	27.56	1	Vertical	32	1.51	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55511G	44.58	83.54	-38.96	41.25	1	Horizontal	298	1.54	-	37.70	15.27	49.64
AV	18.55797G	30.86	63.54	-32.68	27.53	1	Horizontal	298	1.54	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69342G	58.95	74.00	-15.05	42.02	3	Vertical	334	2.82	-	38.89	11.76	33.72
AV	12.69392G	47.61	54.00	-6.39	30.68	3	Vertical	334	2.82	-	38.89	11.76	33.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69368G	59.52	74.00	-14.48	42.59	3	Horizontal	290	1.58	-	38.89	11.76	33.72
AV	12.6939G	47.57	54.00	-6.43	30.64	3	Horizontal	290	1.58	-	38.89	11.76	33.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03224G	43.83	83.54	-39.71	40.04	1	Vertical	74	1.52	-	37.90	15.25	49.36
AV	19.03554G	30.76	63.54	-32.78	26.97	1	Vertical	74	1.52	-	37.90	15.25	49.36

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03998G	43.63	83.54	-39.91	39.85	1	Horizontal	312	1.53	-	37.90	15.25	49.37
AV	19.03582G	30.76	63.54	-32.78	26.97	1	Horizontal	312	1.53	-	37.90	15.25	49.36

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 15
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0087G	60.42	88.20	-27.78	42.53	3	Vertical	247	1.18	-	39.32	11.86	33.29
RMS	13.01404G	49.85	68.20	-18.35	31.94	3	Vertical	247	1.18	-	39.33	11.86	33.28

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 15
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01457G	61.19	88.20	-27.01	43.28	3	Horizontal	225	1.21	-	39.33	11.86	33.28
RMS	13.01335G	49.85	68.20	-18.35	31.94	3	Horizontal	225	1.21	-	39.33	11.86	33.28

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 15
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51469G	43.43	83.54	-40.11	39.85	1	Vertical	41	1.54	-	38.03	15.22	49.67
AV	19.51408G	30.50	63.54	-33.04	26.92	1	Vertical	41	1.54	-	38.03	15.22	49.67

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
SET 15
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51482G	43.20	83.54	-40.34	39.62	1	Horizontal	189	1.53	-	38.03	15.22	49.67
AV	19.51583G	30.51	63.54	-33.03	26.93	1	Horizontal	189	1.53	-	38.03	15.22	49.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32874G	63.01	74.00	-10.99	43.95	3	Vertical	275	2.39	-	40.00	11.97	32.91
AV	13.32805G	51.05	54.00	-2.95	31.99	3	Vertical	275	2.39	-	40.00	11.97	32.91

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33495G	64.39	74.00	-9.61	45.32	3	Horizontal	327	1.94	-	40.00	11.97	32.90
AV	13.3274G	51.07	54.00	-2.93	32.01	3	Horizontal	327	1.94	-	40.00	11.97	32.91

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9977G	43.45	83.54	-40.09	39.72	1	Vertical	133	1.57	-	37.80	15.20	49.27
AV	19.99528G	30.06	63.54	-33.48	26.33	1	Vertical	133	1.57	-	37.80	15.20	49.27

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
SET 15.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99046G	43.41	83.54	-40.13	39.69	1	Horizontal	73	1.57	-	37.80	15.20	49.28
AV	19.99576G	30.06	63.54	-33.48	26.33	1	Horizontal	73	1.57	-	37.80	15.20	49.27

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 17.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64798G	59.15	88.20	-29.05	39.34	3	Vertical	275	2.34	-	40.40	12.08	32.67
RMS	13.6539G	49.33	68.20	-18.87	29.52	3	Vertical	275	2.34	-	40.40	12.08	32.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 17.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65493G	59.04	88.20	-29.16	39.23	3	Horizontal	272	2.23	-	40.40	12.08	32.67
RMS	13.65392G	49.35	68.20	-18.85	29.54	3	Horizontal	272	2.23	-	40.40	12.08	32.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 17.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47501G	44.52	83.54	-39.02	40.29	1	Vertical	164	1.54	-	37.80	15.58	49.15
AV	20.47051G	30.65	63.54	-32.89	26.38	1	Vertical	164	1.54	-	37.84	15.58	49.15

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 17.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47126G	43.64	83.54	-39.90	39.38	1	Horizontal	49	1.50	-	37.83	15.58	49.15
AV	20.4716G	30.63	63.54	-32.91	26.37	1	Horizontal	49	1.50	-	37.83	15.58	49.15

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	109.11	Inf	-Inf	100.63	3	Vertical	64	2.95	-	35.60	8.38	35.50
RMS	6.9325G	96.34	Inf	-Inf	87.85	3	Vertical	64	2.95	-	35.60	8.37	35.48
PK	7.131G	64.55	88.20	-23.65	55.78	3	Vertical	64	2.95	-	35.82	8.43	35.48
RMS	7.132G	51.21	68.20	-16.99	42.43	3	Vertical	64	2.95	-	35.83	8.43	35.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.959G	109.96	Inf	-Inf	101.49	3	Horizontal	291	2.77	-	35.60	8.38	35.51
AV	6.918G	96.00	Inf	-Inf	87.49	3	Horizontal	291	2.77	-	35.60	8.37	35.46
PK	7.2345G	64.21	88.20	-23.99	54.76	3	Horizontal	291	2.77	-	36.41	8.46	35.42
AV	7.233G	49.71	68.20	-18.49	40.27	3	Horizontal	291	2.77	-	36.40	8.46	35.42

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97287G	61.06	88.20	-27.14	40.39	3	Vertical	186	2.64	-	41.09	12.19	32.61
RMS	13.97133G	50.38	68.20	-17.82	29.71	3	Vertical	186	2.64	-	41.09	12.19	32.61

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97234G	61.31	88.20	-26.89	40.64	3	Horizontal	188	2.45	-	41.09	12.19	32.61
RMS	13.97128G	50.35	68.20	-17.85	29.68	3	Horizontal	188	2.45	-	41.09	12.19	32.61

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9512G	44.12	83.54	-39.42	38.97	1	Vertical	240	1.53	-	38.10	15.96	48.91
AV	20.95841G	30.73	63.54	-32.81	25.59	1	Vertical	240	1.53	-	38.07	15.97	48.90

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
SET 16.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95838G	44.25	83.54	-39.29	39.11	1	Horizontal	192	1.56	-	38.07	15.97	48.90
AV	20.95202G	30.74	63.54	-32.80	25.59	1	Horizontal	192	1.56	-	38.09	15.96	48.90

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92452G	66.00	88.20	-22.20	58.92	3	Vertical	55	2.23	-	34.55	7.63	35.10
RMS	5.92452G	53.39	68.20	-14.81	46.31	3	Vertical	55	2.23	-	34.55	7.63	35.10
PK	6.08388G	108.81	Inf	-Inf	101.33	3	Vertical	55	2.23	-	34.80	7.79	35.11
RMS	6.2634G	95.76	Inf	-Inf	87.97	3	Vertical	55	2.23	-	34.87	7.96	35.04

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92404G	66.21	88.20	-21.99	59.13	3	Horizontal	288	2.66	-	34.55	7.63	35.10
RMS	5.925G	54.50	68.20	-13.70	47.42	3	Horizontal	288	2.66	-	34.55	7.63	35.10
PK	5.96676G	108.99	Inf	-Inf	101.85	3	Horizontal	288	2.66	-	34.60	7.66	35.12
RMS	5.98596G	96.15	Inf	-Inf	89.00	3	Horizontal	288	2.66	-	34.60	7.68	35.13

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20676G	60.88	74.00	-13.12	44.78	3	Vertical	194	2.78	-	38.71	11.59	34.20
AV	12.20802G	48.72	54.00	-5.28	32.61	3	Vertical	194	2.78	-	38.72	11.59	34.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20578G	60.20	74.00	-13.80	44.10	3	Horizontal	7	2.33	-	38.71	11.59	34.20
AV	12.20742G	48.69	54.00	-5.31	32.59	3	Horizontal	7	2.33	-	38.71	11.59	34.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31919G	43.18	83.54	-40.36	39.99	1	Vertical	79	1.57	-	37.50	15.28	49.59			
AV	18.31794G	30.73	63.54	-32.81	27.54	1	Vertical	79	1.57	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
SET 18.5
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3157G	44.96	83.54	-38.58	41.77	1	Horizontal	335	1.52	-	37.50	15.28	49.59
AV	18.31833G	30.73	63.54	-32.81	27.54	1	Horizontal	335	1.52	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.52957G	58.25	74.00	-15.75	41.79	3	Vertical	265	1.10	-	38.70	11.70	33.94
AV	12.52987G	44.52	54.00	-9.48	28.06	3	Vertical	265	1.10	-	38.70	11.70	33.94

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53041G	58.25	74.00	-15.75	41.79	3	Horizontal	183	2.51	-	38.70	11.70	33.94
AV	12.52988G	45.36	54.00	-8.64	28.90	3	Horizontal	183	2.51	-	38.70	11.70	33.94

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79488G	46.39	83.54	-37.15	42.81	1	Vertical	23	1.56	-	37.80	15.26	49.48
AV	18.79471G	32.47	63.54	-31.07	28.89	1	Vertical	23	1.56	-	37.80	15.26	49.48



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79468G	46.94	83.54	-36.60	43.36	1	Horizontal	177	1.42	-	37.80	15.26	49.48
AV	18.79462G	33.69	63.54	-29.85	30.11	1	Horizontal	177	1.42	-	37.80	15.26	49.48

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85129G	61.28	88.20	-26.92	43.77	3	Vertical	120	2.51	-	39.20	11.81	33.50
RMS	12.85067G	49.84	68.20	-18.36	32.33	3	Vertical	120	2.51	-	39.20	11.81	33.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85008G	61.62	88.20	-26.58	44.11	3	Horizontal	296	1.20	-	39.20	11.81	33.50
RMS	12.85088G	49.82	68.20	-18.38	32.31	3	Horizontal	296	1.20	-	39.20	11.81	33.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27036G	43.67	83.54	-39.87	40.01	1	Vertical	179	1.57	-	37.94	15.24	49.52
AV	19.27774G	30.52	63.54	-33.02	26.85	1	Vertical	179	1.57	-	37.96	15.24	49.53

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27459G	43.71	83.54	-39.83	40.05	1	Horizontal	157	1.58	-	37.95	15.24	49.53
AV	19.27833G	30.52	63.54	-33.02	26.85	1	Horizontal	157	1.58	-	37.96	15.24	49.53

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16971G	59.30	88.20	-28.90	40.84	3	Vertical	119	2.66	-	39.64	11.92	33.10
RMS	13.16969G	45.53	68.20	-22.67	27.07	3	Vertical	119	2.66	-	39.64	11.92	33.10

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16967G	59.39	88.20	-28.81	40.93	3	Horizontal	91	2.00	-	39.64	11.92	33.10
RMS	13.16967G	46.51	68.20	-21.69	28.05	3	Horizontal	91	2.00	-	39.64	11.92	33.10

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7548G	48.36	83.54	-35.18	44.70	1	Vertical	126	2.37	-	37.92	15.21	49.47
AV	19.75471G	33.96	63.54	-29.58	30.30	1	Vertical	126	2.37	-	37.92	15.21	49.47

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 19.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75454G	47.83	83.54	-35.71	44.17	1	Horizontal	63	1.55	-	37.92	15.21	49.47
AV	19.75497G	34.28	63.54	-29.26	30.62	1	Horizontal	63	1.55	-	37.92	15.21	49.47

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49018G	62.43	88.20	-25.77	42.83	3	Vertical	92	1.31	-	40.28	12.03	32.71
RMS	13.4913G	51.76	68.20	-16.44	32.16	3	Vertical	92	1.31	-	40.28	12.03	32.71

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49391G	62.88	88.20	-25.32	43.27	3	Horizontal	238	1.56	-	40.29	12.03	32.71
RMS	13.49091G	51.76	68.20	-16.44	32.16	3	Horizontal	238	1.56	-	40.28	12.03	32.71

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23732G	43.68	83.54	-39.86	39.53	1	Vertical	167	1.56	-	37.97	15.39	49.21			
AV	20.23808G	30.41	63.54	-33.13	26.25	1	Vertical	167	1.56	-	37.98	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23762G	43.86	83.54	-39.68	39.70	1	Horizontal	37	1.51	-	37.98	15.39	49.21
AV	20.23933G	30.44	63.54	-33.10	26.28	1	Horizontal	37	1.51	-	37.98	15.39	49.21

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	108.83	Inf	-Inf	100.32	3	Vertical	316	1.18	-	35.50	8.30	35.29
AV	6.757G	98.49	Inf	-Inf	90.03	3	Vertical	316	1.18	-	35.43	8.29	35.26
PK	7.284G	64.36	74.00	-9.64	54.65	3	Vertical	316	1.18	-	36.64	8.47	35.40
AV	7.255G	53.66	54.00	-0.34	44.09	3	Vertical	316	1.18	-	36.52	8.46	35.41

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.974G	106.50	Inf	-Inf	98.04	3	Horizontal	291	1.80	-	35.60	8.39	35.53
AV	6.875G	96.06	Inf	-Inf	87.52	3	Horizontal	291	1.80	-	35.60	8.35	35.41
PK	7.25G	64.34	74.00	-9.66	54.79	3	Horizontal	291	1.80	-	36.50	8.46	35.41
AV	7.255G	53.36	54.00	-0.64	43.79	3	Horizontal	291	1.80	-	36.52	8.46	35.41

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80997G	61.45	88.20	-26.75	41.23	3	Vertical	337	2.53	-	40.72	12.14	32.64
RMS	13.81017G	47.46	68.20	-20.74	27.24	3	Vertical	337	2.53	-	40.72	12.14	32.64

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80992G	61.53	88.20	-26.67	41.31	3	Horizontal	269	1.88	-	40.72	12.14	32.64
RMS	13.80985G	47.40	68.20	-20.80	27.18	3	Horizontal	269	1.88	-	40.72	12.14	32.64

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
SET 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71548G	49.45	83.54	-34.09	44.84	1	Vertical	266	2.58	-	37.87	15.77	49.03
AV	20.71535G	35.14	63.54	-28.40	30.53	1	Vertical	266	2.58	-	37.87	15.77	49.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_4TX
SET 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71498G	49.47	83.54	-34.07	44.86	1	Horizontal	310	1.93	-	37.87	15.77	49.03
AV	20.71541G	35.57	63.54	-27.97	30.96	1	Horizontal	310	1.93	-	37.87	15.77	49.03



RSE TX above 1GHz_Indoor Access Point_Radio 4_
Beamforming mode_Full RU


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2522G	53.92	54.00	-0.08	3	Vertical	32.7	1.46	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	60.11	88.20	-28.09	53.09	3	Vertical	293	1.05	-	34.50	7.61	35.09
RMS	5.9176G	48.97	68.20	-19.23	41.91	3	Vertical	293	1.05	-	34.54	7.62	35.10
PK	5.946G	109.76	Inf	-Inf	102.63	3	Vertical	293	1.05	-	34.59	7.65	35.11
RMS	5.946G	99.70	Inf	-Inf	92.57	3	Vertical	293	1.05	-	34.59	7.65	35.11

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9068G	60.00	88.20	-28.20	52.97	3	Horizontal	62	1.87	-	34.51	7.62	35.10
RMS	5.9246G	49.03	88.20	-39.17	41.95	3	Horizontal	62	1.87	-	34.55	7.63	35.10
PK	5.9626G	108.22	Inf	-Inf	101.08	3	Horizontal	62	1.87	-	34.60	7.66	35.12
RMS	5.963G	96.83	Inf	-Inf	89.69	3	Horizontal	62	1.87	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91202G	56.41	74.00	-17.59	48.97	3	Vertical	75	1.25	-	39.20	11.47	43.23
AV	11.90856G	42.99	54.00	-11.01	35.55	3	Vertical	75	1.25	-	39.20	11.47	43.23

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
 Setting 14
 03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90739G	56.10	74.00	-17.90	48.66	3	Horizontal	125	1.51	-	39.20	11.47	43.23
AV	11.90655G	42.95	54.00	-11.05	35.51	3	Horizontal	125	1.51	-	39.20	11.47	43.23

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 14
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81994G	47.90	83.54	-35.64	38.75	1	Vertical	336	1.51	-	38.98	17.35	47.18
AV	23.81994G	40.59	63.54	-22.95	31.44	1	Vertical	336	1.51	-	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 14
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82003G	47.92	83.54	-35.62	38.77	1	Horizontal	38	1.49	-	38.98	17.35	47.18
AV	23.81985G	41.69	63.54	-21.85	32.54	1	Horizontal	38	1.49	-	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38674G	55.72	74.00	-18.28	48.61	3	Vertical	345	2.45	-	38.63	11.65	43.17
AV	12.3867G	42.72	54.00	-11.28	35.61	3	Vertical	345	2.45	-	38.63	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38828G	55.78	74.00	-18.22	48.68	3	Horizontal	89	2.94	-	38.62	11.65	43.17
AV	12.3922G	42.68	54.00	-11.32	35.58	3	Horizontal	89	2.94	-	38.62	11.65	43.17

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58538G	44.00	83.54	-39.54	40.65	1	Vertical	125	1.74	-	37.70	15.27	49.62
AV	18.58487G	31.21	63.54	-32.33	27.86	1	Vertical	125	1.74	-	37.70	15.27	49.62
PK	24.77991G	49.80	97.74	-47.94	39.63	1	Vertical	23	1.51	-	39.30	17.52	46.65
RMS	24.77988G	42.43	77.74	-35.31	32.26	1	Vertical	23	1.51	-	39.30	17.52	46.65

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58527G	45.25	83.54	-38.29	41.90	1	Horizontal	53	2.13	-	37.70	15.27	49.62
AV	18.58506G	31.44	63.54	-32.10	28.09	1	Horizontal	53	2.13	-	37.70	15.27	49.62
PK	24.78G	51.51	97.74	-46.23	41.34	1	Horizontal	346	1.70	-	39.30	17.52	46.65
RMS	24.78G	46.12	77.74	-31.62	35.95	1	Horizontal	346	1.70	-	39.30	17.52	46.65

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 16
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82937G	56.72	88.20	-31.48	48.62	3	Vertical	106	1.28	-	39.12	11.80	42.82
RMS	12.82947G	43.14	68.20	-25.06	35.04	3	Vertical	106	1.28	-	39.12	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 16
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83171G	55.47	88.20	-32.73	47.36	3	Horizontal	74	1.16	-	39.13	11.80	42.82
RMS	12.82597G	43.01	68.20	-25.19	34.93	3	Horizontal	74	1.16	-	39.10	11.80	42.82

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 16
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24534G	44.33	83.54	-39.21	40.69	1	Vertical	39	1.70	-	37.91	15.24	49.51
AV	19.24489G	31.49	63.54	-32.05	27.85	1	Vertical	39	1.70	-	37.91	15.24	49.51
PK	25.65994G	49.58	97.74	-48.16	38.85	1	Vertical	347	1.50	-	39.26	17.65	46.18
RMS	25.65991G	43.92	77.74	-33.82	33.19	1	Vertical	347	1.50	-	39.26	17.65	46.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 16
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24464G	45.43	83.54	-38.11	41.79	1	Horizontal	244	1.87	-	37.91	15.24	49.51
AV	19.24484G	31.36	63.54	-32.18	27.72	1	Horizontal	244	1.87	-	37.91	15.24	49.51
PK	25.65988G	50.08	97.74	-47.66	39.35	1	Horizontal	352	1.50	-	39.26	17.65	46.18
RMS	25.65991G	45.63	77.74	-32.11	34.90	1	Horizontal	352	1.50	-	39.26	17.65	46.18

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8722G	55.95	88.20	-32.25	47.71	3	Vertical	194	1.75	-	39.20	11.82	42.78
RMS	12.86677G	42.95	68.20	-25.25	34.72	3	Vertical	194	1.75	-	39.20	11.81	42.78

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87142G	56.32	88.20	-31.88	48.08	3	Horizontal	207	2.47	-	39.20	11.82	42.78
RMS	12.87329G	42.93	68.20	-25.27	34.69	3	Horizontal	207	2.47	-	39.20	11.82	42.78

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30541G	44.92	83.54	-38.62	41.26	1	Vertical	159	2.49	-	37.98	15.23	49.55
AV	19.30514G	31.63	63.54	-31.91	27.97	1	Vertical	159	2.49	-	37.98	15.23	49.55
PK	25.74012G	52.16	97.74	-45.58	41.43	1	Vertical	167	2.56	-	39.26	17.66	46.19
RMS	25.73997G	45.51	77.74	-32.23	34.78	1	Vertical	167	2.56	-	39.26	17.66	46.19

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30492G	44.66	83.54	-38.88	41.00	1	Horizontal	19	1.04	-	37.98	15.23	49.55
AV	19.3055G	31.34	63.54	-32.20	27.68	1	Horizontal	19	1.04	-	37.98	15.23	49.55
PK	25.73986G	51.31	97.74	-46.43	40.58	1	Horizontal	129	2.62	-	39.26	17.66	46.19
RMS	25.73978G	43.38	77.74	-34.36	32.65	1	Horizontal	129	2.62	-	39.26	17.66	46.19

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94526G	56.17	88.20	-32.03	47.74	3	Vertical	339	1.21	-	39.29	11.84	42.70
RMS	12.94996G	43.71	68.20	-24.49	35.27	3	Vertical	339	1.21	-	39.30	11.84	42.70

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94563G	55.98	88.20	-32.22	47.55	3	Horizontal	32	1.91	-	39.29	11.84	42.70
RMS	12.94873G	43.48	68.20	-24.72	35.04	3	Horizontal	32	1.91	-	39.30	11.84	42.70

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42464G	44.78	83.54	-38.76	41.28	1	Vertical	119	2.91	-	37.90	15.23	49.63
AV	19.4253G	31.61	63.54	-31.93	28.11	1	Vertical	119	2.91	-	37.90	15.23	49.63
PK	25.90035G	50.47	97.74	-47.27	39.90	1	Vertical	45	2.48	-	39.10	17.69	46.22
RMS	25.89999G	45.20	77.74	-32.54	34.64	1	Vertical	45	2.48	-	39.10	17.68	46.22

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42487G	44.71	83.54	-38.83	41.21	1	Horizontal	214	1.27	-	37.90	15.23	49.63
AV	19.42473G	31.69	63.54	-31.85	28.19	1	Horizontal	214	1.27	-	37.90	15.23	49.63
PK	25.90014G	55.48	97.74	-42.26	44.91	1	Horizontal	330	1.19	-	39.10	17.69	46.22
RMS	25.90007G	45.98	77.74	-31.76	35.41	1	Horizontal	330	1.19	-	39.10	17.69	46.22

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03321G	56.43	88.20	-31.77	47.85	3	Vertical	259	1.06	-	39.37	11.87	42.66
RMS	13.02729G	43.84	68.20	-24.36	35.28	3	Vertical	259	1.06	-	39.35	11.87	42.66

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02634G	56.26	88.20	-31.94	47.70	3	Horizontal	219	1.07	-	39.35	11.87	42.66
RMS	13.02864G	43.85	68.20	-24.35	35.28	3	Horizontal	219	1.07	-	39.36	11.87	42.66

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5452G	44.35	83.54	-39.19	40.68	1	Vertical	29	2.71	-	38.09	15.22	49.64
AV	19.5451G	31.72	63.54	-31.82	28.05	1	Vertical	29	2.71	-	38.09	15.22	49.64
PK	26.05954G	56.42	97.74	-41.32	45.66	1	Vertical	132	1.47	-	39.22	17.74	46.20
RMS	26.05958G	46.58	77.74	-31.16	35.82	1	Vertical	132	1.47	-	39.22	17.74	46.20

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54459G	44.18	83.54	-39.36	40.51	1	Horizontal	286	2.35	-	38.09	15.22	49.64
AV	19.54484G	31.10	63.54	-32.44	27.43	1	Horizontal	286	2.35	-	38.09	15.22	49.64
PK	26.05999G	56.26	97.74	-41.48	45.50	1	Horizontal	152	1.43	-	39.22	17.74	46.20
RMS	26.06036G	45.60	77.74	-32.14	34.84	1	Horizontal	152	1.43	-	39.22	17.74	46.20

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0689G	56.33	88.20	-31.87	47.64	3	Vertical	7	2.65	-	39.48	11.88	42.67
RMS	13.06731G	44.24	68.20	-23.96	35.55	3	Vertical	7	2.65	-	39.47	11.88	42.66

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07225G	56.58	88.20	-31.62	47.88	3	Horizontal	145	2.63	-	39.49	11.88	42.67
RMS	13.07082G	44.25	68.20	-23.95	35.56	3	Horizontal	145	2.63	-	39.48	11.88	42.67

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60541G	44.26	83.54	-39.28	40.80	1	Vertical	85	2.43	-	37.83	15.22	49.59
AV	19.60513G	31.10	63.54	-32.44	27.64	1	Vertical	85	2.43	-	37.83	15.22	49.59
PK	26.14039G	55.62	97.74	-42.12	44.68	1	Vertical	197	1.80	-	39.30	17.78	46.14
RMS	26.14025G	44.30	77.74	-33.44	33.36	1	Vertical	197	1.80	-	39.30	17.78	46.14

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60513G	43.77	83.54	-39.77	40.31	1	Horizontal	126	2.70	-	37.83	15.22	49.59
AV	19.60507G	30.91	63.54	-32.63	27.45	1	Horizontal	126	2.70	-	37.83	15.22	49.59
PK	26.14006G	56.38	97.74	-41.36	45.44	1	Horizontal	357	2.07	-	39.30	17.78	46.14
RMS	26.13974G	45.61	77.74	-32.13	34.67	1	Horizontal	357	2.07	-	39.30	17.78	46.14

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3913G	57.26	74.00	-16.74	47.93	3	Vertical	304	2.55	-	40.08	11.99	42.74
AV	13.39408G	44.01	54.00	-9.99	34.67	3	Vertical	304	2.55	-	40.09	11.99	42.74

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38832G	56.63	74.00	-17.37	47.30	3	Horizontal	127	2.50	-	40.08	11.99	42.74
AV	13.3851G	44.14	54.00	-9.86	34.81	3	Horizontal	127	2.50	-	40.07	11.99	42.73

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08509G	44.26	83.54	-39.28	40.40	1	Vertical	180	2.89	-	37.84	15.27	49.25
AV	20.08496G	31.18	63.54	-32.36	27.32	1	Vertical	180	2.89	-	37.84	15.27	49.25
PK	26.78036G	57.49	97.74	-40.25	45.41	1	Vertical	20	1.86	-	39.88	18.17	45.97
RMS	26.7799G	44.29	77.74	-33.45	32.21	1	Vertical	20	1.86	-	39.88	18.17	45.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08493G	43.24	83.54	-40.30	39.38	1	Horizontal	58	2.41	-	37.84	15.27	49.25
AV	20.08469G	30.81	63.54	-32.73	26.95	1	Horizontal	58	2.41	-	37.84	15.27	49.25
PK	26.7796G	57.68	97.74	-40.06	45.60	1	Horizontal	236	1.61	-	39.88	18.17	45.97
RMS	26.7796G	46.62	77.74	-31.12	34.54	1	Horizontal	236	1.61	-	39.88	18.17	45.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74879G	57.84	88.20	-30.36	47.74	3	Vertical	267	2.44	-	40.60	12.11	42.61
RMS	13.75324G	44.72	68.20	-23.48	34.60	3	Vertical	267	2.44	-	40.61	12.12	42.61

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74999G	57.99	88.20	-30.21	47.89	3	Horizontal	22	1.03	-	40.60	12.11	42.61
RMS	13.75G	44.58	68.20	-23.62	34.48	3	Horizontal	22	1.03	-	40.60	12.11	42.61

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62481G	45.59	83.54	-37.95	41.02	1	Vertical	328	2.75	-	37.95	15.70	49.08
AV	20.62452G	32.44	63.54	-31.10	27.87	1	Vertical	328	2.75	-	37.95	15.70	49.08
PK	27.50005G	57.69	97.74	-40.05	44.89	1	Vertical	322	2.37	-	39.80	18.60	45.60
RMS	27.50046G	44.48	77.74	-33.26	31.68	1	Vertical	322	2.37	-	39.80	18.60	45.60

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6251G	45.41	83.54	-38.13	40.83	1	Horizontal	312	2.30	-	37.95	15.70	49.07
AV	20.62466G	32.13	63.54	-31.41	27.56	1	Horizontal	312	2.30	-	37.95	15.70	49.08
PK	27.49988G	57.95	97.74	-39.79	45.15	1	Horizontal	355	2.15	-	39.80	18.60	45.60
RMS	27.49969G	46.87	77.74	-30.87	34.07	1	Horizontal	355	2.15	-	39.80	18.60	45.60

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79399G	57.83	88.20	-30.37	47.59	3	Vertical	3	2.69	-	40.69	12.13	42.58
RMS	13.7877G	44.82	68.20	-23.38	34.60	3	Vertical	3	2.69	-	40.68	12.13	42.59

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79229G	58.56	88.20	-29.64	48.33	3	Horizontal	345	1.21	-	40.68	12.13	42.58
RMS	13.79056G	44.95	68.20	-23.25	34.73	3	Horizontal	345	1.21	-	40.68	12.13	42.59

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68478G	44.97	83.54	-38.57	40.36	1	Vertical	212	2.16	-	37.90	15.75	49.04
AV	20.68451G	32.18	63.54	-31.36	27.57	1	Vertical	212	2.16	-	37.90	15.75	49.04
PK	27.57951G	58.26	97.74	-39.48	45.46	1	Vertical	315	1.39	-	39.76	18.65	45.61
RMS	27.58031G	44.67	77.74	-33.07	31.87	1	Vertical	315	1.39	-	39.76	18.65	45.61

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6851G	44.74	83.54	-38.80	40.13	1	Horizontal	174	1.18	-	37.90	15.75	49.04
AV	20.68545G	31.85	63.54	-31.69	27.24	1	Horizontal	174	1.18	-	37.90	15.75	49.04
PK	27.57982G	57.89	97.74	-39.85	45.09	1	Horizontal	137	1.17	-	39.76	18.65	45.61
RMS	27.57969G	45.70	77.74	-32.04	32.90	1	Horizontal	137	1.17	-	39.76	18.65	45.61

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98547G	58.74	88.20	-29.46	47.87	3	Vertical	105	1.03	-	41.14	12.20	42.47
RMS	13.98684G	45.47	68.20	-22.73	34.59	3	Vertical	105	1.03	-	41.15	12.20	42.47

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98981G	58.75	88.20	-29.45	47.86	3	Horizontal	310	2.06	-	41.16	12.20	42.47
RMS	13.99027G	45.23	68.20	-22.97	34.34	3	Horizontal	310	2.06	-	41.16	12.20	42.47

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98521G	45.67	83.54	-37.87	40.61	1	Vertical	275	2.56	-	37.96	15.99	48.89
AV	20.98533G	32.12	63.54	-31.42	27.06	1	Vertical	275	2.56	-	37.96	15.99	48.89
PK	27.97985G	58.02	97.74	-39.72	44.81	1	Vertical	355	1.91	-	39.98	18.89	45.66
RMS	27.97951G	44.92	77.74	-32.82	31.71	1	Vertical	355	1.91	-	39.98	18.89	45.66

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_X_2TX
Setting 14
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98531G	45.14	83.54	-38.40	40.08	1	Horizontal	140	1.07	-	37.96	15.99	48.89
AV	20.98503G	31.95	63.54	-31.59	26.89	1	Horizontal	140	1.07	-	37.96	15.99	48.89
PK	27.98038G	58.48	97.74	-39.26	45.27	1	Horizontal	124	1.64	-	39.98	18.89	45.66
RMS	27.98029G	45.01	77.74	-32.73	31.80	1	Horizontal	124	1.64	-	39.98	18.89	45.66

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19236G	58.38	88.20	-29.82	46.86	3	Vertical	343	2.31	-	41.67	12.26	42.41
RMS	14.19262G	46.15	68.20	-22.05	34.63	3	Vertical	343	2.31	-	41.67	12.26	42.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19269G	57.94	88.20	-30.26	46.42	3	Horizontal	260	2.35	-	41.67	12.26	42.41
RMS	14.1886G	46.12	68.20	-22.08	34.62	3	Horizontal	260	2.35	-	41.65	12.26	42.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28468G	45.93	83.54	-37.61	40.27	1	Vertical	325	2.28	-	38.28	16.23	48.85
AV	21.28475G	32.75	63.54	-30.79	27.09	1	Vertical	325	2.28	-	38.28	16.23	48.85
PK	28.37989G	58.08	97.74	-39.66	44.62	1	Vertical	145	1.25	-	40.00	19.07	45.61
RMS	28.37964G	44.68	77.74	-33.06	31.22	1	Vertical	145	1.25	-	40.00	19.07	45.61

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 14
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28465G	45.28	83.54	-38.26	39.62	1	Horizontal	114	2.14	-	38.28	16.23	48.85
AV	21.28471G	32.43	63.54	-31.11	26.77	1	Horizontal	114	2.14	-	38.28	16.23	48.85
PK	28.37998G	57.98	97.74	-39.76	44.52	1	Horizontal	171	1.76	-	40.00	19.07	45.61
RMS	28.38012G	46.66	77.74	-31.08	33.20	1	Horizontal	171	1.76	-	40.00	19.07	45.61

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1065G	103.07	Inf	-Inf	94.41	3	Vertical	69.6	1.31	BP 1MHz	35.73	8.43	35.50
RMS	7.1075G	97.17	Inf	-Inf	88.51	3	Vertical	69.6	1.31	BP 1MHz	35.73	8.43	35.50
PK	7.1255G	77.85	88.20	-10.35	69.11	3	Vertical	69.6	1.31	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	67.80	68.20	-0.40	59.06	3	Vertical	69.6	1.31	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1225G	100.88	Inf	-Inf	92.15	3	Horizontal	72	1.51	BP 1MHz	35.79	8.43	35.49
RMS	7.1225G	94.78	Inf	-Inf	86.05	3	Horizontal	72	1.51	BP 1MHz	35.79	8.43	35.49
PK	7.1255G	78.81	88.20	-9.39	70.07	3	Horizontal	72	1.51	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	67.85	68.20	-0.35	59.11	3	Horizontal	72	1.51	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22711G	59.56	88.20	-28.64	47.95	3	Vertical	288	2.39	-	41.75	12.27	42.41
RMS	14.22959G	46.47	68.20	-21.73	34.84	3	Vertical	288	2.39	-	41.76	12.27	42.40

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22515G	59.25	88.20	-28.95	47.64	3	Horizontal	114	2.26	-	41.75	12.27	42.41
RMS	14.22705G	46.66	68.20	-21.54	35.05	3	Horizontal	114	2.26	-	41.75	12.27	42.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34464G	45.07	83.54	-38.47	39.32	1	Vertical	87	2.11	-	38.31	16.28	48.84
AV	21.34473G	32.41	63.54	-31.13	26.66	1	Vertical	87	2.11	-	38.31	16.28	48.84
PK	28.45977G	58.17	97.74	-39.57	44.56	1	Vertical	19	2.23	-	40.10	19.11	45.60
RMS	28.45985G	44.72	77.74	-33.02	31.11	1	Vertical	19	2.23	-	40.10	19.11	45.60

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 11
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34503G	45.17	83.54	-38.37	39.42	1	Horizontal	325	2.19	-	38.31	16.28	48.84
AV	21.34512G	32.16	63.54	-31.38	26.41	1	Horizontal	325	2.19	-	38.31	16.28	48.84
PK	28.45968G	57.83	97.74	-39.91	44.22	1	Horizontal	123	2.94	-	40.10	19.11	45.60
RMS	28.46004G	46.85	77.74	-30.89	33.24	1	Horizontal	123	2.94	-	40.10	19.11	45.60

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	67.26	88.20	-20.94	60.20	3	Vertical	299.3	1.67	-	34.54	7.62	35.10
RMS	5.9168G	49.61	68.20	-18.59	42.56	3	Vertical	299.3	1.67	-	34.53	7.62	35.10
PK	5.9466G	110.40	Inf	-Inf	103.27	3	Vertical	299.3	1.67	-	34.59	7.65	35.11
RMS	5.9466G	99.76	Inf	-Inf	92.63	3	Vertical	299.3	1.67	-	34.59	7.65	35.11

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9144G	61.71	88.20	-26.49	54.66	3	Horizontal	60	1.87	-	34.53	7.62	35.10
RMS	5.9234G	49.51	68.20	-18.69	42.43	3	Horizontal	60	1.87	-	34.55	7.63	35.10
PK	5.9626G	110.23	Inf	-Inf	103.09	3	Horizontal	60	1.87	-	34.60	7.66	35.12
RMS	5.9716G	98.25	Inf	-Inf	91.11	3	Horizontal	60	1.87	-	34.60	7.67	35.13

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9253G	56.20	74.00	-17.80	48.75	3	Vertical	225	2.22	-	39.20	11.48	43.23
AV	11.92591G	42.43	54.00	-11.57	34.98	3	Vertical	225	2.22	-	39.20	11.48	43.23

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92861G	57.03	74.00	-16.97	49.58	3	Horizontal	200	2.61	-	39.20	11.48	43.23
AV	11.93107G	42.48	54.00	-11.52	35.03	3	Horizontal	200	2.61	-	39.20	11.48	43.23

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86034G	56.06	83.54	-27.48	47.06	1	Vertical	43	2.01	-	38.80	17.36	47.16
AV	23.85995G	42.44	63.54	-21.10	33.44	1	Vertical	43	2.01	-	38.80	17.36	47.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 17
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86046G	56.58	83.54	-26.96	47.58	1	Horizontal	138	1.80	-	38.80	17.36	47.16
AV	23.85955G	42.27	63.54	-21.27	33.27	1	Horizontal	138	1.80	-	38.80	17.36	47.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4075G	56.07	74.00	-17.93	48.97	3	Vertical	348	1.39	-	38.60	11.66	43.16
AV	12.40635G	42.16	54.00	-11.84	35.06	3	Vertical	348	1.39	-	38.60	11.66	43.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4098G	56.07	74.00	-17.93	48.97	3	Horizontal	178	1.23	-	38.60	11.66	43.16
AV	12.40665G	42.13	54.00	-11.87	35.03	3	Horizontal	178	1.23	-	38.60	11.66	43.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61473G	44.53	83.54	-39.01	41.13	1	Vertical	161	2.13	-	37.73	15.27	49.60
AV	18.61484G	31.16	63.54	-32.38	27.76	1	Vertical	161	2.13	-	37.73	15.27	49.60
PK	24.82023G	57.44	97.74	-40.30	47.25	1	Vertical	355	2.75	-	39.30	17.52	46.63
RMS	24.8204G	43.54	77.74	-34.20	33.35	1	Vertical	355	2.75	-	39.30	17.52	46.63

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61502G	45.17	83.54	-38.37	41.77	1	Horizontal	273	1.99	-	37.73	15.27	49.60
AV	18.61539G	31.02	63.54	-32.52	27.62	1	Horizontal	273	1.99	-	37.73	15.27	49.60
PK	24.81974G	57.15	97.74	-40.59	46.96	1	Horizontal	269	2.68	-	39.30	17.52	46.63
RMS	24.8202G	43.73	77.74	-34.01	33.54	1	Horizontal	269	2.68	-	39.30	17.52	46.63

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80905G	55.31	88.20	-32.89	47.31	3	Vertical	273	2.36	-	39.04	11.80	42.84
RMS	12.81G	42.44	68.20	-25.76	34.44	3	Vertical	273	2.36	-	39.04	11.80	42.84

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80676G	55.38	88.20	-32.82	47.40	3	Horizontal	303	1.23	-	39.03	11.79	42.84
RMS	12.81182G	42.58	68.20	-25.62	34.57	3	Horizontal	303	1.23	-	39.05	11.80	42.84

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21508G	44.65	83.54	-38.89	40.93	1	Vertical	159	1.38	-	37.97	15.24	49.49
AV	19.21487G	31.29	63.54	-32.25	27.57	1	Vertical	159	1.38	-	37.97	15.24	49.49
PK	25.62007G	56.76	97.74	-40.98	45.87	1	Vertical	254	1.44	-	39.42	17.64	46.17
RMS	25.61955G	43.01	77.74	-34.73	32.12	1	Vertical	254	1.44	-	39.42	17.64	46.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21517G	44.61	83.54	-38.93	40.89	1	Horizontal	38	1.59	-	37.97	15.24	49.49
AV	19.21495G	31.15	63.54	-32.39	27.43	1	Horizontal	38	1.59	-	37.97	15.24	49.49
PK	25.6195G	57.14	97.74	-40.60	46.25	1	Horizontal	176	2.88	-	39.42	17.64	46.17
RMS	25.61961G	43.05	77.74	-34.69	32.16	1	Horizontal	176	2.88	-	39.42	17.64	46.17

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89078G	56.82	88.20	-31.38	48.56	3	Vertical	109	1.73	-	39.20	11.82	42.76
RMS	12.88961G	42.78	68.20	-25.42	34.52	3	Vertical	109	1.73	-	39.20	11.82	42.76

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88888G	55.68	88.20	-32.52	47.42	3	Horizontal	202	1.01	-	39.20	11.82	42.76
RMS	12.89288G	42.77	68.20	-25.43	34.51	3	Horizontal	202	1.01	-	39.20	11.82	42.76

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33549G	44.47	83.54	-39.07	40.95	1	Vertical	44	1.55	-	37.86	15.23	49.57
AV	19.33469G	31.08	63.54	-32.46	27.56	1	Vertical	44	1.55	-	37.86	15.23	49.57
PK	25.77971G	56.53	97.74	-41.21	45.94	1	Vertical	17	1.69	-	39.12	17.67	46.20
RMS	25.77989G	43.10	77.74	-34.64	32.51	1	Vertical	17	1.69	-	39.12	17.67	46.20

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33459G	44.34	83.54	-39.20	40.82	1	Horizontal	255	1.48	-	37.86	15.23	49.57
AV	19.33481G	30.95	63.54	-32.59	27.43	1	Horizontal	255	1.48	-	37.86	15.23	49.57
PK	25.7796G	57.15	97.74	-40.59	46.56	1	Horizontal	157	1.82	-	39.12	17.67	46.20
RMS	25.78047G	42.98	77.74	-34.76	32.39	1	Horizontal	157	1.82	-	39.12	17.67	46.20

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97434G	56.09	88.20	-32.11	47.62	3	Vertical	297	1.50	-	39.30	11.85	42.68
RMS	12.96644G	43.02	68.20	-25.18	34.55	3	Vertical	297	1.50	-	39.30	11.85	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96592G	56.10	88.20	-32.10	47.63	3	Horizontal	9	2.96	-	39.30	11.85	42.68
RMS	12.9666G	42.94	68.20	-25.26	34.47	3	Horizontal	9	2.96	-	39.30	11.85	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45543G	44.12	83.54	-39.42	40.72	1	Vertical	307	2.01	-	37.82	15.23	49.65
AV	19.45462G	30.97	63.54	-32.57	27.57	1	Vertical	307	2.01	-	37.82	15.23	49.65
PK	25.94017G	56.01	97.74	-41.73	45.61	1	Vertical	167	2.34	-	38.94	17.69	46.23
RMS	25.94007G	42.35	77.74	-35.39	31.95	1	Vertical	167	2.34	-	38.94	17.69	46.23

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45531G	44.88	83.54	-38.66	41.48	1	Horizontal	174	2.89	-	37.82	15.23	49.65
AV	19.45463G	30.74	63.54	-32.80	27.34	1	Horizontal	174	2.89	-	37.82	15.23	49.65
PK	25.93954G	55.87	97.74	-41.87	45.47	1	Horizontal	67	2.75	-	38.94	17.69	46.23
RMS	25.93966G	42.49	77.74	-35.25	32.09	1	Horizontal	67	2.75	-	38.94	17.69	46.23

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04912G	57.07	88.20	-31.13	48.45	3	Vertical	359	1.74	-	39.40	11.88	42.66
RMS	13.05317G	43.45	68.20	-24.75	34.82	3	Vertical	359	1.74	-	39.41	11.88	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05368G	57.53	88.20	-30.67	48.90	3	Horizontal	273	2.61	-	39.41	11.88	42.66
RMS	13.04819G	43.47	68.20	-24.73	34.85	3	Horizontal	273	2.61	-	39.40	11.88	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57501G	44.56	83.54	-38.98	41.01	1	Vertical	47	2.92	-	37.95	15.22	49.62
AV	19.57471G	30.94	63.54	-32.60	27.39	1	Vertical	47	2.92	-	37.95	15.22	49.62
PK	26.09954G	56.97	97.74	-40.77	46.08	1	Vertical	189	2.37	-	39.30	17.76	46.17
RMS	26.09956G	43.48	77.74	-34.26	32.59	1	Vertical	189	2.37	-	39.30	17.76	46.17

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57545G	44.24	83.54	-39.30	40.69	1	Horizontal	347	2.15	-	37.95	15.22	49.62
AV	19.57535G	30.77	63.54	-32.77	27.22	1	Horizontal	347	2.15	-	37.95	15.22	49.62
PK	26.10028G	57.80	97.74	-39.94	46.91	1	Horizontal	67	1.64	-	39.30	17.76	46.17
RMS	26.0999G	43.48	77.74	-34.26	32.59	1	Horizontal	67	1.64	-	39.30	17.76	46.17

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13384G	57.60	88.20	-30.60	48.77	3	Vertical	320	2.73	-	39.60	11.91	42.68
RMS	13.12697G	43.59	68.20	-24.61	34.77	3	Vertical	320	2.73	-	39.60	11.90	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12588G	57.57	88.20	-30.63	48.75	3	Horizontal	251	2.54	-	39.60	11.90	42.68
RMS	13.12654G	43.70	68.20	-24.50	34.88	3	Horizontal	251	2.54	-	39.60	11.90	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69497G	44.70	83.54	-38.84	41.17	1	Vertical	333	2.96	-	37.83	15.22	49.52
AV	19.69537G	31.27	63.54	-32.27	27.74	1	Vertical	333	2.96	-	37.83	15.22	49.52
PK	26.26027G	56.20	97.74	-41.54	45.30	1	Vertical	39	1.60	-	39.10	17.86	46.06
RMS	26.26022G	42.55	77.74	-35.19	31.65	1	Vertical	39	1.60	-	39.10	17.86	46.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69453G	44.79	83.54	-38.75	41.26	1	Horizontal	149	1.69	-	37.83	15.22	49.52
AV	19.69514G	31.15	63.54	-32.39	27.62	1	Horizontal	149	1.69	-	37.83	15.22	49.52
PK	26.25982G	56.81	97.74	-40.93	45.91	1	Horizontal	91	2.01	-	39.10	17.86	46.06
RMS	26.26009G	42.53	77.74	-35.21	31.63	1	Horizontal	91	2.01	-	39.10	17.86	46.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3655G	56.54	74.00	-17.46	47.26	3	Vertical	39	2.99	-	40.03	11.98	42.73
AV	13.36592G	43.79	54.00	-10.21	34.51	3	Vertical	39	2.99	-	40.03	11.98	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37287G	57.04	74.00	-16.96	47.73	3	Horizontal	60	1.55	-	40.05	11.99	42.73
AV	13.36773G	43.80	54.00	-10.20	34.50	3	Horizontal	60	1.55	-	40.04	11.99	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05486G	43.40	83.54	-40.14	39.70	1	Vertical	82	1.90	-	37.72	15.24	49.26
AV	20.0545G	30.19	63.54	-33.35	26.49	1	Vertical	82	1.90	-	37.72	15.24	49.26
PK	26.73992G	57.64	97.74	-40.10	45.42	1	Vertical	60	1.93	-	40.04	18.14	45.96
RMS	26.73992G	44.33	77.74	-33.41	32.11	1	Vertical	60	1.93	-	40.04	18.14	45.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05506G	43.45	83.54	-40.09	39.75	1	Horizontal	63	1.38	-	37.72	15.24	49.26
AV	20.05479G	30.06	63.54	-33.48	26.36	1	Horizontal	63	1.38	-	37.72	15.24	49.26
PK	26.73991G	57.78	97.74	-39.96	45.56	1	Horizontal	262	1.34	-	40.04	18.14	45.96
RMS	26.74021G	44.16	77.74	-33.58	31.94	1	Horizontal	262	1.34	-	40.04	18.14	45.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76769G	58.03	88.20	-30.17	47.87	3	Vertical	234	3.00	-	40.64	12.12	42.60
RMS	13.77242G	44.26	68.20	-23.94	34.10	3	Vertical	234	3.00	-	40.64	12.12	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76754G	58.82	88.20	-29.38	48.66	3	Horizontal	306	1.75	-	40.64	12.12	42.60
RMS	13.76743G	44.33	68.20	-23.87	34.18	3	Horizontal	306	1.75	-	40.63	12.12	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65489G	44.71	83.54	-38.83	40.15	1	Vertical	77	2.24	-	37.90	15.72	49.06
AV	20.65467G	31.00	63.54	-32.54	26.44	1	Vertical	77	2.24	-	37.90	15.72	49.06
PK	27.54045G	58.10	97.74	-39.64	45.36	1	Vertical	116	1.14	-	39.72	18.62	45.60
RMS	27.54018G	44.31	77.74	-33.43	31.57	1	Vertical	116	1.14	-	39.72	18.62	45.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65536G	44.20	83.54	-39.34	39.64	1	Horizontal	147	1.99	-	37.90	15.72	49.06
AV	20.65458G	30.81	63.54	-32.73	26.25	1	Horizontal	147	1.99	-	37.90	15.72	49.06
PK	27.54009G	57.85	97.74	-39.89	45.11	1	Horizontal	207	2.20	-	39.72	18.62	45.60
RMS	27.54024G	44.35	77.74	-33.39	31.61	1	Horizontal	207	2.20	-	39.72	18.62	45.60

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85068G	59.38	88.20	-28.82	48.98	3	Vertical	197	1.29	-	40.80	12.15	42.55
RMS	13.85303G	44.66	68.20	-23.54	34.25	3	Vertical	197	1.29	-	40.81	12.15	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85322G	58.40	88.20	-29.80	47.99	3	Horizontal	52	2.17	-	40.81	12.15	42.55
RMS	13.8507G	44.66	68.20	-23.54	34.26	3	Horizontal	52	2.17	-	40.80	12.15	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77473G	44.35	83.54	-39.19	39.53	1	Vertical	348	2.80	-	38.00	15.82	49.00
AV	20.77489G	30.87	63.54	-32.67	26.05	1	Vertical	348	2.80	-	38.00	15.82	49.00
PK	27.69993G	57.60	97.74	-40.14	44.60	1	Vertical	329	1.98	-	39.90	18.72	45.62
RMS	27.69974G	43.65	77.74	-34.09	30.65	1	Vertical	329	1.98	-	39.90	18.72	45.62

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_X_2TX
Setting 17
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77523G	43.91	83.54	-39.63	39.09	1	Horizontal	168	2.30	-	38.00	15.82	49.00
AV	20.77468G	30.69	63.54	-32.85	25.87	1	Horizontal	168	2.30	-	38.00	15.82	49.00
PK	27.69985G	57.46	97.74	-40.28	44.46	1	Horizontal	134	2.47	-	39.90	18.72	45.62
RMS	27.69984G	43.63	77.74	-34.11	30.63	1	Horizontal	134	2.47	-	39.90	18.72	45.62

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00878G	58.59	88.20	-29.61	47.65	3	Vertical	174	2.06	-	41.20	12.20	42.46
RMS	14.00927G	44.95	68.20	-23.25	34.01	3	Vertical	174	2.06	-	41.20	12.20	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00515G	59.47	88.20	-28.73	48.53	3	Horizontal	120	1.57	-	41.20	12.20	42.46
RMS	14.0095G	45.03	68.20	-23.17	34.09	3	Horizontal	120	1.57	-	41.20	12.20	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01517G	45.22	83.54	-38.32	40.04	1	Vertical	360	1.52	-	38.05	16.01	48.88
AV	21.01476G	31.77	63.54	-31.77	26.59	1	Vertical	360	1.52	-	38.05	16.01	48.88
PK	28.02007G	58.78	97.74	-38.96	45.71	1	Vertical	179	1.67	-	39.82	18.91	45.66
RMS	28.01968G	44.67	77.74	-33.07	31.60	1	Vertical	179	1.67	-	39.82	18.91	45.66

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.015G	44.91	83.54	-38.63	39.73	1	Horizontal	279	2.77	-	38.05	16.01	48.88
AV	21.01536G	31.54	63.54	-32.00	26.36	1	Horizontal	279	2.77	-	38.05	16.01	48.88
PK	28.02003G	58.06	97.74	-39.68	44.99	1	Horizontal	299	1.52	-	39.82	18.91	45.66
RMS	28.01977G	44.64	77.74	-33.10	31.57	1	Horizontal	299	1.52	-	39.82	18.91	45.66

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0832G	110.00	Inf	-Inf	101.42	3	Vertical	71	1.78	-	35.67	8.42	35.51
RMS	7.0836G	99.26	Inf	-Inf	90.68	3	Vertical	71	1.78	-	35.67	8.42	35.51
PK	7.1254G	64.72	88.20	-23.48	55.98	3	Vertical	71	1.78	-	35.80	8.43	35.49
RMS	7.1848G	51.51	68.20	-16.69	42.40	3	Vertical	71	1.78	-	36.11	8.45	35.45

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0734G	107.30	Inf	-Inf	98.75	3	Horizontal	32	1.82	-	35.65	8.42	35.52
RMS	7.091G	95.28	Inf	-Inf	86.69	3	Horizontal	32	1.82	-	35.68	8.42	35.51
PK	7.127G	77.38	88.20	-10.82	68.63	3	Horizontal	32	1.82	-	35.81	8.43	35.49
RMS	7.1286G	53.79	68.20	-14.41	45.04	3	Horizontal	32	1.82	-	35.81	8.43	35.49

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16886G	59.97	88.20	-28.23	48.56	3	Vertical	9	1.69	-	41.58	12.25	42.42
RMS	14.17215G	45.47	68.20	-22.73	34.05	3	Vertical	9	1.69	-	41.59	12.25	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17499G	58.79	88.20	-29.41	47.36	3	Horizontal	205	2.31	-	41.60	12.25	42.42
RMS	14.16819G	45.45	68.20	-22.75	34.05	3	Horizontal	205	2.31	-	41.57	12.25	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25524G	44.46	83.54	-39.08	39.07	1	Vertical	231	1.80	-	38.04	16.20	48.85
AV	21.25457G	30.97	63.54	-32.57	25.58	1	Vertical	231	1.80	-	38.04	16.20	48.85
PK	28.34015G	57.80	97.74	-39.94	44.36	1	Vertical	208	2.48	-	40.00	19.05	45.61
RMS	28.33977G	44.07	77.74	-33.67	30.63	1	Vertical	208	2.48	-	40.00	19.05	45.61

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 17
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25545G	44.71	83.54	-38.83	39.32	1	Horizontal	343	1.17	-	38.04	16.20	48.85
AV	21.25465G	30.85	63.54	-32.69	25.46	1	Horizontal	343	1.17	-	38.04	16.20	48.85
PK	28.33981G	58.24	97.74	-39.50	44.80	1	Horizontal	314	2.77	-	40.00	19.05	45.61
RMS	28.33998G	44.07	77.74	-33.67	30.63	1	Horizontal	314	2.77	-	40.00	19.05	45.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	63.93	88.20	-24.27	56.85	3	Vertical	296	3.00	-	34.55	7.63	35.10
RMS	5.9218G	50.02	68.20	-18.18	42.95	3	Vertical	296	3.00	-	34.54	7.63	35.10
PK	6.0182G	109.77	Inf	-Inf	102.59	3	Vertical	296	3.00	-	34.60	7.71	35.13
RMS	6.017G	99.49	Inf	-Inf	92.31	3	Vertical	296	3.00	-	34.60	7.71	35.13

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	62.58	88.20	-25.62	55.53	3	Horizontal	66	2.02	-	34.53	7.62	35.10
RMS	5.9226G	49.88	68.20	-18.32	42.80	3	Horizontal	66	2.02	-	34.55	7.63	35.10
PK	6.0234G	107.94	Inf	-Inf	100.75	3	Horizontal	66	2.02	-	34.60	7.72	35.13
RMS	6.0218G	96.49	Inf	-Inf	89.30	3	Horizontal	66	2.02	-	34.60	7.72	35.13

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97392G	56.47	74.00	-17.53	49.03	3	Vertical	194	2.23	-	39.15	11.51	43.22
AV	11.96899G	42.36	54.00	-11.64	34.92	3	Vertical	194	2.23	-	39.16	11.50	43.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9697G	55.34	74.00	-18.66	47.90	3	Horizontal	308	1.87	-	39.16	11.50	43.22
AV	11.97084G	42.39	54.00	-11.61	34.95	3	Horizontal	308	1.87	-	39.16	11.50	43.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94002G	54.93	83.54	-28.61	45.79	1	Vertical	214	1.52	-	38.88	17.38	47.12
AV	23.9396G	41.90	63.54	-21.64	32.76	1	Vertical	214	1.52	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93991G	54.82	83.54	-28.72	45.68	1	Horizontal	334	1.98	-	38.88	17.38	47.12
AV	23.93955G	41.69	63.54	-21.85	32.55	1	Horizontal	334	1.98	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44667G	55.53	74.00	-18.47	48.42	3	Vertical	270	1.12	-	38.60	11.67	43.16
AV	12.44501G	42.21	54.00	-11.79	35.10	3	Vertical	270	1.12	-	38.60	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45162G	55.20	74.00	-18.80	48.09	3	Horizontal	296	1.08	-	38.60	11.67	43.16
AV	12.44734G	42.34	54.00	-11.66	35.23	3	Horizontal	296	1.08	-	38.60	11.67	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




09/04/2024

EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67532G	45.24	83.54	-38.30	41.83	1	Vertical	157	2.68	-	37.70	15.27	49.56
AV	18.67464G	31.40	63.54	-32.14	27.99	1	Vertical	157	2.68	-	37.70	15.27	49.56
PK	24.89968G	57.04	97.74	-40.70	46.90	1	Vertical	347	1.44	-	39.20	17.53	46.59
RMS	24.90032G	43.92	77.74	-33.82	33.77	1	Vertical	347	1.44	-	39.20	17.54	46.59

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67458G	45.39	83.54	-38.15	41.98	1	Horizontal	246	1.52	-	37.70	15.27	49.56
AV	18.67458G	31.26	63.54	-32.28	27.85	1	Horizontal	246	1.52	-	37.70	15.27	49.56
PK	24.90017G	57.91	97.74	-39.83	47.76	1	Horizontal	216	2.84	-	39.20	17.54	46.59
RMS	24.8999G	44.08	77.74	-33.66	33.94	1	Horizontal	216	2.84	-	39.20	17.53	46.59

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76801G	54.79	88.20	-33.41	47.02	3	Vertical	268	1.90	-	38.87	11.78	42.88
RMS	12.76899G	42.09	68.20	-26.11	34.31	3	Vertical	268	1.90	-	38.88	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
 Setting 18
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77279G	55.30	88.20	-32.90	47.51	3	Horizontal	207	2.66	-	38.89	11.78	42.88
RMS	12.76552G	42.15	68.20	-26.05	34.39	3	Horizontal	207	2.66	-	38.86	11.78	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1545G	43.72	83.54	-39.82	40.20	1	Vertical	249	1.22	-	37.73	15.24	49.45
AV	19.15528G	30.39	63.54	-33.15	26.87	1	Vertical	249	1.22	-	37.73	15.24	49.45
PK	25.54035G	56.13	97.74	-41.61	45.26	1	Vertical	15	1.57	-	39.40	17.63	46.16
RMS	25.54001G	43.24	77.74	-34.50	32.37	1	Vertical	15	1.57	-	39.40	17.63	46.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15472G	43.46	83.54	-40.08	39.94	1	Horizontal	235	1.35	-	37.73	15.24	49.45
AV	19.15498G	30.36	63.54	-33.18	26.84	1	Horizontal	235	1.35	-	37.73	15.24	49.45
PK	25.54046G	57.19	97.74	-40.55	46.32	1	Horizontal	254	1.99	-	39.40	17.63	46.16
RMS	25.53954G	43.32	77.74	-34.42	32.45	1	Horizontal	254	1.99	-	39.40	17.63	46.16

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93299G	55.57	88.20	-32.63	47.18	3	Vertical	289	2.76	-	39.27	11.84	42.72
RMS	12.92958G	42.67	68.20	-25.53	34.29	3	Vertical	289	2.76	-	39.26	11.84	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93428G	56.18	88.20	-32.02	47.79	3	Horizontal	190	2.10	-	39.27	11.84	42.72
RMS	12.93364G	42.81	68.20	-25.39	34.42	3	Horizontal	190	2.10	-	39.27	11.84	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39536G	43.90	83.54	-39.64	40.30	1	Vertical	133	1.69	-	37.98	15.23	49.61
AV	19.39459G	30.53	63.54	-33.01	26.93	1	Vertical	133	1.69	-	37.98	15.23	49.61
PK	25.86012G	56.26	97.74	-41.48	45.61	1	Vertical	246	1.65	-	39.18	17.68	46.21
RMS	25.86042G	42.46	77.74	-35.28	31.81	1	Vertical	246	1.65	-	39.18	17.68	46.21

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39482G	44.32	83.54	-39.22	40.72	1	Horizontal	214	2.40	-	37.98	15.23	49.61
AV	19.39476G	30.32	63.54	-33.22	26.72	1	Horizontal	214	2.40	-	37.98	15.23	49.61
PK	25.85961G	55.31	97.74	-42.43	44.66	1	Horizontal	53	1.35	-	39.18	17.68	46.21
RMS	25.86001G	42.51	77.74	-35.23	31.86	1	Horizontal	53	1.35	-	39.18	17.68	46.21

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09358G	56.23	88.20	-31.97	47.44	3	Vertical	339	1.97	-	39.57	11.89	42.67
RMS	13.09025G	43.60	68.20	-24.60	34.82	3	Vertical	339	1.97	-	39.56	11.89	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08872G	56.35	88.20	-31.85	47.58	3	Horizontal	294	1.12	-	39.55	11.89	42.67
RMS	13.08676G	43.54	68.20	-24.66	34.77	3	Horizontal	294	1.12	-	39.55	11.89	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63479G	44.48	83.54	-39.06	40.82	1	Vertical	36	1.27	-	38.01	15.22	49.57
AV	19.63469G	31.06	63.54	-32.48	27.40	1	Vertical	36	1.27	-	38.01	15.22	49.57
PK	26.18025G	56.45	97.74	-41.29	45.51	1	Vertical	112	2.00	-	39.24	17.81	46.11
RMS	26.18003G	43.06	77.74	-34.68	32.12	1	Vertical	112	2.00	-	39.24	17.81	46.11

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63539G	44.11	83.54	-39.43	40.45	1	Horizontal	237	2.80	-	38.01	15.22	49.57
AV	19.63518G	30.92	63.54	-32.62	27.26	1	Horizontal	237	2.80	-	38.01	15.22	49.57
PK	26.17976G	56.52	97.74	-41.22	45.58	1	Horizontal	104	1.45	-	39.24	17.81	46.11
RMS	26.17996G	42.91	77.74	-34.83	31.97	1	Horizontal	104	1.45	-	39.24	17.81	46.11

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25152G	56.67	74.00	-17.33	47.53	3	Vertical	27	1.42	-	39.90	11.95	42.71
AV	13.25257G	43.69	54.00	-10.31	34.54	3	Vertical	27	1.42	-	39.91	11.95	42.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25487G	57.64	74.00	-16.36	48.49	3	Horizontal	153	2.72	-	39.91	11.95	42.71
AV	13.2555G	43.72	54.00	-10.28	34.57	3	Horizontal	153	2.72	-	39.91	11.95	42.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87451G	42.11	83.54	-41.43	38.52	1	Vertical	211	2.12	-	37.75	15.21	49.37
AV	19.87464G	28.99	63.54	-34.55	25.40	1	Vertical	211	2.12	-	37.75	15.21	49.37
PK	26.49952G	56.27	97.74	-41.47	44.46	1	Vertical	172	2.24	-	39.70	18.00	45.89
RMS	26.49976G	42.79	77.74	-34.95	30.98	1	Vertical	172	2.24	-	39.70	18.00	45.89

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87492G	42.20	83.54	-41.34	38.61	1	Horizontal	258	2.51	-	37.75	15.21	49.37
AV	19.87481G	28.73	63.54	-34.81	25.14	1	Horizontal	258	2.51	-	37.75	15.21	49.37
PK	26.50035G	56.62	97.74	-41.12	44.81	1	Horizontal	334	1.18	-	39.70	18.00	45.89
RMS	26.50049G	42.95	77.74	-34.79	31.14	1	Horizontal	334	1.18	-	39.70	18.00	45.89

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40501G	56.97	88.20	-31.23	47.60	3	Vertical	228	1.93	-	40.11	12.00	42.74
RMS	13.41064G	43.64	68.20	-24.56	34.26	3	Vertical	228	1.93	-	40.12	12.00	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_X_2TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40686G	56.55	88.20	-31.65	47.18	3	Horizontal	234	1.85	-	40.11	12.00	42.74
RMS	13.40541G	43.65	68.20	-24.55	34.28	3	Horizontal	234	1.85	-	40.11	12.00	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11504G	42.74	83.54	-40.80	38.88	1	Vertical	20	2.74	-	37.81	15.29	49.24
AV	20.11465G	29.63	63.54	-33.91	25.77	1	Vertical	20	2.74	-	37.81	15.29	49.24
PK	26.82012G	56.99	97.74	-40.75	44.98	1	Vertical	156	1.10	-	39.80	18.19	45.98
RMS	26.82028G	44.41	77.74	-33.33	32.40	1	Vertical	156	1.10	-	39.80	18.19	45.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11518G	42.77	83.54	-40.77	38.91	1	Horizontal	157	2.82	-	37.81	15.29	49.24
AV	20.11475G	29.37	63.54	-34.17	25.51	1	Horizontal	157	2.82	-	37.81	15.29	49.24
PK	26.81953G	56.99	97.74	-40.75	44.98	1	Horizontal	11	1.17	-	39.80	18.19	45.98
RMS	26.81962G	43.30	77.74	-34.44	31.29	1	Horizontal	11	1.17	-	39.80	18.19	45.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56713G	57.23	88.20	-30.97	47.50	3	Vertical	331	1.91	-	40.40	12.05	42.72
AV	13.56665G	43.97	68.20	-24.23	34.24	3	Vertical	331	1.91	-	40.40	12.05	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5699G	57.57	88.20	-30.63	47.84	3	Horizontal	356	2.21	-	40.40	12.05	42.72
AV	13.57122G	43.96	68.20	-24.24	34.23	3	Horizontal	356	2.21	-	40.40	12.05	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35514G	44.25	83.54	-39.29	39.86	1	Vertical	344	1.90	-	38.09	15.48	49.18
AV	20.35457G	30.68	63.54	-32.86	26.29	1	Vertical	344	1.90	-	38.09	15.48	49.18
PK	27.13991G	56.80	97.74	-40.94	44.41	1	Vertical	285	2.03	-	39.92	18.38	45.91
RMS	27.13957G	43.23	77.74	-34.51	30.84	1	Vertical	285	2.03	-	39.92	18.38	45.91

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35509G	44.13	83.54	-39.41	39.74	1	Horizontal	254	2.31	-	38.09	15.48	49.18
AV	20.35459G	30.45	63.54	-33.09	26.06	1	Horizontal	254	2.31	-	38.09	15.48	49.18
PK	27.13986G	57.27	97.74	-40.47	44.88	1	Horizontal	169	1.11	-	39.92	18.38	45.91
RMS	27.13983G	45.26	77.74	-32.48	32.87	1	Horizontal	169	1.11	-	39.92	18.38	45.91

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73495G	57.21	88.20	-30.99	47.18	3	Vertical	219	2.47	-	40.54	12.11	42.62
RMS	13.72529G	44.19	68.20	-24.01	34.20	3	Vertical	219	2.47	-	40.50	12.11	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72579G	57.20	88.20	-31.00	47.21	3	Horizontal	0	2.13	-	40.50	12.11	42.62
RMS	13.727G	44.14	68.20	-24.06	34.14	3	Horizontal	0	2.13	-	40.51	12.11	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59492G	43.67	83.54	-39.87	39.09	1	Vertical	209	1.67	-	37.99	15.68	49.09
AV	20.59459G	30.21	63.54	-33.33	25.63	1	Vertical	209	1.67	-	37.99	15.68	49.09
PK	27.46016G	57.14	97.74	-40.60	44.39	1	Vertical	306	1.81	-	39.80	18.58	45.63
RMS	27.46013G	44.20	77.74	-33.54	31.45	1	Vertical	306	1.81	-	39.80	18.58	45.63

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5945G	43.81	83.54	-39.73	39.23	1	Horizontal	223	2.52	-	37.99	15.68	49.09
AV	20.59462G	30.10	63.54	-33.44	25.52	1	Horizontal	223	2.52	-	37.99	15.68	49.09
PK	27.45955G	57.36	97.74	-40.38	44.61	1	Horizontal	60	2.49	-	39.80	18.58	45.63
RMS	27.45996G	44.21	77.74	-33.53	31.46	1	Horizontal	60	2.49	-	39.80	18.58	45.63

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8909G	57.37	88.20	-30.83	46.86	3	Vertical	229	2.17	-	40.88	12.16	42.53
RMS	13.89056G	44.86	68.20	-23.34	34.35	3	Vertical	229	2.17	-	40.88	12.16	42.53

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89104G	57.96	88.20	-30.24	47.45	3	Horizontal	87	2.13	-	40.88	12.16	42.53
RMS	13.88861G	44.99	68.20	-23.21	34.48	3	Horizontal	87	2.13	-	40.88	12.16	42.53

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83492G	44.78	83.54	-38.76	39.68	1	Vertical	292	1.48	-	38.20	15.87	48.97
AV	20.83486G	31.34	63.54	-32.20	26.24	1	Vertical	292	1.48	-	38.20	15.87	48.97
PK	27.78037G	56.16	97.74	-41.58	43.18	1	Vertical	81	2.96	-	39.84	18.77	45.63
RMS	27.77968G	45.93	77.74	-31.81	32.95	1	Vertical	81	2.96	-	39.84	18.77	45.63

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_X_2TX
Setting 18
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83544G	44.94	83.54	-38.60	39.84	1	Horizontal	120	2.98	-	38.20	15.87	48.97
AV	20.83467G	31.22	63.54	-32.32	26.12	1	Horizontal	120	2.98	-	38.20	15.87	48.97
PK	27.77984G	56.27	97.74	-41.47	43.29	1	Horizontal	294	1.18	-	39.84	18.77	45.63
RMS	27.77959G	42.97	77.74	-34.77	29.99	1	Horizontal	294	1.18	-	39.84	18.77	45.63

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0018G	110.61	Inf	-Inf	102.17	3	Vertical	74	1.92	-	35.60	8.40	35.56
RMS	7.005G	99.50	Inf	-Inf	91.06	3	Vertical	74	1.92	-	35.60	8.40	35.56
PK	7.1826G	62.95	88.20	-25.25	53.85	3	Vertical	74	1.92	-	36.10	8.45	35.45
RMS	7.2426G	52.35	68.20	-15.85	42.85	3	Vertical	74	1.92	-	36.46	8.46	35.42
PK	7.3634G	64.30	74.00	-9.70	54.26	3	Vertical	74	1.92	-	36.90	8.49	35.35
AV	7.4242G	53.21	54.00	-0.79	43.15	3	Vertical	74	1.92	-	36.85	8.52	35.31

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	107.56	Inf	-Inf	99.11	3	Horizontal	73	1.36	-	35.60	8.40	35.55
RMS	7.013G	97.72	Inf	-Inf	89.27	3	Horizontal	73	1.36	-	35.60	8.40	35.55
PK	7.1274G	66.62	88.20	-21.58	57.87	3	Horizontal	73	1.36	-	35.81	8.43	35.49
RMS	7.1258G	52.42	68.20	-15.78	43.68	3	Horizontal	73	1.36	-	35.80	8.43	35.49
PK	7.3842G	64.22	74.00	-9.78	54.16	3	Horizontal	73	1.36	-	36.90	8.50	35.34
AV	7.4154G	53.10	54.00	-0.90	43.04	3	Horizontal	73	1.36	-	36.87	8.51	35.32

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05164G	57.56	88.20	-30.64	46.59	3	Vertical	335	1.90	-	41.20	12.22	42.45
RMS	14.05063G	44.86	68.20	-23.34	33.89	3	Vertical	335	1.90	-	41.20	12.22	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04596G	58.46	88.20	-29.74	47.50	3	Horizontal	266	2.89	-	41.20	12.21	42.45
RMS	14.04811G	44.85	68.20	-23.35	33.89	3	Horizontal	266	2.89	-	41.20	12.21	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0754G	45.01	83.54	-38.53	39.57	1	Vertical	226	2.45	-	38.25	16.06	48.87
AV	21.07453G	30.91	63.54	-32.63	25.47	1	Vertical	226	2.45	-	38.25	16.06	48.87
PK	28.09986G	58.77	97.74	-38.97	45.58	1	Vertical	295	1.15	-	39.90	18.94	45.65
RMS	28.09953G	44.89	77.74	-32.85	31.70	1	Vertical	295	1.15	-	39.90	18.94	45.65

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 19
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07488G	43.71	83.54	-39.83	38.27	1	Horizontal	303	2.45	-	38.25	16.06	48.87
AV	21.07479G	30.86	63.54	-32.68	25.42	1	Horizontal	303	2.45	-	38.25	16.06	48.87
PK	28.09971G	58.57	97.74	-39.17	45.38	1	Horizontal	347	2.27	-	39.90	18.94	45.65
RMS	28.1003G	45.96	77.74	-31.78	32.76	1	Horizontal	347	2.27	-	39.90	18.95	45.65

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
Setting 21
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	71.33	88.20	-16.87	64.30	3	Vertical	300.8	1.09	-	34.51	7.61	35.09
RMS	5.925G	59.77	68.20	-8.43	52.69	3	Vertical	300.8	1.09	-	34.55	7.63	35.10
PK	5.9642G	108.98	Inf	-Inf	101.84	3	Vertical	300.8	1.09	-	34.60	7.66	35.12
RMS	5.965G	99.25	Inf	-Inf	92.11	3	Vertical	300.8	1.09	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
Setting 21
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	75.09	88.20	-13.11	68.08	3	Horizontal	61	1.80	-	34.49	7.61	35.09
RMS	5.9114G	53.67	68.20	-14.53	46.63	3	Horizontal	61	1.80	-	34.52	7.62	35.10
PK	6.0506G	106.89	Inf	-Inf	99.66	3	Horizontal	61	1.80	-	34.60	7.75	35.12
RMS	6.0298G	96.70	Inf	-Inf	89.51	3	Horizontal	61	1.80	-	34.60	7.72	35.13

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
Setting 21
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05318G	55.69	74.00	-18.31	48.37	3	Vertical	300	1.41	-	38.99	11.54	43.21
AV	12.04652G	42.12	54.00	-11.88	34.78	3	Vertical	300	1.41	-	39.01	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
 Setting 21
 03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05138G	55.82	74.00	-18.18	48.49	3	Horizontal	95	1.44	-	39.00	11.54	43.21
AV	12.05255G	42.11	54.00	-11.89	34.79	3	Horizontal	95	1.44	-	38.99	11.54	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
Setting 21
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07463G	45.41	83.54	-38.13	42.09	1	Vertical	165	2.80	-	37.50	15.30	49.48
AV	18.07504G	31.42	63.54	-32.12	28.10	1	Vertical	165	2.80	-	37.50	15.30	49.48
PK	24.10035G	55.59	97.74	-42.15	46.30	1	Vertical	89	2.92	-	38.90	17.42	47.03
RMS	24.09956G	43.46	77.74	-34.28	34.18	1	Vertical	89	2.92	-	38.90	17.41	47.03

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
Setting 21
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0751G	45.41	83.54	-38.13	42.09	1	Horizontal	60	1.30	-	37.50	15.30	49.48
AV	18.0754G	31.30	63.54	-32.24	27.98	1	Horizontal	60	1.30	-	37.50	15.30	49.48
PK	24.10003G	55.04	97.74	-42.70	45.75	1	Horizontal	120	1.75	-	38.90	17.42	47.03
RMS	24.09965G	41.52	77.74	-36.22	32.24	1	Horizontal	120	1.75	-	38.90	17.41	47.03

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_X_2TX
Setting 20
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36784G	55.51	74.00	-18.49	48.37	3	Vertical	220	1.03	-	38.66	11.65	43.17
AV	12.37064G	41.95	54.00	-12.05	34.81	3	Vertical	220	1.03	-	38.66	11.65	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_X_2TX
Setting 20
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3706G	56.29	74.00	-17.71	49.15	3	Horizontal	153	2.81	-	38.66	11.65	43.17
AV	12.37083G	42.06	54.00	-11.94	34.92	3	Horizontal	153	2.81	-	38.66	11.65	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_X_2TX
Setting 20
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55506G	43.60	83.54	-39.94	40.27	1	Vertical	196	2.46	-	37.70	15.27	49.64
AV	18.55469G	30.03	63.54	-33.51	26.70	1	Vertical	196	2.46	-	37.70	15.27	49.64
PK	24.73961G	56.77	97.74	-40.97	46.70	1	Vertical	310	2.03	-	39.24	17.51	46.68
RMS	24.74001G	44.23	77.74	-33.51	34.16	1	Vertical	310	2.03	-	39.24	17.51	46.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_X_2TX
Setting 20
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55516G	43.75	83.54	-39.79	40.42	1	Horizontal	32	1.19	-	37.70	15.27	49.64
AV	18.55466G	29.88	63.54	-33.66	26.55	1	Horizontal	32	1.19	-	37.70	15.27	49.64
PK	24.73969G	56.77	97.74	-40.97	46.70	1	Horizontal	250	2.68	-	39.24	17.51	46.68
RMS	24.73974G	43.19	77.74	-34.55	33.12	1	Horizontal	250	2.68	-	39.24	17.51	46.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69102G	56.80	74.00	-17.20	49.13	3	Vertical	16	2.25	-	38.88	11.75	42.96
AV	12.68572G	42.33	54.00	-11.67	34.67	3	Vertical	16	2.25	-	38.87	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69196G	56.09	74.00	-17.91	48.41	3	Horizontal	356	1.01	-	38.88	11.76	42.96
AV	12.68803G	42.37	54.00	-11.63	34.70	3	Horizontal	356	1.01	-	38.88	11.75	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03479G	44.32	83.54	-39.22	40.53	1	Vertical	73	1.01	-	37.90	15.25	49.36
AV	19.03481G	29.90	63.54	-33.64	26.11	1	Vertical	73	1.01	-	37.90	15.25	49.36
PK	25.37993G	57.66	97.74	-40.08	46.97	1	Vertical	204	2.39	-	39.32	17.61	46.24
RMS	25.38041G	43.89	77.74	-33.85	33.20	1	Vertical	204	2.39	-	39.32	17.61	46.24

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03469G	43.15	83.54	-40.39	39.36	1	Horizontal	57	2.49	-	37.90	15.25	49.36
AV	19.0347G	29.78	63.54	-33.76	25.99	1	Horizontal	57	2.49	-	37.90	15.25	49.36
PK	25.38041G	58.28	97.74	-39.46	47.59	1	Horizontal	46	2.39	-	39.32	17.61	46.24
RMS	25.37954G	46.75	77.74	-30.99	36.06	1	Horizontal	46	2.39	-	39.32	17.61	46.24

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01333G	56.93	88.20	-31.27	48.39	3	Vertical	282	2.07	-	39.33	11.86	42.65
RMS	13.01495G	43.19	68.20	-25.01	34.64	3	Vertical	282	2.07	-	39.33	11.87	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 22
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00722G	56.72	88.20	-31.48	48.20	3	Horizontal	123	2.15	-	39.31	11.86	42.65
RMS	13.0144G	43.07	68.20	-25.13	34.53	3	Horizontal	123	2.15	-	39.33	11.86	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 22
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51536G	43.85	83.54	-39.69	40.27	1	Vertical	295	2.71	-	38.03	15.22	49.67
AV	19.51461G	29.66	63.54	-33.88	26.08	1	Vertical	295	2.71	-	38.03	15.22	49.67
PK	26.02005G	57.79	97.74	-39.95	47.17	1	Vertical	255	1.99	-	39.14	17.71	46.23
RMS	26.01983G	43.37	77.74	-34.37	32.75	1	Vertical	255	1.99	-	39.14	17.71	46.23

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
Setting 22
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51501G	42.67	83.54	-40.87	39.09	1	Horizontal	76	1.48	-	38.03	15.22	49.67
AV	19.51455G	29.43	63.54	-34.11	25.85	1	Horizontal	76	1.48	-	38.03	15.22	49.67
PK	26.01986G	56.63	97.74	-41.11	46.01	1	Horizontal	321	2.30	-	39.14	17.71	46.23
RMS	26.01958G	43.27	77.74	-34.47	32.65	1	Horizontal	321	2.30	-	39.14	17.71	46.23

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 22
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33288G	58.16	74.00	-15.84	48.91	3	Vertical	119	1.46	-	40.00	11.97	42.72
AV	13.32668G	43.80	54.00	-10.20	34.55	3	Vertical	119	1.46	-	40.00	11.97	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 22
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33219G	57.52	74.00	-16.48	48.27	3	Horizontal	60	2.40	-	40.00	11.97	42.72
AV	13.33296G	43.74	54.00	-10.26	34.49	3	Horizontal	60	2.40	-	40.00	11.97	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 22
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99466G	41.46	83.54	-42.08	37.73	1	Vertical	238	1.61	-	37.80	15.20	49.27
AV	19.99455G	27.22	63.54	-36.32	23.49	1	Vertical	238	1.61	-	37.80	15.20	49.27
PK	26.6601G	59.22	97.74	-38.52	46.69	1	Vertical	285	1.46	-	40.36	18.10	45.93
RMS	26.65955G	44.79	77.74	-32.95	32.26	1	Vertical	285	1.46	-	40.36	18.10	45.93

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_X_2TX
Setting 22
03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99503G	40.10	83.54	-43.44	36.37	1	Horizontal	352	1.94	-	37.80	15.20	49.27
AV	19.99451G	27.10	63.54	-36.44	23.37	1	Horizontal	352	1.94	-	37.80	15.20	49.27
PK	26.66024G	58.15	97.74	-39.59	45.62	1	Horizontal	201	1.04	-	40.36	18.10	45.93
RMS	26.65991G	46.64	77.74	-31.10	34.11	1	Horizontal	201	1.04	-	40.36	18.10	45.93