


6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86563G	61.24	88.20	-26.96	43.71	3	Horizontal	111	2.21	-	39.20	11.81	33.48
RMS	12.87391G	49.36	68.20	-18.84	31.81	3	Horizontal	111	2.21	-	39.20	11.82	33.47

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30543G	46.51	83.54	-37.03	42.85	1	Vertical	358	1.39	-	37.98	15.23	49.55
AV	19.30458G	33.67	63.54	-29.87	30.01	1	Vertical	358	1.39	-	37.98	15.23	49.55
PK	25.74043G	51.71	97.74	-46.03	40.98	1	Vertical	29	1.73	-	39.26	17.66	46.19
RMS	25.73986G	47.99	77.74	-29.75	37.26	1	Vertical	29	1.73	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30535G	49.22	83.54	-34.32	45.56	1	Horizontal	72	1.98	-	37.98	15.23	49.55
AV	19.30498G	35.68	63.54	-27.86	32.02	1	Horizontal	72	1.98	-	37.98	15.23	49.55
PK	25.73963G	52.30	97.74	-45.44	41.57	1	Horizontal	78	1.02	-	39.26	17.66	46.19
RMS	25.73977G	48.01	77.74	-29.73	37.28	1	Horizontal	78	1.02	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94983G	60.67	88.20	-27.53	42.90	3	Vertical	144	3.00	-	39.30	11.84	33.37
RMS	12.94797G	49.33	68.20	-18.87	31.56	3	Vertical	144	3.00	-	39.30	11.84	33.37

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95013G	62.45	88.20	-25.75	44.68	3	Horizontal	59	1.59	-	39.30	11.84	33.37
RMS	12.948G	49.39	68.20	-18.81	31.62	3	Horizontal	59	1.59	-	39.30	11.84	33.37

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42512G	46.13	83.54	-37.41	42.63	1	Vertical	18	2.43	-	37.90	15.23	49.63
AV	19.42518G	33.22	63.54	-30.32	29.72	1	Vertical	18	2.43	-	37.90	15.23	49.63
PK	25.89961G	51.81	97.74	-45.93	41.25	1	Vertical	161	1.16	-	39.10	17.68	46.22
RMS	25.89964G	47.85	77.74	-29.89	37.29	1	Vertical	161	1.16	-	39.10	17.68	46.22

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42455G	49.25	83.54	-34.29	45.75	1	Horizontal	175	2.29	-	37.90	15.23	49.63
AV	19.42464G	35.20	63.54	-28.34	31.70	1	Horizontal	175	2.29	-	37.90	15.23	49.63
PK	25.90002G	52.17	97.74	-45.57	41.60	1	Horizontal	47	1.26	-	39.10	17.69	46.22
RMS	25.90031G	48.86	77.74	-28.88	38.29	1	Horizontal	47	1.26	-	39.10	17.69	46.22

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6515MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02705G	60.33	88.20	-27.87	42.38	3	Vertical	115	1.95	-	39.35	11.87	33.27
RMS	13.02799G	48.39	68.20	-19.81	30.43	3	Vertical	115	1.95	-	39.36	11.87	33.27



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6515MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02527G	60.40	88.20	-27.80	42.45	3	Horizontal	215	1.82	-	39.35	11.87	33.27
RMS	13.02804G	48.47	68.20	-19.73	30.51	3	Horizontal	215	1.82	-	39.36	11.87	33.27

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6515MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5448G	46.89	83.54	-36.65	43.22	1	Vertical	145	1.69	-	38.09	15.22	49.64
AV	19.54493G	33.39	63.54	-30.15	29.72	1	Vertical	145	1.69	-	38.09	15.22	49.64
PK	26.06001G	51.97	97.74	-45.77	41.21	1	Vertical	74	1.17	-	39.22	17.74	46.20
RMS	26.05999G	47.17	77.74	-30.57	36.41	1	Vertical	74	1.17	-	39.22	17.74	46.20

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6515MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54454G	49.88	83.54	-33.66	46.21	1	Horizontal	136	2.51	-	38.09	15.22	49.64
AV	19.5449G	35.41	63.54	-28.13	31.74	1	Horizontal	136	2.51	-	38.09	15.22	49.64
PK	26.05962G	52.56	97.74	-45.18	41.80	1	Horizontal	165	2.94	-	39.22	17.74	46.20
RMS	26.05976G	48.07	77.74	-29.67	37.31	1	Horizontal	165	2.94	-	39.22	17.74	46.20

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06948G	60.96	88.20	-27.24	42.82	3	Vertical	57	1.84	-	39.48	11.88	33.22
RMS	13.0681G	49.73	68.20	-18.47	31.60	3	Vertical	57	1.84	-	39.47	11.88	33.22

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06564G	61.36	88.20	-26.84	43.24	3	Horizontal	46	1.05	-	39.46	11.88	33.22
RMS	13.06807G	49.73	68.20	-18.47	31.60	3	Horizontal	46	1.05	-	39.47	11.88	33.22

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60488G	46.39	83.54	-37.15	42.93	1	Vertical	171	1.94	-	37.83	15.22	49.59
AV	19.60472G	33.74	63.54	-29.80	30.28	1	Vertical	171	1.94	-	37.83	15.22	49.59
PK	26.13996G	51.21	97.74	-46.53	40.27	1	Vertical	326	1.62	-	39.30	17.78	46.14
RMS	26.13995G	47.00	77.74	-30.74	36.06	1	Vertical	326	1.62	-	39.30	17.78	46.14

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60464G	49.23	83.54	-34.31	45.77	1	Horizontal	254	2.87	-	37.83	15.22	49.59
AV	19.60452G	35.75	63.54	-27.79	32.29	1	Horizontal	254	2.87	-	37.83	15.22	49.59
PK	26.14002G	52.46	97.74	-45.28	41.52	1	Horizontal	239	2.60	-	39.30	17.78	46.14
RMS	26.13995G	48.94	77.74	-28.80	38.00	1	Horizontal	239	2.60	-	39.30	17.78	46.14

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38678G	61.24	74.00	-12.76	42.02	3	Vertical	84	1.02	-	40.07	11.99	32.84
AV	13.39334G	50.25	54.00	-3.75	31.00	3	Vertical	84	1.02	-	40.09	11.99	32.83



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39415G	61.06	74.00	-12.94	41.81	3	Horizontal	87	1.22	-	40.09	11.99	32.83
AV	13.39399G	50.27	54.00	-3.73	31.02	3	Horizontal	87	1.22	-	40.09	11.99	32.83

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08492G	46.69	83.54	-36.85	42.83	1	Vertical	11	2.75	-	37.84	15.27	49.25
AV	20.08527G	33.27	63.54	-30.27	29.41	1	Vertical	11	2.75	-	37.84	15.27	49.25
PK	26.78016G	51.60	97.74	-46.14	39.52	1	Vertical	167	2.10	-	39.88	18.17	45.97
RMS	26.78024G	47.12	77.74	-30.62	35.04	1	Vertical	167	2.10	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08481G	49.07	83.54	-34.47	45.21	1	Horizontal	90	1.38	-	37.84	15.27	49.25
AV	20.08469G	35.23	63.54	-28.31	31.37	1	Horizontal	90	1.38	-	37.84	15.27	49.25
PK	26.7805G	52.47	97.74	-45.27	40.39	1	Horizontal	203	2.33	-	39.88	18.17	45.97
RMS	26.77993G	48.10	77.74	-29.64	36.02	1	Horizontal	203	2.33	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 12  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75155G	61.05	88.20	-27.15	40.98	3	Vertical	281	2.98	-	40.60	12.12	32.65
RMS	13.75067G	50.14	68.20	-18.06	30.07	3	Vertical	281	2.98	-	40.60	12.12	32.65

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 12  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7457G	60.61	88.20	-27.59	40.57	3	Horizontal	342	1.12	-	40.58	12.11	32.65
RMS	13.75123G	50.11	68.20	-18.09	30.04	3	Horizontal	342	1.12	-	40.60	12.12	32.65

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 12  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6251G	46.08	83.54	-37.46	41.50	1	Vertical	326	1.82	-	37.95	15.70	49.07
AV	20.6254G	33.25	63.54	-30.29	28.67	1	Vertical	326	1.82	-	37.95	15.70	49.07
PK	27.49978G	51.55	97.74	-46.19	38.75	1	Vertical	205	2.13	-	39.80	18.60	45.60
RMS	27.49956G	47.94	77.74	-29.80	35.14	1	Vertical	205	2.13	-	39.80	18.60	45.60

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 12  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62485G	49.33	83.54	-34.21	44.76	1	Horizontal	70	2.82	-	37.95	15.70	49.08
AV	20.62457G	35.24	63.54	-28.30	30.67	1	Horizontal	70	2.82	-	37.95	15.70	49.08
PK	27.50011G	52.01	97.74	-45.73	39.21	1	Horizontal	210	2.73	-	39.80	18.60	45.60
RMS	27.49974G	48.95	77.74	-28.79	36.15	1	Horizontal	210	2.73	-	39.80	18.60	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78893G	60.66	88.20	-27.54	40.49	3	Vertical	215	2.31	-	40.68	12.13	32.64
RMS	13.78516G	50.66	68.20	-17.54	30.50	3	Vertical	215	2.31	-	40.67	12.13	32.64



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79207G	60.52	88.20	-27.68	40.35	3	Horizontal	278	2.52	-	40.68	12.13	32.64
RMS	13.78507G	50.72	68.20	-17.48	30.56	3	Horizontal	278	2.52	-	40.67	12.13	32.64

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68487G	46.36	83.54	-37.18	41.75	1	Vertical	204	1.00	-	37.90	15.75	49.04
AV	20.68526G	33.25	63.54	-30.29	28.64	1	Vertical	204	1.00	-	37.90	15.75	49.04
PK	27.57979G	51.20	97.74	-46.54	38.40	1	Vertical	96	1.26	-	39.76	18.65	45.61
RMS	27.57985G	47.72	77.74	-30.02	34.92	1	Vertical	96	1.26	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68499G	49.33	83.54	-34.21	44.72	1	Horizontal	100	1.46	-	37.90	15.75	49.04
AV	20.68462G	35.28	63.54	-28.26	30.67	1	Horizontal	100	1.46	-	37.90	15.75	49.04
PK	27.58019G	52.76	97.74	-44.98	39.96	1	Horizontal	81	2.86	-	39.76	18.65	45.61
RMS	27.58018G	48.82	77.74	-28.92	36.02	1	Horizontal	81	2.86	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9855G	61.34	88.20	-26.86	40.60	3	Vertical	299	1.01	-	41.14	12.20	32.60
RMS	13.98804G	50.93	68.20	-17.27	30.18	3	Vertical	299	1.01	-	41.15	12.20	32.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98525G	61.58	88.20	-26.62	40.85	3	Horizontal	100	1.15	-	41.14	12.19	32.60
RMS	13.98805G	50.92	68.20	-17.28	30.17	3	Horizontal	100	1.15	-	41.15	12.20	32.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98457G	46.57	83.54	-36.97	41.51	1	Vertical	101	1.76	-	37.96	15.99	48.89
AV	20.98498G	33.31	63.54	-30.23	28.25	1	Vertical	101	1.76	-	37.96	15.99	48.89
PK	27.97971G	51.56	97.74	-46.18	38.35	1	Vertical	77	1.79	-	39.98	18.89	45.66
RMS	27.97989G	47.97	77.74	-29.77	34.76	1	Vertical	77	1.79	-	39.98	18.89	45.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98508G	49.72	83.54	-33.82	44.66	1	Horizontal	160	2.54	-	37.96	15.99	48.89
AV	20.98482G	35.26	63.54	-28.28	30.20	1	Horizontal	160	2.54	-	37.96	15.99	48.89
PK	27.9803G	52.77	97.74	-44.97	39.56	1	Horizontal	109	2.19	-	39.98	18.89	45.66
RMS	27.98015G	48.94	77.74	-28.80	35.73	1	Horizontal	109	2.19	-	39.98	18.89	45.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1026G	108.86	Inf	-Inf	100.22	3	Vertical	26	1.05	-	35.71	8.43	35.50
RMS	7.1032G	95.79	Inf	-Inf	87.15	3	Vertical	26	1.05	-	35.71	8.43	35.50
PK	7.1848G	63.24	88.20	-24.96	54.13	3	Vertical	26	1.05	-	36.11	8.45	35.45
RMS	7.1876G	49.10	68.20	-19.10	39.97	3	Vertical	26	1.05	-	36.13	8.45	35.45



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	107.16	Inf	-Inf	98.58	3	Horizontal	290	2.10	-	35.67	8.42	35.51
RMS	7.0866G	94.58	Inf	-Inf	86.00	3	Horizontal	290	2.10	-	35.67	8.42	35.51
PK	7.1816G	62.58	88.20	-25.62	53.49	3	Horizontal	290	2.10	-	36.09	8.45	35.45
RMS	7.1904G	49.12	68.20	-19.08	39.98	3	Horizontal	290	2.10	-	36.14	8.45	35.45

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19489G	63.43	88.20	-24.77	42.18	3	Vertical	63	2.39	-	41.68	12.26	32.69
RMS	14.19128G	52.33	68.20	-15.87	31.08	3	Vertical	63	2.39	-	41.67	12.26	32.68

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19138G	65.02	88.20	-23.18	43.77	3	Horizontal	169	2.84	-	41.67	12.26	32.68
RMS	14.1907G	52.38	68.20	-15.82	31.14	3	Horizontal	169	2.84	-	41.66	12.26	32.68

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28502G	46.58	83.54	-36.96	40.92	1	Vertical	334	2.30	-	38.28	16.23	48.85
AV	21.28469G	33.85	63.54	-29.69	28.19	1	Vertical	334	2.30	-	38.28	16.23	48.85
PK	28.37986G	51.92	97.74	-45.82	38.46	1	Vertical	359	2.18	-	40.00	19.07	45.61
RMS	28.38026G	47.06	77.74	-30.68	33.60	1	Vertical	359	2.18	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28492G	49.32	83.54	-34.22	43.66	1	Horizontal	4	1.28	-	38.28	16.23	48.85
AV	21.28453G	35.86	63.54	-27.68	30.20	1	Horizontal	4	1.28	-	38.28	16.23	48.85
PK	28.3804G	52.21	97.74	-45.53	38.75	1	Horizontal	274	1.28	-	40.00	19.07	45.61
RMS	28.37982G	48.04	77.74	-29.70	34.58	1	Horizontal	274	1.28	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1075G	98.11	Inf	-Inf	89.45	3	Vertical	32	1.05	BP 1MHz	35.73	8.43	35.50
RMS	7.1065G	92.09	Inf	-Inf	83.43	3	Vertical	32	1.05	BP 1MHz	35.73	8.43	35.50
PK	7.1255G	76.81	88.20	-11.39	68.07	3	Vertical	32	1.05	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	67.55	68.20	-0.65	58.81	3	Vertical	32	1.05	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1065G	96.43	Inf	-Inf	87.77	3	Horizontal	293	2.06	BP 1MHz	35.73	8.43	35.50
RMS	7.1065G	90.36	Inf	-Inf	81.70	3	Horizontal	293	2.06	BP 1MHz	35.73	8.43	35.50
PK	7.1255G	75.09	88.20	-13.11	66.35	3	Horizontal	293	2.06	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	66.34	68.20	-1.86	57.60	3	Horizontal	293	2.06	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2321G	61.71	88.20	-26.49	40.38	3	Vertical	191	2.71	-	41.76	12.27	32.70
RMS	14.23067G	51.70	68.20	-16.50	30.37	3	Vertical	191	2.71	-	41.76	12.27	32.70



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22899G	62.77	88.20	-25.43	41.44	3	Horizontal	180	1.04	-	41.76	12.27	32.70
RMS	14.23009G	51.71	68.20	-16.49	30.38	3	Horizontal	180	1.04	-	41.76	12.27	32.70

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34494G	44.09	83.54	-39.45	38.34	1	Vertical	129	2.60	-	38.31	16.28	48.84
AV	21.34459G	30.70	63.54	-32.84	24.95	1	Vertical	129	2.60	-	38.31	16.28	48.84
PK	28.45956G	47.22	97.74	-50.52	33.61	1	Vertical	39	2.76	-	40.10	19.11	45.60
RMS	28.45976G	33.36	77.74	-44.38	19.75	1	Vertical	39	2.76	-	40.10	19.11	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_X\_2TX  
SET 5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34464G	44.21	83.54	-39.33	38.46	1	Horizontal	102	2.84	-	38.31	16.28	48.84
AV	21.34495G	30.72	63.54	-32.82	24.97	1	Horizontal	102	2.84	-	38.31	16.28	48.84
PK	28.46004G	46.69	97.74	-51.05	33.08	1	Horizontal	325	2.70	-	40.10	19.11	45.60
RMS	28.45984G	33.39	77.74	-44.35	19.78	1	Horizontal	325	2.70	-	40.10	19.11	45.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	60.26	88.20	-27.94	53.23	3	Vertical	55	2.23	-	34.51	7.61	35.09
RMS	5.925G	46.69	68.20	-21.51	39.61	3	Vertical	55	2.23	-	34.55	7.63	35.10
PK	5.9688G	109.21	Inf	-Inf	102.07	3	Vertical	55	2.23	-	34.60	7.67	35.13
RMS	5.9664G	96.15	Inf	-Inf	89.01	3	Vertical	55	2.23	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8788G	60.50	88.20	-27.70	53.57	3	Horizontal	298	1.05	-	34.42	7.59	35.08
RMS	5.9246G	46.62	68.20	-21.58	39.54	3	Horizontal	298	1.05	-	34.55	7.63	35.10
PK	5.9814G	109.23	Inf	-Inf	102.08	3	Horizontal	298	1.05	-	34.60	7.68	35.13
RMS	5.9824G	95.90	Inf	-Inf	88.75	3	Horizontal	298	1.05	-	34.60	7.68	35.13

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93128G	60.45	74.00	-13.55	44.16	3	Vertical	243	2.18	-	39.20	11.48	34.39
AV	11.93394G	48.75	54.00	-5.25	32.46	3	Vertical	243	2.18	-	39.20	11.48	34.39

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93497G	61.01	74.00	-12.99	44.72	3	Horizontal	123	2.47	-	39.20	11.48	34.39
AV	11.93402G	48.76	54.00	-5.24	32.47	3	Horizontal	123	2.47	-	39.20	11.48	34.39

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86022G	50.03	83.54	-33.51	41.03	1	Vertical	59	2.02	-	38.80	17.36	47.16
AV	23.85987G	46.43	63.54	-17.11	37.43	1	Vertical	59	2.02	-	38.80	17.36	47.16



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86047G	51.10	83.54	-32.44	42.10	1	Horizontal	38	1.20	-	38.80	17.36	47.16
AV	23.85958G	47.48	63.54	-16.06	38.48	1	Horizontal	38	1.20	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40689G	59.78	74.00	-14.22	43.57	3	Vertical	21	1.26	-	38.60	11.66	34.05
AV	12.41066G	48.29	54.00	-5.71	32.08	3	Vertical	21	1.26	-	38.60	11.66	34.05

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41331G	59.50	74.00	-14.50	43.28	3	Horizontal	6	1.50	-	38.60	11.66	34.04
AV	12.41068G	48.28	54.00	-5.72	32.07	3	Horizontal	6	1.50	-	38.60	11.66	34.05

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61527G	46.72	83.54	-36.82	43.32	1	Vertical	226	1.59	-	37.73	15.27	49.60
AV	18.61508G	33.76	63.54	-29.78	30.36	1	Vertical	226	1.59	-	37.73	15.27	49.60
PK	24.82029G	51.54	97.74	-46.20	41.35	1	Vertical	46	1.70	-	39.30	17.52	46.63
RMS	24.82001G	47.80	77.74	-29.94	37.61	1	Vertical	46	1.70	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61516G	49.35	83.54	-34.19	45.95	1	Horizontal	244	2.61	-	37.73	15.27	49.60
AV	18.61455G	35.79	63.54	-27.75	32.39	1	Horizontal	244	2.61	-	37.73	15.27	49.60
PK	24.8205G	52.97	97.74	-44.77	42.78	1	Horizontal	128	1.51	-	39.30	17.52	46.63
RMS	24.81982G	48.75	77.74	-28.99	38.56	1	Horizontal	128	1.51	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80738G	60.14	88.20	-28.06	42.88	3	Vertical	2	1.40	-	39.03	11.79	33.56
RMS	12.81134G	49.05	68.20	-19.15	31.76	3	Vertical	2	1.40	-	39.05	11.80	33.56

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80819G	60.56	88.20	-27.64	43.30	3	Horizontal	211	1.91	-	39.03	11.79	33.56
RMS	12.81133G	49.02	68.20	-19.18	31.73	3	Horizontal	211	1.91	-	39.05	11.80	33.56

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.215G	45.25	83.54	-38.29	41.53	1	Vertical	264	2.51	-	37.97	15.24	49.49
AV	19.21498G	33.48	63.54	-30.06	29.76	1	Vertical	264	2.51	-	37.97	15.24	49.49
PK	25.62032G	51.02	97.74	-46.72	40.13	1	Vertical	64	1.84	-	39.42	17.64	46.17
RMS	25.61981G	47.18	77.74	-30.56	36.29	1	Vertical	64	1.84	-	39.42	17.64	46.17



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21452G	49.88	83.54	-33.66	46.16	1	Horizontal	298	1.46	-	37.97	15.24	49.49
AV	19.21491G	35.49	63.54	-28.05	31.77	1	Horizontal	298	1.46	-	37.97	15.24	49.49
PK	25.61998G	52.73	97.74	-45.01	41.84	1	Horizontal	3	1.46	-	39.42	17.64	46.17
RMS	25.61994G	48.21	77.74	-29.53	37.32	1	Horizontal	3	1.46	-	39.42	17.64	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88804G	60.38	88.20	-27.82	42.81	3	Vertical	141	2.43	-	39.20	11.82	33.45
RMS	12.89079G	49.08	68.20	-19.12	31.51	3	Vertical	141	2.43	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_X\_2TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89019G	60.10	88.20	-28.10	42.53	3	Horizontal	294	2.16	-	39.20	11.82	33.45
RMS	12.89132G	49.13	68.20	-19.07	31.56	3	Horizontal	294	2.16	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33479G	46.01	83.54	-37.53	42.49	1	Vertical	30	1.50	-	37.86	15.23	49.57
AV	19.33457G	33.94	63.54	-29.60	30.42	1	Vertical	30	1.50	-	37.86	15.23	49.57
PK	25.78028G	51.58	97.74	-46.16	40.99	1	Vertical	43	2.14	-	39.12	17.67	46.20
RMS	25.77968G	47.12	77.74	-30.62	36.53	1	Vertical	43	2.14	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_X\_2TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3349G	49.26	83.54	-34.28	45.74	1	Horizontal	298	1.79	-	37.86	15.23	49.57
AV	19.33482G	35.95	63.54	-27.59	32.43	1	Horizontal	298	1.79	-	37.86	15.23	49.57
PK	25.78011G	52.25	97.74	-45.49	41.66	1	Horizontal	140	1.15	-	39.12	17.67	46.20
RMS	25.77994G	48.12	77.74	-29.62	37.53	1	Horizontal	140	1.15	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.96616G	59.14	88.20	-29.06	41.34	3	Vertical	253	2.78	-	39.30	11.85	33.35
RMS	12.97064G	48.40	68.20	-19.80	30.59	3	Vertical	253	2.78	-	39.30	11.85	33.34

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96649G	59.11	88.20	-29.09	41.31	3	Horizontal	122	1.37	-	39.30	11.85	33.35
RMS	12.97007G	48.37	68.20	-19.83	30.56	3	Horizontal	122	1.37	-	39.30	11.85	33.34

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45517G	46.85	83.54	-36.69	43.45	1	Vertical	161	2.50	-	37.82	15.23	49.65
AV	19.4546G	33.51	63.54	-30.03	30.11	1	Vertical	161	2.50	-	37.82	15.23	49.65
PK	25.94022G	51.20	97.74	-46.54	40.80	1	Vertical	244	1.55	-	38.94	17.69	46.23
RMS	25.93997G	47.97	77.74	-29.77	37.57	1	Vertical	244	1.55	-	38.94	17.69	46.23



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45546G	49.95	83.54	-33.59	46.55	1	Horizontal	54	2.81	-	37.82	15.23	49.65
AV	19.45457G	35.55	63.54	-27.99	32.15	1	Horizontal	54	2.81	-	37.82	15.23	49.65
PK	25.94016G	52.51	97.74	-45.23	42.11	1	Horizontal	64	2.74	-	38.94	17.69	46.23
RMS	25.93998G	48.99	77.74	-28.75	38.59	1	Horizontal	64	2.74	-	38.94	17.69	46.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05204G	59.38	88.20	-28.82	41.33	3	Vertical	229	2.38	-	39.41	11.88	33.24
RMS	13.05392G	48.50	68.20	-19.70	30.44	3	Vertical	229	2.38	-	39.42	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.052866G	60.41	88.20	-27.79	42.36	3	Horizontal	258	1.28	-	39.41	11.88	33.24
RMS	13.05402G	48.53	68.20	-19.67	30.47	3	Horizontal	258	1.28	-	39.42	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57526G	46.92	83.54	-36.62	43.37	1	Vertical	15	1.50	-	37.95	15.22	49.62
AV	19.57538G	33.42	63.54	-30.12	29.87	1	Vertical	15	1.50	-	37.95	15.22	49.62
PK	26.10001G	51.01	97.74	-46.73	40.12	1	Vertical	312	1.82	-	39.30	17.76	46.17
RMS	26.09986G	47.18	77.74	-30.56	36.29	1	Vertical	312	1.82	-	39.30	17.76	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57468G	49.32	83.54	-34.22	45.77	1	Horizontal	113	2.60	-	37.95	15.22	49.62
AV	19.57467G	35.40	63.54	-28.14	31.85	1	Horizontal	113	2.60	-	37.95	15.22	49.62
PK	26.10001G	52.17	97.74	-45.57	41.28	1	Horizontal	317	2.64	-	39.30	17.76	46.17
RMS	26.09959G	48.22	77.74	-29.52	37.33	1	Horizontal	317	2.64	-	39.30	17.76	46.17

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12602G	60.89	88.20	-27.31	42.54	3	Vertical	57	2.59	-	39.60	11.90	33.15
RMS	13.13393G	49.75	68.20	-18.45	31.38	3	Vertical	57	2.59	-	39.60	11.91	33.14

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13161G	60.79	88.20	-27.41	42.43	3	Horizontal	172	1.83	-	39.60	11.90	33.14
RMS	13.13393G	49.73	68.20	-18.47	31.36	3	Horizontal	172	1.83	-	39.60	11.91	33.14

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69453G	46.17	83.54	-37.37	42.64	1	Vertical	225	1.21	-	37.83	15.22	49.52
AV	19.69459G	33.66	63.54	-29.88	30.13	1	Vertical	225	1.21	-	37.83	15.22	49.52
PK	26.25995G	51.90	97.74	-45.84	41.00	1	Vertical	183	1.70	-	39.10	17.86	46.06
RMS	26.25963G	47.10	77.74	-30.64	36.20	1	Vertical	183	1.70	-	39.10	17.86	46.06



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69498G	49.06	83.54	-34.48	45.53	1	Horizontal	292	1.20	-	37.83	15.22	49.52
AV	19.69458G	35.61	63.54	-27.93	32.08	1	Horizontal	292	1.20	-	37.83	15.22	49.52
PK	26.25972G	52.67	97.74	-45.07	41.77	1	Horizontal	303	2.81	-	39.10	17.86	46.06
RMS	26.26023G	48.05	77.74	-29.69	37.15	1	Horizontal	303	2.81	-	39.10	17.86	46.06

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37174G	62.27	74.00	-11.73	43.09	3	Vertical	266	2.83	-	40.04	11.99	32.85
AV	13.3708G	50.37	54.00	-3.63	31.20	3	Vertical	266	2.83	-	40.04	11.99	32.86

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37287G	61.83	74.00	-12.17	42.64	3	Horizontal	335	2.20	-	40.05	11.99	32.85
AV	13.37001G	50.34	54.00	-3.66	31.17	3	Horizontal	335	2.20	-	40.04	11.99	32.86

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05464G	46.63	83.54	-36.91	42.93	1	Vertical	197	1.14	-	37.72	15.24	49.26
AV	20.05483G	33.01	63.54	-30.53	29.31	1	Vertical	197	1.14	-	37.72	15.24	49.26
PK	26.74036G	51.76	97.74	-45.98	39.54	1	Vertical	100	1.22	-	40.04	18.14	45.96
RMS	26.73983G	47.58	77.74	-30.16	35.36	1	Vertical	100	1.22	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05495G	49.56	83.54	-33.98	45.86	1	Horizontal	160	2.23	-	37.72	15.24	49.26
AV	20.05476G	35.02	63.54	-28.52	31.32	1	Horizontal	160	2.23	-	37.72	15.24	49.26
PK	26.74034G	52.45	97.74	-45.29	40.23	1	Horizontal	44	2.26	-	40.04	18.14	45.96
RMS	26.74012G	48.58	77.74	-29.16	36.36	1	Horizontal	44	2.26	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76614G	61.52	88.20	-26.68	41.42	3	Vertical	6	1.21	-	40.63	12.12	32.65
RMS	13.76811G	50.47	68.20	-17.73	30.36	3	Vertical	6	1.21	-	40.64	12.12	32.65

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76957G	63.26	88.20	-24.94	43.15	3	Horizontal	81	2.01	-	40.64	12.12	32.65
RMS	13.76741G	50.45	68.20	-17.75	30.35	3	Horizontal	81	2.01	-	40.63	12.12	32.65

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65489G	46.04	83.54	-37.50	41.48	1	Vertical	185	2.50	-	37.90	15.72	49.06
AV	20.65464G	33.07	63.54	-30.47	28.51	1	Vertical	185	2.50	-	37.90	15.72	49.06
PK	27.54018G	51.31	97.74	-46.43	38.57	1	Vertical	57	2.58	-	39.72	18.62	45.60
RMS	27.53987G	47.63	77.74	-30.11	34.89	1	Vertical	57	2.58	-	39.72	18.62	45.60



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65456G	49.26	83.54	-34.28	44.70	1	Horizontal	63	1.24	-	37.90	15.72	49.06
AV	20.65464G	35.02	63.54	-28.52	30.46	1	Horizontal	63	1.24	-	37.90	15.72	49.06
PK	27.53962G	52.43	97.74	-45.31	39.69	1	Horizontal	45	1.64	-	39.72	18.62	45.60
RMS	27.53999G	48.62	77.74	-29.12	35.88	1	Horizontal	45	1.64	-	39.72	18.62	45.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_X\_2TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84564G	60.87	88.20	-27.33	40.56	3	Vertical	177	1.69	-	40.79	12.15	32.63
RMS	13.84797G	49.91	68.20	-18.29	29.59	3	Vertical	177	1.69	-	40.80	12.15	32.63

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_X\_2TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84579G	61.03	88.20	-27.17	40.72	3	Horizontal	188	1.65	-	40.79	12.15	32.63
RMS	13.84814G	49.94	68.20	-18.26	29.62	3	Horizontal	188	1.65	-	40.80	12.15	32.63

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_X\_2TX  
SET 15.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77544G	46.97	83.54	-36.57	42.15	1	Vertical	63	2.38	-	38.00	15.82	49.00
AV	20.77467G	33.39	63.54	-30.15	28.57	1	Vertical	63	2.38	-	38.00	15.82	49.00
PK	27.69997G	51.57	97.74	-46.17	38.57	1	Vertical	30	2.25	-	39.90	18.72	45.62
RMS	27.69959G	47.16	77.74	-30.58	34.16	1	Vertical	30	2.25	-	39.90	18.72	45.62

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_X\_2TX  
SET 15.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77526G	49.82	83.54	-33.72	45.00	1	Horizontal	202	2.98	-	38.00	15.82	49.00
AV	20.77461G	35.35	63.54	-28.19	30.53	1	Horizontal	202	2.98	-	38.00	15.82	49.00
PK	27.70026G	52.77	97.74	-44.97	39.77	1	Horizontal	220	2.54	-	39.90	18.72	45.62
RMS	27.69965G	48.22	77.74	-29.52	35.22	1	Horizontal	220	2.54	-	39.90	18.72	45.62

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00913G	62.20	88.20	-26.00	41.40	3	Vertical	321	2.39	-	41.20	12.20	32.60
RMS	14.01135G	50.92	68.20	-17.28	30.12	3	Vertical	321	2.39	-	41.20	12.20	32.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_X\_2TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0097G	61.92	88.20	-26.28	41.12	3	Horizontal	284	2.72	-	41.20	12.20	32.60
RMS	14.01064G	50.92	68.20	-17.28	30.12	3	Horizontal	284	2.72	-	41.20	12.20	32.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01459G	46.78	83.54	-36.76	41.60	1	Vertical	143	2.25	-	38.05	16.01	48.88
AV	21.01469G	33.13	63.54	-30.41	27.95	1	Vertical	143	2.25	-	38.05	16.01	48.88
PK	28.01953G	51.44	97.74	-46.30	38.37	1	Vertical	344	2.66	-	39.82	18.91	45.66
RMS	28.02016G	47.14	77.74	-30.60	34.07	1	Vertical	344	2.66	-	39.82	18.91	45.66



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_X\_2TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01499G	49.41	83.54	-34.13	44.23	1	Horizontal	116	1.15	-	38.05	16.01	48.88
AV	21.01478G	35.06	63.54	-28.48	29.88	1	Horizontal	116	1.15	-	38.05	16.01	48.88
PK	28.01961G	52.68	97.74	-45.06	39.61	1	Horizontal	40	1.92	-	39.82	18.91	45.66
RMS	28.01957G	48.14	77.74	-29.60	35.07	1	Horizontal	40	1.92	-	39.82	18.91	45.66

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0768G	109.05	Inf	-Inf	100.50	3	Vertical	32	1.05	-	35.65	8.42	35.52
RMS	7.0768G	95.88	Inf	-Inf	87.33	3	Vertical	32	1.05	-	35.65	8.42	35.52
PK	7.1392G	62.59	88.20	-25.61	53.78	3	Vertical	32	1.05	-	35.86	8.43	35.48
RMS	7.183G	49.02	68.20	-19.18	39.92	3	Vertical	32	1.05	-	36.10	8.45	35.45

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0744G	108.56	Inf	-Inf	100.01	3	Horizontal	288	2.10	-	35.65	8.42	35.52
RMS	7.0772G	95.03	Inf	-Inf	86.48	3	Horizontal	288	2.10	-	35.65	8.42	35.52
PK	7.1338G	63.20	88.20	-25.00	54.41	3	Horizontal	288	2.10	-	35.84	8.43	35.48
RMS	7.1824G	49.01	68.20	-19.19	39.92	3	Horizontal	288	2.10	-	36.09	8.45	35.45

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16562G	62.18	88.20	-26.02	41.04	3	Vertical	291	1.54	-	41.56	12.25	32.67
RMS	14.17391G	51.50	68.20	-16.70	30.33	3	Vertical	291	1.54	-	41.60	12.25	32.68

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16835G	61.66	88.20	-26.54	40.51	3	Horizontal	333	1.51	-	41.57	12.25	32.67
RMS	14.1733G	51.49	68.20	-16.71	30.33	3	Horizontal	333	1.51	-	41.59	12.25	32.68

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25454G	46.36	83.54	-37.18	40.97	1	Vertical	354	2.32	-	38.04	16.20	48.85
AV	21.25461G	33.59	63.54	-29.95	28.20	1	Vertical	354	2.32	-	38.04	16.20	48.85
PK	28.33976G	51.10	97.74	-46.64	37.66	1	Vertical	256	1.17	-	40.00	19.05	45.61
RMS	28.33974G	47.33	77.74	-30.41	33.89	1	Vertical	256	1.17	-	40.00	19.05	45.61

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_X\_2TX  
SET 15  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25465G	49.86	83.54	-33.68	44.47	1	Horizontal	191	2.25	-	38.04	16.20	48.85
AV	21.25459G	35.60	63.54	-27.94	30.21	1	Horizontal	191	2.25	-	38.04	16.20	48.85
PK	28.34021G	52.90	97.74	-44.84	39.46	1	Horizontal	195	2.29	-	40.00	19.05	45.61
RMS	28.33974G	48.30	77.74	-29.44	34.86	1	Horizontal	195	2.29	-	40.00	19.05	45.61

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.23	88.20	-26.97	54.15	3	Vertical	56	2.28	-	34.55	7.63	35.10
RMS	5.925G	47.70	68.20	-20.50	40.62	3	Vertical	56	2.28	-	34.55	7.63	35.10
PK	6.009G	109.09	Inf	-Inf	101.93	3	Vertical	56	2.28	-	34.60	7.70	35.14
RMS	6.0074G	95.96	Inf	-Inf	88.80	3	Vertical	56	2.28	-	34.60	7.70	35.14



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.38	88.20	-27.82	53.30	3	Horizontal	298	1.12	-	34.55	7.63	35.10
RMS	5.9242G	46.84	68.20	-21.36	39.76	3	Horizontal	298	1.12	-	34.55	7.63	35.10
PK	6.0214G	109.47	Inf	-Inf	102.29	3	Horizontal	298	1.12	-	34.60	7.71	35.13
RMS	6.0218G	95.12	Inf	-Inf	87.93	3	Horizontal	298	1.12	-	34.60	7.72	35.13

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.97424G	61.69	74.00	-12.31	45.39	3	Vertical	234	2.99	-	39.15	11.51	34.36
AV	11.97392G	49.35	54.00	-4.65	33.06	3	Vertical	234	2.99	-	39.15	11.51	34.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96906G	62.17	74.00	-11.83	45.88	3	Horizontal	213	1.66	-	39.16	11.50	34.37
AV	11.97391G	49.34	54.00	-4.66	33.05	3	Horizontal	213	1.66	-	39.15	11.51	34.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93976G	46.59	83.54	-36.95	37.45	1	Vertical	339	2.79	-	38.88	17.38	47.12
AV	23.93962G	34.90	63.54	-28.64	25.76	1	Vertical	339	2.79	-	38.88	17.38	47.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 17  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94019G	49.69	83.54	-33.85	40.55	1	Horizontal	272	1.54	-	38.88	17.38	47.12
AV	23.93953G	36.89	63.54	-26.65	27.75	1	Horizontal	272	1.54	-	38.88	17.38	47.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 18.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44871G	59.38	74.00	-14.62	43.13	3	Vertical	233	1.47	-	38.60	11.67	34.02
AV	12.45394G	48.52	54.00	-5.48	32.25	3	Vertical	233	1.47	-	38.61	11.67	34.01

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 18.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45229G	59.82	74.00	-14.18	43.57	3	Horizontal	311	2.92	-	38.60	11.67	34.02
AV	12.454G	48.49	54.00	-5.51	32.22	3	Horizontal	311	2.92	-	38.61	11.67	34.01

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 18.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67456G	46.18	83.54	-37.36	42.77	1	Vertical	216	2.57	-	37.70	15.27	49.56
AV	18.67487G	34.02	63.54	-29.52	30.61	1	Vertical	216	2.57	-	37.70	15.27	49.56
PK	24.90013G	51.20	97.74	-46.54	41.05	1	Vertical	284	2.23	-	39.20	17.54	46.59
RMS	24.89969G	47.51	77.74	-30.23	37.37	1	Vertical	284	2.23	-	39.20	17.53	46.59



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 18.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67505G	49.90	83.54	-33.64	46.49	1	Horizontal	100	1.83	-	37.70	15.27	49.56
AV	18.67495G	36.05	63.54	-27.49	32.64	1	Horizontal	100	1.83	-	37.70	15.27	49.56
PK	24.90015G	52.92	97.74	-44.82	42.77	1	Horizontal	46	2.37	-	39.20	17.54	46.59
RMS	24.89996G	48.47	77.74	-29.27	38.33	1	Horizontal	46	2.37	-	39.20	17.53	46.59

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76879G	59.87	88.20	-28.33	42.82	3	Vertical	231	1.92	-	38.88	11.78	33.61
RMS	12.768G	48.54	68.20	-19.66	31.51	3	Vertical	231	1.92	-	38.87	11.78	33.62

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77401G	59.91	88.20	-28.29	42.84	3	Horizontal	139	2.48	-	38.90	11.78	33.61
RMS	12.76811G	48.56	68.20	-19.64	31.53	3	Horizontal	139	2.48	-	38.87	11.78	33.62

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15536G	46.24	83.54	-37.30	42.72	1	Vertical	295	1.44	-	37.73	15.24	49.45
AV	19.15463G	33.32	63.54	-30.22	29.80	1	Vertical	295	1.44	-	37.73	15.24	49.45
PK	25.54021G	51.84	97.74	-45.90	40.97	1	Vertical	100	1.44	-	39.40	17.63	46.16
RMS	25.5402G	47.04	77.74	-30.70	36.17	1	Vertical	100	1.44	-	39.40	17.63	46.16

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15534G	49.05	83.54	-34.49	45.53	1	Horizontal	109	1.32	-	37.73	15.24	49.45
AV	19.1547G	35.29	63.54	-28.25	31.77	1	Horizontal	109	1.32	-	37.73	15.24	49.45
PK	25.5397G	52.57	97.74	-45.17	41.70	1	Horizontal	341	2.87	-	39.40	17.63	46.16
RMS	25.53981G	48.05	77.74	-29.69	37.18	1	Horizontal	341	2.87	-	39.40	17.63	46.16

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92735G	60.80	88.20	-27.40	43.11	3	Vertical	181	2.22	-	39.25	11.84	33.40
RMS	12.93129G	49.23	68.20	-18.97	31.52	3	Vertical	181	2.22	-	39.26	11.84	33.39

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93327G	59.93	88.20	-28.27	42.21	3	Horizontal	47	2.72	-	39.27	11.84	33.39
RMS	12.9313G	49.29	68.20	-18.91	31.58	3	Horizontal	47	2.72	-	39.26	11.84	33.39

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39455G	46.40	83.54	-37.14	42.80	1	Vertical	140	1.36	-	37.98	15.23	49.61
AV	19.39484G	33.34	63.54	-30.20	29.74	1	Vertical	140	1.36	-	37.98	15.23	49.61
PK	25.85996G	51.54	97.74	-46.20	40.89	1	Vertical	250	2.55	-	39.18	17.68	46.21
RMS	25.86013G	47.28	77.74	-30.46	36.63	1	Vertical	250	2.55	-	39.18	17.68	46.21



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39539G	49.37	83.54	-34.17	45.77	1	Horizontal	200	1.11	-	37.98	15.23	49.61
AV	19.39513G	35.36	63.54	-28.18	31.76	1	Horizontal	200	1.11	-	37.98	15.23	49.61
PK	25.85958G	52.98	97.74	-44.76	42.33	1	Horizontal	297	2.78	-	39.18	17.68	46.21
RMS	25.85975G	48.26	77.74	-29.48	37.61	1	Horizontal	297	2.78	-	39.18	17.68	46.21

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09451G	59.46	88.20	-28.74	41.18	3	Vertical	7	1.89	-	39.58	11.89	33.19
RMS	13.09398G	47.93	68.20	-20.27	29.65	3	Vertical	7	1.89	-	39.58	11.89	33.19

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09111G	60.25	88.20	-27.95	41.99	3	Horizontal	92	1.90	-	39.56	11.89	33.19
RMS	13.09338G	47.93	68.20	-20.27	29.66	3	Horizontal	92	1.90	-	39.57	11.89	33.19

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6348G	46.12	83.54	-37.42	42.46	1	Vertical	243	1.34	-	38.01	15.22	49.57
AV	19.63516G	33.76	63.54	-29.78	30.10	1	Vertical	243	1.34	-	38.01	15.22	49.57
PK	26.18047G	51.27	97.74	-46.47	40.33	1	Vertical	169	2.93	-	39.24	17.81	46.11
RMS	26.17958G	47.65	77.74	-30.09	36.71	1	Vertical	169	2.93	-	39.24	17.81	46.11

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6355G	49.31	83.54	-34.23	45.65	1	Horizontal	262	2.28	-	38.01	15.22	49.57
AV	19.63479G	35.78	63.54	-27.76	32.12	1	Horizontal	262	2.28	-	38.01	15.22	49.57
PK	26.1795G	52.56	97.74	-45.18	41.62	1	Horizontal	222	2.99	-	39.24	17.81	46.11
RMS	26.17964G	48.62	77.74	-29.12	37.68	1	Horizontal	222	2.99	-	39.24	17.81	46.11

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2475G	62.00	88.20	-26.20	43.17	3	Vertical	278	2.72	-	39.89	11.94	33.00
RMS	13.24803G	50.22	68.20	-17.98	31.39	3	Vertical	278	2.72	-	39.89	11.94	33.00

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2494G	63.20	88.20	-25.00	44.36	3	Horizontal	281	1.85	-	39.90	11.94	33.00
RMS	13.24994G	50.25	68.20	-17.95	31.41	3	Horizontal	281	1.85	-	39.90	11.94	33.00

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87503G	46.90	83.54	-36.64	43.31	1	Vertical	241	1.53	-	37.75	15.21	49.37
AV	19.8749G	33.08	63.54	-30.46	29.49	1	Vertical	241	1.53	-	37.75	15.21	49.37
PK	26.5005G	51.96	97.74	-45.78	40.15	1	Vertical	355	2.67	-	39.70	18.00	45.89
RMS	26.50029G	47.77	77.74	-29.97	35.96	1	Vertical	355	2.67	-	39.70	18.00	45.89



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87541G	48.99	83.54	-34.55	45.40	1	Horizontal	205	2.89	-	37.75	15.21	49.37
AV	19.87473G	35.96	63.54	-27.58	32.37	1	Horizontal	205	2.89	-	37.75	15.21	49.37
PK	26.49966G	52.31	97.74	-45.43	40.50	1	Horizontal	19	1.53	-	39.70	18.00	45.89
RMS	26.50025G	48.75	77.74	-28.99	36.94	1	Horizontal	19	1.53	-	39.70	18.00	45.89

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41194G	61.56	88.20	-26.64	42.25	3	Vertical	260	2.06	-	40.12	12.00	32.81
RMS	13.41063G	50.51	68.20	-17.69	31.20	3	Vertical	260	2.06	-	40.12	12.00	32.81

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41339G	61.90	88.20	-26.30	42.57	3	Horizontal	233	2.02	-	40.13	12.00	32.80
RMS	13.41063G	50.50	68.20	-17.70	31.19	3	Horizontal	233	2.02	-	40.12	12.00	32.81

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11529G	46.88	83.54	-36.66	43.02	1	Vertical	210	1.09	-	37.81	15.29	49.24
AV	20.1154G	33.62	63.54	-29.92	29.76	1	Vertical	210	1.09	-	37.81	15.29	49.24
PK	26.82038G	51.07	97.74	-46.67	39.06	1	Vertical	94	1.67	-	39.80	18.19	45.98
RMS	26.82021G	47.03	77.74	-30.71	35.02	1	Vertical	94	1.67	-	39.80	18.19	45.98

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11489G	49.52	83.54	-34.02	45.66	1	Horizontal	211	1.84	-	37.81	15.29	49.24
AV	20.1148G	35.65	63.54	-27.89	31.79	1	Horizontal	211	1.84	-	37.81	15.29	49.24
PK	26.82027G	52.81	97.74	-44.93	40.80	1	Horizontal	142	1.20	-	39.80	18.19	45.98
RMS	26.82024G	48.03	77.74	-29.71	36.02	1	Horizontal	142	1.20	-	39.80	18.19	45.98

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56735G	60.12	88.20	-28.08	40.36	3	Vertical	336	1.01	-	40.40	12.05	32.69
RMS	13.57393G	49.97	68.20	-18.23	30.20	3	Vertical	336	1.01	-	40.40	12.06	32.69

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56566G	59.07	88.20	-29.13	39.31	3	Horizontal	248	2.46	-	40.40	12.05	32.69
RMS	13.57329G	49.89	68.20	-18.31	30.13	3	Horizontal	248	2.46	-	40.40	12.05	32.69

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35483G	45.99	83.54	-37.55	41.60	1	Vertical	305	1.67	-	38.09	15.48	49.18
AV	20.35498G	32.26	63.54	-31.28	27.87	1	Vertical	305	1.67	-	38.09	15.48	49.18
PK	27.13991G	51.74	97.74	-46.00	39.35	1	Vertical	83	2.78	-	39.92	18.38	45.91
RMS	27.13994G	47.11	77.74	-30.63	34.72	1	Vertical	83	2.78	-	39.92	18.38	45.91



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3547G	49.65	83.54	-33.89	45.26	1	Horizontal	323	2.33	-	38.09	15.48	49.18
AV	20.35493G	35.23	63.54	-28.31	30.84	1	Horizontal	323	2.33	-	38.09	15.48	49.18
PK	27.13961G	52.63	97.74	-45.11	40.24	1	Horizontal	263	2.46	-	39.92	18.38	45.91
RMS	27.14011G	48.13	77.74	-29.61	35.74	1	Horizontal	263	2.46	-	39.92	18.38	45.91

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72651G	61.81	88.20	-26.39	41.84	3	Vertical	60	2.26	-	40.51	12.11	32.65
RMS	13.72804G	49.99	68.20	-18.21	30.02	3	Vertical	60	2.26	-	40.51	12.11	32.65

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72896G	59.83	88.20	-28.37	39.85	3	Horizontal	59	1.54	-	40.52	12.11	32.65
RMS	13.72805G	49.97	68.20	-18.23	30.00	3	Horizontal	59	1.54	-	40.51	12.11	32.65

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59483G	46.50	83.54	-37.04	41.92	1	Vertical	273	1.86	-	37.99	15.68	49.09
AV	20.59464G	33.68	63.54	-29.86	29.10	1	Vertical	273	1.86	-	37.99	15.68	49.09
PK	27.45952G	51.32	97.74	-46.42	38.57	1	Vertical	4	1.75	-	39.80	18.58	45.63
RMS	27.46008G	47.88	77.74	-29.86	35.13	1	Vertical	4	1.75	-	39.80	18.58	45.63

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59536G	49.60	83.54	-33.94	45.02	1	Horizontal	229	1.05	-	37.99	15.68	49.09
AV	20.59461G	35.69	63.54	-27.85	31.11	1	Horizontal	229	1.05	-	37.99	15.68	49.09
PK	27.45999G	52.30	97.74	-45.44	39.55	1	Horizontal	40	2.93	-	39.80	18.58	45.63
RMS	27.46019G	48.91	77.74	-28.83	36.16	1	Horizontal	60	2.98	-	39.80	18.58	45.63

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88523G	60.83	88.20	-27.37	40.42	3	Vertical	251	2.30	-	40.87	12.16	32.62
RMS	13.89133G	50.67	68.20	-17.53	30.25	3	Vertical	251	2.30	-	40.88	12.16	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88804G	60.78	88.20	-27.42	40.36	3	Horizontal	320	2.25	-	40.88	12.16	32.62
RMS	13.89132G	50.67	68.20	-17.53	30.25	3	Horizontal	320	2.25	-	40.88	12.16	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83548G	46.28	83.54	-37.26	41.18	1	Vertical	13	1.09	-	38.20	15.87	48.97
AV	20.83548G	33.97	63.54	-29.57	28.87	1	Vertical	13	1.09	-	38.20	15.87	48.97
PK	27.78038G	51.17	97.74	-46.57	38.19	1	Vertical	238	1.52	-	39.84	18.77	45.63
RMS	27.78007G	47.87	77.74	-29.87	34.89	1	Vertical	238	1.52	-	39.84	18.77	45.63



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83525G	49.84	83.54	-33.70	44.74	1	Horizontal	49	1.57	-	38.20	15.87	48.97
AV	20.83535G	35.10	63.54	-28.44	30.00	1	Horizontal	49	1.57	-	38.20	15.87	48.97
PK	27.77971G	52.74	97.74	-45.00	39.76	1	Horizontal	11	1.06	-	39.84	18.77	45.63
RMS	27.77984G	48.95	77.74	-28.79	35.97	1	Horizontal	11	1.06	-	39.84	18.77	45.63

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	108.71	Inf	-Inf	100.27	3	Vertical	72	3.00	-	35.60	8.40	35.56
AV	6.9974G	99.02	Inf	-Inf	90.58	3	Vertical	72	3.00	-	35.60	8.40	35.56
PK	7.25G	60.18	74.00	-13.82	50.64	3	Vertical	72	3.00	-	36.50	8.46	35.42
AV	7.25G	52.01	54.00	-1.99	42.47	3	Vertical	72	3.00	-	36.50	8.46	35.42
PK	7.2944G	63.22	74.00	-10.78	53.46	3	Vertical	72	3.00	-	36.68	8.47	35.39
AV	7.325G	52.72	54.00	-1.28	42.81	3	Vertical	72	3.00	-	36.80	8.48	35.37

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9962G	106.89	Inf	-Inf	98.45	3	Horizontal	287	2.01	-	35.60	8.40	35.56
AV	6.9962G	96.54	Inf	-Inf	88.10	3	Horizontal	287	2.01	-	35.60	8.40	35.56
PK	7.25G	61.68	74.00	-12.32	52.14	3	Horizontal	287	2.01	-	36.50	8.46	35.42
AV	7.25G	52.06	54.00	-1.94	42.52	3	Horizontal	287	2.01	-	36.50	8.46	35.42
PK	7.2998G	63.96	74.00	-10.04	54.18	3	Horizontal	287	2.01	-	36.70	8.47	35.39
AV	7.3226G	52.75	54.00	-1.25	42.85	3	Horizontal	287	2.01	-	36.79	8.48	35.37

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05402G	63.19	88.20	-25.01	42.38	3	Vertical	264	2.34	-	41.21	12.22	32.62
RMS	14.0507G	51.25	68.20	-16.95	30.45	3	Vertical	264	2.34	-	41.20	12.22	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0512G	61.90	88.20	-26.30	41.10	3	Horizontal	48	2.24	-	41.20	12.22	32.62
RMS	14.05063G	51.27	68.20	-16.93	30.47	3	Horizontal	48	2.24	-	41.20	12.22	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0751G	46.83	83.54	-36.71	41.39	1	Vertical	153	1.08	-	38.25	16.06	48.87
AV	21.07461G	33.32	63.54	-30.22	27.88	1	Vertical	153	1.08	-	38.25	16.06	48.87
PK	28.10014G	51.38	97.74	-46.36	38.18	1	Vertical	224	1.79	-	39.90	18.95	45.65
RMS	28.09994G	47.84	77.74	-29.90	34.65	1	Vertical	224	1.79	-	39.90	18.94	45.65

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_X\_2TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07501G	49.98	83.54	-33.56	44.54	1	Horizontal	179	2.20	-	38.25	16.06	48.87
AV	21.07513G	36.28	63.54	-27.26	30.84	1	Horizontal	179	2.20	-	38.25	16.06	48.87
PK	28.10009G	52.11	97.74	-45.63	38.91	1	Horizontal	252	1.50	-	39.90	18.95	45.65
RMS	28.09985G	48.82	77.74	-28.92	35.63	1	Horizontal	252	1.50	-	39.90	18.94	45.65

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91044G	69.50	88.20	-18.70	62.46	3	Vertical	59	2.35	-	34.52	7.62	35.10
RMS	5.92484G	54.21	68.20	-13.99	47.13	3	Vertical	59	2.35	-	34.55	7.63	35.10
PK	6.04772G	109.48	Inf	-Inf	102.26	3	Vertical	59	2.35	-	34.60	7.74	35.12
RMS	6.02852G	95.83	Inf	-Inf	88.64	3	Vertical	59	2.35	-	34.60	7.72	35.13



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	66.06	88.20	-22.14	58.98	3	Horizontal	290	1.10	-	34.55	7.63	35.10
RMS	5.92324G	52.05	68.20	-16.15	44.97	3	Horizontal	290	1.10	-	34.55	7.63	35.10
PK	6.07908G	108.25	Inf	-Inf	100.81	3	Horizontal	290	1.10	-	34.77	7.78	35.11
RMS	6.02116G	95.22	Inf	-Inf	88.04	3	Horizontal	290	1.10	-	34.60	7.71	35.13

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05148G	63.19	74.00	-10.81	46.96	3	Vertical	42	1.83	-	39.00	11.54	34.31
AV	12.05396G	49.76	54.00	-4.24	33.54	3	Vertical	42	1.83	-	38.99	11.54	34.31

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05444G	62.06	74.00	-11.94	45.84	3	Horizontal	192	2.26	-	38.99	11.54	34.31
AV	12.05388G	49.75	54.00	-4.25	33.53	3	Horizontal	192	2.26	-	38.99	11.54	34.31

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07504G	46.98	83.54	-36.56	43.66	1	Vertical	169	1.02	-	37.50	15.30	49.48
AV	18.07526G	33.31	63.54	-30.23	29.99	1	Vertical	169	1.02	-	37.50	15.30	49.48
PK	24.10001G	51.66	97.74	-46.08	42.37	1	Vertical	335	1.19	-	38.90	17.42	47.03
RMS	24.10025G	47.91	77.74	-29.83	38.62	1	Vertical	335	1.19	-	38.90	17.42	47.03

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07542G	49.54	83.54	-34.00	46.22	1	Horizontal	241	2.33	-	37.50	15.30	49.48
AV	18.07515G	36.38	63.54	-27.16	33.06	1	Horizontal	241	2.33	-	37.50	15.30	49.48
PK	24.09995G	52.21	97.74	-45.53	42.93	1	Horizontal	191	1.21	-	38.90	17.41	47.03
RMS	24.09961G	48.90	77.74	-28.84	39.62	1	Horizontal	191	1.21	-	38.90	17.41	47.03

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36798G	58.11	74.00	-15.89	41.88	3	Vertical	229	2.44	-	38.66	11.65	34.08
AV	12.37009G	47.72	54.00	-6.28	31.49	3	Vertical	229	2.44	-	38.66	11.65	34.08

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37379G	58.41	74.00	-15.59	42.18	3	Horizontal	223	1.17	-	38.65	11.65	34.07
AV	12.37129G	47.70	54.00	-6.30	31.47	3	Horizontal	223	1.17	-	38.66	11.65	34.08

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55456G	46.91	83.54	-36.63	43.58	1	Vertical	169	2.68	-	37.70	15.27	49.64
AV	18.55481G	34.66	63.54	-28.88	31.33	1	Vertical	169	2.68	-	37.70	15.27	49.64
PK	24.74012G	50.01	97.74	-47.73	39.94	1	Vertical	263	2.19	-	39.24	17.51	46.68
RMS	24.74004G	46.11	77.74	-31.63	36.04	1	Vertical	263	2.19	-	39.24	17.51	46.68



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55542G	49.88	83.54	-33.66	46.55	1	Horizontal	164	1.96	-	37.70	15.27	49.64
AV	18.5548G	36.65	63.54	-26.89	33.32	1	Horizontal	164	1.96	-	37.70	15.27	49.64
PK	24.74022G	52.87	97.74	-44.87	42.80	1	Horizontal	202	1.73	-	39.24	17.51	46.68
RMS	24.74041G	48.15	77.74	-29.59	38.08	1	Horizontal	202	1.73	-	39.24	17.51	46.68

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68652G	60.42	74.00	-13.58	43.53	3	Vertical	235	1.51	-	38.87	11.75	33.73
AV	12.69387G	47.73	54.00	-6.27	30.80	3	Vertical	235	1.51	-	38.89	11.76	33.72

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68585G	60.26	74.00	-13.74	43.37	3	Horizontal	226	1.76	-	38.87	11.75	33.73
AV	12.69337G	47.73	54.00	-6.27	30.80	3	Horizontal	226	1.76	-	38.89	11.76	33.72

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03455G	46.09	83.54	-37.45	42.30	1	Vertical	106	1.86	-	37.90	15.25	49.36
AV	19.03485G	33.90	63.54	-29.64	30.11	1	Vertical	106	1.86	-	37.90	15.25	49.36
PK	25.38023G	51.95	97.74	-45.79	41.26	1	Vertical	290	2.33	-	39.32	17.61	46.24
RMS	25.38017G	47.48	77.74	-30.26	36.79	1	Vertical	290	2.33	-	39.32	17.61	46.24

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03515G	49.81	83.54	-33.73	46.02	1	Horizontal	315	2.52	-	37.90	15.25	49.36
AV	19.03457G	35.92	63.54	-27.62	32.13	1	Horizontal	315	2.52	-	37.90	15.25	49.36
PK	25.37975G	52.15	97.74	-45.59	41.46	1	Horizontal	118	2.34	-	39.32	17.61	46.24
RMS	25.37968G	48.42	77.74	-29.32	37.73	1	Horizontal	118	2.34	-	39.32	17.61	46.24

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01446G	60.95	88.20	-27.25	43.04	3	Vertical	350	1.77	-	39.33	11.86	33.28
RMS	13.01332G	49.84	68.20	-18.36	31.93	3	Vertical	350	1.77	-	39.33	11.86	33.28

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01461G	60.46	88.20	-27.74	42.55	3	Horizontal	218	1.03	-	39.33	11.86	33.28
RMS	13.01411G	49.81	68.20	-18.39	31.90	3	Horizontal	218	1.03	-	39.33	11.86	33.28

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51506G	45.15	83.54	-38.39	41.57	1	Vertical	70	1.03	-	38.03	15.22	49.67
AV	19.5149G	33.23	63.54	-30.31	29.65	1	Vertical	70	1.03	-	38.03	15.22	49.67
PK	26.01951G	51.57	97.74	-46.17	40.95	1	Vertical	159	1.43	-	39.14	17.71	46.23
RMS	26.01991G	46.99	77.74	-30.75	36.37	1	Vertical	159	1.43	-	39.14	17.71	46.23



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51504G	49.17	83.54	-34.37	45.59	1	Horizontal	359	2.01	-	38.03	15.22	49.67
AV	19.51487G	36.25	63.54	-27.29	32.67	1	Horizontal	359	2.01	-	38.03	15.22	49.67
PK	26.01999G	52.42	97.74	-45.32	41.80	1	Horizontal	359	1.37	-	39.14	17.71	46.23
RMS	26.02007G	48.05	77.74	-29.69	37.43	1	Horizontal	359	1.37	-	39.14	17.71	46.23

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32769G	63.11	74.00	-10.89	44.05	3	Vertical	124	1.63	-	40.00	11.97	32.91
AV	13.32812G	51.08	54.00	-2.92	32.02	3	Vertical	124	1.63	-	40.00	11.97	32.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33455G	62.36	74.00	-11.64	43.29	3	Horizontal	47	1.93	-	40.00	11.97	32.90
AV	13.32738G	51.06	54.00	-2.94	32.00	3	Horizontal	47	1.93	-	40.00	11.97	32.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99493G	45.57	83.54	-37.97	41.84	1	Vertical	117	1.07	-	37.80	15.20	49.27
AV	19.99467G	33.83	63.54	-29.71	30.10	1	Vertical	117	1.07	-	37.80	15.20	49.27
PK	26.66035G	50.30	97.74	-47.44	37.77	1	Vertical	85	1.68	-	40.36	18.10	45.93
RMS	26.66013G	46.58	77.74	-31.16	34.05	1	Vertical	85	1.68	-	40.36	18.10	45.93

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99509G	48.90	83.54	-34.64	45.17	1	Horizontal	346	1.13	-	37.80	15.20	49.27
AV	19.99488G	34.85	63.54	-28.69	31.12	1	Horizontal	346	1.13	-	37.80	15.20	49.27
PK	26.66G	51.90	97.74	-45.84	39.37	1	Horizontal	155	1.68	-	40.36	18.10	45.93
RMS	26.66005G	47.61	77.74	-30.13	35.08	1	Horizontal	155	1.68	-	40.36	18.10	45.93

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.64563G	59.71	88.20	-28.49	39.90	3	Vertical	191	2.50	-	40.40	12.08	32.67
RMS	13.65391G	49.74	68.20	-18.46	29.93	3	Vertical	191	2.50	-	40.40	12.08	32.67

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65481G	60.17	88.20	-28.03	40.36	3	Horizontal	148	1.60	-	40.40	12.08	32.67
RMS	13.65396G	49.73	68.20	-18.47	29.92	3	Horizontal	148	1.60	-	40.40	12.08	32.67

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47459G	45.95	83.54	-37.59	41.72	1	Vertical	227	2.95	-	37.80	15.58	49.15
AV	20.47466G	32.47	63.54	-31.07	28.24	1	Vertical	227	2.95	-	37.80	15.58	49.15
PK	27.30018G	50.19	97.74	-47.55	37.58	1	Vertical	264	2.35	-	39.90	18.48	45.77
RMS	27.29953G	46.07	77.74	-31.67	33.46	1	Vertical	264	2.35	-	39.90	18.48	45.77



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 20  
03-5-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47507G	48.13	83.54	-35.41	43.90	1	Horizontal	186	1.71	-	37.80	15.58	49.15
AV	20.47504G	34.41	63.54	-29.13	30.18	1	Horizontal	186	1.71	-	37.80	15.58	49.15
PK	27.30006G	51.15	97.74	-46.59	38.54	1	Horizontal	105	1.35	-	39.90	18.48	45.77
RMS	27.30003G	47.05	77.74	-30.69	34.44	1	Horizontal	105	1.35	-	39.90	18.48	45.77

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9465G	109.26	Inf	-Inf	100.77	3	Vertical	62	1.10	-	35.60	8.38	35.49
RMS	6.9075G	96.22	Inf	-Inf	87.71	3	Vertical	62	1.10	-	35.60	8.36	35.45
PK	7.1415G	83.54	88.20	-4.66	74.71	3	Vertical	62	1.10	-	35.87	8.44	35.48
RMS	7.1295G	66.33	68.20	-1.87	57.56	3	Vertical	62	1.10	-	35.82	8.43	35.48

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9765G	109.36	Inf	-Inf	100.90	3	Horizontal	288	1.99	-	35.60	8.39	35.53
RMS	6.9765G	95.96	Inf	-Inf	87.50	3	Horizontal	288	1.99	-	35.60	8.39	35.53
PK	7.133G	79.01	88.20	-9.19	70.23	3	Horizontal	288	1.99	-	35.83	8.43	35.48
RMS	7.1335G	63.39	68.20	-4.81	54.61	3	Horizontal	288	1.99	-	35.83	8.43	35.48

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97313G	61.46	88.20	-26.74	40.79	3	Vertical	10	2.36	-	41.09	12.19	32.61
RMS	13.97131G	50.37	68.20	-17.83	29.70	3	Vertical	10	2.36	-	41.09	12.19	32.61

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97267G	60.90	88.20	-27.30	40.23	3	Horizontal	333	2.23	-	41.09	12.19	32.61
RMS	13.97133G	50.42	68.20	-17.78	29.75	3	Horizontal	333	2.23	-	41.09	12.19	32.61

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95465G	46.66	83.54	-36.88	41.52	1	Vertical	57	1.83	-	38.08	15.96	48.90
AV	20.95515G	32.75	63.54	-30.79	27.61	1	Vertical	57	1.83	-	38.08	15.96	48.90
PK	27.94035G	50.21	97.74	-47.53	36.94	1	Vertical	56	1.05	-	40.06	18.86	45.65
RMS	27.94041G	46.97	77.74	-30.77	33.70	1	Vertical	56	1.05	-	40.06	18.86	45.65

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95512G	48.43	83.54	-35.11	43.29	1	Horizontal	169	2.82	-	38.08	15.96	48.90
AV	20.95507G	34.79	63.54	-28.75	29.65	1	Horizontal	169	2.82	-	38.08	15.96	48.90
PK	27.93962G	51.49	97.74	-46.25	38.22	1	Horizontal	187	1.00	-	40.06	18.86	45.65
RMS	27.94013G	47.07	77.74	-30.67	33.80	1	Horizontal	187	1.00	-	40.06	18.86	45.65

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
22\19.5\20.5\21\21.5  
-2.36\13.61\7.34\4.57\1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92356G	80.66	88.20	-7.54	73.58	3	Vertical	54	2.35	21.5	34.55	7.63	35.10
RMS	5.925G	66.39	68.20	-1.81	59.31	3	Vertical	54	2.35	21.5	34.55	7.63	35.10
PK	6.22644G	108.58	Inf	-Inf	100.74	3	Vertical	54	2.35	21.5	34.95	7.94	35.05
RMS	6.12612G	94.90	Inf	-Inf	87.25	3	Vertical	54	2.35	21.5	34.90	7.84	35.09



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92356G	78.55	88.20	-9.65	71.47	3	Horizontal	299	1.11	-	34.55	7.63	35.10
RMS	5.92452G	65.32	68.20	-2.88	58.24	3	Horizontal	299	1.11	-	34.55	7.63	35.10
PK	6.10116G	108.40	Inf	-Inf	100.79	3	Horizontal	299	1.11	-	34.90	7.81	35.10
RMS	6.141G	94.89	Inf	-Inf	87.23	3	Horizontal	299	1.11	-	34.90	7.85	35.09

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21082G	60.36	74.00	-13.64	44.24	3	Vertical	65	2.51	-	38.72	11.59	34.19
AV	12.20796G	48.68	54.00	-5.32	32.57	3	Vertical	65	2.51	-	38.72	11.59	34.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20593G	60.66	74.00	-13.34	44.56	3	Horizontal	25	2.54	-	38.71	11.59	34.20
AV	12.20746G	48.66	54.00	-5.34	32.56	3	Horizontal	25	2.54	-	38.71	11.59	34.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31514G	45.54	83.54	-38.00	42.35	1	Vertical	68	2.05	-	37.50	15.28	49.59
AV	18.31488G	31.75	63.54	-31.79	28.56	1	Vertical	68	2.05	-	37.50	15.28	49.59
PK	24.41951G	50.47	97.74	-47.27	40.95	1	Vertical	302	2.33	-	38.92	17.46	46.86
RMS	24.41972G	46.74	77.74	-31.00	37.21	1	Vertical	302	2.33	-	38.92	17.46	46.85

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31529G	48.81	83.54	-34.73	45.62	1	Horizontal	84	1.76	-	37.50	15.28	49.59
AV	18.31485G	34.72	63.54	-28.82	31.53	1	Horizontal	84	1.76	-	37.50	15.28	49.59
PK	24.4203G	51.11	97.74	-46.63	41.58	1	Horizontal	106	2.18	-	38.92	17.46	46.85
RMS	24.42003G	47.82	77.74	-29.92	38.29	1	Horizontal	106	2.18	-	38.92	17.46	46.85

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52956G	58.56	74.00	-15.44	42.10	3	Vertical	281	2.34	-	38.70	11.70	33.94
AV	12.52993G	44.47	54.00	-9.53	28.01	3	Vertical	281	2.34	-	38.70	11.70	33.94

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52966G	58.17	74.00	-15.83	41.71	3	Horizontal	111	1.40	-	38.70	11.70	33.94
AV	12.52959G	44.68	54.00	-9.32	28.22	3	Horizontal	111	1.40	-	38.70	11.70	33.94

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7952G	46.38	83.54	-37.16	42.80	1	Vertical	116	2.20	-	37.80	15.26	49.48
AV	18.79488G	32.30	63.54	-31.24	28.72	1	Vertical	116	2.20	-	37.80	15.26	49.48
PK	25.06046G	56.43	97.74	-41.31	46.05	1	Vertical	105	2.79	-	39.30	17.56	46.48
RMS	25.05962G	42.04	77.74	-35.70	31.66	1	Vertical	105	2.79	-	39.30	17.56	46.48



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79534G	45.88	83.54	-37.66	42.30	1	Horizontal	50	1.91	-	37.80	15.26	49.48
AV	18.79463G	32.79	63.54	-30.75	29.21	1	Horizontal	50	1.91	-	37.80	15.26	49.48
PK	25.05979G	55.54	97.74	-42.20	45.16	1	Horizontal	18	2.26	-	39.30	17.56	46.48
RMS	25.05986G	44.06	77.74	-33.68	33.68	1	Horizontal	18	2.26	-	39.30	17.56	46.48

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8497G	61.54	88.20	-26.66	44.03	3	Vertical	66	1.10	-	39.20	11.81	33.50
RMS	12.85131G	49.86	68.20	-18.34	32.35	3	Vertical	66	1.10	-	39.20	11.81	33.50

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85095G	61.44	88.20	-26.76	43.93	3	Horizontal	203	2.83	-	39.20	11.81	33.50
RMS	12.85128G	49.84	68.20	-18.36	32.33	3	Horizontal	203	2.83	-	39.20	11.81	33.50

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27477G	45.99	83.54	-37.55	42.33	1	Vertical	201	1.02	-	37.95	15.24	49.53
AV	19.27475G	32.87	63.54	-30.67	29.21	1	Vertical	201	1.02	-	37.95	15.24	49.53
PK	25.70002G	50.85	97.74	-46.89	40.28	1	Vertical	36	3.00	-	39.10	17.66	46.19
RMS	25.69984G	45.97	77.74	-31.77	35.41	1	Vertical	36	3.00	-	39.10	17.65	46.19

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_2TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27512G	48.49	83.54	-35.05	44.83	1	Horizontal	5	2.17	-	37.95	15.24	49.53
AV	19.27465G	34.85	63.54	-28.69	31.19	1	Horizontal	5	2.17	-	37.95	15.24	49.53
PK	25.70031G	51.18	97.74	-46.56	40.61	1	Horizontal	205	2.12	-	39.10	17.66	46.19
RMS	25.70004G	47.99	77.74	-29.75	37.42	1	Horizontal	205	2.12	-	39.10	17.66	46.19

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16982G	59.46	88.20	-28.74	41.00	3	Vertical	194	2.70	-	39.64	11.92	33.10
RMS	13.16957G	45.39	68.20	-22.81	26.93	3	Vertical	194	2.70	-	39.64	11.92	33.10

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17049G	59.45	88.20	-28.75	40.99	3	Horizontal	333	2.96	-	39.64	11.92	33.10
RMS	13.16968G	45.79	68.20	-22.41	27.33	3	Horizontal	333	2.96	-	39.64	11.92	33.10

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75527G	48.40	83.54	-35.14	44.74	1	Vertical	210	2.27	-	37.92	15.21	49.47
AV	19.75455G	33.75	63.54	-29.79	30.09	1	Vertical	210	2.27	-	37.92	15.21	49.47
PK	26.33955G	55.69	97.74	-42.05	44.61	1	Vertical	36	2.43	-	39.18	17.90	46.00
RMS	26.33958G	40.98	77.74	-36.76	29.90	1	Vertical	36	2.43	-	39.18	17.90	46.00



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75548G	47.35	83.54	-36.19	43.69	1	Horizontal	277	1.65	-	37.92	15.21	49.47
AV	19.75526G	34.05	63.54	-29.49	30.39	1	Horizontal	277	1.65	-	37.92	15.21	49.47
PK	26.34003G	54.79	97.74	-42.95	43.71	1	Horizontal	138	2.53	-	39.18	17.90	46.00
RMS	26.33995G	42.95	77.74	-34.79	31.87	1	Horizontal	138	2.53	-	39.18	17.90	46.00

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49257G	63.49	88.20	-24.71	43.88	3	Vertical	56	1.73	-	40.29	12.03	32.71
RMS	13.49073G	51.77	68.20	-16.43	32.17	3	Vertical	56	1.73	-	40.28	12.03	32.71

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4934G	62.70	88.20	-25.50	43.09	3	Horizontal	235	1.67	-	40.29	12.03	32.71
RMS	13.49146G	51.76	68.20	-16.44	32.16	3	Horizontal	235	1.67	-	40.28	12.03	32.71

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23459G	45.49	83.54	-38.05	41.34	1	Vertical	238	2.53	-	37.97	15.39	49.21
AV	20.23525G	32.60	63.54	-30.94	28.45	1	Vertical	238	2.53	-	37.97	15.39	49.21
PK	26.97974G	51.20	97.74	-46.54	39.27	1	Vertical	179	1.55	-	39.66	18.29	46.02
RMS	26.97974G	47.24	77.74	-30.50	35.31	1	Vertical	179	1.55	-	39.66	18.29	46.02

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23498G	49.02	83.54	-34.52	44.87	1	Horizontal	14	1.06	-	37.97	15.39	49.21
AV	20.23476G	35.57	63.54	-27.97	31.42	1	Horizontal	14	1.06	-	37.97	15.39	49.21
PK	26.97994G	52.98	97.74	-44.76	41.05	1	Horizontal	191	1.09	-	39.66	18.29	46.02
RMS	26.98045G	48.24	77.74	-29.50	36.31	1	Horizontal	191	1.09	-	39.66	18.29	46.02

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.892G	106.72	Inf	-Inf	98.19	3	Vertical	76	2.96	-	35.60	8.36	35.43
AV	6.896G	95.72	Inf	-Inf	87.19	3	Vertical	76	2.96	-	35.60	8.36	35.43
PK	7.25G	64.95	74.00	-9.05	55.41	3	Vertical	76	2.96	-	36.50	8.46	35.42
AV	7.257G	53.40	54.00	-0.60	43.82	3	Vertical	76	2.96	-	36.53	8.46	35.41

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.874G	104.94	Inf	-Inf	96.40	3	Horizontal	292	1.00	-	35.60	8.35	35.41
AV	6.775G	94.61	Inf	-Inf	86.10	3	Horizontal	292	1.00	-	35.50	8.30	35.29
PK	7.275G	64.63	74.00	-9.37	54.96	3	Horizontal	292	1.00	-	36.60	8.47	35.40
AV	7.252G	53.97	54.00	-0.03	44.41	3	Horizontal	292	1.00	-	36.51	8.46	35.41

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80958G	61.00	88.20	-27.20	40.78	3	Vertical	355	1.98	-	40.72	12.14	32.64
RMS	13.80982G	46.95	68.20	-21.25	26.73	3	Vertical	355	1.98	-	40.72	12.14	32.64



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80977G	60.67	88.20	-27.53	40.45	3	Horizontal	171	2.83	-	40.72	12.14	32.64
RMS	13.80976G	47.58	68.20	-20.62	27.36	3	Horizontal	171	2.83	-	40.72	12.14	32.64

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71458G	49.19	83.54	-34.35	44.58	1	Vertical	117	1.87	-	37.87	15.77	49.03
AV	20.7147G	35.11	63.54	-28.43	30.50	1	Vertical	117	1.87	-	37.87	15.77	49.03
PK	27.61951G	56.40	97.74	-41.34	43.46	1	Vertical	7	2.31	-	39.88	18.67	45.61
RMS	27.6204G	42.13	77.74	-35.61	29.19	1	Vertical	7	2.31	-	39.88	18.67	45.61

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
SET 19.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71517G	49.61	83.54	-33.93	45.00	1	Horizontal	216	1.00	-	37.87	15.77	49.03
AV	20.71499G	36.19	63.54	-27.35	31.58	1	Horizontal	216	1.00	-	37.87	15.77	49.03
PK	27.62015G	56.04	97.74	-41.70	43.10	1	Horizontal	319	1.38	-	39.88	18.67	45.61
RMS	27.61996G	42.85	77.74	-34.89	29.91	1	Horizontal	319	1.38	-	39.88	18.67	45.61

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	60.72	88.20	-27.48	52.52	3	Vertical	235	2.01	-	32.37	7.42	31.59
RMS	5.9214G	49.67	68.20	-18.53	41.29	3	Vertical	235	2.01	-	32.54	7.44	31.60
PK	5.9538G	109.83	Inf	-Inf	101.39	3	Vertical	235	2.01	-	32.59	7.45	31.60
RMS	5.9542G	100.21	Inf	-Inf	91.77	3	Vertical	235	2.01	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9102G	60.50	88.20	-27.70	52.15	3	Horizontal	108	2.66	-	32.52	7.43	31.60
RMS	5.9182G	49.73	68.20	-18.47	41.35	3	Horizontal	108	2.66	-	32.54	7.44	31.60
PK	5.9566G	108.51	Inf	-Inf	100.07	3	Horizontal	108	2.66	-	32.59	7.45	31.60
RMS	5.9568G	99.56	Inf	-Inf	91.12	3	Horizontal	108	2.66	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90964G	60.08	74.00	-13.92	43.55	3	Vertical	68	2.04	-	38.72	10.77	32.96
AV	11.9104G	45.77	54.00	-8.23	29.24	3	Vertical	68	2.04	-	38.72	10.77	32.96
PK	17.86882G	61.37	74.00	-12.63	34.27	3	Vertical	127	1.80	-	47.54	13.51	33.95
AV	17.86986G	48.02	54.00	-5.98	20.88	3	Vertical	127	1.80	-	47.58	13.51	33.95

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91011G	59.04	74.00	-14.96	42.51	3	Horizontal	318	1.63	-	38.72	10.77	32.96
AV	11.91031G	45.96	54.00	-8.04	29.43	3	Horizontal	318	1.63	-	38.72	10.77	32.96
PK	17.86974G	61.51	74.00	-12.49	34.38	3	Horizontal	190	2.00	-	47.57	13.51	33.95
AV	17.86992G	48.04	54.00	-5.96	20.90	3	Horizontal	190	2.00	-	47.58	13.51	33.95

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82012G	53.27	83.54	-30.27	44.12	1	Vertical	159.4	1.56	-	38.98	17.35	47.18
AV	23.82003G	43.72	63.54	-19.82	34.57	1	Vertical	159.4	1.56	-	38.98	17.35	47.18



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 8.5  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82018G	55.15	83.54	-28.39	46.00	1	Horizontal	233.1	1.50	-	38.98	17.35	47.18
AV	23.82003G	49.09	63.54	-14.45	39.94	1	Horizontal	233.1	1.50	-	38.98	17.35	47.18

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3846G	59.95	74.00	-14.05	42.66	3	Vertical	282	1.80	-	38.93	10.98	32.62
AV	12.375G	46.09	54.00	-7.91	28.79	3	Vertical	282	1.80	-	38.95	10.98	32.63

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3846G	60.37	74.00	-13.63	43.08	3	Horizontal	157	1.00	-	38.93	10.98	32.62
AV	12.37674G	46.17	54.00	-7.83	28.87	3	Horizontal	157	1.00	-	38.95	10.98	32.63

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58044G	45.99	83.54	-37.55	42.65	1	Vertical	53	2.84	-	37.70	15.27	49.63
AV	18.58754G	32.63	63.54	-30.91	29.28	1	Vertical	53	2.84	-	37.70	15.27	49.62
PK	24.78003G	52.61	97.74	-45.13	42.44	1	Vertical	54	1.80	-	39.30	17.52	46.65
RMS	24.78013G	46.72	77.74	-31.02	36.55	1	Vertical	54	1.80	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58222G	45.99	83.54	-37.55	42.64	1	Horizontal	218	2.68	-	37.70	15.27	49.62
AV	18.5846G	32.57	63.54	-30.97	29.22	1	Horizontal	218	2.68	-	37.70	15.27	49.62
PK	24.77973G	52.53	97.74	-45.21	42.36	1	Horizontal	318	2.98	-	39.30	17.52	46.65
RMS	24.78039G	47.79	77.74	-29.95	37.62	1	Horizontal	318	2.98	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84464G	60.12	88.20	-28.08	42.09	3	Vertical	324	1.79	-	39.39	11.19	32.55
RMS	12.8177G	46.29	68.20	-21.91	28.32	3	Vertical	324	1.79	-	39.34	11.18	32.55

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8402G	59.73	88.20	-28.47	41.71	3	Horizontal	222	2.89	-	39.38	11.19	32.55
RMS	12.81758G	46.29	68.20	-21.91	28.32	3	Horizontal	222	2.89	-	39.34	11.18	32.55

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2498G	46.55	83.54	-36.99	42.92	1	Vertical	145	1.22	-	37.90	15.24	49.51
AV	19.24068G	32.70	63.54	-30.84	29.04	1	Vertical	145	1.22	-	37.92	15.24	49.50
PK	25.6597G	51.12	97.74	-46.62	40.39	1	Vertical	294	1.20	-	39.26	17.65	46.18
RMS	25.65965G	46.22	77.74	-31.52	35.49	1	Vertical	294	1.20	-	39.26	17.65	46.18



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24462G	46.14	83.54	-37.40	42.50	1	Horizontal	73	1.85	-	37.91	15.24	49.51
AV	19.24102G	32.71	63.54	-30.83	29.05	1	Horizontal	73	1.85	-	37.92	15.24	49.50
PK	25.65999G	52.23	97.74	-45.51	41.50	1	Horizontal	260	1.35	-	39.26	17.65	46.18
RMS	25.65988G	47.26	77.74	-30.48	36.53	1	Horizontal	260	1.35	-	39.26	17.65	46.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8586G	60.28	88.20	-27.92	42.21	3	Vertical	115	2.93	-	39.42	11.20	32.55
RMS	12.87294G	46.28	68.20	-21.92	28.17	3	Vertical	115	2.93	-	39.45	11.21	32.55

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87822G	59.87	88.20	-28.33	41.76	3	Horizontal	125	2.17	-	39.46	11.21	32.56
RMS	12.8721G	46.29	68.20	-21.91	28.19	3	Horizontal	125	2.17	-	39.44	11.21	32.55

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30442G	46.39	83.54	-37.15	42.73	1	Vertical	117	2.90	-	37.98	15.23	49.55
AV	19.30218G	32.75	63.54	-30.79	29.08	1	Vertical	117	2.90	-	37.99	15.23	49.55
PK	25.73954G	50.46	97.74	-47.28	39.73	1	Vertical	14	1.06	-	39.26	17.66	46.19
RMS	25.74026G	46.49	77.74	-31.25	35.76	1	Vertical	14	1.06	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30438G	46.59	83.54	-36.95	42.93	1	Horizontal	67	2.01	-	37.98	15.23	49.55
AV	19.30226G	32.77	63.54	-30.77	29.10	1	Horizontal	67	2.01	-	37.99	15.23	49.55
PK	25.73968G	51.01	97.74	-46.73	40.28	1	Horizontal	338	2.66	-	39.26	17.66	46.19
RMS	25.7399G	47.48	77.74	-30.26	36.75	1	Horizontal	338	2.66	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95132G	59.61	88.20	-28.59	41.43	3	Vertical	326	2.56	-	39.50	11.24	32.56
RMS	12.9353G	46.33	68.20	-21.87	28.15	3	Vertical	326	2.56	-	39.50	11.24	32.56

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93854G	59.94	88.20	-28.26	41.76	3	Horizontal	105	2.17	-	39.50	11.24	32.56
RMS	12.93512G	46.30	68.20	-21.90	28.12	3	Horizontal	105	2.17	-	39.50	11.24	32.56

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42392G	45.83	83.54	-37.71	42.33	1	Vertical	269	1.77	-	37.90	15.23	49.63
AV	19.42178G	32.31	63.54	-31.23	28.80	1	Vertical	269	1.77	-	37.91	15.23	49.63
PK	25.90037G	50.39	97.74	-47.35	39.82	1	Vertical	243	1.38	-	39.10	17.69	46.22
RMS	25.89972G	46.08	77.74	-31.66	35.52	1	Vertical	243	1.38	-	39.10	17.68	46.22



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42058G	46.24	83.54	-37.30	42.72	1	Horizontal	35	2.01	-	37.92	15.23	49.63
AV	19.4216G	32.29	63.54	-31.25	28.78	1	Horizontal	35	2.01	-	37.91	15.23	49.63
PK	25.90039G	51.61	97.74	-46.13	41.04	1	Horizontal	165	2.82	-	39.10	17.69	46.22
RMS	25.89962G	47.14	77.74	-30.60	36.58	1	Horizontal	165	2.82	-	39.10	17.68	46.22

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 6.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02418G	60.55	88.20	-27.65	42.41	3	Vertical	202	1.99	-	39.45	11.28	32.59
RMS	13.0309G	46.95	68.20	-21.25	28.83	3	Vertical	202	1.99	-	39.44	11.28	32.60

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 6.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0252G	60.33	88.20	-27.87	42.20	3	Horizontal	358	2.88	-	39.45	11.28	32.60
RMS	13.04452G	46.93	68.20	-21.27	28.84	3	Horizontal	358	2.88	-	39.41	11.29	32.61

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 6.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5452G	46.36	83.54	-37.18	42.69	1	Vertical	221	2.78	-	38.09	15.22	49.64
AV	19.54274G	32.52	63.54	-31.02	28.85	1	Vertical	221	2.78	-	38.09	15.22	49.64
PK	26.06027G	50.06	97.74	-47.68	39.30	1	Vertical	195	2.89	-	39.22	17.74	46.20
RMS	26.06028G	46.06	77.74	-31.68	35.30	1	Vertical	195	2.89	-	39.22	17.74	46.20

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 6.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54736G	46.52	83.54	-37.02	42.85	1	Horizontal	32	1.98	-	38.09	15.22	49.64
AV	19.549G	32.53	63.54	-31.01	28.85	1	Horizontal	32	1.98	-	38.10	15.22	49.64
PK	26.05958G	51.46	97.74	-46.28	40.70	1	Horizontal	95	2.63	-	39.22	17.74	46.20
RMS	26.0605G	47.04	77.74	-30.70	36.28	1	Horizontal	95	2.63	-	39.22	17.74	46.20

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0637G	60.37	88.20	-27.83	42.31	3	Vertical	235	2.49	-	39.40	11.29	32.63
RMS	13.0586G	46.91	68.20	-21.29	28.85	3	Vertical	235	2.49	-	39.40	11.29	32.63

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07546G	60.15	88.20	-28.05	42.10	3	Horizontal	237	1.59	-	39.40	11.30	32.65
RMS	13.05848G	46.91	68.20	-21.29	28.85	3	Horizontal	237	1.59	-	39.40	11.29	32.63

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60316G	46.29	83.54	-37.25	42.85	1	Vertical	205	2.36	-	37.82	15.22	49.60
AV	19.60658G	32.46	63.54	-31.08	28.99	1	Vertical	205	2.36	-	37.84	15.22	49.59
PK	26.13981G	50.92	97.74	-46.82	39.98	1	Vertical	101	2.37	-	39.30	17.78	46.14
RMS	26.13998G	46.76	77.74	-30.98	35.82	1	Vertical	101	2.37	-	39.30	17.78	46.14



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60656G	46.80	83.54	-36.74	43.33	1	Horizontal	62	1.81	-	37.84	15.22	49.59
AV	19.60678G	32.47	63.54	-31.07	29.00	1	Horizontal	62	1.81	-	37.84	15.22	49.59
PK	26.13992G	51.63	97.74	-46.11	40.69	1	Horizontal	156	1.21	-	39.30	17.78	46.14
RMS	26.13998G	47.73	77.74	-30.01	36.79	1	Horizontal	156	1.21	-	39.30	17.78	46.14

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.403G	60.79	88.20	-27.41	42.01	3	Vertical	160	2.95	-	40.30	11.45	32.97
RMS	13.40482G	47.21	68.20	-20.99	28.43	3	Vertical	160	2.95	-	40.30	11.45	32.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40476G	61.14	88.20	-27.06	42.36	3	Horizontal	283	1.42	-	40.30	11.45	32.97
RMS	13.40452G	47.21	68.20	-20.99	28.43	3	Horizontal	283	1.42	-	40.30	11.45	32.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0856G	46.15	83.54	-37.39	42.29	1	Vertical	6	2.75	-	37.84	15.27	49.25
AV	20.08114G	32.41	63.54	-31.13	28.58	1	Vertical	6	2.75	-	37.82	15.26	49.25
PK	26.78032G	50.86	97.74	-46.88	38.78	1	Vertical	256	2.61	-	39.88	18.17	45.97
RMS	26.78007G	46.41	77.74	-31.33	34.33	1	Vertical	256	2.61	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08776G	45.84	83.54	-37.70	41.97	1	Horizontal	54	2.41	-	37.85	15.27	49.25
AV	20.08674G	32.40	63.54	-31.14	28.53	1	Horizontal	54	2.41	-	37.85	15.27	49.25
PK	26.78001G	51.71	97.74	-46.03	39.63	1	Horizontal	49	2.53	-	39.88	18.17	45.97
RMS	26.77962G	47.49	77.74	-30.25	35.41	1	Horizontal	49	2.53	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 7.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74154G	62.96	88.20	-25.24	43.42	3	Vertical	213	2.44	-	40.65	11.60	32.71
RMS	13.7386G	49.50	68.20	-18.70	29.99	3	Vertical	213	2.44	-	40.63	11.60	32.72

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 7.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74634G	62.61	88.20	-25.59	43.04	3	Horizontal	22	2.99	-	40.68	11.60	32.71
RMS	13.73518G	49.51	68.20	-18.69	30.02	3	Horizontal	22	2.99	-	40.61	11.60	32.72

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 7.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62824G	46.34	83.54	-37.20	41.77	1	Vertical	137	1.78	-	37.94	15.70	49.07
AV	20.6201G	33.21	63.54	-30.33	28.63	1	Vertical	137	1.78	-	37.96	15.70	49.08
PK	27.50039G	51.08	97.74	-46.66	38.28	1	Vertical	342	1.15	-	39.80	18.60	45.60
RMS	27.49981G	46.96	77.74	-30.78	34.16	1	Vertical	342	1.15	-	39.80	18.60	45.60



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 7.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62096G	47.21	83.54	-36.33	42.63	1	Horizontal	38	2.86	-	37.96	15.70	49.08
AV	20.62226G	33.22	63.54	-30.32	28.64	1	Horizontal	38	2.86	-	37.96	15.70	49.08
PK	27.49957G	52.34	97.74	-45.40	39.54	1	Horizontal	288	1.23	-	39.80	18.60	45.60
RMS	27.49978G	47.93	77.74	-29.81	35.13	1	Horizontal	288	1.23	-	39.80	18.60	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78322G	63.55	88.20	-24.65	44.01	3	Vertical	222	2.66	-	40.57	11.62	32.65
RMS	13.77542G	49.16	68.20	-19.04	29.60	3	Vertical	222	2.66	-	40.60	11.62	32.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7831G	63.66	88.20	-24.54	44.12	3	Horizontal	304	1.36	-	40.57	11.62	32.65
RMS	13.77518G	49.16	68.20	-19.04	29.60	3	Horizontal	304	1.36	-	40.60	11.62	32.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68814G	46.88	83.54	-36.66	42.27	1	Vertical	273	1.01	-	37.90	15.75	49.04
AV	20.69G	33.48	63.54	-30.06	28.87	1	Vertical	273	1.01	-	37.90	15.75	49.04
PK	27.5804G	50.34	97.74	-47.40	37.54	1	Vertical	161	2.00	-	39.76	18.65	45.61
RMS	27.57975G	46.77	77.74	-30.97	33.97	1	Vertical	161	2.00	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68526G	47.32	83.54	-36.22	42.71	1	Horizontal	91	1.68	-	37.90	15.75	49.04
AV	20.68992G	33.46	63.54	-30.08	28.85	1	Horizontal	91	1.68	-	37.90	15.75	49.04
PK	27.57983G	51.24	97.74	-46.50	38.44	1	Horizontal	269	2.43	-	39.76	18.65	45.61
RMS	27.57958G	47.73	77.74	-30.01	34.93	1	Horizontal	269	2.43	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99348G	64.89	88.20	-23.31	44.64	3	Vertical	296	1.80	-	40.87	11.72	32.34
RMS	14.00302G	51.33	68.20	-16.87	31.04	3	Vertical	296	1.80	-	40.90	11.72	32.33

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99774G	66.13	88.20	-22.07	45.85	3	Horizontal	6	1.78	-	40.89	11.72	32.33
RMS	14.00284G	51.29	68.20	-16.91	31.00	3	Horizontal	6	1.78	-	40.90	11.72	32.33

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98174G	47.32	83.54	-36.22	42.25	1	Vertical	330	2.78	-	37.97	15.99	48.89
AV	20.98042G	33.66	63.54	-29.88	28.59	1	Vertical	330	2.78	-	37.98	15.98	48.89
PK	27.9805G	50.67	97.74	-47.07	37.46	1	Vertical	43	1.41	-	39.98	18.89	45.66
RMS	27.97977G	46.93	77.74	-30.81	33.72	1	Vertical	43	1.41	-	39.98	18.89	45.66



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98298G	48.24	83.54	-35.30	43.17	1	Horizontal	278	1.97	-	37.97	15.99	48.89
AV	20.98042G	33.57	63.54	-29.97	28.50	1	Horizontal	278	1.97	-	37.98	15.98	48.89
PK	27.97993G	51.63	97.74	-46.11	38.42	1	Horizontal	282	1.30	-	39.98	18.89	45.66
RMS	27.97963G	47.94	77.74	-29.80	34.73	1	Horizontal	282	1.30	-	39.98	18.89	45.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0882G	108.96	Inf	-Inf	97.07	3	Vertical	208	1.00	-	35.95	8.23	32.29
RMS	7.0882G	99.64	Inf	-Inf	87.75	3	Vertical	208	1.00	-	35.95	8.23	32.29
PK	7.1486G	65.30	88.20	-22.90	53.09	3	Vertical	208	1.00	-	36.29	8.29	32.37
RMS	7.1942G	54.36	68.20	-13.84	42.08	3	Vertical	208	1.00	-	36.39	8.33	32.44

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0862G	107.76	Inf	-Inf	95.87	3	Horizontal	102	1.86	-	35.94	8.23	32.28
RMS	7.086G	98.90	Inf	-Inf	87.01	3	Horizontal	102	1.86	-	35.94	8.23	32.28
PK	7.1834G	64.79	88.20	-23.41	52.52	3	Horizontal	102	1.86	-	36.37	8.32	32.42
RMS	7.192G	54.44	68.20	-13.76	42.16	3	Horizontal	102	1.86	-	36.38	8.33	32.43

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1819G	64.89	88.20	-23.31	44.57	3	Vertical	93	1.60	-	40.96	11.81	32.45
RMS	14.17872G	51.40	68.20	-16.80	31.08	3	Vertical	93	1.60	-	40.96	11.80	32.44

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17944G	64.46	88.20	-23.74	44.13	3	Horizontal	63	2.57	-	40.96	11.81	32.44
RMS	14.17848G	51.41	68.20	-16.79	31.09	3	Horizontal	63	2.57	-	40.96	11.80	32.44

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28646G	48.63	83.54	-34.91	42.96	1	Vertical	189	2.34	-	38.29	16.23	48.85
AV	21.28968G	34.56	63.54	-28.98	28.86	1	Vertical	189	2.34	-	38.32	16.23	48.85
PK	28.38042G	50.98	97.74	-46.76	37.52	1	Vertical	229	2.18	-	40.00	19.07	45.61
RMS	28.37962G	46.98	77.74	-30.76	33.52	1	Vertical	229	2.18	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2876G	48.39	83.54	-35.15	42.71	1	Horizontal	345	1.02	-	38.30	16.23	48.85
AV	21.2899G	34.59	63.54	-28.95	28.89	1	Horizontal	345	1.02	-	38.32	16.23	48.85
PK	28.3798G	51.72	97.74	-46.02	38.26	1	Horizontal	4	2.17	-	40.00	19.07	45.61
RMS	28.37963G	47.18	77.74	-30.56	33.72	1	Horizontal	4	2.17	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.123G	98.76	Inf	-Inf	86.68	3	Vertical	244	2.19	80_BP 1M	36.14	8.27	32.33
RMS	7.123G	92.31	Inf	-Inf	80.23	3	Vertical	244	2.19	80_BP 1M	36.14	8.27	32.33
PK	7.12554G	77.54	88.20	-10.66	65.46	3	Vertical	244	2.19	80_BP 1M	36.15	8.27	32.34
RMS	7.12554G	67.89	68.20	-0.31	55.81	3	Vertical	244	2.19	80_BP 1M	36.15	8.27	32.34



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.106G	96.71	Inf	-Inf	84.73	3	Horizontal	105	2.02	80_BP 1M	36.04	8.25	32.31
RMS	7.106G	90.87	Inf	-Inf	78.89	3	Horizontal	105	2.02	80_BP 1M	36.04	8.25	32.31
PK	7.12554G	76.35	88.20	-11.85	64.27	3	Horizontal	105	2.02	80_BP 1M	36.15	8.27	32.34
RMS	7.12554G	67.05	68.20	-1.15	54.97	3	Horizontal	105	2.02	80_BP 1M	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23798G	64.26	88.20	-23.94	43.83	3	Vertical	155	2.01	-	41.08	11.83	32.48
RMS	14.215G	51.17	68.20	-17.03	30.79	3	Vertical	155	2.01	-	41.03	11.82	32.47

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23582G	64.30	88.20	-23.90	43.88	3	Horizontal	241	2.36	-	41.07	11.83	32.48
RMS	14.215G	51.14	68.20	-17.06	30.76	3	Horizontal	241	2.36	-	41.03	11.82	32.47

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3496G	48.96	83.54	-34.58	43.22	1	Vertical	252	1.47	-	38.30	16.28	48.84
AV	21.34058G	35.19	63.54	-28.35	29.44	1	Vertical	252	1.47	-	38.32	16.27	48.84
PK	28.45977G	47.79	97.74	-49.95	34.18	1	Vertical	62	1.70	-	40.10	19.11	45.60
RMS	28.45951G	43.64	77.74	-34.10	30.03	1	Vertical	62	1.70	-	40.10	19.11	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 0  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34296G	49.22	83.54	-34.32	43.48	1	Horizontal	152	2.35	-	38.31	16.27	48.84
AV	21.34046G	35.19	63.54	-28.35	29.44	1	Horizontal	152	2.35	-	38.32	16.27	48.84
PK	28.45966G	48.82	97.74	-48.92	35.21	1	Horizontal	104	1.42	-	40.10	19.11	45.60
RMS	28.45959G	43.80	77.74	-33.94	30.19	1	Horizontal	104	1.42	-	40.10	19.11	45.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9244G	60.46	88.20	-27.74	53.38	3	Vertical	58	2.17	-	34.55	7.63	35.10
RMS	5.9248G	46.65	68.20	-21.55	39.57	3	Vertical	58	2.17	-	34.55	7.63	35.10
PK	5.9834G	109.23	Inf	-Inf	102.08	3	Vertical	58	2.17	-	34.60	7.68	35.13
RMS	5.9836G	96.29	Inf	-Inf	89.14	3	Vertical	58	2.17	-	34.60	7.68	35.13

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.23	88.20	-27.97	53.19	3	Horizontal	290	2.68	-	34.52	7.62	35.10
RMS	5.925G	46.46	88.20	-41.74	39.38	3	Horizontal	290	2.68	-	34.55	7.63	35.10
PK	5.9658G	108.81	Inf	-Inf	101.67	3	Horizontal	290	2.68	-	34.60	7.66	35.12
RMS	5.966G	96.04	Inf	-Inf	88.90	3	Horizontal	290	2.68	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93494G	61.25	74.00	-12.75	44.96	3	Vertical	326	2.55	-	39.20	11.48	34.39
AV	11.93409G	48.70	54.00	-5.30	32.41	3	Vertical	326	2.55	-	39.20	11.48	34.39



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93431G	60.40	74.00	-13.60	44.11	3	Horizontal	88	1.71	-	39.20	11.48	34.39
AV	11.93389G	48.69	54.00	-5.31	32.40	3	Horizontal	88	1.71	-	39.20	11.48	34.39

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86002G	45.75	83.54	-37.79	36.75	1	Vertical	234	2.61	-	38.80	17.36	47.16
AV	23.8597G	41.66	63.54	-21.88	32.66	1	Vertical	234	2.61	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.86043G	46.02	83.54	-37.52	37.02	1	Horizontal	159	2.57	-	38.80	17.36	47.16
AV	23.85964G	42.73	63.54	-20.81	33.73	1	Horizontal	159	2.57	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4058G	59.02	74.00	-14.98	42.81	3	Vertical	264	1.81	-	38.60	11.66	34.05
AV	12.41126G	48.22	54.00	-5.78	32.01	3	Vertical	264	1.81	-	38.60	11.66	34.05

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40925G	60.06	74.00	-13.94	43.85	3	Horizontal	290	2.78	-	38.60	11.66	34.05
AV	12.41004G	48.16	54.00	-5.84	31.95	3	Horizontal	290	2.78	-	38.60	11.66	34.05

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61513G	45.36	83.54	-38.18	41.96	1	Vertical	193	1.88	-	37.73	15.27	49.60
AV	18.61453G	32.64	63.54	-30.90	29.24	1	Vertical	193	1.88	-	37.73	15.27	49.60
PK	24.82016G	50.55	97.74	-47.19	40.36	1	Vertical	29	1.51	-	39.30	17.52	46.63
RMS	24.82039G	46.80	77.74	-30.94	36.61	1	Vertical	29	1.51	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61453G	48.93	83.54	-34.61	45.53	1	Horizontal	214	2.43	-	37.73	15.27	49.60
AV	18.61466G	34.63	63.54	-28.91	31.23	1	Horizontal	214	2.43	-	37.73	15.27	49.60
PK	24.81988G	51.91	97.74	-45.83	41.72	1	Horizontal	302	1.44	-	39.30	17.52	46.63
RMS	24.81998G	47.79	77.74	-29.95	37.60	1	Horizontal	302	1.44	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80795G	59.73	88.20	-28.47	42.47	3	Vertical	263	2.32	-	39.03	11.79	33.56
RMS	12.81011G	48.92	68.20	-19.28	31.64	3	Vertical	263	2.32	-	39.04	11.80	33.56



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80841G	59.58	88.20	-28.62	42.32	3	Horizontal	266	1.44	-	39.03	11.79	33.56
RMS	12.8101G	48.88	68.20	-19.32	31.60	3	Horizontal	266	1.44	-	39.04	11.80	33.56

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21542G	45.47	83.54	-38.07	41.75	1	Vertical	34	2.38	-	37.97	15.24	49.49
AV	19.21458G	32.78	63.54	-30.76	29.06	1	Vertical	34	2.38	-	37.97	15.24	49.49
PK	25.62011G	51.79	97.74	-45.95	40.90	1	Vertical	210	1.49	-	39.42	17.64	46.17
RMS	25.61951G	47.50	77.74	-30.24	36.61	1	Vertical	210	1.49	-	39.42	17.64	46.17

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 10  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21498G	48.34	83.54	-35.20	44.62	1	Horizontal	236	2.41	-	37.97	15.24	49.49
AV	19.21504G	34.80	63.54	-28.74	31.08	1	Horizontal	236	2.41	-	37.97	15.24	49.49
PK	25.61956G	51.88	97.74	-45.86	40.99	1	Horizontal	109	2.08	-	39.42	17.64	46.17
RMS	25.61957G	47.52	77.74	-30.22	36.63	1	Horizontal	109	2.08	-	39.42	17.64	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88731G	61.13	88.20	-27.07	43.56	3	Vertical	312	2.15	-	39.20	11.82	33.45
RMS	12.89133G	49.05	68.20	-19.15	31.48	3	Vertical	312	2.15	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88905G	60.93	88.20	-27.27	43.36	3	Horizontal	79	2.77	-	39.20	11.82	33.45
RMS	12.89067G	49.10	68.20	-19.10	31.53	3	Horizontal	79	2.77	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


17/04/2024

EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33481G	46.44	83.54	-37.10	42.92	1	Vertical	222	2.63	-	37.86	15.23	49.57
AV	19.33452G	32.88	63.54	-30.66	29.36	1	Vertical	222	2.63	-	37.86	15.23	49.57
PK	25.78005G	50.42	97.74	-47.32	39.83	1	Vertical	233	1.73	-	39.12	17.67	46.20
RMS	25.77967G	46.33	77.74	-31.41	35.74	1	Vertical	233	1.73	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33525G	49.79	83.54	-33.75	46.27	1	Horizontal	79	1.41	-	37.86	15.23	49.57
AV	19.33466G	34.89	63.54	-28.65	31.37	1	Horizontal	79	1.41	-	37.86	15.23	49.57
PK	25.77968G	52.17	97.74	-45.57	41.58	1	Horizontal	178	2.71	-	39.12	17.67	46.20
RMS	25.77959G	48.33	77.74	-29.41	37.74	1	Horizontal	178	2.71	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97121G	59.14	88.20	-29.06	41.33	3	Vertical	349	2.82	-	39.30	11.85	33.34
RMS	12.97128G	48.31	68.20	-19.89	30.50	3	Vertical	349	2.82	-	39.30	11.85	33.34



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96707G	59.68	88.20	-28.52	41.87	3	Horizontal	284	1.00	-	39.30	11.85	33.34
RMS	12.97067G	48.29	68.20	-19.91	30.48	3	Horizontal	284	1.00	-	39.30	11.85	33.34

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45455G	46.13	83.54	-37.41	42.73	1	Vertical	148	1.28	-	37.82	15.23	49.65
AV	19.45478G	33.19	63.54	-30.35	29.79	1	Vertical	148	1.28	-	37.82	15.23	49.65
PK	25.93998G	51.22	97.74	-46.52	40.82	1	Vertical	57	2.68	-	38.94	17.69	46.23
RMS	25.93981G	46.12	77.74	-31.62	35.72	1	Vertical	57	2.68	-	38.94	17.69	46.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45493G	48.97	83.54	-34.57	45.57	1	Horizontal	159	2.47	-	37.82	15.23	49.65
AV	19.4546G	34.23	63.54	-29.31	30.83	1	Horizontal	159	2.47	-	37.82	15.23	49.65
PK	25.94035G	52.19	97.74	-45.55	41.79	1	Horizontal	28	2.34	-	38.94	17.69	46.23
RMS	25.94049G	47.10	77.74	-30.64	36.70	1	Horizontal	28	2.34	-	38.94	17.69	46.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05319G	59.57	88.20	-28.63	41.52	3	Vertical	268	2.42	-	39.41	11.88	33.24
RMS	13.0539G	48.38	68.20	-19.82	30.32	3	Vertical	268	2.42	-	39.42	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05461G	60.42	88.20	-27.78	42.35	3	Horizontal	265	1.69	-	39.42	11.88	33.23
RMS	13.05399G	48.38	68.20	-19.82	30.32	3	Horizontal	265	1.69	-	39.42	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57516G	45.98	83.54	-37.56	42.43	1	Vertical	266	2.94	-	37.95	15.22	49.62
AV	19.57503G	32.62	63.54	-30.92	29.07	1	Vertical	266	2.94	-	37.95	15.22	49.62
PK	26.10047G	50.22	97.74	-47.52	39.33	1	Vertical	275	2.42	-	39.30	17.76	46.17
RMS	26.09971G	46.39	77.74	-31.35	35.50	1	Vertical	275	2.42	-	39.30	17.76	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57462G	48.34	83.54	-35.20	44.79	1	Horizontal	195	2.98	-	37.95	15.22	49.62
AV	19.57549G	34.64	63.54	-28.90	31.09	1	Horizontal	195	2.98	-	37.95	15.22	49.62
PK	26.10017G	51.31	97.74	-46.43	40.42	1	Horizontal	262	1.12	-	39.30	17.76	46.17
RMS	26.09996G	47.37	77.74	-30.37	36.48	1	Horizontal	262	1.12	-	39.30	17.76	46.17

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13296G	61.43	88.20	-26.77	43.06	3	Vertical	57	2.75	-	39.60	11.91	33.14
RMS	13.13331G	49.70	68.20	-18.50	31.33	3	Vertical	57	2.75	-	39.60	11.91	33.14



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13497G	61.56	88.20	-26.64	43.19	3	Horizontal	276	2.99	-	39.60	11.91	33.14
RMS	13.13331G	49.72	68.20	-18.48	31.35	3	Horizontal	276	2.99	-	39.60	11.91	33.14

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69545G	45.77	83.54	-37.77	42.24	1	Vertical	255	2.78	-	37.83	15.22	49.52
AV	19.69471G	33.86	63.54	-29.68	30.33	1	Vertical	255	2.78	-	37.83	15.22	49.52
PK	26.25969G	50.98	97.74	-46.76	40.08	1	Vertical	115	1.84	-	39.10	17.86	46.06
RMS	26.25986G	46.24	77.74	-31.50	35.34	1	Vertical	115	1.84	-	39.10	17.86	46.06

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 9  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69473G	48.14	83.54	-35.40	44.61	1	Horizontal	33	1.93	-	37.83	15.22	49.52
AV	19.69505G	34.81	63.54	-28.73	31.28	1	Horizontal	33	1.93	-	37.83	15.22	49.52
PK	26.25972G	51.59	97.74	-46.15	40.69	1	Horizontal	132	1.14	-	39.10	17.86	46.06
RMS	26.25972G	47.24	77.74	-30.50	36.34	1	Horizontal	132	1.14	-	39.10	17.86	46.06

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36839G	61.23	74.00	-12.77	42.06	3	Vertical	26	2.67	-	40.04	11.99	32.86
AV	13.37126G	50.39	54.00	-3.61	31.21	3	Vertical	26	2.67	-	40.04	11.99	32.85

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37016G	61.85	74.00	-12.15	42.68	3	Horizontal	111	1.99	-	40.04	11.99	32.86
AV	13.37132G	50.38	54.00	-3.62	31.20	3	Horizontal	111	1.99	-	40.04	11.99	32.85

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05522G	45.76	83.54	-37.78	42.06	1	Vertical	139	2.06	-	37.72	15.24	49.26
AV	20.05467G	32.73	63.54	-30.81	29.03	1	Vertical	139	2.06	-	37.72	15.24	49.26
PK	26.7405G	50.63	97.74	-47.11	38.41	1	Vertical	127	2.66	-	40.04	18.14	45.96
RMS	26.73996G	46.84	77.74	-30.90	34.62	1	Vertical	127	2.66	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 9.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05479G	48.15	83.54	-35.39	44.45	1	Horizontal	352	1.71	-	37.72	15.24	49.26
AV	20.05489G	34.74	63.54	-28.80	31.04	1	Horizontal	352	1.71	-	37.72	15.24	49.26
PK	26.74007G	52.68	97.74	-45.06	40.46	1	Horizontal	85	1.30	-	40.04	18.14	45.96
RMS	26.74021G	47.85	77.74	-29.89	35.63	1	Horizontal	85	1.30	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 0  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76691G	61.54	88.20	-26.66	41.44	3	Vertical	247	1.81	-	40.63	12.12	32.65
RMS	13.76812G	50.43	68.20	-17.77	30.32	3	Vertical	247	1.81	-	40.64	12.12	32.65



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX



EUT\_X\_4TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76553G	60.47	88.20	-27.73	40.37	3	Horizontal	43	1.08	-	40.63	12.12	32.65
RMS	13.76749G	50.42	68.20	-17.78	30.32	3	Horizontal	43	1.08	-	40.63	12.12	32.65