



## Radiated PSD\_Standard Power Access Point\_Radio 4\_Multi\_RU Appendix D.7

### Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	6.92
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	9.18
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	11.48
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	1.72
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	6.43
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	9.99
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	1.34
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	3.71
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	7.76

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



## Radiated PSD\_ Standard Power Access Point Radio 4\_Multi\_RU Appendix D.7


### Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	6.07	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-
5985MHz	Pass	6.92	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	9.01	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-
5985MHz	Pass	9.18	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	11.31	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-
5985MHz	Pass	11.48	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6025MHz	Pass	1.63	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-
6025MHz	Pass	1.72	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-
6025MHz	Pass	1.61	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6025MHz	Pass	6.09	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-
6025MHz	Pass	6.06	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-
6025MHz	Pass	6.43	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	9.54	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-
6025MHz	Pass	9.99	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-
6025MHz	Pass	9.86	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	1.34	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-	-	-
6105MHz	Pass	1.31	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	-	-	-
6105MHz	Pass	1.22	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	3.54	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-
6105MHz	Pass	3.37	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-
6105MHz	Pass	3.71	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	7.22	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-
6105MHz	Pass	7.39	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-
6105MHz	Pass	7.76	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.



**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX**




**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1;Ch:5985MHz;TX**






**Radiated PSD\_Standard Power Access Point Radio 4\_Multi\_RU Appendix D.7**

**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX**




**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:2;Ch:5985MHz;TX**








**Radiated PSD\_Standard Power Access Point Radio 4\_Multi\_RU Appendix D.7**

**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX**



**EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:4;Ch:5985MHz;TX**





EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
1.61				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.01	13.39	7.70	32.43	57.74

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
6.09				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.54	13.37	7.70	32.43	57.73




**Radiated PSD\_Standard Power Access Point Radio 4\_Multi\_RU Appendix D.7**

**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU726+RU242+RU242 MRU 1;Nant:2;Ch:6025MHz;TX**



**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:2;Ch:6025MHz;TX**



**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX**

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.54				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.09	13.37	7.70	32.43	57.73

**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU726+RU242+RU242 MRU 1;Nant:4;Ch:6025MHz;TX**

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.99				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.64	13.37	7.70	32.43	57.73

**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:4;Ch:6025MHz;TX**

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
9.86		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.77	13.37	7.70	32.43	57.73

**EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX**

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
1.34		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.29	13.37	7.70	32.43	57.73







EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996-RU484 MRU 5;Nant:1;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1;Ch:6105MHz;TX








EIRP PSD:Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX



EIRP PSD:Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:4;Ch:6105MHz;TX





# Radiated PSD\_Standard Power Access Point\_Radio 4\_ Puncturing

## Appendix D.8

### Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	7.22
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	8.38
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	11.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	2.15
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	5.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	8.36
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	1.79
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	3.68
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	5.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





# Radiated PSD\_Standard Power Access Point\_Radio 4\_Puncturing



## Appendix D.8

### Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-
5985MHz	Pass	7.22	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-
6025MHz	Pass	2.13	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6025MHz	Pass	2.15	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-
6105MHz	Pass	1.62	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-
6105MHz	Pass	1.79	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-
6105MHz	Pass	1.75	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-
5985MHz	Pass	8.38	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-
6025MHz	Pass	4.39	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-
6025MHz	Pass	5.14	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-
6105MHz	Pass	3.02	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	3.26	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-
6105MHz	Pass	3.68	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-
5985MHz	Pass	11.96	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-
6025MHz	Pass	7.43	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-
6025MHz	Pass	8.36	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-
6105MHz	Pass	3.21	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-
6105MHz	Pass	5.88	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-
6105MHz	Pass	5.48	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	0.75	4.71
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	0.31	4.98
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	0.41	4.72
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	0.18	4.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;








Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	3.96	0.66	0.66	4.62	5.00
6195MHz	Pass	3.96	0.60	0.60	4.56	5.00
6415MHz	Pass	3.96	0.75	0.75	4.71	5.00
6435MHz	Pass	4.67	0.31	0.31	4.98	5.00
6475MHz	Pass	4.67	0.03	0.03	4.70	5.00
6515MHz	Pass	4.67	0.18	0.18	4.85	5.00
6535MHz	Pass	4.31	0.27	0.27	4.58	5.00
6695MHz	Pass	4.31	0.39	0.39	4.70	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.31	0.41	0.41	4.72	5.00
6895MHz	Pass	4.80	0.18	0.18	4.98	5.00
6995MHz	Pass	4.80	0.18	0.18	4.98	5.00
7095MHz	Pass	4.80	0.08	0.08	4.88	5.00
7115MHz	Pass	4.80	-0.10	-0.10	4.70	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	10.83	14.79
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	10.36	14.67



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:






Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	3.96	10.83	10.83	14.79	23.00
6195MHz	Pass	3.96	10.22	10.22	14.18	23.00
6415MHz	Pass	3.96	8.88	8.88	12.84	23.00
6535MHz	Pass	4.31	9.71	9.71	14.02	23.00
6695MHz	Pass	4.31	10.36	10.36	14.67	23.00
6855MHz	Pass	4.31	9.94	9.94	14.25	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;










**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 15	Pass	PK	101.78M	39.47	43.50	-4.03	Horizontal

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	44.55M	35.45	40.00	-4.55	-13.75	3	Vertical	32	1.00	-	49.20	16.63	1.22	31.60
QP	58.13M	35.81	40.00	-4.19	-17.62	3	Vertical	358	1.00	"Worst"	53.43	12.68	1.37	31.67
PK	70.74M	30.16	40.00	-9.84	-17.69	3	Vertical	120	1.00	-	47.85	12.51	1.50	31.70
PK	101.78M	37.71	43.50	-5.79	-12.93	3	Vertical	188	1.50	-	50.64	17.04	1.77	31.74
PK	625.58M	36.65	46.00	-9.35	-2.92	3	Vertical	193	1.50	-	39.57	24.64	4.72	32.28
PK	800.18M	40.98	46.00	-5.02	-1.04	3	Vertical	182	1.00	-	42.02	25.87	5.43	32.34

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	42.61M	25.66	40.00	-14.34	-12.77	3	Horizontal	267	1.50	-	38.43	17.61	1.20	31.58
PK	101.78M	39.47	43.50	-4.03	-12.93	3	Horizontal	258	1.50	"Worst"	52.40	17.04	1.77	31.74
PK	443.22M	27.26	46.00	-18.74	-5.67	3	Horizontal	106	1.00	-	32.93	22.45	3.91	32.03
PK	624.61M	36.99	46.00	-9.01	-2.92	3	Horizontal	253	1.50	-	39.91	24.64	4.71	32.27
PK	895.24M	32.58	46.00	-13.42	-0.14	3	Horizontal	144	1.00	-	32.72	26.40	5.82	32.36
PK	955.38M	32.74	46.00	-13.26	0.39	3	Horizontal	75	1.00	-	32.35	26.70	6.00	32.31





**RSE TX above 1GHz\_Indoor Access Point\_Radio 4\_**  
**Non-beamforming mode\_Full RU**


**Appendix E.2**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.252G	53.97	54.00	-0.03	3	Horizontal	292	1.00	-

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8902G	60.32	88.20	-27.88	53.35	3	Vertical	61	2.32	-	34.46	7.60	35.09
RMS	5.92026G	46.47	68.20	-21.73	39.40	3	Vertical	61	2.32	-	34.54	7.63	35.10
PK	5.96094G	109.44	Inf	-Inf	102.30	3	Vertical	61	2.32	-	34.60	7.66	35.12
RMS	5.96346G	95.86	Inf	-Inf	88.72	3	Vertical	61	2.32	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88444G	60.05	88.20	-28.15	53.09	3	Horizontal	293	1.57	-	34.44	7.60	35.08
RMS	5.92188G	46.38	68.20	-21.82	39.31	3	Horizontal	293	1.57	-	34.54	7.63	35.10
PK	5.96328G	99.95	Inf	-Inf	92.81	3	Horizontal	293	1.57	-	34.60	7.66	35.12
RMS	5.96346G	86.37	Inf	-Inf	79.23	3	Horizontal	293	1.57	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91076G	61.36	74.00	-12.64	45.09	3	Vertical	98	2.21	-	39.20	11.47	34.40
AV	11.90796G	48.78	54.00	-5.22	32.51	3	Vertical	98	2.21	-	39.20	11.47	34.40

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91123G	60.65	74.00	-13.35	44.38	3	Horizontal	352	1.10	-	39.20	11.47	34.40
AV	11.90737G	48.74	54.00	-5.26	32.47	3	Horizontal	352	1.10	-	39.20	11.47	34.40

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81979G	49.46	83.54	-34.08	40.31	1	Vertical	345	1.50	-	38.98	17.35	47.18
AV	23.82G	40.46	63.54	-23.08	31.31	1	Vertical	345	1.50	-	38.98	17.35	47.18

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5955MHz\_TX




EUT\_X\_1TX  
SET 13.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81991G	53.23	83.54	-30.31	44.08	1	Horizontal	62	1.50	-	38.98	17.35	47.18
AV	23.81997G	47.29	63.54	-16.25	38.14	1	Horizontal	62	1.50	-	38.98	17.35	47.18

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_X\_1TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39075G	60.28	74.00	-13.72	44.07	3	Vertical	78	1.84	-	38.62	11.65	34.06
AV	12.38802G	48.74	54.00	-5.26	32.53	3	Vertical	78	1.84	-	38.62	11.65	34.06



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_X\_1TX  
SET 14.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38792G	60.53	74.00	-13.47	44.32	3	Horizontal	112	1.13	-	38.62	11.65	34.06
AV	12.38808G	48.74	54.00	-5.26	32.53	3	Horizontal	112	1.13	-	38.62	11.65	34.06

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_X\_1TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58341G	45.98	83.54	-37.56	42.63	1	Vertical	30	1.74	-	37.70	15.27	49.62
AV	18.58359G	32.18	63.54	-31.36	28.83	1	Vertical	30	1.74	-	37.70	15.27	49.62
PK	24.78288G	49.33	97.74	-48.41	39.16	1	Vertical	104	1.31	-	39.30	17.52	46.65
RMS	24.78073G	46.30	77.74	-31.44	36.13	1	Vertical	104	1.31	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




EUT\_X\_1TX  
SET 14.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57828G	48.02	83.54	-35.52	44.68	1	Horizontal	326	1.54	-	37.70	15.27	49.63
AV	18.58404G	34.66	63.54	-28.88	31.31	1	Horizontal	326	1.54	-	37.70	15.27	49.62
PK	24.78G	51.79	97.74	-45.95	41.62	1	Horizontal	35	1.50	-	39.30	17.52	46.65
RMS	24.77997G	47.23	77.74	-30.51	37.06	1	Horizontal	35	1.50	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83252G	59.21	88.20	-28.99	41.81	3	Vertical	252	2.93	-	39.13	11.80	33.53
RMS	12.83399G	49.04	68.20	-19.16	31.63	3	Vertical	252	2.93	-	39.14	11.80	33.53

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83285G	59.52	88.20	-28.68	42.12	3	Horizontal	159	2.64	-	39.13	11.80	33.53
RMS	12.83388G	49.02	68.20	-19.18	31.61	3	Horizontal	159	2.64	-	39.14	11.80	33.53

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24513G	45.14	83.54	-38.40	41.50	1	Vertical	292	1.03	-	37.91	15.24	49.51
AV	19.24531G	32.24	63.54	-31.30	28.60	1	Vertical	292	1.03	-	37.91	15.24	49.51
PK	25.66009G	49.40	97.74	-48.34	38.67	1	Vertical	265	2.89	-	39.26	17.65	46.18
RMS	25.65956G	46.20	77.74	-31.54	35.47	1	Vertical	265	2.89	-	39.26	17.65	46.18

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24482G	47.79	83.54	-35.75	44.15	1	Horizontal	120	2.13	-	37.91	15.24	49.51
AV	19.24544G	34.27	63.54	-29.27	30.63	1	Horizontal	120	2.13	-	37.91	15.24	49.51
PK	25.65992G	51.08	97.74	-46.66	40.35	1	Horizontal	219	2.44	-	39.26	17.65	46.18
RMS	25.66002G	47.21	77.74	-30.53	36.48	1	Horizontal	219	2.44	-	39.26	17.65	46.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6435MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87445G	61.28	88.20	-26.92	43.73	3	Vertical	288	2.19	-	39.20	11.82	33.47
RMS	12.87332G	49.50	68.20	-18.70	31.95	3	Vertical	288	2.19	-	39.20	11.82	33.47



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6435MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.866G	60.11	88.20	-28.09	42.58	3	Horizontal	235	1.64	-	39.20	11.81	33.48
RMS	12.87392G	49.52	68.20	-18.68	31.97	3	Horizontal	235	1.64	-	39.20	11.82	33.47

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6435MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30506G	45.16	83.54	-38.38	41.50	1	Vertical	196	2.38	-	37.98	15.23	49.55
AV	19.3046G	32.66	63.54	-30.88	29.00	1	Vertical	196	2.38	-	37.98	15.23	49.55
PK	25.73953G	50.58	97.74	-47.16	39.85	1	Vertical	256	1.63	-	39.26	17.66	46.19
RMS	25.73983G	46.12	77.74	-31.62	35.39	1	Vertical	256	1.63	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6435MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30501G	48.06	83.54	-35.48	44.40	1	Horizontal	280	2.14	-	37.98	15.23	49.55
AV	19.30462G	34.66	63.54	-28.88	31.00	1	Horizontal	280	2.14	-	37.98	15.23	49.55
PK	25.74038G	51.69	97.74	-46.05	40.96	1	Horizontal	15	2.32	-	39.26	17.66	46.19
RMS	25.74024G	47.02	77.74	-30.72	36.29	1	Horizontal	15	2.32	-	39.26	17.66	46.19

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94869G	60.86	88.20	-27.34	43.09	3	Vertical	122	2.35	-	39.30	11.84	33.37
RMS	12.94803G	49.59	68.20	-18.61	31.82	3	Vertical	122	2.35	-	39.30	11.84	33.37

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_X\_1TX  
SET 13  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94847G	60.66	88.20	-27.54	42.89	3	Horizontal	321	1.42	-	39.30	11.84	33.37
RMS	12.94809G	49.60	68.20	-18.60	31.83	3	Horizontal	321	1.42	-	39.30	11.84	33.37

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42543G	45.40	83.54	-38.14	41.90	1	Vertical	69	2.13	-	37.90	15.23	49.63
AV	19.42461G	32.21	63.54	-31.33	28.71	1	Vertical	69	2.13	-	37.90	15.23	49.63
PK	25.90024G	50.13	97.74	-47.61	39.56	1	Vertical	67	1.12	-	39.10	17.69	46.22
RMS	25.90046G	46.84	77.74	-30.90	36.27	1	Vertical	67	1.12	-	39.10	17.69	46.22

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_X\_1TX  
SET 13  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42525G	48.46	83.54	-35.08	44.96	1	Horizontal	280	1.15	-	37.90	15.23	49.63
AV	19.42469G	34.18	63.54	-29.36	30.68	1	Horizontal	280	1.15	-	37.90	15.23	49.63
PK	25.90008G	54.56	97.74	-43.18	43.99	1	Horizontal	234	1.76	-	39.10	17.69	46.22
RMS	25.90009G	47.86	77.74	-29.88	37.29	1	Horizontal	234	1.76	-	39.10	17.69	46.22

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6515MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02785G	59.17	88.20	-29.03	41.21	3	Vertical	114	2.20	-	39.36	11.87	33.27
RMS	13.02804G	48.75	68.20	-19.45	30.79	3	Vertical	114	2.20	-	39.36	11.87	33.27



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6515MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02622G	59.88	88.20	-28.32	41.93	3	Horizontal	319	2.26	-	39.35	11.87	33.27
RMS	13.02802G	48.81	68.20	-19.39	30.85	3	Horizontal	319	2.26	-	39.36	11.87	33.27

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6515MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5448G	45.19	83.54	-38.35	41.52	1	Vertical	318	2.08	-	38.09	15.22	49.64
AV	19.54544G	33.17	63.54	-30.37	29.50	1	Vertical	318	2.08	-	38.09	15.22	49.64
PK	26.0601G	50.28	97.74	-47.46	39.52	1	Vertical	249	2.37	-	39.22	17.74	46.20
RMS	26.05956G	46.85	77.74	-30.89	36.09	1	Vertical	249	2.37	-	39.22	17.74	46.20

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6515MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54464G	48.43	83.54	-35.11	44.76	1	Horizontal	352	2.75	-	38.09	15.22	49.64
AV	19.54512G	35.20	63.54	-28.34	31.53	1	Horizontal	352	2.75	-	38.09	15.22	49.64
PK	26.06032G	51.62	97.74	-46.12	40.86	1	Horizontal	324	2.26	-	39.22	17.74	46.20
RMS	26.05985G	47.87	77.74	-29.87	37.11	1	Horizontal	324	2.26	-	39.22	17.74	46.20

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07476G	61.21	88.20	-26.99	43.03	3	Vertical	83	2.75	-	39.50	11.89	33.21
RMS	13.06805G	49.52	68.20	-18.68	31.39	3	Vertical	83	2.75	-	39.47	11.88	33.22

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_X\_1TX  
SET 13.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06708G	61.73	88.20	-26.47	43.60	3	Horizontal	116	1.13	-	39.47	11.88	33.22
RMS	13.06804G	49.58	68.20	-18.62	31.45	3	Horizontal	116	1.13	-	39.47	11.88	33.22

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_X\_1TX  
SET 13.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60452G	45.77	83.54	-37.77	42.31	1	Vertical	291	2.81	-	37.83	15.22	49.59
AV	19.60472G	31.96	63.54	-31.58	28.50	1	Vertical	291	2.81	-	37.83	15.22	49.59
PK	26.14027G	50.12	97.74	-47.62	39.18	1	Vertical	110	1.67	-	39.30	17.78	46.14
RMS	26.13993G	46.81	77.74	-30.93	35.87	1	Vertical	110	1.67	-	39.30	17.78	46.14

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6535MHz\_TX




EUT\_X\_1TX  
SET 13.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60464G	47.99	83.54	-35.55	44.53	1	Horizontal	54	1.40	-	37.83	15.22	49.59
AV	19.60482G	34.95	63.54	-28.59	31.49	1	Horizontal	54	1.40	-	37.83	15.22	49.59
PK	26.14034G	51.94	97.74	-45.80	41.00	1	Horizontal	47	2.63	-	39.30	17.78	46.14
RMS	26.1402G	47.83	77.74	-29.91	36.89	1	Horizontal	47	2.63	-	39.30	17.78	46.14

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39423G	61.02	74.00	-12.98	41.77	3	Vertical	358	1.89	-	40.09	11.99	32.83
AV	13.3939G	50.07	54.00	-3.93	30.82	3	Vertical	358	1.89	-	40.09	11.99	32.83



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3852G	61.15	74.00	-12.85	41.93	3	Horizontal	97	2.86	-	40.07	11.99	32.84
AV	13.39331G	50.11	54.00	-3.89	30.86	3	Horizontal	97	2.86	-	40.09	11.99	32.83

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08481G	46.26	83.54	-37.28	42.40	1	Vertical	126	1.36	-	37.84	15.27	49.25
AV	20.08458G	33.39	63.54	-30.15	29.53	1	Vertical	126	1.36	-	37.84	15.27	49.25
PK	26.78048G	51.85	97.74	-45.89	39.77	1	Vertical	46	2.04	-	39.88	18.17	45.97
RMS	26.77966G	47.63	77.74	-30.11	35.55	1	Vertical	46	2.04	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0854G	49.38	83.54	-34.16	45.52	1	Horizontal	41	2.77	-	37.84	15.27	49.25
AV	20.08485G	35.39	63.54	-28.15	31.53	1	Horizontal	41	2.77	-	37.84	15.27	49.25
PK	26.77957G	52.29	97.74	-45.45	40.21	1	Horizontal	265	1.43	-	39.88	18.17	45.97
RMS	26.77967G	48.64	77.74	-29.10	36.56	1	Horizontal	265	1.43	-	39.88	18.17	45.97

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75117G	61.33	88.20	-26.87	41.26	3	Vertical	158	2.92	-	40.60	12.12	32.65
RMS	13.75121G	50.04	68.20	-18.16	29.97	3	Vertical	158	2.92	-	40.60	12.12	32.65

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75191G	60.60	88.20	-27.60	40.53	3	Horizontal	266	1.34	-	40.60	12.12	32.65
RMS	13.75064G	50.03	68.20	-18.17	29.96	3	Horizontal	266	1.34	-	40.60	12.12	32.65

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6251G	46.94	83.54	-36.60	42.36	1	Vertical	65	1.74	-	37.95	15.70	49.07
AV	20.6252G	33.26	63.54	-30.28	28.68	1	Vertical	65	1.74	-	37.95	15.70	49.07
PK	27.50008G	51.67	97.74	-46.07	38.87	1	Vertical	148	1.33	-	39.80	18.60	45.60
RMS	27.5G	47.83	77.74	-29.91	35.03	1	Vertical	148	1.33	-	39.80	18.60	45.60

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62532G	49.06	83.54	-34.48	44.48	1	Horizontal	112	1.67	-	37.95	15.70	49.07
AV	20.62475G	35.25	63.54	-28.29	30.68	1	Horizontal	112	1.67	-	37.95	15.70	49.08
PK	27.49954G	52.60	97.74	-45.14	39.80	1	Horizontal	54	2.84	-	39.80	18.60	45.60
RMS	27.49975G	48.81	77.74	-28.93	36.01	1	Horizontal	54	2.84	-	39.80	18.60	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79187G	58.32	88.20	-29.88	38.15	3	Vertical	140	1.64	-	40.68	12.13	32.64
RMS	13.78511G	49.30	68.20	-18.90	29.14	3	Vertical	140	1.64	-	40.67	12.13	32.64



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78512G	59.45	88.20	-28.75	39.29	3	Horizontal	258	1.52	-	40.67	12.13	32.64
RMS	13.78576G	49.31	68.20	-18.89	29.15	3	Horizontal	258	1.52	-	40.67	12.13	32.64

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68535G	46.18	83.54	-37.36	41.57	1	Vertical	251	2.58	-	37.90	15.75	49.04
AV	20.68453G	33.76	63.54	-29.78	29.15	1	Vertical	251	2.58	-	37.90	15.75	49.04
PK	27.57993G	50.59	97.74	-47.15	37.79	1	Vertical	116	2.54	-	39.76	18.65	45.61
RMS	27.58015G	46.87	77.74	-30.87	34.07	1	Vertical	116	2.54	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68489G	48.54	83.54	-35.00	43.93	1	Horizontal	230	2.60	-	37.90	15.75	49.04
AV	20.68458G	34.74	63.54	-28.80	30.13	1	Horizontal	230	2.60	-	37.90	15.75	49.04
PK	27.58045G	52.68	97.74	-45.06	39.88	1	Horizontal	153	2.66	-	39.76	18.65	45.61
RMS	27.57988G	47.88	77.74	-29.86	35.08	1	Horizontal	153	2.66	-	39.76	18.65	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6995MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98507G	60.11	88.20	-28.09	39.38	3	Vertical	241	2.75	-	41.14	12.19	32.60
RMS	13.98808G	50.03	68.20	-18.17	29.28	3	Vertical	241	2.75	-	41.15	12.20	32.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6995MHz\_TX




EUT\_X\_1TX  
SET 14  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.985G	60.43	88.20	-27.77	39.70	3	Horizontal	319	2.55	-	41.14	12.19	32.60
RMS	13.99397G	50.06	68.20	-18.14	29.28	3	Horizontal	319	2.55	-	41.18	12.20	32.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6995MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9847G	45.94	83.54	-37.60	40.88	1	Vertical	209	2.23	-	37.96	15.99	48.89
AV	20.98498G	32.97	63.54	-30.57	27.91	1	Vertical	209	2.23	-	37.96	15.99	48.89
PK	27.98005G	50.56	97.74	-47.18	37.35	1	Vertical	46	1.41	-	39.98	18.89	45.66
RMS	27.97992G	46.84	77.74	-30.90	33.63	1	Vertical	46	1.41	-	39.98	18.89	45.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6995MHz\_TX




EUT\_X\_1TX  
SET 14  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98511G	48.95	83.54	-34.59	43.89	1	Horizontal	146	2.02	-	37.96	15.99	48.89
AV	20.98468G	34.97	63.54	-28.57	29.91	1	Horizontal	146	2.02	-	37.96	15.99	48.89
PK	27.97954G	52.39	97.74	-45.35	39.18	1	Horizontal	287	1.59	-	39.98	18.89	45.66
RMS	27.97987G	48.85	77.74	-28.89	35.64	1	Horizontal	287	1.59	-	39.98	18.89	45.66

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.086G	108.97	Inf	-Inf	100.39	3	Vertical	72	2.95	-	35.67	8.42	35.51
RMS	7.087G	95.85	Inf	-Inf	87.27	3	Vertical	72	2.95	-	35.67	8.42	35.51
PK	7.1762G	62.89	88.20	-25.31	53.85	3	Vertical	72	2.95	-	36.06	8.44	35.46
RMS	7.1934G	49.11	68.20	-19.09	39.95	3	Vertical	72	2.95	-	36.16	8.45	35.45



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	104.29	Inf	-Inf	95.70	3	Horizontal	287	2.08	-	35.68	8.42	35.51
RMS	7.0862G	91.17	Inf	-Inf	82.59	3	Horizontal	287	2.08	-	35.67	8.42	35.51
PK	7.1778G	62.91	88.20	-25.29	53.86	3	Horizontal	287	2.08	-	36.07	8.44	35.46
RMS	7.1944G	49.11	68.20	-19.09	39.94	3	Horizontal	287	2.08	-	36.17	8.45	35.45

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.18516G	64.29	88.20	-23.91	43.07	3	Vertical	113	1.48	-	41.64	12.26	32.68
RMS	14.19137G	53.33	68.20	-14.87	32.08	3	Vertical	113	1.48	-	41.67	12.26	32.68

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18937G	65.07	88.20	-23.13	43.83	3	Horizontal	15	1.61	-	41.66	12.26	32.68
RMS	14.19133G	53.32	68.20	-14.88	32.07	3	Horizontal	15	1.61	-	41.67	12.26	32.68

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28549G	46.19	83.54	-37.35	40.53	1	Vertical	296	2.86	-	38.28	16.23	48.85
AV	21.28536G	33.14	63.54	-30.40	27.48	1	Vertical	296	2.86	-	38.28	16.23	48.85
PK	28.37961G	51.44	97.74	-46.30	37.98	1	Vertical	230	1.72	-	40.00	19.07	45.61
RMS	28.38036G	46.95	77.74	-30.79	33.49	1	Vertical	230	1.72	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_X\_1TX  
SET 15.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28541G	49.33	83.54	-34.21	43.67	1	Horizontal	31	2.36	-	38.28	16.23	48.85
AV	21.28504G	35.16	63.54	-28.38	29.50	1	Horizontal	31	2.36	-	38.28	16.23	48.85
PK	28.38013G	52.44	97.74	-45.30	38.98	1	Horizontal	89	1.71	-	40.00	19.07	45.61
RMS	28.37981G	48.01	77.74	-29.73	34.55	1	Horizontal	89	1.71	-	40.00	19.07	45.61

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1215G	97.40	Inf	-Inf	88.67	3	Vertical	69	2.13	BP 1MHz	35.79	8.43	35.49
RMS	7.1235G	90.91	Inf	-Inf	82.18	3	Vertical	69	2.13	BP 1MHz	35.79	8.43	35.49
PK	7.1255G	77.33	88.20	-10.87	68.59	3	Vertical	69	2.13	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	67.59	68.20	-0.61	58.85	3	Vertical	69	2.13	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1205G	93.97	Inf	-Inf	85.25	3	Horizontal	14	2.95	BP 1MHz	35.78	8.43	35.49
RMS	7.1155G	87.29	Inf	-Inf	78.59	3	Horizontal	14	2.95	BP 1MHz	35.76	8.43	35.49
PK	7.1255G	72.61	88.20	-15.59	63.87	3	Horizontal	14	2.95	BP 1MHz	35.80	8.43	35.49
RMS	7.1255G	63.72	68.20	-4.48	54.98	3	Horizontal	14	2.95	BP 1MHz	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23228G	63.36	88.20	-24.84	42.03	3	Vertical	119	1.37	-	41.76	12.27	32.70
RMS	14.23069G	52.87	68.20	-15.33	31.54	3	Vertical	119	1.37	-	41.76	12.27	32.70



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22536G	63.43	88.20	-24.77	42.11	3	Horizontal	31	2.83	-	41.75	12.27	32.70
RMS	14.23012G	52.89	68.20	-15.31	31.56	3	Horizontal	31	2.83	-	41.76	12.27	32.70

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34479G	41.03	83.54	-42.51	35.28	1	Vertical	252	1.98	-	38.31	16.28	48.84
AV	21.34505G	28.78	63.54	-34.76	23.03	1	Vertical	252	1.98	-	38.31	16.28	48.84
PK	28.46045G	45.28	97.74	-52.46	31.67	1	Vertical	238	2.88	-	40.10	19.11	45.60
RMS	28.45972G	38.25	77.74	-39.49	24.64	1	Vertical	238	2.88	-	40.10	19.11	45.60

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_X\_1TX  
SET 8  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34476G	45.94	83.54	-37.60	40.19	1	Horizontal	4	2.03	-	38.31	16.28	48.84
AV	21.34529G	31.76	63.54	-31.78	26.01	1	Horizontal	4	2.03	-	38.31	16.28	48.84
PK	28.45971G	46.47	97.74	-51.27	32.86	1	Horizontal	17	2.44	-	40.10	19.11	45.60
RMS	28.46035G	39.25	77.74	-38.49	25.64	1	Horizontal	17	2.44	-	40.10	19.11	45.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	62.82	88.20	-25.38	55.75	3	Vertical	57	2.20	-	34.54	7.63	35.10
RMS	5.9246G	48.69	68.20	-19.51	41.61	3	Vertical	57	2.20	-	34.55	7.63	35.10
PK	5.9694G	110.40	Inf	-Inf	103.26	3	Vertical	57	2.20	-	34.60	7.67	35.13
RMS	5.9824G	96.25	Inf	-Inf	89.10	3	Vertical	57	2.20	-	34.60	7.68	35.13

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	59.77	88.20	-28.43	52.72	3	Horizontal	290	2.86	-	34.53	7.62	35.10
RMS	5.9226G	46.49	68.20	-21.71	39.41	3	Horizontal	290	2.86	-	34.55	7.63	35.10
PK	5.9766G	101.42	Inf	-Inf	94.28	3	Horizontal	290	2.86	-	34.60	7.67	35.13
RMS	5.983G	87.43	Inf	-Inf	80.28	3	Horizontal	290	2.86	-	34.60	7.68	35.13

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9295G	61.20	74.00	-12.80	44.91	3	Vertical	217	1.35	-	39.20	11.48	34.39
AV	11.93393G	48.89	54.00	-5.11	32.60	3	Vertical	217	1.35	-	39.20	11.48	34.39

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92784G	61.40	74.00	-12.60	45.11	3	Horizontal	231	1.06	-	39.20	11.48	34.39
AV	11.93402G	48.88	54.00	-5.12	32.59	3	Horizontal	231	1.06	-	39.20	11.48	34.39

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85994G	50.33	83.54	-33.21	41.33	1	Vertical	275	1.58	-	38.80	17.36	47.16
AV	23.8596G	46.40	63.54	-17.14	37.40	1	Vertical	275	1.58	-	38.80	17.36	47.16



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85999G	52.13	83.54	-31.41	43.13	1	Horizontal	357	2.92	-	38.80	17.36	47.16
AV	23.85983G	48.39	63.54	-15.15	39.39	1	Horizontal	357	2.92	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41247G	59.87	74.00	-14.13	43.65	3	Vertical	253	2.75	-	38.60	11.66	34.04			
AV	12.41071G	48.31	54.00	-5.69	32.10	3	Vertical	253	2.75	-	38.60	11.66	34.05			

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40957G	59.49	74.00	-14.51	43.28	3	Horizontal	100	2.12	-	38.60	11.66	34.05
AV	12.41065G	48.29	54.00	-5.71	32.08	3	Horizontal	100	2.12	-	38.60	11.66	34.05

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61474G	45.95	83.54	-37.59	42.55	1	Vertical	289	2.49	-	37.73	15.27	49.60
AV	18.61531G	32.94	63.54	-30.60	29.54	1	Vertical	289	2.49	-	37.73	15.27	49.60
PK	24.82046G	50.07	97.74	-47.67	39.88	1	Vertical	345	1.85	-	39.30	17.52	46.63
RMS	24.81966G	46.33	77.74	-31.41	36.14	1	Vertical	345	1.85	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6205MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61528G	49.05	83.54	-34.49	45.65	1	Horizontal	309	2.66	-	37.73	15.27	49.60
AV	18.61486G	34.95	63.54	-28.59	31.55	1	Horizontal	309	2.66	-	37.73	15.27	49.60
PK	24.81967G	52.03	97.74	-45.71	41.84	1	Horizontal	175	2.12	-	39.30	17.52	46.63
RMS	24.82019G	48.34	77.74	-29.40	38.15	1	Horizontal	175	2.12	-	39.30	17.52	46.63

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_X\_1TX  
SET 16.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80938G	60.58	88.20	-27.62	43.30	3	Vertical	118	1.39	-	39.04	11.80	33.56
RMS	12.81065G	49.00	68.20	-19.20	31.72	3	Vertical	118	1.39	-	39.04	11.80	33.56

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_X\_1TX  
SET 16.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80643G	59.97	88.20	-28.23	42.71	3	Horizontal	253	1.07	-	39.03	11.79	33.56
RMS	12.81071G	49.03	68.20	-19.17	31.75	3	Horizontal	253	1.07	-	39.04	11.80	33.56

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_X\_1TX  
SET 16.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21502G	46.03	83.54	-37.51	42.31	1	Vertical	170	2.99	-	37.97	15.24	49.49
AV	19.21472G	33.21	63.54	-30.33	29.49	1	Vertical	170	2.99	-	37.97	15.24	49.49
PK	25.62028G	50.58	97.74	-47.16	39.69	1	Vertical	85	2.84	-	39.42	17.64	46.17
RMS	25.61969G	46.44	77.74	-31.30	35.55	1	Vertical	85	2.84	-	39.42	17.64	46.17



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6405MHz\_TX




EUT\_X\_1TX  
SET 16.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21532G	48.31	83.54	-35.23	44.59	1	Horizontal	305	2.61	-	37.97	15.24	49.49
AV	19.21468G	35.21	63.54	-28.33	31.49	1	Horizontal	305	2.61	-	37.97	15.24	49.49
PK	25.62022G	51.60	97.74	-46.14	40.71	1	Horizontal	133	1.22	-	39.42	17.64	46.17
RMS	25.61983G	47.44	77.74	-30.30	36.55	1	Horizontal	133	1.22	-	39.42	17.64	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_X\_1TX  
SET 16  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89217G	60.32	88.20	-27.88	42.75	3	Vertical	321	1.43	-	39.20	11.82	33.45
RMS	12.89068G	49.16	68.20	-19.04	31.59	3	Vertical	321	1.43	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_X\_1TX  
SET 16  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88881G	59.54	88.20	-28.66	41.97	3	Horizontal	271	1.85	-	39.20	11.82	33.45
RMS	12.89076G	49.17	68.20	-19.03	31.60	3	Horizontal	271	1.85	-	39.20	11.82	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_X\_1TX  
SET 16  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33456G	45.60	83.54	-37.94	42.08	1	Vertical	175	1.12	-	37.86	15.23	49.57
AV	19.33479G	32.51	63.54	-31.03	28.99	1	Vertical	175	1.12	-	37.86	15.23	49.57
PK	25.77972G	50.31	97.74	-47.43	39.72	1	Vertical	330	1.19	-	39.12	17.67	46.20
RMS	25.77971G	46.79	77.74	-30.95	36.20	1	Vertical	330	1.19	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_X\_1TX  
SET 16  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33542G	48.47	83.54	-35.07	44.95	1	Horizontal	311	1.93	-	37.86	15.23	49.57
AV	19.3348G	35.51	63.54	-28.03	31.99	1	Horizontal	311	1.93	-	37.86	15.23	49.57
PK	25.78046G	52.06	97.74	-45.68	41.47	1	Horizontal	316	2.36	-	39.12	17.67	46.20
RMS	25.78035G	47.81	77.74	-29.93	37.22	1	Horizontal	316	2.36	-	39.12	17.67	46.20

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_X\_1TX  
SET 16.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96616G	59.55	88.20	-28.65	41.75	3	Vertical	214	2.22	-	39.30	11.85	33.35
RMS	12.97124G	48.39	68.20	-19.81	30.58	3	Vertical	214	2.22	-	39.30	11.85	33.34

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_X\_1TX  
SET 16.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96825G	59.09	88.20	-29.11	41.28	3	Horizontal	290	2.93	-	39.30	11.85	33.34
RMS	12.97067G	48.42	68.20	-19.78	30.61	3	Horizontal	290	2.93	-	39.30	11.85	33.34

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_X\_1TX  
SET 16.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45493G	46.13	83.54	-37.41	42.73	1	Vertical	330	1.99	-	37.82	15.23	49.65
AV	19.45515G	33.09	63.54	-30.45	29.69	1	Vertical	330	1.99	-	37.82	15.23	49.65
PK	25.93955G	50.15	97.74	-47.59	39.75	1	Vertical	77	2.78	-	38.94	17.69	46.23
RMS	25.9397G	46.96	77.74	-30.78	36.56	1	Vertical	77	2.78	-	38.94	17.69	46.23



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_X\_1TX  
SET 16.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45534G	48.41	83.54	-35.13	45.01	1	Horizontal	338	2.17	-	37.82	15.23	49.65
AV	19.45459G	34.96	63.54	-28.58	31.56	1	Horizontal	338	2.17	-	37.82	15.23	49.65
PK	25.94028G	51.98	97.74	-45.76	41.58	1	Horizontal	268	1.82	-	38.94	17.69	46.23
RMS	25.93994G	47.95	77.74	-29.79	37.55	1	Horizontal	268	1.82	-	38.94	17.69	46.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0525G	58.60	88.20	-29.60	40.55	3	Vertical	71	1.53	-	39.41	11.88	33.24
RMS	13.05338G	48.58	68.20	-19.62	30.53	3	Vertical	71	1.53	-	39.41	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04738G	59.83	88.20	-28.37	41.80	3	Horizontal	272	2.34	-	39.39	11.88	33.24
RMS	13.05388G	48.63	68.20	-19.57	30.57	3	Horizontal	272	2.34	-	39.42	11.88	33.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57541G	46.96	83.54	-36.58	43.41	1	Vertical	23	2.20	-	37.95	15.22	49.62
AV	19.57497G	33.06	63.54	-30.48	29.51	1	Vertical	23	2.20	-	37.95	15.22	49.62
PK	26.09997G	50.29	97.74	-47.45	39.40	1	Vertical	266	2.38	-	39.30	17.76	46.17
RMS	26.09988G	46.93	77.74	-30.81	36.04	1	Vertical	266	2.38	-	39.30	17.76	46.17

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57525G	48.84	83.54	-34.70	45.29	1	Horizontal	338	1.58	-	37.95	15.22	49.62
AV	19.57471G	35.05	63.54	-28.49	31.50	1	Horizontal	338	1.58	-	37.95	15.22	49.62
PK	26.09995G	51.68	97.74	-46.06	40.79	1	Horizontal	20	1.06	-	39.30	17.76	46.17
RMS	26.09962G	47.92	77.74	-29.82	37.03	1	Horizontal	20	1.06	-	39.30	17.76	46.17

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1256G	60.98	88.20	-27.22	42.63	3	Vertical	248	2.90	-	39.60	11.90	33.15
RMS	13.13327G	49.77	68.20	-18.43	31.40	3	Vertical	248	2.90	-	39.60	11.91	33.14

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12538G	61.59	88.20	-26.61	43.24	3	Horizontal	121	1.31	-	39.60	11.90	33.15
RMS	13.13332G	49.76	68.20	-18.44	31.39	3	Horizontal	121	1.31	-	39.60	11.91	33.14

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69481G	46.88	83.54	-36.66	43.35	1	Vertical	206	2.68	-	37.83	15.22	49.52
AV	19.69515G	33.83	63.54	-29.71	30.30	1	Vertical	206	2.68	-	37.83	15.22	49.52
PK	26.26G	50.61	97.74	-47.13	39.71	1	Vertical	191	1.92	-	39.10	17.86	46.06
RMS	26.25962G	46.11	77.74	-31.63	35.21	1	Vertical	191	1.92	-	39.10	17.86	46.06



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6565MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69517G	49.53	83.54	-34.01	46.00	1	Horizontal	338	1.55	-	37.83	15.22	49.52
AV	19.69454G	35.83	63.54	-27.71	32.30	1	Horizontal	338	1.55	-	37.83	15.22	49.52
PK	26.25963G	51.99	97.74	-45.75	41.09	1	Horizontal	197	2.00	-	39.10	17.86	46.06
RMS	26.25985G	48.14	77.74	-29.60	37.24	1	Horizontal	197	2.00	-	39.10	17.86	46.06

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36643G	62.25	74.00	-11.75	43.10	3	Vertical	42	2.14	-	40.03	11.98	32.86
AV	13.37132G	50.46	54.00	-3.54	31.28	3	Vertical	42	2.14	-	40.04	11.99	32.85

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37288G	62.06	74.00	-11.94	42.87	3	Horizontal	142	2.31	-	40.05	11.99	32.85
AV	13.37133G	50.44	54.00	-3.56	31.26	3	Horizontal	142	2.31	-	40.04	11.99	32.85

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05539G	46.19	83.54	-37.35	42.49	1	Vertical	29	1.70	-	37.72	15.24	49.26
AV	20.05525G	33.21	63.54	-30.33	29.51	1	Vertical	29	1.70	-	37.72	15.24	49.26
PK	26.74032G	50.89	97.74	-46.85	38.67	1	Vertical	271	2.26	-	40.04	18.14	45.96
RMS	26.73955G	46.88	77.74	-30.86	34.66	1	Vertical	271	2.26	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05497G	49.29	83.54	-34.25	45.59	1	Horizontal	359	2.79	-	37.72	15.24	49.26
AV	20.05464G	35.20	63.54	-28.34	31.50	1	Horizontal	359	2.79	-	37.72	15.24	49.26
PK	26.74001G	52.18	97.74	-45.56	39.96	1	Horizontal	296	2.59	-	40.04	18.14	45.96
RMS	26.73989G	47.89	77.74	-29.85	35.67	1	Horizontal	296	2.59	-	40.04	18.14	45.96

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76675G	61.52	88.20	-26.68	41.42	3	Vertical	190	1.90	-	40.63	12.12	32.65
RMS	13.76739G	50.44	68.20	-17.76	30.34	3	Vertical	190	1.90	-	40.63	12.12	32.65

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 17.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76793G	61.61	88.20	-26.59	41.50	3	Horizontal	44	2.78	-	40.64	12.12	32.65
RMS	13.76746G	50.43	68.20	-17.77	30.33	3	Horizontal	44	2.78	-	40.63	12.12	32.65

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65504G	46.64	83.54	-36.90	42.08	1	Vertical	52	1.58	-	37.90	15.72	49.06
AV	20.6547G	33.49	63.54	-30.05	28.93	1	Vertical	52	1.58	-	37.90	15.72	49.06
PK	27.54027G	51.22	97.74	-46.52	38.48	1	Vertical	306	1.60	-	39.72	18.62	45.60
RMS	27.54001G	47.78	77.74	-29.96	35.04	1	Vertical	306	1.60	-	39.72	18.62	45.60



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 17.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65507G	49.52	83.54	-34.02	44.96	1	Horizontal	41	1.19	-	37.90	15.72	49.06
AV	20.65459G	35.49	63.54	-28.05	30.93	1	Horizontal	41	1.19	-	37.90	15.72	49.06
PK	27.54037G	52.61	97.74	-45.13	39.87	1	Horizontal	7	2.55	-	39.72	18.62	45.60
RMS	27.53988G	48.78	77.74	-28.96	36.04	1	Horizontal	7	2.55	-	39.72	18.62	45.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6925MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84862G	60.76	88.20	-27.44	40.44	3	Vertical	88	1.16	-	40.80	12.15	32.63
RMS	13.84738G	50.02	68.20	-18.18	29.71	3	Vertical	88	1.16	-	40.79	12.15	32.63

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6925MHz\_TX




EUT\_X\_1TX  
SET 17  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84652G	60.49	88.20	-27.71	40.18	3	Horizontal	193	2.41	-	40.79	12.15	32.63
RMS	13.84799G	50.03	68.20	-18.17	29.71	3	Horizontal	193	2.41	-	40.80	12.15	32.63

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6925MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77513G	46.45	83.54	-37.09	41.63	1	Vertical	258	2.14	-	38.00	15.82	49.00
AV	20.77484G	32.92	63.54	-30.62	28.10	1	Vertical	258	2.14	-	38.00	15.82	49.00
PK	27.69977G	50.32	97.74	-47.42	37.32	1	Vertical	261	2.20	-	39.90	18.72	45.62
RMS	27.69972G	46.79	77.74	-30.95	33.79	1	Vertical	261	2.20	-	39.90	18.72	45.62

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6925MHz\_TX




EUT\_X\_1TX  
SET 17  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77474G	48.85	83.54	-34.69	44.03	1	Horizontal	200	2.77	-	38.00	15.82	49.00
AV	20.77468G	34.91	63.54	-28.63	30.09	1	Horizontal	200	2.77	-	38.00	15.82	49.00
PK	27.69962G	51.98	97.74	-45.76	38.98	1	Horizontal	166	2.16	-	39.90	18.72	45.62
RMS	27.7G	47.82	77.74	-29.92	34.82	1	Horizontal	166	2.16	-	39.90	18.72	45.62

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7005MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01151G	62.91	88.20	-25.29	42.12	3	Vertical	294	2.10	-	41.20	12.20	32.61
RMS	14.01127G	50.99	68.20	-17.21	30.19	3	Vertical	294	2.10	-	41.20	12.20	32.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7005MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01092G	62.40	88.20	-25.80	41.60	3	Horizontal	351	1.75	-	41.20	12.20	32.60
RMS	14.0107G	50.99	68.20	-17.21	30.19	3	Horizontal	351	1.75	-	41.20	12.20	32.60

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7005MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01549G	45.83	83.54	-37.71	40.65	1	Vertical	122	2.73	-	38.05	16.01	48.88
AV	21.01465G	32.85	63.54	-30.69	27.67	1	Vertical	122	2.73	-	38.05	16.01	48.88
PK	28.02009G	51.21	97.74	-46.53	38.14	1	Vertical	74	1.34	-	39.82	18.91	45.66
RMS	28.02048G	47.11	77.74	-30.63	34.04	1	Vertical	74	1.34	-	39.82	18.91	45.66



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7005MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01542G	49.09	83.54	-34.45	43.91	1	Horizontal	315	1.60	-	38.05	16.01	48.88
AV	21.01496G	35.85	63.54	-27.69	30.67	1	Horizontal	315	1.60	-	38.05	16.01	48.88
PK	28.0198G	52.05	97.74	-45.69	38.98	1	Horizontal	246	1.62	-	39.82	18.91	45.66
RMS	28.01972G	48.11	77.74	-29.63	35.04	1	Horizontal	246	1.62	-	39.82	18.91	45.66

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.072G	109.70	Inf	-Inf	101.16	3	Vertical	308	1.77	-	35.64	8.42	35.52
RMS	7.0674G	96.24	Inf	-Inf	87.71	3	Vertical	308	1.77	-	35.63	8.42	35.52
PK	7.1256G	73.13	88.20	-15.07	64.39	3	Vertical	308	1.77	-	35.80	8.43	35.49
RMS	7.125G	58.89	68.20	-9.31	50.15	3	Vertical	308	1.77	-	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0808G	106.79	Inf	-Inf	98.22	3	Horizontal	288	1.95	-	35.66	8.42	35.51
RMS	7.067G	93.52	Inf	-Inf	84.99	3	Horizontal	288	1.95	-	35.63	8.42	35.52
PK	7.127G	72.76	88.20	-15.44	64.01	3	Horizontal	288	1.95	-	35.81	8.43	35.49
RMS	7.125G	57.01	68.20	-11.19	48.27	3	Horizontal	288	1.95	-	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17468G	62.68	88.20	-25.52	41.51	3	Vertical	360	2.28	-	41.60	12.25	32.68
RMS	14.1739G	51.60	68.20	-16.60	30.43	3	Vertical	360	2.28	-	41.60	12.25	32.68

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16716G	62.75	88.20	-25.45	41.60	3	Horizontal	325	1.87	-	41.57	12.25	32.67
RMS	14.17396G	51.60	68.20	-16.60	30.43	3	Horizontal	325	1.87	-	41.60	12.25	32.68

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25476G	46.21	83.54	-37.33	40.82	1	Vertical	329	1.20	-	38.04	16.20	48.85
AV	21.25537G	33.76	63.54	-29.78	28.37	1	Vertical	329	1.20	-	38.04	16.20	48.85
PK	28.34012G	51.69	97.74	-46.05	38.25	1	Vertical	291	2.76	-	40.00	19.05	45.61
RMS	28.34008G	47.04	77.74	-30.70	33.60	1	Vertical	291	2.76	-	40.00	19.05	45.61

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_X\_1TX  
SET 18  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25515G	49.10	83.54	-34.44	43.71	1	Horizontal	38	2.99	-	38.04	16.20	48.85
AV	21.25506G	35.75	63.54	-27.79	30.36	1	Horizontal	38	2.99	-	38.04	16.20	48.85
PK	28.34008G	52.14	97.74	-45.60	38.70	1	Horizontal	166	1.29	-	40.00	19.05	45.61
RMS	28.34G	48.03	77.74	-29.71	34.59	1	Horizontal	166	1.29	-	40.00	19.05	45.61

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	69.12	88.20	-19.08	62.05	3	Vertical	58	2.20	-	34.54	7.63	35.10
RMS	5.925G	55.49	68.20	-12.71	48.41	3	Vertical	58	2.20	-	34.55	7.63	35.10
PK	6.0114G	109.67	Inf	-Inf	102.51	3	Vertical	58	2.20	-	34.60	7.70	35.14
RMS	6.0226G	95.78	Inf	-Inf	88.59	3	Vertical	58	2.20	-	34.60	7.72	35.13



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	62.04	88.20	-26.16	54.99	3	Horizontal	290	2.85	-	34.53	7.62	35.10
RMS	5.9246G	48.01	68.20	-20.19	40.93	3	Horizontal	290	2.85	-	34.55	7.63	35.10
PK	6.0234G	101.06	Inf	-Inf	93.87	3	Horizontal	290	2.85	-	34.60	7.72	35.13
RMS	6.0182G	87.81	Inf	-Inf	80.63	3	Horizontal	290	2.85	-	34.60	7.71	35.13

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97079G	62.15	74.00	-11.85	45.86	3	Vertical	178	1.22	-	39.16	11.50	34.37
AV	11.97392G	49.36	54.00	-4.64	33.07	3	Vertical	178	1.22	-	39.15	11.51	34.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97068G	62.15	74.00	-11.85	45.86	3	Horizontal	318	1.25	-	39.16	11.50	34.37
AV	11.97389G	49.35	54.00	-4.65	33.06	3	Horizontal	318	1.25	-	39.15	11.51	34.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93957G	51.98	83.54	-31.56	42.84	1	Vertical	356	2.31	-	38.88	17.38	47.12
AV	23.9398G	47.40	63.54	-16.14	38.26	1	Vertical	356	2.31	-	38.88	17.38	47.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93998G	52.80	83.54	-30.74	43.66	1	Horizontal	131	2.28	-	38.88	17.38	47.12
AV	23.93953G	48.39	63.54	-15.15	39.25	1	Horizontal	131	2.28	-	38.88	17.38	47.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45436G	60.05	74.00	-13.95	43.78	3	Vertical	232	2.96	-	38.61	11.67	34.01
AV	12.45392G	48.54	54.00	-5.46	32.27	3	Vertical	232	2.96	-	38.61	11.67	34.01

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45118G	59.88	74.00	-14.12	43.63	3	Horizontal	212	1.40	-	38.60	11.67	34.02
AV	12.45392G	48.50	54.00	-5.50	32.23	3	Horizontal	212	1.40	-	38.61	11.67	34.01

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67529G	46.09	83.54	-37.45	42.68	1	Vertical	323	1.76	-	37.70	15.27	49.56
AV	18.67526G	33.48	63.54	-30.06	30.07	1	Vertical	323	1.76	-	37.70	15.27	49.56
PK	24.90012G	51.18	97.74	-46.56	41.03	1	Vertical	236	1.74	-	39.20	17.54	46.59
RMS	24.89966G	47.82	77.74	-29.92	37.68	1	Vertical	236	1.74	-	39.20	17.53	46.59



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6225MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67545G	49.10	83.54	-34.44	45.69	1	Horizontal	332	1.32	-	37.70	15.27	49.56
AV	18.67472G	35.48	63.54	-28.06	32.07	1	Horizontal	332	1.32	-	37.70	15.27	49.56
PK	24.90033G	52.28	97.74	-45.46	42.13	1	Horizontal	35	2.33	-	39.20	17.54	46.59
RMS	24.89956G	48.82	77.74	-28.92	38.68	1	Horizontal	35	2.33	-	39.20	17.53	46.59

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76535G	60.96	88.20	-27.24	43.94	3	Vertical	3	2.96	-	38.86	11.78	33.62
RMS	12.76738G	48.60	68.20	-19.60	31.57	3	Vertical	3	2.96	-	38.87	11.78	33.62

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76929G	60.65	88.20	-27.55	43.60	3	Horizontal	101	1.10	-	38.88	11.78	33.61
RMS	12.76806G	48.61	68.20	-19.59	31.58	3	Horizontal	101	1.10	-	38.87	11.78	33.62

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1548G	45.51	83.54	-38.03	41.99	1	Vertical	181	2.36	-	37.73	15.24	49.45
AV	19.15479G	32.30	63.54	-31.24	28.78	1	Vertical	181	2.36	-	37.73	15.24	49.45
PK	25.5399G	50.49	97.74	-47.25	39.62	1	Vertical	336	2.46	-	39.40	17.63	46.16
RMS	25.53964G	46.47	77.74	-31.27	35.60	1	Vertical	336	2.46	-	39.40	17.63	46.16

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6385MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15473G	48.45	83.54	-35.09	44.93	1	Horizontal	213	1.44	-	37.73	15.24	49.45
AV	19.15512G	35.31	63.54	-28.23	31.79	1	Horizontal	213	1.44	-	37.73	15.24	49.45
PK	25.5401G	52.18	97.74	-45.56	41.31	1	Horizontal	17	1.83	-	39.40	17.63	46.16
RMS	25.53991G	48.46	77.74	-29.28	37.59	1	Horizontal	17	1.83	-	39.40	17.63	46.16

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_X\_1TX  
SET 19.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92908G	60.32	88.20	-27.88	42.62	3	Vertical	135	1.33	-	39.26	11.84	33.40
RMS	12.93006G	49.11	68.20	-19.09	31.41	3	Vertical	135	1.33	-	39.26	11.84	33.40

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_X\_1TX  
SET 19.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92756G	60.26	88.20	-27.94	42.56	3	Horizontal	226	2.18	-	39.26	11.84	33.40
RMS	12.93132G	49.15	68.20	-19.05	31.44	3	Horizontal	226	2.18	-	39.26	11.84	33.39

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_X\_1TX  
SET 19.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39459G	45.51	83.54	-38.03	41.91	1	Vertical	34	1.56	-	37.98	15.23	49.61
AV	19.39465G	32.45	63.54	-31.09	28.85	1	Vertical	34	1.56	-	37.98	15.23	49.61
PK	25.86014G	50.80	97.74	-46.94	40.15	1	Vertical	297	2.64	-	39.18	17.68	46.21
RMS	25.8599G	46.86	77.74	-30.88	36.21	1	Vertical	297	2.64	-	39.18	17.68	46.21



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_X\_1TX  
SET 19.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39514G	48.86	83.54	-34.68	45.26	1	Horizontal	188	2.16	-	37.98	15.23	49.61
AV	19.39494G	35.46	63.54	-28.08	31.86	1	Horizontal	188	2.16	-	37.98	15.23	49.61
PK	25.86021G	51.87	97.74	-45.87	41.22	1	Horizontal	173	1.96	-	39.18	17.68	46.21
RMS	25.8597G	47.85	77.74	-29.89	37.20	1	Horizontal	173	1.96	-	39.18	17.68	46.21

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08682G	58.79	88.20	-29.41	40.55	3	Vertical	254	2.64	-	39.55	11.89	33.20
RMS	13.09394G	47.92	68.20	-20.28	29.64	3	Vertical	254	2.64	-	39.58	11.89	33.19

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08983G	58.40	88.20	-29.80	40.14	3	Horizontal	168	2.76	-	39.56	11.89	33.19
RMS	13.09399G	47.93	68.20	-20.27	29.65	3	Horizontal	168	2.76	-	39.58	11.89	33.19

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63539G	45.99	83.54	-37.55	42.33	1	Vertical	284	1.76	-	38.01	15.22	49.57
AV	19.63462G	32.08	63.54	-31.46	28.42	1	Vertical	284	1.76	-	38.01	15.22	49.57
PK	26.17951G	50.54	97.74	-47.20	39.60	1	Vertical	325	1.81	-	39.24	17.81	46.11
RMS	26.17974G	46.51	77.74	-31.23	35.57	1	Vertical	325	1.81	-	39.24	17.81	46.11

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63485G	48.99	83.54	-34.55	45.33	1	Horizontal	197	1.60	-	38.01	15.22	49.57
AV	19.63467G	35.09	63.54	-28.45	31.43	1	Horizontal	197	1.60	-	38.01	15.22	49.57
PK	26.17993G	52.62	97.74	-45.12	41.68	1	Horizontal	21	1.78	-	39.24	17.81	46.11
RMS	26.18043G	48.52	77.74	-29.22	37.58	1	Horizontal	21	1.78	-	39.24	17.81	46.11

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24809G	61.81	88.20	-26.39	42.98	3	Vertical	134	1.13	-	39.89	11.94	33.00
RMS	13.24749G	50.28	68.20	-17.92	31.45	3	Vertical	134	1.13	-	39.89	11.94	33.00

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24974G	62.10	88.20	-26.10	43.26	3	Horizontal	69	1.35	-	39.90	11.94	33.00
RMS	13.24991G	50.25	68.20	-17.95	31.41	3	Horizontal	69	1.35	-	39.90	11.94	33.00

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87534G	46.15	83.54	-37.39	42.56	1	Vertical	299	1.82	-	37.75	15.21	49.37
AV	19.87454G	33.24	63.54	-30.30	29.65	1	Vertical	299	1.82	-	37.75	15.21	49.37
PK	26.50003G	50.09	97.74	-47.65	38.28	1	Vertical	27	1.44	-	39.70	18.00	45.89
RMS	26.50004G	46.90	77.74	-30.84	35.09	1	Vertical	27	1.44	-	39.70	18.00	45.89



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87534G	49.55	83.54	-33.99	45.96	1	Horizontal	184	1.34	-	37.75	15.21	49.37
AV	19.87477G	35.26	63.54	-28.28	31.67	1	Horizontal	184	1.34	-	37.75	15.21	49.37
PK	26.50011G	52.34	97.74	-45.40	40.53	1	Horizontal	110	2.53	-	39.70	18.00	45.89
RMS	26.50013G	48.92	77.74	-28.82	37.11	1	Horizontal	110	2.53	-	39.70	18.00	45.89

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40641G	62.36	88.20	-25.84	43.06	3	Vertical	120	2.10	-	40.11	12.00	32.81
AV	13.41129G	50.54	68.20	-17.66	31.23	3	Vertical	120	2.10	-	40.12	12.00	32.81

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40736G	61.60	88.20	-26.60	42.30	3	Horizontal	181	2.02	-	40.11	12.00	32.81
AV	13.41079G	50.56	68.20	-17.64	31.25	3	Horizontal	181	2.02	-	40.12	12.00	32.81

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11482G	46.12	83.54	-37.42	42.26	1	Vertical	117	1.04	-	37.81	15.29	49.24
AV	20.11525G	32.54	63.54	-31.00	28.68	1	Vertical	117	1.04	-	37.81	15.29	49.24
PK	26.81985G	50.92	97.74	-57.82	27.91	1	Vertical	290	1.59	-	39.80	18.19	45.98
RMS	26.81973G	46.51	77.74	-52.23	13.50	1	Vertical	290	1.59	-	39.80	18.19	45.98

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11483G	48.34	83.54	-35.20	44.48	1	Horizontal	330	2.57	-	37.81	15.29	49.24
AV	20.11511G	34.53	63.54	-29.01	30.67	1	Horizontal	330	2.57	-	37.81	15.29	49.24
PK	26.81955G	52.25	97.74	-45.49	40.24	1	Horizontal	158	2.76	-	39.80	18.19	45.98
RMS	26.82003G	48.52	77.74	-29.22	36.51	1	Horizontal	158	2.76	-	39.80	18.19	45.98

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT\_X\_1TX  
SET 21  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56567G	61.38	88.20	-26.82	41.62	3	Vertical	74	1.87	-	40.40	12.05	32.69
RMS	13.574G	49.99	68.20	-18.21	30.22	3	Vertical	74	1.87	-	40.40	12.06	32.69

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT\_X\_1TX  
SET 21  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5699G	60.07	88.20	-28.13	40.31	3	Horizontal	134	1.63	-	40.40	12.05	32.69
RMS	13.5739G	49.94	68.20	-18.26	30.17	3	Horizontal	134	1.63	-	40.40	12.06	32.69

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT\_X\_1TX  
SET 21  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35496G	46.31	83.54	-37.23	41.92	1	Vertical	167	2.24	-	38.09	15.48	49.18
AV	20.35455G	32.97	63.54	-30.57	28.58	1	Vertical	167	2.24	-	38.09	15.48	49.18
PK	27.13961G	50.60	97.74	-47.14	38.21	1	Vertical	310	1.39	-	39.92	18.38	45.91
RMS	27.13987G	46.46	77.74	-31.28	34.07	1	Vertical	310	1.39	-	39.92	18.38	45.91



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT\_X\_1TX  
SET 21  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35524G	48.55	83.54	-34.99	44.16	1	Horizontal	246	2.03	-	38.09	15.48	49.18
AV	20.35454G	34.94	63.54	-28.60	30.55	1	Horizontal	246	2.03	-	38.09	15.48	49.18
PK	27.14G	52.21	97.74	-45.53	39.82	1	Horizontal	313	1.33	-	39.92	18.38	45.91
RMS	27.13964G	48.47	77.74	-29.27	36.08	1	Horizontal	313	1.33	-	39.92	18.38	45.91

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73495G	60.17	88.20	-28.03	40.17	3	Vertical	208	1.02	-	40.54	12.11	32.65
RMS	13.72798G	50.06	68.20	-18.14	30.09	3	Vertical	208	1.02	-	40.51	12.11	32.65

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72606G	60.28	88.20	-27.92	40.32	3	Horizontal	305	2.12	-	40.50	12.11	32.65
RMS	13.728G	50.06	68.20	-18.14	30.09	3	Horizontal	305	2.12	-	40.51	12.11	32.65

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5954G	45.91	83.54	-37.63	41.33	1	Vertical	246	2.33	-	37.99	15.68	49.09
AV	20.59461G	32.03	63.54	-31.51	27.45	1	Vertical	246	2.33	-	37.99	15.68	49.09
PK	27.45985G	51.06	97.74	-46.68	38.31	1	Vertical	103	1.19	-	39.80	18.58	45.63
RMS	27.46042G	46.69	77.74	-31.05	33.94	1	Vertical	103	1.19	-	39.80	18.58	45.63

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59481G	48.81	83.54	-34.73	44.23	1	Horizontal	343	2.97	-	37.99	15.68	49.09
AV	20.59453G	35.04	63.54	-28.50	30.46	1	Horizontal	343	2.97	-	37.99	15.68	49.09
PK	27.46042G	52.71	97.74	-45.03	39.96	1	Horizontal	113	2.46	-	39.80	18.58	45.63
RMS	27.45968G	47.69	77.74	-30.05	34.94	1	Horizontal	113	2.46	-	39.80	18.58	45.63

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88811G	61.66	88.20	-26.54	41.24	3	Vertical	150	1.99	-	40.88	12.16	32.62
RMS	13.89067G	50.55	68.20	-17.65	30.13	3	Vertical	150	1.99	-	40.88	12.16	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88917G	60.98	88.20	-27.22	40.56	3	Horizontal	75	2.12	-	40.88	12.16	32.62
RMS	13.89135G	50.62	68.20	-17.58	30.20	3	Horizontal	75	2.12	-	40.88	12.16	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83482G	46.49	83.54	-37.05	41.39	1	Vertical	145	2.36	-	38.20	15.87	48.97
AV	20.83484G	32.97	63.54	-30.57	27.87	1	Vertical	145	2.36	-	38.20	15.87	48.97
PK	27.77986G	50.11	97.74	-47.63	37.13	1	Vertical	283	2.57	-	39.84	18.77	45.63
RMS	27.77997G	46.18	77.74	-31.56	33.20	1	Vertical	283	2.57	-	39.84	18.77	45.63



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83536G	49.05	83.54	-34.49	43.95	1	Horizontal	204	1.56	-	38.20	15.87	48.97
AV	20.83476G	34.98	63.54	-28.56	29.88	1	Horizontal	204	1.56	-	38.20	15.87	48.97
PK	27.7798G	52.43	97.74	-45.31	39.45	1	Horizontal	133	1.37	-	39.84	18.77	45.63
RMS	27.77967G	48.17	77.74	-29.57	35.19	1	Horizontal	133	1.37	-	39.84	18.77	45.63

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0394G	106.19	Inf	-Inf	97.72	3	Vertical	301	2.53	-	35.60	8.41	35.54
AV	7.028G	94.56	Inf	-Inf	86.09	3	Vertical	301	2.53	-	35.60	8.41	35.54
PK	7.25G	61.61	74.00	-12.39	52.07	3	Vertical	301	2.53	-	36.50	8.46	35.42
AV	7.25G	52.24	54.00	-1.76	42.70	3	Vertical	301	2.53	-	36.50	8.46	35.42
PK	7.319G	63.62	74.00	-10.38	53.73	3	Vertical	301	2.53	-	36.78	8.48	35.37
AV	7.322G	52.77	54.00	-1.23	42.87	3	Vertical	301	2.53	-	36.79	8.48	35.37

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9926G	106.43	Inf	-Inf	97.98	3	Horizontal	11	2.95	-	35.60	8.40	35.55
AV	6.9884G	95.03	Inf	-Inf	86.58	3	Horizontal	11	2.95	-	35.60	8.40	35.55
PK	7.25G	62.97	74.00	-11.03	53.43	3	Horizontal	11	2.95	-	36.50	8.46	35.42
AV	7.25G	52.22	54.00	-1.78	42.68	3	Horizontal	11	2.95	-	36.50	8.46	35.42
PK	7.2674G	63.86	74.00	-10.14	54.22	3	Horizontal	11	2.95	-	36.57	8.47	35.40
AV	7.3208G	52.71	54.00	-1.29	42.82	3	Horizontal	11	2.95	-	36.78	8.48	35.37

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04972G	61.96	88.20	-26.24	41.16	3	Vertical	72	1.87	-	41.20	12.22	32.62
RMS	14.0514G	51.30	68.20	-16.90	30.50	3	Vertical	72	1.87	-	41.20	12.22	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05219G	62.06	88.20	-26.14	41.26	3	Horizontal	353	1.76	-	41.20	12.22	32.62
RMS	14.05128G	51.29	68.20	-16.91	30.49	3	Horizontal	353	1.76	-	41.20	12.22	32.62

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07467G	46.72	83.54	-36.82	41.28	1	Vertical	223	1.21	-	38.25	16.06	48.87
AV	21.07487G	33.75	63.54	-29.79	28.31	1	Vertical	223	1.21	-	38.25	16.06	48.87
PK	28.09958G	50.34	97.74	-47.40	37.15	1	Vertical	49	2.99	-	39.90	18.94	45.65
RMS	28.10035G	46.78	77.74	-30.96	33.58	1	Vertical	49	2.99	-	39.90	18.95	45.65

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_X\_1TX  
SET 20.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07462G	48.90	83.54	-34.64	43.46	1	Horizontal	44	1.91	-	38.25	16.06	48.87
AV	21.07476G	35.75	63.54	-27.79	30.31	1	Horizontal	44	1.91	-	38.25	16.06	48.87
PK	28.1001G	52.07	97.74	-45.67	38.87	1	Horizontal	333	1.70	-	39.90	18.95	45.65
RMS	28.10026G	47.79	77.74	-29.95	34.59	1	Horizontal	333	1.70	-	39.90	18.95	45.65

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	77.28	88.20	-10.92	70.26	3	Vertical	56	2.28	-	34.50	7.61	35.09
RMS	5.925G	66.61	68.20	-1.59	59.53	3	Vertical	56	2.28	-	34.55	7.63	35.10
PK	6.041G	109.22	Inf	-Inf	102.00	3	Vertical	56	2.28	-	34.60	7.74	35.12
RMS	6.0394G	97.98	Inf	-Inf	90.77	3	Vertical	56	2.28	-	34.60	7.74	35.13



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	70.23	88.20	-17.97	63.17	3	Horizontal	290	1.41	-	34.54	7.62	35.10
RMS	5.9242G	57.81	68.20	-10.39	50.73	3	Horizontal	290	1.41	-	34.55	7.63	35.10
PK	6.0722G	101.47	Inf	-Inf	94.08	3	Horizontal	290	1.41	-	34.73	7.77	35.11
RMS	6.0762G	90.62	Inf	-Inf	83.19	3	Horizontal	290	1.41	-	34.76	7.78	35.11

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05249G	63.28	74.00	-10.72	47.05	3	Vertical	41	1.45	-	39.00	11.54	34.31
AV	12.054G	49.78	54.00	-4.22	33.56	3	Vertical	41	1.45	-	38.99	11.54	34.31

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04511G	63.50	74.00	-10.50	47.27	3	Horizontal	355	2.36	-	39.01	11.54	34.32
AV	12.05357G	49.77	54.00	-4.23	33.55	3	Horizontal	355	2.36	-	38.99	11.54	34.31

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0747G	46.23	83.54	-37.31	42.91	1	Vertical	46	1.40	-	37.50	15.30	49.48
AV	18.07495G	33.57	63.54	-29.97	30.25	1	Vertical	46	1.40	-	37.50	15.30	49.48
PK	24.10037G	50.49	97.74	-47.25	41.20	1	Vertical	96	1.40	-	38.90	17.42	47.03
RMS	24.09969G	46.18	77.74	-31.56	36.90	1	Vertical	96	1.40	-	38.90	17.41	47.03

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




EUT\_X\_1TX  
SET 22  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07541G	49.26	83.54	-34.28	45.94	1	Horizontal	200	1.64	-	37.50	15.30	49.48
AV	18.07549G	35.60	63.54	-27.94	32.28	1	Horizontal	200	1.64	-	37.50	15.30	49.48
PK	24.10006G	52.13	97.74	-45.61	42.84	1	Horizontal	47	1.26	-	38.90	17.42	47.03
RMS	24.09954G	48.17	77.74	-29.57	38.89	1	Horizontal	47	1.26	-	38.90	17.41	47.03

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_X\_1TX  
SET 23  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36632G	59.41	74.00	-14.59	43.18	3	Vertical	173	1.33	-	38.67	11.64	34.08
AV	12.37063G	47.91	54.00	-6.09	31.68	3	Vertical	173	1.33	-	38.66	11.65	34.08

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_X\_1TX  
SET 23  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37018G	59.24	74.00	-14.76	43.01	3	Horizontal	51	2.75	-	38.66	11.65	34.08
AV	12.3713G	47.97	54.00	-6.03	31.74	3	Horizontal	51	2.75	-	38.66	11.65	34.08

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_X\_1TX  
SET 23  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55495G	46.48	83.54	-37.06	43.15	1	Vertical	313	2.36	-	37.70	15.27	49.64
AV	18.55498G	33.37	63.54	-30.17	30.04	1	Vertical	313	2.36	-	37.70	15.27	49.64
PK	24.73976G	51.53	97.74	-46.21	41.46	1	Vertical	224	2.76	-	39.24	17.51	46.68
RMS	24.73963G	47.63	77.74	-30.11	37.56	1	Vertical	224	2.76	-	39.24	17.51	46.68



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUT\_X\_1TX  
SET 23  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55464G	49.68	83.54	-33.86	46.35	1	Horizontal	217	1.68	-	37.70	15.27	49.64
AV	18.55465G	36.36	63.54	-27.18	33.03	1	Horizontal	217	1.68	-	37.70	15.27	49.64
PK	24.73988G	52.70	97.74	-45.04	42.63	1	Horizontal	64	2.10	-	39.24	17.51	46.68
RMS	24.74009G	48.63	77.74	-29.11	38.56	1	Horizontal	64	2.10	-	39.24	17.51	46.68

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_X\_1TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68946G	60.11	74.00	-13.89	43.20	3	Vertical	43	2.05	-	38.88	11.75	33.72
AV	12.69393G	48.12	54.00	-5.88	31.19	3	Vertical	43	2.05	-	38.89	11.76	33.72

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_X\_1TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68585G	60.30	74.00	-13.70	43.41	3	Horizontal	71	1.91	-	38.87	11.75	33.73
AV	12.69396G	48.10	54.00	-5.90	31.17	3	Horizontal	71	1.91	-	38.89	11.76	33.72

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_X\_1TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0351G	46.56	83.54	-36.98	42.77	1	Vertical	25	1.41	-	37.90	15.25	49.36
AV	19.03523G	34.04	63.54	-29.50	30.25	1	Vertical	25	1.41	-	37.90	15.25	49.36
PK	25.37963G	51.60	97.74	-46.14	40.91	1	Vertical	346	2.84	-	39.32	17.61	46.24
RMS	25.37989G	47.57	77.74	-30.17	36.88	1	Vertical	346	2.84	-	39.32	17.61	46.24

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6345MHz\_TX




EUT\_X\_1TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03453G	49.77	83.54	-33.77	45.98	1	Horizontal	47	1.25	-	37.90	15.25	49.36
AV	19.03498G	36.02	63.54	-27.52	32.23	1	Horizontal	47	1.25	-	37.90	15.25	49.36
PK	25.37957G	52.21	97.74	-45.53	41.52	1	Horizontal	11	1.60	-	39.32	17.61	46.24
RMS	25.37996G	48.56	77.74	-29.18	37.87	1	Horizontal	11	1.60	-	39.32	17.61	46.24

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00534G	61.18	88.20	-27.02	43.30	3	Vertical	143	2.84	-	39.31	11.86	33.29
RMS	13.01337G	49.84	68.20	-18.36	31.93	3	Vertical	143	2.84	-	39.33	11.86	33.28

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01186G	60.61	88.20	-27.59	42.72	3	Horizontal	229	1.36	-	39.32	11.86	33.29
RMS	13.01391G	49.89	68.20	-18.31	31.98	3	Horizontal	229	1.36	-	39.33	11.86	33.28

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51534G	46.71	83.54	-36.83	43.13	1	Vertical	207	1.83	-	38.03	15.22	49.67
AV	19.51486G	33.05	63.54	-30.49	29.47	1	Vertical	207	1.83	-	38.03	15.22	49.67
PK	26.02028G	50.35	97.74	-47.39	39.73	1	Vertical	76	2.56	-	39.14	17.71	46.23
RMS	26.0198G	46.67	77.74	-31.07	36.05	1	Vertical	76	2.56	-	39.14	17.71	46.23



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_1TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51486G	49.94	83.54	-33.60	46.36	1	Horizontal	48	1.26	-	38.03	15.22	49.67
AV	19.51472G	36.02	63.54	-27.52	32.44	1	Horizontal	48	1.26	-	38.03	15.22	49.67
PK	26.02008G	52.76	97.74	-44.98	42.14	1	Horizontal	317	2.17	-	39.14	17.71	46.23
RMS	26.02026G	48.59	77.74	-29.15	37.97	1	Horizontal	317	2.17	-	39.14	17.71	46.23

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_X\_1TX  
SET 23  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32835G	60.22	74.00	-13.78	41.16	3	Vertical	273	2.85	-	40.00	11.97	32.91
AV	13.32739G	48.71	54.00	-5.29	29.65	3	Vertical	273	2.85	-	40.00	11.97	32.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_X\_1TX  
SET 23  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32799G	59.78	74.00	-14.22	40.72	3	Horizontal	128	1.59	-	40.00	11.97	32.91
AV	13.32801G	48.69	54.00	-5.31	29.63	3	Horizontal	128	1.59	-	40.00	11.97	32.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_X\_1TX  
SET 23  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99459G	46.42	83.54	-37.12	42.69	1	Vertical	216	1.63	-	37.80	15.20	49.27
AV	19.99469G	34.59	63.54	-28.95	30.86	1	Vertical	216	1.63	-	37.80	15.20	49.27
PK	26.65967G	51.63	97.74	-46.11	39.10	1	Vertical	301	2.83	-	40.36	18.10	45.93
RMS	26.65966G	46.52	77.74	-31.22	33.99	1	Vertical	301	2.83	-	40.36	18.10	45.93

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_X\_1TX  
SET 23  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99495G	49.39	83.54	-34.15	45.66	1	Horizontal	360	1.93	-	37.80	15.20	49.27
AV	19.99467G	36.57	63.54	-26.97	32.84	1	Horizontal	360	1.93	-	37.80	15.20	49.27
PK	26.66022G	52.37	97.74	-45.37	39.84	1	Horizontal	70	2.02	-	40.36	18.10	45.93
RMS	26.6598G	48.52	77.74	-29.22	35.99	1	Horizontal	70	2.02	-	40.36	18.10	45.93

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64564G	61.01	88.20	-27.19	41.20	3	Vertical	173	1.44	-	40.40	12.08	32.67
RMS	13.65388G	50.60	68.20	-17.60	30.79	3	Vertical	173	1.44	-	40.40	12.08	32.67

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 22.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64507G	61.00	88.20	-27.20	41.19	3	Horizontal	220	2.45	-	40.40	12.08	32.67
RMS	13.65395G	50.54	68.20	-17.66	30.73	3	Horizontal	220	2.45	-	40.40	12.08	32.67

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47453G	46.70	83.54	-36.84	42.47	1	Vertical	21	1.79	-	37.80	15.58	49.15
AV	20.47454G	33.82	63.54	-29.72	29.59	1	Vertical	21	1.79	-	37.80	15.58	49.15
PK	27.30046G	50.14	97.74	-47.60	37.53	1	Vertical	86	2.78	-	39.90	18.48	45.77
RMS	27.29986G	46.24	77.74	-31.50	33.63	1	Vertical	86	2.78	-	39.90	18.48	45.77



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 22.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47528G	49.33	83.54	-34.21	45.10	1	Horizontal	90	2.72	-	37.80	15.58	49.15
AV	20.47528G	35.84	63.54	-27.70	31.61	1	Horizontal	90	2.72	-	37.80	15.58	49.15
PK	27.30001G	51.26	97.74	-46.48	38.65	1	Horizontal	97	2.09	-	39.90	18.48	45.77
RMS	27.29977G	47.26	77.74	-30.48	34.65	1	Horizontal	97	2.09	-	39.90	18.48	45.77

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
23\19\21\22\21.5  
-3.56\13.68\3.19\1.80\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9205G	108.27	Inf	-Inf	99.76	3	Vertical	77	2.84	21.5	35.60	8.37	35.46
RMS	6.919G	94.77	Inf	-Inf	86.26	3	Vertical	77	2.84	21.5	35.60	8.37	35.46
PK	7.133G	82.12	88.20	-6.08	73.34	3	Vertical	77	2.84	21.5	35.83	8.43	35.48
RMS	7.1255G	66.92	68.20	-1.28	58.18	3	Vertical	77	2.84	21.5	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9575G	103.97	Inf	-Inf	95.50	3	Horizontal	287	1.99	-	35.60	8.38	35.51
RMS	6.9775G	89.62	Inf	-Inf	81.16	3	Horizontal	287	1.99	-	35.60	8.39	35.53
PK	7.141G	78.40	88.20	-9.80	69.58	3	Horizontal	287	1.99	-	35.86	8.44	35.48
RMS	7.125G	62.59	68.20	-5.61	53.85	3	Horizontal	287	1.99	-	35.80	8.43	35.49

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97229G	61.06	88.20	-27.14	40.39	3	Vertical	319	1.02	-	41.09	12.19	32.61
RMS	13.97135G	50.40	68.20	-17.80	29.73	3	Vertical	319	1.02	-	41.09	12.19	32.61

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97117G	60.87	88.20	-27.33	40.21	3	Horizontal	289	1.62	-	41.08	12.19	32.61
RMS	13.97128G	50.32	68.20	-17.88	29.65	3	Horizontal	289	1.62	-	41.09	12.19	32.61

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95514G	45.55	83.54	-37.99	40.41	1	Vertical	247	2.64	-	38.08	15.96	48.90
AV	20.95479G	32.32	63.54	-31.22	27.18	1	Vertical	247	2.64	-	38.08	15.96	48.90
PK	27.94014G	50.45	97.74	-47.29	37.18	1	Vertical	149	2.76	-	40.06	18.86	45.65
RMS	27.93968G	46.70	77.74	-31.04	33.43	1	Vertical	149	2.76	-	40.06	18.86	45.65

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_X\_1TX  
SET 21.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95538G	48.37	83.54	-35.17	43.23	1	Horizontal	110	2.48	-	38.08	15.96	48.90
AV	20.95478G	34.31	63.54	-29.23	29.17	1	Horizontal	110	2.48	-	38.08	15.96	48.90
PK	27.94041G	52.10	97.74	-45.64	38.83	1	Horizontal	93	1.95	-	40.06	18.86	45.65
RMS	27.93982G	48.69	77.74	-29.05	35.42	1	Horizontal	93	1.95	-	40.06	18.86	45.65

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
24\19.5\21.5\22.5\22  
-4.08\15.55\4.12\2.16\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.90484G	80.68	88.20	-7.52	73.65	3	Vertical	63	2.38	22	34.51	7.61	35.09
RMS	5.925G	68.09	68.20	-0.11	61.01	3	Vertical	63	2.38	22	34.55	7.63	35.10
PK	6.0594G	107.53	Inf	-Inf	100.23	3	Vertical	63	2.38	22	34.66	7.76	35.12
RMS	6.05748G	93.27	Inf	-Inf	85.99	3	Vertical	63	2.38	22	34.64	7.76	35.12



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92452G	72.92	88.20	-15.28	65.84	3	Horizontal	290	1.21	-	34.55	7.63	35.10
RMS	5.925G	59.09	68.20	-9.11	52.01	3	Horizontal	290	1.21	-	34.55	7.63	35.10
PK	6.16212G	100.13	Inf	-Inf	92.41	3	Horizontal	290	1.21	-	34.92	7.88	35.08
RMS	6.15876G	85.93	Inf	-Inf	78.22	3	Horizontal	290	1.21	-	34.92	7.87	35.08

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20578G	62.18	74.00	-11.82	46.08	3	Vertical	356	1.17	-	38.71	11.59	34.20
AV	12.20689G	48.80	54.00	-5.20	32.70	3	Vertical	356	1.17	-	38.71	11.59	34.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2072G	61.14	74.00	-12.86	45.04	3	Horizontal	176	1.93	-	38.71	11.59	34.20
AV	12.20804G	48.84	54.00	-5.16	32.73	3	Horizontal	176	1.93	-	38.72	11.59	34.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31509G	46.12	83.54	-37.42	42.93	1	Vertical	76	1.23	-	37.50	15.28	49.59
AV	18.31471G	32.48	63.54	-31.06	29.29	1	Vertical	76	1.23	-	37.50	15.28	49.59
PK	24.41961G	50.86	97.74	-46.88	41.34	1	Vertical	155	1.19	-	38.92	17.46	46.86
RMS	24.41966G	47.03	77.74	-30.71	37.50	1	Vertical	155	1.19	-	38.92	17.46	46.85

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




EUT\_X\_1TX  
SET 22  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31496G	48.18	83.54	-35.36	44.99	1	Horizontal	177	2.37	-	37.50	15.28	49.59
AV	18.31465G	34.48	63.54	-29.06	31.29	1	Horizontal	177	2.37	-	37.50	15.28	49.59
PK	24.42021G	51.83	97.74	-45.91	42.30	1	Horizontal	270	1.32	-	38.92	17.46	46.85
RMS	24.41973G	48.05	77.74	-29.69	38.52	1	Horizontal	270	1.32	-	38.92	17.46	46.85

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6265MHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52979G	58.95	74.00	-15.05	42.49	3	Vertical	326	1.52	-	38.70	11.70	33.94
AV	12.52957G	44.56	54.00	-9.44	28.10	3	Vertical	326	1.52	-	38.70	11.70	33.94

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6265MHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52959G	58.70	74.00	-15.30	42.24	3	Horizontal	201	2.85	-	38.70	11.70	33.94
AV	12.52986G	45.31	54.00	-8.69	28.85	3	Horizontal	201	2.85	-	38.70	11.70	33.94

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6265MHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7951G	46.30	83.54	-37.24	42.72	1	Vertical	211	1.40	-	37.80	15.26	49.48
AV	18.79454G	32.42	63.54	-31.12	28.84	1	Vertical	211	1.40	-	37.80	15.26	49.48
PK	25.06025G	56.03	97.74	-41.71	45.65	1	Vertical	236	1.88	-	39.30	17.56	46.48
RMS	25.06029G	42.59	77.74	-35.15	32.21	1	Vertical	236	1.88	-	39.30	17.56	46.48



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6265MHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79516G	47.63	83.54	-35.91	44.05	1	Horizontal	56	1.59	-	37.80	15.26	49.48
AV	18.79454G	32.82	63.54	-30.72	29.24	1	Horizontal	56	1.59	-	37.80	15.26	49.48
PK	25.05952G	56.49	97.74	-41.25	46.11	1	Horizontal	86	2.91	-	39.30	17.56	46.48
RMS	25.0602G	45.17	77.74	-32.57	34.79	1	Horizontal	86	2.91	-	39.30	17.56	46.48

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_1TX  
SET 24  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84973G	60.99	88.20	-27.21	43.48	3	Vertical	296	2.68	-	39.20	11.81	33.50
RMS	12.85063G	49.84	68.20	-18.36	32.33	3	Vertical	296	2.68	-	39.20	11.81	33.50

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_1TX  
SET 24  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85277G	61.61	88.20	-26.59	44.10	3	Horizontal	5	2.60	-	39.20	11.81	33.50
RMS	12.85007G	49.83	68.20	-18.37	32.32	3	Horizontal	5	2.60	-	39.20	11.81	33.50

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27456G	45.83	83.54	-37.71	42.17	1	Vertical	178	2.14	-	37.95	15.24	49.53
AV	19.27484G	32.87	63.54	-30.67	29.21	1	Vertical	178	2.14	-	37.95	15.24	49.53
PK	25.70036G	50.35	97.74	-47.39	39.78	1	Vertical	324	2.02	-	39.10	17.66	46.19
RMS	25.7005G	46.89	77.74	-30.85	36.32	1	Vertical	324	2.02	-	39.10	17.66	46.19

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27549G	48.58	83.54	-34.96	44.92	1	Horizontal	168	2.98	-	37.95	15.24	49.53
AV	19.27458G	34.83	63.54	-28.71	31.17	1	Horizontal	168	2.98	-	37.95	15.24	49.53
PK	25.70017G	51.21	97.74	-46.53	40.64	1	Horizontal	247	1.58	-	39.10	17.66	46.19
RMS	25.6997G	47.87	77.74	-29.87	37.31	1	Horizontal	247	1.58	-	39.10	17.65	46.19

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16956G	59.59	88.20	-28.61	41.13	3	Vertical	306	1.51	-	39.64	11.92	33.10
RMS	13.16958G	45.44	68.20	-22.76	26.98	3	Vertical	306	1.51	-	39.64	11.92	33.10

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17035G	59.62	88.20	-28.58	41.16	3	Horizontal	306	1.38	-	39.64	11.92	33.10
RMS	13.16956G	45.89	68.20	-22.31	27.43	3	Horizontal	306	1.38	-	39.64	11.92	33.10

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75501G	47.69	83.54	-35.85	44.03	1	Vertical	50	1.16	-	37.92	15.21	49.47
AV	19.75458G	33.83	63.54	-29.71	30.17	1	Vertical	50	1.16	-	37.92	15.21	49.47
PK	26.3396G	55.46	97.74	-42.28	44.38	1	Vertical	142	2.66	-	39.18	17.90	46.00
RMS	26.33956G	41.20	77.74	-36.54	30.12	1	Vertical	142	2.66	-	39.18	17.90	46.00



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75518G	48.22	83.54	-35.32	44.56	1	Horizontal	199	1.09	-	37.92	15.21	49.47
AV	19.75465G	33.63	63.54	-29.91	29.97	1	Horizontal	199	1.09	-	37.92	15.21	49.47
PK	26.33975G	55.25	97.74	-42.49	44.17	1	Horizontal	58	2.12	-	39.18	17.90	46.00
RMS	26.33968G	41.19	77.74	-36.55	30.11	1	Horizontal	58	2.12	-	39.18	17.90	46.00

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4913G	62.51	88.20	-25.69	42.91	3	Vertical	180	2.76	-	40.28	12.03	32.71
RMS	13.49125G	51.78	68.20	-16.42	32.18	3	Vertical	180	2.76	-	40.28	12.03	32.71

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48852G	63.63	88.20	-24.57	44.03	3	Horizontal	98	1.58	-	40.28	12.03	32.71
RMS	13.49128G	51.75	68.20	-16.45	32.15	3	Horizontal	98	1.58	-	40.28	12.03	32.71

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23473G	45.44	83.54	-38.10	41.29	1	Vertical	196	2.01	-	37.97	15.39	49.21
AV	20.23529G	32.70	63.54	-30.84	28.55	1	Vertical	196	2.01	-	37.97	15.39	49.21
PK	26.98023G	50.61	97.74	-47.13	38.68	1	Vertical	128	1.92	-	39.66	18.29	46.02
RMS	26.98039G	46.39	77.74	-31.35	34.46	1	Vertical	128	1.92	-	39.66	18.29	46.02

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 24  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23522G	48.40	83.54	-35.14	44.25	1	Horizontal	189	2.41	-	37.97	15.39	49.21
AV	20.23468G	34.70	63.54	-28.84	30.55	1	Horizontal	189	2.41	-	37.97	15.39	49.21
PK	26.98048G	52.03	97.74	-45.71	40.10	1	Horizontal	249	2.79	-	39.66	18.29	46.02
RMS	26.97989G	48.40	77.74	-29.34	36.47	1	Horizontal	249	2.79	-	39.66	18.29	46.02

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	104.45	Inf	-Inf	95.90	3	Vertical	70	3.00	-	35.60	8.35	35.40
AV	6.868G	93.34	Inf	-Inf	84.79	3	Vertical	70	3.00	-	35.60	8.35	35.40
PK	7.251G	64.41	74.00	-9.59	54.86	3	Vertical	70	3.00	-	36.50	8.46	35.41
AV	7.261G	53.85	54.00	-0.15	44.25	3	Vertical	70	3.00	-	36.54	8.47	35.41

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.806G	101.32	Inf	-Inf	92.72	3	Horizontal	15	3.00	-	35.60	8.32	35.32
AV	6.766G	89.95	Inf	-Inf	81.46	3	Horizontal	15	3.00	-	35.46	8.30	35.27
PK	7.253G	64.23	74.00	-9.77	54.67	3	Horizontal	15	3.00	-	36.51	8.46	35.41
AV	7.251G	53.37	54.00	-0.63	43.82	3	Horizontal	15	3.00	-	36.50	8.46	35.41

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80992G	61.96	88.20	-26.24	41.74	3	Vertical	43	1.43	-	40.72	12.14	32.64
RMS	13.8099G	47.00	68.20	-21.20	26.78	3	Vertical	43	1.43	-	40.72	12.14	32.64



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81011G	61.80	88.20	-26.40	41.58	3	Horizontal	81	1.63	-	40.72	12.14	32.64
RMS	13.81012G	47.41	68.20	-20.79	27.19	3	Horizontal	81	1.63	-	40.72	12.14	32.64

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71479G	50.42	83.54	-33.12	45.81	1	Vertical	248	1.46	-	37.87	15.77	49.03
AV	20.71538G	35.16	63.54	-28.38	30.55	1	Vertical	248	1.46	-	37.87	15.77	49.03
PK	27.62014G	55.90	97.74	-41.84	42.96	1	Vertical	33	1.41	-	39.88	18.67	45.61
RMS	27.61974G	42.07	77.74	-35.67	29.13	1	Vertical	33	1.41	-	39.88	18.67	45.61

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_1TX  
SET 20  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71523G	48.87	83.54	-34.67	44.26	1	Horizontal	287	1.90	-	37.87	15.77	49.03
AV	20.7154G	35.14	63.54	-28.40	30.53	1	Horizontal	287	1.90	-	37.87	15.77	49.03
PK	27.62033G	56.39	97.74	-41.35	43.45	1	Horizontal	112	1.14	-	39.88	18.67	45.61
RMS	27.62019G	44.06	77.74	-33.68	31.12	1	Horizontal	112	1.14	-	39.88	18.67	45.61

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.90676G	60.63	88.20	-27.57	53.60	3	Vertical	60	2.33	-	34.51	7.62	35.10
RMS	5.92494G	46.41	68.20	-21.79	39.33	3	Vertical	60	2.33	-	34.55	7.63	35.10
PK	5.95824G	109.05	Inf	-Inf	101.91	3	Vertical	60	2.33	-	34.60	7.66	35.12
RMS	5.95896G	95.96	Inf	-Inf	88.82	3	Vertical	60	2.33	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92368G	60.45	88.20	-27.75	53.37	3	Horizontal	292	2.70	-	34.55	7.63	35.10
RMS	5.92278G	46.46	68.20	-21.74	39.38	3	Horizontal	292	2.70	-	34.55	7.63	35.10
PK	5.9604G	108.42	Inf	-Inf	101.28	3	Horizontal	292	2.70	-	34.60	7.66	35.12
RMS	5.96058G	95.20	Inf	-Inf	88.06	3	Horizontal	292	2.70	-	34.60	7.66	35.12

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91266G	60.34	74.00	-13.66	44.07	3	Vertical	311	1.60	-	39.20	11.47	34.40
AV	11.90739G	48.75	54.00	-5.25	32.48	3	Vertical	311	1.60	-	39.20	11.47	34.40

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90843G	61.94	74.00	-12.06	45.67	3	Horizontal	97	1.60	-	39.20	11.47	34.40
AV	11.90684G	48.78	54.00	-5.22	32.51	3	Horizontal	97	1.60	-	39.20	11.47	34.40

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81954G	47.19	83.54	-36.35	38.04	1	Vertical	295	1.49	-	38.98	17.35	47.18
AV	23.8198G	33.12	63.54	-30.42	23.97	1	Vertical	295	1.49	-	38.98	17.35	47.18



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82006G	49.87	83.54	-33.67	40.72	1	Horizontal	184	1.18	-	38.98	17.35	47.18
AV	23.81967G	35.14	63.54	-28.40	25.99	1	Horizontal	184	1.18	-	38.98	17.35	47.18

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38616G	60.10	74.00	-13.90	43.88	3	Vertical	237	1.33	-	38.63	11.65	34.06
AV	12.38751G	48.74	54.00	-5.26	32.53	3	Vertical	237	1.33	-	38.62	11.65	34.06

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
SET 11.5  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38747G	60.51	74.00	-13.49	44.29	3	Horizontal	317	1.80	-	38.63	11.65	34.06
AV	12.38802G	48.77	54.00	-5.23	32.56	3	Horizontal	317	1.80	-	38.62	11.65	34.06

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58549G	46.54	83.54	-37.00	43.19	1	Vertical	309	2.51	-	37.70	15.27	49.62
AV	18.585G	33.58	63.54	-29.96	30.23	1	Vertical	309	2.51	-	37.70	15.27	49.62
PK	24.78032G	51.57	97.74	-46.17	41.40	1	Vertical	151	2.25	-	39.30	17.52	46.65
RMS	24.78042G	47.13	77.74	-30.61	36.96	1	Vertical	151	2.25	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
SET 11.5  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58495G	49.54	83.54	-34.00	46.19	1	Horizontal	241	2.03	-	37.70	15.27	49.62
AV	18.58464G	35.59	63.54	-27.95	32.24	1	Horizontal	241	2.03	-	37.70	15.27	49.62
PK	24.77955G	52.76	97.74	-44.98	42.59	1	Horizontal	113	2.46	-	39.30	17.52	46.65
RMS	24.77956G	48.12	77.74	-29.62	37.95	1	Horizontal	113	2.46	-	39.30	17.52	46.65

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82555G	60.69	88.20	-27.51	43.33	3	Vertical	233	1.64	-	39.10	11.80	33.54
RMS	12.83392G	49.01	68.20	-19.19	31.60	3	Vertical	233	1.64	-	39.14	11.80	33.53

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82935G	59.83	88.20	-28.37	42.44	3	Horizontal	198	2.99	-	39.12	11.80	33.53
RMS	12.83398G	48.99	68.20	-19.21	31.58	3	Horizontal	198	2.99	-	39.14	11.80	33.53

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24472G	46.21	83.54	-37.33	42.57	1	Vertical	53	1.45	-	37.91	15.24	49.51
AV	19.24507G	33.01	63.54	-30.53	29.37	1	Vertical	53	1.45	-	37.91	15.24	49.51
PK	25.66003G	51.27	97.74	-46.47	40.54	1	Vertical	162	1.59	-	39.26	17.65	46.18
RMS	25.65959G	47.98	77.74	-29.76	37.25	1	Vertical	162	1.59	-	39.26	17.65	46.18



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
SET 11  
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24542G	49.87	83.54	-33.67	46.23	1	Horizontal	227	1.66	-	37.91	15.24	49.51
AV	19.2448G	35.99	63.54	-27.55	32.35	1	Horizontal	227	1.66	-	37.91	15.24	49.51
PK	25.65995G	52.57	97.74	-45.17	41.84	1	Horizontal	132	1.15	-	39.26	17.65	46.18
RMS	25.65954G	48.94	77.74	-28.80	38.21	1	Horizontal	132	1.15	-	39.26	17.65	46.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6435MHz\_TX



EUT\_X\_2TX  
SET 11  
##PSD Limit=LPI-AP/LPI-Client/SP-AP/SP-Client

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8677G	60.21	88.20	-27.99	42.67	3	Vertical	295	2.26	-	39.20	11.82	33.48
RMS	12.87354G	49.35	68.20	-18.85	31.80	3	Vertical	295	2.26	-	39.20	11.82	33.47