



**Radiated PSD Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**

**Appendix D.2**

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.79
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.80
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.78
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.43
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.81
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.81
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.81
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.82
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.62
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.70
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.42
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.76
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.25
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.07
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.11
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.60
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.43
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.32
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.45
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.46
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.47
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.94
802.11be EHT320-BF_Nss1,(MCS0)_2TX	3.89
802.11be EHT320-BF_Nss1,(MCS0)_4TX	2.59
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.66
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.20
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.55
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.67
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.19
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.76
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.39
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.35
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.56
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.52
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.39
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.45
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.69
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.41
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.64
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.80
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.38
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.87





**Radiated PSD\_ Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**

**Appendix D.2**

Mode	EIRP PD (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.59
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.12
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.70
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.92
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.15
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.32
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.47
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.54
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.67
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.26
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.27
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.32
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.16
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.40
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.60
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.29
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.99
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-0.14
802.11be EHT320-BF_Nss1,(MCS0)_4TX	2.32
802.11be EHT320-BF_Nss1,(MCS0)_4TX	0.48
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.22
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.60
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT20-BF_Nss1,(MCS0)_2TX	1.07
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.38
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.37
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.36
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.82
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.20
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.28
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.57
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.43
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.70
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.38
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.33
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.59
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD\_ Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**

**Appendix D.2**

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.79	5.00
6195MHz	Pass	4.80	5.00
6415MHz	Pass	4.78	5.00
6435MHz	Pass	4.95	5.00
6475MHz	Pass	4.98	5.00
6515MHz	Pass	4.55	5.00
6535MHz	Pass	4.95	5.00
6695MHz	Pass	4.87	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.59	5.00
6895MHz	Pass	4.22	5.00
6995MHz	Pass	4.60	5.00
7095MHz	Pass	4.90	5.00
7115MHz	Pass	1.07	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.97	5.00
6205MHz	Pass	4.97	5.00
6405MHz	Pass	4.98	5.00
6445MHz	Pass	4.76	5.00
6485MHz	Pass	4.99	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.84	5.00
6565MHz	Pass	4.99	5.00
6685MHz	Pass	4.83	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.15	5.00
6925MHz	Pass	4.99	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.20	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.62	5.00
6225MHz	Pass	4.70	5.00
6385MHz	Pass	4.42	5.00
6465MHz	Pass	4.52	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.39	5.00
6625MHz	Pass	4.47	5.00
6705MHz	Pass	4.54	5.00
6785MHz	Pass	4.67	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.26	5.00
6945MHz	Pass	4.70	5.00
7025MHz	Pass	4.38	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.11	5.00
6185MHz	Pass	4.60	5.00
6345MHz	Pass	4.43	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.41	5.00
6665MHz	Pass	4.40	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.60	5.00
6985MHz	Pass	4.59	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.47	5.00
6265MHz	Pass	2.94	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	3.89	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	2.80	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	2.99	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-0.14	5.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-






**Radiated PSD\_Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**



**Appendix D.2**



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	4.43	5.00
6195MHz	Pass	4.81	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.84	5.00
6475MHz	Pass	4.67	5.00
6515MHz	Pass	4.19	5.00
6535MHz	Pass	4.12	5.00
6695MHz	Pass	4.70	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.92	5.00
6895MHz	Pass	4.38	5.00
6995MHz	Pass	4.90	5.00
7095MHz	Pass	4.37	5.00
7115MHz	Pass	4.36	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.97	5.00
6205MHz	Pass	4.81	5.00
6405MHz	Pass	4.82	5.00
6445MHz	Pass	4.39	5.00
6485MHz	Pass	4.35	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.56	5.00
6565MHz	Pass	4.94	5.00
6685MHz	Pass	4.96	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.32	5.00
6925MHz	Pass	4.28	5.00
7005MHz	Pass	4.57	5.00
7085MHz	Pass	4.43	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.76	5.00
6225MHz	Pass	4.25	5.00
6385MHz	Pass	4.07	5.00
6465MHz	Pass	4.45	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.69	5.00
6625MHz	Pass	4.27	5.00
6705MHz	Pass	4.86	5.00
6785MHz	Pass	4.32	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.16	5.00
6945MHz	Pass	4.33	5.00
7025MHz	Pass	4.84	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.32	5.00
6185MHz	Pass	4.45	5.00
6345MHz	Pass	4.46	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.64	5.00
6665MHz	Pass	4.91	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.29	5.00
6985MHz	Pass	4.78	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	2.59	5.00
6265MHz	Pass	4.66	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.20	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.38	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	2.32	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	0.48	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































**Radiated PSD\_Indoor Access Point\_Radio 4\_ Beamforming mode\_Full RU**



**Appendix D.2**







































































































**Radiated PSD\_Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**



**Appendix D.2**































**Radiated PSD\_Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**



**Appendix D.2**
















**Radiated PSD\_Indoor Access Point\_Radio 4\_  
Beamforming mode\_Full RU**

**Appendix D.2**







Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	4.42
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	4.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.53
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	2.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	4.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	4.72
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	2.01
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	3.66
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	4.67
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-1.89
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	0.51
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	3.06
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	4.36
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	4.54
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.62
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	3.19
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	4.94
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	4.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	Meas.RBW (Hz)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-
5985MHz	Pass	1M	4.42	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-
5985MHz	Pass	1M	4.30	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-
7025MHz	Pass	1M	3.74	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-
7025MHz	Pass	1M	4.36	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-
6025MHz	Pass	1M	2.70	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-	-
6025MHz	Pass	1M	2.70	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-
6025MHz	Pass	1M	2.82	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-
6985MHz	Pass	1M	1.46	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-	-
6985MHz	Pass	1M	3.19	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-
6985MHz	Pass	1M	2.96	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-
6105MHz	Pass	1M	2.01	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-	-	-	-
6105MHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-	-	-	-
6105MHz	Pass	1M	1.77	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	-	-	-	-
6105MHz	Pass	1M	1.83	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-1.89	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-1.92	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-
5985MHz	Pass	1M	4.66	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-
5985MHz	Pass	1M	4.61	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-
7025MHz	Pass	1M	4.29	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-
7025MHz	Pass	1M	4.54	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-
6025MHz	Pass	1M	4.47	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-	-
6025MHz	Pass	1M	4.18	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-
6025MHz	Pass	1M	4.31	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-
6985MHz	Pass	1M	4.78	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-	-
6985MHz	Pass	1M	4.94	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-





**Radiated PSD Indoor Access Point Radio 4 Multi RU**

**Appendix D.3**


Mode	Result	Meas.RBW (Hz)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6985MHz	Pass	1M	4.74	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-
6105MHz	Pass	1M	3.54	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-
6105MHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-
6105MHz	Pass	1M	3.66	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-
6105MHz	Pass	1M	3.53	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	0.51	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	0.25	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-
5985MHz	Pass	1M	4.53	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-
5985MHz	Pass	1M	4.48	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-
7025MHz	Pass	1M	4.62	5.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-
7025MHz	Pass	1M	4.41	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-
6025MHz	Pass	1M	4.72	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-
6025MHz	Pass	1M	4.62	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-
6025MHz	Pass	1M	4.70	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-
6985MHz	Pass	1M	4.92	5.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-
6985MHz	Pass	1M	4.83	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-
6985MHz	Pass	1M	4.81	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-
6105MHz	Pass	1M	4.67	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-
6105MHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-
6105MHz	Pass	1M	4.66	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-
6105MHz	Pass	1M	4.58	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	3.06	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	-Inf	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	1M	3.00	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.










EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:7025MHz;TX







EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1;Ch:7025MHz;TX











EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1;Ch:6105MHz;TX

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
1.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.41	11.69	8.23	35.20	57.90

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-1.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.29	10.69	8.40	34.98	58.63

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 - RU484 MRU 8;Nant:1;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-1.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.72	11.39	8.61	35.34	58.95

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms



Detector Type  
RMS

CP BW  
320MHz







Page 7



EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-1.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.26	10.69	8.39	34.98	58.62



























EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 - RU484 MRU 8;Nant:2;Ch:6905MHz;TX







EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:2;Ch:6905MHz;TX

































Summary

Mode	EIRP PD
	(dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	4.45
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	4.52
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	4.53
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	2.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	4.29
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	4.75
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	1.97
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	3.68
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	4.73
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-1.92
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	0.45
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	3.10
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	4.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	4.41
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	4.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	1.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	4.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	4.71

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-
5985MHz	Pass	4.45	4.58
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-
7025MHz	Pass	4.66	4.97
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-
6025MHz	Pass	2.66	2.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6025MHz	Pass	2.53	2.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-
6985MHz	Pass	1.35	3.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6985MHz	Pass	1.20	3.43
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-
6105MHz	Pass	1.97	2.04
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-
6105MHz	Pass	1.79	2.04
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-
6105MHz	Pass	1.75	2.04
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	-2.18	-1.87
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	-1.92	-1.87
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	-2.14	-1.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-
5985MHz	Pass	4.52	4.69
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-
7025MHz	Pass	4.41	4.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-
6025MHz	Pass	4.29	4.53
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-
6025MHz	Pass	4.24	4.53
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-
6985MHz	Pass	4.64	4.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-
6985MHz	Pass	4.91	4.95
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-
6105MHz	Pass	3.02	3.77
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	3.26	3.77
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-
6105MHz	Pass	3.68	3.77
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	0.41	0.56
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	0.45	0.56
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	0.19	0.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-
5985MHz	Pass	4.53	4.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-
7025MHz	Pass	4.35	4.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-
6025MHz	Pass	4.75	4.80







Mode	Result	EIRP PD	EIRP PD Limit
		(dBm/RBW)	(dBm/RBW)
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 2_4TX	-	-	-
6025MHz	Pass	4.73	4.80
802.11be EHT160_Nss1,(MCSO),RU996+RU484+RU242 CP 2_4TX	-	-	-
6985MHz	Pass	4.70	4.97
802.11be EHT160_Nss1,(MCSO),RU996+RU484 CP 2_4TX	-	-	-
6985MHz	Pass	4.71	4.97
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 7_4TX	-	-	-
6105MHz	Pass	3.21	4.77
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 4_4TX	-	-	-
6105MHz	Pass	4.46	4.77
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 6_4TX	-	-	-
6105MHz	Pass	4.73	4.77
802.11be EHT320_Nss1,(MCSO),3xRU996+RU484 CP 3_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	3.01	3.19
802.11be EHT320_Nss1,(MCSO),3xRU996 CP 3_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	3.06	3.19
802.11be EHT320_Nss1,(MCSO),2xRU996+RU484 CP 9_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	3.10	3.19



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.





































































**Radiated PSD\_ Standard Power Access Point\_ Radio 4\_ Non-beamforming mode\_ Full RU**

**Appendix D.5**

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	12.43
802.11be EHT20_Nss1,(MCS0)_2TX	14.89
802.11be EHT20_Nss1,(MCS0)_4TX	17.90
802.11be EHT40_Nss1,(MCS0)_1TX	10.01
802.11be EHT40_Nss1,(MCS0)_2TX	12.25
802.11be EHT40_Nss1,(MCS0)_4TX	15.35
802.11be EHT80_Nss1,(MCS0)_1TX	7.91
802.11be EHT80_Nss1,(MCS0)_2TX	10.84
802.11be EHT80_Nss1,(MCS0)_4TX	12.82
802.11be EHT160_Nss1,(MCS0)_1TX	4.24
802.11be EHT160_Nss1,(MCS0)_2TX	6.47
802.11be EHT160_Nss1,(MCS0)_4TX	10.18
802.11be EHT320_Nss1,(MCS0)_1TX	1.34
802.11be EHT320_Nss1,(MCS0)_2TX	3.84
802.11be EHT320_Nss1,(MCS0)_4TX	7.87
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	12.70
802.11be EHT20_Nss1,(MCS0)_2TX	15.18
802.11be EHT20_Nss1,(MCS0)_4TX	16.47
802.11be EHT40_Nss1,(MCS0)_1TX	8.27
802.11be EHT40_Nss1,(MCS0)_2TX	11.51
802.11be EHT40_Nss1,(MCS0)_4TX	13.55
802.11be EHT80_Nss1,(MCS0)_1TX	5.69
802.11be EHT80_Nss1,(MCS0)_2TX	8.45
802.11be EHT80_Nss1,(MCS0)_4TX	10.95
802.11be EHT160_Nss1,(MCS0)_1TX	2.70
802.11be EHT160_Nss1,(MCS0)_2TX	5.27
802.11be EHT160_Nss1,(MCS0)_4TX	6.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD\_Standard Power Access Point\_Radio 4\_**  
**Non-beamforming mode\_Full RU**

**Appendix D.5**

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	10.42	23.00
6195MHz	Pass	12.43	23.00
6415MHz	Pass	12.42	23.00
6535MHz	Pass	12.70	23.00
6695MHz	Pass	11.93	23.00
6855MHz	Pass	10.53	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	8.81	23.00
6205MHz	Pass	9.26	23.00
6405MHz	Pass	10.01	23.00
6565MHz	Pass	7.93	23.00
6685MHz	Pass	8.27	23.00
6845MHz	Pass	8.18	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	7.34	23.00
6225MHz	Pass	6.37	23.00
6385MHz	Pass	7.91	23.00
6625MHz	Pass	5.40	23.00
6705MHz	Pass	5.54	23.00
6785MHz	Pass	5.69	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	1.75	23.00
6185MHz	Pass	4.24	23.00
6345MHz	Pass	3.28	23.00
6665MHz	Pass	2.70	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	1.34	23.00
6265MHz	Pass	-0.14	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	13.10	23.00
6195MHz	Pass	13.62	23.00
6415MHz	Pass	14.89	23.00
6535MHz	Pass	15.18	23.00
6695MHz	Pass	13.22	23.00
6855MHz	Pass	13.29	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.50	23.00
6205MHz	Pass	11.16	23.00
6405MHz	Pass	12.25	23.00
6565MHz	Pass	11.51	23.00
6685MHz	Pass	9.87	23.00
6845MHz	Pass	11.28	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	9.27	23.00
6225MHz	Pass	8.88	23.00
6385MHz	Pass	10.84	23.00
6625MHz	Pass	8.16	23.00
6705MHz	Pass	8.45	23.00
6785MHz	Pass	7.70	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	6.47	23.00
6185MHz	Pass	5.81	23.00
6345MHz	Pass	6.16	23.00
6665MHz	Pass	5.27	23.00





**Radiated PSD\_Standard Power Access Point\_Radio 4\_**  
**Non-beamforming mode\_Full RU**



**Appendix D.5**



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.84	23.00
6265MHz	Pass	3.04	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	15.66	23.00
6195MHz	Pass	16.79	23.00
6415MHz	Pass	17.90	23.00
6535MHz	Pass	16.47	23.00
6695MHz	Pass	15.84	23.00
6855MHz	Pass	15.60	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	15.35	23.00
6205MHz	Pass	14.88	23.00
6405MHz	Pass	15.05	23.00
6565MHz	Pass	13.48	23.00
6685MHz	Pass	11.96	23.00
6845MHz	Pass	13.55	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	12.19	23.00
6225MHz	Pass	11.68	23.00
6385MHz	Pass	12.82	23.00
6625MHz	Pass	9.75	23.00
6705MHz	Pass	9.83	23.00
6785MHz	Pass	10.95	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	10.18	23.00
6185MHz	Pass	9.12	23.00
6345MHz	Pass	9.31	23.00
6665MHz	Pass	6.96	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	7.87	23.00
6265MHz	Pass	5.71	23.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.





















































































































































**Radiated PSD\_Standard Power Access Point\_Radio 4\_ Beamforming mode\_Full RU**

**Appendix D.6**

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.31
802.11be EHT20-BF_Nss1,(MCS0)_4TX	20.57
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.96
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.19
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.85
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.36
802.11be EHT160-BF_Nss1,(MCS0)_2TX	5.89
802.11be EHT160-BF_Nss1,(MCS0)_4TX	10.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	5.84
802.11be EHT320-BF_Nss1,(MCS0)_4TX	7.00
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.67
802.11be EHT20-BF_Nss1,(MCS0)_4TX	20.90
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.81
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.95
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.78
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.53
802.11be EHT160-BF_Nss1,(MCS0)_2TX	6.65
802.11be EHT160-BF_Nss1,(MCS0)_4TX	10.58

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD\_ Standard Power Access Point\_Radio 4\_ Beamforming mode\_Full RU**

**Appendix D.6**

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.55	23.00
6195MHz	Pass	17.31	23.00
6415MHz	Pass	15.42	23.00
6535MHz	Pass	15.82	23.00
6695MHz	Pass	15.09	23.00
6855MHz	Pass	18.67	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	10.51	23.00
6205MHz	Pass	13.96	23.00
6405MHz	Pass	13.01	23.00
6565MHz	Pass	14.04	23.00
6685MHz	Pass	13.44	23.00
6845MHz	Pass	14.81	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	8.48	23.00
6225MHz	Pass	11.85	23.00
6385MHz	Pass	10.60	23.00
6625MHz	Pass	10.59	23.00
6705MHz	Pass	10.05	23.00
6785MHz	Pass	11.78	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	5.45	23.00
6185MHz	Pass	5.89	23.00
6345MHz	Pass	4.82	23.00
6665MHz	Pass	6.65	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	4.49	23.00
6265MHz	Pass	5.84	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	18.10	23.00
6195MHz	Pass	18.66	23.00
6415MHz	Pass	20.57	23.00
6535MHz	Pass	20.90	23.00
6695MHz	Pass	19.04	23.00
6855MHz	Pass	19.10	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	15.05	23.00
6205MHz	Pass	17.17	23.00
6405MHz	Pass	18.19	23.00
6565MHz	Pass	18.95	23.00
6685MHz	Pass	18.35	23.00
6845MHz	Pass	18.63	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	11.34	23.00
6225MHz	Pass	13.39	23.00
6385MHz	Pass	14.36	23.00
6625MHz	Pass	15.53	23.00
6705MHz	Pass	15.16	23.00
6785MHz	Pass	14.00	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	7.91	23.00
6185MHz	Pass	10.50	23.00
6345MHz	Pass	10.21	23.00
6665MHz	Pass	10.58	23.00



**Radiated PSD\_Standard Power Access Point\_Radio 4\_  
Beamforming mode\_Full RU**

**Appendix D.6**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	6.37	23.00
6265MHz	Pass	7.00	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.

