



**Radiated EIRP Indoor Access Point Radio 4
Beamforming mode**

Appendix C.2

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_2TX	14.12	0.02582
802.11be EHT20-BF_Nss1,(MCSO)_2TX	14.50	0.02818
802.11be EHT20-BF_Nss1,(MCSO)_2TX	16.90	0.04898
802.11be EHT20-BF_Nss1,(MCSO)_4TX	17.14	0.05176
802.11be EHT20-BF_Nss1,(MCSO)_4TX	17.84	0.06081
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.49	0.04457
802.11be EHT40-BF_Nss1,(MCSO)_2TX	18.25	0.06683
802.11be EHT40-BF_Nss1,(MCSO)_2TX	17.86	0.06109
802.11be EHT40-BF_Nss1,(MCSO)_2TX	18.39	0.06902
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.65	0.11614
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.66	0.09247
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.98	0.12531
802.11be EHT80-BF_Nss1,(MCSO)_2TX	18.96	0.07870
802.11be EHT80-BF_Nss1,(MCSO)_2TX	19.42	0.08750
802.11be EHT80-BF_Nss1,(MCSO)_2TX	20.53	0.11298
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.82	0.15205
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.05	0.12735
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.43	0.13900
802.11be EHT160-BF_Nss1,(MCSO)_2TX	22.56	0.18030
802.11be EHT160-BF_Nss1,(MCSO)_2TX	21.04	0.12706
802.11be EHT160-BF_Nss1,(MCSO)_2TX	24.12	0.25823
802.11be EHT160-BF_Nss1,(MCSO)_4TX	23.78	0.23878
802.11be EHT160-BF_Nss1,(MCSO)_4TX	25.12	0.32509
802.11be EHT160-BF_Nss1,(MCSO)_4TX	25.42	0.34834
802.11be EHT320-BF_Nss1,(MCSO)_2TX	24.95	0.31261
802.11be EHT320-BF_Nss1,(MCSO)_2TX	25.80	0.38019
802.11be EHT320-BF_Nss1,(MCSO)_2TX	25.80	0.38019
802.11be EHT320-BF_Nss1,(MCSO)_4TX	29.12	0.81658
802.11be EHT320-BF_Nss1,(MCSO)_4TX	28.19	0.65917
802.11be EHT320-BF_Nss1,(MCSO)_4TX	28.72	0.74473
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_2TX	15.02	0.03177
802.11be EHT20-BF_Nss1,(MCSO)_2TX	16.17	0.04140
802.11be EHT20-BF_Nss1,(MCSO)_2TX	15.52	0.03565
802.11be EHT20-BF_Nss1,(MCSO)_4TX	15.00	0.03162
802.11be EHT20-BF_Nss1,(MCSO)_4TX	14.69	0.02944
802.11be EHT20-BF_Nss1,(MCSO)_4TX	17.88	0.06138
802.11be EHT40-BF_Nss1,(MCSO)_2TX	18.59	0.07228
802.11be EHT40-BF_Nss1,(MCSO)_2TX	16.23	0.04198
802.11be EHT40-BF_Nss1,(MCSO)_2TX	18.02	0.06339
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.39	0.10940
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.03	0.10069
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.67	0.11668
802.11be EHT80-BF_Nss1,(MCSO)_2TX	18.89	0.07745
802.11be EHT80-BF_Nss1,(MCSO)_2TX	20.14	0.10328
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.82	0.15205
802.11be EHT80-BF_Nss1,(MCSO)_4TX	22.82	0.19143
802.11be EHT160-BF_Nss1,(MCSO)_2TX	23.17	0.20749
802.11be EHT160-BF_Nss1,(MCSO)_4TX	27.14	0.51761
802.11be EHT320-BF_Nss1,(MCSO)_2TX	25.74	0.37497
802.11be EHT320-BF_Nss1,(MCSO)_4TX	28.22	0.66374
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_2TX	14.50	0.02818
802.11be EHT20-BF_Nss1,(MCSO)_2TX	14.06	0.02547



Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode

Appendix C.2

Mode	EIRP (dBm)	EIRP (W)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.12	0.04093
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.68	0.04656
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.16	0.05200
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.40	0.05495
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.37	0.06871
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.00	0.06310
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.30	0.06761
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.20	0.08318
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.99	0.07925
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.54	0.08995
802.11be EHT80-BF_Nss1,(MCS0)_2TX	19.66	0.09247
802.11be EHT80-BF_Nss1,(MCS0)_2TX	17.28	0.05346
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.49	0.14093
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.51	0.11246
802.11be EHT80-BF_Nss1,(MCS0)_4TX	19.86	0.09683
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.30	0.21380
802.11be EHT80-BF_Nss1,(MCS0)_4TX	19.79	0.09528
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.50	0.14125
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.34	0.27164
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.80	0.19055
802.11be EHT160-BF_Nss1,(MCS0)_4TX	27.21	0.52602
802.11be EHT160-BF_Nss1,(MCS0)_4TX	25.17	0.32885
802.11be EHT320-BF_Nss1,(MCS0)_2TX	26.27	0.42364
802.11be EHT320-BF_Nss1,(MCS0)_2TX	23.71	0.23496
802.11be EHT320-BF_Nss1,(MCS0)_4TX	29.27	0.84528
802.11be EHT320-BF_Nss1,(MCS0)_4TX	24.32	0.27040
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.64	0.03664
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.95	0.03936
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.77	0.02999
802.11be EHT20-BF_Nss1,(MCS0)_2TX	11.41	0.01384
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.15	0.04121
802.11be EHT20-BF_Nss1,(MCS0)_4TX	14.95	0.03126
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.07	0.04046
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.34	0.04305
802.11be EHT40-BF_Nss1,(MCS0)_2TX	16.04	0.04018
802.11be EHT40-BF_Nss1,(MCS0)_2TX	16.90	0.04898
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.89	0.07745
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.59	0.07228
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.03	0.06353
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.99	0.06295
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.09	0.10209
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.46	0.13996
802.11be EHT80-BF_Nss1,(MCS0)_4TX	19.70	0.09333
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.23	0.13274
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.84	0.19231
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.61	0.14488



**Radiated EIRP Indoor Access Point Radio 4
Beamforming mode**

Appendix C.2

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.12	30.00
6195MHz	Pass	14.50	30.00
6415MHz	Pass	16.90	30.00
6435MHz	Pass	15.02	30.00
6475MHz	Pass	16.17	30.00
6515MHz	Pass	15.52	30.00
6535MHz	Pass	14.50	30.00
6695MHz	Pass	14.06	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	16.12	30.00
6895MHz	Pass	15.64	30.00
6995MHz	Pass	15.95	30.00
7095MHz	Pass	14.77	30.00
7115MHz	Pass	11.41	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	18.25	30.00
6205MHz	Pass	17.86	30.00
6405MHz	Pass	18.39	30.00
6445MHz	Pass	18.59	30.00
6485MHz	Pass	16.23	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	18.02	30.00
6565MHz	Pass	18.37	30.00
6685MHz	Pass	18.00	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	18.30	30.00
6925MHz	Pass	16.04	30.00
7005MHz	Pass	16.90	30.00
7085MHz	Pass	18.89	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	18.96	30.00
6225MHz	Pass	19.42	30.00
6385MHz	Pass	20.53	30.00
6465MHz	Pass	18.89	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	20.14	30.00
6625MHz	Pass	19.66	30.00
6705MHz	Pass	17.28	30.00
6785MHz	Pass	21.49	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	20.51	30.00
6945MHz	Pass	20.09	30.00
7025MHz	Pass	21.46	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	22.56	30.00
6185MHz	Pass	21.04	30.00
6345MHz	Pass	24.12	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	23.17	30.00
6665MHz	Pass	24.34	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	22.80	30.00
6985MHz	Pass	22.84	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	24.95	30.00
6265MHz	Pass	25.80	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	25.80	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	25.74	30.00
6745MHz Straddle 6.525-6.875GHz	Pass	26.27	30.00
6905MHz Straddle 6.525-6.875GHz	Pass	23.71	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-





Radiated EIRP_Indoor Access Point_Radio 4_
Beamforming mode

Appendix C.2

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
5955MHz	Pass	17.14	30.00
6195MHz	Pass	17.84	30.00
6415MHz	Pass	16.49	30.00
6435MHz	Pass	15.00	30.00
6475MHz	Pass	14.69	30.00
6515MHz	Pass	17.88	30.00
6535MHz	Pass	16.68	30.00
6695MHz	Pass	17.16	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	17.40	30.00
6895MHz	Pass	16.15	30.00
6995MHz	Pass	14.95	30.00
7095MHz	Pass	16.07	30.00
7115MHz	Pass	16.34	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	20.65	30.00
6205MHz	Pass	19.66	30.00
6405MHz	Pass	20.98	30.00
6445MHz	Pass	20.39	30.00
6485MHz	Pass	20.03	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	20.67	30.00
6565MHz	Pass	19.20	30.00
6685MHz	Pass	18.99	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	19.54	30.00
6925MHz	Pass	18.59	30.00
7005MHz	Pass	18.03	30.00
7085MHz	Pass	17.99	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	21.82	30.00
6225MHz	Pass	21.05	30.00
6385MHz	Pass	21.43	30.00
6465MHz	Pass	21.82	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	22.82	30.00
6625MHz	Pass	19.86	30.00
6705MHz	Pass	23.30	30.00
6785MHz	Pass	19.79	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	21.50	30.00
6945MHz	Pass	19.70	30.00
7025MHz	Pass	21.23	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	23.78	30.00
6185MHz	Pass	25.12	30.00
6345MHz	Pass	25.42	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	27.14	30.00
6665MHz	Pass	27.21	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	25.17	30.00
6985MHz	Pass	21.61	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	29.12	30.00
6265MHz	Pass	28.19	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	28.72	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	28.22	30.00
6745MHz Straddle 6.525-6.875GHz	Pass	29.27	30.00
6905MHz Straddle 6.525-6.875GHz	Pass	24.32	30.00



DG = Directional Gain; Port X = Port X output power









Radiated EIRP_Indoor Access Point_Radio 4_
Beamforming mode

Appendix C.2











Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2





Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2





Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2











Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode

Appendix C.2













Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2











Radiated EIRP_Indoor Access Point_Radio 4_
Beamforming mode



Appendix C.2





















































Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode

Appendix C.2













Radiated EIRP_Indoor Access Point_Radio 4_
Beamforming mode



Appendix C.2





Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2





Radiated EIRP_Indoor Access Point_Radio 4_
Beamforming mode



Appendix C.2











Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode

Appendix C.2



















Radiated EIRP_Indoor Access Point_Radio 4_ Beamforming mode



Appendix C.2













































Radiated EIRP_Standard Power Access Point_Radio 4_
Non-beamforming mode

Appendix C.3

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	23.70	0.23442
802.11be EHT20_Nss1,(MCS0)_2TX	24.23	0.26485
802.11be EHT20_Nss1,(MCS0)_4TX	26.28	0.42462
802.11be EHT40_Nss1,(MCS0)_1TX	24.78	0.30061
802.11be EHT40_Nss1,(MCS0)_2TX	24.72	0.29648
802.11be EHT40_Nss1,(MCS0)_4TX	27.53	0.56624
802.11be EHT80_Nss1,(MCS0)_1TX	24.56	0.28576
802.11be EHT80_Nss1,(MCS0)_2TX	25.70	0.37154
802.11be EHT80_Nss1,(MCS0)_4TX	26.95	0.49545
802.11be EHT160_Nss1,(MCS0)_1TX	23.51	0.22439
802.11be EHT160_Nss1,(MCS0)_2TX	24.29	0.26853
802.11be EHT160_Nss1,(MCS0)_4TX	26.80	0.47863
802.11be EHT320_Nss1,(MCS0)_1TX	24.64	0.29107
802.11be EHT320_Nss1,(MCS0)_2TX	25.16	0.32810
802.11be EHT320_Nss1,(MCS0)_4TX	27.57	0.57148
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.28	0.26792
802.11be EHT20_Nss1,(MCS0)_2TX	24.98	0.31477
802.11be EHT20_Nss1,(MCS0)_4TX	26.54	0.45082
802.11be EHT40_Nss1,(MCS0)_1TX	23.76	0.23768
802.11be EHT40_Nss1,(MCS0)_2TX	24.32	0.27040
802.11be EHT40_Nss1,(MCS0)_4TX	25.74	0.37497
802.11be EHT80_Nss1,(MCS0)_1TX	22.37	0.17258
802.11be EHT80_Nss1,(MCS0)_2TX	23.26	0.21184
802.11be EHT80_Nss1,(MCS0)_4TX	25.56	0.35975
802.11be EHT160_Nss1,(MCS0)_1TX	21.87	0.15382
802.11be EHT160_Nss1,(MCS0)_2TX	22.74	0.18793
802.11be EHT160_Nss1,(MCS0)_4TX	22.86	0.19320



**Radiated EIRP_Standard Power Access Point_Radio 4_
Non-beamforming mode**

Appendix C.3

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	22.51	36.00
6195MHz	Pass	23.70	36.00
6415MHz	Pass	23.07	36.00
6535MHz	Pass	24.28	36.00
6695MHz	Pass	23.16	36.00
6855MHz	Pass	22.34	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	22.70	36.00
6205MHz	Pass	23.67	36.00
6405MHz	Pass	24.78	36.00
6565MHz	Pass	23.76	36.00
6685MHz	Pass	21.77	36.00
6845MHz	Pass	22.69	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	23.18	36.00
6225MHz	Pass	24.22	36.00
6385MHz	Pass	24.56	36.00
6625MHz	Pass	22.02	36.00
6705MHz	Pass	22.19	36.00
6785MHz	Pass	22.37	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	21.46	36.00
6185MHz	Pass	22.91	36.00
6345MHz	Pass	23.51	36.00
6665MHz	Pass	21.87	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	24.64	36.00
6265MHz	Pass	22.70	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	23.50	36.00
6195MHz	Pass	24.23	36.00
6415MHz	Pass	24.21	36.00
6535MHz	Pass	24.98	36.00
6695MHz	Pass	23.26	36.00
6855MHz	Pass	22.48	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	23.69	36.00
6205MHz	Pass	23.99	36.00
6405MHz	Pass	24.72	36.00
6565MHz	Pass	24.32	36.00
6685MHz	Pass	22.80	36.00
6845MHz	Pass	23.01	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	24.32	36.00
6225MHz	Pass	24.68	36.00
6385MHz	Pass	25.70	36.00
6625MHz	Pass	23.26	36.00
6705MHz	Pass	22.86	36.00
6785MHz	Pass	22.79	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	24.25	36.00
6185MHz	Pass	24.03	36.00
6345MHz	Pass	24.29	36.00
6665MHz	Pass	22.74	36.00







Radiated EIRP_Standard Power Access Point_Radio 4_
Non-beamforming mode



Appendix C.3



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	25.16	36.00
6265MHz	Pass	23.22	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	24.98	36.00
6195MHz	Pass	26.19	36.00
6415MHz	Pass	26.28	36.00
6535MHz	Pass	26.54	36.00
6695MHz	Pass	24.19	36.00
6855MHz	Pass	25.88	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	25.89	36.00
6205MHz	Pass	26.80	36.00
6405MHz	Pass	27.53	36.00
6565MHz	Pass	25.03	36.00
6685MHz	Pass	23.06	36.00
6845MHz	Pass	25.74	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	25.53	36.00
6225MHz	Pass	26.48	36.00
6385MHz	Pass	26.95	36.00
6625MHz	Pass	24.66	36.00
6705MHz	Pass	25.56	36.00
6785MHz	Pass	25.22	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	26.78	36.00
6185MHz	Pass	26.80	36.00
6345MHz	Pass	26.40	36.00
6665MHz	Pass	22.86	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	27.57	36.00
6265MHz	Pass	26.00	36.00



DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.









































































































































Radiated EIRP_Standard Power Access Point_Radio 4_ Beamforming mode

Appendix C.4

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	28.51	0.70958
802.11be EHT20-BF_Nss1,(MCS0)_4TX	31.07	1.27938
802.11be EHT40-BF_Nss1,(MCS0)_2TX	28.79	0.75683
802.11be EHT40-BF_Nss1,(MCS0)_4TX	31.28	1.34276
802.11be EHT80-BF_Nss1,(MCS0)_2TX	28.86	0.76913
802.11be EHT80-BF_Nss1,(MCS0)_4TX	31.37	1.37088
802.11be EHT160-BF_Nss1,(MCS0)_2TX	27.39	0.54828
802.11be EHT160-BF_Nss1,(MCS0)_4TX	31.54	1.42561
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.06	0.50816
802.11be EHT320-BF_Nss1,(MCS0)_4TX	28.69	0.73961
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	28.71	0.74302
802.11be EHT20-BF_Nss1,(MCS0)_4TX	31.15	1.30317
802.11be EHT40-BF_Nss1,(MCS0)_2TX	28.93	0.78163
802.11be EHT40-BF_Nss1,(MCS0)_4TX	31.39	1.37721
802.11be EHT80-BF_Nss1,(MCS0)_2TX	28.23	0.66527
802.11be EHT80-BF_Nss1,(MCS0)_4TX	31.73	1.48936
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.87	0.38637
802.11be EHT160-BF_Nss1,(MCS0)_4TX	29.06	0.80538



Radiated EIRP_Standard Power Access Point_Radio 4_ Beamforming mode

Appendix C.4

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	27.26	36.00
6195MHz	Pass	28.44	36.00
6415MHz	Pass	28.51	36.00
6535MHz	Pass	28.71	36.00
6695MHz	Pass	27.72	36.00
6855MHz	Pass	26.14	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	25.38	36.00
6205MHz	Pass	28.61	36.00
6405MHz	Pass	28.79	36.00
6565MHz	Pass	28.87	36.00
6685MHz	Pass	28.93	36.00
6845MHz	Pass	27.37	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	24.73	36.00
6225MHz	Pass	28.86	36.00
6385MHz	Pass	27.57	36.00
6625MHz	Pass	27.69	36.00
6705MHz	Pass	28.02	36.00
6785MHz	Pass	28.23	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	25.12	36.00
6185MHz	Pass	27.39	36.00
6345MHz	Pass	26.81	36.00
6665MHz	Pass	25.87	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	26.91	36.00
6265MHz	Pass	27.06	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	30.55	36.00
6195MHz	Pass	31.07	36.00
6415MHz	Pass	30.10	36.00
6535MHz	Pass	31.15	36.00
6695MHz	Pass	30.53	36.00
6855MHz	Pass	30.49	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	27.28	36.00
6205MHz	Pass	31.28	36.00
6405MHz	Pass	31.18	36.00
6565MHz	Pass	30.29	36.00
6685MHz	Pass	30.54	36.00
6845MHz	Pass	31.39	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	28.09	36.00
6225MHz	Pass	31.37	36.00
6385MHz	Pass	29.92	36.00
6625MHz	Pass	31.73	36.00
6705MHz	Pass	31.09	36.00
6785MHz	Pass	30.33	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	27.35	36.00
6185MHz	Pass	31.54	36.00
6345MHz	Pass	31.28	36.00
6665MHz	Pass	29.06	36.00







**Radiated EIRP_Standard Power Access Point_Radio 4_
Beamforming mode**



Appendix C.4



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	28.67	36.00
6265MHz	Pass	28.69	36.00



DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

























































































Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.30	0.02138	17.26	0.05321
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	12.88	0.01941	17.55	0.05689
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.00	0.01995	17.31	0.05383
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.47	0.02223	18.27	0.06714



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	3.96	12.96	12.96	16.92	30.00
6195MHz	Pass	3.96	13.30	13.30	17.26	30.00
6415MHz	Pass	3.96	13.30	13.30	17.26	30.00
6435MHz	Pass	4.67	12.88	12.88	17.55	30.00
6475MHz	Pass	4.67	12.77	12.77	17.44	30.00
6515MHz	Pass	4.67	12.86	12.86	17.53	30.00
6535MHz	Pass	4.31	12.93	12.93	17.24	30.00
6695MHz	Pass	4.31	12.92	12.92	17.23	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.31	13.00	13.00	17.31	30.00
6895MHz	Pass	4.80	12.93	12.93	17.73	30.00
6995MHz	Pass	4.80	12.91	12.91	17.71	30.00
7095MHz	Pass	4.80	13.47	13.47	18.27	30.00
7115MHz	Pass	4.80	13.08	13.08	17.88	30.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	23.18	0.20797	27.14	0.51761
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	23.03	0.20091	27.34	0.54200



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	3.96	23.18	23.18	27.14	36.00
6195MHz	Pass	3.96	23.08	23.08	27.04	36.00
6415MHz	Pass	3.96	21.25	21.25	25.21	36.00
6535MHz	Pass	4.31	22.11	22.11	26.42	36.00
6695MHz	Pass	4.31	23.03	23.03	27.34	36.00
6855MHz	Pass	4.31	22.99	22.99	27.30	36.00

DG = Directional Gain; Port X = Port X output power



**Radiated PSD_Indoor Access Point_Radio 4_
Non-beamforming mode_Full RU**

Appendix D.1

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.63
802.11be EHT20_Nss1,(MCS0)_2TX	4.91
802.11be EHT20_Nss1,(MCS0)_4TX	4.67
802.11be EHT40_Nss1,(MCS0)_1TX	4.91
802.11be EHT40_Nss1,(MCS0)_2TX	4.86
802.11be EHT40_Nss1,(MCS0)_4TX	4.72
802.11be EHT80_Nss1,(MCS0)_1TX	4.82
802.11be EHT80_Nss1,(MCS0)_2TX	4.89
802.11be EHT80_Nss1,(MCS0)_4TX	4.71
802.11be EHT160_Nss1,(MCS0)_1TX	4.95
802.11be EHT160_Nss1,(MCS0)_2TX	4.90
802.11be EHT160_Nss1,(MCS0)_4TX	4.80
802.11be EHT320_Nss1,(MCS0)_1TX	3.73
802.11be EHT320_Nss1,(MCS0)_2TX	4.39
802.11be EHT320_Nss1,(MCS0)_4TX	4.77
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.94
802.11be EHT20_Nss1,(MCS0)_2TX	4.81
802.11be EHT20_Nss1,(MCS0)_4TX	4.74
802.11be EHT40_Nss1,(MCS0)_1TX	4.80
802.11be EHT40_Nss1,(MCS0)_2TX	4.87
802.11be EHT40_Nss1,(MCS0)_4TX	4.83
802.11be EHT80_Nss1,(MCS0)_1TX	4.76
802.11be EHT80_Nss1,(MCS0)_2TX	4.92
802.11be EHT80_Nss1,(MCS0)_4TX	4.74
802.11be EHT160_Nss1,(MCS0)_1TX	4.31
802.11be EHT160_Nss1,(MCS0)_2TX	4.83
802.11be EHT160_Nss1,(MCS0)_4TX	4.86
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.91
802.11be EHT20_Nss1,(MCS0)_2TX	4.97
802.11be EHT20_Nss1,(MCS0)_4TX	4.66
802.11be EHT40_Nss1,(MCS0)_1TX	4.75
802.11be EHT40_Nss1,(MCS0)_2TX	4.99
802.11be EHT40_Nss1,(MCS0)_4TX	4.59
802.11be EHT80_Nss1,(MCS0)_1TX	4.86
802.11be EHT80_Nss1,(MCS0)_2TX	4.76
802.11be EHT80_Nss1,(MCS0)_4TX	4.86
802.11be EHT160_Nss1,(MCS0)_1TX	4.95
802.11be EHT160_Nss1,(MCS0)_2TX	4.75
802.11be EHT160_Nss1,(MCS0)_4TX	4.86
802.11be EHT320_Nss1,(MCS0)_1TX	3.72
802.11be EHT320_Nss1,(MCS0)_2TX	4.81
802.11be EHT320_Nss1,(MCS0)_4TX	4.99
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.95
802.11be EHT20_Nss1,(MCS0)_2TX	4.85
802.11be EHT20_Nss1,(MCS0)_4TX	4.84
802.11be EHT40_Nss1,(MCS0)_1TX	4.99
802.11be EHT40_Nss1,(MCS0)_2TX	4.87
802.11be EHT40_Nss1,(MCS0)_4TX	4.83
802.11be EHT80_Nss1,(MCS0)_1TX	4.97
802.11be EHT80_Nss1,(MCS0)_2TX	4.76
802.11be EHT80_Nss1,(MCS0)_4TX	4.89



**Radiated PSD_Indoor Access Point_Radio 4_
Non-beamforming mode_Full RU**

Appendix D.1

Mode	EIRP PD (dBm/RBW)
802.11be EHT160_Nss1,(MCS0)_1TX	3.43
802.11be EHT160_Nss1,(MCS0)_2TX	4.95
802.11be EHT160_Nss1,(MCS0)_4TX	4.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD_Indoor Access Point_Radio 4_
Non-beamforming mode_Full RU**

Appendix D.1

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.51	5.00
6195MHz	Pass	4.63	5.00
6415MHz	Pass	4.59	5.00
6435MHz	Pass	4.71	5.00
6475MHz	Pass	4.72	5.00
6515MHz	Pass	4.94	5.00
6535MHz	Pass	4.60	5.00
6695MHz	Pass	4.63	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.91	5.00
6895MHz	Pass	4.54	5.00
6995MHz	Pass	4.95	5.00
7095MHz	Pass	4.62	5.00
7115MHz	Pass	-5.02	5.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.91	5.00
6205MHz	Pass	4.83	5.00
6405MHz	Pass	4.66	5.00
6445MHz	Pass	4.65	5.00
6485MHz	Pass	4.80	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.57	5.00
6565MHz	Pass	4.46	5.00
6685MHz	Pass	4.50	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.75	5.00
6925MHz	Pass	4.73	5.00
7005MHz	Pass	4.99	5.00
7085MHz	Pass	4.96	5.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	4.58	5.00
6225MHz	Pass	4.61	5.00
6385MHz	Pass	4.82	5.00
6465MHz	Pass	4.76	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.67	5.00
6625MHz	Pass	4.59	5.00
6705MHz	Pass	4.54	5.00
6785MHz	Pass	4.86	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.59	5.00
6945MHz	Pass	4.55	5.00
7025MHz	Pass	4.97	5.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	2.86	5.00
6185MHz	Pass	4.53	5.00
6345MHz	Pass	4.95	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.31	5.00
6665MHz	Pass	4.95	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.85	5.00
6985MHz	Pass	3.43	5.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	2.04	5.00
6265MHz	Pass	3.43	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	3.73	5.00
6585MHz Straddle 6.525-6.875GHz	Pass	3.72	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	2.30	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-1.87	5.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-



**Radiated PSD_Indoor Access Point_Radio 4_
Non-beamforming mode_Full RU**

Appendix D.1

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	4.73	5.00
6195MHz	Pass	4.59	5.00
6415MHz	Pass	4.91	5.00
6435MHz	Pass	4.81	5.00
6475MHz	Pass	4.67	5.00
6515MHz	Pass	4.56	5.00
6535MHz	Pass	4.92	5.00
6695MHz	Pass	4.67	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6895MHz	Pass	4.56	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.53	5.00
7115MHz	Pass	-4.23	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.86	5.00
6205MHz	Pass	4.66	5.00
6405MHz	Pass	4.86	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.87	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.69	5.00
6565MHz	Pass	4.99	5.00
6685MHz	Pass	4.74	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6925MHz	Pass	4.87	5.00
7005MHz	Pass	4.68	5.00
7085MHz	Pass	4.63	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.69	5.00
6225MHz	Pass	4.89	5.00
6385MHz	Pass	4.81	5.00
6465MHz	Pass	4.92	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.82	5.00
6625MHz	Pass	4.74	5.00
6705MHz	Pass	4.67	5.00
6785MHz	Pass	4.46	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6945MHz	Pass	4.53	5.00
7025MHz	Pass	4.76	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.53	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.81	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6665MHz	Pass	4.75	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.45	5.00
6985MHz	Pass	4.95	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.77	5.00
6265MHz	Pass	4.39	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.25	5.00
6585MHz Straddle 6.525-6.875GHz	Pass	4.12	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	0.56	5.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.60	5.00
6195MHz	Pass	4.65	5.00



**Radiated PSD_ Indoor Access Point_Radio 4_
Non-beamforming mode_Full RU**

Appendix D.1

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6415MHz	Pass	4.67	5.00
6435MHz	Pass	4.73	5.00
6475MHz	Pass	4.74	5.00
6515MHz	Pass	4.65	5.00
6535MHz	Pass	4.66	5.00
6695MHz	Pass	4.54	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.63	5.00
6895MHz	Pass	4.66	5.00
6995MHz	Pass	4.73	5.00
7095MHz	Pass	4.84	5.00
7115MHz	Pass	-4.30	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.71	5.00
6205MHz	Pass	4.72	5.00
6405MHz	Pass	4.70	5.00
6445MHz	Pass	4.83	5.00
6485MHz	Pass	4.45	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6565MHz	Pass	4.58	5.00
6685MHz	Pass	4.53	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.59	5.00
6925MHz	Pass	4.83	5.00
7005MHz	Pass	4.67	5.00
7085MHz	Pass	4.76	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.56	5.00
6225MHz	Pass	4.71	5.00
6385MHz	Pass	4.68	5.00
6465MHz	Pass	4.74	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.72	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.51	5.00
6785MHz	Pass	4.84	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.66	5.00
6945MHz	Pass	4.89	5.00
7025MHz	Pass	4.67	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.80	5.00
6185MHz	Pass	4.65	5.00
6345MHz	Pass	4.69	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6665MHz	Pass	4.75	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6985MHz	Pass	4.97	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.77	5.00
6265MHz	Pass	4.70	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.73	5.00
6585MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.99	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	3.19	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

