




Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.67	2.33	-76.01	≤ -62
						Minimal	-74.67	2.33	-77.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-75.67	2.33	-78.02	≤ -62
						Minimal	-76.67	2.33	-79.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-71.67	2.33	-74.04	≤ -62
						Minimal	-72.67	2.33	-75.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-77.67	2.33	-80.05	≤ -62
						Minimal	-78.67	2.33	-81.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62



Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-77.67	2.33	-80.01	≤ -62
						Minimal	-78.67	2.33	-81.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6105	OFF	-72.67	2.33	-75.01	≤ -62
						Minimal	-73.67	2.33	-76.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6260	OFF	-74.67	2.33	-77.02	≤ -62
						Minimal	-75.67	2.33	-78.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-77.67	2.33	-80.04	≤ -62
						Minimal	-78.67	2.33	-81.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6425	OFF	-78.67	2.33	-81.02	≤ -62
						Minimal	-79.67	2.33	-82.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6580	OFF	-76.67	2.33	-79.01	≤ -62
						Minimal	-77.67	2.33	-80.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-76.67	2.33	-79.02	≤ -62
						Minimal	-77.67	2.33	-80.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6745	OFF	-73.67	2.33	-76.01	≤ -62
						Minimal	-74.67	2.33	-77.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6900	OFF	-75.67	2.33	-78.00	≤ -62
						Minimal	-76.67	2.33	-79.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62



Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-76.01	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-78.02	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-74.04	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-80.05	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-80.01	OFF	10	100	90	PASS
				Center	6105	-75.01	OFF	10	100	90	PASS
				High edge	6260	-77.02	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-80.04	OFF	10	100	90	PASS
				Center	6425	-81.02	OFF	10	100	90	PASS
				High edge	6580	-79.01	OFF	10	100	90	PASS
6/7	159	320	6745	Low edge	6590	-79.02	OFF	10	100	90	PASS
				Center	6745	-76.01	OFF	10	100	90	PASS
				High edge	6900	-78.00	OFF	10	100	90	PASS







Incumbent signal (AWGN) Plot



Bandwidth: 20MHz



Frequency (MHz): 6215 MHz







Frequency (MHz): 6455 MHz
























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal






Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.04	3.96	-70.01	≤ -62
						Minimal	-67.04	3.96	-71.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-64.04	3.96	-68.06	≤ -62
						Minimal	-65.04	3.96	-69.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-65.04	3.96	-69.03	≤ -62
						Minimal	-66.04	3.96	-70.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-61.04	3.96	-65.05	≤ -62
						Minimal	-62.04	3.96	-66.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62




Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70.01	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-68.06	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-69.03	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-65.05	OFF	9	90	90	PASS




Incumbent signal (AWGN) Plot



Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz









Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.67	2.33	-69.07	≤ -62
						Minimal	-67.67	2.33	-70.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-71.67	2.33	-74.07	≤ -62
						Minimal	-72.67	2.33	-75.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-69.67	2.33	-72.01	≤ -62
						Minimal	-70.67	2.33	-73.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-68.67	2.33	-71.05	≤ -62
						Minimal	-69.67	2.33	-72.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62



Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-62.67	2.33	-65.07	≤ -62
						Minimal	-63.67	2.33	-66.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6105	OFF	-63.67	2.33	-66.05	≤ -62
						Minimal	-64.67	2.33	-67.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6260	OFF	-62.67	2.33	-65.06	≤ -62
						Minimal	-63.67	2.33	-66.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-64.67	2.33	-67.06	≤ -62
						Minimal	-65.67	2.33	-68.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6425	OFF	-63.67	2.33	-66.03	≤ -62
						Minimal	-64.67	2.33	-67.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6580	OFF	-61.67	2.33	-64.02	≤ -62
						Minimal	-62.67	2.33	-65.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-64.67	2.33	-67.09	≤ -62
						Minimal	-65.67	2.33	-68.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6745	OFF	-64.67	2.33	-67.02	≤ -62
						Minimal	-65.67	2.33	-68.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	6900	OFF	-64.67	2.33	-67.05	≤ -62
						Minimal	-65.67	2.33	-68.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62



Contention-Based Protocol Result Mode 3


Appendix F.3



7/8	191	320	6905	Low edge	6750	OFF	-65.67	2.33	-68.05	≤ -62
						Minimal	-66.67	2.33	-69.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				Center	6905	OFF	-59.67	2.33	-62.02	≤ -62
						Minimal	-60.67	2.33	-63.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62
				High edge	7060	OFF	-60.67	2.33	-63.01	≤ -62
						Minimal	-61.67	2.33	-64.00	≤ -62
						ON	-79.67	2.33	-82.00	≤ -62



Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.07	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-74.07	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-72.01	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.05	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-65.07	OFF	9	90	90	PASS
				Center	6105	-66.05	OFF	9	90	90	PASS
				High edge	6260	-65.06	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.06	OFF	10	100	90	PASS
				Center	6425	-66.03	OFF	10	100	90	PASS
				High edge	6580	-64.02	OFF	10	100	90	PASS
6/7	159	320	6745	Low edge	6590	-67.09	OFF	9	90	90	PASS
				Center	6745	-67.02	OFF	10	100	90	PASS
				High edge	6900	-67.05	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-68.05	OFF	9	90	90	PASS
				Center	6905	-62.02	OFF	10	100	90	PASS
				High edge	7060	-63.01	OFF	10	100	90	PASS







Incumbent signal (AWGN) Plot



Bandwidth: 20MHz



Frequency (MHz): 6215 MHz







Frequency (MHz): 6455 MHz





























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-62.04	3.96	-66.09	≤ -62
						Minimal	-63.04	3.96	-67.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-63.04	3.96	-67.09	≤ -62
						Minimal	-64.04	3.96	-68.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.04	3.96	-67.04	≤ -62
						Minimal	-64.04	3.96	-68.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.04	3.96	-66.01	≤ -62
						Minimal	-63.04	3.96	-67.00	≤ -62
						ON	-78.04	3.96	-82.00	≤ -62




Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.09	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-67.09	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-67.04	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-66.01	OFF	9	90	90	PASS




Incumbent signal (AWGN) Plot



Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz









Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal