


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30123G	53.11	83.54	-30.43	49.91	1	Horizontal	191	1.62	-	37.50	15.28	49.58
AV	18.32037G	42.46	63.54	-21.08	39.27	1	Horizontal	191	1.62	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	81.86	88.20	-6.34	74.26	3	Vertical	294	1.80	-	32.40	7.64	32.44
RMS	5.925G	67.52	68.20	-0.68	59.92	3	Vertical	294	1.80	-	32.40	7.64	32.44
PK	6.0658G	110.84	Inf	-Inf	103.01	3	Vertical	294	1.80	-	32.57	7.69	32.43
RMS	6.0858G	100.94	Inf	-Inf	93.14	3	Vertical	294	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	78.97	88.20	-9.23	71.37	3	Horizontal	75	1.80	-	32.40	7.64	32.44
RMS	5.9226G	62.50	68.20	-5.70	54.90	3	Horizontal	75	1.80	-	32.40	7.64	32.44
PK	6.177G	110.01	Inf	-Inf	101.96	3	Horizontal	75	1.80	-	32.75	7.72	32.42
RMS	6.1762G	100.41	Inf	-Inf	92.36	3	Horizontal	75	1.80	-	32.75	7.72	32.42

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20599G	57.22	74.00	-16.78	39.42	3	Vertical	162	1.89	-	39.10	11.20	32.50
AV	12.20912G	46.58	54.00	-7.42	28.78	3	Vertical	162	1.89	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20685G	57.74	74.00	-16.26	39.94	3	Horizontal	20	2.64	-	39.10	11.20	32.50
AV	12.2054G	46.25	54.00	-7.75	28.45	3	Horizontal	20	2.64	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32463G	52.86	83.54	-30.68	49.68	1	Vertical	125	2.70	-	37.50	15.28	49.60
AV	18.31087G	42.92	63.54	-20.62	39.73	1	Vertical	125	2.70	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32587G	53.85	83.54	-29.69	50.67	1	Horizontal	82	1.63	-	37.50	15.28	49.60
AV	18.31426G	42.61	63.54	-20.93	39.42	1	Horizontal	82	1.63	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT X_4TX
Setting 19.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.60	88.20	-11.60	69.00	3	Vertical	295	1.80	-	32.40	7.64	32.44
RMS	5.925G	67.39	68.20	-0.81	59.79	3	Vertical	295	1.80	-	32.40	7.64	32.44
PK	6.126G	110.82	Inf	-Inf	102.93	3	Vertical	295	1.80	-	32.60	7.71	32.42
RMS	6.0855G	100.74	Inf	-Inf	92.94	3	Vertical	295	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	75.62	88.20	-12.58	68.02	3	Horizontal	59	1.80	-	32.40	7.64	32.44
RMS	5.9215G	64.10	68.20	-4.10	56.50	3	Horizontal	59	1.80	-	32.40	7.64	32.44
PK	6.141G	108.58	Inf	-Inf	100.63	3	Horizontal	59	1.80	-	32.66	7.71	32.42
RMS	6.0615G	98.57	Inf	-Inf	90.73	3	Horizontal	59	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2232G	54.03	74.00	-19.97	69.27	3	Vertical	176	2.05	-	39.10	11.20	65.54
AV	12.20934G	42.90	54.00	-11.10	58.15	3	Vertical	176	2.05	-	39.10	11.20	65.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21072G	54.09	74.00	-19.91	69.34	3	Horizontal	123	1.82	-	39.10	11.20	65.55
AV	12.20712G	42.83	54.00	-11.17	58.08	3	Horizontal	123	1.82	-	39.10	11.20	65.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30321G	53.08	83.54	-30.46	49.89	1	Vertical	158	2.11	-	37.50	15.28	49.59
AV	18.32808G	41.75	63.54	-21.79	38.57	1	Vertical	158	2.11	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX



EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.303G	54.59	83.54	-28.95	51.40	1	Horizontal	199	1.74	-	37.50	15.28	49.59
AV	18.32553G	42.67	63.54	-20.87	39.49	1	Horizontal	199	1.74	-	37.50	15.28	49.60




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.86	68.20	-0.34	3	Vertical	262	3.00	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	78.90	88.20	-9.30	70.05	3	Vertical	262	3.00	-	34.24	5.76	31.15
RMS	5.925G	67.86	68.20	-0.34	59.00	3	Vertical	262	3.00	-	34.25	5.77	31.16
PK	5.9588G	120.44	Inf	-Inf	111.51	3	Vertical	262	3.00	-	34.30	5.80	31.17
RMS	5.9594G	109.78	Inf	-Inf	100.84	3	Vertical	262	3.00	-	34.30	5.81	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	70.21	88.20	-17.99	61.35	3	Horizontal	266	2.23	-	34.25	5.77	31.16
RMS	5.925G	60.79	68.20	-7.41	51.93	3	Horizontal	266	2.23	-	34.25	5.77	31.16
PK	5.9526G	112.26	Inf	-Inf	103.33	3	Horizontal	266	2.23	-	34.30	5.80	31.17
RMS	5.9566G	102.22	Inf	-Inf	93.29	3	Horizontal	266	2.23	-	34.30	5.80	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91756G	52.06	74.00	-21.94	47.28	3	Vertical	112	2.80	-	39.30	8.71	43.23
AV	11.90988G	39.20	54.00	-14.80	34.42	3	Vertical	112	2.80	-	39.30	8.71	43.23
PK	17.86965G	63.04	74.00	-10.96	46.47	3	Vertical	21	1.80	-	46.38	11.58	41.39
AV	17.87856G	49.99	54.00	-4.01	33.37	3	Vertical	21	1.80	-	46.41	11.59	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92305G	52.47	74.00	-21.53	47.69	3	Horizontal	32	1.80	-	39.30	8.71	43.23
AV	11.89725G	38.89	54.00	-15.11	34.11	3	Horizontal	32	1.80	-	39.31	8.71	43.24
PK	17.85954G	63.31	74.00	-10.69	46.81	3	Horizontal	65	2.61	-	46.34	11.57	41.41
AV	17.87814G	49.78	54.00	-4.22	33.16	3	Horizontal	65	2.61	-	46.41	11.59	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3704G	52.08	74.00	-21.92	47.68	3	Vertical	112	1.80	-	38.66	8.91	43.17
AV	12.3444G	38.75	54.00	-15.25	34.32	3	Vertical	112	1.80	-	38.70	8.90	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.478G	51.18	74.00	-22.82	46.77	3	Horizontal	257	1.80	-	38.60	8.96	43.15
AV	12.3962G	38.65	54.00	-15.35	34.28	3	Horizontal	257	1.80	-	38.61	8.92	43.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58737G	64.03	83.54	-19.51	61.56	1	Vertical	297	1.79	-	37.70	15.27	50.50
AV	18.58551G	49.98	63.54	-13.56	47.51	1	Vertical	297	1.79	-	37.70	15.27	50.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57978G	56.28	83.54	-27.26	53.81	1	Horizontal	207	2.28	-	37.70	15.27	50.50
AV	18.58704G	42.32	63.54	-21.22	39.85	1	Horizontal	207	2.28	-	37.70	15.27	50.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.923G	52.04	88.20	-36.16	46.45	3	Vertical	269	1.80	-	39.15	9.17	42.73
RMS	12.8764G	38.48	68.20	-29.72	33.05	3	Vertical	269	1.80	-	39.05	9.15	42.77

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8506G	50.69	88.20	-37.51	45.35	3	Horizontal	87	1.24	-	39.00	9.14	42.80
RMS	12.8732G	38.39	68.20	-29.81	32.97	3	Horizontal	87	1.24	-	39.05	9.15	42.78

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
 Setting 28
 06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25598G	64.30	83.54	-19.24	62.46	1	Vertical	308	1.80	-	37.91	15.24	51.31
AV	19.24719G	49.92	63.54	-13.62	48.07	1	Vertical	308	1.80	-	37.91	15.24	51.30

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25052G	63.61	83.54	-19.93	61.77	1	Horizontal	206	1.95	-	37.90	15.24	51.30
AV	19.24773G	49.08	63.54	-14.46	47.24	1	Horizontal	206	1.95	-	37.90	15.24	51.30

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9442G	51.46	88.20	-36.74	45.80	3	Vertical	284	1.80	-	39.19	9.18	42.71
RMS	12.9634G	38.53	68.20	-29.67	32.80	3	Vertical	284	1.80	-	39.23	9.19	42.69

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9472G	51.70	88.20	-36.50	46.03	3	Horizontal	222	2.17	-	39.19	9.18	42.70
RMS	12.9462G	38.50	68.20	-29.70	32.83	3	Horizontal	222	2.17	-	39.19	9.18	42.70

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30407G	65.17	83.54	-18.37	63.32	1	Vertical	330	1.80	-	37.98	15.23	51.36
AV	19.30452G	51.04	63.54	-12.50	49.20	1	Vertical	330	1.80	-	37.98	15.23	51.37

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31064G	61.43	83.54	-22.11	59.61	1	Horizontal	207	2.02	-	37.96	15.23	51.37
AV	19.30536G	47.02	63.54	-16.52	45.18	1	Horizontal	207	2.02	-	37.98	15.23	51.37

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.035G	52.18	88.20	-36.02	46.18	3	Vertical	0	1.00	-	39.44	9.22	42.66
RMS	13.0486G	39.38	68.20	-28.82	33.32	3	Vertical	0	1.00	-	39.49	9.23	42.66

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0404G	52.91	88.20	-35.29	46.89	3	Horizontal	20	1.80	-	39.46	9.22	42.66
RMS	13.0178G	39.51	68.20	-28.69	33.58	3	Horizontal	20	1.80	-	39.37	9.21	42.65

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42428G	65.12	83.54	-18.42	63.50	1	Vertical	304	1.80	-	37.90	15.23	51.51
AV	19.42533G	50.89	63.54	-12.65	49.27	1	Vertical	304	1.80	-	37.90	15.23	51.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41507G	63.13	83.54	-20.41	61.46	1	Horizontal	206	2.00	-	37.94	15.23	51.50
AV	19.42323G	48.51	63.54	-15.03	46.88	1	Horizontal	206	2.00	-	37.91	15.23	51.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1052G	52.89	88.20	-35.31	46.50	3	Vertical	22	1.80	-	39.81	9.25	42.67
RMS	13.1258G	40.08	68.20	-28.12	33.65	3	Vertical	22	1.80	-	39.85	9.26	42.68

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1108G	52.60	88.20	-35.60	46.19	3	Horizontal	44	1.80	-	39.82	9.26	42.67
RMS	13.1118G	40.09	68.20	-28.11	33.68	3	Horizontal	44	1.80	-	39.82	9.26	42.67

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54725G	65.90	83.54	-17.64	64.23	1	Vertical	302	1.80	-	38.09	15.22	51.64			
AV	19.54749G	52.14	63.54	-11.40	50.47	1	Vertical	302	1.80	-	38.09	15.22	51.64			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54512G	62.27	83.54	-21.27	60.60	1	Horizontal	206	2.01	-	38.09	15.22	51.64
AV	19.54611G	48.76	63.54	-14.78	47.09	1	Horizontal	206	2.01	-	38.09	15.22	51.64

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.089G	52.73	88.20	-35.47	46.42	3	Vertical	60	1.31	-	39.73	9.25	42.67
RMS	13.0864G	39.98	68.20	-28.22	33.68	3	Vertical	60	1.31	-	39.72	9.25	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1114G	52.53	88.20	-35.67	46.12	3	Horizontal	293	2.09	-	39.82	9.26	42.67
RMS	13.1086G	40.07	68.20	-28.13	33.66	3	Horizontal	293	2.09	-	39.82	9.26	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61052G	67.15	83.54	-16.39	65.76	1	Vertical	303	1.80	-	37.86	15.22	51.69
AV	19.6056G	53.10	63.54	-10.44	51.73	1	Vertical	303	1.80	-	37.83	15.22	51.68

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61409G	61.80	83.54	-21.74	60.39	1	Horizontal	206	2.02	-	37.88	15.22	51.69
AV	19.60704G	47.61	63.54	-15.93	46.24	1	Horizontal	206	2.02	-	37.84	15.22	51.69

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4636G	53.63	88.20	-34.57	46.43	3	Vertical	40	1.80	-	40.53	9.42	42.75
RMS	13.4374G	41.16	68.20	-27.04	34.00	3	Vertical	40	1.80	-	40.50	9.41	42.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.417G	53.81	88.20	-34.39	46.65	3	Horizontal	152	1.32	-	40.50	9.40	42.74
RMS	13.433G	42.42	68.20	-25.78	35.26	3	Horizontal	152	1.32	-	40.50	9.41	42.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07849G	57.62	83.54	-25.92	56.55	1	Vertical	46	1.80	-	37.81	15.26	52.00
AV	20.08497G	43.26	63.54	-20.28	42.15	1	Vertical	46	1.80	-	37.84	15.27	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07642G	55.88	83.54	-27.66	54.81	1	Horizontal	210	2.13	-	37.81	15.26	52.00
AV	20.08425G	41.57	63.54	-21.97	40.46	1	Horizontal	210	2.13	-	37.84	15.27	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74732G	65.26	88.20	-22.94	43.71	3	Vertical	80	1.06	-	40.19	11.78	30.42
RMS	13.75107G	51.84	68.20	-16.36	30.28	3	Vertical	80	1.06	-	40.20	11.79	30.43

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTZ_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75015G	65.43	88.20	-22.77	43.87	3	Horizontal	81	1.61	-	40.20	11.79	30.43
RMS	13.75163G	51.91	68.20	-16.29	30.35	3	Horizontal	81	1.61	-	40.20	11.79	30.43

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62198G	64.34	83.54	-19.20	62.73	1	Vertical	109	1.55	-	37.96	15.70	52.05
AV	20.62098G	49.68	63.54	-13.86	48.07	1	Vertical	109	1.55	-	37.96	15.70	52.05

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.627G	63.21	83.54	-20.33	61.61	1	Horizontal	310	1.57	-	37.95	15.70	52.05
AV	20.62275G	49.01	63.54	-14.53	47.41	1	Horizontal	310	1.57	-	37.95	15.70	52.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8774G	55.17	88.20	-33.03	46.94	3	Vertical	216	1.03	-	41.15	9.61	42.53
RMS	13.7426G	41.76	68.20	-26.44	33.83	3	Vertical	216	1.03	-	40.99	9.55	42.61

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7234G	54.51	88.20	-33.69	46.65	3	Horizontal	291	2.97	-	40.95	9.54	42.63
RMS	13.6972G	41.91	68.20	-26.29	34.13	3	Horizontal	291	2.97	-	40.89	9.53	42.64

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67501G	56.66	83.54	-26.88	55.09	1	Vertical	306	1.80	-	37.90	15.74	52.07
AV	20.68842G	41.99	63.54	-21.55	40.42	1	Vertical	306	1.80	-	37.90	15.75	52.08

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68911G	51.54	83.54	-32.00	49.97	1	Horizontal	208	1.96	-	37.90	15.75	52.08
AV	20.68374G	37.72	63.54	-25.82	36.14	1	Horizontal	208	1.96	-	37.90	15.75	52.07

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14G	55.52	88.20	-32.68	46.81	3	Vertical	236	1.80	-	41.50	9.67	42.46
RMS	14.089G	42.80	68.20	-25.40	33.76	3	Vertical	236	1.80	-	41.78	9.70	42.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0788G	55.95	88.20	-32.25	46.94	3	Horizontal	272	1.79	-	41.76	9.69	42.44
RMS	14.0804G	42.73	68.20	-25.47	33.72	3	Horizontal	272	1.79	-	41.76	9.69	42.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98767G	56.18	83.54	-27.36	54.44	1	Vertical	283	1.80	-	37.95	15.99	52.20
AV	20.98614G	42.22	63.54	-21.32	40.46	1	Vertical	283	1.80	-	37.96	15.99	52.19

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98035G	50.00	83.54	-33.54	48.23	1	Horizontal	215	2.13	-	37.98	15.98	52.19
AV	20.98569G	36.93	63.54	-26.61	35.17	1	Horizontal	215	2.13	-	37.96	15.99	52.19

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
 Setting 26.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	110.17	Inf	-Inf	100.18	3	Vertical	99	2.09	-	35.58	6.40	31.99
RMS	7.0927G	99.66	Inf	-Inf	89.66	3	Vertical	99	2.09	-	35.59	6.40	31.99
PK	7.1254G	77.65	88.20	-10.55	67.55	3	Vertical	99	2.09	-	35.70	6.41	32.01
RMS	7.125G	67.33	68.20	-0.87	57.23	3	Vertical	99	2.09	-	35.70	6.41	32.01

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
Setting 26.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0929G	109.46	Inf	-Inf	99.46	3	Horizontal	96	2.02	-	35.59	6.40	31.99
RMS	7.0931G	99.49	Inf	-Inf	89.49	3	Horizontal	96	2.02	-	35.59	6.40	31.99
PK	7.1251G	79.48	88.20	-8.72	69.38	3	Horizontal	96	2.02	-	35.70	6.41	32.01
RMS	7.125G	67.16	68.20	-1.04	57.06	3	Horizontal	96	2.02	-	35.70	6.41	32.01

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
Setting 26.5
02-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.3127G	55.63	88.20	-32.57	45.94	3	Vertical	191	1.80	-	42.30	9.77	42.38
RMS	14.316G	44.13	68.20	-24.07	34.44	3	Vertical	191	1.80	-	42.30	9.77	42.38

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
Setting 26.5
02-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.3193G	56.73	88.20	-31.47	47.04	3	Horizontal	326	1.80	-	42.30	9.77	42.38
RMS	14.3181G	44.00	68.20	-24.20	34.31	3	Horizontal	326	1.80	-	42.30	9.77	42.38

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
Setting 26.5
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28527G	53.51	83.54	-30.03	51.20	1	Vertical	285	1.80	-	38.28	16.23	52.20
AV	21.28761G	39.58	63.54	-23.96	37.25	1	Vertical	285	1.80	-	38.30	16.23	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUTZ_1TX
 Setting 26.5
 06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29352G	46.81	83.54	-36.73	44.43	1	Horizontal	298	1.80	-	38.35	16.23	52.20
AV	21.2856G	33.48	63.54	-30.06	31.17	1	Horizontal	298	1.80	-	38.28	16.23	52.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
Setting 12
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1115G	105.71	Inf	-Inf	95.65	3	Vertical	24	2.06	80_BP 1M	35.65	6.41	32.00
RMS	7.1115G	98.41	Inf	-Inf	88.35	3	Vertical	24	2.06	80_BP 1M	35.65	6.41	32.00
PK	7.1255G	77.25	88.20	-10.95	67.15	3	Vertical	24	2.06	80_BP 1M	35.70	6.41	32.01
RMS	7.1255G	67.38	68.20	-0.82	57.28	3	Vertical	24	2.06	80_BP 1M	35.70	6.41	32.01

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
Setting 12
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1075G	96.48	Inf	-Inf	86.45	3	Horizontal	97	2.06	80_BP 1M	35.63	6.40	32.00
RMS	7.1095G	89.80	Inf	-Inf	79.76	3	Horizontal	97	2.06	80_BP 1M	35.64	6.40	32.00
PK	7.1255G	70.60	88.20	-17.60	60.50	3	Horizontal	97	2.06	80_BP 1M	35.70	6.41	32.01
RMS	7.1255G	60.76	68.20	-7.44	50.66	3	Horizontal	97	2.06	80_BP 1M	35.70	6.41	32.01

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
Setting 12
02-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.239G	55.18	88.20	-33.02	45.56	3	Vertical	360	1.58	-	42.28	9.74	42.40
RMS	14.3773G	44.05	68.20	-24.15	34.33	3	Vertical	360	1.58	-	42.30	9.79	42.37



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUTZ_1TX
Setting 12
02-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.368G	56.01	88.20	-32.19	46.30	3	Horizontal	94	1.80	-	42.30	9.78	42.37
RMS	14.3776G	44.10	68.20	-24.10	34.38	3	Horizontal	94	1.80	-	42.30	9.79	42.37

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34689G	44.67	83.54	-38.87	42.28	1	Vertical	359.9	1.80	-	38.31	16.28	52.20
AV	21.35355G	33.13	63.54	-30.41	30.73	1	Vertical	359.9	1.80	-	38.32	16.28	52.20



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX



EUT_Z_1TX
Setting 12
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34404G	44.34	83.54	-39.20	41.95	1	Horizontal	1	1.80	-	38.31	16.28	52.20
AV	21.34035G	33.13	63.54	-30.41	30.74	1	Horizontal	1	1.80	-	38.32	16.27	52.20




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.86	68.20	-0.34	3	Vertical	262	3.00	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	78.90	88.20	-9.30	70.05	3	Vertical	262	3.00	-	34.24	5.76	31.15
RMS	5.925G	67.86	68.20	-0.34	59.00	3	Vertical	262	3.00	-	34.25	5.77	31.16
PK	5.9588G	120.44	Inf	-Inf	111.51	3	Vertical	262	3.00	-	34.30	5.80	31.17
RMS	5.9594G	109.78	Inf	-Inf	100.84	3	Vertical	262	3.00	-	34.30	5.81	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	70.21	88.20	-17.99	61.35	3	Horizontal	266	2.23	-	34.25	5.77	31.16
RMS	5.925G	60.79	68.20	-7.41	51.93	3	Horizontal	266	2.23	-	34.25	5.77	31.16
PK	5.9526G	112.26	Inf	-Inf	103.33	3	Horizontal	266	2.23	-	34.30	5.80	31.17
RMS	5.9566G	102.22	Inf	-Inf	93.29	3	Horizontal	266	2.23	-	34.30	5.80	31.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91756G	52.06	74.00	-21.94	47.28	3	Vertical	112	2.80	-	39.30	8.71	43.23
AV	11.90988G	39.20	54.00	-14.80	34.42	3	Vertical	112	2.80	-	39.30	8.71	43.23
PK	17.86965G	63.04	74.00	-10.96	46.47	3	Vertical	21	1.80	-	46.38	11.58	41.39
AV	17.87856G	49.99	54.00	-4.01	33.37	3	Vertical	21	1.80	-	46.41	11.59	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 22.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92305G	52.47	74.00	-21.53	47.69	3	Horizontal	32	1.80	-	39.30	8.71	43.23
AV	11.89725G	38.89	54.00	-15.11	34.11	3	Horizontal	32	1.80	-	39.31	8.71	43.24
PK	17.85954G	63.31	74.00	-10.69	46.81	3	Horizontal	65	2.61	-	46.34	11.57	41.41
AV	17.87814G	49.78	54.00	-4.22	33.16	3	Horizontal	65	2.61	-	46.41	11.59	41.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3704G	52.08	74.00	-21.92	47.68	3	Vertical	112	1.80	-	38.66	8.91	43.17
AV	12.3444G	38.75	54.00	-15.25	34.32	3	Vertical	112	1.80	-	38.70	8.90	43.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.478G	51.18	74.00	-22.82	46.77	3	Horizontal	257	1.80	-	38.60	8.96	43.15
AV	12.3962G	38.65	54.00	-15.35	34.28	3	Horizontal	257	1.80	-	38.61	8.92	43.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58737G	64.03	83.54	-19.51	61.56	1	Vertical	297	1.79	-	37.70	15.27	50.50
AV	18.58551G	49.98	63.54	-13.56	47.51	1	Vertical	297	1.79	-	37.70	15.27	50.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57978G	56.28	83.54	-27.26	53.81	1	Horizontal	207	2.28	-	37.70	15.27	50.50
AV	18.58704G	42.32	63.54	-21.22	39.85	1	Horizontal	207	2.28	-	37.70	15.27	50.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.923G	52.04	88.20	-36.16	46.45	3	Vertical	269	1.80	-	39.15	9.17	42.73
RMS	12.8764G	38.48	68.20	-29.72	33.05	3	Vertical	269	1.80	-	39.05	9.15	42.77

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8506G	50.69	88.20	-37.51	45.35	3	Horizontal	87	1.24	-	39.00	9.14	42.80
RMS	12.8732G	38.39	68.20	-29.81	32.97	3	Horizontal	87	1.24	-	39.05	9.15	42.78

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25598G	64.30	83.54	-19.24	62.46	1	Vertical	308	1.80	-	37.91	15.24	51.31
AV	19.24719G	49.92	63.54	-13.62	48.07	1	Vertical	308	1.80	-	37.91	15.24	51.30

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25052G	63.61	83.54	-19.93	61.77	1	Horizontal	206	1.95	-	37.90	15.24	51.30
AV	19.24773G	49.08	63.54	-14.46	47.24	1	Horizontal	206	1.95	-	37.90	15.24	51.30

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.089G	52.73	88.20	-35.47	46.42	3	Vertical	60	1.31	-	39.73	9.25	42.67
RMS	13.0864G	39.98	68.20	-28.22	33.68	3	Vertical	60	1.31	-	39.72	9.25	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1114G	52.53	88.20	-35.67	46.12	3	Horizontal	293	2.09	-	39.82	9.26	42.67
RMS	13.1086G	40.07	68.20	-28.13	33.66	3	Horizontal	293	2.09	-	39.82	9.26	42.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61052G	67.15	83.54	-16.39	65.76	1	Vertical	303	1.80	-	37.86	15.22	51.69
AV	19.6056G	53.10	63.54	-10.44	51.73	1	Vertical	303	1.80	-	37.83	15.22	51.68

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUTZ_1TX
 Setting 28
 06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61409G	61.80	83.54	-21.74	60.39	1	Horizontal	206	2.02	-	37.88	15.22	51.69
AV	19.60704G	47.61	63.54	-15.93	46.24	1	Horizontal	206	2.02	-	37.84	15.22	51.69

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4636G	53.63	88.20	-34.57	46.43	3	Vertical	40	1.80	-	40.53	9.42	42.75
RMS	13.4374G	41.16	68.20	-27.04	34.00	3	Vertical	40	1.80	-	40.50	9.41	42.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.417G	53.81	88.20	-34.39	46.65	3	Horizontal	152	1.32	-	40.50	9.40	42.74
RMS	13.433G	42.42	68.20	-25.78	35.26	3	Horizontal	152	1.32	-	40.50	9.41	42.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07849G	57.62	83.54	-25.92	56.55	1	Vertical	46	1.80	-	37.81	15.26	52.00
AV	20.08497G	43.26	63.54	-20.28	42.15	1	Vertical	46	1.80	-	37.84	15.27	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUTZ_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07642G	55.88	83.54	-27.66	54.81	1	Horizontal	210	2.13	-	37.81	15.26	52.00
AV	20.08425G	41.57	63.54	-21.97	40.46	1	Horizontal	210	2.13	-	37.84	15.27	52.00

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUTZ_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71421G	64.59	88.20	-23.61	43.11	3	Vertical	215	2.54	-	40.13	11.77	30.42
RMS	13.71448G	51.33	68.20	-16.87	29.85	3	Vertical	215	2.54	-	40.13	11.77	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUTZ_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71043G	64.95	88.20	-23.25	43.48	3	Horizontal	343	1.73	-	40.12	11.77	30.42
RMS	13.71349G	51.06	68.20	-17.14	29.58	3	Horizontal	343	1.73	-	40.13	11.77	30.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUTZ_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56492G	65.11	83.54	-18.43	63.56	1	Vertical	227	1.54	-	37.93	15.65	52.03
AV	20.56108G	50.50	63.54	-13.04	48.95	1	Vertical	227	1.54	-	37.92	15.65	52.02


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX






EUTZ_1TX
Setting 28
01-E-A-4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56767G	64.79	83.54	-18.75	63.23	1	Horizontal	94	1.51	-	37.94	15.65	52.03
AV	20.56003G	50.46	63.54	-13.08	48.91	1	Horizontal	94	1.51	-	37.92	15.65	52.02
















































































6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

CF (Hz)
6.535G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





19/04/2024


Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532201G	-7.76	6.522925G	-40.46	-27.86	-12.60	1
6.530101G	-7.68	6.5229G	-40.53	-27.72	-12.81	2






























































5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

20/04/2024

CF (Hz)
6.195G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198099G	-10.32	6.1535G	-61.23	-50.32	-10.91	1
6.204023G	-9.97	6.2338G	-60.90	-49.97	-10.93	2
6.198374G	-10.00	6.22835G	-61.00	-50.00	-11.00	3
6.198299G	-10.33	6.23405G	-61.24	-50.33	-10.91	4

