


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05481G	56.06	83.54	-27.48	52.36	1	Horizontal	6	2.14	-	37.72	15.24	49.26
AV	20.05453G	47.67	63.54	-15.87	43.97	1	Horizontal	6	2.14	-	37.72	15.24	49.26

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68598G	63.14	88.20	-25.06	43.95	3	Vertical	299	1.51	-	40.40	11.58	32.79
RMS	13.69129G	49.60	68.20	-18.60	30.41	3	Vertical	299	1.51	-	40.40	11.58	32.79

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68391G	63.41	88.20	-24.79	44.23	3	Horizontal	347	1.08	-	40.40	11.58	32.80
RMS	13.675G	49.67	68.20	-18.53	30.51	3	Horizontal	347	1.08	-	40.40	11.57	32.81

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5352G	57.33	83.54	-26.21	53.01	1	Vertical	236	1.76	-	37.81	15.63	49.12
AV	20.53511G	47.51	63.54	-16.03	43.19	1	Vertical	236	1.76	-	37.81	15.63	49.12

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53513G	57.78	83.54	-25.76	53.46	1	Horizontal	294	2.09	-	37.81	15.63	49.12
AV	20.53535G	48.13	63.54	-15.41	43.81	1	Horizontal	294	2.09	-	37.81	15.63	49.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	80.12	88.20	-8.08	71.74	3	Vertical	58	2.34	-	32.54	7.44	31.60
RMS	5.9242G	67.74	68.20	-0.46	59.35	3	Vertical	58	2.34	-	32.55	7.44	31.60
PK	5.993G	116.94	Inf	-Inf	108.57	3	Vertical	58	2.34	-	32.51	7.47	31.61
RMS	6.0234G	106.52	Inf	-Inf	98.04	3	Vertical	58	2.34	-	32.55	7.49	31.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	78.82	88.20	-9.38	70.44	3	Horizontal	290	1.87	-	32.54	7.44	31.60
RMS	5.9246G	65.56	68.20	-2.64	57.17	3	Horizontal	290	1.87	-	32.55	7.44	31.60
PK	6.0202G	113.83	Inf	-Inf	105.37	3	Horizontal	290	1.87	-	32.54	7.49	31.57
RMS	6.023G	103.86	Inf	-Inf	95.38	3	Horizontal	290	1.87	-	32.55	7.49	31.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97003G	52.85	74.00	-21.15	68.89	3	Vertical	142	1.59	-	38.92	10.80	65.76
AV	11.97049G	39.86	54.00	-14.14	55.90	3	Vertical	142	1.59	-	38.92	10.80	65.76
PK	17.95507G	61.44	74.00	-12.56	59.89	3	Vertical	217	2.04	-	50.37	13.55	62.37
AV	17.95531G	47.58	54.00	-6.42	46.01	3	Vertical	217	2.04	-	50.39	13.55	62.37

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97021G	53.39	74.00	-20.61	69.43	3	Horizontal	95	2.97	-	38.92	10.80	65.76
AV	11.9704G	39.92	54.00	-14.08	55.96	3	Horizontal	95	2.97	-	38.92	10.80	65.76
PK	17.95528G	60.82	74.00	-13.18	59.25	3	Horizontal	103	2.47	-	50.39	13.55	62.37
AV	17.95542G	47.67	54.00	-6.33	46.10	3	Horizontal	103	2.47	-	50.39	13.55	62.37

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94027G	53.94	83.54	-29.60	44.80	1	Vertical	56	1.65	-	38.88	17.38	47.12
AV	23.94002G	46.92	63.54	-16.62	37.78	1	Vertical	56	1.65	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93972G	56.12	83.54	-27.42	46.98	1	Horizontal	257	2.05	-	38.88	17.38	47.12
AV	23.93995G	47.38	63.54	-16.16	38.24	1	Horizontal	257	2.05	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43785G	58.71	74.00	-15.29	41.60	3	Vertical	348	2.53	-	38.67	11.01	32.57
AV	12.44394G	45.40	54.00	-8.60	28.31	3	Vertical	348	2.53	-	38.64	11.01	32.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46242G	58.65	74.00	-15.35	41.60	3	Horizontal	14	1.84	-	38.58	11.02	32.55
AV	12.45609G	45.41	54.00	-8.59	28.35	3	Horizontal	14	1.84	-	38.59	11.02	32.55

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67496G	57.08	83.54	-26.46	53.67	1	Vertical	135	2.01	-	37.70	15.27	49.56
AV	18.67501G	46.87	63.54	-16.67	43.46	1	Vertical	135	2.01	-	37.70	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67506G	56.85	83.54	-26.69	53.44	1	Horizontal	67	2.54	-	37.70	15.27	49.56
AV	18.67526G	47.86	63.54	-15.68	44.45	1	Horizontal	67	2.54	-	37.70	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78023G	59.19	88.20	-29.01	41.38	3	Vertical	71	2.59	-	39.18	11.17	32.54
RMS	12.78203G	45.90	68.20	-22.30	28.08	3	Vertical	71	2.59	-	39.19	11.17	32.54



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77942G	59.34	88.20	-28.86	41.54	3	Horizontal	162	2.13	-	39.18	11.16	32.54
RMS	12.78155G	45.86	68.20	-22.34	28.04	3	Horizontal	162	2.13	-	39.19	11.17	32.54

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15474G	56.93	83.54	-26.61	53.41	1	Vertical	164	1.25	-	37.73	15.24	49.45
AV	19.15475G	46.78	63.54	-16.76	43.26	1	Vertical	164	1.25	-	37.73	15.24	49.45

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15466G	57.73	83.54	-25.81	54.21	1	Horizontal	283	1.20	-	37.73	15.24	49.45
AV	19.15535G	47.68	63.54	-15.86	44.16	1	Horizontal	283	1.20	-	37.73	15.24	49.45

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24676G	60.24	88.20	-27.96	41.89	3	Vertical	322	1.67	-	39.79	11.38	32.82
RMS	13.24172G	46.68	68.20	-21.52	28.34	3	Vertical	322	1.67	-	39.78	11.37	32.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23611G	59.73	88.20	-28.47	41.40	3	Horizontal	153	1.67	-	39.77	11.37	32.81
RMS	13.23623G	46.49	68.20	-21.71	28.16	3	Horizontal	153	1.67	-	39.77	11.37	32.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87468G	56.50	83.54	-27.04	52.91	1	Vertical	345	2.14	-	37.75	15.21	49.37
AV	19.87479G	46.12	63.54	-17.42	42.53	1	Vertical	345	2.14	-	37.75	15.21	49.37

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87497G	57.39	83.54	-26.15	53.80	1	Horizontal	4	1.37	-	37.75	15.21	49.37
AV	19.87488G	47.11	63.54	-16.43	43.52	1	Horizontal	4	1.37	-	37.75	15.21	49.37



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41147G	60.53	88.20	-27.67	41.76	3	Vertical	163	1.67	-	40.30	11.45	32.98
RMS	13.41375G	47.52	68.20	-20.68	28.75	3	Vertical	163	1.67	-	40.30	11.45	32.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42428G	60.38	88.20	-27.82	41.61	3	Horizontal	179	2.92	-	40.30	11.46	32.99
RMS	13.42428G	47.65	68.20	-20.55	28.88	3	Horizontal	179	2.92	-	40.30	11.46	32.99

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11517G	55.62	83.54	-27.92	51.76	1	Vertical	60	2.44	-	37.81	15.29	49.24
AV	20.1148G	46.27	63.54	-17.27	42.41	1	Vertical	60	2.44	-	37.81	15.29	49.24

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11477G	56.41	83.54	-27.13	52.55	1	Horizontal	226	1.46	-	37.81	15.29	49.24
AV	20.11549G	47.36	63.54	-16.18	43.50	1	Horizontal	226	1.46	-	37.81	15.29	49.24

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5574G	60.86	88.20	-27.34	41.74	3	Vertical	94	1.20	-	40.59	11.52	32.99
RMS	13.57129G	47.92	68.20	-20.28	28.80	3	Vertical	94	1.20	-	40.56	11.52	32.96

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58266G	61.03	88.20	-27.17	41.92	3	Horizontal	235	2.16	-	40.53	11.53	32.95
RMS	13.55995G	47.93	68.20	-20.27	28.81	3	Horizontal	235	2.16	-	40.58	11.52	32.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35512G	56.60	83.54	-26.94	52.21	1	Vertical	318	1.30	-	38.09	15.48	49.18
AV	20.35471G	46.29	63.54	-17.25	41.90	1	Vertical	318	1.30	-	38.09	15.48	49.18

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35546G	57.50	83.54	-26.04	53.11	1	Horizontal	324	1.04	-	38.09	15.48	49.18
AV	20.3547G	47.19	63.54	-16.35	42.80	1	Horizontal	324	1.04	-	38.09	15.48	49.18

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9179G	74.98	88.20	-13.22	66.60	3	Vertical	58	2.44	-	32.54	7.44	31.60
RMS	5.9249G	64.33	68.20	-3.87	55.94	3	Vertical	58	2.44	-	32.55	7.44	31.60
PK	6.0705G	113.19	Inf	-Inf	104.51	3	Vertical	58	2.44	-	32.60	7.53	31.45
RMS	6.0663G	103.37	Inf	-Inf	94.71	3	Vertical	58	2.44	-	32.60	7.52	31.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9207G	77.32	88.20	-10.88	68.94	3	Horizontal	303	1.04	-	32.54	7.44	31.60
RMS	5.9242G	63.77	68.20	-4.43	55.38	3	Horizontal	303	1.04	-	32.55	7.44	31.60
PK	6.0446G	110.88	Inf	-Inf	102.29	3	Horizontal	303	1.04	-	32.59	7.51	31.51
RMS	6.1013G	100.12	Inf	-Inf	91.36	3	Horizontal	303	1.04	-	32.60	7.55	31.39



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04481G	59.31	74.00	-14.69	42.24	3	Vertical	277	2.25	-	39.19	10.83	32.95
AV	12.05474G	45.76	54.00	-8.24	28.66	3	Vertical	277	2.25	-	39.21	10.83	32.94

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05222G	59.77	74.00	-14.23	42.68	3	Horizontal	335	1.77	-	39.20	10.83	32.94
AV	12.05702G	45.62	54.00	-8.38	28.51	3	Horizontal	335	1.77	-	39.21	10.84	32.94

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07487G	55.12	83.54	-28.42	51.80	1	Vertical	54	2.21	-	37.50	15.30	49.48
AV	18.07462G	43.24	63.54	-20.30	39.92	1	Vertical	54	2.21	-	37.50	15.30	49.48



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07545G	57.63	83.54	-25.91	54.31	1	Horizontal	14	2.89	-	37.50	15.30	49.48
AV	18.07512G	45.16	63.54	-18.38	41.84	1	Horizontal	14	2.89	-	37.50	15.30	49.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38071G	59.38	74.00	-14.62	42.08	3	Vertical	55	1.02	-	38.94	10.98	32.62
AV	12.37897G	45.93	54.00	-8.07	28.64	3	Vertical	55	1.02	-	38.94	10.98	32.63

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37072G	59.35	74.00	-14.65	42.04	3	Horizontal	74	1.12	-	38.96	10.98	32.63
AV	12.36445G	45.82	54.00	-8.18	28.51	3	Horizontal	74	1.12	-	38.97	10.98	32.64

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55497G	56.08	83.54	-27.46	52.75	1	Vertical	315	2.35	-	37.70	15.27	49.64
AV	18.55488G	45.16	63.54	-18.38	41.83	1	Vertical	315	2.35	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55478G	57.26	83.54	-26.28	53.93	1	Horizontal	52	2.09	-	37.70	15.27	49.64
AV	18.55514G	46.10	63.54	-17.44	42.77	1	Horizontal	52	2.09	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68202G	59.12	74.00	-14.88	41.59	3	Vertical	294.1	1.80	-	38.94	11.12	32.53
AV	12.67902G	46.05	54.00	-7.95	28.52	3	Vertical	294.1	1.80	-	38.94	11.12	32.53

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 28
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68277G	59.22	74.00	-14.78	41.70	3	Horizontal	358	1.94	-	38.93	11.12	32.53
AV	12.68277G	46.07	54.00	-7.93	28.55	3	Horizontal	358	1.94	-	38.93	11.12	32.53

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03523G	56.17	83.54	-27.37	52.38	1	Vertical	155	2.10	-	37.90	15.25	49.36
AV	19.03494G	45.74	63.54	-17.80	41.95	1	Vertical	155	2.10	-	37.90	15.25	49.36

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 28
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03538G	56.39	83.54	-27.15	52.60	1	Horizontal	55	1.24	-	37.90	15.25	49.36
AV	19.03529G	46.81	63.54	-16.73	43.02	1	Horizontal	55	1.24	-	37.90	15.25	49.36

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32085G	59.54	74.00	-14.46	41.04	3	Vertical	51	1.75	-	39.98	11.41	32.89
AV	13.32655G	46.88	54.00	-7.12	28.36	3	Vertical	51	1.75	-	40.01	11.41	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32307G	60.07	74.00	-13.93	41.56	3	Horizontal	185	2.46	-	39.99	11.41	32.89
AV	13.32646G	46.91	54.00	-7.09	28.39	3	Horizontal	185	2.46	-	40.01	11.41	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 26
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99493G	56.07	83.54	-27.47	52.34	1	Vertical	312	1.05	-	37.80	15.20	49.27
AV	19.99508G	45.68	63.54	-17.86	41.95	1	Vertical	312	1.05	-	37.80	15.20	49.27

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 26
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99541G	56.88	83.54	-26.66	53.15	1	Horizontal	238	1.51	-	37.80	15.20	49.27
AV	19.99534G	46.60	63.54	-16.94	42.87	1	Horizontal	238	1.51	-	37.80	15.20	49.27

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	73.34	88.20	-14.86	64.99	3	Vertical	57	1.00	-	32.52	7.43	31.60
RMS	5.924G	64.36	68.20	-3.84	55.97	3	Vertical	57	1.00	-	32.55	7.44	31.60
PK	6.142G	111.32	Inf	-Inf	102.36	3	Vertical	57	1.00	-	32.68	7.58	31.30
RMS	6.142G	101.56	Inf	-Inf	92.60	3	Vertical	57	1.00	-	32.68	7.58	31.30

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	72.76	88.20	-15.44	64.39	3	Horizontal	299	1.00	-	32.53	7.44	31.60
RMS	5.919G	63.39	68.20	-4.81	55.01	3	Horizontal	299	1.00	-	32.54	7.44	31.60
PK	6.251G	109.30	Inf	-Inf	99.60	3	Horizontal	299	1.00	-	33.10	7.66	31.06
RMS	6.188G	99.88	Inf	-Inf	90.53	3	Horizontal	299	1.00	-	32.93	7.62	31.20

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20628G	58.77	74.00	-15.23	41.66	3	Vertical	88	1.98	-	39.00	10.90	32.79
AV	12.19926G	45.47	54.00	-8.53	28.37	3	Vertical	88	1.98	-	39.00	10.90	32.80

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.19635G	59.19	74.00	-14.81	42.08	3	Horizontal	159	1.11	-	39.01	10.90	32.80
AV	12.19656G	45.47	54.00	-8.53	28.36	3	Horizontal	159	1.11	-	39.01	10.90	32.80

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.315G	55.01	83.54	-28.53	51.82	1	Vertical	202	1.65	-	37.50	15.28	49.59
AV	18.3155G	43.22	63.54	-20.32	40.03	1	Vertical	202	1.65	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 25
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31479G	56.69	83.54	-26.85	53.50	1	Horizontal	75	1.23	-	37.50	15.28	49.59
AV	18.31493G	43.62	63.54	-19.92	40.43	1	Horizontal	75	1.23	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51779G	59.24	74.00	-14.76	42.16	3	Vertical	126	1.31	-	38.54	11.05	32.51
AV	12.52832G	45.54	54.00	-8.46	28.44	3	Vertical	126	1.31	-	38.56	11.05	32.51

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53921G	59.29	74.00	-14.71	42.16	3	Horizontal	99	1.30	-	38.58	11.06	32.51
AV	12.54104G	45.58	54.00	-8.42	28.45	3	Horizontal	99	1.30	-	38.58	11.06	32.51



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
Setting 26
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79496G	55.22	83.54	-28.32	51.64	1	Vertical	330	1.82	-	37.80	15.26	49.48
AV	18.79469G	43.15	63.54	-20.39	39.57	1	Vertical	330	1.82	-	37.80	15.26	49.48



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_X_4TX
Setting 26
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79469G	57.03	83.54	-26.51	53.45	1	Horizontal	193	1.75	-	37.80	15.26	49.48
AV	18.79547G	45.29	63.54	-18.25	41.71	1	Horizontal	193	1.75	-	37.80	15.26	49.48



**RSE TX above 1GHz_Standard Power Access Point_Radio 4_
Multi_RU**


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	RMS	5.9232G	68.17	68.20	-0.03	3	Horizontal	57	2.07	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	79.41	88.20	-8.79	71.81	3	Vertical	296	1.01	-	32.40	7.64	32.44
RMS	5.925G	68.12	68.20	-0.08	60.52	3	Vertical	296	1.01	-	32.40	7.64	32.44
PK	6.0078G	112.16	Inf	-Inf	104.40	3	Vertical	296	1.01	-	32.52	7.68	32.44
RMS	6.0216G	101.28	Inf	-Inf	93.50	3	Vertical	296	1.01	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	70.25	88.20	-17.95	62.65	3	Horizontal	61	1.80	-	32.40	7.64	32.44
RMS	5.9238G	59.36	68.20	-8.84	51.76	3	Horizontal	61	1.80	-	32.40	7.64	32.44
PK	6.0102G	103.05	Inf	-Inf	95.29	3	Horizontal	61	1.80	-	32.52	7.68	32.44
RMS	6.0126G	93.65	Inf	-Inf	85.88	3	Horizontal	61	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9896G	44.91	74.00	-29.09	60.47	3	Vertical	12	1.82	-	39.08	11.11	65.75
AV	11.9699G	33.19	54.00	-20.81	48.81	3	Vertical	12	1.82	-	39.04	11.10	65.76
PK	17.9622G	57.66	74.00	-16.34	58.18	3	Vertical	290	1.44	-	48.39	13.44	62.35
AV	17.9764G	45.76	54.00	-8.24	45.81	3	Vertical	290	1.44	-	48.84	13.44	62.33

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9567G	44.72	74.00	-29.28	60.38	3	Horizontal	227	1.43	-	39.01	11.10	65.77
AV	11.9935G	33.26	54.00	-20.74	48.79	3	Horizontal	227	1.43	-	39.09	11.12	65.74
PK	17.9767G	57.78	74.00	-16.22	57.82	3	Horizontal	102	1.72	-	48.85	13.44	62.33
AV	17.9798G	45.75	54.00	-8.25	45.68	3	Horizontal	102	1.72	-	48.95	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.96015G	51.79	83.54	-31.75	42.57	1	Vertical	71	1.36	-	38.94	17.39	47.11
AV	23.96285G	38.21	63.54	-25.33	28.98	1	Vertical	71	1.36	-	38.95	17.39	47.11

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9267G	53.69	83.54	-29.85	44.59	1	Horizontal	37	2.10	-	38.85	17.38	47.13
AV	23.9178G	39.11	63.54	-24.43	30.02	1	Horizontal	37	2.10	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	73.92	88.20	-14.28	66.33	3	Vertical	301	1.80	-	32.40	7.63	32.44
RMS	5.9028G	59.77	68.20	-8.43	52.18	3	Vertical	301	1.80	-	32.40	7.63	32.44
PK	6.0198G	112.17	Inf	-Inf	104.39	3	Vertical	301	1.80	-	32.54	7.68	32.44
RMS	6.0132G	100.66	Inf	-Inf	92.89	3	Vertical	301	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	67.83	88.20	-20.37	60.24	3	Horizontal	60	1.80	-	32.40	7.63	32.44
RMS	5.901G	55.01	68.20	-13.19	47.42	3	Horizontal	60	1.80	-	32.40	7.63	32.44
PK	6.0174G	103.94	Inf	-Inf	96.17	3	Horizontal	60	1.80	-	32.53	7.68	32.44
RMS	6.0114G	94.20	Inf	-Inf	86.44	3	Horizontal	60	1.80	-	32.52	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9919G	45.23	74.00	-28.77	60.78	3	Vertical	266	1.37	-	39.08	11.12	65.75
AV	11.9695G	33.34	54.00	-20.66	48.96	3	Vertical	266	1.37	-	39.04	11.10	65.76
PK	17.9739G	57.59	74.00	-16.41	57.72	3	Vertical	147	1.57	-	48.76	13.44	62.33
AV	17.9798G	45.75	54.00	-8.25	45.68	3	Vertical	147	1.57	-	48.95	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9714G	45.76	74.00	-28.24	61.38	3	Horizontal	44	1.56	-	39.04	11.10	65.76
AV	11.9679G	33.29	54.00	-20.71	48.91	3	Horizontal	44	1.56	-	39.04	11.10	65.76
PK	17.9736G	56.90	74.00	-17.10	57.03	3	Horizontal	207	1.31	-	48.76	13.44	62.33
AV	17.9799G	45.62	54.00	-8.38	45.54	3	Horizontal	207	1.31	-	48.96	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9393G	49.38	83.54	-34.16	40.24	1	Vertical	221	1.66	-	38.88	17.38	47.12
AV	23.9203G	37.39	63.54	-26.15	28.30	1	Vertical	221	1.66	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 10.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95965G	49.48	83.54	-34.06	40.26	1	Horizontal	102	2.09	-	38.94	17.39	47.11
AV	23.9171G	38.11	63.54	-25.43	29.03	1	Horizontal	102	2.09	-	38.83	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	82.01	88.20	-6.19	74.41	3	Vertical	299	1.00	-	32.40	7.64	32.44
RMS	5.925G	68.15	68.20	-0.05	60.55	3	Vertical	299	1.00	-	32.40	7.64	32.44
PK	6.0102G	114.51	Inf	-Inf	106.75	3	Vertical	299	1.00	-	32.52	7.68	32.44
RMS	6.0066G	104.61	Inf	-Inf	96.86	3	Vertical	299	1.00	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	81.70	88.20	-6.50	74.10	3	Horizontal	57	2.07	-	32.40	7.64	32.44
RMS	5.9232G	68.17	68.20	-0.03	60.57	3	Horizontal	57	2.07	-	32.40	7.64	32.44
PK	6.0186G	114.61	Inf	-Inf	106.83	3	Horizontal	57	2.07	-	32.54	7.68	32.44
RMS	6.0204G	104.61	Inf	-Inf	96.83	3	Horizontal	57	2.07	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9607G	45.03	74.00	-28.97	60.68	3	Vertical	305	2.23	-	39.02	11.10	65.77
AV	11.9726G	33.26	54.00	-20.74	48.87	3	Vertical	305	2.23	-	39.05	11.10	65.76
PK	17.9623G	57.55	74.00	-16.45	58.07	3	Vertical	148	2.22	-	48.39	13.44	62.35
AV	17.9794G	45.81	54.00	-8.19	45.75	3	Vertical	148	2.22	-	48.94	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9752G	45.39	74.00	-28.61	60.99	3	Horizontal	45	2.03	-	39.05	11.11	65.76
AV	11.9714G	33.09	54.00	-20.91	48.71	3	Horizontal	45	2.03	-	39.04	11.10	65.76
PK	17.9761G	57.00	74.00	-17.00	57.05	3	Horizontal	13	1.72	-	48.84	13.44	62.33
AV	17.9795G	45.66	54.00	-8.34	45.60	3	Horizontal	13	1.72	-	48.94	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9407G	49.96	83.54	-33.58	40.82	1	Vertical	190	2.11	-	38.88	17.38	47.12
AV	23.96485G	37.20	63.54	-26.34	27.96	1	Vertical	190	2.11	-	38.96	17.39	47.11

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_X_2TX
Setting 9
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.91625G	51.15	83.54	-32.39	42.08	1	Horizontal	267	2.09	-	38.83	17.37	47.13
AV	23.9197G	38.25	63.54	-25.29	29.16	1	Horizontal	267	2.09	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	74.43	88.20	-13.77	66.84	3	Vertical	297	1.00	-	32.40	7.63	32.44
RMS	5.907G	57.35	68.20	-10.85	49.76	3	Vertical	297	1.00	-	32.40	7.63	32.44
PK	6.0066G	114.62	Inf	-Inf	106.87	3	Vertical	297	1.00	-	32.51	7.68	32.44
RMS	6.0066G	104.31	Inf	-Inf	96.56	3	Vertical	297	1.00	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	72.06	88.20	-16.14	64.47	3	Horizontal	55	2.09	-	32.40	7.63	32.44
RMS	5.9022G	57.23	68.20	-10.97	49.64	3	Horizontal	55	2.09	-	32.40	7.63	32.44
PK	6.0198G	113.31	Inf	-Inf	105.53	3	Horizontal	55	2.09	-	32.54	7.68	32.44
RMS	6.0198G	103.68	Inf	-Inf	95.90	3	Horizontal	55	2.09	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.951G	44.57	74.00	-29.43	60.25	3	Vertical	104	1.88	-	39.00	11.09	65.77
AV	11.9693G	33.09	54.00	-20.91	48.71	3	Vertical	104	1.88	-	39.04	11.10	65.76
PK	17.9765G	56.92	74.00	-17.08	56.96	3	Vertical	216	1.47	-	48.85	13.44	62.33
AV	17.9768G	45.56	54.00	-8.44	45.59	3	Vertical	216	1.47	-	48.86	13.44	62.33

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9773G	44.99	74.00	-29.01	60.58	3	Horizontal	333	1.81	-	39.05	11.11	65.75
AV	11.9699G	33.04	54.00	-20.96	48.66	3	Horizontal	333	1.81	-	39.04	11.10	65.76
PK	17.9653G	57.41	74.00	-16.59	57.83	3	Horizontal	155	2.00	-	48.49	13.44	62.35
AV	17.9791G	45.60	54.00	-8.40	45.55	3	Horizontal	155	2.00	-	48.93	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93215G	51.90	83.54	-31.64	42.78	1	Vertical	257	2.05	-	38.86	17.38	47.12
AV	23.91955G	38.09	63.54	-25.45	29.00	1	Vertical	257	2.05	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_X_2TX
Setting 11
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9524G	52.40	83.54	-31.14	43.21	1	Horizontal	81	2.21	-	38.91	17.39	47.11
AV	23.92255G	39.23	63.54	-24.31	30.13	1	Horizontal	81	2.21	-	38.85	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.43	88.20	-8.77	71.83	3	Vertical	295	1.80	-	32.40	7.64	32.44
RMS	5.925G	66.67	68.20	-1.53	59.07	3	Vertical	295	1.80	-	32.40	7.64	32.44
PK	6.0078G	117.06	Inf	-Inf	109.30	3	Vertical	295	1.80	-	32.52	7.68	32.44
RMS	6.006G	107.23	Inf	-Inf	99.48	3	Vertical	295	1.80	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	76.37	88.20	-11.83	68.77	3	Horizontal	58	1.80	-	32.40	7.64	32.44
RMS	5.9226G	62.05	68.20	-6.15	54.45	3	Horizontal	58	1.80	-	32.40	7.64	32.44
PK	6.0222G	113.58	Inf	-Inf	105.80	3	Horizontal	58	1.80	-	32.54	7.68	32.44
RMS	6.0222G	104.33	Inf	-Inf	96.55	3	Horizontal	58	1.80	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94728G	45.22	74.00	-28.78	60.91	3	Vertical	350	1.80	-	38.99	11.09	65.77
AV	11.96936G	33.04	54.00	-20.96	48.66	3	Vertical	350	1.80	-	39.04	11.10	65.76
PK	17.98625G	56.42	74.00	-17.58	56.12	3	Vertical	0	1.80	-	49.16	13.45	62.31
AV	17.983G	45.45	54.00	-8.55	45.26	3	Vertical	0	1.80	-	49.06	13.44	62.31

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04712G	44.46	74.00	-29.54	59.73	3	Horizontal	96	1.80	-	39.29	11.14	65.70
AV	12.0404G	32.74	54.00	-21.26	48.04	3	Horizontal	96	1.80	-	39.26	11.14	65.70
PK	17.99075G	57.67	74.00	-16.33	57.22	3	Horizontal	344	1.80	-	49.30	13.45	62.30
AV	17.981G	45.67	54.00	-8.33	45.56	3	Horizontal	344	1.80	-	48.99	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.98304G	52.12	83.54	-31.42	42.80	1	Vertical	66	1.30	-	39.03	17.39	47.10
AV	23.8888G	39.49	63.54	-24.05	30.47	1	Vertical	66	1.30	-	38.80	17.37	47.15

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9319G	51.08	83.54	-32.46	41.96	1	Horizontal	178	2.09	-	38.86	17.38	47.12
AV	23.91775G	37.11	63.54	-26.43	28.02	1	Horizontal	178	2.09	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	69.43	88.20	-18.77	61.86	3	Vertical	296	1.80	-	32.38	7.63	32.44
RMS	5.9058G	57.48	68.20	-10.72	49.89	3	Vertical	296	1.80	-	32.40	7.63	32.44
PK	6.0066G	114.92	Inf	-Inf	107.17	3	Vertical	296	1.80	-	32.51	7.68	32.44
RMS	6.0066G	106.66	Inf	-Inf	98.91	3	Vertical	296	1.80	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	68.81	88.20	-19.39	61.22	3	Horizontal	59	1.80	-	32.40	7.63	32.44
RMS	5.9028G	54.95	68.20	-13.25	47.36	3	Horizontal	59	1.80	-	32.40	7.63	32.44
PK	5.9514G	112.54	Inf	-Inf	104.92	3	Horizontal	59	1.80	-	32.40	7.66	32.44
RMS	6.0222G	104.15	Inf	-Inf	96.37	3	Horizontal	59	1.80	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9467G	44.39	74.00	-29.61	60.09	3	Vertical	241	1.97	-	38.99	11.09	65.78
AV	11.9764G	32.84	54.00	-21.16	48.44	3	Vertical	241	1.97	-	39.05	11.11	65.76
PK	17.9798G	56.59	74.00	-17.41	56.52	3	Vertical	311	2.04	-	48.95	13.44	62.32
AV	17.9797G	45.43	54.00	-8.57	45.36	3	Vertical	311	2.04	-	48.95	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9731G	44.28	74.00	-29.72	59.88	3	Horizontal	256	2.10	-	39.05	11.11	65.76
AV	11.9749G	32.90	54.00	-21.10	48.50	3	Horizontal	256	2.10	-	39.05	11.11	65.76
PK	17.9755G	57.43	74.00	-16.57	57.50	3	Horizontal	66	1.95	-	48.82	13.44	62.33
AV	17.9775G	45.41	54.00	-8.59	45.41	3	Horizontal	66	1.95	-	48.88	13.44	62.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9341G	49.09	83.54	-34.45	39.96	1	Vertical	123	1.86	-	38.87	17.38	47.12
AV	23.9179G	37.11	63.54	-26.43	28.02	1	Vertical	123	1.86	-	38.84	17.38	47.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting 5.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95325G	49.96	83.54	-33.58	40.77	1	Horizontal	95	1.53	-	38.91	17.39	47.11
AV	23.9233G	38.38	63.54	-25.16	29.28	1	Horizontal	95	1.53	-	38.85	17.38	47.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.896G	66.41	88.20	-21.79	58.84	3	Vertical	294	3.00	-	32.38	7.63	32.44
RMS	5.9235G	54.07	68.20	-14.13	46.47	3	Vertical	294	3.00	-	32.40	7.64	32.44
PK	6.053G	107.84	Inf	-Inf	99.99	3	Vertical	294	3.00	-	32.59	7.69	32.43
RMS	6.0905G	97.61	Inf	-Inf	89.82	3	Vertical	294	3.00	-	32.52	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.86G	62.80	88.20	-25.40	55.40	3	Horizontal	59	1.80	-	32.24	7.61	32.45
RMS	5.9215G	52.60	68.20	-15.60	45.00	3	Horizontal	59	1.80	-	32.40	7.64	32.44
PK	6.062G	97.41	Inf	-Inf	89.57	3	Horizontal	59	1.80	-	32.58	7.69	32.43
RMS	6.06G	87.04	Inf	-Inf	79.20	3	Horizontal	59	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05378G	45.51	74.00	-28.49	60.76	3	Vertical	291	2.22	-	39.30	11.14	65.69
AV	12.06248G	34.12	54.00	-19.88	49.36	3	Vertical	291	2.22	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03764G	45.50	74.00	-28.50	60.83	3	Horizontal	344	1.60	-	39.25	11.13	65.71
AV	12.06164G	34.29	54.00	-19.71	49.53	3	Horizontal	344	1.60	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07986G	49.88	83.54	-33.66	46.54	1	Vertical	267	1.54	-	37.52	15.30	49.48
AV	18.08964G	35.07	63.54	-28.47	31.69	1	Vertical	267	1.54	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07584G	49.36	83.54	-34.18	46.04	1	Horizontal	27	2.19	-	37.50	15.30	49.48
AV	18.08985G	33.04	63.54	-30.50	29.66	1	Horizontal	27	2.19	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	65.10	88.20	-23.10	57.51	3	Vertical	296	3.00	-	32.40	7.63	32.44
RMS	5.9225G	52.72	68.20	-15.48	45.12	3	Vertical	296	3.00	-	32.40	7.64	32.44
PK	6.092G	108.03	Inf	-Inf	100.24	3	Vertical	296	3.00	-	32.52	7.70	32.43
RMS	6.0925G	96.91	Inf	-Inf	89.12	3	Vertical	296	3.00	-	32.52	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.822G	62.35	88.20	-25.85	55.01	3	Horizontal	64	1.80	-	32.20	7.59	32.45
RMS	5.9065G	51.94	68.20	-16.26	44.35	3	Horizontal	64	1.80	-	32.40	7.63	32.44
PK	6.097G	98.00	Inf	-Inf	90.22	3	Horizontal	64	1.80	-	32.51	7.70	32.43
RMS	6.0925G	87.23	Inf	-Inf	79.44	3	Horizontal	64	1.80	-	32.52	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04154G	46.19	74.00	-27.81	61.48	3	Vertical	170	2.22	-	39.27	11.14	65.70
AV	12.06188G	34.19	54.00	-19.81	49.43	3	Vertical	170	2.22	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06224G	45.10	74.00	-28.90	60.34	3	Horizontal	178	2.14	-	39.30	11.14	65.68
AV	12.0623G	34.11	54.00	-19.89	49.35	3	Horizontal	178	2.14	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0888G	49.42	83.54	-34.12	46.04	1	Vertical	164	1.30	-	37.56	15.30	49.48
AV	18.08961G	34.23	63.54	-29.31	30.85	1	Vertical	164	1.30	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 14
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07758G	49.13	83.54	-34.41	45.80	1	Horizontal	12	2.16	-	37.51	15.30	49.48
AV	18.08643G	33.05	63.54	-30.49	29.68	1	Horizontal	12	2.16	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUTX_1TX
Setting 15.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	62.77	88.20	-25.43	55.18	3	Vertical	298	3.00	-	32.40	7.63	32.44
RMS	5.9165G	52.59	68.20	-15.61	44.99	3	Vertical	298	3.00	-	32.40	7.64	32.44
PK	6.082G	107.33	Inf	-Inf	99.52	3	Vertical	298	3.00	-	32.54	7.70	32.43
RMS	6.0895G	96.77	Inf	-Inf	88.98	3	Vertical	298	3.00	-	32.52	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 15.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	63.07	88.20	-25.13	55.48	3	Horizontal	60	1.80	-	32.40	7.63	32.44
RMS	5.896G	52.46	68.20	-15.74	44.89	3	Horizontal	60	1.80	-	32.38	7.63	32.44
PK	6.076G	96.87	Inf	-Inf	89.05	3	Horizontal	60	1.80	-	32.55	7.70	32.43
RMS	5.9815G	86.49	Inf	-Inf	78.80	3	Horizontal	60	1.80	-	32.46	7.67	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 15.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06092G	45.67	74.00	-28.33	60.92	3	Vertical	348	1.65	-	39.30	11.14	65.69
AV	12.06206G	34.41	54.00	-19.59	49.65	3	Vertical	348	1.65	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 15.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05828G	45.22	74.00	-28.78	60.47	3	Horizontal	305	2.04	-	39.30	11.14	65.69
AV	12.0644G	34.24	54.00	-19.76	49.48	3	Horizontal	305	2.04	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 15.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06573G	48.01	83.54	-35.53	44.72	1	Vertical	195	2.06	-	37.46	15.30	49.47
AV	18.0897G	32.02	63.54	-31.52	28.64	1	Vertical	195	2.06	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 15.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07053G	47.58	83.54	-35.96	44.27	1	Horizontal	8	1.95	-	37.48	15.30	49.47
AV	18.08991G	33.22	63.54	-30.32	29.84	1	Horizontal	8	1.95	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	78.03	88.20	-10.17	70.46	3	Vertical	296	1.01	-	32.38	7.63	32.44
RMS	5.925G	63.31	68.20	-4.89	55.71	3	Vertical	296	1.01	-	32.40	7.64	32.44
PK	6.027G	112.02	Inf	-Inf	104.22	3	Vertical	296	1.01	-	32.55	7.69	32.44
RMS	6.067G	101.38	Inf	-Inf	93.55	3	Vertical	296	1.01	-	32.57	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.858G	62.94	88.20	-25.26	55.55	3	Horizontal	56	1.80	-	32.23	7.61	32.45
RMS	5.901G	52.43	68.20	-15.77	44.84	3	Horizontal	56	1.80	-	32.40	7.63	32.44
PK	6.039G	104.01	Inf	-Inf	96.18	3	Horizontal	56	1.80	-	32.58	7.69	32.44
RMS	6.042G	93.71	Inf	-Inf	85.87	3	Horizontal	56	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05966G	46.14	74.00	-27.86	61.39	3	Vertical	226	1.94	-	39.30	11.14	65.69
AV	12.06158G	34.24	54.00	-19.76	49.48	3	Vertical	226	1.94	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06272G	45.55	74.00	-28.45	60.79	3	Horizontal	207	1.35	-	39.30	11.14	65.68
AV	12.065G	33.97	54.00	-20.03	49.21	3	Horizontal	207	1.35	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07161G	49.35	83.54	-34.19	46.03	1	Vertical	219	1.98	-	37.49	15.30	49.47
AV	18.0894G	32.87	63.54	-30.67	29.49	1	Vertical	219	1.98	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 8.75
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08994G	49.61	83.54	-33.93	46.23	1	Horizontal	41	1.88	-	37.56	15.30	49.48
AV	18.08823G	31.04	63.54	-32.50	27.67	1	Horizontal	41	1.88	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	77.43	88.20	-10.77	69.84	3	Vertical	299	1.03	-	32.40	7.63	32.44
RMS	5.925G	61.44	68.20	-6.76	53.84	3	Vertical	299	1.03	-	32.40	7.64	32.44
PK	6.027G	112.41	Inf	-Inf	104.61	3	Vertical	299	1.03	-	32.55	7.69	32.44
RMS	6.027G	101.12	Inf	-Inf	93.32	3	Vertical	299	1.03	-	32.55	7.69	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	74.92	88.20	-13.28	67.33	3	Horizontal	59	1.80	-	32.40	7.63	32.44
RMS	5.9245G	61.42	68.20	-6.78	53.82	3	Horizontal	59	1.80	-	32.40	7.64	32.44
PK	6.041G	109.24	Inf	-Inf	101.41	3	Horizontal	59	1.80	-	32.58	7.69	32.44
RMS	6.0415G	98.78	Inf	-Inf	90.95	3	Horizontal	59	1.80	-	32.58	7.69	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06422G	45.53	74.00	-28.47	60.77	3	Vertical	5	2.54	-	39.30	11.14	65.68
AV	12.06158G	34.27	54.00	-19.73	49.51	3	Vertical	5	2.54	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06428G	45.14	74.00	-28.86	60.38	3	Horizontal	319	1.98	-	39.30	11.14	65.68
AV	12.06368G	34.04	54.00	-19.96	49.28	3	Horizontal	319	1.98	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08067G	48.56	83.54	-34.98	45.22	1	Vertical	281	2.00	-	37.52	15.30	49.48
AV	18.07698G	32.89	63.54	-30.65	29.56	1	Vertical	281	2.00	-	37.51	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 9.75
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08694G	49.07	83.54	-34.47	45.70	1	Horizontal	72	1.92	-	37.55	15.30	49.48
AV	18.08964G	36.88	63.54	-26.66	33.50	1	Horizontal	72	1.92	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	67.58	88.20	-20.62	59.98	3	Vertical	301	1.02	-	32.40	7.64	32.44
RMS	5.925G	55.68	68.20	-12.52	48.08	3	Vertical	301	1.02	-	32.40	7.64	32.44
PK	6.067G	111.50	Inf	-Inf	103.67	3	Vertical	301	1.02	-	32.57	7.69	32.43
RMS	6.0665G	101.67	Inf	-Inf	93.87	3	Vertical	301	1.02	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	66.46	88.20	-21.74	58.86	3	Horizontal	56	1.80	-	32.40	7.64	32.44
RMS	5.925G	54.93	68.20	-13.27	47.33	3	Horizontal	56	1.80	-	32.40	7.64	32.44
PK	6.081G	110.00	Inf	-Inf	102.19	3	Horizontal	56	1.80	-	32.54	7.70	32.43
RMS	6.082G	99.24	Inf	-Inf	91.43	3	Horizontal	56	1.80	-	32.54	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0641G	45.92	74.00	-28.08	61.16	3	Vertical	281	1.47	-	39.30	11.14	65.68
AV	12.06272G	34.05	54.00	-19.95	49.29	3	Vertical	281	1.47	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05792G	45.51	74.00	-28.49	60.76	3	Horizontal	262	1.55	-	39.30	11.14	65.69
AV	12.06176G	34.05	54.00	-19.95	49.29	3	Horizontal	262	1.55	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08751G	49.76	83.54	-33.78	46.39	1	Vertical	320	1.64	-	37.55	15.30	49.48
AV	18.08967G	34.11	63.54	-29.43	30.73	1	Vertical	320	1.64	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07914G	49.70	83.54	-33.84	46.36	1	Horizontal	295	1.98	-	37.52	15.30	49.48
AV	18.07983G	34.90	63.54	-28.64	31.56	1	Horizontal	295	1.98	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	80.61	88.20	-7.59	73.02	3	Vertical	295	1.80	-	32.40	7.63	32.44
RMS	5.925G	67.03	68.20	-1.17	59.43	3	Vertical	295	1.80	-	32.40	7.64	32.44
PK	6.087G	115.05	Inf	-Inf	107.25	3	Vertical	295	1.80	-	32.53	7.70	32.43
RMS	6.086G	104.63	Inf	-Inf	96.83	3	Vertical	295	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	76.95	88.20	-11.25	69.36	3	Horizontal	58	1.80	-	32.40	7.63	32.44
RMS	5.922G	63.40	68.20	-4.80	55.80	3	Horizontal	58	1.80	-	32.40	7.64	32.44
PK	6.082G	112.11	Inf	-Inf	104.30	3	Horizontal	58	1.80	-	32.54	7.70	32.43
RMS	6.042G	102.05	Inf	-Inf	94.21	3	Horizontal	58	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.14472G	45.61	74.00	-28.39	60.75	3	Vertical	18	2.98	-	39.30	11.17	65.61
AV	12.0852G	33.92	54.00	-20.08	49.13	3	Vertical	18	2.98	-	39.30	11.15	65.66

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.09288G	45.50	74.00	-28.50	60.70	3	Horizontal	142	1.80	-	39.30	11.16	65.66
AV	12.0724G	33.87	54.00	-20.13	49.09	3	Horizontal	142	1.80	-	39.30	11.15	65.67

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06975G	48.81	83.54	-34.73	45.50	1	Vertical	191	1.73	-	37.48	15.30	49.47
AV	18.0804G	34.43	63.54	-29.11	31.09	1	Vertical	191	1.73	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 3.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06411G	48.65	83.54	-34.89	45.36	1	Horizontal	27	1.18	-	37.46	15.30	49.47
AV	18.09G	33.75	63.54	-29.79	30.37	1	Horizontal	27	1.18	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.98	88.20	-9.22	71.38	3	Vertical	295	1.80	-	32.40	7.64	32.44
RMS	5.925G	65.61	68.20	-2.59	58.01	3	Vertical	295	1.80	-	32.40	7.64	32.44
PK	6.087G	114.42	Inf	-Inf	106.62	3	Vertical	295	1.80	-	32.53	7.70	32.43
RMS	6.0865G	105.09	Inf	-Inf	97.29	3	Vertical	295	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	77.90	88.20	-10.30	70.30	3	Horizontal	60	1.80	-	32.40	7.64	32.44
RMS	5.922G	62.03	68.20	-6.17	54.43	3	Horizontal	60	1.80	-	32.40	7.64	32.44
PK	6.042G	111.82	Inf	-Inf	103.98	3	Horizontal	60	1.80	-	32.58	7.69	32.43
RMS	6.0425G	102.19	Inf	-Inf	94.34	3	Horizontal	60	1.80	-	32.59	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0425G	45.18	74.00	-28.82	60.47	3	Vertical	75	2.68	-	39.27	11.14	65.70
AV	12.06134G	33.78	54.00	-20.22	49.02	3	Vertical	75	2.68	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06194G	44.75	74.00	-29.25	59.99	3	Horizontal	312	2.74	-	39.30	11.14	65.68
AV	12.0647G	33.93	54.00	-20.07	49.17	3	Horizontal	312	2.74	-	39.30	11.14	65.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08814G	49.09	83.54	-34.45	45.72	1	Vertical	27	1.89	-	37.55	15.30	49.48
AV	18.07773G	35.72	63.54	-27.82	32.39	1	Vertical	27	1.89	-	37.51	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 4.25
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06984G	48.73	83.54	-34.81	45.42	1	Horizontal	34	1.11	-	37.48	15.30	49.47
AV	18.08025G	33.89	63.54	-29.65	30.55	1	Horizontal	34	1.11	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	72.39	88.20	-15.81	64.79	3	Vertical	292	1.80	-	32.40	7.64	32.44
RMS	5.925G	58.37	68.20	-9.83	50.77	3	Vertical	292	1.80	-	32.40	7.64	32.44
PK	6.097G	113.98	Inf	-Inf	106.20	3	Vertical	292	1.80	-	32.51	7.70	32.43
RMS	6.0865G	105.50	Inf	-Inf	97.70	3	Vertical	292	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	65.77	88.20	-22.43	58.17	3	Horizontal	56	1.80	-	32.40	7.64	32.44
RMS	5.922G	55.39	68.20	-12.81	47.79	3	Horizontal	56	1.80	-	32.40	7.64	32.44
PK	5.982G	110.54	Inf	-Inf	102.85	3	Horizontal	56	1.80	-	32.46	7.67	32.44
RMS	6.082G	102.59	Inf	-Inf	94.78	3	Horizontal	56	1.80	-	32.54	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.082G	44.43	74.00	-29.57	59.65	3	Vertical	237	1.80	-	39.30	11.15	65.67
AV	12.0884G	33.89	54.00	-20.11	49.10	3	Vertical	237	1.80	-	39.30	11.15	65.66
PK	17.97773G	56.98	74.00	-17.02	56.97	3	Vertical	194	1.80	-	48.89	13.44	62.32
AV	17.98572G	45.34	54.00	-8.66	45.06	3	Vertical	194	1.80	-	49.14	13.45	62.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.11016G	44.71	74.00	-29.29	59.89	3	Horizontal	166	1.80	-	39.30	11.16	65.64
AV	12.14728G	33.80	54.00	-20.20	48.93	3	Horizontal	166	1.80	-	39.30	11.18	65.61
PK	17.98487G	57.38	74.00	-16.62	57.12	3	Horizontal	18	1.80	-	49.12	13.45	62.31
AV	17.98385G	45.75	54.00	-8.25	45.54	3	Horizontal	18	1.80	-	49.08	13.44	62.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.20684G	48.22	83.54	-35.32	44.86	1	Vertical	239	1.30	-	37.61	15.29	49.54
AV	18.20348G	33.36	63.54	-30.18	30.00	1	Vertical	239	1.30	-	37.61	15.29	49.54

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_X_4TX
Setting 5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.15028G	48.23	83.54	-35.31	44.65	1	Horizontal	249	2.16	-	37.80	15.29	49.51
AV	18.15452G	34.36	63.54	-29.18	30.80	1	Horizontal	249	2.16	-	37.78	15.29	49.51

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	69.60	88.20	-18.60	62.01	3	Vertical	298	3.00	-	32.40	7.63	32.44
RMS	5.9226G	57.82	68.20	-10.38	50.22	3	Vertical	298	3.00	-	32.40	7.64	32.44
PK	6.1074G	105.57	Inf	-Inf	97.77	3	Vertical	298	3.00	-	32.53	7.70	32.43
RMS	6.0918G	96.30	Inf	-Inf	88.51	3	Vertical	298	3.00	-	32.52	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	62.90	88.20	-25.30	55.34	3	Horizontal	59	1.80	-	32.37	7.63	32.44
RMS	5.9238G	54.58	68.20	-13.62	46.98	3	Horizontal	59	1.80	-	32.40	7.64	32.44
PK	6.015G	96.25	Inf	-Inf	88.48	3	Horizontal	59	1.80	-	32.53	7.68	32.44
RMS	6.0168G	87.00	Inf	-Inf	79.23	3	Horizontal	59	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2272G	58.66	74.00	-15.34	41.82	3	Vertical	105	1.80	-	38.90	11.15	33.21
AV	12.2344G	47.84	54.00	-6.16	30.99	3	Vertical	105	1.80	-	38.90	11.15	33.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2328G	58.77	74.00	-15.23	41.92	3	Horizontal	174	1.80	-	38.90	11.15	33.20
AV	12.2191G	47.87	54.00	-6.13	31.04	3	Horizontal	174	1.80	-	38.90	11.15	33.22

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.302G	54.80	83.54	-28.74	51.60	1	Vertical	40	1.52	-	37.50	15.28	49.58
AV	18.29905G	44.04	63.54	-19.50	40.83	1	Vertical	40	1.52	-	37.50	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 12.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.29085G	54.69	83.54	-28.85	51.44	1	Horizontal	61	1.28	-	37.54	15.29	49.58
AV	18.2984G	43.96	63.54	-19.58	40.74	1	Horizontal	61	1.28	-	37.51	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	68.23	88.20	-19.97	60.63	3	Vertical	298	3.00	-	32.40	7.64	32.44
RMS	5.925G	55.91	68.20	-12.29	48.31	3	Vertical	298	3.00	-	32.40	7.64	32.44
PK	6.1554G	106.06	Inf	-Inf	98.06	3	Vertical	298	3.00	-	32.71	7.71	32.42
RMS	6.0936G	96.56	Inf	-Inf	88.78	3	Vertical	298	3.00	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	62.91	88.20	-25.29	55.31	3	Horizontal	62	1.80	-	32.40	7.64	32.44
RMS	5.922G	53.95	68.20	-14.25	46.35	3	Horizontal	62	1.80	-	32.40	7.64	32.44
PK	6.087G	96.61	Inf	-Inf	88.81	3	Horizontal	62	1.80	-	32.53	7.70	32.43
RMS	6.0168G	86.97	Inf	-Inf	79.20	3	Horizontal	62	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1982G	45.40	74.00	-28.60	60.65	3	Vertical	173	1.40	-	39.11	11.20	65.56
AV	12.1897G	34.48	54.00	-19.52	49.72	3	Vertical	173	1.40	-	39.14	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1876G	45.58	74.00	-28.42	60.81	3	Horizontal	162	1.86	-	39.15	11.19	65.57
AV	12.185G	34.72	54.00	-19.28	49.94	3	Horizontal	162	1.86	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.29385G	44.23	83.54	-39.31	41.00	1	Vertical	40	2.15	-	37.52	15.29	49.58
AV	18.3294G	34.95	63.54	-28.59	31.77	1	Vertical	40	2.15	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_X_1TX
Setting 12
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32465G	46.93	83.54	-36.61	43.75	1	Horizontal	265	1.88	-	37.50	15.28	49.60
AV	18.29835G	33.00	63.54	-30.54	29.78	1	Horizontal	265	1.88	-	37.51	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	68.44	88.20	-19.76	60.84	3	Vertical	297	3.00	-	32.40	7.64	32.44
RMS	5.9232G	56.75	68.20	-11.45	49.15	3	Vertical	297	3.00	-	32.40	7.64	32.44
PK	6.2274G	106.83	Inf	-Inf	98.57	3	Vertical	297	3.00	-	32.91	7.76	32.41
RMS	6.243G	96.36	Inf	-Inf	88.02	3	Vertical	297	3.00	-	32.97	7.78	32.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	64.10	88.20	-24.10	56.50	3	Horizontal	62	1.80	-	32.40	7.64	32.44
RMS	5.9244G	53.08	68.20	-15.12	45.48	3	Horizontal	62	1.80	-	32.40	7.64	32.44
PK	6.003G	97.78	Inf	-Inf	90.03	3	Horizontal	62	1.80	-	32.51	7.68	32.44
RMS	6.0138G	87.44	Inf	-Inf	79.67	3	Horizontal	62	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1997G	45.50	74.00	-28.50	60.76	3	Vertical	71	1.84	-	39.10	11.20	65.56
AV	12.231G	34.39	54.00	-19.61	49.61	3	Vertical	71	1.84	-	39.10	11.21	65.53

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1856G	45.98	74.00	-28.02	61.20	3	Horizontal	184	1.75	-	39.16	11.19	65.57
AV	12.1857G	34.64	54.00	-19.36	49.86	3	Horizontal	184	1.75	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2923G	47.64	83.54	-35.90	44.40	1	Vertical	360	1.98	-	37.53	15.29	49.58
AV	18.29025G	33.07	63.54	-30.47	29.82	1	Vertical	360	1.98	-	37.54	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_X_1TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32555G	45.06	83.54	-38.48	41.88	1	Horizontal	294	1.57	-	37.50	15.28	49.60
AV	18.29045G	34.10	63.54	-29.44	30.85	1	Horizontal	294	1.57	-	37.54	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	80.66	88.20	-7.54	73.93	3	Vertical	306	1.80	-	34.20	8.11	35.58
RMS	5.923G	68.01	68.20	-0.19	61.28	3	Vertical	306	1.80	-	34.20	8.11	35.58
PK	6.121G	110.54	Inf	-Inf	103.57	3	Vertical	306	1.80	-	34.14	8.20	35.37
RMS	6.143G	99.04	Inf	-Inf	91.98	3	Vertical	306	1.80	-	34.19	8.20	35.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	81.30	88.20	-6.90	74.57	3	Horizontal	61	1.80	-	34.20	8.11	35.58
RMS	5.925G	67.20	68.20	-1.00	60.47	3	Horizontal	61	1.80	-	34.20	8.11	35.58
PK	6.023G	108.82	Inf	-Inf	102.11	3	Horizontal	61	1.80	-	34.10	8.17	35.56
RMS	6.14G	97.55	Inf	-Inf	90.51	3	Horizontal	61	1.80	-	34.18	8.20	35.34

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1989G	57.40	74.00	-16.60	40.60	3	Vertical	280	2.48	-	38.90	11.14	33.24
AV	12.1907G	46.05	54.00	-7.95	29.26	3	Vertical	280	2.48	-	38.90	11.14	33.25

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1978G	58.24	74.00	-15.76	41.44	3	Horizontal	328	2.29	-	38.90	11.14	33.24
AV	12.1944G	46.00	54.00	-8.00	29.20	3	Horizontal	328	2.29	-	38.90	11.14	33.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3209G	55.32	83.54	-28.22	52.13	1	Vertical	111	2.70	-	37.50	15.28	49.59
AV	18.29365G	43.26	63.54	-20.28	40.02	1	Vertical	111	2.70	-	37.53	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 1.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.33715G	54.74	83.54	-28.80	51.56	1	Horizontal	205	2.82	-	37.50	15.28	49.60
AV	18.39485G	43.17	63.54	-20.37	39.75	1	Horizontal	205	2.82	-	37.77	15.28	49.63

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	69.45	88.20	-18.75	61.85	3	Vertical	296	1.03	-	32.40	7.64	32.44
RMS	5.925G	56.73	68.20	-11.47	49.13	3	Vertical	296	1.03	-	32.40	7.64	32.44
PK	6.027G	107.82	Inf	-Inf	100.02	3	Vertical	296	1.03	-	32.55	7.69	32.44
RMS	6.0282G	98.41	Inf	-Inf	90.60	3	Vertical	296	1.03	-	32.56	7.69	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	69.61	88.20	-18.59	62.01	3	Horizontal	60	1.80	-	32.40	7.64	32.44
RMS	5.925G	57.56	68.20	-10.64	49.96	3	Horizontal	60	1.80	-	32.40	7.64	32.44
PK	6.0834G	105.11	Inf	-Inf	97.31	3	Horizontal	60	1.80	-	32.53	7.70	32.43
RMS	6.0618G	96.04	Inf	-Inf	88.20	3	Horizontal	60	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.186G	45.10	74.00	-28.90	60.32	3	Vertical	67	2.04	-	39.16	11.19	65.57
AV	12.1863G	34.74	54.00	-19.26	49.97	3	Vertical	67	2.04	-	39.15	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2284G	45.18	74.00	-28.82	60.40	3	Horizontal	232	1.51	-	39.10	11.21	65.53
AV	12.1851G	34.59	54.00	-19.41	49.81	3	Horizontal	232	1.51	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.29115G	46.90	83.54	-36.64	43.65	1	Vertical	350	2.17	-	37.54	15.29	49.58
AV	18.2931G	32.13	63.54	-31.41	28.89	1	Vertical	350	2.17	-	37.53	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_X_2TX
Setting 10.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32395G	47.45	83.54	-36.09	44.27	1	Horizontal	217	1.55	-	37.50	15.28	49.60
AV	18.33065G	33.96	63.54	-29.58	30.78	1	Horizontal	217	1.55	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	73.82	88.20	-14.38	66.22	3	Vertical	298	1.00	-	32.40	7.64	32.44
RMS	5.925G	59.99	68.20	-8.21	52.39	3	Vertical	298	1.00	-	32.40	7.64	32.44
PK	6.009G	109.52	Inf	-Inf	101.76	3	Vertical	298	1.00	-	32.52	7.68	32.44
RMS	6.0066G	98.97	Inf	-Inf	91.22	3	Vertical	298	1.00	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	69.06	88.20	-19.14	61.46	3	Horizontal	60	1.80	-	32.40	7.64	32.44
RMS	5.9244G	57.72	68.20	-10.48	50.12	3	Horizontal	60	1.80	-	32.40	7.64	32.44
PK	6.003G	106.77	Inf	-Inf	99.02	3	Horizontal	60	1.80	-	32.51	7.68	32.44
RMS	6.2586G	97.03	Inf	-Inf	88.64	3	Horizontal	60	1.80	-	33.00	7.80	32.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1876G	45.19	74.00	-28.81	60.42	3	Vertical	6	1.65	-	39.15	11.19	65.57
AV	12.1859G	33.56	54.00	-20.44	48.78	3	Vertical	6	1.65	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1924G	45.38	74.00	-28.62	60.63	3	Horizontal	193	1.36	-	39.13	11.19	65.57
AV	12.185G	33.44	54.00	-20.56	48.66	3	Horizontal	193	1.36	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2922G	47.79	83.54	-35.75	44.55	1	Vertical	224	1.95	-	37.53	15.29	49.58
AV	18.29025G	33.03	63.54	-30.51	29.78	1	Vertical	224	1.95	-	37.54	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_X_2TX
Setting 8.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.315G	48.72	83.54	-34.82	45.53	1	Horizontal	335	1.54	-	37.50	15.28	49.59
AV	18.3321G	32.00	63.54	-31.54	28.82	1	Horizontal	335	1.54	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.57	88.20	-9.63	71.84	3	Vertical	303	1.43	-	34.20	8.11	35.58
RMS	5.925G	65.37	68.20	-2.83	58.64	3	Vertical	303	1.43	-	34.20	8.11	35.58
PK	6.005G	112.62	Inf	-Inf	105.96	3	Vertical	303	1.43	-	34.10	8.16	35.60
RMS	6.045G	102.45	Inf	-Inf	95.70	3	Vertical	303	1.43	-	34.10	8.17	35.52

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	74.06	88.20	-14.14	67.33	3	Horizontal	78	1.80	-	34.20	8.11	35.58
RMS	5.916G	59.69	68.20	-8.51	52.96	3	Horizontal	78	1.80	-	34.20	8.11	35.58
PK	6.157G	110.82	Inf	-Inf	103.70	3	Horizontal	78	1.80	-	34.21	8.21	35.30
RMS	6.176G	100.25	Inf	-Inf	93.06	3	Horizontal	78	1.80	-	34.25	8.21	35.27

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2321G	58.70	74.00	-15.30	41.85	3	Vertical	96	1.80	-	38.90	11.15	33.20
AV	12.2304G	46.89	54.00	-7.11	30.05	3	Vertical	96	1.80	-	38.90	11.15	33.21

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2203G	58.60	74.00	-15.40	41.77	3	Horizontal	344	2.31	-	38.90	11.15	33.22
AV	12.2348G	46.70	54.00	-7.30	29.85	3	Horizontal	344	2.31	-	38.90	11.15	33.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3257G	55.01	83.54	-28.53	51.83	1	Vertical	213	2.23	-	37.50	15.28	49.60
AV	18.2941G	43.26	63.54	-20.28	40.03	1	Vertical	213	2.23	-	37.52	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 4.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2908G	54.74	83.54	-28.80	51.49	1	Horizontal	350	1.54	-	37.54	15.29	49.58
AV	18.2958G	43.18	63.54	-20.36	39.95	1	Horizontal	350	1.54	-	37.52	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	77.25	88.20	-10.95	69.65	3	Vertical	294	1.80	-	32.40	7.64	32.44
RMS	5.925G	66.50	68.20	-1.70	58.90	3	Vertical	294	1.80	-	32.40	7.64	32.44
PK	6.0462G	112.43	Inf	-Inf	104.58	3	Vertical	294	1.80	-	32.59	7.69	32.43
RMS	6.0858G	104.43	Inf	-Inf	96.63	3	Vertical	294	1.80	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	75.01	88.20	-13.19	67.41	3	Horizontal	64	1.80	-	32.40	7.64	32.44
RMS	5.922G	62.41	68.20	-5.79	54.81	3	Horizontal	64	1.80	-	32.40	7.64	32.44
PK	6.1554G	109.62	Inf	-Inf	101.62	3	Horizontal	64	1.80	-	32.71	7.71	32.42
RMS	6.1752G	101.08	Inf	-Inf	93.03	3	Horizontal	64	1.80	-	32.75	7.72	32.42

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2204G	45.36	74.00	-28.64	60.60	3	Vertical	311	1.87	-	39.10	11.20	65.54
AV	12.1857G	34.46	54.00	-19.54	49.68	3	Vertical	311	1.87	-	39.16	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2044G	45.65	74.00	-28.35	60.91	3	Horizontal	259	1.65	-	39.10	11.20	65.56
AV	12.1875G	34.36	54.00	-19.64	49.59	3	Horizontal	259	1.65	-	39.15	11.19	65.57

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3086G	46.87	83.54	-36.67	43.68	1	Vertical	286	1.96	-	37.50	15.28	49.59
AV	18.29105G	32.08	63.54	-31.46	28.83	1	Vertical	286	1.96	-	37.54	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_X_4TX
Setting 9.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2985G	48.59	83.54	-34.95	45.37	1	Horizontal	100	1.55	-	37.51	15.29	49.58
AV	18.3379G	33.14	63.54	-30.40	29.96	1	Horizontal	100	1.55	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting 2.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.00	88.20	-8.20	73.27	3	Vertical	299	1.18	-	34.20	8.11	35.58
RMS	5.925G	65.22	68.20	-2.98	58.49	3	Vertical	299	1.18	-	34.20	8.11	35.58
PK	6.263G	114.24	Inf	-Inf	106.53	3	Vertical	299	1.18	-	34.53	8.27	35.09
RMS	6.005G	102.88	Inf	-Inf	96.22	3	Vertical	299	1.18	-	34.10	8.16	35.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting 2.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	73.96	88.20	-14.24	67.24	3	Horizontal	78	1.80	-	34.20	8.10	35.58
RMA	5.923G	59.96	68.20	-8.24	53.23	3	Horizontal	78	1.80	-	34.20	8.11	35.58
PK	6.257G	113.59	Inf	-Inf	105.92	3	Horizontal	78	1.80	-	34.51	8.27	35.11
RMS	6.217G	102.87	Inf	-Inf	95.45	3	Horizontal	78	1.80	-	34.37	8.23	35.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting 2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.227G	58.22	74.00	-15.78	41.38	3	Vertical	3	1.01	-	38.90	11.15	33.21
AV	12.2266G	46.69	54.00	-7.31	29.85	3	Vertical	3	1.01	-	38.90	11.15	33.21

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




28/05/2024

EUT_X_4TX
Setting 2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2119G	58.21	74.00	-15.79	41.40	3	Horizontal	148	2.74	-	38.90	11.14	33.23
AV	12.2326G	46.76	54.00	-7.24	29.91	3	Horizontal	148	2.74	-	38.90	11.15	33.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_X_4TX
Setting 2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2977G	54.70	83.54	-28.84	51.48	1	Vertical	226	2.45	-	37.51	15.29	49.58
AV	18.3G	43.12	63.54	-20.42	39.91	1	Vertical	226	2.45	-	37.50	15.29	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX



EUT_X_4TX
Setting 2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.291G	54.85	83.54	-28.69	51.60	1	Horizontal	182	1.73	-	37.54	15.29	49.58
AV	18.29645G	43.18	63.54	-20.36	39.96	1	Horizontal	182	1.73	-	37.51	15.29	49.58



**RSE TX above 1GHz_Standard Power Access Point_Radio 4_
Puncturing**


Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	Pass	RMS	5.9245G	67.90	68.20	-0.30	3	Vertical	310	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9165G	80.36	88.20	-7.84	72.76	3	Vertical	310	1.80	-	32.40	7.64	32.44
RMS	5.9245G	67.90	68.20	-0.30	60.30	3	Vertical	310	1.80	-	32.40	7.64	32.44
PK	5.997G	111.04	Inf	-Inf	103.31	3	Vertical	310	1.80	-	32.49	7.68	32.44
RMS	6.009G	99.62	Inf	-Inf	91.86	3	Vertical	310	1.80	-	32.52	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9165G	70.78	88.20	-17.42	63.18	3	Horizontal	298	1.81	-	32.40	7.64	32.44
RMS	5.9245G	58.04	68.20	-10.16	50.44	3	Horizontal	298	1.81	-	32.40	7.64	32.44
PK	5.9995G	97.75	Inf	-Inf	90.01	3	Horizontal	298	1.81	-	32.50	7.68	32.44
RMS	5.963G	87.60	Inf	-Inf	79.95	3	Horizontal	298	1.81	-	32.43	7.66	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95257G	56.12	74.00	-17.88	38.80	3	Vertical	51	1.67	-	39.01	11.09	32.78
AV	11.96862G	45.25	54.00	-8.75	27.90	3	Vertical	51	1.67	-	39.04	11.10	32.79
PK	17.95945G	61.51	74.00	-12.49	31.16	3	Vertical	89	1.12	-	48.30	13.44	31.39
AV	17.9598G	48.28	54.00	-5.72	17.92	3	Vertical	89	1.12	-	48.31	13.44	31.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97267G	56.88	74.00	-17.12	39.52	3	Horizontal	166	2.81	-	39.05	11.10	32.79
AV	11.96939G	46.36	54.00	-7.64	29.01	3	Horizontal	166	2.81	-	39.04	11.10	32.79
PK	17.95812G	62.42	74.00	-11.58	32.11	3	Horizontal	137	1.82	-	48.26	13.44	31.39
AV	17.95851G	48.91	54.00	-5.09	18.59	3	Horizontal	137	1.82	-	48.27	13.44	31.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93885G	54.25	83.54	-29.29	45.11	1	Vertical	111	1.47	-	38.88	17.38	47.12
AV	23.94895G	42.65	63.54	-20.89	33.49	1	Vertical	111	1.47	-	38.90	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

5985MHz_TX




EUT_X_1TX
Setting 21.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94948G	54.91	83.54	-28.63	45.75	1	Horizontal	119	1.63	-	38.90	17.38	47.12
AV	23.93651G	42.72	63.54	-20.82	33.59	1	Horizontal	119	1.63	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	75.15	88.20	-13.05	67.55	3	Vertical	300	2.91	-	32.40	7.64	32.44
PK	6.0794G	108.61	Inf	-Inf	100.80	3	Vertical	300	2.91	-	32.54	7.70	32.43
AV	5.9242G	65.87	68.20	-2.33	58.27	3	Vertical	300	2.91	-	32.40	7.64	32.44
AV	6.0954G	102.16	Inf	-Inf	94.38	3	Vertical	300	2.91	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	67.10	88.20	-21.10	59.50	3	Horizontal	71	1.80	-	32.40	7.64	32.44
RMS	5.925G	55.64	68.20	-12.56	48.04	3	Horizontal	71	1.80	-	32.40	7.64	32.44
PK	5.9858G	98.43	Inf	-Inf	90.73	3	Horizontal	71	1.80	-	32.47	7.67	32.44
RMS	6.013G	87.56	Inf	-Inf	79.79	3	Horizontal	71	1.80	-	32.53	7.68	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05526G	58.55	74.00	-15.45	40.83	3	Vertical	291	1.64	-	39.30	11.14	32.72
AV	12.04868G	46.53	54.00	-7.47	28.83	3	Vertical	291	1.64	-	39.29	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05422G	59.63	74.00	-14.37	41.91	3	Horizontal	331	2.11	-	39.30	11.14	32.72
AV	12.05245G	46.72	54.00	-7.28	29.00	3	Horizontal	331	2.11	-	39.30	11.14	32.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07621G	55.77	83.54	-27.77	52.45	1	Vertical	226	1.79	-	37.50	15.30	49.48
AV	18.08388G	42.45	63.54	-21.09	39.09	1	Vertical	226	1.79	-	37.54	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07612G	55.74	83.54	-27.80	52.42	1	Horizontal	94	1.85	-	37.50	15.30	49.48
AV	18.08054G	42.36	63.54	-21.18	39.02	1	Horizontal	94	1.85	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	75.24	88.20	-12.96	67.65	3	Vertical	300	2.91	-	32.40	7.63	32.44
RMS	5.925G	64.73	68.20	-3.47	57.13	3	Vertical	300	2.91	-	32.40	7.64	32.44
PK	6.0858G	108.75	Inf	-Inf	100.95	3	Vertical	300	2.91	-	32.53	7.70	32.43
RMS	6.0842G	102.47	Inf	-Inf	94.67	3	Vertical	300	2.91	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.75	88.20	-20.45	60.15	3	Horizontal	69	1.80	-	32.40	7.64	32.44
RMS	5.9234G	54.75	68.20	-13.45	47.15	3	Horizontal	69	1.80	-	32.40	7.64	32.44
PK	5.9818G	99.68	Inf	-Inf	91.99	3	Horizontal	69	1.80	-	32.46	7.67	32.44
RMS	5.9714G	87.68	Inf	-Inf	80.01	3	Horizontal	69	1.80	-	32.44	7.67	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05024G	58.22	74.00	-15.78	40.51	3	Vertical	115	2.90	-	39.30	11.14	32.73
AV	12.05098G	46.14	54.00	-7.86	28.43	3	Vertical	115	2.90	-	39.30	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05026G	58.45	74.00	-15.55	40.74	3	Horizontal	252	2.87	-	39.30	11.14	32.73
AV	12.05035G	46.61	54.00	-7.39	28.90	3	Horizontal	252	2.87	-	39.30	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0732G	53.85	83.54	-29.69	50.54	1	Vertical	235	2.87	-	37.49	15.30	49.48
AV	18.08875G	40.91	63.54	-22.63	37.54	1	Vertical	235	2.87	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08198G	53.74	83.54	-29.80	50.39	1	Horizontal	246	1.25	-	37.53	15.30	49.48
AV	18.06281G	40.66	63.54	-22.88	37.38	1	Horizontal	246	1.25	-	37.45	15.30	49.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	78.55	88.20	-9.65	71.82	3	Vertical	303	2.95	-	34.20	8.11	35.58
RMS	5.925G	66.60	68.20	-1.60	59.87	3	Vertical	303	2.95	-	34.20	8.11	35.58
PK	6.1546G	107.55	Inf	-Inf	100.44	3	Vertical	303	2.95	-	34.21	8.21	35.31
RMS	6.1666G	96.86	Inf	-Inf	89.70	3	Vertical	303	2.95	-	34.23	8.21	35.28

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
05-R-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	73.34	88.20	-14.86	66.61	3	Horizontal	72	1.80	-	34.20	8.11	35.58
RMS	5.9242G	61.71	68.20	-6.49	54.98	3	Horizontal	72	1.80	-	34.20	8.11	35.58
PK	6.0298G	100.32	Inf	-Inf	93.60	3	Horizontal	72	1.80	-	34.10	8.17	35.55
RMS	6.029G	89.19	Inf	-Inf	82.47	3	Horizontal	72	1.80	-	34.10	8.17	35.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20532G	54.59	74.00	-19.41	69.85	3	Vertical	327	1.84	-	39.10	11.20	65.56
AV	12.21555G	42.72	54.00	-11.28	57.97	3	Vertical	327	1.84	-	39.10	11.20	65.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22212G	54.40	74.00	-19.60	69.64	3	Horizontal	28	2.13	-	39.10	11.20	65.54
AV	12.22251G	42.69	54.00	-11.31	57.93	3	Horizontal	28	2.13	-	39.10	11.20	65.54

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32409G	53.91	83.54	-29.63	50.73	1	Vertical	341	2.19	-	37.50	15.28	49.60
AV	18.32025G	42.70	63.54	-20.84	39.51	1	Vertical	341	2.19	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31779G	54.02	83.54	-29.52	50.83	1	Horizontal	296	1.34	-	37.50	15.28	49.59
AV	18.32886G	42.65	63.54	-20.89	39.47	1	Horizontal	296	1.34	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUTX_1TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.30	88.20	-7.90	72.70	3	Vertical	297	2.95	-	32.40	7.64	32.44
RMS	5.9214G	64.12	68.20	-4.08	56.52	3	Vertical	297	2.95	-	32.40	7.64	32.44
PK	6.1158G	109.16	Inf	-Inf	101.33	3	Vertical	297	2.95	-	32.56	7.70	32.43
RMS	6.1122G	96.90	Inf	-Inf	89.08	3	Vertical	297	2.95	-	32.55	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	73.25	88.20	-14.95	65.65	3	Horizontal	71	1.80	-	32.40	7.64	32.44
RMS	5.9244G	57.91	68.20	-10.29	50.31	3	Horizontal	71	1.80	-	32.40	7.64	32.44
PK	6.0804G	99.88	Inf	-Inf	92.07	3	Horizontal	71	1.80	-	32.54	7.70	32.43
RMS	6.0948G	88.42	Inf	-Inf	80.64	3	Horizontal	71	1.80	-	32.51	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21224G	57.18	74.00	-16.82	39.37	3	Vertical	348	1.41	-	39.10	11.20	32.49
AV	12.21033G	45.87	54.00	-8.13	28.07	3	Vertical	348	1.41	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21192G	57.11	74.00	-16.89	39.30	3	Horizontal	107	2.76	-	39.10	11.20	32.49
AV	12.2086G	45.77	54.00	-8.23	27.97	3	Horizontal	107	2.76	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31224G	55.79	83.54	-27.75	52.60	1	Vertical	59	1.40	-	37.50	15.28	49.59
AV	18.30708G	42.28	63.54	-21.26	39.09	1	Vertical	59	1.40	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX




EUT_X_1TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31428G	55.18	83.54	-28.36	51.99	1	Horizontal	324	1.83	-	37.50	15.28	49.59
AV	18.30342G	42.43	63.54	-21.11	39.24	1	Horizontal	324	1.83	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	75.25	88.20	-12.95	67.65	3	Vertical	299	3.00	-	32.40	7.64	32.44
RMS	5.9244G	63.48	68.20	-4.72	55.88	3	Vertical	299	3.00	-	32.40	7.64	32.44
PK	6.081G	107.52	Inf	-Inf	99.71	3	Vertical	299	3.00	-	32.54	7.70	32.43
RMS	6.0864G	96.97	Inf	-Inf	89.17	3	Vertical	299	3.00	-	32.53	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	68.77	88.20	-19.43	61.17	3	Horizontal	62	1.80	-	32.40	7.64	32.44
RMS	5.925G	57.25	68.20	-10.95	49.65	3	Horizontal	62	1.80	-	32.40	7.64	32.44
PK	6.027G	98.59	Inf	-Inf	90.79	3	Horizontal	62	1.80	-	32.55	7.69	32.44
RMS	6.0198G	87.98	Inf	-Inf	80.20	3	Horizontal	62	1.80	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21188G	58.15	74.00	-15.85	41.34	3	Vertical	237	1.21	-	38.90	11.14	33.23
AV	12.20879G	45.69	54.00	-8.31	28.88	3	Vertical	237	1.21	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20955G	57.60	74.00	-16.40	40.79	3	Horizontal	337	1.18	-	38.90	11.14	33.23
AV	12.21183G	45.72	54.00	-8.28	28.91	3	Horizontal	337	1.18	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30675G	55.01	83.54	-28.53	51.82	1	Vertical	198	1.89	-	37.50	15.28	49.59
AV	18.32523G	42.28	63.54	-21.26	39.10	1	Vertical	198	1.89	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_X_1TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32847G	55.66	83.54	-27.88	52.48	1	Horizontal	191	2.10	-	37.50	15.28	49.60
AV	18.31866G	42.29	63.54	-21.25	39.10	1	Horizontal	191	2.10	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9235G	83.36	88.20	-4.84	75.76	3	Vertical	298	1.10	-	32.40	7.64	32.44
RMS	5.9245G	67.80	68.20	-0.40	60.20	3	Vertical	298	1.10	-	32.40	7.64	32.44
PK	6.0065G	114.06	Inf	-Inf	106.31	3	Vertical	298	1.10	-	32.51	7.68	32.44
RMS	6.0065G	102.78	Inf	-Inf	95.03	3	Vertical	298	1.10	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	80.00	88.20	-8.20	72.40	3	Horizontal	66	1.80	-	32.40	7.64	32.44
RMS	5.924G	66.91	68.20	-1.29	59.31	3	Horizontal	66	1.80	-	32.40	7.64	32.44
PK	6.018G	113.38	Inf	-Inf	105.60	3	Horizontal	66	1.80	-	32.54	7.68	32.44
RMS	6.001G	101.80	Inf	-Inf	94.06	3	Horizontal	66	1.80	-	32.50	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96895G	56.48	74.00	-17.52	39.13	3	Vertical	212	2.17	-	39.04	11.10	32.79
AV	11.9689G	45.61	54.00	-8.39	28.26	3	Vertical	212	2.17	-	39.04	11.10	32.79
PK	17.95125G	61.58	74.00	-12.42	31.51	3	Vertical	39	1.00	-	48.04	13.43	31.40
AV	17.95752G	48.79	54.00	-5.21	18.50	3	Vertical	39	1.00	-	48.24	13.44	31.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9812G	56.69	74.00	-17.31	39.31	3	Horizontal	207	1.79	-	39.06	11.11	32.79
AV	11.96898G	45.52	54.00	-8.48	28.17	3	Horizontal	207	1.79	-	39.04	11.10	32.79
PK	17.9542G	61.83	74.00	-12.17	31.66	3	Horizontal	152	1.20	-	48.13	13.44	31.40
AV	17.95885G	48.79	54.00	-5.21	18.46	3	Horizontal	152	1.20	-	48.28	13.44	31.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94136G	53.52	83.54	-30.02	44.38	1	Vertical	308	1.55	-	38.88	17.38	47.12
AV	23.94981G	41.64	63.54	-21.90	32.48	1	Vertical	308	1.55	-	38.90	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 20.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.942G	54.12	83.54	-29.42	44.98	1	Horizontal	243	1.99	-	38.88	17.38	47.12
AV	23.93786G	42.58	63.54	-20.96	33.44	1	Horizontal	243	1.99	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	78.96	88.20	-9.24	71.36	3	Vertical	297	1.06	-	32.40	7.64	32.44
RMS	5.925G	66.15	68.20	-2.05	58.55	3	Vertical	297	1.06	-	32.40	7.64	32.44
PK	6.0866G	111.46	Inf	-Inf	103.66	3	Vertical	297	1.06	-	32.53	7.70	32.43
RMS	6.0466G	99.46	Inf	-Inf	91.61	3	Vertical	297	1.06	-	32.59	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	77.93	88.20	-10.27	70.33	3	Horizontal	69	1.80	-	32.40	7.64	32.44
RMS	5.9226G	65.53	68.20	-2.67	57.93	3	Horizontal	69	1.80	-	32.40	7.64	32.44
PK	5.9994G	107.46	Inf	-Inf	99.72	3	Horizontal	69	1.80	-	32.50	7.68	32.44
RMS	6.001G	97.52	Inf	-Inf	89.78	3	Horizontal	69	1.80	-	32.50	7.68	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04736G	57.58	74.00	-16.42	39.88	3	Vertical	226	1.48	-	39.29	11.14	32.73
AV	12.04552G	46.33	54.00	-7.67	28.64	3	Vertical	226	1.48	-	39.28	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04856G	57.85	74.00	-16.15	40.15	3	Horizontal	247	1.64	-	39.29	11.14	32.73			
AV	12.04622G	46.42	54.00	-7.58	28.73	3	Horizontal	247	1.64	-	39.28	11.14	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08365G	55.85	83.54	-27.69	52.50	1	Vertical	153	1.75	-	37.53	15.30	49.48
AV	18.08345G	42.72	63.54	-20.82	39.37	1	Vertical	153	1.75	-	37.53	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 20
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07256G	55.85	83.54	-27.69	52.53	1	Horizontal	331	1.79	-	37.49	15.30	49.47
AV	18.07688G	42.55	63.54	-20.99	39.22	1	Horizontal	331	1.79	-	37.51	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.84	88.20	-9.36	71.24	3	Vertical	298	1.08	-	32.40	7.64	32.44
RMS	5.925G	65.81	68.20	-2.39	58.21	3	Vertical	298	1.08	-	32.40	7.64	32.44
PK	6.069G	111.00	Inf	-Inf	103.18	3	Vertical	298	1.08	-	32.56	7.69	32.43
RMS	6.0274G	100.12	Inf	-Inf	92.32	3	Vertical	298	1.08	-	32.55	7.69	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	76.79	88.20	-11.41	69.19	3	Horizontal	59	1.80	-	32.40	7.64	32.44
RMS	5.9242G	65.44	68.20	-2.76	57.84	3	Horizontal	59	1.80	-	32.40	7.64	32.44
PK	6.041G	110.50	Inf	-Inf	102.67	3	Horizontal	59	1.80	-	32.58	7.69	32.44
RMS	6.061G	100.27	Inf	-Inf	92.43	3	Horizontal	59	1.80	-	32.58	7.69	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04885G	57.86	74.00	-16.14	40.15	3	Vertical	148	2.41	-	39.30	11.14	32.73
AV	12.05262G	46.25	54.00	-7.75	28.53	3	Vertical	148	2.41	-	39.30	11.14	32.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05145G	57.63	74.00	-16.37	39.92	3	Horizontal	311	2.54	-	39.30	11.14	32.73
AV	12.05062G	46.25	54.00	-7.75	28.54	3	Horizontal	311	2.54	-	39.30	11.14	32.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08852G	55.85	83.54	-27.69	52.48	1	Vertical	342	2.70	-	37.55	15.30	49.48
AV	18.08865G	42.76	63.54	-20.78	39.39	1	Vertical	342	2.70	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 20.5
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08463G	55.64	83.54	-27.90	52.28	1	Horizontal	242	2.03	-	37.54	15.30	49.48
AV	18.06552G	42.45	63.54	-21.09	39.16	1	Horizontal	242	2.03	-	37.46	15.30	49.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	77.96	88.20	-10.24	71.23	3	Vertical	307	1.09	-	34.20	8.11	35.58
RMS	5.9244G	67.29	68.20	-0.91	60.56	3	Vertical	307	1.09	-	34.20	8.11	35.58
PK	6.0858G	107.94	Inf	-Inf	101.09	3	Vertical	307	1.09	-	34.10	8.19	35.44
RMS	6.027G	97.97	Inf	-Inf	91.26	3	Vertical	307	1.09	-	34.10	8.17	35.56

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	76.32	88.20	-11.88	69.59	3	Horizontal	60	1.80	-	34.20	8.11	35.58
RMS	5.925G	64.53	68.20	-3.67	57.80	3	Horizontal	60	1.80	-	34.20	8.11	35.58
PK	6.2358G	106.15	Inf	-Inf	98.61	3	Horizontal	60	1.80	-	34.44	8.25	35.15
RMS	6.2388G	95.87	Inf	-Inf	88.30	3	Horizontal	60	1.80	-	34.46	8.25	35.14

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21002G	57.22	74.00	-16.78	40.41	3	Vertical	35	2.47	-	38.90	11.14	33.23
AV	12.20952G	45.78	54.00	-8.22	28.97	3	Vertical	35	2.47	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21243G	57.13	74.00	-16.87	40.31	3	Horizontal	10	2.20	-	38.90	11.14	33.22
AV	12.21112G	45.71	54.00	-8.29	28.90	3	Horizontal	10	2.20	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30726G	55.49	83.54	-28.05	52.30	1	Vertical	126	1.29	-	37.50	15.28	49.59
AV	18.30777G	42.43	63.54	-21.11	39.24	1	Vertical	126	1.29	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32154G	55.25	83.54	-28.29	52.06	1	Horizontal	313	1.85	-	37.50	15.28	49.59
AV	18.30666G	42.47	63.54	-21.07	39.28	1	Horizontal	313	1.85	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9196G	80.78	88.20	-7.42	73.18	3	Vertical	311	1.80	-	32.40	7.64	32.44
RMS	5.9226G	66.61	68.20	-1.59	59.01	3	Vertical	311	1.80	-	32.40	7.64	32.44
PK	6.1422G	109.29	Inf	-Inf	101.33	3	Vertical	311	1.80	-	32.67	7.71	32.42
RMS	6.0222G	98.26	Inf	-Inf	90.48	3	Vertical	311	1.80	-	32.54	7.68	32.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	80.86	88.20	-7.34	73.26	3	Horizontal	64	1.80	-	32.40	7.64	32.44
RMS	5.9238G	65.31	68.20	-2.89	57.71	3	Horizontal	64	1.80	-	32.40	7.64	32.44
PK	6.081G	107.77	Inf	-Inf	99.96	3	Horizontal	64	1.80	-	32.54	7.70	32.43
RMS	6.0822G	97.27	Inf	-Inf	89.46	3	Horizontal	64	1.80	-	32.54	7.70	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20997G	57.69	74.00	-16.31	39.89	3	Vertical	297	2.27	-	39.10	11.20	32.50
AV	12.20986G	45.62	54.00	-8.38	27.82	3	Vertical	297	2.27	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21026G	56.98	74.00	-17.02	39.18	3	Horizontal	203	2.18	-	39.10	11.20	32.50
AV	12.2076G	45.60	54.00	-8.40	27.80	3	Horizontal	203	2.18	-	39.10	11.20	32.50

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30444G	52.62	83.54	-30.92	49.43	1	Vertical	99	2.12	-	37.50	15.28	49.59
AV	18.32022G	42.46	63.54	-21.08	39.27	1	Vertical	99	2.12	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32442G	53.47	83.54	-30.07	50.29	1	Horizontal	16	2.11	-	37.50	15.28	49.60
AV	18.30633G	42.44	63.54	-21.10	39.25	1	Horizontal	16	2.11	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	75.50	88.20	-12.70	68.77	3	Vertical	299	1.09	-	34.20	8.11	35.58
RMS	5.925G	62.17	68.20	-6.03	55.44	3	Vertical	299	1.09	-	34.20	8.11	35.58
PK	6.0474G	109.92	Inf	-Inf	103.17	3	Vertical	299	1.09	-	34.10	8.17	35.52
RMS	6.048G	98.86	Inf	-Inf	92.11	3	Vertical	299	1.09	-	34.10	8.17	35.52

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	71.65	88.20	-16.55	64.92	3	Horizontal	58	1.80	-	34.20	8.11	35.58
RMS	5.9244G	60.72	68.20	-7.48	53.99	3	Horizontal	58	1.80	-	34.20	8.11	35.58
PK	6.0606G	108.15	Inf	-Inf	101.36	3	Horizontal	58	1.80	-	34.10	8.18	35.49
RMS	6.0408G	97.37	Inf	-Inf	90.63	3	Horizontal	58	1.80	-	34.10	8.17	35.53

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21188G	56.98	74.00	-17.02	40.17	3	Vertical	301	1.50	-	38.90	11.14	33.23
AV	12.20824G	45.60	54.00	-8.40	28.79	3	Vertical	301	1.50	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21007G	57.20	74.00	-16.80	40.39	3	Horizontal	107	1.71	-	38.90	11.14	33.23
AV	12.20889G	45.77	54.00	-8.23	28.96	3	Horizontal	107	1.71	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30426G	58.81	83.54	-24.73	55.62	1	Vertical	277	1.73	-	37.50	15.28	49.59
AV	18.30057G	45.02	63.54	-18.52	41.82	1	Vertical	277	1.73	-	37.50	15.28	49.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31161G	58.53	83.54	-25.01	55.34	1	Horizontal	42	1.63	-	37.50	15.28	49.59
AV	18.30078G	45.98	63.54	-17.56	42.78	1	Horizontal	42	1.63	-	37.50	15.28	49.58

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	81.39	88.20	-6.81	73.79	3	Vertical	296	1.24	-	32.40	7.64	32.44
RMS	5.9245G	67.84	68.20	-0.36	60.24	3	Vertical	296	1.24	-	32.40	7.64	32.44
PK	6.0045G	117.22	Inf	-Inf	109.47	3	Vertical	296	1.24	-	32.51	7.68	32.44
RMS	6.004G	107.13	Inf	-Inf	99.38	3	Vertical	296	1.24	-	32.51	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	73.43	88.20	-14.77	65.84	3	Horizontal	293	2.71	-	32.40	7.63	32.44
RMS	5.909G	58.96	68.20	-9.24	51.37	3	Horizontal	293	2.71	-	32.40	7.63	32.44
PK	6.0085G	110.21	Inf	-Inf	102.45	3	Horizontal	293	2.71	-	32.52	7.68	32.44
RMS	6.009G	101.13	Inf	-Inf	93.37	3	Horizontal	293	2.71	-	32.52	7.68	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-1-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.056G	60.12	74.00	-13.88	42.40	3	Vertical	135	1.67	-	39.30	11.14	32.72
AV	12.0534G	48.25	54.00	-5.75	30.53	3	Vertical	135	1.67	-	39.30	11.14	32.72
PK	17.9675G	63.36	74.00	-10.64	32.75	3	Vertical	152	2.91	-	48.56	13.44	31.39
AV	17.96966G	51.42	54.00	-2.58	20.73	3	Vertical	152	2.91	-	48.63	13.44	31.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9626G	59.26	74.00	-14.74	41.91	3	Horizontal	280	3.00	-	39.03	11.10	32.78
AV	11.98072G	47.02	54.00	-6.98	29.64	3	Horizontal	280	3.00	-	39.06	11.11	32.79
PK	17.94456G	64.32	74.00	-9.68	34.41	3	Horizontal	324	2.14	-	47.88	13.43	31.40
AV	17.96955G	51.52	54.00	-2.48	20.83	3	Horizontal	324	2.14	-	48.63	13.44	31.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93021G	54.65	83.54	-28.89	45.53	1	Vertical	243	2.07	-	38.86	17.38	47.12
AV	23.9333G	42.28	63.54	-21.26	33.15	1	Vertical	243	2.07	-	38.87	17.38	47.12

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93655G	55.25	83.54	-28.29	46.12	1	Horizontal	200	2.80	-	38.87	17.38	47.12
AV	23.93776G	42.24	63.54	-21.30	33.10	1	Horizontal	200	2.80	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	77.69	88.20	-10.51	69.30	3	Vertical	294	1.80	-	32.55	7.44	31.60
RMS	5.925G	66.56	68.20	-1.64	58.17	3	Vertical	294	1.80	-	32.55	7.44	31.60
PK	6.0858G	113.91	Inf	-Inf	105.19	3	Vertical	294	1.80	-	32.60	7.54	31.42
RMS	6.0866G	103.59	Inf	-Inf	94.87	3	Vertical	294	1.80	-	32.60	7.54	31.42

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	76.64	88.20	-11.56	68.25	3	Horizontal	61	1.80	-	32.55	7.44	31.60
RMS	5.9218G	65.03	68.20	-3.17	56.65	3	Horizontal	61	1.80	-	32.54	7.44	31.60
PK	6.0138G	111.90	Inf	-Inf	103.47	3	Horizontal	61	1.80	-	32.53	7.48	31.58
RMS	6.0218G	102.19	Inf	-Inf	93.72	3	Horizontal	61	1.80	-	32.54	7.49	31.56

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04758G	60.51	74.00	-13.49	43.42	3	Vertical	25	1.07	-	39.20	10.83	32.94
AV	12.05821G	47.66	54.00	-6.34	30.53	3	Vertical	25	1.07	-	39.22	10.84	32.93

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06232G	60.85	74.00	-13.15	43.72	3	Horizontal	66	1.48	-	39.22	10.84	32.93
AV	12.06215G	48.55	54.00	-5.45	31.42	3	Horizontal	66	1.48	-	39.22	10.84	32.93

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0628G	47.75	83.54	-35.79	44.47	1	Vertical	346	2.60	-	37.45	15.30	49.47
AV	18.08326G	35.33	63.54	-28.21	31.98	1	Vertical	346	2.60	-	37.53	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 19
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06087G	47.52	83.54	-36.02	44.25	1	Horizontal	351	1.18	-	37.44	15.30	49.47
AV	18.08395G	35.47	63.54	-28.07	32.11	1	Horizontal	351	1.18	-	37.54	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT X_4TX
Setting 19.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	80.20	88.20	-8.00	71.85	3	Vertical	294	1.80	-	32.52	7.43	31.60
RMS	5.925G	66.97	68.20	-1.23	58.58	3	Vertical	294	1.80	-	32.55	7.44	31.60
PK	6.0858G	113.63	Inf	-Inf	104.91	3	Vertical	294	1.80	-	32.60	7.54	31.42
RMS	6.0858G	104.26	Inf	-Inf	95.54	3	Vertical	294	1.80	-	32.60	7.54	31.42

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT X_4TX
Setting 19.5
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	81.12	88.20	-7.08	72.77	3	Horizontal	59	1.80	-	32.52	7.43	31.60
RMS	5.9218G	64.31	68.20	-3.89	55.93	3	Horizontal	59	1.80	-	32.54	7.44	31.60
PK	6.0426G	113.05	Inf	-Inf	104.48	3	Horizontal	59	1.80	-	32.59	7.50	31.52
RMS	6.0418G	103.26	Inf	-Inf	94.70	3	Horizontal	59	1.80	-	32.58	7.50	31.52

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06532G	59.35	74.00	-14.65	42.21	3	Vertical	144	1.63	-	39.23	10.84	32.93
AV	12.05625G	48.62	54.00	-5.38	31.51	3	Vertical	144	1.63	-	39.21	10.84	32.94

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05552G	59.64	74.00	-14.36	42.53	3	Horizontal	222	2.67	-	39.21	10.84	32.94
AV	12.05475G	48.85	54.00	-5.15	31.75	3	Horizontal	222	2.67	-	39.21	10.83	32.94

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08625G	47.52	83.54	-36.02	44.15	1	Vertical	65	1.75	-	37.55	15.30	49.48
AV	18.08875G	35.24	63.54	-28.30	31.87	1	Vertical	65	1.75	-	37.55	15.30	49.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08152G	47.65	83.54	-35.89	44.30	1	Horizontal	329	1.34	-	37.53	15.30	49.48
AV	18.08284G	35.54	63.54	-28.00	32.19	1	Horizontal	329	1.34	-	37.53	15.30	49.48

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.26	88.20	-8.94	72.53	3	Vertical	307	1.08	-	34.20	8.11	35.58
RMS	5.925G	67.43	68.20	-0.77	60.70	3	Vertical	307	1.08	-	34.20	8.11	35.58
PK	6.0486G	108.05	Inf	-Inf	101.29	3	Vertical	307	1.08	-	34.10	8.17	35.51
RMS	6.0468G	98.09	Inf	-Inf	91.34	3	Vertical	307	1.08	-	34.10	8.17	35.52

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	76.16	88.20	-12.04	69.43	3	Horizontal	55	1.80	-	34.20	8.10	35.57
RMS	5.9238G	65.53	68.20	-2.67	58.80	3	Horizontal	55	1.80	-	34.20	8.11	35.58
PK	6.1626G	106.76	Inf	-Inf	99.61	3	Horizontal	55	1.80	-	34.23	8.21	35.29
RMS	6.2586G	96.95	Inf	-Inf	89.26	3	Horizontal	55	1.80	-	34.52	8.27	35.10

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21118G	57.47	74.00	-16.53	40.66	3	Vertical	273	2.52	-	38.90	11.14	33.23
AV	12.2068G	45.75	54.00	-8.25	28.94	3	Vertical	273	2.52	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20746G	57.13	74.00	-16.87	40.32	3	Horizontal	286	2.89	-	38.90	11.14	33.23
AV	12.21214G	45.64	54.00	-8.36	28.83	3	Horizontal	286	2.89	-	38.90	11.14	33.23

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX



EUT_X_4TX
Setting 20
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30657G	52.45	83.54	-31.09	49.26	1	Vertical	182	1.76	-	37.50	15.28	49.59
AV	18.30009G	42.54	63.54	-21.00	39.34	1	Vertical	182	1.76	-	37.50	15.28	49.58