


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.03894G	52.95	83.54	-30.59	49.26	1	Horizontal	292	1.80	24	37.72	15.23	49.26
AV	20.04093G	38.11	63.54	-25.43	34.42	1	Horizontal	292	1.80	24	37.72	15.23	49.26

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6664G	62.71	88.20	-25.49	44.71	3	Vertical	1	1.80	24	40.77	9.51	32.28
RMS	13.70528G	49.02	68.20	-19.18	30.85	3	Vertical	1	1.80	24	40.92	9.53	32.28

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69448G	62.59	88.20	-25.61	44.46	3	Horizontal	236	1.80	24	40.88	9.53	32.28
RMS	13.70488G	48.98	68.20	-19.22	30.81	3	Horizontal	236	1.80	24	40.92	9.53	32.28

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53612G	47.13	83.54	-36.41	42.80	1	Vertical	288	1.79	24	37.82	15.63	49.12
AV	20.53716G	33.84	63.54	-29.70	29.51	1	Vertical	288	1.79	24	37.82	15.63	49.12

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52261G	49.76	83.54	-33.78	45.53	1	Horizontal	303	1.57	24	37.74	15.62	49.13
AV	20.54059G	36.43	63.54	-27.11	32.08	1	Horizontal	303	1.57	24	37.84	15.63	49.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22  
24\16\20\22  
-10.51\20.53\11.68\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.74	88.20	-7.46	71.93	3	Vertical	299	1.10	22	34.20	5.77	31.16
RMS	5.925G	68.11	68.20	-0.09	59.30	3	Vertical	299	1.10	22	34.20	5.77	31.16
PK	6.0042G	112.96	Inf	-Inf	104.00	3	Vertical	299	1.10	22	34.30	5.85	31.19
RMS	6.0062G	100.29	Inf	-Inf	91.33	3	Vertical	299	1.10	22	34.30	5.85	31.19

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.27	88.20	-7.93	71.46	3	Horizontal	57	2.19	22	34.20	5.76	31.15
RMS	5.9238G	66.11	68.20	-2.09	57.29	3	Horizontal	57	2.19	22	34.20	5.77	31.15
PK	6.0022G	112.96	Inf	-Inf	104.00	3	Horizontal	57	2.19	22	34.30	5.85	31.19
RMS	6.0006G	99.89	Inf	-Inf	90.93	3	Horizontal	57	2.19	22	34.30	5.85	31.19

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9666G	54.38	74.00	-19.62	49.26	3	Vertical	220	1.80	-	39.30	8.73	42.91
AV	11.96581G	39.44	54.00	-14.56	34.32	3	Vertical	220	1.80	-	39.30	8.73	42.91
PK	17.95782G	63.65	74.00	-10.35	46.71	3	Vertical	17	1.03	-	46.78	11.64	41.48
AV	17.95999G	49.79	54.00	-4.21	32.85	3	Vertical	17	1.03	-	46.78	11.64	41.48



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96722G	53.87	74.00	-20.13	48.75	3	Horizontal	266	1.17	-	39.30	8.73	42.91
AV	11.96543G	39.45	54.00	-14.55	34.33	3	Horizontal	266	1.17	-	39.30	8.73	42.91
PK	17.95098G	63.68	74.00	-10.32	46.73	3	Horizontal	66	1.64	-	46.80	11.64	41.49
AV	17.95906G	49.79	54.00	-4.21	32.85	3	Horizontal	66	1.64	-	46.78	11.64	41.48

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94867G	53.82	83.54	-29.72	44.66	1	Vertical	179	2.82	-	38.90	17.38	47.12			
AV	23.9541G	39.99	63.54	-23.55	30.79	1	Vertical	179	2.82	-	38.92	17.39	47.11			

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94864G	53.91	74.00	-20.09	44.75	1	Horizontal	101	1.55	-	38.90	17.38	47.12
AV	23.95407G	39.99	54.00	-14.01	30.79	1	Horizontal	101	1.55	-	38.92	17.39	47.11

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44984G	59.51	74.00	-14.49	43.06	3	Vertical	357	2.95	24	38.80	8.95	31.30
AV	12.46056G	45.54	54.00	-8.46	29.11	3	Vertical	357	2.95	24	38.78	8.95	31.30

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42888G	58.99	74.00	-15.01	42.55	3	Horizontal	12	1.80	24	38.80	8.94	31.30
AV	12.45976G	45.55	54.00	-8.45	29.12	3	Horizontal	12	1.80	24	38.78	8.95	31.30

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66205G	46.65	83.54	-36.89	43.20	1	Vertical	5	1.80	24	37.75	15.27	49.57
AV	18.6595G	32.41	63.54	-31.13	28.95	1	Vertical	5	1.80	24	37.76	15.27	49.57

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.63776G	46.74	83.54	-36.80	43.28	1	Horizontal	37	1.81	24	37.78	15.27	49.59
AV	18.65518G	32.90	63.54	-30.64	29.42	1	Horizontal	37	1.81	24	37.78	15.27	49.57

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84728G	58.68	88.20	-29.52	42.15	3	Vertical	323	1.80	24	38.99	9.13	31.59
RMS	12.84904G	44.88	68.20	-23.32	28.34	3	Vertical	323	1.80	24	39.00	9.13	31.59



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83128G	58.82	88.20	-29.38	42.31	3	Horizontal	55	1.06	24	38.96	9.13	31.58
RMS	12.8484G	44.95	68.20	-23.25	28.41	3	Horizontal	55	1.06	24	39.00	9.13	31.59

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12255G	45.48	83.54	-38.06	41.85	1	Vertical	334	1.80	24	37.81	15.24	49.42
AV	19.19416G	31.84	63.54	-31.70	28.11	1	Vertical	334	1.80	24	37.96	15.24	49.47

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12527G	45.61	83.54	-37.93	42.00	1	Horizontal	318	1.80	24	37.80	15.24	49.43
AV	19.18329G	32.07	63.54	-31.47	28.39	1	Horizontal	318	1.80	24	37.90	15.24	49.46

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18904G	59.98	88.20	-28.22	42.75	3	Vertical	360	1.80	24	39.86	9.29	31.92
RMS	13.18648G	45.97	68.20	-22.23	28.75	3	Vertical	360	1.80	24	39.85	9.29	31.92

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18568G	59.32	88.20	-28.88	42.11	3	Horizontal	354	1.69	24	39.84	9.29	31.92
RMS	13.17976G	45.99	68.20	-22.21	28.79	3	Horizontal	354	1.69	24	39.82	9.29	31.91

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.94805G	53.85	83.54	-29.69	50.16	1	Vertical	289	1.80	24	37.80	15.20	49.31
AV	19.92679G	39.01	63.54	-24.53	35.29	1	Vertical	289	1.80	24	37.85	15.20	49.33

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.92743G	56.27	83.54	-27.27	52.55	1	Horizontal	295	1.80	24	37.85	15.20	49.33
AV	19.94517G	41.24	63.54	-22.30	37.54	1	Horizontal	295	1.80	24	37.81	15.20	49.31

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.46472G	59.74	88.20	-28.46	42.03	3	Vertical	309	1.74	24	40.50	9.42	32.21
RMS	13.43656G	46.29	68.20	-21.91	28.61	3	Vertical	309	1.74	24	40.45	9.41	32.18



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42376G	59.70	88.20	-28.50	42.07	3	Horizontal	1	1.80	24	40.40	9.40	32.17
RMS	13.43704G	46.36	68.20	-21.84	28.68	3	Horizontal	1	1.80	24	40.45	9.41	32.18

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0712G	45.45	83.54	-38.09	41.66	1	Vertical	335	1.80	24	37.78	15.26	49.25
AV	20.05458G	32.06	63.54	-31.48	28.36	1	Vertical	335	1.80	24	37.72	15.24	49.26

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07344G	48.39	83.54	-35.15	44.59	1	Horizontal	12	1.80	24	37.79	15.26	49.25
AV	20.07744G	34.78	63.54	-28.76	30.96	1	Horizontal	12	1.80	24	37.81	15.26	49.25

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64728G	59.70	88.20	-28.50	41.77	3	Vertical	267	1.05	24	40.69	9.51	32.27
RMS	13.64808G	46.54	68.20	-21.66	28.60	3	Vertical	267	1.05	24	40.70	9.51	32.27

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.50344G	59.65	88.20	-28.55	41.95	3	Horizontal	30	1.80	24	40.51	9.44	32.25
RMS	13.57384G	46.38	68.20	-21.82	28.57	3	Horizontal	30	1.80	24	40.60	9.47	32.26

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.41062G	46.98	83.54	-36.56	42.61	1	Vertical	28	1.56	24	38.00	15.53	49.16
AV	20.4135G	33.44	63.54	-30.10	29.07	1	Vertical	28	1.56	24	38.00	15.53	49.16

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.41382G	47.99	83.54	-35.55	43.62	1	Horizontal	27	1.80	24	38.00	15.53	49.16			
AV	20.39576G	34.15	63.54	-29.39	29.79	1	Horizontal	27	1.80	24	38.01	15.52	49.17			

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22  
24\16\20\22\23\22.5\22  
-8.69\20.59\13.61\1.84\ -4.77\ -1.07\1.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.904G	79.38	88.20	-8.82	70.59	3	Vertical	296	1.08	22	34.20	5.74	31.15
RMS	5.925G	66.34	68.20	-1.86	57.53	3	Vertical	296	1.08	22	34.20	5.77	31.16
PK	6.007G	110.64	Inf	-Inf	101.68	3	Vertical	296	1.08	22	34.30	5.85	31.19
RMS	6.0065G	98.01	Inf	-Inf	89.05	3	Vertical	296	1.08	22	34.30	5.85	31.19



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	78.37	88.20	-9.83	69.56	3	Horizontal	56	1.98	22	34.20	5.76	31.15
RMS	5.923G	65.42	68.20	-2.78	56.60	3	Horizontal	56	1.98	22	34.20	5.77	31.15
PK	6.0215G	110.97	Inf	-Inf	102.01	3	Horizontal	56	1.98	22	34.30	5.86	31.20
RMS	6.022G	97.80	Inf	-Inf	88.84	3	Horizontal	56	1.98	22	34.30	5.86	31.20

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95592G	59.04	74.00	-14.96	42.37	3	Vertical	210	2.10	22	39.30	8.73	31.36
AV	11.89128G	45.28	54.00	-8.72	28.63	3	Vertical	210	2.10	22	39.42	8.70	31.47

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.99688G	59.75	74.00	-14.25	43.00	3	Horizontal	101	1.80	22	39.30	8.74	31.29
AV	11.99928G	45.20	54.00	-8.80	28.44	3	Horizontal	101	1.80	22	39.30	8.74	31.28

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.18945G	48.00	83.54	-35.54	44.60	1	Vertical	24	1.80	22	37.64	15.29	49.53
AV	18.1904G	34.02	63.54	-29.52	30.62	1	Vertical	24	1.80	22	37.64	15.29	49.53

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.1789G	46.98	83.54	-36.56	43.54	1	Horizontal	323	1.87	22	37.68	15.29	49.53
AV	18.18817G	33.61	63.54	-29.93	30.20	1	Horizontal	323	1.87	22	37.65	15.29	49.53

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.466G	58.62	74.00	-15.38	42.19	3	Vertical	347	1.71	24	38.77	8.96	31.30
AV	12.42504G	45.14	54.00	-8.86	28.70	3	Vertical	347	1.71	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.47304G	58.87	74.00	-15.13	42.46	3	Horizontal	226	1.80	24	38.75	8.96	31.30
AV	12.46376G	45.13	54.00	-8.87	28.70	3	Horizontal	226	1.80	24	38.77	8.96	31.30

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.50289G	45.57	83.54	-37.97	42.09	1	Vertical	17	1.80	24	37.89	15.27	49.68
AV	18.52847G	32.01	63.54	-31.53	28.61	1	Vertical	17	1.80	24	37.79	15.27	49.66



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.50001G	46.27	83.54	-37.27	42.78	1	Horizontal	322	1.84	24	37.90	15.27	49.68
AV	18.51696G	33.27	63.54	-30.27	29.84	1	Horizontal	322	1.84	24	37.83	15.27	49.67

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.60392G	57.90	74.00	-16.10	41.66	3	Vertical	254	2.02	24	38.61	9.02	31.39
AV	12.5812G	44.69	54.00	-9.31	28.41	3	Vertical	254	2.02	24	38.64	9.01	31.37

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.61704G	57.87	74.00	-16.13	41.61	3	Horizontal	293	1.58	24	38.63	9.03	31.40
AV	12.55336G	44.81	54.00	-9.19	28.46	3	Horizontal	293	1.58	24	38.69	9.00	31.34

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.88763G	45.54	83.54	-38.00	41.62	1	Vertical	258	1.80	24	38.08	15.26	49.42
AV	18.87676G	31.56	63.54	-31.98	27.67	1	Vertical	258	1.80	24	38.05	15.26	49.42

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.88027G	45.54	83.54	-38.00	41.64	1	Horizontal	28	1.80	24	38.06	15.26	49.42
AV	18.89082G	32.03	63.54	-31.51	28.10	1	Horizontal	28	1.80	24	38.08	15.26	49.41

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.21832G	59.47	88.20	-28.73	42.17	3	Vertical	24	2.12	24	39.94	9.31	31.95
RMS	13.17512G	45.87	68.20	-22.33	28.69	3	Vertical	24	2.12	24	39.80	9.29	31.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24808G	59.31	88.20	-28.89	52.37	3	Horizontal	36	2.71	24	40.00	9.32	42.38
RMS	13.23828G	45.90	88.20	-42.30	38.98	3	Horizontal	36	2.71	24	39.98	9.32	42.38

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.95056G	53.38	83.54	-30.16	49.69	1	Vertical	289	1.74	24	37.80	15.20	49.31
AV	19.94897G	39.83	63.54	-23.71	36.14	1	Vertical	289	1.74	24	37.80	15.20	49.31



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.96207G	56.53	83.54	-27.01	52.83	1	Horizontal	295	1.80	24	37.80	15.20	49.30
AV	19.96399G	42.56	63.54	-20.98	38.86	1	Horizontal	295	1.80	24	37.80	15.20	49.30

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5  
24\16.5\20\21.5\22\21.5  
-7.40\18.77\10.74\1.83\ -2.30\1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	79.05	88.20	-9.15	71.98	3	Vertical	314	2.95	21.5	32.40	7.64	32.97
RMS	5.9165G	66.53	68.20	-1.67	59.46	3	Vertical	314	2.95	21.5	32.40	7.64	32.97
PK	6.1945G	109.67	Inf	-Inf	102.18	3	Vertical	314	2.95	21.5	32.79	7.72	33.02
RMS	6.153G	97.17	Inf	-Inf	89.77	3	Vertical	314	2.95	21.5	32.71	7.71	33.02

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9215G	77.81	88.20	-10.39	70.74	3	Horizontal	59	1.80	21.5	32.40	7.64	32.97
RMS	5.924G	64.27	68.20	-3.93	57.20	3	Horizontal	59	1.80	21.5	32.40	7.64	32.97
PK	6.101G	106.87	Inf	-Inf	99.68	3	Horizontal	59	1.80	21.5	32.50	7.70	33.01
RMS	6.082G	95.11	Inf	-Inf	87.88	3	Horizontal	59	1.80	21.5	32.54	7.70	33.01

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2072G	53.54	74.00	-20.46	48.77	3	Vertical	324	2.43	-	38.89	8.84	42.96
AV	12.20661G	39.97	54.00	-14.03	35.20	3	Vertical	324	2.43	-	38.89	8.84	42.96

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21006G	54.16	74.00	-19.84	49.41	3	Horizontal	166	2.57	-	38.88	8.84	42.97
AV	12.20649G	39.95	54.00	-14.05	35.18	3	Horizontal	166	2.57	-	38.89	8.84	42.96

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30486G	45.72	83.54	-37.82	42.53	1	Vertical	234	1.29	-	37.50	15.28	49.59
AV	18.3144G	36.43	63.54	-27.11	33.24	1	Vertical	234	1.29	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32628G	45.38	83.54	-38.16	42.20	1	Horizontal	295	2.94	-	37.50	15.28	49.60
AV	18.31119G	33.42	63.54	-30.12	30.23	1	Horizontal	295	2.94	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46472G	59.27	74.00	-14.73	42.84	3	Vertical	12	1.80	24	38.77	8.96	31.30
AV	12.4628G	45.23	54.00	-8.77	28.80	3	Vertical	12	1.80	24	38.77	8.96	31.30



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX



EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43208G	58.58	74.00	-15.42	42.14	3	Horizontal	319	1.86	24	38.80	8.94	31.30
AV	12.4564G	45.24	54.00	-8.76	28.80	3	Horizontal	319	1.86	24	38.79	8.95	31.30

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80499G	49.46	83.54	-34.08	45.85	1	Vertical	181	1.47	-	37.82	15.26	49.47
AV	18.80901G	36.64	63.54	-26.90	33.01	1	Vertical	181	1.47	-	37.84	15.26	49.47

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79413G	49.88	83.54	-33.66	46.30	1	Horizontal	332	2.46	-	37.80	15.26	49.48
AV	18.80961G	36.66	63.54	-26.88	33.03	1	Horizontal	332	2.46	-	37.84	15.26	49.47

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	81.50	88.20	-6.70	74.43	3	Vertical	300	1.80	24	32.40	7.64	32.97
RMS	5.925G	67.55	68.20	-0.65	60.48	3	Vertical	300	1.80	24	32.40	7.64	32.97
PK	5.9568G	123.11	Inf	-Inf	116.03	3	Vertical	300	1.80	24	32.41	7.66	32.99
RMS	5.956G	111.93	Inf	-Inf	104.85	3	Vertical	300	1.80	24	32.41	7.66	32.99

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	79.99	88.20	-8.21	72.92	3	Horizontal	62	1.80	24	32.40	7.64	32.97
RMS	5.9226G	66.45	68.20	-1.75	59.38	3	Horizontal	62	1.80	24	32.40	7.64	32.97
PK	5.9526G	122.09	Inf	-Inf	115.00	3	Horizontal	62	1.80	24	32.41	7.66	32.98
RMS	5.9526G	110.89	Inf	-Inf	103.80	3	Horizontal	62	1.80	24	32.41	7.66	32.98

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90916G	58.72	74.00	-15.28	42.07	3	Vertical	315	1.05	24	39.38	8.71	31.44
AV	11.89176G	45.02	54.00	-8.98	28.37	3	Vertical	315	1.05	24	39.42	8.70	31.47

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91188G	59.26	74.00	-14.74	42.61	3	Horizontal	243	1.80	24	39.38	8.71	31.44
AV	11.89124G	44.98	54.00	-9.02	28.33	3	Horizontal	243	1.80	24	39.42	8.70	31.47

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82495G	52.26	83.54	-31.28	43.14	1	Vertical	348	1.69	-	38.95	17.35	47.18
AV	23.83395G	39.34	63.54	-24.20	30.26	1	Vertical	348	1.69	-	38.90	17.35	47.17



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83254G	52.25	83.54	-31.29	43.17	1	Horizontal	123	1.88	-	38.90	17.35	47.17
AV	23.83326G	39.33	63.54	-24.21	30.25	1	Horizontal	123	1.88	-	38.90	17.35	47.17

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3962G	58.52	74.00	-15.48	42.10	3	Vertical	250	1.60	24	38.80	8.92	31.30
AV	12.40744G	44.76	54.00	-9.24	28.33	3	Vertical	250	1.60	24	38.80	8.93	31.30

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38436G	59.06	74.00	-14.94	42.64	3	Horizontal	236	1.80	24	38.80	8.92	31.30
AV	12.39964G	44.78	54.00	-9.22	28.35	3	Horizontal	236	1.80	24	38.80	8.93	31.30

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58452G	59.53	83.54	-24.01	56.18	1	Vertical	24	1.65	24	37.70	15.27	49.62
AV	18.5842G	45.25	63.54	-18.29	41.90	1	Vertical	24	1.65	24	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58464G	61.74	83.54	-21.80	58.39	1	Horizontal	319	1.83	24	37.70	15.27	49.62
AV	18.58448G	47.87	63.54	-15.67	44.52	1	Horizontal	319	1.83	24	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81468G	58.18	88.20	-30.02	41.69	3	Vertical	239	1.80	24	38.93	9.12	31.56
RMS	12.84848G	44.35	68.20	-23.85	27.81	3	Vertical	239	1.80	24	39.00	9.13	31.59

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83176G	58.25	88.20	-29.95	41.74	3	Horizontal	24	1.66	24	38.96	9.13	31.58
RMS	12.84852G	44.29	68.20	-23.91	27.75	3	Horizontal	24	1.66	24	39.00	9.13	31.59

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23605G	58.89	83.54	-24.65	55.22	1	Vertical	34	1.80	24	37.93	15.24	49.50
AV	19.23553G	44.46	63.54	-19.08	40.79	1	Vertical	34	1.80	24	37.93	15.24	49.50



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25203G	61.26	83.54	-22.28	57.63	1	Horizontal	22	1.78	24	37.90	15.24	49.51
AV	19.25048G	46.03	63.54	-17.51	42.40	1	Horizontal	22	1.78	24	37.90	15.24	49.51

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0618G	58.86	88.20	-29.34	41.97	3	Vertical	280	2.81	24	39.45	9.23	31.79
RMS	13.06776G	45.09	68.20	-23.11	28.17	3	Vertical	280	2.81	24	39.47	9.24	31.79

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07508G	59.10	88.20	-29.10	42.16	3	Horizontal	131	1.53	24	39.50	9.24	31.80
RMS	13.05268G	45.01	68.20	-23.19	28.15	3	Horizontal	131	1.53	24	39.41	9.23	31.78

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60872G	58.01	83.54	-25.53	54.53	1	Vertical	349	1.77	24	37.85	15.22	49.59
AV	19.60828G	44.33	63.54	-19.21	40.85	1	Vertical	349	1.77	24	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61531G	59.33	83.54	-24.21	55.81	1	Horizontal	57	1.75	24	37.89	15.22	49.59
AV	19.60852G	45.57	63.54	-17.97	42.09	1	Horizontal	57	1.75	24	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40532G	59.11	88.20	-29.09	41.55	3	Vertical	333	2.39	24	40.32	9.39	32.15
RMS	13.40756G	45.41	88.20	-42.79	27.84	3	Vertical	333	2.39	24	40.33	9.39	32.15

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40952G	58.87	88.20	-29.33	41.28	3	Horizontal	18	1.80	24	40.34	9.40	32.15
RMS	13.40784G	45.43	68.20	-22.77	27.86	3	Horizontal	18	1.80	24	40.33	9.39	32.15

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10246G	64.96	83.54	-18.58	61.03	1	Vertical	348	1.44	24	37.89	15.28	49.24
AV	20.08268G	50.45	63.54	-13.09	46.60	1	Vertical	348	1.44	24	37.83	15.27	49.25



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07101G	64.86	83.54	-18.68	61.07	1	Horizontal	11	1.80	24	37.78	15.26	49.25
AV	20.08904G	50.21	63.54	-13.33	46.33	1	Horizontal	11	1.80	24	37.86	15.27	49.25

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7056G	62.68	88.20	-25.52	44.51	3	Vertical	35	1.80	24	40.92	9.53	32.28
RMS	13.69948G	48.33	68.20	-19.87	30.18	3	Vertical	35	1.80	24	40.90	9.53	32.28

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69224G	62.21	88.20	-25.99	44.09	3	Horizontal	-0	1.80	24	40.87	9.53	32.28
RMS	13.71172G	48.40	68.20	-19.80	30.19	3	Horizontal	-0	1.80	24	40.95	9.54	32.28

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57275G	63.21	83.54	-20.33	58.70	1	Vertical	40	1.81	24	37.95	15.66	49.10
AV	20.56892G	48.81	63.54	-14.73	44.31	1	Vertical	40	1.81	24	37.94	15.66	49.10

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57036G	64.29	83.54	-19.25	59.79	1	Horizontal	334	1.62	24	37.94	15.66	49.10
AV	20.56372G	48.54	63.54	-15.00	44.07	1	Horizontal	334	1.62	24	37.93	15.65	49.11

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20  
24\16\20\22\21\20.5\20  
-14.26\18.16\2.83\ -11.23\ -4.62\ -0.53\2.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	79.16	88.20	-9.04	72.09	3	Vertical	304	2.95	20	32.40	7.64	32.97
RMS	5.92G	65.22	68.20	-2.98	58.15	3	Vertical	304	2.95	20	32.40	7.64	32.97
PK	5.9794G	119.65	Inf	-Inf	112.51	3	Vertical	304	2.95	20	32.46	7.67	32.99
RMS	5.979G	108.05	Inf	-Inf	100.91	3	Vertical	304	2.95	20	32.46	7.67	32.99

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	75.85	88.20	-12.35	68.78	3	Horizontal	62	1.80	20	32.40	7.64	32.97
RMS	5.9226G	62.75	68.20	-5.45	55.68	3	Horizontal	62	1.80	20	32.40	7.64	32.97
PK	5.9836G	116.85	Inf	-Inf	109.70	3	Horizontal	62	1.80	20	32.47	7.67	32.99
RMS	5.9828G	105.76	Inf	-Inf	98.61	3	Horizontal	62	1.80	20	32.47	7.67	32.99

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93216G	58.88	74.00	-15.12	42.22	3	Vertical	207	1.80	20	39.34	8.72	31.40
AV	11.89512G	45.12	54.00	-8.88	28.47	3	Vertical	207	1.80	20	39.41	8.70	31.46
PK	17.89402G	65.74	74.00	-8.26	47.15	3	Vertical	310	1.84	20	46.76	13.42	41.59
AV	17.89982G	51.78	54.00	-2.22	33.04	3	Vertical	310	1.84	20	46.90	13.42	41.58



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91592G	58.84	74.00	-15.16	42.19	3	Horizontal	3	1.80	20	39.37	8.71	31.43
AV	11.89176G	45.11	54.00	-8.89	28.46	3	Horizontal	3	1.80	20	39.42	8.70	31.47
PK	17.89923G	65.60	74.00	-8.40	46.88	3	Horizontal	104	2.51	20	46.88	13.42	41.58
AV	17.89253G	51.79	54.00	-2.21	33.24	3	Horizontal	104	2.51	20	46.72	13.42	41.59

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85964G	51.29	83.54	-32.25	42.29	1	Vertical	77	1.79	-	38.80	17.36	47.16
AV	23.85718G	37.79	63.54	-25.75	28.79	1	Vertical	77	1.79	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8741G	51.25	83.54	-32.29	42.24	1	Horizontal	268	2.82	-	38.80	17.36	47.15
AV	23.87008G	37.80	63.54	-25.74	28.79	1	Horizontal	268	2.82	-	38.80	17.36	47.15

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43024G	59.07	74.00	-14.93	42.63	3	Vertical	271	1.80	24	38.80	8.94	31.30
AV	12.43224G	45.06	54.00	-8.94	28.62	3	Vertical	271	1.80	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37704G	58.54	74.00	-15.46	42.12	3	Horizontal	333	1.66	24	38.80	8.92	31.30
AV	12.42928G	45.03	54.00	-8.97	28.59	3	Horizontal	333	1.66	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61468G	54.35	83.54	-29.19	50.95	1	Vertical	26	1.50	24	37.73	15.27	49.60
AV	18.615G	41.12	63.54	-22.42	37.72	1	Vertical	26	1.50	24	37.73	15.27	49.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61524G	58.45	83.54	-25.09	55.05	1	Horizontal	325	1.84	24	37.73	15.27	49.60
AV	18.61452G	44.36	63.54	-19.18	40.96	1	Horizontal	325	1.84	24	37.73	15.27	49.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84048G	57.82	88.20	-30.38	41.30	3	Vertical	150	2.18	24	38.98	9.13	31.59
RMS	12.8488G	44.52	68.20	-23.68	27.98	3	Vertical	150	2.18	24	39.00	9.13	31.59



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83672G	57.45	88.20	-30.75	40.93	3	Horizontal	182	1.78	24	38.97	9.13	31.58
RMS	12.8468G	44.47	68.20	-23.73	27.94	3	Horizontal	182	1.78	24	38.99	9.13	31.59

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22443G	57.36	83.54	-26.18	53.66	1	Vertical	34	1.80	24	37.95	15.24	49.49
AV	19.22459G	42.80	63.54	-20.74	39.10	1	Vertical	34	1.80	24	37.95	15.24	49.49

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.19558G	57.42	83.54	-26.12	53.68	1	Horizontal	283	1.80	24	37.97	15.24	49.47
AV	19.21508G	43.76	63.54	-19.78	40.04	1	Horizontal	283	1.80	24	37.97	15.24	49.49

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.10584G	59.54	88.20	-28.66	42.51	3	Vertical	228	2.15	24	39.61	9.25	31.83
RMS	13.10184G	45.36	68.20	-22.84	28.34	3	Vertical	228	2.15	24	39.60	9.25	31.83

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13864G	59.48	88.20	-28.72	42.40	3	Horizontal	223	1.79	24	39.68	9.27	31.87
RMS	13.09328G	45.33	68.20	-22.87	28.33	3	Horizontal	223	1.79	24	39.57	9.25	31.82

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6998G	60.58	83.54	-22.96	57.08	1	Vertical	46	2.02	24	37.80	15.22	49.52
AV	19.6994G	45.86	63.54	-17.68	42.36	1	Vertical	46	2.02	24	37.80	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6982G	61.35	83.54	-22.19	57.84	1	Horizontal	300	1.70	24	37.81	15.22	49.52
AV	19.69756G	47.18	63.54	-16.36	43.67	1	Horizontal	300	1.70	24	37.81	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40888G	59.37	88.20	-28.83	41.78	3	Vertical	147	1.80	24	40.34	9.40	32.15
RMS	13.40088G	45.62	68.20	-22.58	28.07	3	Vertical	147	1.80	24	40.30	9.39	32.14



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40864G	58.62	88.20	-29.58	41.04	3	Horizontal	338	2.95	24	40.33	9.40	32.15
RMS	13.40432G	45.57	68.20	-22.63	28.01	3	Horizontal	338	2.95	24	40.32	9.39	32.15

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04877G	62.27	83.54	-21.27	58.59	1	Vertical	346	1.45	24	37.70	15.24	49.26
AV	20.04781G	47.08	63.54	-16.46	43.40	1	Vertical	346	1.45	24	37.70	15.24	49.26

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.02743G	61.32	83.54	-22.22	57.61	1	Horizontal	8	1.48	24	37.75	15.22	49.26
AV	20.04749G	47.12	63.54	-16.42	43.43	1	Horizontal	8	1.48	24	37.71	15.24	49.26

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7224G	62.21	88.20	-25.99	43.97	3	Vertical	103	1.05	24	40.99	9.54	32.29
RMS	13.7104G	48.52	68.20	-19.68	30.32	3	Vertical	103	1.05	24	40.94	9.54	32.28

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73G	62.92	88.20	-25.28	44.65	3	Horizontal	248	1.80	24	41.02	9.54	32.29
RMS	13.72112G	48.56	88.20	-39.64	30.33	3	Horizontal	248	1.80	24	40.98	9.54	32.29

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54091G	62.31	83.54	-21.23	57.95	1	Vertical	35	1.73	24	37.85	15.63	49.12
AV	20.54235G	47.33	63.54	-16.21	42.97	1	Vertical	35	1.73	24	37.85	15.63	49.12

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54012G	62.07	83.54	-21.47	57.72	1	Horizontal	50	1.69	24	37.84	15.63	49.12
AV	20.54051G	47.19	63.54	-16.35	42.84	1	Horizontal	50	1.69	24	37.84	15.63	49.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 20.5  
24\16\20\22\21\20.5  
-15.21\17.93\5.69\ -7.68\ -1.42\1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	77.73	88.20	-10.47	70.66	3	Vertical	303	2.95	20.5	32.40	7.64	32.97
RMS	5.9194G	66.23	68.20	-1.97	59.16	3	Vertical	303	2.95	20.5	32.40	7.64	32.97
PK	5.9982G	116.34	Inf	-Inf	109.16	3	Vertical	303	2.95	20.5	32.50	7.68	33.00
RMS	6.0186G	105.00	Inf	-Inf	97.78	3	Vertical	303	2.95	20.5	32.54	7.68	33.00



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	76.49	88.20	-11.71	69.42	3	Horizontal	60	1.80	20.5	32.40	7.64	32.97
RMS	5.9222G	64.32	68.20	-3.88	57.25	3	Horizontal	60	1.80	20.5	32.40	7.64	32.97
PK	5.983G	114.01	Inf	-Inf	106.86	3	Horizontal	60	1.80	20.5	32.47	7.67	32.99
RMS	6.0226G	102.67	Inf	-Inf	95.44	3	Horizontal	60	1.80	20.5	32.55	7.68	33.00

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91992G	58.95	74.00	-15.05	53.82	3	Vertical	190	1.80	21	39.36	8.71	42.94
AV	11.89256G	45.11	54.00	-8.89	39.96	3	Vertical	190	1.80	21	39.41	8.70	42.96
PK	17.95644G	63.74	74.00	-10.26	46.79	3	Vertical	109	1.33	-	46.79	11.64	41.48
AV	17.95897G	50.61	54.00	-3.39	33.67	3	Vertical	109	1.33	-	46.78	11.64	41.48

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91016G	59.17	74.00	-14.83	54.03	3	Horizontal	136	2.29	21	39.38	8.71	42.95
AV	11.89592G	45.09	54.00	-8.91	39.93	3	Horizontal	136	2.29	21	39.41	8.70	42.95
PK	17.95882G	65.20	74.00	-8.80	48.26	3	Horizontal	55	1.94	-	46.78	11.64	41.48
AV	17.95993G	50.61	54.00	-3.39	33.67	3	Horizontal	55	1.94	-	46.78	11.64	41.48

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9289G	54.23	83.54	-29.31	45.12	1	Vertical	116	2.90	-	38.86	17.38	47.13
AV	23.95251G	40.35	63.54	-23.19	31.16	1	Vertical	116	2.90	-	38.91	17.39	47.11

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94198G	53.46	83.54	-30.08	44.32	1	Horizontal	206	2.34	-	38.88	17.38	47.12
AV	23.9382G	40.30	63.54	-23.24	31.16	1	Horizontal	206	2.34	-	38.88	17.38	47.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45896G	58.33	74.00	-15.67	41.90	3	Vertical	31	1.80	24	38.78	8.95	31.30
AV	12.42664G	45.01	54.00	-8.99	28.57	3	Vertical	31	1.80	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42264G	58.31	74.00	-15.69	41.87	3	Horizontal	-0	1.80	24	38.80	8.94	31.30
AV	12.44504G	45.01	54.00	-8.99	28.56	3	Horizontal	-0	1.80	24	38.80	8.95	31.30

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6539G	50.09	83.54	-33.45	46.62	1	Vertical	314	1.81	24	37.78	15.27	49.58
AV	18.65518G	36.83	63.54	-26.71	33.35	1	Vertical	314	1.81	24	37.78	15.27	49.57



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.63632G	53.52	83.54	-30.02	50.07	1	Horizontal	325	1.84	24	37.77	15.27	49.59
AV	18.6547G	39.59	63.54	-23.95	36.11	1	Horizontal	325	1.84	24	37.78	15.27	49.57

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80568G	58.48	88.20	-29.72	42.02	3	Vertical	108	1.80	24	38.91	9.11	31.56
RMS	12.84584G	44.47	68.20	-23.73	27.94	3	Vertical	108	1.80	24	38.99	9.13	31.59

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80784G	57.46	88.20	-30.74	40.98	3	Horizontal	288	1.80	24	38.92	9.12	31.56
RMS	12.8484G	44.59	68.20	-23.61	28.05	3	Horizontal	288	1.80	24	39.00	9.13	31.59

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.17034G	50.74	83.54	-32.80	47.14	1	Vertical	32	1.67	24	37.82	15.24	49.46
AV	19.17226G	37.03	63.54	-26.51	33.42	1	Vertical	32	1.67	24	37.83	15.24	49.46

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.19624G	53.02	83.54	-30.52	49.27	1	Horizontal	284	1.83	24	37.98	15.24	49.47
AV	19.17962G	38.98	63.54	-24.56	35.32	1	Horizontal	284	1.83	24	37.88	15.24	49.46

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1848G	58.90	88.20	-29.30	41.69	3	Vertical	1	1.80	24	39.84	9.29	31.92
RMS	13.17208G	45.24	68.20	-22.96	28.06	3	Vertical	1	1.80	24	39.79	9.29	31.90

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17448G	58.73	88.20	-29.47	41.54	3	Horizontal	277	1.80	24	39.80	9.29	31.90
RMS	13.17224G	45.23	68.20	-22.97	28.05	3	Horizontal	277	1.80	24	39.79	9.29	31.90

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88555G	60.13	83.54	-23.41	56.47	1	Vertical	46	2.01	24	37.81	15.21	49.36
AV	19.86493G	44.82	63.54	-18.72	41.30	1	Vertical	46	2.01	24	37.69	15.21	49.38



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.92615G	61.11	83.54	-22.43	57.39	1	Horizontal	344	1.61	24	37.85	15.20	49.33
AV	19.92487G	46.58	63.54	-16.96	42.86	1	Horizontal	344	1.61	24	37.85	15.20	49.33

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.43816G	59.09	88.20	-29.11	41.41	3	Vertical	318	1.80	24	40.45	9.41	32.18
RMS	13.43944G	45.87	68.20	-22.33	28.19	3	Vertical	318	1.80	24	40.46	9.41	32.19

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48056G	59.38	88.20	-28.82	41.68	3	Horizontal	59	1.80	24	40.50	9.43	32.23
RMS	13.4404G	45.94	68.20	-22.26	28.26	3	Horizontal	59	1.80	24	40.46	9.41	32.19

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08991G	57.51	83.54	-26.03	53.63	1	Vertical	348	1.45	24	37.86	15.27	49.25
AV	20.09118G	43.68	63.54	-19.86	39.80	1	Vertical	348	1.45	24	37.86	15.27	49.25

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10541G	58.52	83.54	-25.02	54.61	1	Horizontal	9	1.47	24	37.87	15.28	49.24
AV	20.08623G	44.35	63.54	-19.19	40.49	1	Horizontal	9	1.47	24	37.84	15.27	49.25

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55688G	59.63	88.20	-28.57	41.83	3	Vertical	176	1.80	24	40.60	9.46	32.26
RMS	13.57736G	46.10	68.20	-22.10	28.29	3	Vertical	176	1.80	24	40.60	9.47	32.26

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56392G	59.73	88.20	-28.47	41.92	3	Horizontal	211	1.60	24	40.60	9.47	32.26
RMS	13.5668G	46.09	68.20	-22.11	28.28	3	Horizontal	211	1.60	24	40.60	9.47	32.26

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.39672G	49.87	83.54	-33.67	45.51	1	Vertical	1	1.98	24	38.01	15.52	49.17
AV	20.39688G	36.17	63.54	-27.37	31.81	1	Vertical	1	1.98	24	38.01	15.52	49.17



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.41622G	51.26	83.54	-32.28	46.89	1	Horizontal	27	1.80	24	38.00	15.53	49.16
AV	20.39736G	37.62	63.54	-25.92	33.26	1	Horizontal	27	1.80	24	38.01	15.52	49.17

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
 SET 21  
 24\16\20\22\21  
 -11.99\18.14\7.23\ -6.30\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9195G	80.25	88.20	-7.95	73.18	3	Vertical	301	2.95	21	32.40	7.64	32.97
RMS	5.9195G	68.06	68.20	-0.14	60.99	3	Vertical	301	2.95	21	32.40	7.64	32.97
PK	6.059G	114.87	Inf	-Inf	107.61	3	Vertical	301	2.95	21	32.58	7.69	33.01
RMS	6.079G	103.02	Inf	-Inf	95.79	3	Vertical	301	2.95	21	32.54	7.70	33.01

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	79.90	88.20	-8.30	72.83	3	Horizontal	61	1.80	21	32.40	7.64	32.97
RMS	5.922G	67.07	68.20	-1.13	60.00	3	Horizontal	61	1.80	21	32.40	7.64	32.97
PK	6.0635G	112.87	Inf	-Inf	105.62	3	Horizontal	61	1.80	21	32.57	7.69	33.01
RMS	6.0225G	101.14	Inf	-Inf	93.91	3	Horizontal	61	1.80	21	32.55	7.68	33.00

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90312G	58.90	74.00	-15.10	42.25	3	Vertical	271	1.80	21	39.39	8.71	31.45
AV	11.8932G	45.26	54.00	-8.74	28.62	3	Vertical	271	1.80	21	39.41	8.70	31.47

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89576G	58.39	74.00	-15.61	41.74	3	Horizontal	116	1.76	21	39.41	8.70	31.46
AV	11.89384G	45.28	54.00	-8.72	28.64	3	Horizontal	116	1.76	21	39.41	8.70	31.47

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.19616G	48.43	83.54	-35.11	45.05	1	Vertical	28	1.43	21	37.62	15.29	49.53
AV	18.19744G	35.44	63.54	-28.10	32.07	1	Vertical	28	1.43	21	37.61	15.29	49.53

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.19808G	49.58	83.54	-33.96	46.22	1	Horizontal	313	1.80	21	37.61	15.29	49.54
AV	18.1968G	34.42	63.54	-29.12	31.05	1	Horizontal	313	1.80	21	37.61	15.29	49.53

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4804G	58.72	74.00	-15.28	42.32	3	Vertical	308	1.80	24	38.74	8.96	31.30
AV	12.46184G	45.16	54.00	-8.84	28.73	3	Vertical	308	1.80	24	38.78	8.95	31.30



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.386966G	58.43	74.00	-15.57	42.01	3	Horizontal	1	1.80	24	38.80	8.92	31.30
AV	12.4276G	45.17	54.00	-8.83	28.73	3	Horizontal	1	1.80	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5518G	47.58	83.54	-35.96	44.25	1	Vertical	321	1.82	24	37.70	15.27	49.64
AV	18.55116G	33.75	63.54	-29.79	30.43	1	Vertical	321	1.82	24	37.70	15.27	49.65

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55404G	52.22	83.54	-31.32	48.89	1	Horizontal	319	1.83	24	37.70	15.27	49.64
AV	18.55436G	38.79	63.54	-24.75	35.46	1	Horizontal	319	1.83	24	37.70	15.27	49.64

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6068G	58.15	74.00	-15.85	41.91	3	Vertical	319	1.80	24	38.61	9.02	31.39
AV	12.53256G	44.76	54.00	-9.24	28.40	3	Vertical	319	1.80	24	38.70	8.99	31.33

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53928G	57.72	74.00	-16.28	41.36	3	Horizontal	325	2.92	24	38.70	8.99	31.33
AV	12.56584G	44.72	54.00	-9.28	28.41	3	Horizontal	325	2.92	24	38.67	9.00	31.36

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.99248G	48.96	83.54	-34.58	45.18	1	Vertical	29	1.82	24	37.88	15.25	49.35
AV	18.99216G	34.24	63.54	-29.30	30.46	1	Vertical	29	1.82	24	37.88	15.25	49.35

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04107G	49.14	83.54	-34.40	45.36	1	Horizontal	335	1.41	24	37.90	15.25	49.37
AV	19.0123G	35.93	63.54	-27.61	32.13	1	Horizontal	335	1.41	24	37.90	15.25	49.35

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.46856G	59.20	88.20	-29.00	41.50	3	Vertical	84	1.80	24	40.50	9.42	32.22
RMS	13.45256G	45.87	68.20	-22.33	28.15	3	Vertical	84	1.80	24	40.50	9.42	32.20



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48904G	58.91	88.20	-29.29	41.22	3	Horizontal	356	1.80	24	40.50	9.43	32.24
RMS	13.47352G	45.30	68.20	-22.90	27.59	3	Horizontal	356	1.80	24	40.50	9.43	32.22

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX



EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.94481G	57.67	83.54	-25.87	53.98	1	Vertical	289	1.76	24	37.81	15.20	49.32
AV	19.96303G	43.73	63.54	-19.81	40.03	1	Vertical	289	1.76	24	37.80	15.20	49.30

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.96175G	59.59	83.54	-23.95	55.89	1	Horizontal	12	1.81	24	37.80	15.20	49.30
AV	19.96143G	46.50	63.54	-17.04	42.80	1	Horizontal	12	1.81	24	37.80	15.20	49.30

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5  
24\16\20\22\21\20.5  
-11.13\18.35\3.71\ -9.93\ -3.40\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9195G	79.84	88.20	-8.36	72.77	3	Vertical	305	2.95	20.5	32.40	7.64	32.97
RMS	5.9195G	67.96	68.20	-0.24	60.89	3	Vertical	305	2.95	20.5	32.40	7.64	32.97
PK	6.1985G	112.25	Inf	-Inf	104.75	3	Vertical	305	2.95	20.5	32.80	7.72	33.02
RMS	6.2185G	100.59	Inf	-Inf	93.00	3	Vertical	305	2.95	20.5	32.87	7.74	33.02

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	76.70	88.20	-11.50	69.63	3	Horizontal	69	1.80	20.5	32.40	7.64	32.97
RMS	5.9225G	65.32	68.20	-2.88	58.25	3	Horizontal	69	1.80	20.5	32.40	7.64	32.97
PK	6.256G	110.51	Inf	-Inf	102.74	3	Horizontal	69	1.80	20.5	33.00	7.80	33.03
RMS	6.2565G	98.49	Inf	-Inf	90.72	3	Horizontal	69	1.80	20.5	33.00	7.80	33.03

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20786G	51.83	74.00	-22.17	47.07	3	Vertical	348	2.16	-	38.88	8.84	42.96
AV	12.20723G	37.79	54.00	-16.21	33.02	3	Vertical	348	2.16	-	38.89	8.84	42.96

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21119G	51.93	74.00	-22.07	47.18	3	Horizontal	123	2.63	-	38.88	8.84	42.97
AV	12.20981G	37.85	54.00	-16.15	33.10	3	Horizontal	123	2.63	-	38.88	8.84	42.97

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31251G	48.12	83.54	-35.42	44.93	1	Vertical	107	1.57	-	37.50	15.28	49.59
AV	18.31173G	37.66	63.54	-25.88	34.47	1	Vertical	107	1.57	-	37.50	15.28	49.59



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30636G	48.10	83.54	-35.44	44.91	1	Horizontal	277	1.51	-	37.50	15.28	49.59
AV	18.31467G	37.65	63.54	-25.89	34.46	1	Horizontal	277	1.51	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50824G	58.52	74.00	-15.48	42.15	3	Vertical	49	1.54	24	38.70	8.98	31.31
AV	12.42312G	45.00	54.00	-9.00	28.56	3	Vertical	49	1.54	24	38.80	8.94	31.30

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53G	58.02	74.00	-15.98	41.66	3	Horizontal	219	1.29	24	38.70	8.99	31.33
AV	12.45704G	45.03	54.00	-8.97	28.59	3	Horizontal	219	1.29	24	38.79	8.95	31.30

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.8055G	46.77	83.54	-36.77	43.16	1	Vertical	207	2.84	-	37.82	15.26	49.47
AV	18.80913G	36.96	63.54	-26.58	33.33	1	Vertical	207	2.84	-	37.84	15.26	49.47

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX



EUT\_X\_4TX  
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78132G	48.73	83.54	-34.81	45.16	1	Horizontal	70	2.68	-	37.80	15.26	49.49
AV	18.80937G	37.95	63.54	-25.59	34.32	1	Horizontal	70	2.68	-	37.84	15.26	49.47



**RSE TX above 1GHz\_Standard Power Access Point\_Radio 4\_**  
**Beamforming mode\_Full RU**


**Appendix E.7**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9242G	67.74	68.20	-0.46	3	Vertical	58	2.34	-

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	80.06	88.20	-8.14	71.67	3	Vertical	63	2.44	-	32.55	7.44	31.60
RMS	5.925G	65.38	68.20	-2.82	56.99	3	Vertical	63	2.44	-	32.55	7.44	31.60
PK	5.9506G	120.80	Inf	-Inf	112.35	3	Vertical	63	2.44	-	32.60	7.45	31.60
RMS	5.947G	111.77	Inf	-Inf	103.33	3	Vertical	63	2.44	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	73.16	88.20	-15.04	64.77	3	Horizontal	305	2.67	-	32.55	7.44	31.60
RMS	5.925G	58.58	68.20	-9.62	50.19	3	Horizontal	305	2.67	-	32.55	7.44	31.60
PK	5.9638G	114.65	Inf	-Inf	106.23	3	Horizontal	305	2.67	-	32.57	7.46	31.61
RMS	5.964G	105.17	Inf	-Inf	96.75	3	Horizontal	305	2.67	-	32.57	7.46	31.61



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91023G	52.93	74.00	-21.07	69.24	3	Vertical	204	1.64	-	38.72	10.77	65.80
AV	11.9102G	39.80	54.00	-14.20	56.11	3	Vertical	204	1.64	-	38.72	10.77	65.80
PK	17.86483G	59.54	74.00	-14.46	61.17	3	Vertical	8	1.93	-	47.40	13.51	62.54
AV	17.86524G	46.11	54.00	-7.89	47.72	3	Vertical	8	1.93	-	47.42	13.51	62.54



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90986G	53.00	74.00	-21.00	69.31	3	Horizontal	28	1.61	-	38.72	10.77	65.80
AV	11.90972G	39.77	54.00	-14.23	56.08	3	Horizontal	28	1.61	-	38.72	10.77	65.80
PK	17.86482G	59.69	74.00	-14.31	61.32	3	Horizontal	19	2.52	-	47.40	13.51	62.54
AV	17.86525G	46.17	54.00	-7.83	47.78	3	Horizontal	19	2.52	-	47.42	13.51	62.54

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81977G	53.14	83.54	-30.40	43.99	1	Vertical	38	1.49	-	38.98	17.35	47.18
AV	23.81992G	42.90	63.54	-20.64	33.75	1	Vertical	38	1.49	-	38.98	17.35	47.18



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81982G	54.56	83.54	-28.98	45.41	1	Horizontal	41	1.78	-	38.98	17.35	47.18
AV	23.81988G	41.89	63.54	-21.65	32.74	1	Horizontal	41	1.78	-	38.98	17.35	47.18

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38775G	59.79	74.00	-14.21	42.50	3	Vertical	227.1	1.80	-	38.92	10.99	32.62
AV	12.3759G	45.66	54.00	-8.34	28.36	3	Vertical	227.1	1.80	-	38.95	10.98	32.63



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39675G	59.07	74.00	-14.93	41.78	3	Horizontal	0	1.85	-	38.91	10.99	32.61
AV	12.39006G	45.66	54.00	-8.34	28.37	3	Horizontal	0	1.85	-	38.92	10.99	32.62

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5806G	50.75	83.54	-32.79	47.41	1	Vertical	17	1.68	-	37.70	15.27	49.63
AV	18.58745G	37.17	63.54	-26.37	33.82	1	Vertical	17	1.68	-	37.70	15.27	49.62



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX



EUT\_X\_2TX  
Setting 25  
06-D-S-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59025G	55.27	83.54	-28.27	51.92	1	Horizontal	327	1.60	-	37.70	15.27	49.62
AV	18.58925G	38.67	63.54	-24.87	35.32	1	Horizontal	327	1.60	-	37.70	15.27	49.62





5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82814G	58.71	88.20	-29.49	40.71	3	Vertical	9	2.79	-	39.36	11.19	32.55
RMS	12.84299G	46.02	68.20	-22.18	27.99	3	Vertical	9	2.79	-	39.39	11.19	32.55



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81623G	59.06	88.20	-29.14	41.10	3	Horizontal	217	1.84	-	39.33	11.18	32.55
RMS	12.82238G	46.04	68.20	-22.16	28.07	3	Horizontal	217	1.84	-	39.34	11.18	32.55

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2454G	46.08	83.54	-37.46	42.44	1	Vertical	139	2.44	-	37.91	15.24	49.51
AV	19.24452G	33.70	63.54	-29.84	30.06	1	Vertical	139	2.44	-	37.91	15.24	49.51

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2614G	49.77	83.54	-33.77	46.13	1	Horizontal	67	1.76	-	37.92	15.24	49.52
AV	19.24965G	35.31	63.54	-28.23	31.68	1	Horizontal	67	1.76	-	37.90	15.24	49.51

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06712G	60.26	88.20	-27.94	42.20	3	Vertical	144	1.47	-	39.40	11.30	32.64
RMS	13.07219G	46.81	68.20	-21.39	28.75	3	Vertical	144	1.47	-	39.40	11.30	32.64



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0739G	59.53	88.20	-28.67	41.47	3	Horizontal	323	2.60	-	39.40	11.30	32.64
RMS	13.06955G	46.87	68.20	-21.33	28.81	3	Horizontal	323	2.60	-	39.40	11.30	32.64

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6051G	55.15	83.54	-28.39	51.69	1	Vertical	321	1.77	-	37.83	15.22	49.59
AV	19.6089G	39.67	63.54	-23.87	36.19	1	Vertical	321	1.77	-	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6038G	55.04	83.54	-28.50	51.59	1	Horizontal	279	1.81	-	37.82	15.22	49.59
AV	19.60935G	41.63	63.54	-21.91	38.14	1	Horizontal	279	1.81	-	37.86	15.22	49.59



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39981G	60.33	74.00	-13.67	41.55	3	Vertical	71	1.60	-	40.30	11.45	32.97
AV	13.3941G	47.05	54.00	-6.95	28.29	3	Vertical	71	1.60	-	40.28	11.44	32.96



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39408G	60.32	74.00	-13.68	41.56	3	Horizontal	2	2.06	-	40.28	11.44	32.96
AV	13.39238G	47.06	54.00	-6.94	28.31	3	Horizontal	2	2.06	-	40.27	11.44	32.96

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08521G	56.33	83.54	-27.21	52.47	1	Vertical	7	2.21	-	37.84	15.27	49.25
AV	20.08512G	42.59	63.54	-20.95	38.73	1	Vertical	7	2.21	-	37.84	15.27	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08457G	56.14	83.54	-27.40	52.28	1	Horizontal	56	1.63	-	37.84	15.27	49.25
AV	20.08485G	43.51	63.54	-20.03	39.65	1	Horizontal	56	1.63	-	37.84	15.27	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69608G	62.38	88.20	-25.82	43.18	3	Vertical	36	1.16	-	40.40	11.58	32.78
RMS	13.71966G	49.60	68.20	-18.60	30.23	3	Vertical	36	1.16	-	40.52	11.59	32.74



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69842G	62.48	88.20	-25.72	43.28	3	Horizontal	72	1.87	-	40.40	11.58	32.78
RMS	13.70865G	49.71	68.20	-18.49	30.43	3	Horizontal	72	1.87	-	40.45	11.59	32.76

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56513G	57.10	83.54	-26.44	52.63	1	Vertical	320	2.46	-	37.93	15.65	49.11
AV	20.5653G	43.56	63.54	-19.98	39.09	1	Vertical	320	2.46	-	37.93	15.65	49.11

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5647G	56.23	83.54	-27.31	51.76	1	Horizontal	240	2.17	-	37.93	15.65	49.11
AV	20.56518G	44.47	63.54	-19.07	40.00	1	Horizontal	240	2.17	-	37.93	15.65	49.11



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	80.17	88.20	-8.03	71.80	3	Vertical	61	2.42	-	32.53	7.44	31.60
RMS	5.925G	65.42	68.20	-2.78	57.03	3	Vertical	61	2.42	-	32.55	7.44	31.60
PK	5.9754G	115.56	Inf	-Inf	107.16	3	Vertical	61	2.42	-	32.55	7.46	31.61
RMS	5.9778G	105.93	Inf	-Inf	97.54	3	Vertical	61	2.42	-	32.54	7.46	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	75.98	88.20	-12.22	67.60	3	Horizontal	295	1.01	-	32.54	7.44	31.60
RMS	5.925G	63.43	68.20	-4.77	55.04	3	Horizontal	295	1.01	-	32.55	7.44	31.60
PK	5.967G	112.42	Inf	-Inf	104.00	3	Horizontal	295	1.01	-	32.57	7.46	31.61
RMS	5.9662G	103.31	Inf	-Inf	94.89	3	Horizontal	295	1.01	-	32.57	7.46	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92973G	53.53	74.00	-20.47	69.78	3	Vertical	263	1.20	-	38.76	10.78	65.79
AV	11.9305G	39.59	54.00	-14.41	55.84	3	Vertical	263	1.20	-	38.76	10.78	65.79
PK	17.89453G	60.65	74.00	-13.35	61.21	3	Vertical	78	1.69	-	48.41	13.52	62.49
AV	17.89548G	46.34	54.00	-7.66	46.85	3	Vertical	78	1.69	-	48.45	13.52	62.48

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9305G	52.83	74.00	-21.17	69.08	3	Horizontal	59	1.70	-	38.76	10.78	65.79
AV	11.9297G	39.63	54.00	-14.37	55.88	3	Horizontal	59	1.70	-	38.76	10.78	65.79
PK	17.89547G	60.12	74.00	-13.88	60.63	3	Horizontal	116	2.14	-	48.45	13.52	62.48
AV	17.89451G	46.47	54.00	-7.53	47.03	3	Horizontal	116	2.14	-	48.41	13.52	62.49

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85995G	50.25	83.54	-33.29	41.25	1	Vertical	180	2.88	-	38.80	17.36	47.16
AV	23.85963G	37.12	63.54	-26.42	28.12	1	Vertical	180	2.88	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86045G	50.13	83.54	-33.41	41.13	1	Horizontal	283	2.47	-	38.80	17.36	47.16
AV	23.85953G	38.09	63.54	-25.45	29.09	1	Horizontal	283	2.47	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4073G	58.20	74.00	-15.80	40.94	3	Vertical	140	1.80	-	38.86	11.00	32.60
AV	12.39794G	45.56	54.00	-8.44	28.28	3	Vertical	140	1.80	-	38.90	10.99	32.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41027G	58.74	74.00	-15.26	41.50	3	Horizontal	271.1	1.80	-	38.84	11.00	32.60
AV	12.3965G	45.59	54.00	-8.41	28.30	3	Horizontal	271.1	1.80	-	38.91	10.99	32.61



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6153G	56.09	83.54	-27.45	52.69	1	Vertical	69	1.74	-	37.73	15.27	49.60
AV	18.61475G	42.86	63.54	-20.68	39.46	1	Vertical	69	1.74	-	37.73	15.27	49.60

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61455G	56.15	83.54	-27.39	52.75	1	Horizontal	129	2.13	-	37.73	15.27	49.60
AV	18.61533G	43.19	63.54	-20.35	39.79	1	Horizontal	129	2.13	-	37.73	15.27	49.60



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82437G	59.39	88.20	-28.81	41.40	3	Vertical	95	2.90	-	39.35	11.19	32.55
RMS	12.80913G	46.02	68.20	-22.18	28.07	3	Vertical	95	2.90	-	39.32	11.18	32.55



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80409G	58.88	88.20	-29.32	40.94	3	Horizontal	180	2.30	-	39.31	11.18	32.55
RMS	12.81744G	46.04	68.20	-22.16	28.08	3	Horizontal	180	2.30	-	39.33	11.18	32.55

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21498G	56.76	83.54	-26.78	53.04	1	Vertical	121	1.22	-	37.97	15.24	49.49
AV	19.21472G	43.13	63.54	-20.41	39.41	1	Vertical	121	1.22	-	37.97	15.24	49.49



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21498G	55.79	83.54	-27.75	52.07	1	Horizontal	6	2.16	-	37.97	15.24	49.49
AV	19.21455G	43.02	63.54	-20.52	39.30	1	Horizontal	6	2.16	-	37.97	15.24	49.49

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14389G	59.79	88.20	-28.41	41.51	3	Vertical	260	1.19	-	39.66	11.33	32.71
RMS	13.13936G	46.68	68.20	-21.52	28.42	3	Vertical	260	1.19	-	39.64	11.33	32.71



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12457G	60.59	88.20	-27.61	42.41	3	Horizontal	119	2.25	-	39.55	11.32	32.69
RMS	13.14386G	46.58	68.20	-21.62	28.30	3	Horizontal	119	2.25	-	39.66	11.33	32.71



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX



EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69529G	55.96	83.54	-27.58	52.43	1	Vertical	188	2.57	-	37.83	15.22	49.52
AV	19.69534G	42.93	63.54	-20.61	39.40	1	Vertical	188	2.57	-	37.83	15.22	49.52

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69472G	55.99	83.54	-27.55	52.46	1	Horizontal	102	1.20	-	37.83	15.22	49.52
AV	19.69483G	43.23	63.54	-20.31	39.70	1	Horizontal	102	1.20	-	37.83	15.22	49.52

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36007G	59.70	74.00	-14.30	41.06	3	Vertical	42	2.87	-	40.14	11.43	32.93
AV	13.38308G	46.93	54.00	-7.07	28.21	3	Vertical	42	2.87	-	40.23	11.44	32.95

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3637G	61.35	74.00	-12.65	42.70	3	Horizontal	293	1.91	-	40.15	11.43	32.93
AV	13.37147G	46.82	54.00	-7.18	28.14	3	Horizontal	293	1.91	-	40.19	11.43	32.94

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05473G	56.25	83.54	-27.29	52.55	1	Vertical	144	2.18	-	37.72	15.24	49.26
AV	20.05452G	42.47	63.54	-21.07	38.77	1	Vertical	144	2.18	-	37.72	15.24	49.26

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05533G	55.51	83.54	-28.03	51.81	1	Horizontal	272	2.76	-	37.72	15.24	49.26
AV	20.05487G	42.79	63.54	-20.75	39.09	1	Horizontal	272	2.76	-	37.72	15.24	49.26

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69768G	63.10	88.20	-25.10	43.90	3	Vertical	157	2.49	-	40.40	11.58	32.78
RMS	13.69204G	49.60	68.20	-18.60	30.41	3	Vertical	157	2.49	-	40.40	11.58	32.79



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68547G	62.54	88.20	-25.66	43.36	3	Horizontal	170	2.62	-	40.40	11.58	32.80
RMS	13.69462G	49.56	68.20	-18.64	30.36	3	Horizontal	170	2.62	-	40.40	11.58	32.78



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53549G	57.51	83.54	-26.03	53.19	1	Vertical	128	2.51	-	37.81	15.63	49.12
AV	20.53463G	43.58	63.54	-19.96	39.26	1	Vertical	128	2.51	-	37.81	15.63	49.12

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53541G	56.30	83.54	-27.24	51.98	1	Horizontal	100	2.98	-	37.81	15.63	49.12
AV	20.53476G	43.86	63.54	-19.68	39.54	1	Horizontal	100	2.98	-	37.81	15.63	49.12

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	79.04	88.20	-9.16	70.65	3	Vertical	65	2.47	-	32.55	7.44	31.60
RMS	5.925G	64.07	68.20	-4.13	55.68	3	Vertical	65	2.47	-	32.55	7.44	31.60
PK	6.0094G	113.43	Inf	-Inf	105.02	3	Vertical	65	2.47	-	32.52	7.48	31.59
RMS	6.0226G	103.51	Inf	-Inf	95.03	3	Vertical	65	2.47	-	32.55	7.49	31.56

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	76.97	88.20	-11.23	68.59	3	Horizontal	298	1.00	-	32.54	7.44	31.60
RMS	5.925G	64.48	68.20	-3.72	56.09	3	Horizontal	298	1.00	-	32.55	7.44	31.60
PK	6.0142G	111.60	Inf	-Inf	103.17	3	Horizontal	298	1.00	-	32.53	7.48	31.58
RMS	6.0146G	103.45	Inf	-Inf	95.02	3	Horizontal	298	1.00	-	32.53	7.48	31.58

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96956G	52.89	74.00	-21.11	68.93	3	Vertical	55	2.23	-	38.92	10.80	65.76
AV	11.9703G	39.81	54.00	-14.19	55.85	3	Vertical	55	2.23	-	38.92	10.80	65.76
PK	17.95498G	60.23	74.00	-13.77	58.68	3	Vertical	256	1.97	-	50.37	13.55	62.37
AV	17.9555G	46.61	54.00	-7.39	45.03	3	Vertical	256	1.97	-	50.40	13.55	62.37

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97017G	53.48	74.00	-20.52	69.52	3	Horizontal	171	1.24	-	38.92	10.80	65.76
AV	11.96989G	39.80	54.00	-14.20	55.84	3	Horizontal	171	1.24	-	38.92	10.80	65.76
PK	17.9552G	60.67	74.00	-13.33	59.11	3	Horizontal	86	1.54	-	50.38	13.55	62.37
AV	17.95519G	46.59	54.00	-7.41	45.03	3	Horizontal	86	1.54	-	50.38	13.55	62.37



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93986G	50.83	83.54	-32.71	41.69	1	Vertical	25	1.76	-	38.88	17.38	47.12
AV	23.94023G	36.94	63.54	-26.60	27.80	1	Vertical	25	1.76	-	38.88	17.38	47.12



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93962G	50.64	83.54	-32.90	41.50	1	Horizontal	351	1.68	-	38.88	17.38	47.12
AV	23.94037G	37.56	63.54	-25.98	28.42	1	Horizontal	351	1.68	-	38.88	17.38	47.12



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44955G	59.21	74.00	-14.79	42.16	3	Vertical	98	2.67	-	38.60	11.01	32.56
AV	12.44988G	45.72	54.00	-8.28	28.67	3	Vertical	98	2.67	-	38.60	11.01	32.56



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44973G	58.96	74.00	-15.04	41.91	3	Horizontal	149	1.73	-	38.60	11.01	32.56
AV	12.45029G	45.91	54.00	-8.09	28.86	3	Horizontal	149	1.73	-	38.60	11.01	32.56

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67519G	56.07	83.54	-27.47	52.66	1	Vertical	155	1.90	-	37.70	15.27	49.56
AV	18.67504G	42.99	63.54	-20.55	39.58	1	Vertical	155	1.90	-	37.70	15.27	49.56

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67517G	56.81	83.54	-26.73	53.40	1	Horizontal	49	2.03	-	37.70	15.27	49.56
AV	18.67529G	42.84	63.54	-20.70	39.43	1	Horizontal	49	2.03	-	37.70	15.27	49.56



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7704G	58.97	88.20	-29.23	41.23	3	Vertical	355	1.30	-	39.12	11.16	32.54
RMS	12.77027G	45.96	68.20	-22.24	28.22	3	Vertical	355	1.30	-	39.12	11.16	32.54



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76975G	59.56	88.20	-28.64	41.82	3	Horizontal	334	2.97	-	39.12	11.16	32.54
RMS	12.77G	46.02	68.20	-22.18	28.28	3	Horizontal	334	2.97	-	39.12	11.16	32.54

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1548G	55.64	83.54	-27.90	52.12	1	Vertical	341	2.85	-	37.73	15.24	49.45
AV	19.15461G	42.71	63.54	-20.83	39.19	1	Vertical	341	2.85	-	37.73	15.24	49.45

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15482G	55.57	83.54	-27.97	52.05	1	Horizontal	115	2.23	-	37.73	15.24	49.45
AV	19.15492G	42.93	63.54	-20.61	39.41	1	Horizontal	115	2.23	-	37.73	15.24	49.45



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2515G	59.38	74.00	-14.62	41.02	3	Vertical	110	2.26	-	39.80	11.38	32.82
AV	13.2532G	46.51	54.00	-7.49	28.14	3	Vertical	110	2.26	-	39.81	11.38	32.82

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25953G	60.69	74.00	-13.31	42.32	3	Horizontal	340	2.68	-	39.82	11.38	32.83
AV	13.25014G	46.48	54.00	-7.52	28.12	3	Horizontal	340	2.68	-	39.80	11.38	32.82

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX



EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87493G	56.19	83.54	-27.35	52.60	1	Vertical	296	2.74	-	37.75	15.21	49.37
AV	19.87459G	43.18	63.54	-20.36	39.59	1	Vertical	296	2.74	-	37.75	15.21	49.37

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87451G	56.43	83.54	-27.11	52.84	1	Horizontal	349	2.81	-	37.75	15.21	49.37
AV	19.87509G	43.57	63.54	-19.97	39.98	1	Horizontal	349	2.81	-	37.75	15.21	49.37

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41013G	61.61	88.20	-26.59	42.84	3	Vertical	105	1.66	-	40.30	11.45	32.98
RMS	13.40969G	47.55	68.20	-20.65	28.78	3	Vertical	105	1.66	-	40.30	11.45	32.98



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4102G	61.10	88.20	-27.10	42.33	3	Horizontal	332	2.32	-	40.30	11.45	32.98
RMS	13.41004G	47.50	68.20	-20.70	28.73	3	Horizontal	332	2.32	-	40.30	11.45	32.98



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11538G	55.93	83.54	-27.61	52.07	1	Vertical	204	1.76	-	37.81	15.29	49.24
AV	20.11522G	42.55	63.54	-20.99	38.69	1	Vertical	204	1.76	-	37.81	15.29	49.24

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11543G	55.75	83.54	-27.79	51.89	1	Horizontal	213	1.28	-	37.81	15.29	49.24
AV	20.11472G	43.07	63.54	-20.47	39.21	1	Horizontal	213	1.28	-	37.81	15.29	49.24



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	61.27	88.20	-26.93	42.16	3	Vertical	245	1.86	-	40.56	11.52	32.97
RMS	13.57027G	47.94	68.20	-20.26	28.83	3	Vertical	245	1.86	-	40.56	11.52	32.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57046G	61.18	88.20	-27.02	42.07	3	Horizontal	220	2.60	-	40.56	11.52	32.97
RMS	13.5704G	47.92	68.20	-20.28	28.81	3	Horizontal	220	2.60	-	40.56	11.52	32.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35467G	57.29	83.54	-26.25	52.90	1	Vertical	268	2.63	-	38.09	15.48	49.18
AV	20.35542G	44.37	63.54	-19.17	39.98	1	Vertical	268	2.63	-	38.09	15.48	49.18

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35483G	57.04	83.54	-26.50	52.65	1	Horizontal	228	2.20	-	38.09	15.48	49.18
AV	20.35452G	44.27	63.54	-19.27	39.88	1	Horizontal	228	2.20	-	38.09	15.48	49.18

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
05-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9025G	81.48	88.20	-6.72	74.75	3	Vertical	302	1.06	-	34.20	8.10	35.57
RMS	5.9245G	64.21	68.20	-3.99	57.48	3	Vertical	302	1.06	-	34.20	8.11	35.58
PK	6.0085G	111.35	Inf	-Inf	104.68	3	Vertical	302	1.06	-	34.10	8.16	35.59
RMS	6.027G	100.68	Inf	-Inf	93.97	3	Vertical	302	1.06	-	34.10	8.17	35.56

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
05-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9235G	76.81	88.20	-11.39	70.08	3	Horizontal	60	1.80	-	34.20	8.11	35.58
RMS	5.925G	62.06	68.20	-6.14	55.33	3	Horizontal	60	1.80	-	34.20	8.11	35.58
PK	6.0685G	110.00	Inf	-Inf	103.20	3	Horizontal	60	1.80	-	34.10	8.18	35.48
RMS	6.036G	98.73	Inf	-Inf	92.00	3	Horizontal	60	1.80	-	34.10	8.17	35.54

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05036G	59.21	74.00	-14.79	42.12	3	Vertical	40	1.87	-	39.20	10.83	32.94
AV	12.05027G	45.69	54.00	-8.31	28.60	3	Vertical	40	1.87	-	39.20	10.83	32.94



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04993G	58.90	74.00	-15.10	41.81	3	Horizontal	308	2.08	-	39.20	10.83	32.94
AV	12.05007G	45.62	54.00	-8.38	28.53	3	Horizontal	308	2.08	-	39.20	10.83	32.94



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07535G	51.24	83.54	-32.30	47.92	1	Vertical	293	2.63	-	37.50	15.30	49.48
AV	18.07534G	38.24	63.54	-25.30	34.92	1	Vertical	293	2.63	-	37.50	15.30	49.48

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 22  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07525G	52.18	83.54	-31.36	48.86	1	Horizontal	332	2.09	-	37.50	15.30	49.48
AV	18.07457G	39.20	63.54	-24.34	35.88	1	Horizontal	332	2.09	-	37.50	15.30	49.48

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37031G	59.37	74.00	-14.63	42.06	3	Vertical	323	2.23	-	38.96	10.98	32.63
AV	12.37001G	45.68	54.00	-8.32	28.37	3	Vertical	323	2.23	-	38.96	10.98	32.63



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37019G	58.45	74.00	-15.55	41.14	3	Horizontal	213	2.45	-	38.96	10.98	32.63
AV	12.37016G	45.76	54.00	-8.24	28.45	3	Horizontal	213	2.45	-	38.96	10.98	32.63

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55484G	50.95	83.54	-32.59	47.62	1	Vertical	304	1.38	-	37.70	15.27	49.64
AV	18.55464G	38.14	63.54	-25.40	34.81	1	Vertical	304	1.38	-	37.70	15.27	49.64



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5552G	52.57	83.54	-30.97	49.24	1	Horizontal	75	2.20	-	37.70	15.27	49.64
AV	18.55509G	39.64	63.54	-23.90	36.31	1	Horizontal	75	2.20	-	37.70	15.27	49.64

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69008G	59.16	74.00	-14.84	41.65	3	Vertical	49	1.30	-	38.92	11.12	32.53
AV	12.69038G	45.90	54.00	-8.10	28.39	3	Vertical	49	1.30	-	38.92	11.12	32.53



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69014G	59.59	74.00	-14.41	42.08	3	Horizontal	23	1.31	-	38.92	11.12	32.53
AV	12.69025G	45.84	54.00	-8.16	28.33	3	Horizontal	23	1.31	-	38.92	11.12	32.53



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03506G	52.96	83.54	-30.58	49.17	1	Vertical	226	2.31	-	37.90	15.25	49.36
AV	19.03492G	39.15	63.54	-24.39	35.36	1	Vertical	226	2.31	-	37.90	15.25	49.36

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03539G	52.16	83.54	-31.38	48.37	1	Horizontal	148	1.14	-	37.90	15.25	49.36
AV	19.03508G	40.24	63.54	-23.30	36.45	1	Horizontal	148	1.14	-	37.90	15.25	49.36

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33009G	60.35	74.00	-13.65	41.81	3	Vertical	309	1.63	-	40.02	11.42	32.90
AV	13.3302G	47.15	54.00	-6.85	28.61	3	Vertical	309	1.63	-	40.02	11.42	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32982G	60.71	74.00	-13.29	42.17	3	Horizontal	240	2.66	-	40.02	11.42	32.90
AV	13.33045G	46.91	54.00	-7.09	28.37	3	Horizontal	240	2.66	-	40.02	11.42	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99453G	52.70	83.54	-30.84	48.97	1	Vertical	135	2.86	-	37.80	15.20	49.27
AV	19.9947G	37.70	63.54	-25.84	33.97	1	Vertical	135	2.86	-	37.80	15.20	49.27

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99493G	52.86	83.54	-30.68	49.13	1	Horizontal	208	1.12	-	37.80	15.20	49.27
AV	19.9945G	39.58	63.54	-23.96	35.85	1	Horizontal	208	1.12	-	37.80	15.20	49.27

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	78.14	88.20	-10.06	69.76	3	Vertical	67	2.54	-	32.54	7.44	31.60
RMS	5.925G	67.58	68.20	-0.62	59.19	3	Vertical	67	2.54	-	32.55	7.44	31.60
PK	6.2G	109.76	Inf	-Inf	100.30	3	Vertical	67	2.54	-	33.00	7.63	31.17
RMS	6.204G	99.76	Inf	-Inf	90.28	3	Vertical	67	2.54	-	33.01	7.63	31.16

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	74.57	88.20	-13.63	66.18	3	Horizontal	305	1.00	-	32.55	7.44	31.60
RMS	5.925G	64.49	68.20	-3.71	56.10	3	Horizontal	305	1.00	-	32.55	7.44	31.60
PK	6.168G	108.18	Inf	-Inf	99.01	3	Horizontal	305	1.00	-	32.81	7.60	31.24
RMS	6.17G	97.25	Inf	-Inf	88.06	3	Horizontal	305	1.00	-	32.82	7.61	31.24



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21045G	59.32	74.00	-14.68	42.20	3	Vertical	308	2.84	-	39.00	10.91	32.79
AV	12.20967G	45.53	54.00	-8.47	28.41	3	Vertical	308	2.84	-	39.00	10.91	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20963G	58.55	74.00	-15.45	41.43	3	Horizontal	121	1.33	-	39.00	10.91	32.79
AV	12.2102G	45.34	54.00	-8.66	28.22	3	Horizontal	121	1.33	-	39.00	10.91	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31473G	51.46	83.54	-32.08	48.27	1	Vertical	338	1.54	-	37.50	15.28	49.59
AV	18.315G	38.20	63.54	-25.34	35.01	1	Vertical	338	1.54	-	37.50	15.28	49.59



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_X\_2TX  
Setting 23  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31462G	52.73	83.54	-30.81	49.54	1	Horizontal	252	1.13	-	37.50	15.28	49.59
AV	18.31482G	39.09	63.54	-24.45	35.90	1	Horizontal	252	1.13	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53008G	58.43	74.00	-15.57	41.33	3	Vertical	103	2.80	-	38.56	11.05	32.51
AV	12.53029G	45.42	54.00	-8.58	28.32	3	Vertical	103	2.80	-	38.56	11.05	32.51

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53009G	58.94	74.00	-15.06	41.84	3	Horizontal	128	2.59	-	38.56	11.05	32.51
AV	12.53008G	45.59	54.00	-8.41	28.49	3	Horizontal	128	2.59	-	38.56	11.05	32.51

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79546G	51.71	83.54	-31.83	48.13	1	Vertical	291	1.91	-	37.80	15.26	49.48
AV	18.79539G	38.24	63.54	-25.30	34.66	1	Vertical	291	1.91	-	37.80	15.26	49.48



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX




EUT\_X\_2TX  
Setting 25  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79475G	52.30	83.54	-31.24	48.72	1	Horizontal	300	1.09	-	37.80	15.26	49.48
AV	18.79549G	39.23	63.54	-24.31	35.65	1	Horizontal	300	1.09	-	37.80	15.26	49.48



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9232G	81.21	88.20	-6.99	72.82	3	Vertical	60	2.30	-	32.55	7.44	31.60
RMS	5.9248G	66.47	68.20	-1.73	58.08	3	Vertical	60	2.30	-	32.55	7.44	31.60
PK	5.9476G	123.69	Inf	-Inf	115.24	3	Vertical	60	2.30	-	32.60	7.45	31.60
RMS	5.9468G	112.93	Inf	-Inf	104.49	3	Vertical	60	2.30	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.22	88.20	-10.98	68.83	3	Horizontal	292	2.12	-	32.55	7.44	31.60
RMS	5.9248G	62.92	68.20	-5.28	54.53	3	Horizontal	292	2.12	-	32.55	7.44	31.60
PK	5.9632G	121.41	Inf	-Inf	112.99	3	Horizontal	292	2.12	-	32.57	7.46	31.61
RMS	5.9638G	112.85	Inf	-Inf	104.43	3	Horizontal	292	2.12	-	32.57	7.46	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90992G	53.66	74.00	-20.34	69.97	3	Vertical	175	3.00	-	38.72	10.77	65.80
AV	11.90988G	39.96	54.00	-14.04	56.27	3	Vertical	175	3.00	-	38.72	10.77	65.80
PK	17.86534G	60.92	74.00	-13.08	62.53	3	Vertical	88	2.53	-	47.42	13.51	62.54
AV	17.86546G	47.07	54.00	-6.93	48.67	3	Vertical	88	2.53	-	47.43	13.51	62.54

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91027G	53.75	74.00	-20.25	70.06	3	Horizontal	44	1.53	-	38.72	10.77	65.80
AV	11.91011G	39.80	54.00	-14.20	56.11	3	Horizontal	44	1.53	-	38.72	10.77	65.80
PK	17.86493G	60.51	74.00	-13.49	62.13	3	Horizontal	122	1.98	-	47.41	13.51	62.54
AV	17.86498G	47.29	54.00	-6.71	48.91	3	Horizontal	122	1.98	-	47.41	13.51	62.54

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8245G	62.73	83.54	-20.81	53.61	1	Vertical	28	1.79	-	38.95	17.35	47.18
AV	23.80815G	48.83	63.54	-14.71	39.63	1	Vertical	28	1.79	-	39.05	17.34	47.19

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8339G	64.73	83.54	-18.81	55.65	1	Horizontal	349	1.72	-	38.90	17.35	47.17
AV	23.83255G	50.30	63.54	-13.24	41.22	1	Horizontal	349	1.72	-	38.90	17.35	47.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40215G	59.79	74.00	-14.21	42.51	3	Vertical	19	2.54	-	38.89	10.99	32.60
AV	12.3789G	45.67	54.00	-8.33	28.38	3	Vertical	19	2.54	-	38.94	10.98	32.63

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX



EUT\_X\_4TX  
Setting 28  
06-D-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37917G	58.61	74.00	-15.39	41.32	3	Horizontal	293	1.51	-	38.94	10.98	32.63
AV	12.37653G	45.64	54.00	-8.36	28.34	3	Horizontal	293	1.51	-	38.95	10.98	32.63





5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58635G	54.62	83.54	-28.92	51.27	1	Vertical	330	1.80	-	37.70	15.27	49.62
AV	18.58925G	40.75	63.54	-22.79	37.40	1	Vertical	330	1.80	-	37.70	15.27	49.62



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5807G	58.45	83.54	-25.09	55.11	1	Horizontal	12	1.81	-	37.70	15.27	49.63
AV	18.58115G	44.45	63.54	-19.09	41.10	1	Horizontal	12	1.81	-	37.70	15.27	49.62



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84485G	59.04	88.20	-29.16	41.01	3	Vertical	113	1.16	-	39.39	11.19	32.55
RMS	12.81824G	46.02	68.20	-22.18	28.05	3	Vertical	113	1.16	-	39.34	11.18	32.55



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83729G	59.45	88.20	-28.75	41.44	3	Horizontal	40	2.44	-	39.37	11.19	32.55
RMS	12.82238G	46.05	68.20	-22.15	28.08	3	Horizontal	40	2.44	-	39.34	11.18	32.55

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25645G	52.04	83.54	-31.50	48.40	1	Vertical	344	1.81	-	37.91	15.24	49.51
AV	19.25345G	38.48	63.54	-25.06	34.84	1	Vertical	344	1.81	-	37.91	15.24	49.51

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25085G	57.18	83.54	-26.36	53.55	1	Horizontal	59	1.82	-	37.90	15.24	49.51
AV	19.2391G	43.06	63.54	-20.48	39.40	1	Horizontal	59	1.82	-	37.92	15.24	49.50

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08443G	59.49	88.20	-28.71	41.44	3	Vertical	239	3.00	-	39.40	11.30	32.65
RMS	13.07177G	46.86	68.20	-21.34	28.80	3	Vertical	239	3.00	-	39.40	11.30	32.64

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07906G	59.73	88.20	-28.47	41.68	3	Horizontal	136	1.99	-	39.40	11.30	32.65
RMS	13.06073G	46.86	68.20	-21.34	28.80	3	Horizontal	136	1.99	-	39.40	11.29	32.63



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.612G	59.49	83.54	-24.05	55.99	1	Vertical	320	1.59	-	37.87	15.22	49.59
AV	19.59975G	45.09	63.54	-18.45	41.67	1	Vertical	320	1.59	-	37.80	15.22	49.60

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61025G	62.92	83.54	-20.62	59.43	1	Horizontal	318	1.61	-	37.86	15.22	49.59
AV	19.61025G	47.85	63.54	-15.69	44.36	1	Horizontal	318	1.61	-	37.86	15.22	49.59

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3956G	59.72	74.00	-14.28	40.97	3	Vertical	233	1.54	-	40.28	11.44	32.97
AV	13.39269G	47.15	54.00	-6.85	28.40	3	Vertical	233	1.54	-	40.27	11.44	32.96

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39219G	59.84	74.00	-14.16	41.09	3	Horizontal	344	1.98	-	40.27	11.44	32.96
AV	13.39152G	47.12	54.00	-6.88	28.37	3	Horizontal	344	1.98	-	40.27	11.44	32.96

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0806G	60.07	83.54	-23.47	56.24	1	Vertical	325	1.57	-	37.82	15.26	49.25
AV	20.0822G	46.02	63.54	-17.52	42.17	1	Vertical	325	1.57	-	37.83	15.27	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0759G	62.15	83.54	-21.39	58.34	1	Horizontal	43	1.72	-	37.80	15.26	49.25
AV	20.0867G	48.59	63.54	-14.95	44.72	1	Horizontal	43	1.72	-	37.85	15.27	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71324G	62.79	88.20	-25.41	43.47	3	Vertical	162	2.02	-	40.48	11.59	32.75
RMS	13.71495G	49.62	68.20	-18.58	30.29	3	Vertical	162	2.02	-	40.49	11.59	32.75

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72149G	62.61	88.20	-25.59	43.23	3	Horizontal	245	1.51	-	40.53	11.59	32.74
RMS	13.69509G	49.69	68.20	-18.51	30.49	3	Horizontal	245	1.51	-	40.40	11.58	32.78



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58005G	58.82	83.54	-24.72	54.30	1	Vertical	357	1.65	-	37.96	15.66	49.10
AV	20.5795G	44.36	63.54	-19.18	39.84	1	Vertical	357	1.65	-	37.96	15.66	49.10

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56575G	62.22	83.54	-21.32	57.75	1	Horizontal	38	2.01	-	37.93	15.65	49.11
AV	20.5664G	46.48	63.54	-17.06	42.01	1	Horizontal	38	2.01	-	37.93	15.65	49.11

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9184G	82.30	88.20	-5.90	73.92	3	Vertical	54	2.34	-	32.54	7.44	31.60
RMS	5.9234G	66.37	68.20	-1.83	57.98	3	Vertical	54	2.34	-	32.55	7.44	31.60
PK	5.981G	118.05	Inf	-Inf	109.66	3	Vertical	54	2.34	-	32.54	7.46	31.61
RMS	5.9834G	108.35	Inf	-Inf	99.97	3	Vertical	54	2.34	-	32.53	7.46	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	80.57	88.20	-7.63	72.19	3	Horizontal	293	2.03	-	32.54	7.44	31.60
RMS	5.9246G	62.55	68.20	-5.65	54.16	3	Horizontal	293	2.03	-	32.55	7.44	31.60
PK	5.9728G	116.98	Inf	-Inf	108.58	3	Horizontal	293	2.03	-	32.55	7.46	31.61
RMS	5.9714G	107.62	Inf	-Inf	99.21	3	Horizontal	293	2.03	-	32.56	7.46	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92981G	53.58	74.00	-20.42	69.83	3	Vertical	91	2.08	-	38.76	10.78	65.79
AV	11.92979G	39.81	54.00	-14.19	56.06	3	Vertical	91	2.08	-	38.76	10.78	65.79
PK	17.89456G	61.35	74.00	-12.65	61.90	3	Vertical	76	1.52	-	48.42	13.52	62.49
AV	17.89458G	47.18	54.00	-6.82	47.73	3	Vertical	76	1.52	-	48.42	13.52	62.49

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92955G	53.14	74.00	-20.86	69.39	3	Horizontal	97	1.29	-	38.76	10.78	65.79
AV	11.9302G	39.79	54.00	-14.21	56.04	3	Horizontal	97	1.29	-	38.76	10.78	65.79
PK	17.89541G	60.18	74.00	-13.82	60.70	3	Horizontal	243	1.02	-	48.44	13.52	62.48
AV	17.89542G	46.36	54.00	-7.64	46.88	3	Horizontal	243	1.02	-	48.44	13.52	62.48

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86002G	60.22	83.54	-23.32	51.22	1	Vertical	103	1.61	-	38.80	17.36	47.16
AV	23.85993G	46.99	63.54	-16.55	37.99	1	Vertical	103	1.61	-	38.80	17.36	47.16

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 24  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8599G	62.69	83.54	-20.85	53.69	1	Horizontal	112	2.72	-	38.80	17.36	47.16
AV	23.8605G	51.08	63.54	-12.46	42.08	1	Horizontal	112	2.72	-	38.80	17.36	47.16



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40673G	58.67	74.00	-15.33	41.41	3	Vertical	297	1.87	-	38.86	11.00	32.60
AV	12.39836G	45.57	54.00	-8.43	28.29	3	Vertical	297	1.87	-	38.90	10.99	32.61



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41738G	59.05	74.00	-14.95	41.84	3	Horizontal	82	1.94	-	38.80	11.00	32.59
AV	12.39773G	45.68	54.00	-8.32	28.40	3	Horizontal	82	1.94	-	38.90	10.99	32.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61544G	56.33	83.54	-27.21	52.93	1	Vertical	27	1.05	-	37.73	15.27	49.60
AV	18.61452G	45.83	63.54	-17.71	42.43	1	Vertical	27	1.05	-	37.73	15.27	49.60

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61487G	56.24	83.54	-27.30	52.84	1	Horizontal	5	1.10	-	37.73	15.27	49.60
AV	18.61458G	46.82	63.54	-16.72	43.42	1	Horizontal	5	1.10	-	37.73	15.27	49.60

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81438G	58.49	88.20	-29.71	40.53	3	Vertical	313	1.18	-	39.33	11.18	32.55
RMS	12.80541G	46.23	68.20	-21.97	28.29	3	Vertical	313	1.18	-	39.31	11.18	32.55

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79596G	58.55	88.20	-29.65	40.65	3	Horizontal	248	2.92	-	39.28	11.17	32.55
RMS	12.80298G	46.17	68.20	-22.03	28.23	3	Horizontal	248	2.92	-	39.31	11.18	32.55



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21515G	56.18	83.54	-27.36	52.46	1	Vertical	123	1.10	-	37.97	15.24	49.49
AV	19.21514G	47.09	63.54	-16.45	43.37	1	Vertical	123	1.10	-	37.97	15.24	49.49



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21468G	56.92	83.54	-26.62	53.20	1	Horizontal	348	1.11	-	37.97	15.24	49.49
AV	19.2153G	48.02	63.54	-15.52	44.30	1	Horizontal	348	1.11	-	37.97	15.24	49.49



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13501G	59.74	88.20	-28.46	41.51	3	Vertical	343	1.56	-	39.61	11.33	32.71
RMS	13.13792G	46.65	68.20	-21.55	28.40	3	Vertical	343	1.56	-	39.63	11.33	32.71

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13528G	59.66	88.20	-28.54	41.43	3	Horizontal	281	1.41	-	39.61	11.33	32.71
RMS	13.13984G	46.71	68.20	-21.49	28.45	3	Horizontal	281	1.41	-	39.64	11.33	32.71

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69489G	55.81	83.54	-27.73	52.28	1	Vertical	232	1.55	-	37.83	15.22	49.52
AV	19.69473G	46.59	63.54	-16.95	43.06	1	Vertical	232	1.55	-	37.83	15.22	49.52



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69496G	57.20	83.54	-26.34	53.67	1	Horizontal	353	2.10	-	37.83	15.22	49.52
AV	19.69458G	47.19	63.54	-16.35	43.66	1	Horizontal	353	2.10	-	37.83	15.22	49.52

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38164G	60.42	74.00	-13.58	41.70	3	Vertical	76	1.93	-	40.23	11.44	32.95
AV	13.37066G	46.93	54.00	-7.07	28.26	3	Vertical	76	1.93	-	40.18	11.43	32.94

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 28  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37324G	60.19	74.00	-13.81	41.51	3	Horizontal	355	2.14	-	40.19	11.43	32.94
AV	13.37291G	46.94	54.00	-7.06	28.26	3	Horizontal	355	2.14	-	40.19	11.43	32.94

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX



EUT\_X\_4TX  
Setting 28  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0549G	55.95	83.54	-27.59	52.25	1	Vertical	320	2.07	-	37.72	15.24	49.26
AV	20.05536G	46.55	63.54	-16.99	42.85	1	Vertical	320	2.07	-	37.72	15.24	49.26