


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.70279G | 51.68 | 83.54 | -31.86 | 47.06 | 1 | Vertical | 105 | 1.62 | - | 37.89 | 15.76 | 49.03 |
| AV | 20.7G | 41.18 | 63.54 | -22.36 | 36.56 | 1 | Vertical | 105 | 1.62 | - | 37.90 | 15.76 | 49.04 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
 Setting 18.5
 01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.71761G | 51.70 | 83.54 | -31.84 | 47.10 | 1 | Horizontal | 96 | 2.51 | - | 37.86 | 15.77 | 49.03 |
| AV | 20.70048G | 41.30 | 63.54 | -22.24 | 36.68 | 1 | Horizontal | 96 | 2.51 | - | 37.90 | 15.76 | 49.04 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.8642G | 102.44 | Inf | -Inf | 92.26 | 3 | Vertical | 82 | 1.80 | - | 34.41 | 8.42 | 32.65 |
| RMS | 6.8948G | 91.32 | Inf | -Inf | 80.88 | 3 | Vertical | 82 | 1.80 | - | 34.66 | 8.45 | 32.67 |
| PK | 7.1336G | 67.27 | 88.20 | -20.93 | 55.66 | 3 | Vertical | 82 | 1.80 | - | 35.80 | 8.51 | 32.70 |
| RMS | 7.1384G | 55.19 | 68.20 | -13.01 | 43.55 | 3 | Vertical | 82 | 1.80 | - | 35.83 | 8.51 | 32.70 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.0022G | 92.37 | Inf | -Inf | 81.45 | 3 | Horizontal | 335 | 1.80 | - | 35.11 | 8.56 | 32.75 |
| RMS | 6.8282G | 82.73 | Inf | -Inf | 72.76 | 3 | Horizontal | 335 | 1.80 | - | 34.21 | 8.38 | 32.62 |
| PK | 7.1684G | 64.82 | 88.20 | -23.38 | 53.04 | 3 | Horizontal | 335 | 1.80 | - | 35.97 | 8.50 | 32.69 |
| RMS | 7.205G | 54.00 | 68.20 | -14.20 | 42.06 | 3 | Horizontal | 335 | 1.80 | - | 36.11 | 8.50 | 32.67 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.81224G | 56.64 | 88.20 | -31.56 | 35.79 | 3 | Vertical | 290 | 2.08 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80839G | 44.61 | 68.20 | -23.59 | 23.76 | 3 | Vertical | 290 | 2.08 | - | 40.22 | 11.81 | 31.18 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80846G | 56.69 | 88.20 | -31.51 | 35.84 | 3 | Horizontal | 82 | 1.82 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80942G | 44.41 | 68.20 | -23.79 | 23.56 | 3 | Horizontal | 82 | 1.82 | - | 40.22 | 11.81 | 31.18 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
 Setting 16.5
 01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 20.72529G | 53.31 | 83.54 | -30.23 | 48.70 | 1 | Vertical | 89 | 2.16 | - | 37.85 | 15.78 | 49.02 |
| AV | 20.7G | 41.15 | 63.54 | -22.39 | 36.53 | 1 | Vertical | 89 | 2.16 | - | 37.90 | 15.76 | 49.04 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 20.71641G | 53.64 | 83.54 | -29.90 | 49.03 | 1 | Horizontal | 339 | 1.38 | - | 37.87 | 15.77 | 49.03 |
| AV | 20.70051G | 41.40 | 63.54 | -22.14 | 36.78 | 1 | Horizontal | 339 | 1.38 | - | 37.90 | 15.76 | 49.04 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-1-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9234G | 64.11 | 88.20 | -24.09 | 56.51 | 3 | Vertical | 307 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.9234G | 52.25 | 68.20 | -15.95 | 44.65 | 3 | Vertical | 307 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.0026G | 110.54 | Inf | -Inf | 102.79 | 3 | Vertical | 307 | 1.80 | - | 32.51 | 7.68 | 32.44 |
| RMS | 6.0222G | 99.75 | Inf | -Inf | 91.97 | 3 | Vertical | 307 | 1.80 | - | 32.54 | 7.68 | 32.44 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-1-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9246G | 66.41 | 88.20 | -21.79 | 58.81 | 3 | Horizontal | 66 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.925G | 52.22 | 68.20 | -15.98 | 44.62 | 3 | Horizontal | 66 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.0206G | 109.92 | Inf | -Inf | 102.14 | 3 | Horizontal | 66 | 1.80 | - | 32.54 | 7.68 | 32.44 |
| RMS | 6.0218G | 99.47 | Inf | -Inf | 91.69 | 3 | Horizontal | 66 | 1.80 | - | 32.54 | 7.68 | 32.44 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-1-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.96975G | 56.52 | 74.00 | -17.48 | 39.17 | 3 | Vertical | 212 | 2.17 | - | 39.04 | 11.10 | 32.79 |
| AV | 11.9737G | 45.51 | 54.00 | -8.49 | 28.14 | 3 | Vertical | 212 | 2.17 | - | 39.05 | 11.11 | 32.79 |
| PK | 17.95089G | 61.66 | 74.00 | -12.34 | 31.60 | 3 | Vertical | 39 | 1.00 | - | 48.03 | 13.43 | 31.40 |
| AV | 17.95659G | 48.82 | 54.00 | -5.18 | 18.56 | 3 | Vertical | 39 | 1.00 | - | 48.21 | 13.44 | 31.39 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-1-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.9725G | 56.81 | 74.00 | -17.19 | 39.45 | 3 | Horizontal | 207 | 1.79 | - | 39.05 | 11.10 | 32.79 |
| AV | 11.96927G | 45.49 | 54.00 | -8.51 | 28.14 | 3 | Horizontal | 207 | 1.79 | - | 39.04 | 11.10 | 32.79 |
| PK | 17.9582G | 61.99 | 74.00 | -12.01 | 31.68 | 3 | Horizontal | 152 | 1.20 | - | 48.26 | 13.44 | 31.39 |
| AV | 17.95834G | 48.86 | 54.00 | -5.14 | 18.54 | 3 | Horizontal | 152 | 1.20 | - | 48.27 | 13.44 | 31.39 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.94148G | 53.28 | 83.54 | -30.26 | 44.14 | 1 | Vertical | 308 | 1.55 | - | 38.88 | 17.38 | 47.12 |
| AV | 23.94966G | 41.73 | 63.54 | -21.81 | 32.57 | 1 | Vertical | 308 | 1.55 | - | 38.90 | 17.38 | 47.12 |



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.939G | 54.10 | 83.54 | -29.44 | 44.96 | 1 | Horizontal | 243 | 1.99 | - | 38.88 | 17.38 | 47.12 |
| AV | 23.93686G | 42.67 | 63.54 | -20.87 | 33.54 | 1 | Horizontal | 243 | 1.99 | - | 38.87 | 17.38 | 47.12 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.0002G | 109.39 | Inf | -Inf | 98.48 | 3 | Vertical | 76 | 1.80 | - | 35.10 | 8.56 | 32.75 |
| RMS | 7.0014G | 99.52 | Inf | -Inf | 88.60 | 3 | Vertical | 76 | 1.80 | - | 35.11 | 8.56 | 32.75 |
| PK | 7.129G | 68.68 | 88.20 | -19.52 | 57.10 | 3 | Vertical | 76 | 1.80 | - | 35.77 | 8.51 | 32.70 |
| RMS | 7.125G | 57.09 | 68.20 | -11.11 | 45.52 | 3 | Vertical | 76 | 1.80 | - | 35.75 | 8.52 | 32.70 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-1-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9902G | 108.14 | Inf | -Inf | 97.25 | 3 | Horizontal | 72 | 1.80 | - | 35.08 | 8.55 | 32.74 |
| RMS | 6.9934G | 98.97 | Inf | -Inf | 88.08 | 3 | Horizontal | 72 | 1.80 | - | 35.09 | 8.55 | 32.75 |
| PK | 7.1286G | 65.84 | 88.20 | -22.36 | 54.26 | 3 | Horizontal | 72 | 1.80 | - | 35.77 | 8.51 | 32.70 |
| RMS | 7.1278G | 55.11 | 68.20 | -13.09 | 43.52 | 3 | Horizontal | 72 | 1.80 | - | 35.77 | 8.52 | 32.70 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.05007G | 58.79 | 88.20 | -29.41 | 37.19 | 3 | Vertical | 272 | 1.84 | - | 41.00 | 11.90 | 31.30 |
| RMS | 14.05145G | 47.13 | 68.20 | -21.07 | 25.52 | 3 | Vertical | 272 | 1.84 | - | 41.01 | 11.90 | 31.30 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 14.0515G | 59.39 | 88.20 | -28.81 | 37.78 | 3 | Horizontal | 267 | 1.49 | - | 41.01 | 11.90 | 31.30 |
| RMS | 14.05217G | 47.21 | 68.20 | -20.99 | 25.60 | 3 | Horizontal | 267 | 1.49 | - | 41.01 | 11.90 | 31.30 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 21.07596G | 53.84 | 83.54 | -29.70 | 48.41 | 1 | Vertical | 82 | 2.87 | - | 38.24 | 16.06 | 48.87 |
| AV | 21.07173G | 40.61 | 63.54 | -22.93 | 35.15 | 1 | Vertical | 82 | 2.87 | - | 38.27 | 16.06 | 48.87 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.07926G | 53.46 | 83.54 | -30.08 | 48.05 | 1 | Horizontal | 341 | 1.55 | - | 38.22 | 16.06 | 48.87 |
| AV | 21.06429G | 40.71 | 63.54 | -22.83 | 35.22 | 1 | Horizontal | 341 | 1.55 | - | 38.31 | 16.05 | 48.87 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-1-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.921G | 71.01 | 88.20 | -17.19 | 63.41 | 3 | Vertical | 304 | 1.06 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.925G | 56.13 | 68.20 | -12.07 | 48.53 | 3 | Vertical | 304 | 1.06 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.087G | 109.08 | Inf | -Inf | 101.28 | 3 | Vertical | 304 | 1.06 | - | 32.53 | 7.70 | 32.43 |
| RMS | 6.067G | 99.44 | Inf | -Inf | 91.61 | 3 | Vertical | 304 | 1.06 | - | 32.57 | 7.69 | 32.43 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-1-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.909G | 72.10 | 88.20 | -16.10 | 64.51 | 3 | Horizontal | 69 | 1.80 | - | 32.40 | 7.63 | 32.44 |
| RMS | 5.9245G | 55.99 | 68.20 | -12.21 | 48.39 | 3 | Horizontal | 69 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.021G | 110.04 | Inf | -Inf | 102.26 | 3 | Horizontal | 69 | 1.80 | - | 32.54 | 7.68 | 32.44 |
| RMS | 6.082G | 98.63 | Inf | -Inf | 90.82 | 3 | Horizontal | 69 | 1.80 | - | 32.54 | 7.70 | 32.43 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.04745G | 57.57 | 74.00 | -16.43 | 39.87 | 3 | Vertical | 226 | 1.48 | - | 39.29 | 11.14 | 32.73 |
| AV | 12.04509G | 46.14 | 54.00 | -7.86 | 28.46 | 3 | Vertical | 226 | 1.48 | - | 39.28 | 11.14 | 32.74 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.04845G | 57.53 | 74.00 | -16.47 | 39.83 | 3 | Horizontal | 247 | 1.64 | - | 39.29 | 11.14 | 32.73 |
| AV | 12.04626G | 46.17 | 54.00 | -7.83 | 28.47 | 3 | Horizontal | 247 | 1.64 | - | 39.29 | 11.14 | 32.73 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.08278G | 55.60 | 83.54 | -27.94 | 52.25 | 1 | Vertical | 153 | 1.75 | - | 37.53 | 15.30 | 49.48 |
| AV | 18.08334G | 42.35 | 63.54 | -21.19 | 39.00 | 1 | Vertical | 153 | 1.75 | - | 37.53 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.07248G | 55.94 | 83.54 | -27.60 | 52.62 | 1 | Horizontal | 331 | 1.79 | - | 37.49 | 15.30 | 49.47 |
| AV | 18.07668G | 42.64 | 63.54 | -20.90 | 39.31 | 1 | Horizontal | 331 | 1.79 | - | 37.51 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.895G | 70.25 | 88.20 | -17.95 | 62.68 | 3 | Vertical | 303 | 1.80 | - | 32.38 | 7.63 | 32.44 |
| RMS | 5.9245G | 54.45 | 68.20 | -13.75 | 46.85 | 3 | Vertical | 303 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.0455G | 109.72 | Inf | -Inf | 101.87 | 3 | Vertical | 303 | 1.80 | - | 32.59 | 7.69 | 32.43 |
| RMS | 6.103G | 99.45 | Inf | -Inf | 91.67 | 3 | Vertical | 303 | 1.80 | - | 32.51 | 7.70 | 32.43 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-1-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.8945G | 71.21 | 88.20 | -16.99 | 63.64 | 3 | Horizontal | 67 | 1.80 | - | 32.38 | 7.63 | 32.44 |
| RMS | 5.923G | 54.53 | 68.20 | -13.67 | 46.93 | 3 | Horizontal | 67 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.0605G | 109.97 | Inf | -Inf | 102.13 | 3 | Horizontal | 67 | 1.80 | - | 32.58 | 7.69 | 32.43 |
| RMS | 6.0815G | 99.33 | Inf | -Inf | 91.52 | 3 | Horizontal | 67 | 1.80 | - | 32.54 | 7.70 | 32.43 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.04879G | 57.98 | 74.00 | -16.02 | 40.27 | 3 | Vertical | 148 | 2.41 | - | 39.30 | 11.14 | 32.73 |
| AV | 12.05241G | 46.09 | 54.00 | -7.91 | 28.37 | 3 | Vertical | 148 | 2.41 | - | 39.30 | 11.14 | 32.72 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) |
| PK | 12.05122G | 57.79 | 74.00 | -16.21 | 40.08 | 3 | Horizontal | 311 | 2.54 | - | 39.30 | 11.14 | 32.73 |
| AV | 12.05083G | 46.02 | 54.00 | -7.98 | 28.31 | 3 | Horizontal | 311 | 2.54 | - | 39.30 | 11.14 | 32.73 |



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.08766G | 55.60 | 83.54 | -27.94 | 52.23 | 1 | Vertical | 342 | 2.70 | - | 37.55 | 15.30 | 49.48 |
| AV | 18.08982G | 42.80 | 63.54 | -20.74 | 39.42 | 1 | Vertical | 342 | 2.70 | - | 37.56 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.08406G | 55.74 | 83.54 | -27.80 | 52.38 | 1 | Horizontal | 242 | 2.03 | - | 37.54 | 15.30 | 49.48 |
| AV | 18.06522G | 42.74 | 63.54 | -20.80 | 39.45 | 1 | Horizontal | 242 | 2.03 | - | 37.46 | 15.30 | 49.47 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9526G | 109.54 | Inf | -Inf | 98.73 | 3 | Vertical | 296 | 1.21 | - | 35.01 | 8.51 | 32.71 |
| RMS | 6.9114G | 99.65 | Inf | -Inf | 89.09 | 3 | Vertical | 296 | 1.21 | - | 34.77 | 8.47 | 32.68 |
| PK | 7.1418G | 80.61 | 88.20 | -7.59 | 68.95 | 3 | Vertical | 296 | 1.21 | - | 35.85 | 8.51 | 32.70 |
| RMS | 7.1318G | 66.79 | 68.20 | -1.41 | 55.19 | 3 | Vertical | 296 | 1.21 | - | 35.79 | 8.51 | 32.70 |



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9142G | 107.11 | Inf | -Inf | 96.54 | 3 | Horizontal | 73 | 1.80 | - | 34.79 | 8.47 | 32.69 |
| RMS | 6.9142G | 96.38 | Inf | -Inf | 85.81 | 3 | Horizontal | 73 | 1.80 | - | 34.79 | 8.47 | 32.69 |
| PK | 7.1414G | 77.29 | 88.20 | -10.91 | 65.63 | 3 | Horizontal | 73 | 1.80 | - | 35.85 | 8.51 | 32.70 |
| RMS | 7.1302G | 62.05 | 68.20 | -6.15 | 50.46 | 3 | Horizontal | 73 | 1.80 | - | 35.78 | 8.51 | 32.70 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.96825G | 59.52 | 88.20 | -28.68 | 38.06 | 3 | Vertical | 208 | 1.12 | - | 40.84 | 11.87 | 31.25 |
| RMS | 13.97058G | 47.41 | 68.20 | -20.79 | 25.95 | 3 | Vertical | 208 | 1.12 | - | 40.84 | 11.87 | 31.25 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.97121G | 58.64 | 88.20 | -29.56 | 37.18 | 3 | Horizontal | 148 | 1.43 | - | 40.84 | 11.87 | 31.25 |
| RMS | 13.9699G | 47.33 | 68.20 | -20.87 | 25.87 | 3 | Horizontal | 148 | 1.43 | - | 40.84 | 11.87 | 31.25 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.96847G | 50.11 | 83.54 | -33.43 | 45.01 | 1 | Vertical | 335 | 2.46 | - | 38.03 | 15.97 | 48.90 |
| AV | 20.96754G | 40.65 | 63.54 | -22.89 | 35.55 | 1 | Vertical | 335 | 2.46 | - | 38.03 | 15.97 | 48.90 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.96169G | 51.10 | 83.54 | -32.44 | 45.98 | 1 | Horizontal | 27 | 2.88 | - | 38.05 | 15.97 | 48.90 |
| AV | 20.95077G | 40.59 | 63.54 | -22.95 | 35.44 | 1 | Horizontal | 27 | 2.88 | - | 38.10 | 15.96 | 48.91 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.0146G | 107.37 | Inf | -Inf | 98.01 | 3 | Vertical | 344 | 1.80 | - | 36.06 | 8.61 | 35.31 |
| RMS | 6.953G | 96.72 | Inf | -Inf | 87.51 | 3 | Vertical | 344 | 1.80 | - | 35.91 | 8.57 | 35.27 |
| PK | 7.1346G | 77.57 | 88.20 | -10.63 | 67.38 | 3 | Vertical | 344 | 1.80 | - | 36.71 | 8.58 | 35.10 |
| RMS | 7.1322G | 64.38 | 68.20 | -3.82 | 54.21 | 3 | Vertical | 344 | 1.80 | - | 36.69 | 8.58 | 35.10 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.0306G | 109.44 | Inf | -Inf | 100.00 | 3 | Horizontal | 52 | 1.49 | - | 36.12 | 8.60 | 35.28 |
| RMS | 7.031G | 99.88 | Inf | -Inf | 90.44 | 3 | Horizontal | 52 | 1.49 | - | 36.12 | 8.60 | 35.28 |
| PK | 7.1258G | 78.55 | 88.20 | -9.65 | 68.43 | 3 | Horizontal | 52 | 1.49 | - | 36.65 | 8.58 | 35.11 |
| RMS | 7.1298G | 67.77 | 68.20 | -0.43 | 57.61 | 3 | Horizontal | 52 | 1.49 | - | 36.68 | 8.58 | 35.10 |



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.97226G | 59.22 | 88.20 | -28.98 | 40.65 | 3 | Vertical | 14 | 2.85 | - | 40.36 | 11.75 | 33.54 |
| RMS | 13.97106G | 47.33 | 68.20 | -20.87 | 28.76 | 3 | Vertical | 14 | 2.85 | - | 40.36 | 11.75 | 33.54 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 13.9718G | 59.45 | 88.20 | -28.75 | 40.88 | 3 | Horizontal | 157 | 2.21 | - | 40.36 | 11.75 | 33.54 |
| RMS | 13.96954G | 47.33 | 68.20 | -20.87 | 28.76 | 3 | Horizontal | 157 | 2.21 | - | 40.36 | 11.75 | 33.54 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.95116G | 53.48 | 83.54 | -30.06 | 48.33 | 1 | Vertical | 27 | 1.08 | - | 38.10 | 15.96 | 48.91 |
| AV | 20.96373G | 40.69 | 63.54 | -22.85 | 35.57 | 1 | Vertical | 27 | 1.08 | - | 38.05 | 15.97 | 48.90 |



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 20.96505G | 53.55 | 83.54 | -29.99 | 48.44 | 1 | Horizontal | 197 | 1.29 | - | 38.04 | 15.97 | 48.90 |
| AV | 20.96148G | 40.70 | 63.54 | -22.84 | 35.58 | 1 | Horizontal | 197 | 1.29 | - | 38.05 | 15.97 | 48.90 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9238G | 77.96 | 88.20 | -10.24 | 71.23 | 3 | Vertical | 307 | 1.09 | - | 34.20 | 8.11 | 35.58 |
| RMS | 5.9244G | 67.29 | 68.20 | -0.91 | 60.56 | 3 | Vertical | 307 | 1.09 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.0858G | 107.94 | Inf | -Inf | 101.09 | 3 | Vertical | 307 | 1.09 | - | 34.10 | 8.19 | 35.44 |
| RMS | 6.027G | 97.97 | Inf | -Inf | 91.26 | 3 | Vertical | 307 | 1.09 | - | 34.10 | 8.17 | 35.56 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9238G | 76.32 | 88.20 | -11.88 | 69.59 | 3 | Horizontal | 60 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| RMS | 5.925G | 64.53 | 68.20 | -3.67 | 57.80 | 3 | Horizontal | 60 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.2358G | 106.15 | Inf | -Inf | 98.61 | 3 | Horizontal | 60 | 1.80 | - | 34.44 | 8.25 | 35.15 |
| RMS | 6.2388G | 95.87 | Inf | -Inf | 88.30 | 3 | Horizontal | 60 | 1.80 | - | 34.46 | 8.25 | 35.14 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21002G | 57.22 | 74.00 | -16.78 | 40.41 | 3 | Vertical | 35 | 2.47 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.20952G | 45.78 | 54.00 | -8.22 | 28.97 | 3 | Vertical | 35 | 2.47 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21243G | 57.13 | 74.00 | -16.87 | 40.31 | 3 | Horizontal | 10 | 2.20 | - | 38.90 | 11.14 | 33.22 |
| AV | 12.21112G | 45.71 | 54.00 | -8.29 | 28.90 | 3 | Horizontal | 10 | 2.20 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.30726G | 55.49 | 83.54 | -28.05 | 52.30 | 1 | Vertical | 126 | 1.29 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30777G | 42.43 | 63.54 | -21.11 | 39.24 | 1 | Vertical | 126 | 1.29 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.32154G | 55.25 | 83.54 | -28.29 | 52.06 | 1 | Horizontal | 313 | 1.85 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30666G | 42.47 | 63.54 | -21.07 | 39.28 | 1 | Horizontal | 313 | 1.85 | - | 37.50 | 15.28 | 49.59 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9196G | 80.78 | 88.20 | -7.42 | 73.18 | 3 | Vertical | 311 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.9226G | 66.61 | 68.20 | -1.59 | 59.01 | 3 | Vertical | 311 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.1422G | 109.29 | Inf | -Inf | 101.33 | 3 | Vertical | 311 | 1.80 | - | 32.67 | 7.71 | 32.42 |
| RMS | 6.0222G | 98.26 | Inf | -Inf | 90.48 | 3 | Vertical | 311 | 1.80 | - | 32.54 | 7.68 | 32.44 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.916G | 80.86 | 88.20 | -7.34 | 73.26 | 3 | Horizontal | 64 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.9238G | 65.31 | 68.20 | -2.89 | 57.71 | 3 | Horizontal | 64 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.081G | 107.77 | Inf | -Inf | 99.96 | 3 | Horizontal | 64 | 1.80 | - | 32.54 | 7.70 | 32.43 |
| RMS | 6.0822G | 97.27 | Inf | -Inf | 89.46 | 3 | Horizontal | 64 | 1.80 | - | 32.54 | 7.70 | 32.43 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.20997G | 57.69 | 74.00 | -16.31 | 39.89 | 3 | Vertical | 297 | 2.27 | - | 39.10 | 11.20 | 32.50 |
| AV | 12.20986G | 45.62 | 54.00 | -8.38 | 27.82 | 3 | Vertical | 297 | 2.27 | - | 39.10 | 11.20 | 32.50 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 12.21026G | 56.98 | 74.00 | -17.02 | 39.18 | 3 | Horizontal | 203 | 2.18 | - | 39.10 | 11.20 | 32.50 |
| AV | 12.2076G | 45.60 | 54.00 | -8.40 | 27.80 | 3 | Horizontal | 203 | 2.18 | - | 39.10 | 11.20 | 32.50 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.30444G | 52.62 | 83.54 | -30.92 | 49.43 | 1 | Vertical | 99 | 2.12 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.32022G | 42.46 | 63.54 | -21.08 | 39.27 | 1 | Vertical | 99 | 2.12 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-1-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 18.32442G | 53.47 | 83.54 | -30.07 | 50.29 | 1 | Horizontal | 16 | 2.11 | - | 37.50 | 15.28 | 49.60 |
| AV | 18.30633G | 42.44 | 63.54 | -21.10 | 39.25 | 1 | Horizontal | 16 | 2.11 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9238G | 75.50 | 88.20 | -12.70 | 68.77 | 3 | Vertical | 299 | 1.09 | - | 34.20 | 8.11 | 35.58 |
| RMS | 5.925G | 62.17 | 68.20 | -6.03 | 55.44 | 3 | Vertical | 299 | 1.09 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.0474G | 109.92 | Inf | -Inf | 103.17 | 3 | Vertical | 299 | 1.09 | - | 34.10 | 8.17 | 35.52 |
| RMS | 6.048G | 98.86 | Inf | -Inf | 92.11 | 3 | Vertical | 299 | 1.09 | - | 34.10 | 8.17 | 35.52 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9226G | 71.65 | 88.20 | -16.55 | 64.92 | 3 | Horizontal | 58 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| RMS | 5.9244G | 60.72 | 68.20 | -7.48 | 53.99 | 3 | Horizontal | 58 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.0606G | 108.15 | Inf | -Inf | 101.36 | 3 | Horizontal | 58 | 1.80 | - | 34.10 | 8.18 | 35.49 |
| RMS | 6.0408G | 97.37 | Inf | -Inf | 90.63 | 3 | Horizontal | 58 | 1.80 | - | 34.10 | 8.17 | 35.53 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21188G | 56.98 | 74.00 | -17.02 | 40.17 | 3 | Vertical | 301 | 1.50 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.20824G | 45.60 | 54.00 | -8.40 | 28.79 | 3 | Vertical | 301 | 1.50 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21007G | 57.20 | 74.00 | -16.80 | 40.39 | 3 | Horizontal | 107 | 1.71 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.20889G | 45.77 | 54.00 | -8.23 | 28.96 | 3 | Horizontal | 107 | 1.71 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.30426G | 58.81 | 83.54 | -24.73 | 55.62 | 1 | Vertical | 277 | 1.73 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30057G | 45.02 | 63.54 | -18.52 | 41.82 | 1 | Vertical | 277 | 1.73 | - | 37.50 | 15.28 | 49.58 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.31161G | 58.53 | 83.54 | -25.01 | 55.34 | 1 | Horizontal | 42 | 1.63 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30078G | 45.98 | 63.54 | -17.56 | 42.78 | 1 | Horizontal | 42 | 1.63 | - | 37.50 | 15.28 | 49.58 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7778G | 105.56 | Inf | -Inf | 96.05 | 3 | Vertical | 41 | 1.80 | - | 36.10 | 8.43 | 35.02 |
| RMS | 6.7568G | 95.66 | Inf | -Inf | 86.14 | 3 | Vertical | 41 | 1.80 | - | 36.10 | 8.41 | 34.99 |
| PK | 7.199G | 78.92 | 88.20 | -9.28 | 68.34 | 3 | Vertical | 41 | 1.80 | - | 37.00 | 8.56 | 34.98 |
| RMS | 7.1336G | 65.21 | 68.20 | -2.99 | 55.03 | 3 | Vertical | 41 | 1.80 | - | 36.70 | 8.58 | 35.10 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7526G | 105.19 | Inf | -Inf | 95.68 | 3 | Horizontal | 49 | 1.80 | - | 36.10 | 8.40 | 34.99 |
| RMS | 6.8702G | 95.10 | Inf | -Inf | 85.75 | 3 | Horizontal | 49 | 1.80 | - | 36.00 | 8.51 | 35.16 |
| PK | 7.2014G | 77.30 | 88.20 | -10.90 | 66.71 | 3 | Horizontal | 49 | 1.80 | - | 37.00 | 8.56 | 34.97 |
| RMS | 7.1264G | 63.78 | 68.20 | -4.42 | 53.65 | 3 | Horizontal | 49 | 1.80 | - | 36.66 | 8.58 | 35.11 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80774G | 58.01 | 88.20 | -30.19 | 39.53 | 3 | Vertical | 61 | 2.91 | - | 40.28 | 11.69 | 33.49 |
| RMS | 13.8097G | 45.41 | 68.20 | -22.79 | 26.93 | 3 | Vertical | 61 | 2.91 | - | 40.28 | 11.69 | 33.49 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 13.81021G | 58.40 | 88.20 | -29.80 | 39.92 | 3 | Horizontal | 1 | 1.03 | - | 40.28 | 11.69 | 33.49 |
| RMS | 13.8092G | 45.30 | 68.20 | -22.90 | 26.82 | 3 | Horizontal | 1 | 1.03 | - | 40.28 | 11.69 | 33.49 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.71287G | 53.74 | 83.54 | -29.80 | 49.13 | 1 | Vertical | 14 | 1.40 | - | 37.87 | 15.77 | 49.03 |
| AV | 20.7024G | 41.51 | 63.54 | -22.03 | 36.88 | 1 | Vertical | 14 | 1.40 | - | 37.90 | 15.76 | 49.03 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.72325G | 53.75 | 83.54 | -29.79 | 49.14 | 1 | Horizontal | 101 | 2.40 | - | 37.85 | 15.78 | 49.02 |
| AV | 20.70108G | 41.41 | 63.54 | -22.13 | 36.79 | 1 | Horizontal | 101 | 2.40 | - | 37.90 | 15.76 | 49.04 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 6.7832G | 106.58 | Inf | -Inf | 96.76 | 3 | Vertical | 305 | 1.80 | - | 34.10 | 8.31 | 32.59 |
| RMS | 6.8468G | 95.82 | Inf | -Inf | 85.77 | 3 | Vertical | 305 | 1.80 | - | 34.29 | 8.40 | 32.64 |
| PK | 7.1408G | 77.94 | 88.20 | -10.26 | 66.29 | 3 | Vertical | 305 | 1.80 | - | 35.84 | 8.51 | 32.70 |
| RMS | 7.1312G | 61.32 | 68.20 | -6.88 | 49.72 | 3 | Vertical | 305 | 1.80 | - | 35.79 | 8.51 | 32.70 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7724G | 104.25 | Inf | -Inf | 94.45 | 3 | Horizontal | 68 | 1.80 | - | 34.10 | 8.28 | 32.58 |
| RMS | 6.776G | 94.42 | Inf | -Inf | 84.61 | 3 | Horizontal | 68 | 1.80 | - | 34.10 | 8.29 | 32.58 |
| PK | 7.133G | 75.26 | 88.20 | -12.94 | 63.65 | 3 | Horizontal | 68 | 1.80 | - | 35.80 | 8.51 | 32.70 |
| RMS | 7.1312G | 58.28 | 68.20 | -9.92 | 46.68 | 3 | Horizontal | 68 | 1.80 | - | 35.79 | 8.51 | 32.70 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.8084G | 56.27 | 88.20 | -31.93 | 35.42 | 3 | Vertical | 220 | 1.20 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.8094G | 44.28 | 68.20 | -23.92 | 23.43 | 3 | Vertical | 220 | 1.20 | - | 40.22 | 11.81 | 31.18 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.81196G | 55.81 | 88.20 | -32.39 | 34.96 | 3 | Horizontal | 352 | 2.24 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80786G | 44.18 | 68.20 | -24.02 | 23.33 | 3 | Horizontal | 352 | 2.24 | - | 40.22 | 11.81 | 31.18 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.72619G | 51.41 | 83.54 | -32.13 | 46.80 | 1 | Vertical | 236 | 1.33 | - | 37.85 | 15.78 | 49.02 |
| AV | 20.70117G | 41.25 | 63.54 | -22.29 | 36.63 | 1 | Vertical | 236 | 1.33 | - | 37.90 | 15.76 | 49.04 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.70762G | 51.54 | 83.54 | -32.00 | 46.92 | 1 | Horizontal | 142 | 1.45 | - | 37.88 | 15.77 | 49.03 |
| AV | 20.70003G | 41.36 | 63.54 | -22.18 | 36.74 | 1 | Horizontal | 142 | 1.45 | - | 37.90 | 15.76 | 49.04 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.8738G | 104.51 | Inf | -Inf | 94.25 | 3 | Vertical | 49 | 1.80 | - | 34.49 | 8.43 | 32.66 |
| RMS | 6.8558G | 95.11 | Inf | -Inf | 84.99 | 3 | Vertical | 49 | 1.80 | - | 34.35 | 8.41 | 32.64 |
| PK | 7.1924G | 70.91 | 88.20 | -17.29 | 59.03 | 3 | Vertical | 49 | 1.80 | - | 36.07 | 8.49 | 32.68 |
| RMS | 7.1348G | 57.99 | 68.20 | -10.21 | 46.37 | 3 | Vertical | 49 | 1.80 | - | 35.81 | 8.51 | 32.70 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-1-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.8294G | 103.69 | Inf | -Inf | 93.71 | 3 | Horizontal | 53 | 1.80 | - | 34.22 | 8.38 | 32.62 |
| RMS | 6.8306G | 93.47 | Inf | -Inf | 83.49 | 3 | Horizontal | 53 | 1.80 | - | 34.22 | 8.38 | 32.62 |
| PK | 7.1264G | 67.60 | 88.20 | -20.60 | 56.02 | 3 | Horizontal | 53 | 1.80 | - | 35.76 | 8.52 | 32.70 |
| RMS | 7.1264G | 55.90 | 68.20 | -12.30 | 44.32 | 3 | Horizontal | 53 | 1.80 | - | 35.76 | 8.52 | 32.70 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80959G | 55.80 | 88.20 | -32.40 | 34.95 | 3 | Vertical | 35 | 1.42 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80963G | 44.30 | 68.20 | -23.90 | 23.45 | 3 | Vertical | 35 | 1.42 | - | 40.22 | 11.81 | 31.18 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80815G | 56.07 | 88.20 | -32.13 | 35.22 | 3 | Horizontal | 93 | 1.31 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80838G | 44.40 | 68.20 | -23.80 | 23.55 | 3 | Horizontal | 93 | 1.31 | - | 40.22 | 11.81 | 31.18 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.70003G | 51.61 | 83.54 | -31.93 | 46.99 | 1 | Vertical | 179 | 1.46 | - | 37.90 | 15.76 | 49.04 |
| AV | 20.70072G | 41.33 | 63.54 | -22.21 | 36.71 | 1 | Vertical | 179 | 1.46 | - | 37.90 | 15.76 | 49.04 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 20.72961G | 51.36 | 83.54 | -32.18 | 46.76 | 1 | Horizontal | 132 | 2.65 | - | 37.84 | 15.78 | 49.02 |
| AV | 20.70027G | 41.13 | 63.54 | -22.41 | 36.51 | 1 | Horizontal | 132 | 2.65 | - | 37.90 | 15.76 | 49.04 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9242G | 65.77 | 88.20 | -22.43 | 57.38 | 3 | Vertical | 233 | 2.06 | - | 32.55 | 7.44 | 31.60 |
| RMS | 5.9238G | 51.69 | 68.20 | -16.51 | 43.30 | 3 | Vertical | 233 | 2.06 | - | 32.55 | 7.44 | 31.60 |
| PK | 6.0234G | 109.79 | Inf | -Inf | 101.31 | 3 | Vertical | 233 | 2.06 | - | 32.55 | 7.49 | 31.56 |
| RMS | 5.9638G | 99.66 | Inf | -Inf | 91.24 | 3 | Vertical | 233 | 2.06 | - | 32.57 | 7.46 | 31.61 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.881G | 62.71 | 88.20 | -25.49 | 54.47 | 3 | Horizontal | 113 | 1.10 | - | 32.42 | 7.42 | 31.60 |
| RMS | 5.9234G | 51.49 | 68.20 | -16.71 | 43.10 | 3 | Horizontal | 113 | 1.10 | - | 32.55 | 7.44 | 31.60 |
| PK | 6.0234G | 108.47 | Inf | -Inf | 99.99 | 3 | Horizontal | 113 | 1.10 | - | 32.55 | 7.49 | 31.56 |
| RMS | 6.0226G | 98.04 | Inf | -Inf | 89.56 | 3 | Horizontal | 113 | 1.10 | - | 32.55 | 7.49 | 31.56 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 12.066G | 60.10 | 74.00 | -13.90 | 42.96 | 3 | Vertical | 135 | 1.67 | - | 39.23 | 10.84 | 32.93 |
| AV | 12.0524G | 48.03 | 54.00 | -5.97 | 30.94 | 3 | Vertical | 135 | 1.67 | - | 39.20 | 10.83 | 32.94 |
| PK | 17.9685G | 63.51 | 74.00 | -10.49 | 33.10 | 3 | Vertical | 152 | 2.91 | - | 51.10 | 13.56 | 34.25 |
| AV | 17.96976G | 51.57 | 54.00 | -2.43 | 21.09 | 3 | Vertical | 152 | 2.91 | - | 51.17 | 13.56 | 34.25 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.9685G | 59.13 | 74.00 | -14.87 | 42.40 | 3 | Horizontal | 280 | 3.00 | - | 38.91 | 10.80 | 32.98 |
| AV | 11.98086G | 47.10 | 54.00 | -6.90 | 30.29 | 3 | Horizontal | 280 | 3.00 | - | 38.99 | 10.80 | 32.98 |
| PK | 17.94462G | 64.22 | 74.00 | -9.78 | 34.91 | 3 | Horizontal | 324 | 2.14 | - | 49.94 | 13.55 | 34.18 |
| AV | 17.96976G | 51.65 | 54.00 | -2.35 | 21.17 | 3 | Horizontal | 324 | 2.14 | - | 51.17 | 13.56 | 34.25 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
 Setting 12.5
 06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.93001G | 54.73 | 74.00 | -19.27 | 45.61 | 1 | Vertical | 243 | 2.07 | - | 38.86 | 17.38 | 47.12 |
| AV | 23.9349G | 42.39 | 54.00 | -11.61 | 33.26 | 1 | Vertical | 243 | 2.07 | - | 38.87 | 17.38 | 47.12 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.93649G | 55.24 | 74.00 | -18.76 | 46.11 | 1 | Horizontal | 200 | 2.80 | - | 38.87 | 17.38 | 47.12 |
| AV | 23.93781G | 42.43 | 54.00 | -11.57 | 33.29 | 1 | Horizontal | 200 | 2.80 | - | 38.88 | 17.38 | 47.12 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9982G | 109.21 | Inf | -Inf | 98.30 | 3 | Vertical | 52 | 1.80 | - | 35.10 | 8.56 | 32.75 |
| RMS | 6.9978G | 99.64 | Inf | -Inf | 88.73 | 3 | Vertical | 52 | 1.80 | - | 35.10 | 8.56 | 32.75 |
| PK | 7.217G | 65.68 | 88.20 | -22.52 | 53.71 | 3 | Vertical | 52 | 1.80 | - | 36.13 | 8.51 | 32.67 |
| RMS | 7.2242G | 54.51 | 68.20 | -13.69 | 42.50 | 3 | Vertical | 52 | 1.80 | - | 36.15 | 8.52 | 32.66 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-1-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9954G | 108.35 | Inf | -Inf | 97.45 | 3 | Horizontal | 71 | 1.80 | - | 35.09 | 8.56 | 32.75 |
| RMS | 6.9962G | 98.65 | Inf | -Inf | 87.75 | 3 | Horizontal | 71 | 1.80 | - | 35.09 | 8.56 | 32.75 |
| PK | 7.1754G | 64.84 | 88.20 | -23.36 | 53.02 | 3 | Horizontal | 71 | 1.80 | - | 36.00 | 8.50 | 32.68 |
| RMS | 7.219G | 54.52 | 68.20 | -13.68 | 42.54 | 3 | Horizontal | 71 | 1.80 | - | 36.14 | 8.51 | 32.67 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.05438G | 58.82 | 88.20 | -29.38 | 37.19 | 3 | Vertical | 40 | 1.77 | - | 41.02 | 11.91 | 31.30 |
| RMS | 14.05362G | 46.46 | 68.20 | -21.74 | 24.85 | 3 | Vertical | 40 | 1.77 | - | 41.01 | 11.90 | 31.30 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.05082G | 59.65 | 88.20 | -28.55 | 38.05 | 3 | Horizontal | 344 | 1.45 | - | 41.00 | 11.90 | 31.30 |
| RMS | 14.05436G | 46.38 | 68.20 | -21.82 | 24.75 | 3 | Horizontal | 344 | 1.45 | - | 41.02 | 11.91 | 31.30 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.0612G | 53.43 | 83.54 | -30.11 | 47.92 | 1 | Vertical | 13 | 1.88 | - | 38.33 | 16.05 | 48.87 |
| AV | 21.0657G | 40.73 | 63.54 | -22.81 | 35.24 | 1 | Vertical | 13 | 1.88 | - | 38.31 | 16.05 | 48.87 |

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 21.06759G | 53.92 | 83.54 | -29.62 | 48.45 | 1 | Horizontal | 29 | 1.38 | - | 38.29 | 16.05 | 48.87 |
| AV | 21.06012G | 40.73 | 63.54 | -22.81 | 35.21 | 1 | Horizontal | 29 | 1.38 | - | 38.34 | 16.05 | 48.87 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9066G | 73.04 | 88.20 | -15.16 | 64.70 | 3 | Vertical | 235 | 1.29 | - | 32.51 | 7.43 | 31.60 |
| RMS | 5.925G | 59.78 | 68.20 | -8.42 | 51.39 | 3 | Vertical | 235 | 1.29 | - | 32.55 | 7.44 | 31.60 |
| PK | 6.0474G | 110.82 | Inf | -Inf | 102.23 | 3 | Vertical | 235 | 1.29 | - | 32.59 | 7.51 | 31.51 |
| RMS | 6.0666G | 100.41 | Inf | -Inf | 91.75 | 3 | Vertical | 235 | 1.29 | - | 32.60 | 7.52 | 31.46 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.905G | 71.33 | 88.20 | -16.87 | 62.99 | 3 | Horizontal | 104 | 2.75 | - | 32.51 | 7.43 | 31.60 |
| RMS | 5.925G | 58.00 | 68.20 | -10.20 | 49.61 | 3 | Horizontal | 104 | 2.75 | - | 32.55 | 7.44 | 31.60 |
| PK | 5.9866G | 108.87 | Inf | -Inf | 100.49 | 3 | Horizontal | 104 | 2.75 | - | 32.53 | 7.46 | 31.61 |
| RMS | 6.0466G | 98.73 | Inf | -Inf | 90.14 | 3 | Horizontal | 104 | 2.75 | - | 32.59 | 7.51 | 31.51 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.04808G | 60.71 | 74.00 | -13.29 | 43.62 | 3 | Vertical | 25 | 1.07 | - | 39.20 | 10.83 | 32.94 |
| AV | 12.05786G | 47.73 | 54.00 | -6.27 | 30.60 | 3 | Vertical | 25 | 1.07 | - | 39.22 | 10.84 | 32.93 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.06158G | 60.75 | 74.00 | -13.25 | 43.62 | 3 | Horizontal | 66 | 1.48 | - | 39.22 | 10.84 | 32.93 |
| AV | 12.06188G | 48.08 | 54.00 | -5.92 | 30.95 | 3 | Horizontal | 66 | 1.48 | - | 39.22 | 10.84 | 32.93 |



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.0633G | 47.65 | 83.54 | -35.89 | 44.37 | 1 | Vertical | 346 | 2.60 | - | 37.45 | 15.30 | 49.47 |
| AV | 18.08313G | 35.11 | 63.54 | -28.43 | 31.76 | 1 | Vertical | 346 | 2.60 | - | 37.53 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.06057G | 47.17 | 83.54 | -36.37 | 43.90 | 1 | Horizontal | 351 | 1.18 | - | 37.44 | 15.30 | 49.47 |
| AV | 18.08322G | 35.18 | 63.54 | -28.36 | 31.83 | 1 | Horizontal | 351 | 1.18 | - | 37.53 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9018G | 63.32 | 88.20 | -24.88 | 54.99 | 3 | Vertical | 236 | 2.20 | - | 32.50 | 7.43 | 31.60 |
| RMS | 5.925G | 53.00 | 68.20 | -15.20 | 44.61 | 3 | Vertical | 236 | 2.20 | - | 32.55 | 7.44 | 31.60 |
| PK | 6.0826G | 108.39 | Inf | -Inf | 99.68 | 3 | Vertical | 236 | 2.20 | - | 32.60 | 7.54 | 31.43 |
| RMS | 6.0842G | 99.69 | Inf | -Inf | 90.97 | 3 | Vertical | 236 | 2.20 | - | 32.60 | 7.54 | 31.42 |



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.8474G | 63.01 | 88.20 | -25.19 | 54.89 | 3 | Horizontal | 119.9 | 2.72 | - | 32.30 | 7.41 | 31.59 |
| RMS | 5.9122G | 52.08 | 68.20 | -16.12 | 43.73 | 3 | Horizontal | 119.9 | 2.72 | - | 32.52 | 7.43 | 31.60 |
| PK | 5.9738G | 106.57 | Inf | -Inf | 98.17 | 3 | Horizontal | 119.9 | 2.72 | - | 32.55 | 7.46 | 31.61 |
| RMS | 6.033G | 98.61 | Inf | -Inf | 90.08 | 3 | Horizontal | 119.9 | 2.72 | - | 32.57 | 7.50 | 31.54 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.06362G | 59.70 | 74.00 | -14.30 | 42.56 | 3 | Vertical | 144 | 1.63 | - | 39.23 | 10.84 | 32.93 |
| AV | 12.05534G | 48.05 | 54.00 | -5.95 | 30.94 | 3 | Vertical | 144 | 1.63 | - | 39.21 | 10.84 | 32.94 |



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.05594G | 59.52 | 74.00 | -14.48 | 42.41 | 3 | Horizontal | 222 | 2.67 | - | 39.21 | 10.84 | 32.94 |
| AV | 12.05468G | 48.04 | 54.00 | -5.96 | 30.94 | 3 | Horizontal | 222 | 2.67 | - | 39.21 | 10.83 | 32.94 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.08571G | 47.25 | 74.00 | -26.75 | 43.89 | 1 | Vertical | 65 | 1.75 | - | 37.54 | 15.30 | 49.48 |
| AV | 18.08958G | 35.11 | 54.00 | -18.89 | 31.73 | 1 | Vertical | 65 | 1.75 | - | 37.56 | 15.30 | 49.48 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.08022G | 47.29 | 74.00 | -26.71 | 43.95 | 1 | Horizontal | 329 | 1.34 | - | 37.52 | 15.30 | 49.48 |
| AV | 18.08373G | 35.19 | 54.00 | -18.81 | 31.84 | 1 | Horizontal | 329 | 1.34 | - | 37.53 | 15.30 | 49.48 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.977G | 109.14 | Inf | -Inf | 98.28 | 3 | Vertical | 51 | 1.80 | - | 35.05 | 8.54 | 32.73 |
| RMS | 6.9174G | 99.81 | Inf | -Inf | 89.23 | 3 | Vertical | 51 | 1.80 | - | 34.80 | 8.47 | 32.69 |
| PK | 7.137G | 68.94 | 88.20 | -19.26 | 57.31 | 3 | Vertical | 51 | 1.80 | - | 35.82 | 8.51 | 32.70 |
| RMS | 7.1378G | 57.14 | 68.20 | -11.06 | 45.50 | 3 | Vertical | 51 | 1.80 | - | 35.83 | 8.51 | 32.70 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.9158G | 109.08 | Inf | -Inf | 98.51 | 3 | Horizontal | 73 | 1.53 | - | 34.79 | 8.47 | 32.69 |
| RMS | 6.915G | 99.62 | Inf | -Inf | 89.05 | 3 | Horizontal | 73 | 1.53 | - | 34.79 | 8.47 | 32.69 |
| PK | 7.1486G | 69.04 | 88.20 | -19.16 | 57.33 | 3 | Horizontal | 73 | 1.53 | - | 35.89 | 8.51 | 32.69 |
| RMS | 7.1278G | 56.67 | 68.20 | -11.53 | 45.08 | 3 | Horizontal | 73 | 1.53 | - | 35.77 | 8.52 | 32.70 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.9739G | 59.27 | 88.20 | -28.93 | 37.80 | 3 | Vertical | 23 | 1.13 | - | 40.85 | 11.87 | 31.25 |
| RMS | 13.97462G | 46.46 | 68.20 | -21.74 | 24.99 | 3 | Vertical | 23 | 1.13 | - | 40.85 | 11.87 | 31.25 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.97084G | 58.42 | 88.20 | -29.78 | 36.96 | 3 | Horizontal | 21 | 2.04 | - | 40.84 | 11.87 | 31.25 |
| RMS | 13.97448G | 46.46 | 68.20 | -21.74 | 24.99 | 3 | Horizontal | 21 | 2.04 | - | 40.85 | 11.87 | 31.25 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.95167G | 49.76 | 83.54 | -33.78 | 44.62 | 1 | Vertical | 33 | 2.70 | - | 38.09 | 15.96 | 48.91 |
| AV | 20.96286G | 37.47 | 63.54 | -26.07 | 32.35 | 1 | Vertical | 33 | 2.70 | - | 38.05 | 15.97 | 48.90 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.95158G | 48.12 | 83.54 | -35.42 | 42.98 | 1 | Horizontal | 132 | 1.39 | - | 38.09 | 15.96 | 48.91 |
| AV | 20.95477G | 37.78 | 63.54 | -25.76 | 32.64 | 1 | Horizontal | 132 | 1.39 | - | 38.08 | 15.96 | 48.90 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 6.938G | 109.15 | Inf | -Inf | 99.92 | 3 | Vertical | 41 | 1.80 | - | 35.92 | 8.56 | 35.25 |
| RMS | 6.9375G | 99.60 | Inf | -Inf | 90.37 | 3 | Vertical | 41 | 1.80 | - | 35.92 | 8.56 | 35.25 |
| PK | 7.127G | 72.48 | 88.20 | -15.72 | 62.35 | 3 | Vertical | 41 | 1.80 | - | 36.66 | 8.58 | 35.11 |
| RMS | 7.1375G | 59.09 | 68.20 | -9.11 | 48.88 | 3 | Vertical | 41 | 1.80 | - | 36.72 | 8.58 | 35.09 |



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.034G | 109.12 | Inf | -Inf | 99.66 | 3 | Horizontal | 63 | 1.43 | - | 36.14 | 8.60 | 35.28 |
| RMS | 7.035G | 99.77 | Inf | -Inf | 90.31 | 3 | Horizontal | 63 | 1.43 | - | 36.14 | 8.60 | 35.28 |
| PK | 7.133G | 72.45 | 88.20 | -15.75 | 62.27 | 3 | Horizontal | 63 | 1.43 | - | 36.70 | 8.58 | 35.10 |
| RMS | 7.1345G | 58.31 | 88.20 | -29.89 | 48.12 | 3 | Horizontal | 63 | 1.43 | - | 36.71 | 8.58 | 35.10 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.97478G | 58.48 | 88.20 | -29.72 | 39.92 | 3 | Vertical | 108 | 1.83 | - | 40.35 | 11.75 | 33.54 |
| RMS | 13.9749G | 46.97 | 68.20 | -21.23 | 28.41 | 3 | Vertical | 108 | 1.83 | - | 40.35 | 11.75 | 33.54 |



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.97118G | 58.66 | 88.20 | -29.54 | 40.09 | 3 | Horizontal | 348 | 1.05 | - | 40.36 | 11.75 | 33.54 |
| RMS | 13.97408G | 46.98 | 68.20 | -21.22 | 28.42 | 3 | Horizontal | 348 | 1.05 | - | 40.35 | 11.75 | 33.54 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.9535G | 50.94 | 83.54 | -32.60 | 45.79 | 1 | Vertical | 315 | 1.02 | - | 38.09 | 15.96 | 48.90 |
| AV | 20.95059G | 40.86 | 63.54 | -22.68 | 35.71 | 1 | Vertical | 315 | 1.02 | - | 38.10 | 15.96 | 48.91 |

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 20.95833G | 52.53 | 83.54 | -31.01 | 47.39 | 1 | Horizontal | 123 | 2.49 | - | 38.07 | 15.97 | 48.90 |
| AV | 20.9457G | 40.71 | 63.54 | -22.83 | 35.56 | 1 | Horizontal | 123 | 2.49 | - | 38.10 | 15.96 | 48.91 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.925G | 79.26 | 88.20 | -8.94 | 72.53 | 3 | Vertical | 307 | 1.08 | - | 34.20 | 8.11 | 35.58 |
| RMS | 5.925G | 67.43 | 68.20 | -0.77 | 60.70 | 3 | Vertical | 307 | 1.08 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.0486G | 108.05 | Inf | -Inf | 101.29 | 3 | Vertical | 307 | 1.08 | - | 34.10 | 8.17 | 35.51 |
| RMS | 6.0468G | 98.09 | Inf | -Inf | 91.34 | 3 | Vertical | 307 | 1.08 | - | 34.10 | 8.17 | 35.52 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.907G | 76.16 | 88.20 | -12.04 | 69.43 | 3 | Horizontal | 55 | 1.80 | - | 34.20 | 8.10 | 35.57 |
| RMS | 5.9238G | 65.53 | 68.20 | -2.67 | 58.80 | 3 | Horizontal | 55 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.1626G | 106.76 | Inf | -Inf | 99.61 | 3 | Horizontal | 55 | 1.80 | - | 34.23 | 8.21 | 35.29 |
| RMS | 6.2586G | 96.95 | Inf | -Inf | 89.26 | 3 | Horizontal | 55 | 1.80 | - | 34.52 | 8.27 | 35.10 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21118G | 57.47 | 74.00 | -16.53 | 40.66 | 3 | Vertical | 273 | 2.52 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.2068G | 45.75 | 54.00 | -8.25 | 28.94 | 3 | Vertical | 273 | 2.52 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX



EUT_X_4TX
Setting 20
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.20746G | 57.13 | 74.00 | -16.87 | 40.32 | 3 | Horizontal | 286 | 2.89 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.21214G | 45.64 | 54.00 | -8.36 | 28.83 | 3 | Horizontal | 286 | 2.89 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
 Setting 20
 05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.30657G | 52.45 | 83.54 | -31.09 | 49.26 | 1 | Vertical | 182 | 1.76 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30009G | 42.54 | 63.54 | -21.00 | 39.34 | 1 | Vertical | 182 | 1.76 | - | 37.50 | 15.28 | 49.58 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.30123G | 53.11 | 83.54 | -30.43 | 49.91 | 1 | Horizontal | 191 | 1.62 | - | 37.50 | 15.28 | 49.58 |
| AV | 18.32037G | 42.46 | 63.54 | -21.08 | 39.27 | 1 | Horizontal | 191 | 1.62 | - | 37.50 | 15.28 | 49.59 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.916G | 78.57 | 88.20 | -9.63 | 70.97 | 3 | Vertical | 298.5 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.916G | 57.71 | 68.20 | -10.49 | 50.11 | 3 | Vertical | 298.5 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.0858G | 110.53 | Inf | -Inf | 102.73 | 3 | Vertical | 298.5 | 1.80 | - | 32.53 | 7.70 | 32.43 |
| RMS | 6.0864G | 99.89 | Inf | -Inf | 92.09 | 3 | Vertical | 298.5 | 1.80 | - | 32.53 | 7.70 | 32.43 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9106G | 70.20 | 88.20 | -18.00 | 62.60 | 3 | Horizontal | 70 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.9214G | 55.20 | 68.20 | -13.00 | 47.60 | 3 | Horizontal | 70 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.1548G | 109.14 | Inf | -Inf | 101.14 | 3 | Horizontal | 70 | 1.80 | - | 32.71 | 7.71 | 32.42 |
| RMS | 6.1548G | 97.93 | Inf | -Inf | 89.93 | 3 | Horizontal | 70 | 1.80 | - | 32.71 | 7.71 | 32.42 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) |
| PK | 12.20688G | 57.76 | 74.00 | -16.24 | 39.96 | 3 | Vertical | 162 | 1.89 | - | 39.10 | 11.20 | 32.50 |
| AV | 12.20904G | 46.01 | 54.00 | -7.99 | 28.21 | 3 | Vertical | 162 | 1.89 | - | 39.10 | 11.20 | 32.50 |



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.20636G | 57.48 | 74.00 | -16.52 | 39.68 | 3 | Horizontal | 20 | 2.64 | - | 39.10 | 11.20 | 32.50 |
| AV | 12.2084G | 46.01 | 54.00 | -7.99 | 28.21 | 3 | Horizontal | 20 | 2.64 | - | 39.10 | 11.20 | 32.50 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.32448G | 52.38 | 83.54 | -31.16 | 49.20 | 1 | Vertical | 125 | 2.70 | - | 37.50 | 15.28 | 49.60 |
| AV | 18.31041G | 42.60 | 63.54 | -20.94 | 39.41 | 1 | Vertical | 125 | 2.70 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.32637G | 53.20 | 83.54 | -30.34 | 50.02 | 1 | Horizontal | 82 | 1.63 | - | 37.50 | 15.28 | 49.60 |
| AV | 18.31392G | 42.59 | 63.54 | -20.95 | 39.40 | 1 | Horizontal | 82 | 1.63 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.925G | 75.41 | 88.20 | -12.79 | 67.81 | 3 | Vertical | 297 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| RMS | 5.925G | 62.65 | 68.20 | -5.55 | 55.05 | 3 | Vertical | 297 | 1.80 | - | 32.40 | 7.64 | 32.44 |
| PK | 6.046G | 110.01 | Inf | -Inf | 102.16 | 3 | Vertical | 297 | 1.80 | - | 32.59 | 7.69 | 32.43 |
| RMS | 6.086G | 99.98 | Inf | -Inf | 92.18 | 3 | Vertical | 297 | 1.80 | - | 32.53 | 7.70 | 32.43 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
01-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.91G | 71.27 | 88.20 | -16.93 | 64.55 | 3 | Horizontal | 58 | 1.80 | - | 34.20 | 8.10 | 35.58 |
| RMS | 5.921G | 58.11 | 68.20 | -10.09 | 51.38 | 3 | Horizontal | 58 | 1.80 | - | 34.20 | 8.11 | 35.58 |
| PK | 6.08G | 107.01 | Inf | -Inf | 100.18 | 3 | Horizontal | 58 | 1.80 | - | 34.10 | 8.18 | 35.45 |
| RMS | 6.0415G | 96.49 | Inf | -Inf | 89.75 | 3 | Horizontal | 58 | 1.80 | - | 34.10 | 8.17 | 35.53 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21376G | 58.00 | 74.00 | -16.00 | 41.18 | 3 | Vertical | 213 | 1.87 | - | 38.90 | 11.14 | 33.22 |
| AV | 12.20912G | 45.78 | 54.00 | -8.22 | 28.97 | 3 | Vertical | 213 | 1.87 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.21138G | 57.60 | 74.00 | -16.40 | 40.79 | 3 | Horizontal | 64 | 2.04 | - | 38.90 | 11.14 | 33.23 |
| AV | 12.20608G | 46.14 | 54.00 | -7.86 | 29.33 | 3 | Horizontal | 64 | 2.04 | - | 38.90 | 11.14 | 33.23 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.31518G | 55.99 | 83.54 | -27.55 | 52.80 | 1 | Vertical | 314 | 1.67 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30462G | 42.73 | 63.54 | -20.81 | 39.54 | 1 | Vertical | 314 | 1.67 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.3192G | 55.31 | 83.54 | -28.23 | 52.12 | 1 | Horizontal | 25 | 2.72 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.30678G | 42.63 | 63.54 | -20.91 | 39.44 | 1 | Horizontal | 25 | 2.72 | - | 37.50 | 15.28 | 49.59 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7958G | 108.30 | Inf | -Inf | 98.80 | 3 | Vertical | 42 | 1.80 | - | 36.10 | 8.45 | 35.05 |
| RMS | 6.7568G | 98.45 | Inf | -Inf | 88.93 | 3 | Vertical | 42 | 1.80 | - | 36.10 | 8.41 | 34.99 |
| PK | 7.1978G | 77.82 | 88.20 | -10.38 | 67.25 | 3 | Vertical | 42 | 1.80 | - | 36.99 | 8.56 | 34.98 |
| RMS | 7.1372G | 61.11 | 68.20 | -7.09 | 50.90 | 3 | Vertical | 42 | 1.80 | - | 36.72 | 8.58 | 35.09 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7982G | 105.19 | Inf | -Inf | 95.68 | 3 | Horizontal | 73 | 1.80 | - | 36.10 | 8.46 | 35.05 |
| RMS | 6.7766G | 96.66 | Inf | -Inf | 87.15 | 3 | Horizontal | 73 | 1.80 | - | 36.10 | 8.43 | 35.02 |
| PK | 7.1678G | 74.67 | 88.20 | -13.53 | 64.26 | 3 | Horizontal | 73 | 1.80 | - | 36.87 | 8.57 | 35.03 |
| RMS | 7.1294G | 59.39 | 68.20 | -8.81 | 49.23 | 3 | Horizontal | 73 | 1.80 | - | 36.68 | 8.58 | 35.10 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 13.81116G | 55.16 | 88.20 | -33.04 | 36.68 | 3 | Vertical | 245 | 1.21 | - | 40.28 | 11.69 | 33.49 |
| RMS | 13.80626G | 44.39 | 68.20 | -23.81 | 25.90 | 3 | Vertical | 245 | 1.21 | - | 40.29 | 11.69 | 33.49 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.8083G | 55.23 | 88.20 | -32.97 | 36.75 | 3 | Horizontal | 160 | 1.32 | - | 40.28 | 11.69 | 33.49 |
| RMS | 13.80634G | 44.50 | 68.20 | -23.70 | 26.01 | 3 | Horizontal | 160 | 1.32 | - | 40.29 | 11.69 | 33.49 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.71026G | 51.91 | 83.54 | -31.63 | 47.29 | 1 | Vertical | 152 | 2.44 | - | 37.88 | 15.77 | 49.03 |
| AV | 20.70012G | 41.36 | 63.54 | -22.18 | 36.74 | 1 | Vertical | 152 | 2.44 | - | 37.90 | 15.76 | 49.04 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.70138G | 51.95 | 83.54 | -31.59 | 47.33 | 1 | Horizontal | 340 | 1.42 | - | 37.90 | 15.76 | 49.04 |
| AV | 20.70024G | 41.36 | 63.54 | -22.18 | 36.74 | 1 | Horizontal | 340 | 1.42 | - | 37.90 | 15.76 | 49.04 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 6.8972G | 109.10 | Inf | -Inf | 98.64 | 3 | Vertical | 47.1 | 1.80 | - | 34.68 | 8.45 | 32.67 |
| RMS | 6.797G | 98.13 | Inf | -Inf | 88.29 | 3 | Vertical | 47.1 | 1.80 | - | 34.10 | 8.34 | 32.60 |
| PK | 7.1378G | 66.96 | 88.20 | -21.24 | 55.32 | 3 | Vertical | 47.1 | 1.80 | - | 35.83 | 8.51 | 32.70 |
| RMS | 7.1372G | 55.44 | 68.20 | -12.76 | 43.81 | 3 | Vertical | 47.1 | 1.80 | - | 35.82 | 8.51 | 32.70 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.7556G | 104.54 | Inf | -Inf | 94.77 | 3 | Horizontal | 77 | 1.80 | - | 34.10 | 8.24 | 32.57 |
| RMS | 6.7562G | 95.62 | Inf | -Inf | 85.85 | 3 | Horizontal | 77 | 1.80 | - | 34.10 | 8.24 | 32.57 |
| PK | 7.1282G | 68.57 | 88.20 | -19.63 | 56.98 | 3 | Horizontal | 77 | 1.80 | - | 35.77 | 8.52 | 32.70 |
| RMS | 7.169G | 54.64 | 68.20 | -13.56 | 42.85 | 3 | Horizontal | 77 | 1.80 | - | 35.98 | 8.50 | 32.69 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80724G | 56.13 | 88.20 | -32.07 | 35.29 | 3 | Vertical | 3 | 2.52 | - | 40.21 | 11.81 | 31.18 |
| RMS | 13.80652G | 44.50 | 68.20 | -23.70 | 23.65 | 3 | Vertical | 3 | 2.52 | - | 40.21 | 11.81 | 31.17 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.80978G | 56.01 | 88.20 | -32.19 | 35.16 | 3 | Horizontal | 11 | 1.17 | - | 40.22 | 11.81 | 31.18 |
| RMS | 13.80616G | 44.49 | 68.20 | -23.71 | 23.64 | 3 | Horizontal | 11 | 1.17 | - | 40.21 | 11.81 | 31.17 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 20.70291G | 54.01 | 83.54 | -29.53 | 49.39 | 1 | Vertical | 34 | 2.87 | - | 37.89 | 15.76 | 49.03 |
| AV | 20.70294G | 41.28 | 63.54 | -22.26 | 36.66 | 1 | Vertical | 34 | 2.87 | - | 37.89 | 15.76 | 49.03 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 20.71605G | 54.93 | 83.54 | -28.61 | 50.32 | 1 | Horizontal | 341 | 2.03 | - | 37.87 | 15.77 | 49.03 |
| AV | 20.70255G | 41.41 | 63.54 | -22.13 | 36.79 | 1 | Horizontal | 341 | 2.03 | - | 37.89 | 15.76 | 49.03 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 6.8756G | 107.89 | Inf | -Inf | 97.62 | 3 | Vertical | 49.9 | 1.80 | - | 34.50 | 8.43 | 32.66 |
| RMS | 6.8972G | 98.18 | Inf | -Inf | 87.72 | 3 | Vertical | 49.9 | 1.80 | - | 34.68 | 8.45 | 32.67 |
| PK | 7.1378G | 66.74 | 88.20 | -21.46 | 55.10 | 3 | Vertical | 49.9 | 1.80 | - | 35.83 | 8.51 | 32.70 |
| RMS | 7.1378G | 56.53 | 68.20 | -11.67 | 44.89 | 3 | Vertical | 49.9 | 1.80 | - | 35.83 | 8.51 | 32.70 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 6.896G | 106.69 | Inf | -Inf | 96.24 | 3 | Horizontal | 74 | 1.45 | - | 34.67 | 8.45 | 32.67 |
| RMS | 6.8948G | 97.13 | Inf | -Inf | 86.69 | 3 | Horizontal | 74 | 1.45 | - | 34.66 | 8.45 | 32.67 |
| PK | 7.136G | 67.54 | 88.20 | -20.66 | 55.91 | 3 | Horizontal | 74 | 1.45 | - | 35.82 | 8.51 | 32.70 |
| RMS | 7.1354G | 56.05 | 68.20 | -12.15 | 44.43 | 3 | Horizontal | 74 | 1.45 | - | 35.81 | 8.51 | 32.70 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.8772G | 54.16 | 88.20 | -34.04 | 33.02 | 3 | Vertical | 154 | 1.98 | - | 40.52 | 11.83 | 31.21 |
| RMS | 14.11G | 42.99 | 68.20 | -25.21 | 21.16 | 3 | Vertical | 154 | 1.98 | - | 41.24 | 11.93 | 31.34 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.912G | 54.30 | 88.20 | -33.90 | 32.95 | 3 | Horizontal | 335 | 1.77 | - | 40.72 | 11.85 | 31.22 |
| RMS | 14.1088G | 42.98 | 68.20 | -25.22 | 21.15 | 3 | Horizontal | 335 | 1.77 | - | 41.24 | 11.93 | 31.34 |

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.70141G | 51.72 | 83.54 | -31.82 | 47.10 | 1 | Vertical | 54 | 1.02 | - | 37.90 | 15.76 | 49.04 |
| AV | 20.70015G | 41.34 | 63.54 | -22.20 | 36.72 | 1 | Vertical | 54 | 1.02 | - | 37.90 | 15.76 | 49.04 |



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_4TX
Setting 15.5
01-I-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.71347G | 52.19 | 83.54 | -31.35 | 47.58 | 1 | Horizontal | 323 | 2.83 | - | 37.87 | 15.77 | 49.03 |
| AV | 20.70258G | 41.51 | 63.54 | -22.03 | 36.89 | 1 | Horizontal | 323 | 2.83 | - | 37.89 | 15.76 | 49.03 |



**RSE TX above 1GHz_Standard Power Access Point_
Radio 4_Non-beamforming mode_Full RU**


Appendix E.6

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.925-6.425GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11be EHT80_Nss1,(MCS0)_2TX | Pass | RMS | 5.925G | 68.11 | 68.20 | -0.09 | 3 | Vertical | 299 | 1.10 | 22 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9248G | 80.77 | 88.20 | -7.43 | 71.96 | 3 | Vertical | 306 | 1.82 | 24 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 65.69 | 68.20 | -2.51 | 56.88 | 3 | Vertical | 306 | 1.82 | 24 | 34.20 | 5.77 | 31.16 |
| PK | 5.9568G | 116.52 | Inf | -Inf | 107.68 | 3 | Vertical | 306 | 1.82 | 24 | 34.21 | 5.80 | 31.17 |
| RMS | 5.949G | 103.68 | Inf | -Inf | 94.86 | 3 | Vertical | 306 | 1.82 | 24 | 34.20 | 5.79 | 31.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9242G | 75.24 | 88.20 | -12.96 | 66.43 | 3 | Horizontal | 63 | 1.78 | 24 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 60.71 | 68.20 | -7.49 | 51.90 | 3 | Horizontal | 63 | 1.78 | 24 | 34.20 | 5.77 | 31.16 |
| PK | 5.9604G | 110.49 | Inf | -Inf | 101.63 | 3 | Horizontal | 63 | 1.78 | 24 | 34.22 | 5.81 | 31.17 |
| RMS | 5.961G | 97.39 | Inf | -Inf | 88.53 | 3 | Horizontal | 63 | 1.78 | 24 | 34.22 | 5.81 | 31.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.9066G | 47.93 | 74.00 | -26.07 | 40.90 | 3 | Vertical | 23 | 1.80 | - | 38.91 | 11.07 | 42.95 |
| AV | 11.91875G | 35.80 | 54.00 | -18.20 | 28.72 | 3 | Vertical | 23 | 1.80 | - | 38.94 | 11.08 | 42.94 |
| PK | 17.88985G | 57.98 | 74.00 | -16.02 | 39.51 | 3 | Vertical | 359 | 1.80 | - | 46.66 | 13.41 | 41.60 |
| AV | 17.88605G | 45.15 | 54.00 | -8.85 | 26.77 | 3 | Vertical | 359 | 1.80 | - | 46.57 | 13.41 | 41.60 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.9313G | 48.37 | 74.00 | -25.63 | 41.26 | 3 | Horizontal | 97 | 2.45 | - | 38.96 | 11.08 | 42.93 |
| AV | 11.9221G | 35.88 | 54.00 | -18.12 | 28.80 | 3 | Horizontal | 97 | 2.45 | - | 38.94 | 11.08 | 42.94 |
| PK | 17.88995G | 57.35 | 74.00 | -16.65 | 38.87 | 3 | Horizontal | 307 | 1.80 | - | 46.66 | 13.41 | 41.59 |
| AV | 17.88985G | 45.08 | 54.00 | -8.92 | 26.61 | 3 | Horizontal | 307 | 1.80 | - | 46.66 | 13.41 | 41.60 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.81361G | 57.87 | 83.54 | -25.67 | 48.69 | 1 | Vertical | 4 | 2.94 | - | 39.02 | 17.34 | 47.18 |
| AV | 23.80596G | 43.41 | 63.54 | -20.13 | 34.20 | 1 | Vertical | 4 | 2.94 | - | 39.06 | 17.34 | 47.19 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.83251G | 53.04 | 83.54 | -30.50 | 43.96 | 1 | Horizontal | 293 | 2.80 | - | 38.90 | 17.35 | 47.17 |
| AV | 23.80728G | 40.39 | 63.54 | -23.15 | 31.18 | 1 | Horizontal | 293 | 2.80 | - | 39.06 | 17.34 | 47.19 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.3882G | 58.70 | 74.00 | -15.30 | 42.28 | 3 | Vertical | 1 | 1.80 | 24 | 38.80 | 8.92 | 31.30 |
| AV | 12.40232G | 44.88 | 54.00 | -9.12 | 28.45 | 3 | Vertical | 1 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.39884G | 58.89 | 74.00 | -15.11 | 42.46 | 3 | Horizontal | 343 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |
| AV | 12.40172G | 44.89 | 54.00 | -9.11 | 28.46 | 3 | Horizontal | 343 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.57357G | 54.31 | 83.54 | -29.23 | 50.97 | 1 | Vertical | 98 | 1.80 | 15 | 37.70 | 15.27 | 49.63 |
| AV | 18.58616G | 39.42 | 63.54 | -24.12 | 36.07 | 1 | Vertical | 98 | 1.80 | 15 | 37.70 | 15.27 | 49.62 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.57389G | 54.24 | 83.54 | -29.30 | 50.90 | 1 | Horizontal | 183 | 1.80 | 15 | 37.70 | 15.27 | 49.63 |
| AV | 18.5898G | 40.39 | 63.54 | -23.15 | 37.04 | 1 | Horizontal | 183 | 1.80 | 15 | 37.70 | 15.27 | 49.62 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.8386G | 57.85 | 88.20 | -30.35 | 41.32 | 3 | Vertical | 358 | 1.05 | 24 | 38.98 | 9.13 | 31.58 |
| RMS | 12.84848G | 44.43 | 68.20 | -23.77 | 27.89 | 3 | Vertical | 358 | 1.05 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.83696G | 58.20 | 88.20 | -30.00 | 41.68 | 3 | Horizontal | 355 | 1.80 | 24 | 38.97 | 9.13 | 31.58 |
| RMS | 12.84864G | 44.45 | 68.20 | -23.75 | 27.91 | 3 | Horizontal | 355 | 1.80 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




30/05/2024

EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.26186G | 60.51 | 83.54 | -23.03 | 56.87 | 1 | Vertical | 136 | 1.80 | 24 | 37.92 | 15.24 | 49.52 |
| RMS | 19.2261G | 49.50 | 63.54 | -14.04 | 45.80 | 1 | Vertical | 136 | 1.80 | 24 | 37.95 | 15.24 | 49.49 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.24568G | 60.34 | 83.54 | -23.20 | 56.70 | 1 | Horizontal | 297 | 1.80 | 24 | 37.91 | 15.24 | 49.51 |
| AV | 19.23181G | 50.42 | 63.54 | -13.12 | 46.74 | 1 | Horizontal | 297 | 1.80 | 24 | 37.94 | 15.24 | 49.50 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.05616G | 59.51 | 88.20 | -28.69 | 42.64 | 3 | Vertical | 49 | 1.80 | 24 | 39.42 | 9.23 | 31.78 |
| RMS | 13.05948G | 45.53 | 68.20 | -22.67 | 28.64 | 3 | Vertical | 49 | 1.80 | 24 | 39.44 | 9.23 | 31.78 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX



EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.07332G | 60.01 | 88.20 | -28.19 | 43.08 | 3 | Horizontal | 360 | 1.80 | 24 | 39.49 | 9.24 | 31.80 |
| RMS | 13.05952G | 45.57 | 68.20 | -22.63 | 28.68 | 3 | Horizontal | 360 | 1.80 | 24 | 39.44 | 9.23 | 31.78 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.60464G | 53.66 | 83.54 | -29.88 | 50.20 | 1 | Vertical | 342 | 1.84 | 24 | 37.83 | 15.22 | 49.59 |
| AV | 19.60364G | 39.04 | 63.54 | -24.50 | 35.60 | 1 | Vertical | 342 | 1.84 | 24 | 37.82 | 15.22 | 49.60 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.59613G | 51.50 | 83.54 | -32.04 | 48.06 | 1 | Horizontal | 25 | 1.80 | 24 | 37.82 | 15.22 | 49.60 |
| AV | 19.60592G | 36.99 | 63.54 | -26.55 | 33.52 | 1 | Horizontal | 25 | 1.80 | 24 | 37.84 | 15.22 | 49.59 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40792G | 59.80 | 88.20 | -28.40 | 42.23 | 3 | Vertical | 13 | 1.80 | 24 | 40.33 | 9.39 | 32.15 |
| RMS | 13.40784G | 45.77 | 68.20 | -22.43 | 28.20 | 3 | Vertical | 13 | 1.80 | 24 | 40.33 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) | | | |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK | 13.40188G | 59.76 | 88.20 | -28.44 | 42.21 | 3 | Horizontal | 162 | 1.80 | 24 | 40.31 | 9.39 | 32.15 | | | |
| RMS | 13.40864G | 45.67 | 68.20 | -22.53 | 28.09 | 3 | Horizontal | 162 | 1.80 | 24 | 40.33 | 9.40 | 32.15 | | | |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.0874G | 49.06 | 83.54 | -34.48 | 45.19 | 1 | Vertical | 336 | 1.76 | 24 | 37.85 | 15.27 | 49.25 |
| AV | 20.08196G | 34.11 | 63.54 | -29.43 | 30.26 | 1 | Vertical | 336 | 1.76 | 24 | 37.83 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.08564G | 50.29 | 83.54 | -33.25 | 46.43 | 1 | Horizontal | 333 | 1.80 | 24 | 37.84 | 15.27 | 49.25 |
| AV | 20.08668G | 35.58 | 63.54 | -27.96 | 31.71 | 1 | Horizontal | 333 | 1.80 | 24 | 37.85 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.69832G | 62.58 | 88.20 | -25.62 | 44.44 | 3 | Vertical | 48 | 1.80 | 24 | 40.89 | 9.53 | 32.28 |
| RMS | 13.7206G | 48.82 | 68.20 | -19.38 | 30.59 | 3 | Vertical | 48 | 1.80 | 24 | 40.98 | 9.54 | 32.29 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.72704G | 62.57 | 88.20 | -25.63 | 44.31 | 3 | Horizontal | 109 | 1.47 | 24 | 41.01 | 9.54 | 32.29 |
| RMS | 13.71104G | 48.75 | 68.20 | -19.45 | 30.55 | 3 | Horizontal | 109 | 1.47 | 24 | 40.94 | 9.54 | 32.28 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.56928G | 47.52 | 83.54 | -36.02 | 43.02 | 1 | Vertical | 12 | 1.80 | 24 | 37.94 | 15.66 | 49.10 |
| AV | 20.56316G | 33.45 | 63.54 | -30.09 | 28.98 | 1 | Vertical | 12 | 1.80 | 24 | 37.93 | 15.65 | 49.11 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.55181G | 50.30 | 83.54 | -33.24 | 45.87 | 1 | Horizontal | 335 | 1.80 | 24 | 37.90 | 15.64 | 49.11 |
| AV | 20.56404G | 35.90 | 63.54 | -27.64 | 31.43 | 1 | Horizontal | 335 | 1.80 | 24 | 37.93 | 15.65 | 49.11 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5
24\16.5\20\21.5\22\21.5
-7.49\20.40\11.70\3.09\ -0.03\3.09

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.923G | 81.56 | 88.20 | -6.64 | 72.74 | 3 | Vertical | 295 | 2.92 | 21.5 | 34.20 | 5.77 | 31.15 |
| RMS | 5.9248G | 65.11 | 68.20 | -3.09 | 56.30 | 3 | Vertical | 295 | 2.92 | 21.5 | 34.20 | 5.77 | 31.16 |
| PK | 5.9762G | 112.80 | Inf | -Inf | 103.91 | 3 | Vertical | 295 | 2.92 | 21.5 | 34.25 | 5.82 | 31.18 |
| RMS | 5.9774G | 99.81 | Inf | -Inf | 90.91 | 3 | Vertical | 295 | 2.92 | 21.5 | 34.25 | 5.83 | 31.18 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9234G | 73.58 | 88.20 | -14.62 | 64.76 | 3 | Horizontal | 67 | 1.76 | 21.5 | 34.20 | 5.77 | 31.15 |
| RMS | 5.925G | 59.35 | 68.20 | -8.85 | 50.54 | 3 | Horizontal | 67 | 1.76 | 21.5 | 34.20 | 5.77 | 31.16 |
| PK | 5.981G | 105.52 | Inf | -Inf | 96.61 | 3 | Horizontal | 67 | 1.76 | 21.5 | 34.26 | 5.83 | 31.18 |
| RMS | 5.9782G | 93.18 | Inf | -Inf | 84.27 | 3 | Horizontal | 67 | 1.76 | 21.5 | 34.26 | 5.83 | 31.18 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.93125G | 48.20 | 74.00 | -25.80 | 41.09 | 3 | Vertical | 90 | 1.86 | - | 38.96 | 11.08 | 42.93 |
| AV | 11.91645G | 35.77 | 54.00 | -18.23 | 28.71 | 3 | Vertical | 90 | 1.86 | - | 38.93 | 11.07 | 42.94 |
| PK | 17.8761G | 57.65 | 74.00 | -16.35 | 39.53 | 3 | Vertical | 13 | 1.80 | - | 46.33 | 13.41 | 41.62 |
| AV | 17.9198G | 45.44 | 54.00 | -8.56 | 26.22 | 3 | Vertical | 13 | 1.80 | - | 47.34 | 13.42 | 41.54 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.91295G | 47.55 | 74.00 | -26.45 | 40.49 | 3 | Horizontal | 298 | 1.80 | - | 38.93 | 11.07 | 42.94 |
| AV | 11.91905G | 35.57 | 54.00 | -18.43 | 28.49 | 3 | Horizontal | 298 | 1.80 | - | 38.94 | 11.08 | 42.94 |
| PK | 17.90631G | 57.07 | 74.00 | -16.93 | 38.18 | 3 | Horizontal | 143 | 1.98 | - | 47.04 | 13.42 | 41.57 |
| AV | 17.90865G | 45.37 | 54.00 | -8.63 | 26.42 | 3 | Horizontal | 143 | 1.98 | - | 47.09 | 13.42 | 41.56 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.86291G | 49.35 | 83.54 | -34.19 | 40.35 | 1 | Vertical | 38 | 2.08 | - | 38.80 | 17.36 | 47.16 |
| AV | 23.84521G | 36.60 | 63.54 | -26.94 | 27.59 | 1 | Vertical | 38 | 2.08 | - | 38.83 | 17.35 | 47.17 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.84644G | 49.69 | 83.54 | -33.85 | 40.69 | 1 | Horizontal | 198 | 1.84 | - | 38.82 | 17.35 | 47.17 |
| AV | 23.84527G | 36.58 | 63.54 | -26.96 | 27.57 | 1 | Horizontal | 198 | 1.84 | - | 38.83 | 17.35 | 47.17 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.4356G | 58.37 | 74.00 | -15.63 | 41.93 | 3 | Vertical | 25 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |
| AV | 12.42784G | 45.24 | 54.00 | -8.76 | 28.80 | 3 | Vertical | 25 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.42816G | 58.59 | 74.00 | -15.41 | 42.15 | 3 | Horizontal | 331 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |
| AV | 12.43176G | 45.28 | 54.00 | -8.72 | 28.84 | 3 | Horizontal | 331 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.64745G | 49.71 | 83.54 | -37.83 | 42.23 | 1 | Vertical | 25 | 1.56 | 24 | 37.79 | 15.27 | 49.58 |
| AV | 18.61724G | 37.79 | 63.54 | -31.75 | 28.39 | 1 | Vertical | 25 | 1.56 | 24 | 37.73 | 15.27 | 49.60 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.6528G | 49.87 | 83.54 | -33.67 | 46.39 | 1 | Horizontal | 55 | 1.80 | 24 | 37.79 | 15.27 | 49.58 |
| RMS | 18.60293G | 37.00 | 83.54 | -46.54 | 33.63 | 1 | Horizontal | 55 | 1.80 | 24 | 37.71 | 15.27 | 49.61 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.78112G | 58.80 | 88.20 | -29.40 | 42.38 | 3 | Vertical | 351 | 2.95 | 24 | 38.86 | 9.10 | 31.54 |
| RMS | 12.84864G | 44.74 | 68.20 | -23.46 | 28.20 | 3 | Vertical | 351 | 2.95 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.83264G | 57.91 | 88.20 | -30.29 | 41.39 | 3 | Horizontal | 105 | 1.80 | 24 | 38.97 | 9.13 | 31.58 |
| RMS | 12.8388G | 44.64 | 68.20 | -23.56 | 28.11 | 3 | Horizontal | 105 | 1.80 | 24 | 38.98 | 9.13 | 31.58 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.20549G | 49.71 | 83.54 | -36.83 | 42.96 | 1 | Vertical | 347 | 1.80 | 24 | 37.99 | 15.24 | 49.48 |
| AV | 19.20917G | 36.94 | 63.54 | -31.60 | 28.20 | 1 | Vertical | 347 | 1.80 | 24 | 37.98 | 15.24 | 49.48 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.24593G | 49.86 | 83.54 | -37.68 | 42.22 | 1 | Horizontal | 50 | 1.80 | 24 | 37.91 | 15.24 | 49.51 |
| AV | 19.22539G | 36.97 | 63.54 | -31.57 | 28.27 | 1 | Horizontal | 50 | 1.80 | 24 | 37.95 | 15.24 | 49.49 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.12232G | 59.63 | 88.20 | -28.57 | 42.58 | 3 | Vertical | 306 | 1.97 | 24 | 39.64 | 9.26 | 31.85 |
| RMS | 13.10416G | 45.97 | 68.20 | -22.23 | 28.94 | 3 | Vertical | 306 | 1.97 | 24 | 39.61 | 9.25 | 31.83 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.15264G | 60.51 | 88.20 | -27.69 | 43.40 | 3 | Horizontal | 338 | 1.80 | 24 | 39.71 | 9.28 | 31.88 |
| RMS | 13.09848G | 45.98 | 68.20 | -22.22 | 28.96 | 3 | Horizontal | 338 | 1.80 | 24 | 39.59 | 9.25 | 31.82 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.6994G | 50.48 | 83.54 | -33.06 | 46.98 | 1 | Vertical | 342 | 1.71 | 24 | 37.80 | 15.22 | 49.52 |
| AV | 19.68557G | 36.10 | 63.54 | -27.44 | 32.52 | 1 | Vertical | 342 | 1.71 | 24 | 37.89 | 15.22 | 49.53 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.699G | 49.32 | 83.54 | -34.22 | 45.81 | 1 | Horizontal | 21 | 1.72 | 24 | 37.81 | 15.22 | 49.52 |
| AV | 19.68741G | 35.42 | 63.54 | -28.12 | 31.85 | 1 | Horizontal | 21 | 1.72 | 24 | 37.88 | 15.22 | 49.53 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40848G | 59.48 | 88.20 | -28.72 | 41.91 | 3 | Vertical | 4 | 1.80 | 24 | 40.33 | 9.39 | 32.15 |
| RMS | 13.40536G | 45.95 | 68.20 | -22.25 | 28.39 | 3 | Vertical | 4 | 1.80 | 24 | 40.32 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40952G | 59.82 | 88.20 | -28.38 | 42.23 | 3 | Horizontal | 285 | 2.95 | 24 | 40.34 | 9.40 | 32.15 |
| RMS | 13.40184G | 45.90 | 68.20 | -22.30 | 28.35 | 3 | Horizontal | 285 | 2.95 | 24 | 40.31 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.04501G | 48.07 | 83.54 | -35.47 | 44.38 | 1 | Vertical | 336 | 1.80 | 24 | 37.71 | 15.24 | 49.26 |
| AV | 20.04421G | 33.36 | 63.54 | -30.18 | 29.67 | 1 | Vertical | 336 | 1.80 | 24 | 37.71 | 15.24 | 49.26 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.0717G | 47.03 | 83.54 | -36.51 | 43.23 | 1 | Horizontal | 356 | 1.49 | 24 | 37.79 | 15.26 | 49.25 |
| AV | 20.05884G | 33.27 | 63.54 | -30.27 | 29.53 | 1 | Horizontal | 356 | 1.49 | 24 | 37.74 | 15.25 | 49.25 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.66968G | 62.67 | 88.20 | -25.53 | 44.65 | 3 | Vertical | 200 | 1.80 | 24 | 40.78 | 9.52 | 32.28 |
| RMS | 13.71776G | 49.09 | 68.20 | -19.11 | 30.86 | 3 | Vertical | 200 | 1.80 | 24 | 40.97 | 9.54 | 32.28 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.70896G | 63.30 | 88.20 | -24.90 | 45.11 | 3 | Horizontal | 176 | 1.80 | 24 | 40.94 | 9.53 | 32.28 |
| RMS | 13.72416G | 49.04 | 68.20 | -19.16 | 30.79 | 3 | Horizontal | 176 | 1.80 | 24 | 41.00 | 9.54 | 32.29 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.5179G | 45.87 | 83.54 | -37.67 | 41.68 | 1 | Vertical | 315 | 1.54 | 24 | 37.71 | 15.61 | 49.13 |
| AV | 20.533G | 32.53 | 63.54 | -31.01 | 28.22 | 1 | Vertical | 315 | 1.54 | 24 | 37.80 | 15.63 | 49.12 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.53396G | 48.87 | 83.54 | -34.67 | 44.56 | 1 | Horizontal | 332 | 1.82 | 24 | 37.80 | 15.63 | 49.12 |
| AV | 20.53148G | 34.49 | 63.54 | -29.05 | 30.19 | 1 | Horizontal | 332 | 1.82 | 24 | 37.79 | 15.63 | 49.12 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5
24\16.5\20\21.5\22\22.5
-7.01\19.83\10.68\4.06\2.11\0.18

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9182G | 83.23 | 88.20 | -4.97 | 74.42 | 3 | Vertical | 297 | 1.05 | 22.5 | 34.20 | 5.76 | 31.15 |
| RMS | 5.925G | 68.02 | 68.20 | -0.18 | 59.21 | 3 | Vertical | 297 | 1.05 | 22.5 | 34.20 | 5.77 | 31.16 |
| PK | 6.021G | 111.62 | Inf | -Inf | 102.66 | 3 | Vertical | 297 | 1.05 | 22.5 | 34.30 | 5.86 | 31.20 |
| RMS | 6.0226G | 98.72 | Inf | -Inf | 89.76 | 3 | Vertical | 297 | 1.05 | 22.5 | 34.30 | 5.86 | 31.20 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.925G | 75.16 | 88.20 | -13.04 | 66.35 | 3 | Horizontal | 55 | 1.83 | 22.5 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 60.43 | 68.20 | -7.77 | 51.62 | 3 | Horizontal | 55 | 1.83 | 22.5 | 34.20 | 5.77 | 31.16 |
| PK | 6.0098G | 103.93 | Inf | -Inf | 94.97 | 3 | Horizontal | 55 | 1.83 | 22.5 | 34.30 | 5.85 | 31.19 |
| RMS | 6.0102G | 91.27 | Inf | -Inf | 82.31 | 3 | Horizontal | 55 | 1.83 | 22.5 | 34.30 | 5.85 | 31.19 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.98248G | 55.77 | 74.00 | -18.23 | 50.64 | 3 | Vertical | 27 | 2.04 | - | 39.30 | 8.73 | 42.90 |
| AV | 11.95527G | 41.87 | 54.00 | -12.13 | 36.77 | 3 | Vertical | 27 | 2.04 | - | 39.30 | 8.72 | 42.92 |
| PK | 17.95305G | 63.25 | 74.00 | -10.75 | 46.31 | 3 | Vertical | 75 | 1.57 | - | 46.79 | 11.64 | 41.49 |
| AV | 17.96136G | 49.97 | 54.00 | -4.03 | 33.02 | 3 | Vertical | 75 | 1.57 | - | 46.78 | 11.64 | 41.47 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.96217G | 52.98 | 74.00 | -21.02 | 47.86 | 3 | Horizontal | 90 | 1.31 | - | 39.30 | 8.73 | 42.91 |
| AV | 11.95602G | 39.81 | 54.00 | -14.19 | 34.70 | 3 | Horizontal | 90 | 1.31 | - | 39.30 | 8.73 | 42.92 |
| PK | 17.96715G | 62.60 | 74.00 | -11.40 | 45.65 | 3 | Horizontal | 348 | 2.07 | - | 46.77 | 11.65 | 41.47 |
| AV | 17.96133G | 49.92 | 54.00 | -4.08 | 32.97 | 3 | Horizontal | 348 | 2.07 | - | 46.78 | 11.64 | 41.47 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.92605G | 52.49 | 83.54 | -31.05 | 43.39 | 1 | Vertical | 24 | 1.99 | - | 38.85 | 17.38 | 47.13 |
| AV | 23.95194G | 40.18 | 63.54 | -23.36 | 30.99 | 1 | Vertical | 24 | 1.99 | - | 38.91 | 17.39 | 47.11 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.92842G | 53.13 | 83.54 | -30.41 | 44.02 | 1 | Horizontal | 298 | 2.83 | - | 38.86 | 17.38 | 47.13 |
| AV | 23.95497G | 40.44 | 63.54 | -23.10 | 31.24 | 1 | Horizontal | 298 | 2.83 | - | 38.92 | 17.39 | 47.11 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.47624G | 59.12 | 74.00 | -14.88 | 42.71 | 3 | Vertical | 6 | 1.68 | 24 | 38.75 | 8.96 | 31.30 |
| AV | 12.4444G | 45.64 | 54.00 | -8.36 | 29.19 | 3 | Vertical | 6 | 1.68 | 24 | 38.80 | 8.95 | 31.30 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.50152G | 58.36 | 74.00 | -15.64 | 41.99 | 3 | Horizontal | 267 | 1.95 | 24 | 38.70 | 8.97 | 31.30 |
| AV | 12.46328G | 45.67 | 54.00 | -8.33 | 29.24 | 3 | Horizontal | 267 | 1.95 | 24 | 38.77 | 8.96 | 31.30 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.65438G | 45.70 | 83.54 | -37.84 | 42.23 | 1 | Vertical | 21 | 1.80 | 24 | 37.78 | 15.27 | 49.58 |
| AV | 18.65022G | 32.24 | 63.54 | -31.30 | 28.75 | 1 | Vertical | 21 | 1.80 | 24 | 37.80 | 15.27 | 49.58 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.61522G | 45.56 | 83.54 | -37.98 | 42.16 | 1 | Horizontal | 338 | 1.80 | 24 | 37.73 | 15.27 | 49.60 |
| AV | 18.64495G | 32.12 | 63.54 | -31.42 | 28.64 | 1 | Horizontal | 338 | 1.80 | 24 | 37.79 | 15.27 | 49.58 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.84664G | 58.35 | 88.20 | -29.85 | 41.82 | 3 | Vertical | 128 | 1.80 | 24 | 38.99 | 9.13 | 31.59 |
| RMS | 12.84856G | 44.97 | 68.20 | -23.23 | 28.43 | 3 | Vertical | 128 | 1.80 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.80808G | 58.21 | 88.20 | -29.99 | 41.73 | 3 | Horizontal | 146 | 1.80 | 24 | 38.92 | 9.12 | 31.56 |
| RMS | 12.78576G | 44.71 | 68.20 | -23.49 | 28.27 | 3 | Horizontal | 146 | 1.80 | 24 | 38.87 | 9.11 | 31.54 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.13102G | 45.40 | 83.54 | -38.14 | 41.81 | 1 | Vertical | 8 | 1.48 | 24 | 37.78 | 15.24 | 49.43 |
| AV | 19.20055G | 31.66 | 63.54 | -31.88 | 27.90 | 1 | Vertical | 8 | 1.48 | 24 | 38.00 | 15.24 | 49.48 |

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.15068G | 44.94 | 83.54 | -38.60 | 41.44 | 1 | Horizontal | 353 | 1.80 | 24 | 37.70 | 15.24 | 49.44 |
| AV | 19.20551G | 31.60 | 63.54 | -31.94 | 27.85 | 1 | Horizontal | 353 | 1.80 | 24 | 37.99 | 15.24 | 49.48 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.18664G | 59.59 | 88.20 | -28.61 | 42.37 | 3 | Vertical | 88 | 1.80 | 24 | 39.85 | 9.29 | 31.92 |
| RMS | 13.17688G | 45.87 | 68.20 | -22.33 | 28.68 | 3 | Vertical | 88 | 1.80 | 24 | 39.81 | 9.29 | 31.91 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.19888G | 59.59 | 88.20 | -28.61 | 42.32 | 3 | Horizontal | 287 | 1.80 | 24 | 39.90 | 9.30 | 31.93 |
| RMS | 13.1852G | 45.90 | 68.20 | -22.30 | 28.69 | 3 | Horizontal | 287 | 1.80 | 24 | 39.84 | 9.29 | 31.92 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.86317G | 44.89 | 83.54 | -38.65 | 41.38 | 1 | Vertical | 339 | 1.80 | 24 | 37.68 | 15.21 | 49.38 |
| AV | 19.85998G | 31.27 | 63.54 | -32.27 | 27.78 | 1 | Vertical | 339 | 1.80 | 24 | 37.66 | 15.21 | 49.38 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.84511G | 45.66 | 83.54 | -37.88 | 42.20 | 1 | Horizontal | 14 | 1.82 | 24 | 37.65 | 15.21 | 49.40 |
| AV | 19.86221G | 31.92 | 63.54 | -31.62 | 28.42 | 1 | Horizontal | 14 | 1.82 | 24 | 37.67 | 15.21 | 49.38 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40296G | 59.49 | 88.20 | -28.71 | 41.94 | 3 | Vertical | 79 | 2.50 | 24 | 40.31 | 9.39 | 32.15 |
| RMS | 13.4852G | 46.30 | 68.20 | -21.90 | 28.60 | 3 | Vertical | 79 | 2.50 | 24 | 40.50 | 9.43 | 32.23 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.4268G | 59.59 | 88.20 | -28.61 | 41.95 | 3 | Horizontal | 313 | 2.66 | 24 | 40.41 | 9.40 | 32.17 |
| RMS | 13.45304G | 46.37 | 68.20 | -21.83 | 28.65 | 3 | Horizontal | 313 | 2.66 | 24 | 40.50 | 9.42 | 32.20 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.08831G | 46.36 | 83.54 | -37.18 | 42.49 | 1 | Vertical | 336 | 1.76 | 24 | 37.85 | 15.27 | 49.25 |
| AV | 20.08991G | 31.89 | 63.54 | -31.65 | 28.01 | 1 | Vertical | 336 | 1.76 | 24 | 37.86 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.06193G | 45.82 | 83.54 | -37.72 | 42.07 | 1 | Horizontal | 336 | 1.85 | 24 | 37.75 | 15.25 | 49.25 |
| AV | 20.08911G | 32.34 | 63.54 | -31.20 | 28.46 | 1 | Horizontal | 336 | 1.85 | 24 | 37.86 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.57768G | 59.64 | 88.20 | -28.56 | 41.83 | 3 | Vertical | 82 | 1.80 | 24 | 40.60 | 9.47 | 32.26 |
| RMS | 13.56808G | 46.38 | 68.20 | -21.82 | 28.57 | 3 | Vertical | 82 | 1.80 | 24 | 40.60 | 9.47 | 32.26 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.51144G | 59.10 | 88.20 | -29.10 | 41.39 | 3 | Horizontal | 259 | 1.80 | 24 | 40.52 | 9.44 | 32.25 |
| RMS | 13.57768G | 46.39 | 68.20 | -21.81 | 28.58 | 3 | Horizontal | 259 | 1.80 | 24 | 40.60 | 9.47 | 32.26 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.42421G | 46.69 | 83.54 | -36.85 | 42.31 | 1 | Vertical | 48 | 1.55 | 24 | 38.00 | 15.54 | 49.16 |
| AV | 20.40551G | 32.73 | 63.54 | -30.81 | 28.37 | 1 | Vertical | 48 | 1.55 | 24 | 38.00 | 15.52 | 49.16 |

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.40631G | 48.31 | 83.54 | -35.23 | 43.94 | 1 | Horizontal | 26 | 1.77 | 24 | 38.00 | 15.53 | 49.16 |
| AV | 20.40823G | 34.45 | 63.54 | -29.09 | 30.08 | 1 | Horizontal | 26 | 1.77 | 24 | 38.00 | 15.53 | 49.16 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5
24\18\21\22.5\23\22.5
-5.79\19.18\7.10\1.11\ -2.19\1.08

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.917G | 82.54 | 88.20 | -5.66 | 73.73 | 3 | Vertical | 304 | 1.57 | 22.5 | 34.20 | 5.76 | 31.15 |
| RMS | 5.9235G | 67.12 | 68.20 | -1.08 | 58.30 | 3 | Vertical | 304 | 1.57 | 22.5 | 34.20 | 5.77 | 31.15 |
| PK | 6.0515G | 108.37 | Inf | -Inf | 99.41 | 3 | Vertical | 304 | 1.57 | 22.5 | 34.31 | 5.86 | 31.21 |
| RMS | 6.0505G | 94.85 | Inf | -Inf | 85.90 | 3 | Vertical | 304 | 1.57 | 22.5 | 34.30 | 5.86 | 31.21 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9015G | 75.52 | 88.20 | -12.68 | 66.72 | 3 | Horizontal | 64 | 1.73 | 22.5 | 34.20 | 5.74 | 31.14 |
| RMS | 5.925G | 60.60 | 68.20 | -7.60 | 51.79 | 3 | Horizontal | 64 | 1.73 | 22.5 | 34.20 | 5.77 | 31.16 |
| PK | 6.0605G | 101.78 | Inf | -Inf | 92.78 | 3 | Horizontal | 64 | 1.73 | 22.5 | 34.34 | 5.87 | 31.21 |
| RMS | 6.0375G | 88.94 | Inf | -Inf | 79.98 | 3 | Horizontal | 64 | 1.73 | 22.5 | 34.30 | 5.86 | 31.20 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.93192G | 58.25 | 74.00 | -15.75 | 41.59 | 3 | Vertical | 250 | 1.80 | 22.5 | 39.34 | 8.72 | 31.40 |
| AV | 11.89G | 45.29 | 54.00 | -8.71 | 28.64 | 3 | Vertical | 250 | 1.80 | 22.5 | 39.42 | 8.70 | 31.47 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.89416G | 58.59 | 74.00 | -15.41 | 41.95 | 3 | Horizontal | 240 | 1.80 | 22.5 | 39.41 | 8.70 | 31.47 |
| AV | 11.89032G | 45.36 | 54.00 | -8.64 | 28.71 | 3 | Horizontal | 240 | 1.80 | 22.5 | 39.42 | 8.70 | 31.47 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.11982G | 45.72 | 83.54 | -37.82 | 42.25 | 1 | Vertical | 341 | 1.84 | 22.5 | 37.68 | 15.29 | 49.50 |
| AV | 18.14073G | 31.63 | 63.54 | -31.91 | 28.09 | 1 | Vertical | 341 | 1.84 | 22.5 | 37.76 | 15.29 | 49.51 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.09418G | 45.36 | 83.54 | -38.18 | 41.97 | 1 | Horizontal | 1 | 1.80 | 22.5 | 37.58 | 15.30 | 49.49 |
| AV | 18.14681G | 31.72 | 63.54 | -31.82 | 28.15 | 1 | Horizontal | 1 | 1.80 | 22.5 | 37.79 | 15.29 | 49.51 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.45608G | 58.57 | 74.00 | -15.43 | 42.13 | 3 | Vertical | 359 | 1.67 | 24 | 38.79 | 8.95 | 31.30 |
| AV | 12.44328G | 45.18 | 54.00 | -8.82 | 28.73 | 3 | Vertical | 359 | 1.67 | 24 | 38.80 | 8.95 | 31.30 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.45928G | 58.42 | 74.00 | -15.58 | 41.99 | 3 | Horizontal | 196 | 1.80 | 24 | 38.78 | 8.95 | 31.30 |
| AV | 12.4308G | 45.27 | 54.00 | -8.73 | 28.83 | 3 | Horizontal | 196 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.45238G | 45.69 | 83.54 | -37.85 | 42.36 | 1 | Vertical | 29 | 1.81 | 24 | 37.71 | 15.28 | 49.66 |
| AV | 18.43096G | 31.72 | 63.54 | -31.82 | 28.35 | 1 | Vertical | 29 | 1.81 | 24 | 37.74 | 15.28 | 49.65 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.50449G | 45.29 | 83.54 | -38.25 | 41.82 | 1 | Horizontal | 213 | 1.80 | 24 | 37.88 | 15.27 | 49.68 |
| AV | 18.41786G | 31.65 | 63.54 | -31.89 | 28.25 | 1 | Horizontal | 213 | 1.80 | 24 | 37.76 | 15.28 | 49.64 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.5316G | 58.16 | 74.00 | -15.84 | 41.80 | 3 | Vertical | 326 | 1.12 | 24 | 38.70 | 8.99 | 31.33 |
| AV | 12.54856G | 44.89 | 54.00 | -9.11 | 28.53 | 3 | Vertical | 326 | 1.12 | 24 | 38.70 | 9.00 | 31.34 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.5652G | 58.41 | 74.00 | -15.59 | 42.09 | 3 | Horizontal | 69 | 1.05 | 24 | 38.67 | 9.00 | 31.35 |
| AV | 12.54472G | 44.83 | 54.00 | -9.17 | 28.48 | 3 | Horizontal | 69 | 1.05 | 24 | 38.70 | 8.99 | 31.34 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.0035G | 45.46 | 83.54 | -38.08 | 41.65 | 1 | Vertical | 248 | 1.80 | 24 | 37.90 | 15.25 | 49.34 |
| AV | 18.9717G | 31.39 | 63.54 | -32.15 | 27.66 | 1 | Vertical | 248 | 1.80 | 24 | 37.84 | 15.25 | 49.36 |

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.9113G | 45.10 | 83.54 | -38.44 | 41.22 | 1 | Horizontal | 194 | 1.75 | 24 | 38.03 | 15.25 | 49.40 |
| AV | 18.95732G | 31.33 | 63.54 | -32.21 | 27.64 | 1 | Horizontal | 194 | 1.75 | 24 | 37.81 | 15.25 | 49.37 |

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.23624G | 59.41 | 88.20 | -28.79 | 42.10 | 3 | Vertical | 289 | 1.80 | 24 | 39.97 | 9.31 | 31.97 |
| RMS | 13.18344G | 45.90 | 68.20 | -22.30 | 28.69 | 3 | Vertical | 289 | 1.80 | 24 | 39.83 | 9.29 | 31.91 |

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.20328G | 59.16 | 88.20 | -29.04 | 41.89 | 3 | Horizontal | 37 | 1.80 | 24 | 39.91 | 9.30 | 31.94 |
| RMS | 13.18376G | 45.94 | 68.20 | -22.26 | 28.72 | 3 | Horizontal | 37 | 1.80 | 24 | 39.84 | 9.29 | 31.91 |

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.97358G | 45.16 | 83.54 | -38.38 | 41.45 | 1 | Vertical | 335 | 1.76 | 24 | 37.80 | 15.20 | 49.29 |
| AV | 19.98509G | 31.30 | 63.54 | -32.24 | 27.58 | 1 | Vertical | 335 | 1.76 | 24 | 37.80 | 15.20 | 49.28 |

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.13502G | 45.15 | 83.54 | -38.39 | 41.38 | 1 | Horizontal | 53 | 1.80 | 24 | 37.69 | 15.31 | 49.23 |
| AV | 20.10805G | 31.04 | 63.54 | -32.50 | 27.14 | 1 | Horizontal | 53 | 1.80 | 24 | 37.85 | 15.29 | 49.24 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5
24\18\21\22.5\22\21.5
-5.68\17.95\5.41\ -3.35\ -1.04\3.04

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9165G | 76.89 | 88.20 | -11.31 | 69.82 | 3 | Vertical | 303 | 2.95 | 21.5 | 32.40 | 7.64 | 32.97 |
| RMS | 5.9245G | 65.16 | 68.20 | -3.04 | 58.09 | 3 | Vertical | 303 | 2.95 | 21.5 | 32.40 | 7.64 | 32.97 |
| PK | 6.2495G | 107.35 | Inf | -Inf | 99.58 | 3 | Vertical | 303 | 2.95 | 21.5 | 33.00 | 7.79 | 33.02 |
| RMS | 6.222G | 94.43 | Inf | -Inf | 86.81 | 3 | Vertical | 303 | 2.95 | 21.5 | 32.89 | 7.75 | 33.02 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.921G | 70.08 | 88.20 | -18.12 | 63.01 | 3 | Horizontal | 68 | 1.80 | 21.5 | 32.40 | 7.64 | 32.97 |
| RMS | 5.922G | 57.06 | 68.20 | -11.14 | 49.99 | 3 | Horizontal | 68 | 1.80 | 21.5 | 32.40 | 7.64 | 32.97 |
| PK | 6.257G | 96.92 | Inf | -Inf | 89.15 | 3 | Horizontal | 68 | 1.80 | 21.5 | 33.00 | 7.80 | 33.03 |
| RMS | 6.256G | 84.85 | Inf | -Inf | 77.08 | 3 | Horizontal | 68 | 1.80 | 21.5 | 33.00 | 7.80 | 33.03 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.2031G | 53.32 | 74.00 | -20.68 | 48.56 | 3 | Vertical | 194 | 1.07 | - | 38.89 | 8.83 | 42.96 |
| AV | 12.20334G | 40.08 | 54.00 | -13.92 | 35.32 | 3 | Vertical | 194 | 1.07 | - | 38.89 | 8.83 | 42.96 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX



EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.20073G | 51.09 | 74.00 | -22.91 | 46.32 | 3 | Horizontal | 145 | 1.09 | - | 38.90 | 8.83 | 42.96 |
| AV | 12.20334G | 38.01 | 54.00 | -15.99 | 33.25 | 3 | Horizontal | 145 | 1.09 | - | 38.89 | 8.83 | 42.96 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.3063G | 49.79 | 83.54 | -33.75 | 46.60 | 1 | Vertical | 203 | 1.42 | - | 37.50 | 15.28 | 49.59 |
| AV | 18.31068G | 36.46 | 63.54 | -27.08 | 33.27 | 1 | Vertical | 203 | 1.42 | - | 37.50 | 15.28 | 49.59 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.32787G | 49.00 | 83.54 | -34.54 | 45.82 | 1 | Horizontal | 184 | 1.00 | - | 37.50 | 15.28 | 49.60 |
| AV | 18.32943G | 36.46 | 63.54 | -27.08 | 33.28 | 1 | Horizontal | 184 | 1.00 | - | 37.50 | 15.28 | 49.60 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.462G | 57.95 | 74.00 | -16.05 | 41.52 | 3 | Vertical | 190 | 2.01 | 24 | 38.78 | 8.95 | 31.30 |
| AV | 12.46216G | 45.21 | 54.00 | -8.79 | 28.78 | 3 | Vertical | 190 | 2.01 | 24 | 38.78 | 8.95 | 31.30 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.4596G | 58.05 | 74.00 | -15.95 | 41.62 | 3 | Horizontal | 1 | 1.80 | 24 | 38.78 | 8.95 | 31.30 |
| AV | 12.43016G | 45.13 | 54.00 | -8.87 | 28.69 | 3 | Horizontal | 1 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.80946G | 40.11 | 83.54 | -43.43 | 36.48 | 1 | Vertical | 91 | 2.51 | - | 37.84 | 15.26 | 49.47 |
| AV | 18.80895G | 26.65 | 63.54 | -36.89 | 23.02 | 1 | Vertical | 91 | 2.51 | - | 37.84 | 15.26 | 49.47 |

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.78534G | 39.98 | 83.54 | -43.56 | 36.41 | 1 | Horizontal | 65 | 2.81 | - | 37.80 | 15.26 | 49.49 |
| AV | 18.80763G | 26.66 | 63.54 | -36.88 | 23.04 | 1 | Horizontal | 65 | 2.81 | - | 37.83 | 15.26 | 49.47 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9244G | 80.44 | 88.20 | -7.76 | 71.63 | 3 | Vertical | 305 | 1.52 | 24 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 64.96 | 68.20 | -3.24 | 56.15 | 3 | Vertical | 305 | 1.52 | 24 | 34.20 | 5.77 | 31.16 |
| PK | 5.9524G | 120.60 | Inf | -Inf | 111.77 | 3 | Vertical | 305 | 1.52 | 24 | 34.20 | 5.80 | 31.17 |
| RMS | 5.9528G | 106.81 | Inf | -Inf | 97.97 | 3 | Vertical | 305 | 1.52 | 24 | 34.21 | 5.80 | 31.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.9176G | 74.26 | 88.20 | -13.94 | 65.45 | 3 | Horizontal | 54 | 2.25 | 24 | 34.20 | 5.76 | 31.15 |
| RMS | 5.925G | 61.51 | 68.20 | -6.69 | 52.70 | 3 | Horizontal | 54 | 2.25 | 24 | 34.20 | 5.77 | 31.16 |
| PK | 5.9506G | 119.55 | Inf | -Inf | 110.72 | 3 | Horizontal | 54 | 2.25 | 24 | 34.20 | 5.80 | 31.17 |
| RMS | 5.9518G | 106.75 | Inf | -Inf | 97.92 | 3 | Horizontal | 54 | 2.25 | 24 | 34.20 | 5.80 | 31.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.90577G | 53.73 | 74.00 | -20.27 | 48.58 | 3 | Vertical | 195 | 1.40 | - | 39.39 | 8.71 | 42.95 |
| AV | 11.89893G | 40.12 | 54.00 | -13.88 | 34.96 | 3 | Vertical | 195 | 1.40 | - | 39.40 | 8.71 | 42.95 |
| PK | 17.87991G | 62.42 | 74.00 | -11.58 | 45.58 | 3 | Vertical | 132 | 1.75 | - | 46.86 | 11.59 | 41.61 |
| AV | 17.87376G | 49.32 | 54.00 | -4.68 | 32.51 | 3 | Vertical | 132 | 1.75 | - | 46.85 | 11.58 | 41.62 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.91714G | 53.90 | 74.00 | -20.10 | 48.76 | 3 | Horizontal | 51 | 1.99 | - | 39.37 | 8.71 | 42.94 |
| AV | 11.89839G | 40.33 | 54.00 | -13.67 | 35.17 | 3 | Horizontal | 51 | 1.99 | - | 39.40 | 8.71 | 42.95 |
| PK | 17.86323G | 62.71 | 74.00 | -11.29 | 45.95 | 3 | Horizontal | 208 | 2.67 | - | 46.83 | 11.57 | 41.64 |
| AV | 17.87997G | 49.34 | 54.00 | -4.66 | 32.50 | 3 | Horizontal | 208 | 2.67 | - | 46.86 | 11.59 | 41.61 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.82933G | 52.96 | 83.54 | -30.58 | 43.87 | 1 | Vertical | 238 | 2.92 | - | 38.92 | 17.35 | 47.18 |
| AV | 23.83305G | 39.38 | 63.54 | -24.16 | 30.30 | 1 | Vertical | 238 | 2.92 | - | 38.90 | 17.35 | 47.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.83209G | 53.01 | 83.54 | -30.53 | 43.92 | 1 | Horizontal | 277 | 1.61 | - | 38.91 | 17.35 | 47.17 |
| AV | 23.83455G | 39.36 | 63.54 | -24.18 | 30.29 | 1 | Horizontal | 277 | 1.61 | - | 38.89 | 17.35 | 47.17 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.40688G | 59.12 | 74.00 | -14.88 | 42.69 | 3 | Vertical | 340 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |
| AV | 12.40824G | 44.91 | 54.00 | -9.09 | 28.48 | 3 | Vertical | 340 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.38388G | 58.94 | 74.00 | -15.06 | 42.52 | 3 | Horizontal | 302 | 1.75 | 24 | 38.80 | 8.92 | 31.30 |
| AV | 12.404G | 44.91 | 54.00 | -9.09 | 28.48 | 3 | Horizontal | 302 | 1.75 | 24 | 38.80 | 8.93 | 31.30 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.59539G | 55.70 | 83.54 | -27.84 | 52.35 | 1 | Vertical | 119 | 1.80 | 15 | 37.70 | 15.27 | 49.62 |
| AV | 18.57065G | 43.46 | 63.54 | -20.08 | 40.12 | 1 | Vertical | 119 | 1.80 | 15 | 37.70 | 15.27 | 49.63 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.60118G | 55.97 | 83.54 | -27.57 | 52.61 | 1 | Horizontal | 209 | 2.02 | 15 | 37.70 | 15.27 | 49.61 |
| AV | 18.58252G | 43.44 | 63.54 | -20.10 | 40.09 | 1 | Horizontal | 209 | 2.02 | 15 | 37.70 | 15.27 | 49.62 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.84216G | 58.20 | 88.20 | -30.00 | 41.68 | 3 | Vertical | 214 | 1.80 | 24 | 38.98 | 9.13 | 31.59 |
| AV | 12.84884G | 44.48 | 68.20 | -23.72 | 27.94 | 3 | Vertical | 214 | 1.80 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.83336G | 57.98 | 88.20 | -30.22 | 41.46 | 3 | Horizontal | 333 | 1.80 | 24 | 38.97 | 9.13 | 31.58 |
| AV | 12.8488G | 44.40 | 68.20 | -23.80 | 27.86 | 3 | Horizontal | 333 | 1.80 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.24328G | 47.05 | 83.54 | -36.49 | 43.41 | 1 | Vertical | 37 | 1.80 | 24 | 37.91 | 15.24 | 49.51 |
| AV | 19.25403G | 32.11 | 63.54 | -31.43 | 28.47 | 1 | Vertical | 37 | 1.80 | 24 | 37.91 | 15.24 | 49.51 |

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.2494G | 49.63 | 83.54 | -33.91 | 46.00 | 1 | Horizontal | 61 | 1.47 | 24 | 37.90 | 15.24 | 49.51 |
| AV | 19.24824G | 35.25 | 63.54 | -28.29 | 31.62 | 1 | Horizontal | 61 | 1.47 | 24 | 37.90 | 15.24 | 49.51 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.06336G | 59.86 | 88.20 | -28.34 | 42.97 | 3 | Vertical | 245 | 2.64 | 24 | 39.45 | 9.23 | 31.79 |
| RMS | 13.0568G | 45.61 | 68.20 | -22.59 | 28.73 | 3 | Vertical | 245 | 2.64 | 24 | 39.43 | 9.23 | 31.78 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.05408G | 60.14 | 88.20 | -28.06 | 43.27 | 3 | Horizontal | 34 | 1.80 | 24 | 39.42 | 9.23 | 31.78 |
| RMS | 13.05988G | 45.57 | 68.20 | -22.63 | 28.68 | 3 | Horizontal | 34 | 1.80 | 24 | 39.44 | 9.23 | 31.78 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.61279G | 54.84 | 83.54 | -28.70 | 51.33 | 1 | Vertical | 339 | 1.52 | 24 | 37.88 | 15.22 | 49.59 |
| AV | 19.61191G | 40.18 | 63.54 | -23.36 | 36.68 | 1 | Vertical | 339 | 1.52 | 24 | 37.87 | 15.22 | 49.59 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.60524G | 53.54 | 83.54 | -30.00 | 50.08 | 1 | Horizontal | 21 | 1.63 | 24 | 37.83 | 15.22 | 49.59 |
| AV | 19.60708G | 39.41 | 63.54 | -24.13 | 35.94 | 1 | Horizontal | 21 | 1.63 | 24 | 37.84 | 15.22 | 49.59 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40392G | 59.90 | 88.20 | -28.30 | 42.34 | 3 | Vertical | 10 | 1.80 | 24 | 40.32 | 9.39 | 32.15 |
| RMS | 13.40808G | 45.73 | 68.20 | -22.47 | 28.16 | 3 | Vertical | 10 | 1.80 | 24 | 40.33 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.4022G | 59.45 | 88.20 | -28.75 | 41.90 | 3 | Horizontal | 355 | 1.80 | 24 | 40.31 | 9.39 | 32.15 |
| RMS | 13.40152G | 45.71 | 68.20 | -22.49 | 28.16 | 3 | Horizontal | 355 | 1.80 | 24 | 40.31 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.08204G | 49.82 | 83.54 | -33.72 | 45.97 | 1 | Vertical | 335 | 1.78 | 24 | 37.83 | 15.27 | 49.25 |
| AV | 20.0836G | 36.13 | 63.54 | -27.41 | 32.28 | 1 | Vertical | 335 | 1.78 | 24 | 37.83 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.06886G | 54.52 | 83.54 | -29.02 | 50.73 | 1 | Horizontal | 12 | 1.80 | 24 | 37.78 | 15.26 | 49.25 |
| AV | 20.0662G | 39.11 | 63.54 | -24.43 | 35.25 | 1 | Horizontal | 12 | 1.80 | 24 | 37.84 | 15.27 | 49.25 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.70548G | 62.55 | 88.20 | -25.65 | 44.38 | 3 | Vertical | 1 | 1.80 | 24 | 40.92 | 9.53 | 32.28 |
| RMS | 13.72116G | 48.82 | 68.20 | -19.38 | 30.59 | 3 | Vertical | 1 | 1.80 | 24 | 40.98 | 9.54 | 32.29 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.70452G | 63.25 | 88.20 | -24.95 | 45.08 | 3 | Horizontal | 225 | 1.80 | 24 | 40.92 | 9.53 | 32.28 |
| RMS | 13.71856G | 48.80 | 68.20 | -19.40 | 30.57 | 3 | Horizontal | 225 | 1.80 | 24 | 40.97 | 9.54 | 32.28 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.57024G | 48.60 | 83.54 | -34.94 | 44.10 | 1 | Vertical | 16 | 1.60 | 24 | 37.94 | 15.66 | 49.10 |
| AV | 20.56804G | 34.25 | 63.54 | -29.29 | 29.76 | 1 | Vertical | 16 | 1.60 | 24 | 37.94 | 15.65 | 49.10 |

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.56216G | 51.31 | 83.54 | -32.23 | 46.85 | 1 | Horizontal | 334 | 1.78 | 24 | 37.92 | 15.65 | 49.11 |
| AV | 20.56508G | 37.57 | 63.54 | -25.97 | 33.10 | 1 | Horizontal | 334 | 1.78 | 24 | 37.93 | 15.65 | 49.11 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21
24\16\20\22\21\21.5\21
-11.70\20.70\8.88\4.64\2.53\0.78\2.14

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.9248G | 79.83 | 88.20 | -8.37 | 71.02 | 3 | Vertical | 300 | 1.08 | 21 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 66.06 | 68.20 | -2.14 | 57.25 | 3 | Vertical | 300 | 1.08 | 21 | 34.20 | 5.77 | 31.16 |
| PK | 5.967G | 114.86 | Inf | -Inf | 105.99 | 3 | Vertical | 300 | 1.08 | 21 | 34.23 | 5.81 | 31.17 |
| RMS | 5.9676G | 102.16 | Inf | -Inf | 93.29 | 3 | Vertical | 300 | 1.08 | 21 | 34.24 | 5.81 | 31.18 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.925G | 78.22 | 88.20 | -9.98 | 69.41 | 3 | Horizontal | 53 | 2.09 | 21 | 34.20 | 5.77 | 31.16 |
| RMS | 5.925G | 63.55 | 68.20 | -4.65 | 54.74 | 3 | Horizontal | 53 | 2.09 | 21 | 34.20 | 5.77 | 31.16 |
| PK | 5.9832G | 115.32 | Inf | -Inf | 106.40 | 3 | Horizontal | 53 | 2.09 | 21 | 34.27 | 5.83 | 31.18 |
| RMS | 5.9808G | 102.51 | Inf | -Inf | 93.60 | 3 | Horizontal | 53 | 2.09 | 21 | 34.26 | 5.83 | 31.18 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.93068G | 53.96 | 74.00 | -20.04 | 48.83 | 3 | Vertical | 221 | 2.55 | - | 39.34 | 8.72 | 42.93 |
| AV | 11.92946G | 39.95 | 54.00 | -14.05 | 34.82 | 3 | Vertical | 221 | 2.55 | - | 39.34 | 8.72 | 42.93 |
| PK | 17.89614G | 64.38 | 74.00 | -9.62 | 47.47 | 3 | Vertical | 285 | 1.69 | - | 46.89 | 11.60 | 41.58 |
| AV | 17.89243G | 50.14 | 54.00 | -3.86 | 33.25 | 3 | Vertical | 285 | 1.69 | - | 46.88 | 11.60 | 41.59 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.93231G | 53.55 | 74.00 | -20.45 | 48.42 | 3 | Horizontal | 47 | 2.20 | - | 39.34 | 8.72 | 42.93 |
| AV | 11.92013G | 40.08 | 54.00 | -13.92 | 34.95 | 3 | Horizontal | 47 | 2.20 | - | 39.36 | 8.71 | 42.94 |
| PK | 17.89827G | 64.89 | 74.00 | -9.11 | 47.97 | 3 | Horizontal | 119 | 1.80 | - | 46.90 | 11.60 | 41.58 |
| AV | 17.89264G | 50.11 | 54.00 | -3.89 | 33.21 | 3 | Horizontal | 119 | 1.80 | - | 46.89 | 11.60 | 41.59 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.85868G | 53.38 | 83.54 | -30.16 | 44.38 | 1 | Vertical | 326 | 1.41 | - | 38.80 | 17.36 | 47.16 |
| AV | 23.85586G | 39.63 | 63.54 | -23.91 | 30.63 | 1 | Vertical | 326 | 1.41 | - | 38.80 | 17.36 | 47.16 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 23.87467G | 53.39 | 83.54 | -30.15 | 44.38 | 1 | Horizontal | 51 | 1.21 | - | 38.80 | 17.36 | 47.15 |
| AV | 23.85955G | 39.65 | 63.54 | -23.89 | 30.65 | 1 | Horizontal | 51 | 1.21 | - | 38.80 | 17.36 | 47.16 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.40848G | 59.78 | 74.00 | -14.22 | 43.35 | 3 | Vertical | 119 | 1.80 | 24 | 38.80 | 8.93 | 31.30 |
| AV | 12.44336G | 45.43 | 54.00 | -8.57 | 28.98 | 3 | Vertical | 119 | 1.80 | 24 | 38.80 | 8.95 | 31.30 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.44008G | 60.41 | 74.00 | -13.59 | 43.97 | 3 | Horizontal | 102 | 1.80 | 24 | 38.80 | 8.94 | 31.30 |
| AV | 12.448G | 45.48 | 54.00 | -8.52 | 29.03 | 3 | Horizontal | 102 | 1.80 | 24 | 38.80 | 8.95 | 31.30 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX



EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.61548G | 48.46 | 83.54 | -35.08 | 45.06 | 1 | Vertical | 23 | 1.64 | 24 | 37.73 | 15.27 | 49.60 |
| AV | 18.61492G | 34.14 | 63.54 | -29.40 | 30.74 | 1 | Vertical | 23 | 1.64 | 24 | 37.73 | 15.27 | 49.60 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 18.61532G | 48.31 | 83.54 | -35.23 | 44.91 | 1 | Horizontal | 322 | 1.82 | 24 | 37.73 | 15.27 | 49.60 |
| AV | 18.61476G | 33.82 | 63.54 | -29.72 | 30.42 | 1 | Horizontal | 322 | 1.82 | 24 | 37.73 | 15.27 | 49.60 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.7824G | 58.02 | 88.20 | -30.18 | 41.60 | 3 | Vertical | 65 | 2.45 | 24 | 38.86 | 9.10 | 31.54 |
| RMS | 12.84872G | 44.81 | 68.20 | -23.39 | 28.27 | 3 | Vertical | 65 | 2.45 | 24 | 39.00 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 12.83608G | 58.73 | 88.20 | -29.47 | 42.21 | 3 | Horizontal | 4 | 1.80 | 24 | 38.97 | 9.13 | 31.58 |
| RMS | 12.84744G | 44.82 | 68.20 | -23.38 | 28.29 | 3 | Horizontal | 4 | 1.80 | 24 | 38.99 | 9.13 | 31.59 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.20517G | 46.14 | 83.54 | -37.40 | 42.39 | 1 | Vertical | 21 | 1.80 | 24 | 37.99 | 15.24 | 49.48 |
| AV | 19.20973G | 32.63 | 63.54 | -30.91 | 28.89 | 1 | Vertical | 21 | 1.80 | 24 | 37.98 | 15.24 | 49.48 |

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.20245G | 49.28 | 83.54 | -34.26 | 45.52 | 1 | Horizontal | 44 | 1.61 | 24 | 38.00 | 15.24 | 49.48 |
| AV | 19.20301G | 35.66 | 63.54 | -27.88 | 31.91 | 1 | Horizontal | 44 | 1.61 | 24 | 37.99 | 15.24 | 49.48 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.14648G | 59.51 | 88.20 | -28.69 | 42.43 | 3 | Vertical | 23 | 2.57 | 24 | 39.69 | 9.27 | 31.88 |
| RMS | 13.10008G | 45.99 | 68.20 | -22.21 | 28.97 | 3 | Vertical | 23 | 2.57 | 24 | 39.60 | 9.25 | 31.83 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.12984G | 60.00 | 88.20 | -28.20 | 42.93 | 3 | Horizontal | 64 | 1.80 | 24 | 39.66 | 9.27 | 31.86 |
| RMS | 13.098G | 45.96 | 68.20 | -22.24 | 28.94 | 3 | Horizontal | 64 | 1.80 | 24 | 39.59 | 9.25 | 31.82 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.67414G | 51.62 | 83.54 | -31.92 | 47.98 | 1 | Vertical | 341 | 1.68 | 24 | 37.96 | 15.22 | 49.54 |
| AV | 19.69268G | 36.88 | 63.54 | -26.66 | 33.34 | 1 | Vertical | 341 | 1.68 | 24 | 37.84 | 15.22 | 49.52 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 19.72665G | 54.52 | 83.54 | -29.02 | 50.95 | 1 | Horizontal | 288 | 1.58 | 24 | 37.85 | 15.21 | 49.49 |
| AV | 19.70731G | 40.11 | 63.54 | -23.43 | 36.60 | 1 | Horizontal | 288 | 1.58 | 24 | 37.81 | 15.21 | 49.51 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40896G | 60.00 | 88.20 | -28.20 | 42.41 | 3 | Vertical | 1 | 2.20 | 24 | 40.34 | 9.40 | 32.15 |
| RMS | 13.40144G | 45.97 | 68.20 | -22.23 | 28.42 | 3 | Vertical | 1 | 2.20 | 24 | 40.31 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 13.40431G | 60.00 | 88.20 | -28.20 | 42.44 | 3 | Horizontal | 360 | 1.80 | 24 | 40.32 | 9.39 | 32.15 |
| RMS | 13.40544G | 45.90 | 88.20 | -42.30 | 28.34 | 3 | Horizontal | 360 | 1.80 | 24 | 40.32 | 9.39 | 32.15 |

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



EUT_X_2TX
SET 24

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 20.03382G | 48.69 | 83.54 | -34.85 | 44.99 | 1 | Vertical | 339 | 1.78 | 24 | 37.73 | 15.23 | 49.26 |
| AV | 20.04877G | 34.84 | 63.54 | -28.70 | 31.16 | 1 | Vertical | 339 | 1.78 | 24 | 37.70 | 15.24 | 49.26 |