


5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUTY_1TX
Setting 16
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41788G	53.90	68.20	-14.30	39.09	3	Horizontal	103	2.25	-	38.40	8.20	31.79
PK	15.6208G	59.10	74.00	-14.90	43.20	3	Horizontal	70	1.51	-	37.70	10.16	31.96
AV	15.6384G	45.20	54.00	-8.80	29.29	3	Horizontal	70	1.51	-	37.70	10.17	31.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0425G	59.40	74.00	-14.60	51.31	3	Vertical	6	2.76	-	33.48	5.20	30.59
AV	5.1465G	46.37	54.00	-7.63	38.15	3	Vertical	6	2.76	-	33.59	5.31	30.68
PK	5.283G	102.67	Inf	-Inf	94.20	3	Vertical	6	2.76	-	33.87	5.39	30.79
AV	5.277G	90.19	Inf	-Inf	81.73	3	Vertical	6	2.76	-	33.85	5.39	30.78
PK	5.3845G	61.38	74.00	-12.62	52.84	3	Vertical	6	2.76	-	34.00	5.41	30.87
AV	5.382G	47.69	54.00	-6.31	39.15	3	Vertical	6	2.76	-	34.00	5.41	30.87
PK	5.469G	59.50	68.20	-8.70	50.87	3	Vertical	6	2.76	-	34.10	5.47	30.94

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUTY_1TX
 Setting 16.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	59.30	74.00	-14.70	51.09	3	Horizontal	304	2.52	-	33.58	5.30	30.67
AV	5.149G	46.86	54.00	-7.14	38.63	3	Horizontal	304	2.52	-	33.60	5.31	30.68
PK	5.283G	106.78	Inf	-Inf	98.31	3	Horizontal	304	2.52	-	33.87	5.39	30.79
AV	5.286G	93.91	Inf	-Inf	85.44	3	Horizontal	304	2.52	-	33.87	5.39	30.79
PK	5.355G	69.52	74.00	-4.48	60.96	3	Horizontal	304	2.52	-	34.00	5.40	30.84
AV	5.35G	51.39	54.00	-2.61	42.83	3	Horizontal	304	2.52	-	34.00	5.40	30.84
PK	5.467G	60.21	68.20	-7.99	51.58	3	Horizontal	304	2.52	-	34.10	5.46	30.93

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUTY_1TX
 Setting 16.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57492G	54.10	68.20	-14.10	39.28	3	Vertical	86	1.69	-	38.40	8.26	31.84
PK	15.87844G	58.39	74.00	-15.61	42.83	3	Vertical	286	1.34	-	37.30	10.24	31.98
AV	15.86028G	44.55	54.00	-9.45	28.99	3	Vertical	286	1.34	-	37.30	10.24	31.98

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUTY_1TX
Setting 16.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5805G	53.83	68.20	-14.37	39.01	3	Horizontal	89	2.63	-	38.40	8.26	31.84
PK	15.86884G	58.15	74.00	-15.85	42.59	3	Horizontal	182	1.20	-	37.30	10.24	31.98
AV	15.8673G	44.63	54.00	-9.37	29.07	3	Horizontal	182	1.20	-	37.30	10.24	31.98

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	59.16	68.20	-9.04	50.68	3	Vertical	341	2.68	-	33.89	5.39	30.80
PK	5.453G	60.58	74.00	-13.42	51.95	3	Vertical	341	2.68	-	34.10	5.45	30.92
AV	5.4575G	47.53	54.00	-6.47	38.90	3	Vertical	341	2.68	-	34.10	5.46	30.93
PK	5.4685G	61.03	68.20	-7.17	52.40	3	Vertical	341	2.68	-	34.10	5.46	30.93
PK	5.5255G	105.60	Inf	-Inf	96.96	3	Vertical	341	2.68	-	34.10	5.51	30.97
AV	5.527G	91.23	Inf	-Inf	82.59	3	Vertical	341	2.68	-	34.10	5.51	30.97
PK	5.7495G	59.54	68.20	-8.66	51.00	3	Vertical	341	2.68	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	59.01	68.20	-9.19	50.51	3	Horizontal	300	2.70	-	33.91	5.39	30.80
PK	5.456G	66.15	74.00	-7.85	57.52	3	Horizontal	300	2.70	-	34.10	5.45	30.92
AV	5.46G	50.90	54.00	-3.10	42.27	3	Horizontal	300	2.70	-	34.10	5.46	30.93
PK	5.468G	67.48	68.20	-0.72	58.85	3	Horizontal	300	2.70	-	34.10	5.46	30.93
PK	5.536G	107.90	Inf	-Inf	99.26	3	Horizontal	300	2.70	-	34.10	5.52	30.98
AV	5.5325G	95.14	Inf	-Inf	86.49	3	Horizontal	300	2.70	-	34.10	5.52	30.97
PK	5.7625G	59.89	68.20	-8.31	51.35	3	Horizontal	300	2.70	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05288G	54.83	74.00	-19.17	39.91	3	Vertical	314	2.87	-	38.51	8.42	32.01
AV	11.06528G	40.63	54.00	-13.37	25.69	3	Vertical	314	2.87	-	38.53	8.42	32.01
PK	16.58914G	59.63	68.20	-8.57	42.09	3	Vertical	49	2.72	-	39.16	10.69	32.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06524G	53.95	74.00	-20.05	39.01	3	Horizontal	338	1.75	-	38.53	8.42	32.01
AV	11.0672G	40.61	54.00	-13.39	25.67	3	Horizontal	338	1.75	-	38.53	8.42	32.01
PK	16.59314G	60.17	68.20	-8.03	42.62	3	Horizontal	144	2.17	-	39.17	10.69	32.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 20
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4465G	60.74	74.00	-13.26	52.12	3	Vertical	0	3.00	-	34.09	5.45	30.92
PK	5.468G	61.07	68.20	-7.13	52.44	3	Vertical	0	3.00	-	34.10	5.46	30.93
AV	5.4595G	47.90	54.00	-6.10	39.27	3	Vertical	0	3.00	-	34.10	5.46	30.93
PK	5.6035G	104.90	Inf	-Inf	96.35	3	Vertical	0	3.00	-	33.99	5.57	31.01
AV	5.6045G	91.70	Inf	-Inf	83.15	3	Vertical	0	3.00	-	33.99	5.57	31.01
PK	5.727G	64.26	68.20	-3.94	55.71	3	Vertical	0	3.00	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 20
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	62.55	74.00	-11.45	53.92	3	Horizontal	303	2.75	-	34.10	5.45	30.92
AV	5.459G	50.51	54.00	-3.49	41.88	3	Horizontal	303	2.75	-	34.10	5.46	30.93
PK	5.4695G	66.62	68.20	-1.58	57.99	3	Horizontal	303	2.75	-	34.10	5.47	30.94
PK	5.6175G	111.07	Inf	-Inf	102.53	3	Horizontal	303	2.75	-	33.97	5.58	31.01
AV	5.605G	97.84	Inf	-Inf	89.29	3	Horizontal	303	2.75	-	33.99	5.57	31.01
PK	5.738G	67.97	68.20	-0.23	59.43	3	Horizontal	303	2.75	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUTY_1TX
Setting 20
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22836G	54.10	74.00	-19.90	39.03	3	Vertical	114	1.42	-	38.66	8.48	32.07
AV	11.22302G	40.46	54.00	-13.54	25.40	3	Vertical	114	1.42	-	38.65	8.48	32.07
PK	16.82066G	61.66	68.20	-6.54	42.62	3	Vertical	222	2.40	-	40.40	10.85	32.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUTY_1TX
Setting 20
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21874G	53.73	74.00	-20.27	38.68	3	Horizontal	186	1.10	-	38.64	8.47	32.06
AV	11.21848G	40.54	54.00	-13.46	25.49	3	Horizontal	186	1.10	-	38.64	8.47	32.06
PK	16.83332G	62.46	68.20	-5.74	43.40	3	Horizontal	240	1.93	-	40.40	10.86	32.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 22.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	59.24	74.00	-14.76	50.63	3	Vertical	1	2.80	-	34.08	5.44	30.91
PK	5.468G	58.52	68.20	-9.68	49.89	3	Vertical	1	2.80	-	34.10	5.46	30.93
AV	5.4585G	46.69	54.00	-7.31	38.06	3	Vertical	1	2.80	-	34.10	5.46	30.93
PK	5.6585G	106.49	Inf	-Inf	98.01	3	Vertical	1	2.80	-	33.92	5.59	31.03
AV	5.662G	94.04	Inf	-Inf	85.56	3	Vertical	1	2.80	-	33.92	5.59	31.03
PK	5.851G	61.15	68.20	-7.05	52.58	3	Vertical	1	2.80	-	34.00	5.69	31.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 22.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	59.50	74.00	-14.50	50.87	3	Horizontal	72	2.19	-	34.10	5.46	30.93
AV	5.4555G	47.21	54.00	-6.79	38.58	3	Horizontal	72	2.19	-	34.10	5.45	30.92
PK	5.4645G	60.03	68.20	-8.17	51.40	3	Horizontal	72	2.19	-	34.10	5.46	30.93
PK	5.699G	110.49	Inf	-Inf	101.94	3	Horizontal	72	2.19	-	34.00	5.60	31.05
AV	5.699G	97.82	Inf	-Inf	89.27	3	Horizontal	72	2.19	-	34.00	5.60	31.05
PK	5.856G	67.29	68.20	-0.91	58.70	3	Horizontal	72	2.19	-	34.02	5.69	31.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
Setting 22.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37056G	53.93	74.00	-20.07	38.88	3	Vertical	43	2.51	-	38.64	8.53	32.12
AV	11.38524G	40.77	54.00	-13.23	25.69	3	Vertical	43	2.51	-	38.67	8.53	32.12
PK	17.06242G	61.97	68.20	-6.23	41.85	3	Vertical	58	2.50	-	41.27	11.02	32.17

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 22.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37716G	55.59	74.00	-18.41	40.53	3	Horizontal	48	1.80	-	38.65	8.53	32.12
AV	11.3841G	40.83	54.00	-13.17	25.75	3	Horizontal	48	1.80	-	38.67	8.53	32.12
PK	17.0738G	62.55	68.20	-5.65	42.36	3	Horizontal	133	1.43	-	41.34	11.03	32.18

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 21.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.12	68.20	-1.08	58.66	3	Vertical	63	2.24	-	33.91	5.58	31.03
PK	5.7775G	109.22	Inf	-Inf	100.69	3	Vertical	63	2.24	-	34.00	5.62	31.09
AV	5.782G	96.84	Inf	-Inf	88.31	3	Vertical	63	2.24	-	34.00	5.62	31.09
PK	5.9355G	64.90	68.20	-3.30	56.01	3	Vertical	63	2.24	-	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 21.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.58	68.20	-0.62	59.12	3	Horizontal	62	2.51	-	33.91	5.58	31.03
PK	5.778G	110.19	Inf	-Inf	101.66	3	Horizontal	62	2.51	-	34.00	5.62	31.09
AV	5.782G	96.77	Inf	-Inf	88.24	3	Horizontal	62	2.51	-	34.00	5.62	31.09
PK	5.9265G	64.94	68.20	-3.26	56.08	3	Horizontal	62	2.51	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUTY_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54564G	54.91	74.00	-19.09	39.32	3	Vertical	83	2.45	-	39.08	8.59	32.08
AV	11.55516G	41.35	54.00	-12.65	25.70	3	Vertical	83	2.45	-	39.12	8.59	32.06
PK	17.33306G	64.24	68.20	-3.96	42.76	3	Vertical	226	2.58	-	42.63	11.21	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUTY_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54194G	55.02	74.00	-18.98	39.46	3	Horizontal	216	1.80	-	39.07	8.58	32.09
AV	11.55924G	41.31	54.00	-12.69	25.64	3	Horizontal	216	1.80	-	39.14	8.59	32.06
PK	17.33214G	64.87	68.20	-3.33	43.40	3	Horizontal	349	1.80	-	42.62	11.21	32.36

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
 Setting 16.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.73	74.00	-9.27	56.49	3	Vertical	3	2.70	-	33.60	5.32	30.68
AV	5.1492G	49.63	54.00	-4.37	41.40	3	Vertical	3	2.70	-	33.60	5.31	30.68
PK	5.2028G	102.94	Inf	-Inf	94.49	3	Vertical	3	2.70	-	33.80	5.37	30.72
AV	5.2052G	89.99	Inf	-Inf	81.54	3	Vertical	3	2.70	-	33.80	5.37	30.72
PK	5.3516G	63.93	74.00	-10.07	55.37	3	Vertical	3	2.70	-	34.00	5.40	30.84
AV	5.35G	50.16	54.00	-3.84	41.60	3	Vertical	3	2.70	-	34.00	5.40	30.84
PK	5.4796G	60.36	68.20	-7.84	51.73	3	Vertical	3	2.70	-	34.10	5.47	30.94

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 16.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1116G	66.88	74.00	-7.12	58.74	3	Horizontal	304	2.81	-	33.52	5.27	30.65
AV	5.106G	51.98	54.00	-2.02	43.84	3	Horizontal	304	2.81	-	33.51	5.27	30.64
PK	5.2276G	105.79	Inf	-Inf	97.35	3	Horizontal	304	2.81	-	33.80	5.38	30.74
AV	5.2236G	92.50	Inf	-Inf	84.07	3	Horizontal	304	2.81	-	33.80	5.37	30.74
PK	5.3644G	67.98	74.00	-6.02	59.43	3	Horizontal	304	2.81	-	34.00	5.40	30.85
AV	5.3548G	52.30	54.00	-1.70	43.74	3	Horizontal	304	2.81	-	34.00	5.40	30.84
PK	5.4748G	61.25	68.20	-6.95	52.62	3	Horizontal	304	2.81	-	34.10	5.47	30.94

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
Setting 16.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49256G	54.93	68.20	-13.27	40.11	3	Vertical	13	1.82	-	38.40	8.23	31.81
PK	15.76212G	58.40	74.00	-15.60	42.61	3	Vertical	82	2.80	-	37.55	10.21	31.97
AV	15.741G	45.12	54.00	-8.88	29.25	3	Vertical	82	2.80	-	37.64	10.20	31.97

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
 Setting 16.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4922G	54.10	68.20	-14.10	39.28	3	Horizontal	360	2.83	-	38.40	8.23	31.81
PK	15.73989G	59.38	74.00	-14.62	43.51	3	Horizontal	309	2.08	-	37.64	10.20	31.97
AV	15.74829G	45.21	54.00	-8.79	29.37	3	Horizontal	309	2.08	-	37.61	10.20	31.97

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUTY_1TX
Setting 18.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.238G	60.25	68.20	-7.95	51.82	3	Vertical	0	2.78	-	33.80	5.38	30.75
PK	5.4276G	64.71	74.00	-9.29	56.12	3	Vertical	0	2.78	-	34.06	5.43	30.90
AV	5.4172G	50.21	54.00	-3.79	41.65	3	Vertical	0	2.78	-	34.03	5.42	30.89
PK	5.4628G	60.63	68.20	-7.57	52.00	3	Vertical	0	2.78	-	34.10	5.46	30.93
PK	5.5396G	102.68	Inf	-Inf	94.04	3	Vertical	0	2.78	-	34.10	5.52	30.98
AV	5.5444G	89.35	Inf	-Inf	80.70	3	Vertical	0	2.78	-	34.10	5.53	30.98
PK	5.7292G	60.84	68.20	-7.36	52.30	3	Vertical	0	2.78	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	60.98	68.20	-7.22	52.42	3	Horizontal	308	2.80	-	34.00	5.40	30.84
PK	5.402G	67.49	74.00	-6.51	58.96	3	Horizontal	308	2.80	-	34.00	5.41	30.88
PK	5.47G	67.66	68.20	-0.54	59.03	3	Horizontal	308	2.80	-	34.10	5.47	30.94
AV	5.4596G	52.40	54.00	-1.60	43.77	3	Horizontal	308	2.80	-	34.10	5.46	30.93
PK	5.534G	105.80	Inf	-Inf	97.16	3	Horizontal	308	2.80	-	34.10	5.52	30.98
AV	5.5428G	92.76	Inf	-Inf	84.12	3	Horizontal	308	2.80	-	34.10	5.52	30.98
PK	5.7252G	65.26	68.20	-2.94	56.71	3	Horizontal	308	2.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUTY_1TX
Setting 18.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12956G	54.26	74.00	-19.74	39.25	3	Vertical	299	1.88	-	38.60	8.44	32.03
AV	11.13115G	40.72	54.00	-13.28	25.71	3	Vertical	299	1.88	-	38.60	8.44	32.03
PK	16.7208G	61.84	68.20	-6.36	43.39	3	Vertical	-0	2.63	-	39.92	10.78	32.25

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT_Y_1TX
Setting 18.5
02-D-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14155G	54.61	74.00	-19.39	39.60	3	Horizontal	122	1.03	-	38.60	8.45	32.04
AV	11.13292G	40.68	54.00	-13.32	25.67	3	Horizontal	122	1.03	-	38.60	8.45	32.04
PK	16.70349G	61.40	68.20	-6.80	43.07	3	Horizontal	112	1.80	-	39.82	10.77	32.26



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.12387G	33.30	54.00	-20.70	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.12258G	39.58	74.00	-34.42	-5.63	3	Vertical	193	2.67	-	45.21	25.23	3.63	34.49
AV	1.1263G	32.27	54.00	-21.73	-5.58	3	Vertical	193	2.67	"Worst"	37.85	25.26	3.64	34.48

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.12512G	40.22	74.00	-33.78	-5.59	3	Horizontal	224	1.29	-	45.81	25.25	3.64	34.48
AV	1.12387G	33.30	54.00	-20.70	-5.61	3	Horizontal	224	1.29	"Worst"	38.91	25.24	3.63	34.48