


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2324G	65.49	68.20	-2.71	60.47	3	Horizontal	40	3.00	-	33.04	7.47	35.49
PK	5.4364G	58.68	74.00	-15.32	53.71	3	Horizontal	40	3.00	-	32.83	7.58	35.44
PK	5.4612G	58.99	68.20	-9.21	54.00	3	Horizontal	40	3.00	-	32.82	7.60	35.43
AV	5.4532G	47.59	54.00	-6.41	42.62	3	Horizontal	40	3.00	-	32.81	7.59	35.43
PK	5.5132G	102.94	Inf	-Inf	97.86	3	Horizontal	40	3.00	-	32.87	7.64	35.43
AV	5.5116G	91.57	Inf	-Inf	86.47	3	Horizontal	40	3.00	-	32.88	7.64	35.42
PK	5.7404G	67.29	68.20	-0.91	61.23	3	Horizontal	40	3.00	-	33.64	7.93	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 6
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11715G	56.74	74.00	-17.26	40.58	3	Vertical	213	2.11	-	38.83	10.68	33.35
AV	11.15835G	45.20	54.00	-8.80	28.92	3	Vertical	213	2.11	-	38.90	10.70	33.32
PK	16.72535G	59.76	68.20	-8.44	42.06	3	Vertical	208	2.08	-	37.90	12.77	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX



EUT_X_4TX
Setting 6
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14185G	56.31	74.00	-17.69	40.07	3	Horizontal	107	1.32	-	38.88	10.69	33.33
AV	11.16395G	45.22	54.00	-8.78	28.93	3	Horizontal	107	1.32	-	38.90	10.70	33.31
PK	16.7154G	59.28	68.20	-8.92	41.55	3	Horizontal	314	1.79	-	37.94	12.76	32.97




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14)_1TX	Pass	PK	5.645G	68.18	68.20	-0.02	3	Horizontal	168	2.28	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUTZ_1TX
 Setting 17.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.048G	60.56	74.00	-13.44	55.80	3	Vertical	105.9	1.80	-	33.00	7.31	35.55
AV	5.016G	47.19	54.00	-6.81	42.40	3	Vertical	105.9	1.80	-	33.07	7.28	35.56
PK	5.175G	94.40	Inf	-Inf	89.73	3	Vertical	105.9	1.80	-	32.75	7.43	35.51
AV	5.176G	81.82	Inf	-Inf	77.15	3	Vertical	105.9	1.80	-	32.75	7.43	35.51
PK	5.44G	60.65	74.00	-13.35	55.89	3	Vertical	105.9	1.80	-	32.62	7.58	35.44
AV	5.447G	47.34	54.00	-6.66	42.57	3	Vertical	105.9	1.80	-	32.61	7.59	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUTZ_1TX
 Setting 17.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	73.91	74.00	-0.09	69.32	3	Horizontal	248	2.58	-	32.71	7.40	35.52
AV	5.15G	50.55	54.00	-3.45	45.97	3	Horizontal	248	2.58	-	32.70	7.40	35.52
PK	5.178G	110.28	Inf	-Inf	105.60	3	Horizontal	248	2.58	-	32.76	7.43	35.51
AV	5.175G	96.93	Inf	-Inf	92.26	3	Horizontal	248	2.58	-	32.75	7.43	35.51
PK	5.359G	62.34	74.00	-11.66	57.65	3	Horizontal	248	2.58	-	32.62	7.53	35.46
AV	5.434G	47.59	54.00	-6.41	42.82	3	Horizontal	248	2.58	-	32.63	7.58	35.44

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUTZ_1TX
 Setting 17.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40866G	57.79	68.20	-10.41	42.61	3	Vertical	155	2.23	-	38.50	10.37	33.69
PK	15.61956G	60.77	74.00	-13.23	44.10	3	Vertical	174	1.82	-	37.78	12.30	33.41
AV	15.61938G	45.83	54.00	-8.17	29.16	3	Vertical	174	1.82	-	37.78	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUTZ_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43002G	57.97	68.20	-10.23	42.82	3	Horizontal	313	1.19	-	38.50	10.38	33.73
PK	15.62862G	59.69	74.00	-14.31	43.00	3	Horizontal	156	2.44	-	37.77	12.31	33.39
AV	15.61926G	45.79	54.00	-8.21	29.12	3	Horizontal	156	2.44	-	37.78	12.30	33.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




15/05/2024

EUTZ_1TX
SET 17
15\20\17.5\16.5\17
5.17\14.21\1.24\0.89\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	59.57	74.00	-14.43	54.69	3	Vertical	288	2.60	17	33.00	7.40	35.52
AV	5.14824G	47.63	54.00	-6.37	42.75	3	Vertical	288	2.60	17	33.00	7.40	35.52
PK	5.2756G	109.98	Inf	-Inf	105.02	3	Vertical	288	2.60	17	32.95	7.49	35.48
AV	5.27176G	97.77	Inf	-Inf	92.80	3	Vertical	288	2.60	17	32.96	7.49	35.48
PK	5.354G	72.57	74.00	-1.43	67.69	3	Vertical	288	2.60	17	32.81	7.53	35.46
AV	5.35G	53.94	54.00	-0.06	49.07	3	Vertical	288	2.60	17	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




15/05/2024

EUTZ_1TX
SET 17
17
4.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	58.83	74.00	-15.17	53.95	3	Horizontal	41	1.80	17	33.00	7.40	35.52
AV	5.14856G	47.05	54.00	-6.95	42.17	3	Horizontal	41	1.80	17	33.00	7.40	35.52
PK	5.31848G	99.48	Inf	-Inf	94.58	3	Horizontal	41	1.80	17	32.86	7.51	35.47
AV	5.32552G	87.42	Inf	-Inf	82.53	3	Horizontal	41	1.80	17	32.85	7.51	35.47
PK	5.35784G	63.23	74.00	-10.77	58.34	3	Horizontal	41	1.80	17	32.82	7.53	35.46
AV	5.35G	49.14	54.00	-4.86	44.27	3	Horizontal	41	1.80	17	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUTZ_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63003G	55.58	74.00	-18.42	72.33	3	Vertical	116	1.80	17	39.02	10.47	66.24
AV	10.63499G	42.79	54.00	-11.21	59.53	3	Vertical	116	1.80	17	39.04	10.47	66.25
PK	15.92514G	56.39	74.00	-17.61	69.42	3	Vertical	79	1.80	17	37.50	12.40	62.93
AV	15.88375G	44.43	54.00	-9.57	57.31	3	Vertical	79	1.80	17	37.63	12.39	62.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUTZ_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63499G	55.26	74.00	-18.74	72.00	3	Horizontal	226	2.88	17	39.04	10.47	66.25
AV	10.63499G	42.88	54.00	-11.12	59.62	3	Horizontal	226	2.88	17	39.04	10.47	66.25
PK	15.89605G	56.81	74.00	-17.19	69.71	3	Horizontal	248	1.48	17	37.61	12.40	62.91
AV	15.88566G	44.48	54.00	-9.52	57.36	3	Horizontal	248	1.48	17	37.63	12.39	62.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5530MHz_TX




EUTZ_1TX
Setting 18.5
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	58.54	68.20	-9.66	51.46	3	Vertical	110	2.62	-	31.51	7.01	31.44
PK	5.45G	58.62	74.00	-15.38	51.22	3	Vertical	110	2.62	-	31.80	7.12	31.52
AV	5.458G	46.24	54.00	-7.76	38.82	3	Vertical	110	2.62	-	31.82	7.13	31.53
PK	5.468G	57.84	68.20	-10.36	50.40	3	Vertical	110	2.62	-	31.84	7.13	31.53
PK	5.542G	93.99	Inf	-Inf	86.47	3	Vertical	110	2.62	-	31.90	7.18	31.56
AV	5.542G	81.48	Inf	-Inf	73.96	3	Vertical	110	2.62	-	31.90	7.18	31.56
PK	5.773G	61.02	68.20	-7.18	52.98	3	Vertical	110	2.62	-	32.25	7.37	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5530MHz_TX




EUTZ_1TX
Setting 18.5
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	58.35	68.20	-9.85	51.27	3	Horizontal	164	2.46	-	31.50	7.05	31.47
PK	5.442G	69.38	74.00	-4.62	62.01	3	Horizontal	164	2.46	-	31.77	7.12	31.52
PK	5.47G	68.07	68.20	-0.13	60.62	3	Horizontal	164	2.46	-	31.84	7.14	31.53
AV	5.459G	49.43	54.00	-4.57	42.01	3	Horizontal	164	2.46	-	31.82	7.13	31.53
PK	5.557G	109.02	Inf	-Inf	101.50	3	Horizontal	164	2.46	-	31.89	7.19	31.56
AV	5.566G	96.05	Inf	-Inf	88.54	3	Horizontal	164	2.46	-	31.87	7.20	31.56
PK	5.751G	59.98	68.20	-8.22	52.01	3	Horizontal	164	2.46	-	32.20	7.35	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5530MHz_TX




EUTZ_1TX
Setting 18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07182G	60.25	74.00	-13.75	42.23	3	Vertical	315	2.89	-	40.21	10.37	32.56
AV	11.05826G	46.72	54.00	-7.28	28.64	3	Vertical	315	2.89	-	40.27	10.36	32.55
PK	16.60164G	64.56	68.20	-3.64	45.17	3	Vertical	9	1.47	-	39.41	12.94	32.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5530MHz_TX




EUTZ_1TX
Setting 18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0507G	60.51	74.00	-13.49	42.40	3	Horizontal	5	2.12	-	40.30	10.36	32.55
AV	11.0579G	46.71	54.00	-7.29	28.63	3	Horizontal	5	2.12	-	40.27	10.36	32.55
PK	16.6005G	63.75	68.20	-4.45	44.37	3	Horizontal	66	1.22	-	39.40	12.94	32.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 19
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.435G	58.65	74.00	-15.35	51.31	3	Vertical	308	3.00	-	31.74	7.11	31.51
PK	5.466G	58.69	68.20	-9.51	51.26	3	Vertical	308	3.00	-	31.83	7.13	31.53
AV	5.46G	46.22	54.00	-7.78	38.80	3	Vertical	308	3.00	-	31.82	7.13	31.53
PK	5.597G	98.19	Inf	-Inf	90.72	3	Vertical	308	3.00	-	31.81	7.22	31.56
AV	5.599G	85.52	Inf	-Inf	78.06	3	Vertical	308	3.00	-	31.80	7.22	31.56
PK	5.775G	60.08	68.20	-8.12	52.04	3	Vertical	308	3.00	-	32.25	7.37	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 19
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	65.18	74.00	-8.82	57.77	3	Horizontal	165	2.46	-	31.81	7.13	31.53
AV	5.46G	49.00	54.00	-5.00	41.58	3	Horizontal	165	2.46	-	31.82	7.13	31.53
PK	5.468G	66.43	68.20	-1.77	58.99	3	Horizontal	165	2.46	-	31.84	7.13	31.53
PK	5.587G	110.81	Inf	-Inf	103.33	3	Horizontal	165	2.46	-	31.83	7.21	31.56
AV	5.58G	96.93	Inf	-Inf	89.44	3	Horizontal	165	2.46	-	31.84	7.21	31.56
PK	5.758G	68.11	68.20	-0.09	60.12	3	Horizontal	165	2.46	-	32.22	7.35	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22168G	59.31	74.00	-14.69	41.71	3	Vertical	276	1.58	-	39.80	10.44	32.64
AV	11.21766G	46.17	54.00	-7.83	28.57	3	Vertical	276	1.58	-	39.80	10.44	32.64
PK	16.83162G	64.67	68.20	-3.53	44.52	3	Vertical	47	2.40	-	40.46	13.04	33.35

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2098G	59.45	74.00	-14.55	41.86	3	Horizontal	166	1.34	-	39.80	10.43	32.64
AV	11.22294G	46.20	54.00	-7.80	28.60	3	Horizontal	166	1.34	-	39.80	10.44	32.64
PK	16.82586G	63.47	68.20	-4.73	43.32	3	Horizontal	25	1.16	-	40.45	13.04	33.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 23
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	60.06	74.00	-13.94	55.30	3	Vertical	174	2.44	-	32.61	7.59	35.44
AV	5.44G	47.57	54.00	-6.43	42.81	3	Vertical	174	2.44	-	32.62	7.58	35.44
PK	5.467G	60.16	68.20	-8.04	55.39	3	Vertical	174	2.44	-	32.60	7.60	35.43
PK	5.696G	105.72	Inf	-Inf	100.38	3	Vertical	174	2.44	-	32.97	7.86	35.49
AV	5.719G	92.37	Inf	-Inf	86.82	3	Vertical	174	2.44	-	33.15	7.90	35.50
PK	5.911G	64.31	68.20	-3.89	57.79	3	Vertical	174	2.44	-	34.00	8.10	35.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 23
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	60.49	74.00	-13.51	55.72	3	Horizontal	180	2.50	-	32.60	7.60	35.43
AV	5.455G	47.62	54.00	-6.38	42.86	3	Horizontal	180	2.50	-	32.60	7.59	35.43
PK	5.465G	60.43	68.20	-7.77	55.66	3	Horizontal	180	2.50	-	32.60	7.60	35.43
PK	5.698G	116.75	Inf	-Inf	111.40	3	Horizontal	180	2.50	-	32.98	7.87	35.50
AV	5.72G	104.11	Inf	-Inf	98.55	3	Horizontal	180	2.50	-	33.16	7.90	35.50
PK	5.852G	67.41	68.20	-0.79	61.19	3	Horizontal	180	2.50	-	33.71	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 23
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3902G	60.21	74.00	-13.79	43.61	3	Vertical	360	2.05	-	38.91	10.80	33.11
AV	11.37958G	46.01	54.00	-7.99	29.41	3	Vertical	360	2.05	-	38.92	10.80	33.12
PK	17.06814G	60.31	68.20	-7.89	41.99	3	Vertical	332	2.35	-	38.20	12.93	32.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 23
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3935G	59.69	74.00	-14.31	43.09	3	Horizontal	327	2.45	-	38.91	10.80	33.11
AV	11.37958G	46.01	54.00	-7.99	29.41	3	Horizontal	327	2.45	-	38.92	10.80	33.12
PK	17.07924G	60.20	68.20	-8.00	41.85	3	Horizontal	29	2.55	-	38.24	12.93	32.82

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.79	68.20	-7.41	53.39	3	Vertical	64	2.47	-	31.71	7.26	31.57
PK	5.743G	98.05	Inf	-Inf	90.13	3	Vertical	64	2.47	-	32.16	7.34	31.58
AV	5.738G	85.77	Inf	-Inf	77.88	3	Vertical	64	2.47	-	32.13	7.34	31.58
PK	5.964G	59.71	68.20	-8.49	51.29	3	Vertical	64	2.47	-	32.57	7.46	31.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	68.18	68.20	-0.02	60.78	3	Horizontal	168	2.28	-	31.71	7.26	31.57
PK	5.741G	111.00	Inf	-Inf	103.09	3	Horizontal	168	2.28	-	32.15	7.34	31.58
AV	5.759G	98.33	Inf	-Inf	90.33	3	Horizontal	168	2.28	-	32.22	7.36	31.58
PK	5.992G	59.61	68.20	-8.59	51.23	3	Horizontal	168	2.28	-	32.52	7.47	31.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55288G	59.35	74.00	-14.65	41.49	3	Vertical	184	1.72	-	40.08	10.60	32.82
AV	11.53896G	45.75	54.00	-8.25	27.87	3	Vertical	184	1.72	-	40.10	10.59	32.81
PK	17.33658G	64.65	68.20	-3.55	43.32	3	Vertical	11	1.34	-	41.17	13.27	33.11

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54586G	59.02	74.00	-14.98	41.15	3	Horizontal	67	1.95	-	40.10	10.59	32.82
AV	11.5386G	45.75	54.00	-8.25	27.87	3	Horizontal	67	1.95	-	40.10	10.59	32.81
PK	17.31606G	64.99	68.20	-3.21	43.91	3	Horizontal	350	2.62	-	40.96	13.26	33.14

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
 Setting 14.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	67.90	74.00	-6.10	63.31	3	Vertical	292	2.52	-	32.72	7.39	35.52
AV	5.139G	48.62	54.00	-5.38	44.03	3	Vertical	292	2.52	-	32.72	7.39	35.52
PK	5.306G	105.30	Inf	-Inf	100.58	3	Vertical	292	2.52	-	32.69	7.50	35.47
AV	5.314G	91.69	Inf	-Inf	86.98	3	Vertical	292	2.52	-	32.67	7.51	35.47
PK	5.366G	73.42	74.00	-0.58	68.72	3	Vertical	292	2.52	-	32.63	7.53	35.46
AV	5.363G	48.78	54.00	-5.22	44.08	3	Vertical	292	2.52	-	32.63	7.53	35.46
PK	5.488G	61.24	68.20	-6.96	56.44	3	Vertical	292	2.52	-	32.60	7.62	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	62.14	74.00	-11.86	57.55	3	Horizontal	101	2.82	-	32.72	7.39	35.52
AV	5.139G	47.58	54.00	-6.42	42.99	3	Horizontal	101	2.82	-	32.72	7.39	35.52
PK	5.241G	97.40	Inf	-Inf	92.62	3	Horizontal	101	2.82	-	32.80	7.47	35.49
AV	5.239G	83.93	Inf	-Inf	79.15	3	Horizontal	101	2.82	-	32.80	7.47	35.49
PK	5.366G	64.45	74.00	-9.55	59.75	3	Horizontal	101	2.82	-	32.63	7.53	35.46
AV	5.362G	47.64	54.00	-6.36	42.95	3	Horizontal	101	2.82	-	32.62	7.53	35.46
PK	5.48G	62.08	68.20	-6.12	57.30	3	Horizontal	101	2.82	-	32.60	7.61	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50606G	58.14	68.20	-10.06	43.06	3	Vertical	113	1.35	-	38.52	10.41	33.85
PK	15.74388G	60.13	74.00	-13.87	43.22	3	Vertical	191	2.73	-	37.79	12.34	33.22
AV	15.75474G	45.92	54.00	-8.08	28.96	3	Vertical	191	2.73	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.485666G	58.17	68.20	-10.03	43.09	3	Horizontal	321	2.18	-	38.50	10.40	33.82
PK	15.74172G	60.92	74.00	-13.08	44.02	3	Horizontal	54	2.74	-	37.78	12.34	33.22
AV	15.75474G	45.92	54.00	-8.08	28.96	3	Horizontal	54	2.74	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	73.97	74.00	-0.03	69.37	3	Vertical	105.9	1.80	-	32.76	7.37	35.53
AV	5.146G	49.23	54.00	-4.77	44.64	3	Vertical	289	2.28	-	32.71	7.40	35.52
PK	5.273G	107.53	Inf	-Inf	102.77	3	Vertical	289	2.28	-	32.75	7.49	35.48
AV	5.315G	93.13	Inf	-Inf	88.42	3	Vertical	289	2.28	-	32.67	7.51	35.47
PK	5.472G	61.39	68.20	-6.81	56.61	3	Vertical	289	2.28	-	32.60	7.61	35.43
AV	5.378G	50.81	54.00	-3.19	46.06	3	Vertical	289	2.28	-	32.66	7.54	35.45

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
 Setting 15.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	68.43	74.00	-5.57	63.82	3	Horizontal	104	2.39	-	32.77	7.37	35.53
AV	5.139G	47.85	54.00	-6.15	43.26	3	Horizontal	104	2.39	-	32.72	7.39	35.52
PK	5.274G	101.61	Inf	-Inf	96.85	3	Horizontal	104	2.39	-	32.75	7.49	35.48
AV	5.273G	86.68	Inf	-Inf	81.92	3	Horizontal	104	2.39	-	32.75	7.49	35.48
PK	5.35G	65.97	74.00	-8.03	61.30	3	Horizontal	104	2.39	-	32.60	7.53	35.46
AV	5.376G	48.26	54.00	-5.74	43.52	3	Horizontal	104	2.39	-	32.65	7.54	35.45
PK	5.494G	61.99	68.20	-6.21	57.18	3	Horizontal	104	2.39	-	32.60	7.63	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
 Setting 15.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50258G	59.10	68.20	-9.10	44.03	3	Vertical	117	2.24	-	38.51	10.41	33.85
PK	15.75042G	60.28	74.00	-13.72	43.34	3	Vertical	288	1.95	-	37.80	12.35	33.21
AV	15.74454G	45.92	54.00	-8.08	29.01	3	Vertical	288	1.95	-	37.79	12.34	33.22

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50312G	57.86	68.20	-10.34	42.79	3	Horizontal	156	2.84	-	38.51	10.41	33.85
PK	15.74202G	60.41	74.00	-13.59	43.51	3	Horizontal	80	1.57	-	37.78	12.34	33.22
AV	15.75462G	45.95	54.00	-8.05	28.99	3	Horizontal	80	1.57	-	37.81	12.35	33.20

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	60.37	68.20	-7.83	55.68	3	Vertical	215	2.31	-	32.65	7.51	35.47
PK	5.4G	60.55	74.00	-13.45	55.75	3	Vertical	215	2.31	-	32.70	7.55	35.45
PK	5.47G	60.28	68.20	-7.92	55.50	3	Vertical	215	2.31	-	32.60	7.61	35.43
AV	5.459G	47.44	54.00	-6.56	42.67	3	Vertical	215	2.31	-	32.60	7.60	35.43
PK	5.572G	93.10	Inf	-Inf	88.26	3	Vertical	215	2.31	-	32.60	7.69	35.45
AV	5.562G	79.34	Inf	-Inf	74.50	3	Vertical	215	2.31	-	32.60	7.68	35.44
PK	5.801G	62.93	68.20	-5.27	56.93	3	Vertical	215	2.31	-	33.50	8.03	35.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUTZ_1TX
 Setting 14.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	59.97	68.20	-8.23	55.28	3	Horizontal	175	2.77	-	32.65	7.51	35.47
PK	5.443G	60.89	74.00	-13.11	56.14	3	Horizontal	175	2.77	-	32.61	7.58	35.44
PK	5.468G	61.53	68.20	-6.67	56.76	3	Horizontal	175	2.77	-	32.60	7.60	35.43
AV	5.46G	48.02	54.00	-5.98	43.25	3	Horizontal	175	2.77	-	32.60	7.60	35.43
PK	5.562G	105.52	Inf	-Inf	100.68	3	Horizontal	175	2.77	-	32.60	7.68	35.44
AV	5.559G	91.63	Inf	-Inf	86.79	3	Horizontal	175	2.77	-	32.60	7.68	35.44
PK	5.734G	66.42	68.20	-1.78	60.74	3	Horizontal	175	2.77	-	33.27	7.92	35.51
PK	5.734G	67.94	68.20	-0.26	62.26	3	Horizontal	215	2.31	-	33.27	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15014G	58.56	74.00	-15.44	42.43	3	Vertical	88	1.57	-	38.75	10.70	33.32
AV	11.155G	44.61	54.00	-9.39	28.46	3	Vertical	88	1.57	-	38.77	10.70	33.32
PK	16.72446G	61.15	68.20	-7.05	43.28	3	Vertical	223	2.01	-	38.07	12.77	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14618G	58.29	74.00	-15.71	42.19	3	Horizontal	59	2.91	-	38.74	10.69	33.33
AV	11.155G	44.47	54.00	-9.53	28.32	3	Horizontal	59	2.91	-	38.77	10.70	33.32
PK	16.71072G	60.78	68.20	-7.42	42.97	3	Horizontal	12	1.97	-	38.03	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	60.74	68.20	-7.46	56.05	3	Vertical	215	2.50	-	32.65	7.51	35.47
PK	5.437G	60.77	74.00	-13.23	56.00	3	Vertical	215	2.50	-	32.63	7.58	35.44
PK	5.467G	60.67	68.20	-7.53	55.90	3	Vertical	215	2.50	-	32.60	7.60	35.43
AV	5.459G	47.48	54.00	-6.52	42.71	3	Vertical	215	2.50	-	32.60	7.60	35.43
PK	5.555G	94.58	Inf	-Inf	89.75	3	Vertical	215	2.50	-	32.60	7.67	35.44
AV	5.558G	80.20	Inf	-Inf	75.36	3	Vertical	215	2.50	-	32.60	7.68	35.44
PK	5.808G	62.99	68.20	-5.21	56.96	3	Vertical	215	2.50	-	33.53	8.04	35.54

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	60.83	68.20	-7.37	56.15	3	Horizontal	172	2.29	-	32.63	7.52	35.47
PK	5.46G	62.11	74.00	-11.89	57.34	3	Horizontal	172	2.29	-	32.60	7.60	35.43
AV	5.46G	47.87	54.00	-6.13	43.10	3	Horizontal	172	2.29	-	32.60	7.60	35.43
PK	5.469G	61.54	68.20	-6.66	56.76	3	Horizontal	172	2.29	-	32.60	7.61	35.43
PK	5.559G	105.76	Inf	-Inf	100.92	3	Horizontal	172	2.29	-	32.60	7.68	35.44
AV	5.557G	91.61	Inf	-Inf	86.77	3	Horizontal	172	2.29	-	32.60	7.68	35.44
PK	5.73G	67.79	68.20	-0.41	62.14	3	Horizontal	172	2.29	-	33.24	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15422G	58.87	74.00	-15.13	42.73	3	Vertical	353	1.62	-	38.76	10.70	33.32
AV	11.155G	44.51	54.00	-9.49	28.36	3	Vertical	353	1.62	-	38.77	10.70	33.32
PK	16.72086G	61.89	68.20	-6.31	44.03	3	Vertical	147	1.78	-	38.06	12.77	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX

5570MHz_TX




EUTZ_1TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1367G	58.25	74.00	-15.75	42.19	3	Horizontal	56	1.30	-	38.71	10.69	33.34
AV	11.155G	44.56	54.00	-9.44	28.41	3	Horizontal	56	1.30	-	38.77	10.70	33.32
PK	16.71288G	60.63	68.20	-7.57	42.81	3	Horizontal	256	2.84	-	38.04	12.76	32.98

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	73.08	74.00	-0.92	68.46	3	Vertical	300	2.12	-	32.78	7.37	35.53
AV	5.15G	53.92	54.00	-0.08	49.34	3	Vertical	300	2.12	-	32.70	7.40	35.52
PK	5.193G	116.05	Inf	-Inf	111.33	3	Vertical	300	2.12	-	32.79	7.44	35.51
AV	5.174G	102.64	Inf	-Inf	97.97	3	Vertical	300	2.12	-	32.75	7.43	35.51
PK	5.359G	62.41	74.00	-11.59	57.72	3	Vertical	300	2.12	-	32.62	7.53	35.46
AV	5.35G	47.98	54.00	-6.02	43.31	3	Vertical	300	2.12	-	32.60	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_X_2TX
 Setting 16.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	69.35	74.00	-4.65	64.76	3	Horizontal	318	2.91	-	32.71	7.40	35.52
AV	5.141G	49.09	54.00	-4.91	44.50	3	Horizontal	318	2.91	-	32.72	7.39	35.52
PK	5.242G	109.24	Inf	-Inf	104.46	3	Horizontal	318	2.91	-	32.80	7.47	35.49
AV	5.241G	95.52	Inf	-Inf	90.74	3	Horizontal	318	2.91	-	32.80	7.47	35.49
PK	5.426G	61.09	74.00	-12.91	56.31	3	Horizontal	318	2.91	-	32.65	7.57	35.44
AV	5.447G	47.74	54.00	-6.26	42.97	3	Horizontal	318	2.91	-	32.61	7.59	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42534G	58.05	68.20	-10.15	42.89	3	Vertical	57	2.53	-	38.50	10.38	33.72
PK	15.6195G	60.41	74.00	-13.59	43.74	3	Vertical	339	2.78	-	37.78	12.30	33.41
AV	15.61884G	45.81	54.00	-8.19	29.14	3	Vertical	339	2.78	-	37.78	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_X_2TX
 Setting 16.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40872G	58.17	68.20	-10.03	42.99	3	Horizontal	344	2.32	-	38.50	10.37	33.69
PK	15.63354G	59.69	74.00	-14.31	43.00	3	Horizontal	173	2.65	-	37.77	12.31	33.39
AV	15.61818G	45.80	54.00	-8.20	29.13	3	Horizontal	173	2.65	-	37.78	12.30	33.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
 SET 16
 15\20\17.5\16.5\16
 5.11\15.22\1.59\1.60\3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.35	74.00	-14.65	54.47	3	Vertical	301	2.29	16	33.00	7.40	35.52
AV	5.14728G	47.44	54.00	-6.56	42.56	3	Vertical	301	2.29	16	33.00	7.40	35.52
PK	5.29512G	111.38	Inf	-Inf	106.45	3	Vertical	301	2.29	16	32.91	7.50	35.48
AV	5.27464G	99.61	Inf	-Inf	94.65	3	Vertical	301	2.29	16	32.95	7.49	35.48
PK	5.3572G	68.86	74.00	-5.14	63.98	3	Vertical	301	2.29	16	32.81	7.53	35.46
AV	5.35752G	50.98	54.00	-3.02	46.09	3	Vertical	301	2.29	16	32.82	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




15/05/2024

EUT_X_2TX
SET 16
16
3.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	58.96	74.00	-15.04	54.10	3	Horizontal	71	1.44	16	33.00	7.38	35.52
AV	5.14856G	47.25	54.00	-6.75	42.37	3	Horizontal	71	1.44	16	33.00	7.40	35.52
PK	5.30664G	108.25	Inf	-Inf	103.33	3	Horizontal	71	1.44	16	32.89	7.50	35.47
AV	5.31144G	95.96	Inf	-Inf	91.04	3	Horizontal	71	1.44	16	32.88	7.51	35.47
PK	5.36584G	66.07	74.00	-7.93	61.17	3	Horizontal	71	1.44	16	32.83	7.53	35.46
AV	5.35G	50.80	54.00	-3.20	45.93	3	Horizontal	71	1.44	16	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59854G	56.05	68.20	-12.15	72.91	3	Vertical	191	1.80	16	38.90	10.45	66.21
AV	10.65385G	42.80	54.00	-11.20	59.49	3	Vertical	191	1.80	16	39.10	10.48	66.27
PK	15.89957G	57.24	74.00	-16.76	70.15	3	Vertical	4	1.67	16	37.60	12.40	62.91
AV	15.88662G	44.38	54.00	-9.62	57.26	3	Vertical	4	1.67	16	37.63	12.39	62.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59103G	54.93	68.20	-13.27	71.80	3	Horizontal	193	1.21	16	38.88	10.45	66.20
AV	10.63435G	42.68	54.00	-11.32	59.42	3	Horizontal	193	1.21	16	39.04	10.47	66.25
PK	15.80622G	56.63	74.00	-17.37	69.32	3	Horizontal	110	2.89	16	37.79	12.37	62.85
AV	15.88662G	44.39	54.00	-9.61	57.27	3	Horizontal	110	2.89	16	37.63	12.39	62.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5530MHz_TX




EUT_X_2TX
 Setting 17.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.55	68.20	-8.65	52.47	3	Vertical	33	1.52	-	31.50	7.04	31.46
PK	5.443G	63.88	74.00	-10.12	56.51	3	Vertical	33	1.52	-	31.77	7.12	31.52
AV	5.446G	48.17	54.00	-5.83	40.79	3	Vertical	33	1.52	-	31.78	7.12	31.52
PK	5.467G	67.74	68.20	-0.46	60.31	3	Vertical	33	1.52	-	31.83	7.13	31.53
PK	5.506G	111.28	Inf	-Inf	103.77	3	Vertical	33	1.52	-	31.90	7.16	31.55
AV	5.548G	98.54	Inf	-Inf	91.01	3	Vertical	33	1.52	-	31.90	7.19	31.56
PK	5.752G	60.52	68.20	-7.68	52.55	3	Vertical	33	1.52	-	32.20	7.35	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5530MHz_TX




EUT_X_2TX
 Setting 17.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	58.60	68.20	-9.60	51.52	3	Horizontal	320	1.95	-	31.50	7.05	31.47
PK	5.456G	61.03	74.00	-12.97	53.62	3	Horizontal	320	1.95	-	31.81	7.13	31.53
AV	5.435G	47.09	54.00	-6.91	39.75	3	Horizontal	320	1.95	-	31.74	7.11	31.51
PK	5.47G	59.65	68.20	-8.55	52.20	3	Horizontal	320	1.95	-	31.84	7.14	31.53
PK	5.535G	107.13	Inf	-Inf	99.60	3	Horizontal	320	1.95	-	31.90	7.18	31.55
AV	5.556G	94.71	Inf	-Inf	87.19	3	Horizontal	320	1.95	-	31.89	7.19	31.56
PK	5.749G	63.61	68.20	-4.59	55.65	3	Horizontal	320	1.95	-	32.19	7.35	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5530MHz_TX




EUT_X_2TX
Setting 17.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.045G	59.81	74.00	-14.19	41.68	3	Vertical	1	2.60	-	40.32	10.36	32.55
AV	11.0573G	46.67	54.00	-7.33	28.59	3	Vertical	1	2.60	-	40.27	10.36	32.55
PK	16.60458G	63.96	68.20	-4.24	44.56	3	Vertical	148	2.75	-	39.43	12.94	32.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5530MHz_TX




EUT_X_2TX
Setting 17.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05268G	60.95	74.00	-13.05	42.85	3	Horizontal	306	1.10	-	40.29	10.36	32.55
AV	11.05184G	46.64	54.00	-7.36	28.54	3	Horizontal	306	1.10	-	40.29	10.36	32.55
PK	16.58976G	63.58	68.20	-4.62	44.16	3	Horizontal	194	1.10	-	39.42	12.94	32.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_X_2TX
 Setting 18.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.04	74.00	-12.96	53.62	3	Vertical	33	1.64	-	31.82	7.13	31.53
AV	5.46G	47.57	54.00	-6.43	40.15	3	Vertical	33	1.64	-	31.82	7.13	31.53
PK	5.468G	65.68	68.20	-2.52	58.24	3	Vertical	33	1.64	-	31.84	7.13	31.53
PK	5.606G	111.06	Inf	-Inf	103.60	3	Vertical	33	1.64	-	31.79	7.23	31.56
AV	5.586G	98.97	Inf	-Inf	91.49	3	Vertical	33	1.64	-	31.83	7.21	31.56
PK	5.74G	67.81	68.20	-0.39	59.91	3	Vertical	33	1.64	-	32.14	7.34	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_X_2TX
 Setting 18.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	62.17	74.00	-11.83	54.77	3	Horizontal	33	1.64	-	31.80	7.12	31.52
PK	5.465G	66.42	68.20	-1.78	58.99	3	Horizontal	33	1.64	-	31.83	7.13	31.53
AV	5.46G	47.45	54.00	-6.55	40.03	3	Horizontal	33	1.64	-	31.82	7.13	31.53
PK	5.585G	111.70	Inf	-Inf	104.22	3	Horizontal	33	1.64	-	31.83	7.21	31.56
AV	5.587G	99.01	Inf	-Inf	91.53	3	Horizontal	33	1.64	-	31.83	7.21	31.56
PK	5.728G	67.16	68.20	-1.04	59.34	3	Horizontal	33	1.64	-	32.07	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20614G	59.79	74.00	-14.21	42.20	3	Vertical	70	1.99	-	39.80	10.43	32.64
AV	11.2158G	46.22	54.00	-7.78	28.62	3	Vertical	70	1.99	-	39.80	10.44	32.64
PK	16.82652G	65.39	68.20	-2.81	45.24	3	Vertical	7	1.55	-	40.45	13.04	33.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2209G	59.68	74.00	-14.32	42.08	3	Horizontal	309	1.29	-	39.80	10.44	32.64
AV	11.21112G	46.14	54.00	-7.86	28.54	3	Horizontal	309	1.29	-	39.80	10.44	32.64
PK	16.82412G	65.02	68.20	-3.18	44.86	3	Horizontal	290	1.52	-	40.45	13.04	33.33

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 22.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	60.40	74.00	-13.60	55.64	3	Vertical	117	2.18	-	32.61	7.59	35.44
AV	5.454G	47.49	54.00	-6.51	42.73	3	Vertical	117	2.18	-	32.60	7.59	35.43
PK	5.466G	60.84	68.20	-7.36	56.07	3	Vertical	117	2.18	-	32.60	7.60	35.43
PK	5.704G	117.55	Inf	-Inf	112.14	3	Vertical	117	2.18	-	33.03	7.88	35.50
AV	5.701G	104.21	Inf	-Inf	98.83	3	Vertical	117	2.18	-	33.01	7.87	35.50
PK	5.854G	68.13	68.20	-0.07	61.89	3	Vertical	117	2.18	-	33.72	8.07	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 22.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.97	74.00	-13.03	56.21	3	Horizontal	157	2.73	-	32.60	7.59	35.43
AV	5.44G	47.43	54.00	-6.57	42.67	3	Horizontal	157	2.73	-	32.62	7.58	35.44
PK	5.467G	60.67	68.20	-7.53	55.90	3	Horizontal	157	2.73	-	32.60	7.60	35.43
PK	5.721G	110.67	Inf	-Inf	105.10	3	Horizontal	157	2.73	-	33.17	7.90	35.50
AV	5.712G	97.39	Inf	-Inf	91.90	3	Horizontal	157	2.73	-	33.10	7.89	35.50
PK	5.89G	63.54	68.20	-4.66	57.08	3	Horizontal	157	2.73	-	33.94	8.09	35.57

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 22.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38978G	60.59	74.00	-13.41	43.99	3	Vertical	186	2.60	-	38.91	10.80	33.11
AV	11.3797G	46.21	54.00	-7.79	29.61	3	Vertical	186	2.60	-	38.92	10.80	33.12
PK	17.05536G	60.05	68.20	-8.15	41.76	3	Vertical	74	1.94	-	38.17	12.92	32.80

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 22.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37166G	60.71	74.00	-13.29	44.12	3	Horizontal	116	1.49	-	38.93	10.79	33.13
AV	11.37952G	46.25	54.00	-7.75	29.65	3	Horizontal	116	1.49	-	38.92	10.80	33.12
PK	17.0673G	60.03	68.20	-8.17	41.71	3	Horizontal	142	1.58	-	38.20	12.93	32.81

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 20
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	67.86	68.20	-0.34	60.46	3	Vertical	297	1.80	-	31.72	7.25	31.57
PK	5.751G	112.61	Inf	-Inf	104.64	3	Vertical	297	1.80	-	32.20	7.35	31.58
AV	5.752G	100.56	Inf	-Inf	92.59	3	Vertical	297	1.80	-	32.20	7.35	31.58
PK	5.953G	59.87	68.20	-8.33	51.43	3	Vertical	297	1.80	-	32.59	7.45	31.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 20
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.24	68.20	-0.96	59.83	3	Horizontal	329	1.92	-	31.72	7.26	31.57
PK	5.742G	109.45	Inf	-Inf	101.54	3	Horizontal	329	1.92	-	32.15	7.34	31.58
AV	5.742G	97.29	Inf	-Inf	89.38	3	Horizontal	329	1.92	-	32.15	7.34	31.58
PK	5.935G	59.71	68.20	-8.49	51.30	3	Horizontal	329	1.92	-	32.57	7.44	31.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 20
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54058G	60.32	74.00	-13.68	42.45	3	Vertical	231	1.70	-	40.10	10.59	32.82
AV	11.5389G	45.98	54.00	-8.02	28.10	3	Vertical	231	1.70	-	40.10	10.59	32.81
PK	17.31012G	65.51	68.20	-2.69	44.50	3	Vertical	256	1.80	-	40.90	13.26	33.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 20
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55882G	59.94	74.00	-14.06	42.11	3	Horizontal	334	1.30	-	40.05	10.60	32.82
AV	11.54166G	46.21	54.00	-7.79	28.34	3	Horizontal	334	1.30	-	40.10	10.59	32.82
PK	17.33178G	65.76	68.20	-2.44	44.49	3	Horizontal	204	1.80	-	41.12	13.27	33.12

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	69.03	74.00	-4.97	64.38	3	Vertical	300	2.15	-	32.85	7.34	35.54
AV	5.139G	49.25	54.00	-4.75	44.66	3	Vertical	300	2.15	-	32.72	7.39	35.52
PK	5.255G	108.22	Inf	-Inf	103.44	3	Vertical	300	2.15	-	32.79	7.48	35.49
AV	5.177G	94.99	Inf	-Inf	90.32	3	Vertical	300	2.15	-	32.75	7.43	35.51
PK	5.352G	73.87	74.00	-0.13	69.20	3	Vertical	300	2.15	-	32.60	7.53	35.46
AV	5.357G	50.07	54.00	-3.93	45.39	3	Vertical	300	2.15	-	32.61	7.53	35.46
PK	5.475G	60.72	68.20	-7.48	55.94	3	Vertical	300	2.15	-	32.60	7.61	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	69.15	74.00	-4.85	64.55	3	Horizontal	80	1.80	-	32.73	7.39	35.52
AV	5.147G	48.63	54.00	-5.37	44.04	3	Horizontal	80	1.80	-	32.71	7.40	35.52
PK	5.175G	103.96	Inf	-Inf	99.29	3	Horizontal	80	1.80	-	32.75	7.43	35.51
AV	5.19G	90.74	Inf	-Inf	86.03	3	Horizontal	80	1.80	-	32.78	7.44	35.51
PK	5.369G	70.08	74.00	-3.92	65.37	3	Horizontal	80	1.80	-	32.64	7.53	35.46
AV	5.362G	48.52	54.00	-5.48	43.83	3	Horizontal	80	1.80	-	32.62	7.53	35.46
PK	5.479G	61.26	68.20	-6.94	56.48	3	Horizontal	80	1.80	-	32.60	7.61	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50618G	58.26	68.20	-9.94	43.18	3	Vertical	67	2.12	-	38.52	10.41	33.85
PK	15.75708G	59.96	74.00	-14.04	43.00	3	Vertical	48	2.64	-	37.81	12.35	33.20
AV	15.75474G	45.94	54.00	-8.06	28.98	3	Vertical	48	2.64	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5135G	58.50	68.20	-9.70	43.37	3	Horizontal	98	2.20	-	38.55	10.42	33.84
PK	15.75888G	60.48	74.00	-13.52	43.51	3	Horizontal	115	2.49	-	37.82	12.35	33.20
AV	15.74454G	45.90	54.00	-8.10	28.99	3	Horizontal	115	2.49	-	37.79	12.34	33.22

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	73.62	74.00	-0.38	69.01	3	Vertical	305	2.13	-	32.77	7.37	35.53
AV	5.139G	49.11	54.00	-4.89	44.52	3	Vertical	305	2.13	-	32.72	7.39	35.52
PK	5.176G	109.61	Inf	-Inf	104.94	3	Vertical	305	2.13	-	32.75	7.43	35.51
AV	5.175G	96.40	Inf	-Inf	91.73	3	Vertical	305	2.13	-	32.75	7.43	35.51
PK	5.352G	71.12	74.00	-2.88	66.45	3	Vertical	305	2.13	-	32.60	7.53	35.46
AV	5.379G	52.27	54.00	-1.73	47.52	3	Vertical	305	2.13	-	32.66	7.54	35.45
PK	5.485G	60.70	68.20	-7.50	55.90	3	Vertical	305	2.13	-	32.60	7.62	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	73.41	74.00	-0.59	68.81	3	Horizontal	35	3.00	-	32.76	7.37	35.53
AV	5.142G	49.48	54.00	-4.52	44.89	3	Horizontal	35	3.00	-	32.72	7.39	35.52
PK	5.279G	110.30	Inf	-Inf	105.55	3	Horizontal	35	3.00	-	32.74	7.49	35.48
AV	5.26G	96.21	Inf	-Inf	91.44	3	Horizontal	35	3.00	-	32.78	7.48	35.49
PK	5.353G	71.97	74.00	-2.03	67.29	3	Horizontal	35	3.00	-	32.61	7.53	35.46
AV	5.362G	52.19	54.00	-1.81	47.50	3	Horizontal	35	3.00	-	32.62	7.53	35.46
PK	5.47G	61.04	68.20	-7.16	56.26	3	Horizontal	35	3.00	-	32.60	7.61	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
05-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50942G	58.52	68.20	-9.68	43.41	3	Vertical	327	2.10	-	38.54	10.41	33.84
PK	15.75528G	60.81	74.00	-13.19	43.86	3	Vertical	315	1.40	-	37.80	12.35	33.20
AV	15.75474G	45.86	54.00	-8.14	28.91	3	Vertical	315	1.40	-	37.80	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
05-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50306G	58.16	68.20	-10.04	43.09	3	Horizontal	110	2.84	-	38.51	10.41	33.85
PK	15.74604G	60.09	74.00	-13.91	43.18	3	Horizontal	157	2.73	-	37.79	12.34	33.22
AV	15.75456G	45.96	54.00	-8.04	29.00	3	Horizontal	157	2.73	-	37.81	12.35	33.20

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	59.99	68.20	-8.21	55.31	3	Vertical	226	1.80	-	32.64	7.51	35.47
PK	5.46G	60.89	74.00	-13.11	56.12	3	Vertical	226	1.80	-	32.60	7.60	35.43
AV	5.46G	47.79	54.00	-6.21	43.02	3	Vertical	226	1.80	-	32.60	7.60	35.43
PK	5.468G	61.28	68.20	-6.92	56.51	3	Vertical	226	1.80	-	32.60	7.60	35.43
AV	5.545G	92.48	Inf	-Inf	87.65	3	Vertical	226	1.80	-	32.60	7.67	35.44
PK	5.627G	105.69	Inf	-Inf	100.81	3	Vertical	226	1.80	-	32.60	7.75	35.47
PK	5.729G	67.86	68.20	-0.34	62.22	3	Vertical	226	1.80	-	33.23	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	59.96	68.20	-8.24	55.30	3	Horizontal	144	2.84	-	32.60	7.52	35.46
PK	5.412G	60.91	74.00	-13.09	56.11	3	Horizontal	144	2.84	-	32.68	7.56	35.44
PK	5.469G	61.17	68.20	-7.03	56.39	3	Horizontal	144	2.84	-	32.60	7.61	35.43
AV	5.446G	47.53	54.00	-6.47	42.77	3	Horizontal	144	2.84	-	32.61	7.59	35.44
PK	5.549G	104.96	Inf	-Inf	100.13	3	Horizontal	144	2.84	-	32.60	7.67	35.44
AV	5.529G	91.84	Inf	-Inf	87.02	3	Horizontal	144	2.84	-	32.60	7.65	35.43
PK	5.725G	65.63	68.20	-2.57	60.03	3	Horizontal	144	2.84	-	33.20	7.91	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1409G	57.89	74.00	-16.11	41.81	3	Vertical	149	2.39	-	38.72	10.69	33.33
AV	11.155G	44.58	54.00	-9.42	28.43	3	Vertical	149	2.39	-	38.77	10.70	33.32
PK	16.7031G	60.81	68.20	-7.39	43.02	3	Vertical	139	1.15	-	38.01	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1355G	58.06	74.00	-15.94	42.00	3	Horizontal	114	2.29	-	38.71	10.69	33.34
AV	11.155G	44.52	54.00	-9.48	28.37	3	Horizontal	114	2.29	-	38.77	10.70	33.32
PK	16.71204G	60.44	68.20	-7.76	42.62	3	Horizontal	65	2.21	-	38.04	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	60.53	68.20	-7.67	55.86	3	Vertical	218	1.64	-	32.61	7.52	35.46
PK	5.459G	64.07	74.00	-9.93	59.30	3	Vertical	218	1.64	-	32.60	7.60	35.43
AV	5.46G	48.16	54.00	-5.84	43.39	3	Vertical	218	1.64	-	32.60	7.60	35.43
PK	5.469G	65.81	68.20	-2.39	61.03	3	Vertical	218	1.64	-	32.60	7.61	35.43
PK	5.548G	107.71	Inf	-Inf	102.88	3	Vertical	218	1.64	-	32.60	7.67	35.44
AV	5.545G	94.47	Inf	-Inf	89.64	3	Vertical	218	1.64	-	32.60	7.67	35.44
PK	5.739G	67.95	68.20	-0.25	62.22	3	Vertical	218	1.64	-	33.31	7.93	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX

5570MHz_TX




13/06/2024

EUT_X_2TX
Setting 14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.95	68.20	-8.25	55.26	3	Horizontal	143	2.84	-	32.64	7.52	35.47
AV	5.35G	46.64	54.00	-7.36	41.97	3	Horizontal	143	2.84	-	32.60	7.53	35.46
PK	5.413G	61.36	74.00	-12.64	56.57	3	Horizontal	143	2.84	-	32.67	7.56	35.44
PK	5.461G	61.24	68.20	-6.96	56.47	3	Horizontal	143	2.84	-	32.60	7.60	35.43
AV	5.447G	47.55	54.00	-6.45	42.78	3	Horizontal	143	2.84	-	32.61	7.59	35.43
PK	5.531G	106.21	Inf	-Inf	101.39	3	Horizontal	143	2.84	-	32.60	7.65	35.43
AV	5.529G	92.64	Inf	-Inf	87.82	3	Horizontal	143	2.84	-	32.60	7.65	35.43
PK	5.73G	65.09	68.20	-3.11	59.44	3	Horizontal	143	2.84	-	33.24	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15182G	58.08	74.00	-15.92	41.94	3	Vertical	66	1.75	-	38.76	10.70	33.32
AV	11.15452G	44.46	54.00	-9.54	28.32	3	Vertical	66	1.75	-	38.76	10.70	33.32
PK	16.7169G	60.66	68.20	-7.54	42.82	3	Vertical	200	2.32	-	38.05	12.76	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_X_2TX
Setting 14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15128G	58.85	74.00	-15.15	42.72	3	Horizontal	12	2.66	-	38.75	10.70	33.32
AV	11.155G	44.45	54.00	-9.55	28.30	3	Horizontal	12	2.66	-	38.77	10.70	33.32
PK	16.71504G	60.43	68.20	-7.77	42.59	3	Horizontal	206	1.99	-	38.05	12.76	32.97

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_X_4TX
 Setting 15.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	73.77	74.00	-0.23	66.12	3	Vertical	206	1.47	-	32.10	6.91	31.36
AV	5.1475G	52.06	54.00	-1.94	44.41	3	Vertical	206	1.47	-	32.10	6.91	31.36
PK	5.1875G	113.63	Inf	-Inf	106.21	3	Vertical	206	1.47	-	31.87	6.93	31.38
AV	5.207G	102.23	Inf	-Inf	94.90	3	Vertical	206	1.47	-	31.77	6.95	31.39
PK	5.386G	61.26	74.00	-12.74	54.10	3	Vertical	206	1.47	-	31.57	7.08	31.49
AV	5.36G	49.25	54.00	-4.75	42.14	3	Vertical	206	1.47	-	31.52	7.06	31.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.121G	66.41	74.00	-7.59	58.76	3	Horizontal	219	2.10	-	32.10	6.90	31.35
AV	5.143G	50.64	54.00	-3.36	42.99	3	Horizontal	219	2.10	-	32.10	6.91	31.36
PK	5.244G	111.83	Inf	-Inf	104.65	3	Horizontal	219	2.10	-	31.62	6.97	31.41
AV	5.2435G	99.90	Inf	-Inf	92.71	3	Horizontal	219	2.10	-	31.63	6.97	31.41
PK	5.3845G	62.49	74.00	-11.51	55.33	3	Horizontal	219	2.10	-	31.57	7.08	31.49
AV	5.453G	49.12	54.00	-4.88	41.71	3	Horizontal	219	2.10	-	31.81	7.12	31.52

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42978G	60.11	68.20	-8.09	42.47	3	Vertical	257	2.00	-	40.16	10.06	32.58
PK	15.61788G	61.91	74.00	-12.09	43.84	3	Vertical	157	2.23	-	38.42	12.49	32.84
AV	15.61662G	49.48	54.00	-4.52	31.40	3	Vertical	157	2.23	-	38.43	12.49	32.84

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41169G	60.03	68.20	-8.17	42.44	3	Horizontal	292	1.21	-	40.12	10.06	32.59
PK	15.61908G	61.97	74.00	-12.03	43.91	3	Horizontal	213	1.31	-	38.41	12.49	32.84
AV	15.61653G	49.48	54.00	-4.52	31.40	3	Horizontal	213	1.31	-	38.43	12.49	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
 SET 16
 15\18.5\17\16.5\16
 3.93\ -9.24\ -2.23\ -2.65\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	60.23	74.00	-13.77	55.35	3	Vertical	302	2.32	16	33.00	7.40	35.52
AV	5.14856G	47.82	54.00	-6.18	42.94	3	Vertical	302	2.32	16	33.00	7.40	35.52
PK	5.27272G	112.67	Inf	-Inf	107.71	3	Vertical	302	2.32	16	32.95	7.49	35.48
AV	5.27272G	101.59	Inf	-Inf	96.63	3	Vertical	302	2.32	16	32.95	7.49	35.48
PK	5.35304G	71.50	74.00	-2.50	66.62	3	Vertical	302	2.32	16	32.81	7.53	35.46
AV	5.36168G	52.88	54.00	-1.12	47.99	3	Vertical	302	2.32	16	32.82	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




15/05/2024

EUT_X_4TX
SET 16
16
1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	60.01	74.00	-13.99	55.13	3	Horizontal	72	1.80	16	33.00	7.40	35.52
AV	5.14728G	47.44	54.00	-6.56	42.56	3	Horizontal	72	1.80	16	33.00	7.40	35.52
PK	5.30024G	111.01	Inf	-Inf	106.09	3	Horizontal	72	1.80	16	32.90	7.50	35.48
AV	5.30888G	99.19	Inf	-Inf	94.28	3	Horizontal	72	1.80	16	32.88	7.50	35.47
PK	5.35016G	71.50	74.00	-2.50	66.63	3	Horizontal	72	1.80	16	32.80	7.53	35.46
AV	5.35048G	52.92	54.00	-1.08	48.05	3	Horizontal	72	1.80	16	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58016G	55.00	68.20	-13.20	71.88	3	Vertical	322	1.80	16	38.86	10.45	66.19
AV	10.63451G	42.74	54.00	-11.26	59.48	3	Vertical	322	1.80	16	39.04	10.47	66.25
PK	15.89557G	56.28	74.00	-17.72	69.18	3	Vertical	179	1.80	16	37.61	12.40	62.91
AV	15.88646G	44.40	54.00	-9.60	57.28	3	Vertical	179	1.80	16	37.63	12.39	62.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59966G	54.50	68.20	-13.70	71.36	3	Horizontal	103	1.72	16	38.90	10.45	66.21
AV	10.63483G	42.68	54.00	-11.32	59.42	3	Horizontal	103	1.72	16	39.04	10.47	66.25
PK	15.79472G	57.19	74.00	-16.81	69.88	3	Horizontal	337	2.51	16	37.80	12.36	62.85
AV	15.88646G	44.34	54.00	-9.66	57.22	3	Horizontal	337	2.51	16	37.63	12.39	62.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	59.10	68.20	-9.10	52.01	3	Vertical	291	1.60	-	31.50	7.05	31.46
PK	5.447G	66.88	74.00	-7.12	59.49	3	Vertical	291	1.60	-	31.79	7.12	31.52
AV	5.449G	48.21	54.00	-5.79	40.81	3	Vertical	291	1.60	-	31.80	7.12	31.52
PK	5.467G	67.88	68.20	-0.32	60.45	3	Vertical	291	1.60	-	31.83	7.13	31.53
PK	5.567G	114.08	Inf	-Inf	106.57	3	Vertical	291	1.60	-	31.87	7.20	31.56
AV	5.548G	100.70	Inf	-Inf	93.17	3	Vertical	291	1.60	-	31.90	7.19	31.56
PK	5.735G	60.83	68.20	-7.37	52.97	3	Vertical	291	1.60	-	32.11	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5530MHz_TX




EUT_X_4TX
 Setting 16.5
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	59.13	68.20	-9.07	52.05	3	Horizontal	319	1.80	-	31.50	7.04	31.46
PK	5.459G	63.97	74.00	-10.03	56.55	3	Horizontal	319	1.80	-	31.82	7.13	31.53
AV	5.458G	47.73	54.00	-6.27	40.31	3	Horizontal	319	1.80	-	31.82	7.13	31.53
PK	5.469G	64.67	68.20	-3.53	57.23	3	Horizontal	319	1.80	-	31.84	7.13	31.53
PK	5.559G	110.23	Inf	-Inf	102.72	3	Horizontal	319	1.80	-	31.88	7.19	31.56
AV	5.558G	97.63	Inf	-Inf	90.12	3	Horizontal	319	1.80	-	31.88	7.19	31.56
PK	5.726G	60.40	68.20	-7.80	52.59	3	Horizontal	319	1.80	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0627G	59.99	74.00	-14.01	41.94	3	Vertical	229	2.09	-	40.25	10.36	32.56
AV	11.07116G	46.69	54.00	-7.31	28.66	3	Vertical	229	2.09	-	40.22	10.37	32.56
PK	16.60146G	64.10	68.20	-4.10	44.71	3	Vertical	243	1.70	-	39.41	12.94	32.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06582G	60.76	74.00	-13.24	42.71	3	Horizontal	273	1.09	-	40.24	10.37	32.56
AV	11.05004G	46.62	54.00	-7.38	28.51	3	Horizontal	273	1.09	-	40.30	10.36	32.55
PK	16.60272G	64.33	68.20	-3.87	44.93	3	Horizontal	173	1.12	-	39.42	12.94	32.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.60	74.00	-12.40	54.19	3	Vertical	32	2.00	-	31.81	7.13	31.53
AV	5.444G	46.93	54.00	-7.07	39.55	3	Vertical	32	2.00	-	31.78	7.12	31.52
PK	5.465G	62.93	68.20	-5.27	55.50	3	Vertical	32	2.00	-	31.83	7.13	31.53
PK	5.583G	114.15	Inf	-Inf	106.67	3	Vertical	32	2.00	-	31.83	7.21	31.56
AV	5.584G	101.43	Inf	-Inf	93.95	3	Vertical	32	2.00	-	31.83	7.21	31.56
PK	5.725G	67.97	68.20	-0.23	60.17	3	Vertical	32	2.00	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.51	74.00	-12.49	54.09	3	Horizontal	321	1.99	-	31.82	7.13	31.53
AV	5.456G	47.07	54.00	-6.93	39.66	3	Horizontal	321	1.99	-	31.81	7.13	31.53
PK	5.464G	60.90	68.20	-7.30	53.47	3	Horizontal	321	1.99	-	31.83	7.13	31.53
PK	5.597G	111.19	Inf	-Inf	103.72	3	Horizontal	321	1.99	-	31.81	7.22	31.56
AV	5.597G	98.86	Inf	-Inf	91.39	3	Horizontal	321	1.99	-	31.81	7.22	31.56
PK	5.728G	62.94	68.20	-5.26	55.12	3	Horizontal	321	1.99	-	32.07	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22666G	60.28	74.00	-13.72	42.69	3	Vertical	258	2.49	-	39.80	10.44	32.65
AV	11.21958G	46.15	54.00	-7.85	28.55	3	Vertical	258	2.49	-	39.80	10.44	32.64
PK	16.83792G	63.29	68.20	-4.91	43.12	3	Vertical	178	1.63	-	40.48	13.05	33.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.208G	60.02	74.00	-13.98	42.43	3	Horizontal	83	1.59	-	39.80	10.43	32.64
AV	11.20932G	46.09	54.00	-7.91	28.50	3	Horizontal	83	1.59	-	39.80	10.43	32.64
PK	16.81884G	62.63	68.20	-5.57	42.48	3	Horizontal	188	2.13	-	40.44	13.04	33.33

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 22
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7056G	120.70	Inf	-Inf	113.03	3	Vertical	207	1.80	-	31.93	7.31	31.57
AV	5.7048G	108.48	Inf	-Inf	100.81	3	Vertical	207	1.80	-	31.93	7.31	31.57
PK	5.8644G	67.85	68.20	-0.35	59.66	3	Vertical	207	1.80	-	32.36	7.42	31.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 22
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	116.17	Inf	-Inf	108.41	3	Horizontal	221	1.68	-	32.02	7.32	31.58
AV	5.7004G	104.79	Inf	-Inf	97.15	3	Horizontal	221	1.68	-	31.90	7.31	31.57
PK	5.8508G	65.38	68.20	-2.82	57.26	3	Horizontal	221	1.68	-	32.30	7.41	31.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38585G	60.29	74.00	-13.71	42.54	3	Vertical	335	1.21	-	39.97	10.52	32.74
AV	11.39017G	47.79	54.00	-6.21	30.03	3	Vertical	335	1.21	-	39.98	10.52	32.74
PK	17.07558G	64.20	68.20	-4.00	44.26	3	Vertical	73	2.49	-	40.30	13.15	33.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 22
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37727G	60.28	74.00	-13.72	42.55	3	Horizontal	88	2.99	-	39.95	10.51	32.73
AV	11.39344G	47.75	54.00	-6.25	29.98	3	Horizontal	88	2.99	-	39.99	10.52	32.74
PK	17.08278G	63.26	68.20	-4.94	43.33	3	Horizontal	105	2.87	-	40.27	13.16	33.50

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
 Setting 18.5
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.55	69.68	-0.13	62.15	3	Vertical	297	1.67	-	31.71	7.26	31.57
PK	5.773G	115.26	Inf	-Inf	107.22	3	Vertical	297	1.67	-	32.25	7.37	31.58
AV	5.813G	102.29	Inf	-Inf	94.18	3	Vertical	297	1.67	-	32.30	7.40	31.59
PK	5.959G	60.18	68.20	-8.02	51.76	3	Vertical	297	1.67	-	32.58	7.45	31.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 18.5
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.72	68.20	-2.48	58.32	3	Horizontal	46	1.80	-	31.71	7.26	31.57
PK	5.744G	111.27	Inf	-Inf	103.35	3	Horizontal	46	1.80	-	32.16	7.34	31.58
AV	5.745G	99.36	Inf	-Inf	91.43	3	Horizontal	46	1.80	-	32.17	7.34	31.58
PK	5.932G	59.53	68.20	-8.67	51.13	3	Horizontal	46	1.80	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 18.5
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54178G	58.78	74.00	-15.22	40.91	3	Vertical	112	2.76	-	40.10	10.59	32.82
AV	11.53602G	45.70	54.00	-8.30	27.82	3	Vertical	112	2.76	-	40.10	10.59	32.81
PK	17.33316G	65.52	68.20	-2.68	44.24	3	Vertical	297	1.69	-	41.13	13.27	33.12

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
 Setting 18.5
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53872G	59.45	74.00	-14.55	41.57	3	Horizontal	281	2.01	-	40.10	10.59	32.81
AV	11.53614G	45.72	54.00	-8.28	27.84	3	Horizontal	281	2.01	-	40.10	10.59	32.81
PK	17.31408G	64.74	68.20	-3.46	43.69	3	Horizontal	50	1.24	-	40.94	13.26	33.15

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	70.28	74.00	-3.72	62.63	3	Vertical	213	1.49	-	32.10	6.90	31.35
AV	5.1255G	52.11	54.00	-1.89	44.46	3	Vertical	213	1.49	-	32.10	6.90	31.35
PK	5.1855G	107.68	Inf	-Inf	100.24	3	Vertical	213	1.49	-	31.89	6.93	31.38
PK	5.368G	73.68	74.00	-0.32	66.55	3	Vertical	213	1.49	-	31.54	7.07	31.48
AV	5.3255G	95.65	Inf	-Inf	88.58	3	Vertical	213	1.49	-	31.50	7.03	31.46
AV	5.3645G	51.78	54.00	-2.22	44.67	3	Vertical	213	1.49	-	31.53	7.06	31.48
PK	5.467G	63.67	68.20	-4.53	56.24	3	Vertical	213	1.49	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	64.35	74.00	-9.65	56.70	3	Horizontal	218	2.32	-	32.10	6.90	31.35
AV	5.1035G	50.91	54.00	-3.09	43.26	3	Horizontal	218	2.32	-	32.10	6.89	31.34
PK	5.2235G	104.69	Inf	-Inf	97.42	3	Horizontal	218	2.32	-	31.71	6.96	31.40
AV	5.224G	93.09	Inf	-Inf	85.83	3	Horizontal	218	2.32	-	31.70	6.96	31.40
PK	5.366G	67.04	74.00	-6.96	59.93	3	Horizontal	218	2.32	-	31.53	7.06	31.48
AV	5.3635G	50.04	54.00	-3.96	42.93	3	Horizontal	218	2.32	-	31.53	7.06	31.48
PK	5.4725G	61.14	68.20	-7.06	53.70	3	Horizontal	218	2.32	-	31.84	7.14	31.54

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51311G	59.86	68.20	-8.34	42.23	3	Vertical	26	1.99	-	40.10	10.10	32.57
PK	15.76047G	61.92	74.00	-12.08	43.93	3	Vertical	14	2.05	-	38.30	12.56	32.87
AV	15.73851G	48.99	54.00	-5.01	31.03	3	Vertical	14	2.05	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50879G	60.04	68.20	-8.16	42.41	3	Horizontal	185	1.20	-	40.10	10.10	32.57
PK	15.73812G	61.09	74.00	-12.91	43.13	3	Horizontal	1	1.47	-	38.28	12.55	32.87
AV	15.73794G	48.98	54.00	-5.02	31.02	3	Horizontal	1	1.47	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 Setting 13.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1175G	67.11	74.00	-6.89	59.45	3	Vertical	214	1.56	-	32.10	6.90	31.34
AV	5.145G	52.51	54.00	-1.49	44.86	3	Vertical	214	1.56	-	32.10	6.91	31.36
PK	5.324G	108.57	Inf	-Inf	101.49	3	Vertical	214	1.56	-	31.50	7.03	31.45
AV	5.325G	97.22	Inf	-Inf	90.15	3	Vertical	214	1.56	-	31.50	7.03	31.46
PK	5.4055G	67.78	74.00	-6.22	60.57	3	Vertical	214	1.56	-	31.62	7.09	31.50
AV	5.405G	53.25	54.00	-0.75	46.04	3	Vertical	214	1.56	-	31.62	7.09	31.50
PK	5.463G	63.46	68.20	-4.74	56.03	3	Vertical	214	1.56	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1135G	67.43	74.00	-6.57	59.77	3	Horizontal	213	2.70	-	32.10	6.90	31.34
AV	5.0855G	51.52	54.00	-2.48	43.90	3	Horizontal	213	2.70	-	32.07	6.88	31.33
PK	5.205G	106.40	Inf	-Inf	99.07	3	Horizontal	213	2.70	-	31.78	6.94	31.39
AV	5.206G	94.74	Inf	-Inf	87.41	3	Horizontal	213	2.70	-	31.78	6.94	31.39
PK	5.4075G	65.48	74.00	-8.52	58.26	3	Horizontal	213	2.70	-	31.63	7.09	31.50
AV	5.405G	51.51	54.00	-2.49	44.30	3	Horizontal	213	2.70	-	31.62	7.09	31.50
PK	5.4655G	62.84	68.20	-5.36	55.41	3	Horizontal	213	2.70	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49226G	59.50	68.20	-8.70	41.86	3	Vertical	213	1.29	-	40.12	10.09	32.57
PK	15.74334G	61.88	74.00	-12.12	43.91	3	Vertical	175	1.37	-	38.29	12.55	32.87
AV	15.73764G	48.98	54.00	-5.02	31.02	3	Vertical	175	1.37	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be_EHT160_Nss1,(MCS14),RU996+RU484_CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50237G	60.82	68.20	-7.38	43.19	3	Horizontal	147	1.32	-	40.10	10.10	32.57
PK	15.74337G	61.11	74.00	-12.89	43.14	3	Horizontal	258	2.38	-	38.29	12.55	32.87
AV	15.74118G	49.00	54.00	-5.00	31.04	3	Horizontal	258	2.38	-	38.28	12.55	32.87

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




EUT_X_4TX
Setting 14
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2712G	60.81	68.20	-7.39	53.69	3	Vertical	211	1.52	-	31.56	6.99	31.43
PK	5.4392G	61.70	74.00	-12.30	54.34	3	Vertical	211	1.52	-	31.76	7.12	31.52
AV	5.4512G	49.32	54.00	-4.68	41.92	3	Vertical	211	1.52	-	31.80	7.12	31.52
PK	5.4656G	62.25	68.20	-5.95	54.82	3	Vertical	211	1.52	-	31.83	7.13	31.53
PK	5.5454G	106.84	Inf	-Inf	99.32	3	Vertical	211	1.52	-	31.90	7.18	31.56
AV	5.5448G	96.37	Inf	-Inf	88.85	3	Vertical	211	1.52	-	31.90	7.18	31.56
PK	5.726G	68.16	68.20	-0.04	60.35	3	Vertical	211	1.52	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




EUT_X_4TX
Setting 14
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3474G	60.47	68.20	-7.73	53.39	3	Horizontal	217	1.80	-	31.50	7.05	31.47
PK	5.423G	61.18	74.00	-12.82	53.90	3	Horizontal	217	1.80	-	31.69	7.10	31.51
PK	5.465G	61.21	68.20	-6.99	53.78	3	Horizontal	217	1.80	-	31.83	7.13	31.53
AV	5.46G	49.54	54.00	-4.46	42.12	3	Horizontal	217	1.80	-	31.82	7.13	31.53
PK	5.5202G	103.89	Inf	-Inf	96.37	3	Horizontal	217	1.80	-	31.90	7.17	31.55
AV	5.5406G	92.90	Inf	-Inf	85.37	3	Horizontal	217	1.80	-	31.90	7.18	31.55
PK	5.7332G	64.09	68.20	-4.11	56.24	3	Horizontal	217	1.80	-	32.10	7.33	31.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




EUT_X_4TX
Setting 14
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13268G	60.45	74.00	-13.55	42.67	3	Vertical	73	2.22	-	39.97	10.40	32.59
AV	11.13634G	48.14	54.00	-5.86	30.39	3	Vertical	73	2.22	-	39.95	10.40	32.60
PK	16.69539G	63.30	68.20	-4.90	43.56	3	Vertical	218	2.55	-	39.88	12.98	33.12

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




EUT_X_4TX
Setting 14
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13679G	60.58	74.00	-13.42	42.83	3	Horizontal	115	2.36	-	39.95	10.40	32.60
AV	11.13004G	48.13	54.00	-5.87	30.34	3	Horizontal	115	2.36	-	39.98	10.40	32.59
PK	16.69977G	63.47	68.20	-4.73	43.72	3	Horizontal	108	1.52	-	39.90	12.98	33.13

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3438G	60.45	68.20	-7.75	53.37	3	Vertical	210	1.80	-	31.50	7.05	31.47
PK	5.4332G	60.18	74.00	-13.82	52.85	3	Vertical	210	1.80	-	31.73	7.11	31.51
PK	5.462G	63.07	68.20	-5.13	55.65	3	Vertical	210	1.80	-	31.82	7.13	31.53
AV	5.46G	49.13	54.00	-4.87	41.71	3	Vertical	210	1.80	-	31.82	7.13	31.53
PK	5.5436G	107.35	Inf	-Inf	99.83	3	Vertical	210	1.80	-	31.90	7.18	31.56
AV	5.5436G	96.51	Inf	-Inf	88.99	3	Vertical	210	1.80	-	31.90	7.18	31.56
PK	5.7446G	68.10	68.20	-0.10	60.17	3	Vertical	210	1.80	-	32.17	7.34	31.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3042G	61.29	68.20	-6.91	54.21	3	Horizontal	217	1.80	-	31.50	7.02	31.44
PK	5.4572G	61.78	74.00	-12.22	54.37	3	Horizontal	217	1.80	-	31.81	7.13	31.53
PK	5.4614G	63.80	68.20	-4.40	56.38	3	Horizontal	217	1.80	-	31.82	7.13	31.53
AV	5.46G	49.54	54.00	-4.46	42.12	3	Horizontal	217	1.80	-	31.82	7.13	31.53
PK	5.54G	104.00	Inf	-Inf	96.47	3	Horizontal	217	1.80	-	31.90	7.18	31.55
AV	5.5622G	96.05	Inf	-Inf	88.53	3	Horizontal	217	1.80	-	31.88	7.20	31.56
PK	5.7626G	64.53	68.20	-3.67	56.52	3	Horizontal	217	1.80	-	32.23	7.36	31.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0188G	61.11	74.00	-12.89	42.88	3	Vertical	281	1.29	-	40.42	10.34	32.53
AV	11.0116G	49.04	54.00	-4.96	30.78	3	Vertical	281	1.29	-	40.45	10.34	32.53
PK	16.72002G	63.81	68.20	-4.39	43.96	3	Vertical	319	1.33	-	40.02	12.99	33.16

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX

5570MHz_TX



EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.939G	60.55	74.00	-13.45	42.17	3	Horizontal	109	2.39	-	40.60	10.31	32.53
AV	11.014G	48.98	54.00	-5.02	30.73	3	Horizontal	109	2.39	-	40.44	10.34	32.53
PK	16.71174G	63.66	68.20	-4.54	43.85	3	Horizontal	97	1.45	-	39.97	12.99	33.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.96	54.00	-0.04	3	Horizontal	298	2.49	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTY_1TX
Setting 17
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	63.77	74.00	-10.23	55.54	3	Vertical	2	2.58	-	33.60	5.31	30.68
AV	5.15G	50.78	54.00	-3.22	42.54	3	Vertical	2	2.58	-	33.60	5.32	30.68
PK	5.176G	107.79	Inf	-Inf	99.45	3	Vertical	2	2.58	-	33.70	5.34	30.70
AV	5.1767G	98.10	Inf	-Inf	89.75	3	Vertical	2	2.58	-	33.71	5.34	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTY_1TX
Setting 17
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.64	74.00	-8.36	57.41	3	Horizontal	300	2.84	-	33.60	5.31	30.68
AV	5.15G	52.47	54.00	-1.53	44.23	3	Horizontal	300	2.84	-	33.60	5.32	30.68
PK	5.1822G	111.81	Inf	-Inf	103.44	3	Horizontal	300	2.84	-	33.73	5.35	30.71
AV	5.1769G	101.96	Inf	-Inf	93.61	3	Horizontal	300	2.84	-	33.71	5.34	30.70

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35927G	54.06	68.20	-14.14	39.18	3	Vertical	10	1.71	-	38.48	8.18	31.78
PK	15.54367G	58.50	74.00	-15.50	42.48	3	Vertical	279	1.03	-	37.83	10.14	31.95
AV	15.5422G	45.53	54.00	-8.47	29.51	3	Vertical	279	1.03	-	37.83	10.14	31.95

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36447G	53.80	68.20	-14.40	38.93	3	Horizontal	110	1.30	-	38.47	8.18	31.78
PK	15.54047G	58.03	74.00	-15.97	42.00	3	Horizontal	95	2.04	-	37.84	10.14	31.95
AV	15.54204G	45.28	54.00	-8.72	29.26	3	Horizontal	95	2.04	-	37.83	10.14	31.95

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	66.84	74.00	-7.16	58.61	3	Vertical	2	2.00	-	33.60	5.31	30.68
AV	5.15G	51.49	54.00	-2.51	43.25	3	Vertical	2	2.00	-	33.60	5.32	30.68
PK	5.2038G	112.69	Inf	-Inf	104.24	3	Vertical	2	2.00	-	33.80	5.37	30.72
AV	5.2032G	102.71	Inf	-Inf	94.26	3	Vertical	2	2.00	-	33.80	5.37	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
 Setting 21.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	69.46	74.00	-4.54	61.24	3	Horizontal	306	2.33	-	33.59	5.31	30.68
AV	5.1498G	53.82	54.00	-0.18	45.59	3	Horizontal	306	2.33	-	33.60	5.31	30.68
PK	5.2032G	115.31	Inf	-Inf	106.86	3	Horizontal	306	2.33	-	33.80	5.37	30.72
AV	5.2032G	105.43	Inf	-Inf	96.98	3	Horizontal	306	2.33	-	33.80	5.37	30.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTY_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40269G	53.88	68.20	-14.32	39.07	3	Vertical	151	2.77	-	38.40	8.20	31.79
PK	15.60174G	58.91	74.00	-15.09	43.01	3	Vertical	149	1.86	-	37.70	10.16	31.96
AV	15.59985G	45.61	54.00	-8.39	29.71	3	Vertical	149	1.86	-	37.70	10.16	31.96

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTY_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40348G	54.77	68.20	-13.43	39.96	3	Horizontal	135	1.11	-	38.40	8.20	31.79
PK	15.59917G	58.63	74.00	-15.37	42.73	3	Horizontal	137	2.63	-	37.70	10.16	31.96
AV	15.60107G	45.80	54.00	-8.20	29.90	3	Horizontal	137	2.63	-	37.70	10.16	31.96

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	66.83	74.00	-7.17	58.60	3	Vertical	360	2.12	-	33.60	5.31	30.68
AV	5.1497G	50.98	54.00	-3.02	42.75	3	Vertical	360	2.12	-	33.60	5.31	30.68
PK	5.2391G	113.60	Inf	-Inf	105.17	3	Vertical	360	2.12	-	33.80	5.38	30.75
AV	5.2427G	103.01	Inf	-Inf	94.58	3	Vertical	360	2.12	-	33.80	5.38	30.75
PK	5.3588G	61.20	74.00	-12.80	52.65	3	Vertical	360	2.12	-	34.00	5.40	30.85
AV	5.3561G	48.56	54.00	-5.44	40.00	3	Vertical	360	2.12	-	34.00	5.40	30.84

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	68.43	74.00	-5.57	60.20	3	Horizontal	305	2.56	-	33.60	5.31	30.68
AV	5.1497G	53.13	54.00	-0.87	44.90	3	Horizontal	305	2.56	-	33.60	5.31	30.68
PK	5.243G	117.49	Inf	-Inf	109.06	3	Horizontal	305	2.56	-	33.80	5.38	30.75
AV	5.2433G	107.11	Inf	-Inf	98.68	3	Horizontal	305	2.56	-	33.80	5.38	30.75
PK	5.35G	65.42	74.00	-8.58	56.86	3	Horizontal	305	2.56	-	34.00	5.40	30.84
AV	5.3504G	50.14	54.00	-3.86	41.58	3	Horizontal	305	2.56	-	34.00	5.40	30.84

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47708G	53.77	68.20	-14.43	38.96	3	Vertical	301	2.69	-	38.40	8.22	31.81
PK	15.72455G	59.13	74.00	-14.87	43.20	3	Vertical	333	2.02	-	37.70	10.20	31.97
AV	15.71617G	45.87	54.00	-8.13	29.91	3	Vertical	333	2.02	-	37.74	10.19	31.97

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48197G	53.80	68.20	-14.40	38.99	3	Horizontal	315	2.12	-	38.40	8.22	31.81
PK	15.7161G	58.35	74.00	-15.65	42.39	3	Horizontal	36	2.79	-	37.74	10.19	31.97
AV	15.71828G	45.79	54.00	-8.21	29.84	3	Horizontal	36	2.79	-	37.73	10.19	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	60.55	74.00	-13.45	52.33	3	Vertical	0	2.53	-	33.59	5.31	30.68
AV	5.1496G	47.50	54.00	-6.50	39.27	3	Vertical	0	2.53	-	33.60	5.31	30.68
PK	5.2531G	113.78	Inf	-Inf	105.35	3	Vertical	0	2.53	-	33.81	5.38	30.76
AV	5.2531G	103.37	Inf	-Inf	94.94	3	Vertical	0	2.53	-	33.81	5.38	30.76
PK	5.3575G	65.08	74.00	-8.92	56.53	3	Vertical	0	2.53	-	34.00	5.40	30.85
AV	5.359G	50.35	54.00	-3.65	41.80	3	Vertical	0	2.53	-	34.00	5.40	30.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	63.63	74.00	-10.37	55.40	3	Horizontal	304	2.54	-	33.60	5.31	30.68
AV	5.1475G	49.13	54.00	-4.87	40.91	3	Horizontal	304	2.54	-	33.59	5.31	30.68
PK	5.2672G	117.99	Inf	-Inf	109.55	3	Horizontal	304	2.54	-	33.83	5.38	30.77
AV	5.2627G	106.75	Inf	-Inf	98.31	3	Horizontal	304	2.54	-	33.83	5.38	30.77
PK	5.3521G	68.33	74.00	-5.67	59.77	3	Horizontal	304	2.54	-	34.00	5.40	30.84
AV	5.356G	51.96	54.00	-2.04	43.40	3	Horizontal	304	2.54	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51894G	54.46	68.20	-13.74	39.64	3	Vertical	273	2.42	-	38.40	8.24	31.82
PK	15.77628G	58.95	74.00	-15.05	43.22	3	Vertical	321	1.84	-	37.49	10.21	31.97
AV	15.78201G	45.47	54.00	-8.53	29.76	3	Vertical	321	1.84	-	37.47	10.21	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51922G	54.07	68.20	-14.13	39.25	3	Horizontal	30	2.04	-	38.40	8.24	31.82
PK	15.78407G	58.81	74.00	-15.19	43.11	3	Horizontal	278	2.16	-	37.46	10.21	31.97
AV	15.78444G	45.44	54.00	-8.56	29.74	3	Horizontal	278	2.16	-	37.46	10.21	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	112.93	Inf	-Inf	104.45	3	Vertical	66	2.02	-	33.89	5.39	30.80
AV	5.3032G	103.09	Inf	-Inf	94.59	3	Vertical	66	2.02	-	33.91	5.39	30.80
PK	5.3524G	66.56	74.00	-7.44	58.00	3	Vertical	66	2.02	-	34.00	5.40	30.84
AV	5.35G	52.22	54.00	-1.78	43.66	3	Vertical	66	2.02	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
 Setting 22.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	112.98	Inf	-Inf	104.50	3	Horizontal	57	2.13	-	33.89	5.39	30.80
AV	5.3032G	103.22	Inf	-Inf	94.72	3	Horizontal	57	2.13	-	33.91	5.39	30.80
PK	5.352G	68.39	74.00	-5.61	59.83	3	Horizontal	57	2.13	-	34.00	5.40	30.84
AV	5.35G	53.07	54.00	-0.93	44.51	3	Horizontal	57	2.13	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
 Setting 22.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60427G	54.27	74.00	-19.73	39.45	3	Vertical	261	1.97	-	38.40	8.27	31.85
AV	10.60222G	40.88	54.00	-13.12	26.07	3	Vertical	261	1.97	-	38.40	8.26	31.85
PK	15.89975G	58.06	74.00	-15.94	42.49	3	Vertical	325	1.26	-	37.30	10.25	31.98
AV	15.8952G	44.85	54.00	-9.15	29.28	3	Vertical	325	1.26	-	37.30	10.25	31.98

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
 Setting 22.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60355G	54.16	74.00	-19.84	39.34	3	Horizontal	351	2.13	-	38.40	8.27	31.85
AV	10.6043G	40.78	54.00	-13.22	25.96	3	Horizontal	351	2.13	-	38.40	8.27	31.85
PK	15.89838G	58.24	74.00	-15.76	42.67	3	Horizontal	33	2.40	-	37.30	10.25	31.98
AV	15.8943G	44.83	54.00	-9.17	29.26	3	Horizontal	33	2.40	-	37.30	10.25	31.98

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3201G	111.47	Inf	-Inf	102.96	3	Vertical	341	2.74	-	33.94	5.39	30.82
AV	5.3174G	101.05	Inf	-Inf	92.54	3	Vertical	341	2.74	-	33.93	5.39	30.81
PK	5.3504G	66.12	74.00	-7.88	57.56	3	Vertical	341	2.74	-	34.00	5.40	30.84
AV	5.3501G	51.32	54.00	-2.68	42.76	3	Vertical	341	2.74	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	110.61	Inf	-Inf	102.10	3	Horizontal	309	2.51	-	33.93	5.39	30.81
AV	5.3168G	101.01	Inf	-Inf	92.50	3	Horizontal	309	2.51	-	33.93	5.39	30.81
PK	5.3501G	68.33	74.00	-5.67	59.77	3	Horizontal	309	2.51	-	34.00	5.40	30.84
AV	5.35G	53.51	54.00	-0.49	44.95	3	Horizontal	309	2.51	-	34.00	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64246G	53.98	74.00	-20.02	39.16	3	Vertical	173	1.30	-	38.40	8.28	31.86
AV	10.6341G	40.62	54.00	-13.38	25.80	3	Vertical	173	1.30	-	38.40	8.28	31.86
PK	15.96178G	57.32	74.00	-16.68	41.59	3	Vertical	273	1.93	-	37.45	10.27	31.99
AV	15.95864G	44.54	54.00	-9.46	28.83	3	Vertical	273	1.93	-	37.43	10.27	31.99

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64264G	53.71	74.00	-20.29	38.89	3	Horizontal	251	2.95	-	38.40	8.28	31.86
AV	10.64172G	40.62	54.00	-13.38	25.80	3	Horizontal	251	2.95	-	38.40	8.28	31.86
PK	15.95082G	57.07	74.00	-16.93	41.39	3	Horizontal	34	2.68	-	37.40	10.27	31.99
AV	15.9554G	44.46	54.00	-9.54	28.76	3	Horizontal	34	2.68	-	37.42	10.27	31.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	60.55	74.00	-13.45	51.92	3	Vertical	342	2.72	-	34.10	5.46	30.93
AV	5.4583G	48.04	54.00	-5.96	39.41	3	Vertical	342	2.72	-	34.10	5.46	30.93
PK	5.47G	67.61	68.20	-0.59	58.98	3	Vertical	342	2.72	-	34.10	5.47	30.94
PK	5.4972G	108.92	Inf	-Inf	100.29	3	Vertical	342	2.72	-	34.10	5.49	30.96
AV	5.4967G	99.38	Inf	-Inf	90.75	3	Vertical	342	2.72	-	34.10	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	60.80	74.00	-13.20	52.17	3	Horizontal	298	2.86	-	34.10	5.45	30.92
AV	5.4599G	48.37	54.00	-5.63	39.74	3	Horizontal	298	2.86	-	34.10	5.46	30.93
PK	5.4698G	67.95	68.20	-0.25	59.32	3	Horizontal	298	2.86	-	34.10	5.47	30.94
PK	5.4961G	111.58	Inf	-Inf	102.95	3	Horizontal	298	2.86	-	34.10	5.49	30.96
AV	5.4981G	102.04	Inf	-Inf	93.41	3	Horizontal	298	2.86	-	34.10	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTY_1TX
 Setting 18.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00578G	55.34	74.00	-18.66	40.43	3	Vertical	54	1.02	-	38.50	8.40	31.99
AV	11.00854G	41.37	54.00	-12.63	26.46	3	Vertical	54	1.02	-	38.50	8.40	31.99
PK	16.49224G	60.24	68.20	-7.96	43.09	3	Vertical	242	1.30	-	38.87	10.62	32.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTY_1TX
Setting 18.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00494G	54.04	74.00	-19.96	39.13	3	Horizontal	177	2.97	-	38.50	8.40	31.99
AV	10.99802G	41.03	54.00	-12.97	26.12	3	Horizontal	177	2.97	-	38.50	8.40	31.99
PK	16.4929G	60.14	68.20	-8.06	42.99	3	Horizontal	219	1.75	-	38.87	10.62	32.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.53	74.00	-14.47	50.90	3	Vertical	360	2.12	-	34.10	5.46	30.93
AV	5.4588G	47.08	54.00	-6.92	38.45	3	Vertical	360	2.12	-	34.10	5.46	30.93
PK	5.4608G	58.79	68.20	-9.41	50.16	3	Vertical	360	2.12	-	34.10	5.46	30.93
PK	5.5752G	111.79	Inf	-Inf	103.18	3	Vertical	360	2.12	-	34.05	5.55	30.99
AV	5.5748G	101.54	Inf	-Inf	92.93	3	Vertical	360	2.12	-	34.05	5.55	30.99
PK	5.7628G	60.34	68.20	-7.86	51.80	3	Vertical	360	2.12	-	34.00	5.62	31.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	60.93	74.00	-13.07	52.30	3	Horizontal	300	2.64	-	34.10	5.45	30.92
AV	5.458G	47.81	54.00	-6.19	39.18	3	Horizontal	300	2.64	-	34.10	5.46	30.93
PK	5.47G	61.70	68.20	-6.50	53.07	3	Horizontal	300	2.64	-	34.10	5.47	30.94
PK	5.5828G	118.29	Inf	-Inf	109.70	3	Horizontal	300	2.64	-	34.03	5.56	31.00
AV	5.5828G	108.05	Inf	-Inf	99.46	3	Horizontal	300	2.64	-	34.03	5.56	31.00
PK	5.7256G	59.57	68.20	-8.63	51.02	3	Horizontal	300	2.64	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16532G	53.50	74.00	-20.50	38.49	3	Vertical	270	2.69	-	38.60	8.46	32.05
AV	11.15108G	40.82	54.00	-13.18	25.81	3	Vertical	270	2.69	-	38.60	8.45	32.04
PK	16.74462G	61.25	68.20	-6.95	42.62	3	Vertical	12	1.91	-	40.07	10.80	32.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15436G	54.42	74.00	-19.58	39.41	3	Horizontal	263	1.87	-	38.60	8.45	32.04
AV	11.15204G	40.92	54.00	-13.08	25.91	3	Horizontal	263	1.87	-	38.60	8.45	32.04
PK	16.74302G	62.04	68.20	-6.16	43.42	3	Horizontal	287	2.72	-	40.06	10.80	32.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 17
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.696G	107.16	Inf	-Inf	98.62	3	Vertical	360	2.04	-	33.99	5.60	31.05
AV	5.6973G	97.80	Inf	-Inf	89.26	3	Vertical	360	2.04	-	33.99	5.60	31.05
PK	5.7262G	63.72	68.20	-4.48	55.17	3	Vertical	360	2.04	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTY_1TX
Setting 17
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	110.77	Inf	-Inf	102.22	3	Horizontal	58	2.10	-	34.00	5.60	31.05
AV	5.6967G	100.88	Inf	-Inf	92.34	3	Horizontal	58	2.10	-	33.99	5.60	31.05
PK	5.7262G	66.48	68.20	-1.72	57.93	3	Horizontal	58	2.10	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40198G	54.27	74.00	-19.73	39.16	3	Vertical	220	2.11	-	38.70	8.54	32.13
AV	11.402G	41.37	54.00	-12.63	26.26	3	Vertical	220	2.11	-	38.70	8.54	32.13
PK	17.10534G	62.51	68.20	-5.69	42.14	3	Vertical	134	2.12	-	41.52	11.05	32.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40074G	54.23	74.00	-19.77	39.12	3	Horizontal	326	2.16	-	38.70	8.54	32.13
AV	11.40154G	41.29	54.00	-12.71	26.18	3	Horizontal	326	2.16	-	38.70	8.54	32.13
PK	17.10168G	62.00	68.20	-6.20	41.64	3	Horizontal	9	2.08	-	41.51	11.05	32.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	113.54	Inf	-Inf	104.99	3	Vertical	357	2.14	-	34.00	5.61	31.06
AV	5.7232G	103.25	Inf	-Inf	94.70	3	Vertical	357	2.14	-	34.00	5.61	31.06
PK	5.92G	59.77	68.20	-8.43	50.92	3	Vertical	357	2.14	-	34.24	5.76	31.15

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
 Setting 28
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7228G	116.86	Inf	-Inf	108.31	3	Horizontal	59	2.20	-	34.00	5.61	31.06
AV	5.7228G	106.69	Inf	-Inf	98.14	3	Horizontal	59	2.20	-	34.00	5.61	31.06
PK	5.89G	59.42	68.20	-8.78	50.67	3	Horizontal	59	2.20	-	34.16	5.73	31.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43132G	54.20	74.00	-19.80	39.03	3	Vertical	284	2.32	-	38.76	8.55	32.14
AV	11.44114G	41.32	54.00	-12.68	26.13	3	Vertical	284	2.32	-	38.78	8.55	32.14
PK	17.16506G	63.12	68.20	-5.08	42.51	3	Vertical	43	1.46	-	41.76	11.09	32.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43284G	54.17	74.00	-19.83	38.99	3	Horizontal	359	1.30	-	38.77	8.55	32.14
AV	11.44576G	41.25	54.00	-12.75	26.05	3	Horizontal	359	1.30	-	38.79	8.55	32.14
PK	17.16542G	63.12	68.20	-5.08	42.51	3	Horizontal	272	2.17	-	41.76	11.09	32.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	60.02	68.20	-8.18	51.56	3	Vertical	0	1.84	-	33.91	5.58	31.03
PK	5.748G	112.87	Inf	-Inf	104.33	3	Vertical	0	1.84	-	34.00	5.61	31.07
AV	5.746G	103.09	Inf	-Inf	94.55	3	Vertical	0	1.84	-	34.00	5.61	31.07
PK	5.9395G	59.32	68.20	-8.88	50.42	3	Vertical	0	1.84	-	34.28	5.78	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.40	68.20	-3.80	55.95	3	Horizontal	58	2.26	-	33.90	5.58	31.03
PK	5.752G	116.86	Inf	-Inf	108.32	3	Horizontal	58	2.26	-	34.00	5.62	31.08
AV	5.748G	106.93	Inf	-Inf	98.39	3	Horizontal	58	2.26	-	34.00	5.61	31.07
PK	5.9385G	59.02	68.20	-9.18	50.12	3	Horizontal	58	2.26	-	34.28	5.78	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48698G	54.79	74.00	-19.21	39.51	3	Vertical	306	1.83	-	38.87	8.57	32.16
AV	11.49214G	41.23	54.00	-12.77	25.94	3	Vertical	306	1.83	-	38.88	8.57	32.16
PK	17.23446G	63.18	68.20	-5.02	42.36	3	Vertical	262	1.80	-	41.97	11.14	32.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49678G	54.67	74.00	-19.33	39.37	3	Horizontal	360	1.57	-	38.89	8.57	32.16
AV	11.49884G	41.24	54.00	-12.76	25.93	3	Horizontal	360	1.57	-	38.90	8.57	32.16
PK	17.24392G	63.12	68.20	-5.08	42.29	3	Horizontal	51	1.15	-	41.99	11.14	32.30

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.574G	59.03	68.20	-9.17	50.42	3	Vertical	360	2.18	-	34.05	5.55	30.99
PK	5.788G	111.26	Inf	-Inf	102.72	3	Vertical	360	2.18	-	34.00	5.63	31.09
AV	5.788G	101.42	Inf	-Inf	92.88	3	Vertical	360	2.18	-	34.00	5.63	31.09
PK	6.0145G	59.66	68.20	-8.54	50.64	3	Vertical	360	2.18	-	34.36	5.85	31.19

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	59.65	68.20	-8.55	51.01	3	Horizontal	57	2.27	-	34.09	5.54	30.99
PK	5.789G	116.47	Inf	-Inf	107.93	3	Horizontal	57	2.27	-	34.00	5.63	31.09
AV	5.7875G	106.16	Inf	-Inf	97.62	3	Horizontal	57	2.27	-	34.00	5.63	31.09
PK	5.9545G	59.57	68.20	-8.63	50.64	3	Horizontal	57	2.27	-	34.30	5.80	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57574G	55.10	74.00	-18.90	39.33	3	Vertical	124	1.75	-	39.20	8.60	32.03
AV	11.57556G	41.97	54.00	-12.03	26.20	3	Vertical	124	1.75	-	39.20	8.60	32.03
PK	17.36368G	65.16	68.20	-3.04	43.43	3	Vertical	59	1.90	-	42.88	11.23	32.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56994G	55.41	74.00	-18.59	39.68	3	Horizontal	304	1.26	-	39.18	8.59	32.04
AV	11.57036G	41.90	54.00	-12.10	26.17	3	Horizontal	304	1.26	-	39.18	8.59	32.04
PK	17.3648G	65.02	68.20	-3.18	43.28	3	Horizontal	174	1.69	-	42.89	11.23	32.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6345G	58.43	68.20	-9.77	49.94	3	Vertical	359	2.06	-	33.93	5.58	31.02
PK	5.8285G	113.10	Inf	-Inf	104.55	3	Vertical	359	2.06	-	34.00	5.66	31.11
AV	5.8285G	102.79	Inf	-Inf	94.24	3	Vertical	359	2.06	-	34.00	5.66	31.11
PK	5.925G	60.40	68.20	-7.80	51.54	3	Vertical	359	2.06	-	34.25	5.77	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6275G	59.78	68.20	-8.42	51.27	3	Horizontal	297	2.58	-	33.95	5.58	31.02
PK	5.828G	116.72	Inf	-Inf	108.17	3	Horizontal	297	2.58	-	34.00	5.66	31.11
AV	5.828G	106.27	Inf	-Inf	97.72	3	Horizontal	297	2.58	-	34.00	5.66	31.11
PK	5.922G	65.53	70.42	-4.89	56.68	3	Horizontal	297	2.58	-	34.24	5.76	31.15

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64488G	55.25	74.00	-18.75	39.24	3	Vertical	80	2.75	-	39.30	8.62	31.91
AV	11.651G	41.97	54.00	-12.03	25.94	3	Vertical	80	2.75	-	39.30	8.62	31.89
PK	17.4753G	64.29	68.20	-3.91	41.73	3	Vertical	239	2.10	-	43.70	11.31	32.45

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64646G	55.00	74.00	-19.00	38.98	3	Horizontal	50	2.86	-	39.30	8.62	31.90
AV	11.6555G	41.90	54.00	-12.10	25.86	3	Horizontal	50	2.86	-	39.31	8.62	31.89
PK	17.4724G	64.92	68.20	-3.28	42.39	3	Horizontal	74	1.90	-	43.68	11.30	32.45

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.43	74.00	-5.57	60.19	3	Vertical	303	2.86	-	33.60	5.32	30.68
AV	5.1499G	53.80	54.00	-0.20	45.57	3	Vertical	303	2.86	-	33.60	5.31	30.68
PK	5.1743G	115.22	Inf	-Inf	106.88	3	Vertical	303	2.86	-	33.70	5.34	30.70
AV	5.1775G	102.22	Inf	-Inf	93.86	3	Vertical	303	2.86	-	33.71	5.35	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
Setting 16.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.99	74.00	-6.01	59.76	3	Horizontal	304	2.86	-	33.60	5.31	30.68
AV	5.15G	53.47	54.00	-0.53	45.23	3	Horizontal	304	2.86	-	33.60	5.32	30.68
PK	5.1828G	115.21	Inf	-Inf	106.84	3	Horizontal	304	2.86	-	33.73	5.35	30.71
AV	5.1763G	101.84	Inf	-Inf	93.49	3	Horizontal	304	2.86	-	33.71	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
 Setting 16.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35726G	53.64	68.20	-14.56	38.75	3	Vertical	291	1.36	-	38.49	8.18	31.78
PK	15.54584G	58.65	74.00	-15.35	42.64	3	Vertical	270	1.85	-	37.82	10.14	31.95
AV	15.5387G	44.95	54.00	-9.05	28.91	3	Vertical	270	1.85	-	37.85	10.14	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
Setting 16.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36968G	53.88	68.20	-14.32	39.01	3	Horizontal	45	1.42	-	38.46	8.19	31.78
PK	15.54526G	58.29	74.00	-15.71	42.28	3	Horizontal	328	1.15	-	37.82	10.14	31.95
AV	15.54572G	44.96	54.00	-9.04	28.95	3	Horizontal	328	1.15	-	37.82	10.14	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.77	74.00	-9.23	56.53	3	Vertical	3	2.70	-	33.60	5.32	30.68
AV	5.1494G	49.79	54.00	-4.21	41.56	3	Vertical	3	2.70	-	33.60	5.31	30.68
PK	5.2044G	114.64	Inf	-Inf	106.19	3	Vertical	3	2.70	-	33.80	5.37	30.72
AV	5.2012G	101.84	Inf	-Inf	93.39	3	Vertical	3	2.70	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	66.27	74.00	-7.73	58.04	3	Horizontal	306	2.34	-	33.60	5.31	30.68
AV	5.1498G	52.56	54.00	-1.44	44.33	3	Horizontal	306	2.34	-	33.60	5.31	30.68
PK	5.201G	116.78	Inf	-Inf	108.33	3	Horizontal	306	2.34	-	33.80	5.37	30.72
AV	5.2036G	104.49	Inf	-Inf	96.04	3	Horizontal	306	2.34	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTY_1TX
 Setting 20.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40922G	54.18	68.20	-14.02	39.37	3	Vertical	277	2.75	-	38.40	8.20	31.79
PK	15.59006G	58.91	74.00	-15.09	43.00	3	Vertical	186	1.99	-	37.72	10.15	31.96
AV	15.60036G	45.14	54.00	-8.86	29.24	3	Vertical	186	1.99	-	37.70	10.16	31.96

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTY_1TX
Setting 20.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3916G	53.90	68.20	-14.30	39.08	3	Horizontal	16	1.12	-	38.42	8.19	31.79
PK	15.60832G	58.96	74.00	-15.04	43.06	3	Horizontal	197	1.85	-	37.70	10.16	31.96
AV	15.6048G	45.16	54.00	-8.84	29.26	3	Horizontal	197	1.85	-	37.70	10.16	31.96

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	64.36	74.00	-9.64	56.17	3	Vertical	5	2.66	-	33.56	5.29	30.66
AV	5.1476G	50.14	54.00	-3.86	41.91	3	Vertical	5	2.66	-	33.60	5.31	30.68
PK	5.2412G	115.72	Inf	-Inf	107.29	3	Vertical	5	2.66	-	33.80	5.38	30.75
AV	5.2424G	103.60	Inf	-Inf	95.17	3	Vertical	5	2.66	-	33.80	5.38	30.75
PK	5.3627G	62.65	74.00	-11.35	54.10	3	Vertical	5	2.66	-	34.00	5.40	30.85
AV	5.3657G	48.42	54.00	-5.58	39.87	3	Vertical	5	2.66	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1407G	67.56	74.00	-6.44	59.35	3	Horizontal	306	2.79	-	33.58	5.30	30.67
AV	5.15G	52.74	54.00	-1.26	44.50	3	Horizontal	306	2.79	-	33.60	5.32	30.68
PK	5.2343G	118.40	Inf	-Inf	109.97	3	Horizontal	306	2.79	-	33.80	5.38	30.75
AV	5.2388G	105.80	Inf	-Inf	97.37	3	Horizontal	306	2.79	-	33.80	5.38	30.75
PK	5.3567G	66.19	74.00	-7.81	57.64	3	Horizontal	306	2.79	-	34.00	5.40	30.85
AV	5.3504G	50.83	54.00	-3.17	42.27	3	Horizontal	306	2.79	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47974G	53.25	68.20	-14.95	38.44	3	Vertical	80	2.08	-	38.40	8.22	31.81
PK	15.71924G	58.58	74.00	-15.42	42.64	3	Vertical	219	2.66	-	37.72	10.19	31.97
AV	15.72048G	45.37	54.00	-8.63	29.43	3	Vertical	219	2.66	-	37.72	10.19	31.97

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
 Setting 28
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47718G	53.58	68.20	-14.62	38.77	3	Horizontal	268	1.98	-	38.40	8.22	31.81
PK	15.71554G	58.35	74.00	-15.65	42.39	3	Horizontal	7	1.11	-	37.74	10.19	31.97
AV	15.71296G	45.36	54.00	-8.64	29.39	3	Horizontal	7	1.11	-	37.75	10.19	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	59.15	74.00	-14.85	50.94	3	Vertical	4	2.66	-	33.58	5.30	30.67
AV	5.1493G	46.58	54.00	-7.42	38.35	3	Vertical	4	2.66	-	33.60	5.31	30.68
PK	5.2684G	100.74	Inf	-Inf	92.29	3	Vertical	4	2.66	-	33.84	5.38	30.77
AV	5.2666G	87.07	Inf	-Inf	78.63	3	Vertical	4	2.66	-	33.83	5.38	30.77
PK	5.3518G	61.28	74.00	-12.72	52.72	3	Vertical	4	2.66	-	34.00	5.40	30.84
AV	5.3509G	47.91	54.00	-6.09	39.35	3	Vertical	4	2.66	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	64.84	74.00	-9.16	56.64	3	Horizontal	303	2.41	-	33.57	5.30	30.67
AV	5.1496G	50.00	54.00	-4.00	41.77	3	Horizontal	303	2.41	-	33.60	5.31	30.68
PK	5.2618G	118.70	Inf	-Inf	110.27	3	Horizontal	303	2.41	-	33.82	5.38	30.77
AV	5.2633G	106.54	Inf	-Inf	98.10	3	Horizontal	303	2.41	-	33.83	5.38	30.77
PK	5.3527G	68.63	74.00	-5.37	60.07	3	Horizontal	303	2.41	-	34.00	5.40	30.84
AV	5.3503G	53.32	54.00	-0.68	44.76	3	Horizontal	303	2.41	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51326G	54.26	68.20	-13.94	39.44	3	Vertical	137	1.88	-	38.40	8.23	31.81
PK	15.77144G	58.81	74.00	-15.19	43.06	3	Vertical	159	1.96	-	37.51	10.21	31.97
AV	15.77258G	45.05	54.00	-8.95	29.30	3	Vertical	159	1.96	-	37.51	10.21	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51514G	54.82	68.20	-13.38	40.00	3	Horizontal	5	2.94	-	38.40	8.24	31.82
PK	15.78978G	58.32	74.00	-15.68	42.63	3	Horizontal	201	2.46	-	37.44	10.22	31.97
AV	15.77048G	45.02	54.00	-8.98	29.26	3	Horizontal	201	2.46	-	37.52	10.21	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 21
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2986G	113.46	Inf	-Inf	104.97	3	Vertical	351	2.50	-	33.90	5.39	30.80
AV	5.302G	100.79	Inf	-Inf	92.30	3	Vertical	351	2.50	-	33.90	5.39	30.80
PK	5.3512G	61.28	74.00	-12.72	52.72	3	Vertical	351	2.50	-	34.00	5.40	30.84
AV	5.3504G	48.68	54.00	-5.32	40.12	3	Vertical	351	2.50	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 21
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	116.52	Inf	-Inf	108.02	3	Horizontal	305	2.26	-	33.91	5.39	30.80
AV	5.3026G	103.54	Inf	-Inf	95.04	3	Horizontal	305	2.26	-	33.91	5.39	30.80
PK	5.3506G	66.58	74.00	-7.42	58.02	3	Horizontal	305	2.26	-	34.00	5.40	30.84
AV	5.3502G	52.43	54.00	-1.57	43.87	3	Horizontal	305	2.26	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
Setting 21
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59352G	54.17	68.20	-14.03	39.35	3	Vertical	304	2.21	-	38.40	8.26	31.84
PK	15.9078G	58.11	74.00	-15.89	42.52	3	Vertical	225	2.56	-	37.32	10.25	31.98
AV	15.89758G	44.40	54.00	-9.60	28.83	3	Vertical	225	2.56	-	37.30	10.25	31.98

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
Setting 21
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5952G	54.00	68.20	-14.20	39.18	3	Horizontal	215	2.56	-	38.40	8.26	31.84
PK	15.90682G	57.89	74.00	-16.11	42.31	3	Horizontal	203	2.79	-	37.31	10.25	31.98
AV	15.89328G	44.49	54.00	-9.51	28.92	3	Horizontal	203	2.79	-	37.30	10.25	31.98

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
 Setting 17.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3157G	111.01	Inf	-Inf	102.50	3	Vertical	5	2.73	-	33.93	5.39	30.81
AV	5.3186G	97.80	Inf	-Inf	89.28	3	Vertical	5	2.73	-	33.94	5.39	30.81
PK	5.3504G	62.36	74.00	-11.64	53.80	3	Vertical	5	2.73	-	34.00	5.40	30.84
AV	5.3501G	48.87	54.00	-5.13	40.31	3	Vertical	5	2.73	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
 Setting 17.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	114.57	Inf	-Inf	106.05	3	Horizontal	298	2.49	-	33.95	5.39	30.82
AV	5.3212G	101.43	Inf	-Inf	92.92	3	Horizontal	298	2.49	-	33.94	5.39	30.82
PK	5.3502G	69.86	74.00	-4.14	61.30	3	Horizontal	298	2.49	-	34.00	5.40	30.84
AV	5.35G	53.96	54.00	-0.04	45.40	3	Horizontal	298	2.49	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
 Setting 17.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64848G	53.91	74.00	-20.09	39.09	3	Vertical	210	1.86	-	38.40	8.28	31.86
AV	10.63928G	40.24	54.00	-13.76	25.42	3	Vertical	210	1.86	-	38.40	8.28	31.86
PK	15.95994G	57.33	74.00	-16.67	41.61	3	Vertical	272	2.55	-	37.44	10.27	31.99
AV	15.96376G	43.99	54.00	-10.01	28.25	3	Vertical	272	2.55	-	37.46	10.27	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
 Setting 17.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6423G	53.07	74.00	-20.93	38.25	3	Horizontal	249	1.27	-	38.40	8.28	31.86
AV	10.63982G	40.33	54.00	-13.67	25.51	3	Horizontal	249	1.27	-	38.40	8.28	31.86
PK	15.95818G	57.58	74.00	-16.42	41.87	3	Horizontal	46	1.10	-	37.43	10.27	31.99
AV	15.95286G	44.05	54.00	-9.95	28.36	3	Horizontal	46	1.10	-	37.41	10.27	31.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	59.25	74.00	-14.75	50.62	3	Vertical	349	2.71	-	34.10	5.45	30.92
AV	5.4594G	46.86	54.00	-7.14	38.23	3	Vertical	349	2.71	-	34.10	5.46	30.93
PK	5.4689G	65.62	68.20	-2.58	56.99	3	Vertical	349	2.71	-	34.10	5.47	30.94
PK	5.496G	111.67	Inf	-Inf	103.04	3	Vertical	349	2.71	-	34.10	5.49	30.96
AV	5.4974G	98.67	Inf	-Inf	90.04	3	Vertical	349	2.71	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.50	74.00	-13.50	51.87	3	Horizontal	303	2.85	-	34.10	5.46	30.93
AV	5.4593G	47.21	54.00	-6.79	38.58	3	Horizontal	303	2.85	-	34.10	5.46	30.93
PK	5.468G	65.70	68.20	-2.50	57.07	3	Horizontal	303	2.85	-	34.10	5.46	30.93
PK	5.5025G	114.40	Inf	-Inf	105.77	3	Horizontal	303	2.85	-	34.10	5.49	30.96
AV	5.4975G	101.03	Inf	-Inf	92.40	3	Horizontal	303	2.85	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99434G	54.03	74.00	-19.97	39.12	3	Vertical	114	2.12	-	38.50	8.40	31.99
AV	11.00746G	40.78	54.00	-13.22	25.87	3	Vertical	114	2.12	-	38.50	8.40	31.99
PK	16.50226G	59.51	68.20	-8.69	42.33	3	Vertical	161	1.43	-	38.90	10.63	32.35

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00996G	54.50	74.00	-19.50	39.59	3	Horizontal	164	2.98	-	38.50	8.40	31.99
AV	11.00922G	40.72	54.00	-13.28	25.81	3	Horizontal	164	2.98	-	38.50	8.40	31.99
PK	16.5056G	59.25	68.20	-8.95	42.06	3	Horizontal	117	1.93	-	38.91	10.63	32.35

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.10	74.00	-13.90	51.47	3	Vertical	359	2.88	-	34.10	5.46	30.93
AV	5.45G	47.25	54.00	-6.75	38.62	3	Vertical	359	2.88	-	34.10	5.45	30.92
PK	5.47G	62.00	68.20	-6.20	53.37	3	Vertical	359	2.88	-	34.10	5.47	30.94
PK	5.5772G	114.92	Inf	-Inf	106.32	3	Vertical	359	2.88	-	34.05	5.55	31.00
AV	5.5776G	101.98	Inf	-Inf	93.39	3	Vertical	359	2.88	-	34.04	5.55	31.00
PK	5.7456G	59.93	68.20	-8.27	51.39	3	Vertical	359	2.88	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.82	74.00	-12.18	53.19	3	Horizontal	296	2.78	-	34.10	5.46	30.93
AV	5.46G	48.27	54.00	-5.73	39.64	3	Horizontal	296	2.78	-	34.10	5.46	30.93
PK	5.4688G	64.42	68.20	-3.78	55.79	3	Horizontal	296	2.78	-	34.10	5.47	30.94
PK	5.5808G	121.48	Inf	-Inf	112.89	3	Horizontal	296	2.78	-	34.04	5.55	31.00
AV	5.5824G	108.51	Inf	-Inf	99.91	3	Horizontal	296	2.78	-	34.04	5.56	31.00
PK	5.7428G	61.15	68.20	-7.05	52.61	3	Horizontal	296	2.78	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16828G	53.72	74.00	-20.28	38.71	3	Vertical	261	2.94	-	38.60	8.46	32.05
AV	11.15192G	40.51	54.00	-13.49	25.50	3	Vertical	261	2.94	-	38.60	8.45	32.04
PK	16.7382G	60.92	68.20	-7.28	42.35	3	Vertical	106	1.72	-	40.03	10.79	32.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTY_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1502G	53.91	74.00	-20.09	38.90	3	Horizontal	242	2.10	-	38.60	8.45	32.04
AV	11.15034G	40.43	54.00	-13.57	25.42	3	Horizontal	242	2.10	-	38.60	8.45	32.04
PK	16.73624G	60.76	68.20	-7.44	42.20	3	Horizontal	176	1.75	-	40.02	10.79	32.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTY_1TX
Setting 16.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	106.70	Inf	-Inf	98.15	3	Vertical	360	1.76	-	34.00	5.60	31.05
AV	5.7026G	93.73	Inf	-Inf	85.18	3	Vertical	360	1.76	-	34.00	5.60	31.05
PK	5.7262G	61.73	68.20	-6.47	53.18	3	Vertical	360	1.76	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTY_1TX
Setting 16.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7023G	112.78	Inf	-Inf	104.23	3	Horizontal	71	2.20	-	34.00	5.60	31.05
AV	5.6984G	99.47	Inf	-Inf	90.92	3	Horizontal	71	2.20	-	34.00	5.60	31.05
PK	5.7257G	66.20	68.20	-2.00	57.65	3	Horizontal	71	2.20	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTY_1TX
Setting 16.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40496G	54.35	74.00	-19.65	39.23	3	Vertical	168	1.31	-	38.71	8.54	32.13
AV	11.3934G	40.80	54.00	-13.20	25.70	3	Vertical	168	1.31	-	38.69	8.53	32.12
PK	17.09408G	62.28	68.20	-5.92	41.97	3	Vertical	266	1.66	-	41.46	11.04	32.19

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTY_1TX
Setting 16.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39656G	54.24	74.00	-19.76	39.14	3	Horizontal	352	1.16	-	38.69	8.53	32.12
AV	11.39812G	40.87	54.00	-13.13	25.76	3	Horizontal	352	1.16	-	38.70	8.54	32.13
PK	17.091G	62.14	68.20	-6.06	41.84	3	Horizontal	248	1.76	-	41.45	11.04	32.19

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7284G	113.78	Inf	-Inf	105.24	3	Vertical	360	2.03	-	34.00	5.61	31.07
AV	5.7224G	101.75	Inf	-Inf	93.20	3	Vertical	360	2.03	-	34.00	5.61	31.06
PK	5.8972G	59.93	68.20	-8.27	51.14	3	Vertical	360	2.03	-	34.19	5.74	31.14

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7236G	117.25	Inf	-Inf	108.70	3	Horizontal	61	2.20	-	34.00	5.61	31.06
AV	5.7232G	105.07	Inf	-Inf	96.52	3	Horizontal	61	2.20	-	34.00	5.61	31.06
PK	5.8568G	59.78	68.20	-8.42	51.18	3	Horizontal	61	2.20	-	34.03	5.69	31.12

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44538G	55.16	74.00	-18.84	39.96	3	Vertical	94	1.14	-	38.79	8.55	32.14
AV	11.4312G	40.90	54.00	-13.10	25.73	3	Vertical	94	1.14	-	38.76	8.55	32.14
PK	17.16914G	62.29	68.20	-5.91	41.67	3	Vertical	114	1.42	-	41.78	11.09	32.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43746G	54.26	74.00	-19.74	39.08	3	Horizontal	142	1.72	-	38.77	8.55	32.14
AV	11.4401G	40.89	54.00	-13.11	25.70	3	Horizontal	142	1.72	-	38.78	8.55	32.14
PK	17.16524G	62.13	68.20	-6.07	41.52	3	Horizontal	31	1.30	-	41.76	11.09	32.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6205G	60.00	68.20	-8.20	51.48	3	Vertical	0	3.00	-	33.96	5.58	31.02
PK	5.747G	115.40	Inf	-Inf	106.86	3	Vertical	0	3.00	-	34.00	5.61	31.07
AV	5.746G	103.39	Inf	-Inf	94.85	3	Vertical	0	3.00	-	34.00	5.61	31.07
PK	5.9365G	59.40	68.20	-8.80	50.51	3	Vertical	0	3.00	-	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	62.06	69.31	-7.25	53.60	3	Horizontal	63	2.25	-	33.90	5.59	31.03
PK	5.7405G	119.07	Inf	-Inf	110.53	3	Horizontal	63	2.25	-	34.00	5.61	31.07
AV	5.747G	106.50	Inf	-Inf	97.96	3	Horizontal	63	2.25	-	34.00	5.61	31.07
PK	5.9755G	60.36	68.20	-7.84	51.42	3	Horizontal	63	2.25	-	34.30	5.82	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48582G	53.86	74.00	-20.14	38.58	3	Vertical	190	1.84	-	38.87	8.57	32.16
AV	11.48468G	40.87	54.00	-13.13	25.59	3	Vertical	190	1.84	-	38.87	8.56	32.15
PK	17.23348G	62.85	68.20	-5.35	42.03	3	Vertical	169	1.96	-	41.97	11.14	32.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4965G	54.45	74.00	-19.55	39.15	3	Horizontal	206	2.45	-	38.89	8.57	32.16
AV	11.48188G	40.97	54.00	-13.03	25.70	3	Horizontal	206	2.45	-	38.86	8.56	32.15
PK	17.24482G	62.99	68.20	-5.21	42.15	3	Horizontal	356	1.94	-	41.99	11.15	32.30

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	59.28	68.20	-8.92	50.69	3	Vertical	20	2.96	-	34.03	5.56	31.00
PK	5.7835G	112.80	Inf	-Inf	104.26	3	Vertical	20	2.96	-	34.00	5.63	31.09
AV	5.7825G	101.47	Inf	-Inf	92.94	3	Vertical	20	2.96	-	34.00	5.62	31.09
PK	5.956G	59.85	68.20	-8.35	50.92	3	Vertical	20	2.96	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	59.69	68.20	-8.51	51.11	3	Horizontal	64	2.46	-	34.02	5.56	31.00
PK	5.7865G	117.93	Inf	-Inf	109.39	3	Horizontal	64	2.46	-	34.00	5.63	31.09
AV	5.786G	106.16	Inf	-Inf	97.62	3	Horizontal	64	2.46	-	34.00	5.63	31.09
PK	5.931G	60.03	68.20	-8.17	51.16	3	Horizontal	64	2.46	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56032G	54.96	74.00	-19.04	39.28	3	Vertical	150	2.55	-	39.14	8.59	32.05
AV	11.5765G	41.50	54.00	-12.50	25.72	3	Vertical	150	2.55	-	39.21	8.60	32.03
PK	17.34844G	64.52	68.20	-3.68	42.89	3	Vertical	96	1.90	-	42.78	11.22	32.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57364G	55.37	74.00	-18.63	39.61	3	Horizontal	201	1.63	-	39.19	8.60	32.03
AV	11.57908G	41.57	54.00	-12.43	25.77	3	Horizontal	201	1.63	-	39.22	8.60	32.02
PK	17.34894G	64.87	68.20	-3.33	43.23	3	Horizontal	75	1.59	-	42.79	11.22	32.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	58.81	68.20	-9.39	50.25	3	Vertical	360	1.81	-	34.00	5.57	31.01
PK	5.833G	111.83	Inf	-Inf	103.27	3	Vertical	360	1.81	-	34.00	5.67	31.11
AV	5.83G	100.33	Inf	-Inf	91.78	3	Vertical	360	1.81	-	34.00	5.66	31.11
PK	5.929G	60.55	68.20	-7.65	51.68	3	Vertical	360	1.81	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5825G	58.68	68.20	-9.52	50.09	3	Horizontal	301	2.96	-	34.03	5.56	31.00
PK	5.821G	119.67	Inf	-Inf	111.13	3	Horizontal	301	2.96	-	34.00	5.65	31.11
AV	5.823G	106.99	Inf	-Inf	98.44	3	Horizontal	301	2.96	-	34.00	5.66	31.11
PK	5.925G	65.81	68.20	-2.39	56.95	3	Horizontal	301	2.96	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6559G	54.74	74.00	-19.26	38.70	3	Vertical	223	1.01	-	39.31	8.62	31.89
AV	11.65526G	41.54	54.00	-12.46	25.50	3	Vertical	223	1.01	-	39.31	8.62	31.89
PK	17.48258G	64.48	68.20	-3.72	41.87	3	Vertical	180	1.55	-	43.76	11.31	32.46

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6568G	54.49	74.00	-19.51	38.44	3	Horizontal	12	2.72	-	39.31	8.62	31.88
AV	11.65116G	41.55	54.00	-12.45	25.52	3	Horizontal	12	2.72	-	39.30	8.62	31.89
PK	17.4658G	65.08	68.20	-3.12	42.60	3	Horizontal	63	1.83	-	43.63	11.30	32.45

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.68	74.00	-6.32	59.45	3	Vertical	10	2.58	-	33.60	5.31	30.68
AV	5.15G	52.13	54.00	-1.87	43.89	3	Vertical	10	2.58	-	33.60	5.32	30.68
PK	5.1824G	106.02	Inf	-Inf	97.65	3	Vertical	10	2.58	-	33.73	5.35	30.71
AV	5.1912G	92.99	Inf	-Inf	84.58	3	Vertical	10	2.58	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 Setting 16.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	70.85	74.00	-3.15	62.62	3	Horizontal	299	2.83	-	33.60	5.31	30.68
AV	5.1494G	53.56	54.00	-0.44	45.33	3	Horizontal	299	2.83	-	33.60	5.31	30.68
PK	5.1928G	111.67	Inf	-Inf	103.25	3	Horizontal	299	2.83	-	33.77	5.36	30.71
AV	5.193G	98.19	Inf	-Inf	89.77	3	Horizontal	299	2.83	-	33.77	5.36	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTY_1TX
 Setting 16.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38198G	53.19	68.20	-15.01	38.35	3	Vertical	165	1.31	-	38.44	8.19	31.79
PK	15.56888G	58.61	74.00	-15.39	42.66	3	Vertical	262	2.54	-	37.76	10.15	31.96
AV	15.5727G	44.92	54.00	-9.08	28.98	3	Vertical	262	2.54	-	37.75	10.15	31.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTY_1TX
 Setting 16.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38658G	54.10	68.20	-14.10	39.27	3	Horizontal	317	1.86	-	38.43	8.19	31.79
PK	15.56458G	59.01	74.00	-14.99	43.05	3	Horizontal	100	2.70	-	37.77	10.15	31.96
AV	15.56016G	45.13	54.00	-8.87	29.15	3	Horizontal	100	2.70	-	37.78	10.15	31.95

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTY_1TX
Setting 20.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	62.83	74.00	-11.17	54.61	3	Vertical	4	2.67	-	33.58	5.31	30.67
AV	5.1484G	49.31	54.00	-4.69	41.08	3	Vertical	4	2.67	-	33.60	5.31	30.68
PK	5.2351G	110.93	Inf	-Inf	102.50	3	Vertical	4	2.67	-	33.80	5.38	30.75
AV	5.2273G	98.56	Inf	-Inf	90.12	3	Vertical	4	2.67	-	33.80	5.38	30.74
PK	5.3698G	58.90	74.00	-15.10	50.36	3	Vertical	4	2.67	-	34.00	5.40	30.86
AV	5.3539G	47.01	54.00	-6.99	38.45	3	Vertical	4	2.67	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
 Setting 20.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	65.39	74.00	-8.61	57.16	3	Horizontal	295	2.81	-	33.60	5.31	30.68
AV	5.1499G	52.81	54.00	-1.19	44.58	3	Horizontal	295	2.81	-	33.60	5.31	30.68
PK	5.2192G	113.43	Inf	-Inf	105.00	3	Horizontal	295	2.81	-	33.80	5.37	30.74
AV	5.2234G	100.66	Inf	-Inf	92.23	3	Horizontal	295	2.81	-	33.80	5.37	30.74
PK	5.3629G	60.19	74.00	-13.81	51.64	3	Horizontal	295	2.81	-	34.00	5.40	30.85
AV	5.3536G	47.86	54.00	-6.14	39.30	3	Horizontal	295	2.81	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTY_1TX
Setting 20.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45368G	54.02	68.20	-14.18	39.21	3	Vertical	100	2.74	-	38.40	8.21	31.80
PK	15.68858G	58.66	74.00	-15.34	42.66	3	Vertical	186	1.01	-	37.78	10.19	31.97
AV	15.6976G	45.54	54.00	-8.46	29.52	3	Vertical	186	1.01	-	37.80	10.19	31.97

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTY_1TX
 Setting 20.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45112G	54.33	68.20	-13.87	39.52	3	Horizontal	205	2.74	-	38.40	8.21	31.80
PK	15.68338G	59.01	74.00	-14.99	43.02	3	Horizontal	345	2.40	-	37.77	10.18	31.96
AV	15.6911G	45.44	54.00	-8.56	29.44	3	Horizontal	345	2.40	-	37.78	10.19	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 21
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1299G	60.25	74.00	-13.75	52.06	3	Vertical	4	2.64	-	33.56	5.29	30.66
AV	5.1458G	46.96	54.00	-7.04	38.74	3	Vertical	4	2.64	-	33.59	5.31	30.68
PK	5.273G	110.27	Inf	-Inf	101.82	3	Vertical	4	2.64	-	33.85	5.38	30.78
AV	5.2688G	97.21	Inf	-Inf	88.77	3	Vertical	4	2.64	-	33.84	5.38	30.78
PK	5.3597G	61.57	74.00	-12.43	53.02	3	Vertical	4	2.64	-	34.00	5.40	30.85
AV	5.3669G	48.12	54.00	-5.88	39.57	3	Vertical	4	2.64	-	34.00	5.40	30.85

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 21
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	60.55	74.00	-13.45	52.33	3	Horizontal	306	2.55	-	33.58	5.31	30.67
AV	5.1488G	47.44	54.00	-6.56	39.21	3	Horizontal	306	2.55	-	33.60	5.31	30.68
PK	5.264G	112.33	Inf	-Inf	103.89	3	Horizontal	306	2.55	-	33.83	5.38	30.77
AV	5.2715G	99.89	Inf	-Inf	91.45	3	Horizontal	306	2.55	-	33.84	5.38	30.78
PK	5.3606G	66.87	74.00	-7.13	58.32	3	Horizontal	306	2.55	-	34.00	5.40	30.85
AV	5.3504G	52.84	54.00	-1.16	44.28	3	Horizontal	306	2.55	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTY_1TX
Setting 21
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53022G	54.25	68.20	-13.95	39.43	3	Vertical	166	1.19	-	38.40	8.24	31.82
PK	15.81808G	58.04	74.00	-15.96	42.44	3	Vertical	348	1.72	-	37.36	10.22	31.98
AV	15.80984G	44.88	54.00	-9.12	29.25	3	Vertical	348	1.72	-	37.38	10.22	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 21
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54468G	54.05	68.20	-14.15	39.23	3	Horizontal	8	2.32	-	38.40	8.25	31.83
PK	15.80874G	57.80	74.00	-16.20	42.17	3	Horizontal	275	1.31	-	37.38	10.22	31.97
AV	15.8021G	44.84	54.00	-9.16	29.19	3	Horizontal	275	1.31	-	37.40	10.22	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	106.42	Inf	-Inf	97.93	3	Vertical	6	2.74	-	33.91	5.39	30.81
AV	5.3078G	93.48	Inf	-Inf	84.98	3	Vertical	6	2.74	-	33.92	5.39	30.81
PK	5.3534G	61.13	74.00	-12.87	52.57	3	Vertical	6	2.74	-	34.00	5.40	30.84
AV	5.3508G	47.27	54.00	-6.73	38.71	3	Vertical	6	2.74	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTY_1TX
Setting 17
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3026G	110.05	Inf	-Inf	101.55	3	Horizontal	308	2.51	-	33.91	5.39	30.80
AV	5.3066G	96.87	Inf	-Inf	88.38	3	Horizontal	308	2.51	-	33.91	5.39	30.81
PK	5.3518G	69.19	74.00	-4.81	60.63	3	Horizontal	308	2.51	-	34.00	5.40	30.84
AV	5.35G	51.93	54.00	-2.07	43.37	3	Horizontal	308	2.51	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61846G	53.41	74.00	-20.59	38.59	3	Vertical	350	1.68	-	38.40	8.27	31.85
AV	10.61042G	40.32	54.00	-13.68	25.50	3	Vertical	350	1.68	-	38.40	8.27	31.85
PK	15.93432G	57.65	74.00	-16.35	42.00	3	Vertical	43	2.03	-	37.37	10.26	31.98
AV	15.92384G	44.17	54.00	-9.83	28.54	3	Vertical	43	2.03	-	37.35	10.26	31.98

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTY_1TX
Setting 17
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61888G	53.55	74.00	-20.45	38.73	3	Horizontal	107	1.68	-	38.40	8.27	31.85
AV	10.62112G	40.34	54.00	-13.66	25.52	3	Horizontal	107	1.68	-	38.40	8.27	31.85
PK	15.92562G	57.79	74.00	-16.21	42.16	3	Horizontal	223	1.18	-	37.35	10.26	31.98
AV	15.92396G	44.21	54.00	-9.79	28.58	3	Horizontal	223	1.18	-	37.35	10.26	31.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
 Setting 17.5
 02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.55	74.00	-11.45	53.92	3	Vertical	346	2.69	-	34.10	5.46	30.93
AV	5.46G	48.12	54.00	-5.88	39.49	3	Vertical	346	2.69	-	34.10	5.46	30.93
PK	5.469G	66.47	68.20	-1.73	57.84	3	Vertical	346	2.69	-	34.10	5.47	30.94
PK	5.5064G	107.19	Inf	-Inf	98.55	3	Vertical	346	2.69	-	34.10	5.50	30.96
AV	5.5134G	94.46	Inf	-Inf	85.83	3	Vertical	346	2.69	-	34.10	5.50	30.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTY_1TX
Setting 17.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	65.43	74.00	-8.57	56.80	3	Horizontal	307	2.57	-	34.10	5.46	30.93
AV	5.4598G	49.80	54.00	-4.20	41.17	3	Horizontal	307	2.57	-	34.10	5.46	30.93
PK	5.47G	67.83	68.20	-0.37	59.20	3	Horizontal	307	2.57	-	34.10	5.47	30.94
PK	5.5128G	110.74	Inf	-Inf	102.11	3	Horizontal	307	2.57	-	34.10	5.50	30.97
AV	5.511G	97.59	Inf	-Inf	88.96	3	Horizontal	307	2.57	-	34.10	5.50	30.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTY_1TX
Setting 17.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02498G	54.17	74.00	-19.83	39.26	3	Vertical	331	2.69	-	38.50	8.41	32.00
AV	11.0219G	40.77	54.00	-13.23	25.86	3	Vertical	331	2.69	-	38.50	8.41	32.00
PK	16.53038G	59.70	68.20	-8.50	42.43	3	Vertical	90	1.00	-	38.96	10.65	32.34

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTY_1TX
Setting 17.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0216G	54.24	74.00	-19.76	39.33	3	Horizontal	79	1.06	-	38.50	8.41	32.00
AV	11.01328G	40.72	54.00	-13.28	25.81	3	Horizontal	79	1.06	-	38.50	8.40	31.99
PK	16.53594G	59.96	68.20	-8.24	42.67	3	Horizontal	18	2.28	-	38.97	10.65	32.33

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 23
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4498G	62.49	74.00	-11.51	53.86	3	Vertical	0	2.77	-	34.10	5.45	30.92
AV	5.4543G	48.93	54.00	-5.07	40.30	3	Vertical	0	2.77	-	34.10	5.45	30.92
PK	5.4636G	61.17	68.20	-7.03	52.54	3	Vertical	0	2.77	-	34.10	5.46	30.93
PK	5.5578G	110.96	Inf	-Inf	102.33	3	Vertical	0	2.77	-	34.08	5.54	30.99
AV	5.5518G	97.33	Inf	-Inf	88.68	3	Vertical	0	2.77	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 23
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4486G	66.13	74.00	-7.87	57.50	3	Horizontal	301	2.69	-	34.10	5.45	30.92
PK	5.4678G	67.98	68.20	-0.22	59.35	3	Horizontal	301	2.69	-	34.10	5.46	30.93
AV	5.4597G	52.99	54.00	-1.01	44.36	3	Horizontal	301	2.69	-	34.10	5.46	30.93
PK	5.5455G	115.88	Inf	-Inf	107.23	3	Horizontal	301	2.69	-	34.10	5.53	30.98
AV	5.544G	102.76	Inf	-Inf	94.11	3	Horizontal	301	2.69	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTY_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09074G	54.29	74.00	-19.71	39.30	3	Vertical	240	2.89	-	38.58	8.43	32.02
AV	11.09668G	40.60	54.00	-13.40	25.60	3	Vertical	240	2.89	-	38.59	8.43	32.02
PK	16.64766G	59.97	68.20	-8.23	42.14	3	Vertical	44	1.99	-	39.39	10.73	32.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09964G	54.24	74.00	-19.76	39.23	3	Horizontal	245	1.92	-	38.60	8.43	32.02
AV	11.09848G	40.76	54.00	-13.24	25.75	3	Horizontal	245	1.92	-	38.60	8.43	32.02
PK	16.6586G	60.27	68.20	-7.93	42.34	3	Horizontal	114	2.06	-	39.47	10.74	32.28

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
Setting 20
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6662G	108.52	Inf	-Inf	100.04	3	Vertical	343	2.82	-	33.93	5.59	31.04
AV	5.6602G	94.95	Inf	-Inf	86.47	3	Vertical	343	2.82	-	33.92	5.59	31.03
PK	5.7686G	60.07	68.20	-8.13	51.53	3	Vertical	343	2.82	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
Setting 20
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6658G	109.77	Inf	-Inf	101.29	3	Horizontal	62	2.61	-	33.93	5.59	31.04
AV	5.6676G	97.17	Inf	-Inf	88.68	3	Horizontal	62	2.61	-	33.94	5.59	31.04
PK	5.7324G	67.36	68.20	-0.84	58.82	3	Horizontal	62	2.61	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
Setting 20
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34802G	54.04	74.00	-19.96	39.03	3	Vertical	67	2.43	-	38.60	8.52	32.11
AV	11.34502G	40.63	54.00	-13.37	25.62	3	Vertical	67	2.43	-	38.60	8.52	32.11
PK	17.01516G	62.90	68.20	-5.30	42.99	3	Vertical	30	1.62	-	41.06	10.99	32.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
Setting 20
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3321G	53.98	74.00	-20.02	38.97	3	Horizontal	37	2.78	-	38.60	8.51	32.10
AV	11.33186G	40.71	54.00	-13.29	25.70	3	Horizontal	37	2.78	-	38.60	8.51	32.10
PK	17.01222G	63.07	68.20	-5.13	43.18	3	Horizontal	13	1.01	-	41.05	10.98	32.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	116.52	Inf	-Inf	107.98	3	Vertical	71	2.19	-	34.00	5.60	31.06
AV	5.7112G	103.36	Inf	-Inf	94.82	3	Vertical	71	2.19	-	34.00	5.60	31.06
PK	5.8516G	67.52	68.20	-0.68	58.94	3	Vertical	71	2.19	-	34.01	5.69	31.12

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	116.13	Inf	-Inf	107.58	3	Horizontal	72	2.18	-	34.00	5.60	31.05
AV	5.712G	103.29	Inf	-Inf	94.75	3	Horizontal	72	2.18	-	34.00	5.60	31.06
PK	5.858G	66.44	68.20	-1.76	57.84	3	Horizontal	72	2.18	-	34.03	5.69	31.12

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4228G	54.30	74.00	-19.70	39.14	3	Vertical	124	2.50	-	38.75	8.54	32.13
AV	11.42434G	40.84	54.00	-13.16	25.68	3	Vertical	124	2.50	-	38.75	8.54	32.13
PK	17.12536G	61.54	68.20	-6.66	41.10	3	Vertical	335	2.06	-	41.60	11.06	32.22

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42144G	53.91	74.00	-20.09	38.76	3	Horizontal	240	2.27	-	38.74	8.54	32.13
AV	11.41864G	40.84	54.00	-13.16	25.69	3	Horizontal	240	2.27	-	38.74	8.54	32.13
PK	17.13024G	62.17	68.20	-6.03	41.70	3	Horizontal	157	2.63	-	41.62	11.07	32.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 25
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6355G	64.04	68.20	-4.16	55.55	3	Vertical	20	2.82	-	33.93	5.58	31.02
PK	5.763G	112.07	Inf	-Inf	103.53	3	Vertical	20	2.82	-	34.00	5.62	31.08
AV	5.761G	99.14	Inf	-Inf	90.60	3	Vertical	20	2.82	-	34.00	5.62	31.08
PK	5.926G	60.19	68.20	-8.01	51.33	3	Vertical	20	2.82	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 25
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6375G	67.62	68.20	-0.58	59.14	3	Horizontal	63	2.26	-	33.92	5.58	31.02
PK	5.749G	115.25	Inf	-Inf	106.71	3	Horizontal	63	2.26	-	34.00	5.61	31.07
AV	5.751G	102.79	Inf	-Inf	94.25	3	Horizontal	63	2.26	-	34.00	5.62	31.08
PK	5.947G	61.37	68.20	-6.83	52.46	3	Horizontal	63	2.26	-	34.29	5.79	31.17

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 25
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5085G	53.77	74.00	-20.23	38.42	3	Vertical	229	1.51	-	38.93	8.57	32.15
AV	11.51782G	41.11	54.00	-12.89	25.69	3	Vertical	229	1.51	-	38.97	8.58	32.13
PK	17.26026G	62.79	68.20	-5.41	41.88	3	Vertical	244	1.18	-	42.06	11.16	32.31

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 25
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51996G	54.05	74.00	-19.95	38.61	3	Horizontal	308	2.55	-	38.98	8.58	32.12
AV	11.51178G	40.99	54.00	-13.01	25.61	3	Horizontal	308	2.55	-	38.95	8.57	32.14
PK	17.25922G	63.86	68.20	-4.34	42.95	3	Horizontal	219	2.27	-	42.06	11.16	32.31

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 26.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	62.27	68.20	-5.93	53.78	3	Vertical	15	2.94	-	33.93	5.58	31.02
PK	5.799G	110.68	Inf	-Inf	102.15	3	Vertical	15	2.94	-	34.00	5.63	31.10
AV	5.7985G	98.42	Inf	-Inf	89.89	3	Vertical	15	2.94	-	34.00	5.63	31.10
PK	5.9255G	65.16	68.20	-3.04	56.30	3	Vertical	15	2.94	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 26.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.05	68.20	-1.15	58.60	3	Horizontal	302	2.73	-	33.90	5.58	31.03
PK	5.798G	116.61	Inf	-Inf	108.08	3	Horizontal	302	2.73	-	34.00	5.63	31.10
AV	5.792G	103.76	Inf	-Inf	95.22	3	Horizontal	302	2.73	-	34.00	5.63	31.09
PK	5.929G	67.24	68.20	-0.96	58.37	3	Horizontal	302	2.73	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTY_1TX
Setting 26.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5969G	55.01	74.00	-18.99	39.11	3	Vertical	301	1.83	-	39.29	8.60	31.99
AV	11.59652G	41.47	54.00	-12.53	25.57	3	Vertical	301	1.83	-	39.29	8.60	31.99
PK	17.38662G	64.94	68.20	-3.26	43.07	3	Vertical	76	1.84	-	43.02	11.24	32.39

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTY_1TX
Setting 26.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59428G	55.30	74.00	-18.70	39.41	3	Horizontal	29	1.80	-	39.28	8.60	31.99
AV	11.59654G	41.58	54.00	-12.42	25.68	3	Horizontal	29	1.80	-	39.29	8.60	31.99
PK	17.38052G	64.61	68.20	-3.59	42.78	3	Horizontal	50	1.08	-	42.98	11.24	32.39

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUTY_1TX
Setting 16
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	65.18	74.00	-8.82	56.96	3	Vertical	2	2.68	-	33.59	5.31	30.68
AV	5.1485G	49.54	54.00	-4.46	41.31	3	Vertical	2	2.68	-	33.60	5.31	30.68
PK	5.207G	104.79	Inf	-Inf	96.35	3	Vertical	2	2.68	-	33.80	5.37	30.73
AV	5.2165G	92.25	Inf	-Inf	83.81	3	Vertical	2	2.68	-	33.80	5.37	30.73
PK	5.401G	59.26	74.00	-14.74	50.73	3	Vertical	2	2.68	-	34.00	5.41	30.88
AV	5.361G	46.82	54.00	-7.18	38.27	3	Vertical	2	2.68	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 16
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	68.40	74.00	-5.60	60.18	3	Horizontal	306	2.33	-	33.58	5.31	30.67
AV	5.15G	52.13	54.00	-1.87	43.89	3	Horizontal	306	2.33	-	33.60	5.32	30.68
PK	5.207G	107.19	Inf	-Inf	98.75	3	Horizontal	306	2.33	-	33.80	5.37	30.73
AV	5.2065G	94.23	Inf	-Inf	85.79	3	Horizontal	306	2.33	-	33.80	5.37	30.73
PK	5.379G	59.36	74.00	-14.64	50.81	3	Horizontal	306	2.33	-	34.00	5.41	30.86
AV	5.3755G	46.95	54.00	-7.05	38.40	3	Horizontal	306	2.33	-	34.00	5.41	30.86

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX



EUTY_1TX
Setting 16
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41754G	53.85	68.20	-14.35	39.04	3	Vertical	121	1.06	-	38.40	8.20	31.79
PK	15.62522G	59.48	74.00	-14.52	43.57	3	Vertical	141	1.00	-	37.70	10.17	31.96
AV	15.62538G	45.20	54.00	-8.80	29.29	3	Vertical	141	1.00	-	37.70	10.17	31.96