


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6686G	114.89	Inf	-Inf	108.37	3	Horizontal	37	2.66	-	31.87	7.54	32.89
AV	5.6884G	104.49	Inf	-Inf	97.88	3	Horizontal	37	2.66	-	31.95	7.55	32.89
PK	5.728G	65.40	68.20	-2.80	58.69	3	Horizontal	37	2.66	-	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3582G	56.01	74.00	-17.99	48.56	3	Vertical	307	1.69	-	39.92	10.77	43.24
AV	11.36255G	43.92	54.00	-10.08	36.47	3	Vertical	307	1.69	-	39.93	10.77	43.25
PK	16.9898G	58.59	68.20	-9.61	47.47	3	Vertical	356	2.34	-	40.08	13.12	42.08

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35025G	56.65	74.00	-17.35	49.23	3	Horizontal	285	1.69	-	39.90	10.76	43.24
AV	11.3633G	44.00	54.00	-10.00	36.55	3	Horizontal	285	1.69	-	39.93	10.77	43.25
PK	17.0332G	58.49	68.20	-9.71	47.13	3	Horizontal	20	2.55	-	40.30	13.14	42.08

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	117.98	Inf	-Inf	111.31	3	Vertical	71	1.80	-	32.02	7.55	32.90
AV	5.7092G	109.14	Inf	-Inf	102.47	3	Vertical	71	1.80	-	32.02	7.55	32.90
PK	5.8672G	61.17	68.20	-7.03	54.24	3	Vertical	71	1.80	-	32.27	7.61	32.95

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
 Setting 24
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	118.01	Inf	-Inf	111.35	3	Horizontal	291	3.00	-	32.01	7.55	32.90
AV	5.706G	108.76	Inf	-Inf	102.10	3	Horizontal	291	3.00	-	32.01	7.55	32.90
PK	5.8556G	61.20	68.20	-7.00	54.32	3	Horizontal	291	3.00	-	32.22	7.61	32.95

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42105G	56.17	74.00	-17.83	48.68	3	Vertical	199	1.92	-	39.96	10.80	43.27
AV	11.3952G	44.69	54.00	-9.31	37.17	3	Vertical	199	1.92	-	39.99	10.79	43.26
PK	17.15155G	57.30	68.20	-10.90	45.78	3	Vertical	32	1.27	-	40.40	13.17	42.05

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41G	56.15	74.00	-17.85	48.63	3	Horizontal	32	1.35	-	39.98	10.80	43.26
AV	11.395G	44.45	54.00	-9.55	36.93	3	Horizontal	32	1.35	-	39.99	10.79	43.26
PK	17.144G	58.07	68.20	-10.13	46.57	3	Horizontal	106	1.23	-	40.39	13.17	42.06

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6545G	69.16	71.53	-2.37	62.68	3	Vertical	69	1.80	-	31.82	7.54	32.88
PK	5.754G	117.31	Inf	-Inf	110.55	3	Vertical	69	1.80	-	32.11	7.57	32.92
AV	5.754G	108.92	Inf	-Inf	102.16	3	Vertical	69	1.80	-	32.11	7.57	32.92
PK	5.937G	61.86	68.20	-6.34	54.79	3	Vertical	69	1.80	-	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.04	68.94	-2.90	59.58	3	Horizontal	291	3.00	-	31.80	7.54	32.88
PK	5.751G	118.81	Inf	-Inf	112.06	3	Horizontal	291	3.00	-	32.10	7.57	32.92
AV	5.7505G	108.80	Inf	-Inf	102.05	3	Horizontal	291	3.00	-	32.10	7.57	32.92
PK	5.9415G	60.18	68.20	-8.02	53.11	3	Horizontal	291	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52755G	55.99	74.00	-18.01	48.39	3	Vertical	66	2.41	-	40.04	10.86	43.30
AV	11.5275G	44.47	54.00	-9.53	36.86	3	Vertical	66	2.41	-	40.05	10.86	43.30
PK	17.2707G	58.80	68.20	-9.40	46.98	3	Vertical	220	2.07	-	40.64	13.21	42.03

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48675G	56.70	74.00	-17.30	49.10	3	Horizontal	168	2.32	-	40.05	10.84	43.29
AV	11.534G	44.36	54.00	-9.64	36.76	3	Horizontal	168	2.32	-	40.03	10.86	43.29
PK	17.26435G	58.34	68.20	-9.86	46.53	3	Horizontal	32	1.01	-	40.63	13.21	42.03

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.88	68.20	-8.32	53.50	3	Vertical	59	1.02	-	31.73	7.52	32.87
PK	5.792G	119.90	Inf	-Inf	113.07	3	Vertical	59	1.02	-	32.18	7.58	32.93
AV	5.7915G	110.31	Inf	-Inf	103.48	3	Vertical	59	1.02	-	32.18	7.58	32.93
PK	5.9305G	62.07	68.20	-6.13	55.00	3	Vertical	59	1.02	-	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	59.64	68.20	-8.56	53.21	3	Horizontal	295	3.00	-	31.78	7.53	32.88
PK	5.791G	117.55	Inf	-Inf	110.72	3	Horizontal	295	3.00	-	32.18	7.58	32.93
AV	5.7905G	108.41	Inf	-Inf	101.58	3	Horizontal	295	3.00	-	32.18	7.58	32.93
PK	6.03G	60.81	68.20	-7.39	53.56	3	Horizontal	295	3.00	-	32.56	7.69	33.00

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60355G	56.31	74.00	-17.69	48.80	3	Vertical	195	1.55	-	39.89	10.90	43.28
AV	11.59555G	44.48	54.00	-9.52	36.95	3	Vertical	195	1.55	-	39.91	10.90	43.28
PK	17.37615G	61.24	68.20	-6.96	48.53	3	Vertical	8	1.56	-	41.46	13.25	42.00

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5925G	56.09	74.00	-17.91	48.57	3	Horizontal	256	2.12	-	39.91	10.90	43.29
AV	11.59535G	44.57	54.00	-9.43	37.04	3	Horizontal	256	2.12	-	39.91	10.90	43.28
PK	17.38785G	60.77	68.20	-7.43	47.94	3	Horizontal	233	1.80	-	41.58	13.25	42.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
 SET 16.5
 17\14.5\15.5\16\16.5
 -2.12\5.14\1.21\1.10\0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	65.51	74.00	-8.49	59.08	3	Vertical	320	2.00	16.5	32.09	7.24	32.90
AV	5.14664G	53.01	54.00	-0.99	46.59	3	Vertical	320	2.00	16.5	32.09	7.23	32.90
PK	5.18728G	112.05	Inf	-Inf	105.79	3	Vertical	320	2.00	16.5	31.88	7.27	32.89
AV	5.186G	100.44	Inf	-Inf	94.18	3	Vertical	320	2.00	16.5	31.88	7.27	32.89
PK	5.35848G	59.49	74.00	-14.51	53.58	3	Vertical	320	2.00	16.5	31.42	7.35	32.86
AV	5.36776G	47.20	54.00	-6.80	41.26	3	Vertical	320	2.00	16.5	31.44	7.36	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




16/03/2024

EUT_X_4TX
SET 16.5
16.5
3.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13768G	63.78	74.00	-10.22	57.40	3	Horizontal	318	2.00	16.5	32.05	7.23	32.90
AV	5.1364G	50.11	54.00	-3.89	43.73	3	Horizontal	318	2.00	16.5	32.05	7.23	32.90
PK	5.22408G	107.98	Inf	-Inf	101.97	3	Horizontal	318	2.00	16.5	31.61	7.29	32.89
AV	5.18408G	96.29	Inf	-Inf	90.01	3	Horizontal	318	2.00	16.5	31.90	7.27	32.89
PK	5.35272G	58.57	74.00	-15.43	52.67	3	Horizontal	318	2.00	16.5	31.41	7.35	32.86
AV	5.35272G	46.88	54.00	-7.12	40.98	3	Horizontal	318	2.00	16.5	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40521G	55.96	68.20	-12.24	48.83	3	Vertical	78	2.37	-	40.11	10.05	43.03
PK	15.6303G	54.40	74.00	-19.60	46.07	3	Vertical	168	1.54	-	38.30	12.49	42.46
AV	15.61671G	42.97	54.00	-11.03	34.52	3	Vertical	168	1.54	-	38.43	12.49	42.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42033G	56.00	68.20	-12.20	48.83	3	Horizontal	18	1.14	-	40.14	10.06	43.03
PK	15.62085G	55.17	74.00	-18.83	46.76	3	Horizontal	115	1.85	-	38.39	12.49	42.47
AV	15.61836G	42.90	54.00	-11.10	34.46	3	Horizontal	115	1.85	-	38.42	12.49	42.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
 SET 15
 17\11\14\15.5\15
 -6.00\6.62\2.77~-2.29\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13288G	59.43	74.00	-14.57	53.08	3	Vertical	320	2.00	15	32.03	7.22	32.90
AV	5.14984G	47.55	54.00	-6.45	41.11	3	Vertical	320	2.00	15	32.10	7.24	32.90
PK	5.32488G	111.53	Inf	-Inf	105.71	3	Vertical	320	2.00	15	31.35	7.34	32.87
AV	5.32616G	99.30	Inf	-Inf	93.47	3	Vertical	320	2.00	15	31.35	7.34	32.86
PK	5.36744G	68.05	74.00	-5.95	62.12	3	Vertical	320	2.00	15	31.43	7.36	32.86
AV	5.3652G	53.69	54.00	-0.31	47.77	3	Vertical	320	2.00	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
 SET 15
 15
 3.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14376G	59.56	74.00	-14.44	53.15	3	Horizontal	318	2.00	15	32.08	7.23	32.90
AV	5.14376G	47.30	54.00	-6.70	40.89	3	Horizontal	318	2.00	15	32.08	7.23	32.90
PK	5.2644G	106.04	Inf	-Inf	100.24	3	Horizontal	318	2.00	15	31.37	7.31	32.88
AV	5.32392G	94.97	Inf	-Inf	89.15	3	Horizontal	318	2.00	15	31.35	7.34	32.87
PK	5.36392G	62.93	74.00	-11.07	57.01	3	Horizontal	318	2.00	15	31.43	7.35	32.86
AV	5.36296G	50.11	54.00	-3.89	44.19	3	Horizontal	318	2.00	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58024G	55.22	68.20	-12.98	47.97	3	Vertical	268	1.09	-	40.16	10.14	43.05
PK	15.87852G	54.62	74.00	-19.38	46.14	3	Vertical	347	1.83	-	38.04	12.61	42.17
AV	15.85554G	42.31	54.00	-11.69	33.82	3	Vertical	347	1.83	-	38.09	12.60	42.20

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59101G	55.57	68.20	-12.63	48.30	3	Horizontal	77	2.43	-	40.18	10.14	43.05
PK	15.87261G	53.87	74.00	-20.13	45.39	3	Horizontal	227	1.99	-	38.05	12.61	42.18
AV	15.85833G	42.31	54.00	-11.69	33.82	3	Horizontal	227	1.99	-	38.08	12.60	42.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	63.19	74.00	-10.81	56.92	3	Vertical	74	1.80	-	31.70	7.41	32.84
AV	5.449G	51.56	54.00	-2.44	45.29	3	Vertical	74	1.80	-	31.70	7.41	32.84
PK	5.47G	63.84	68.20	-4.36	57.48	3	Vertical	74	1.80	-	31.78	7.42	32.84
PK	5.5295G	111.44	Inf	-Inf	104.97	3	Vertical	74	1.80	-	31.84	7.47	32.84
AV	5.529G	101.67	Inf	-Inf	95.20	3	Vertical	74	1.80	-	31.84	7.47	32.84
PK	5.732G	61.08	68.20	-7.12	54.37	3	Vertical	74	1.80	-	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
Setting 18.5
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	62.73	74.00	-11.27	56.44	3	Horizontal	30	2.78	-	31.72	7.41	32.84
AV	5.4535G	52.50	54.00	-1.50	46.22	3	Horizontal	30	2.78	-	31.71	7.41	32.84
PK	5.4675G	61.25	68.20	-6.95	54.90	3	Horizontal	30	2.78	-	31.77	7.42	32.84
PK	5.514G	110.84	Inf	-Inf	104.34	3	Horizontal	30	2.78	-	31.87	7.46	32.83
AV	5.5335G	101.20	Inf	-Inf	94.74	3	Horizontal	30	2.78	-	31.83	7.47	32.84
PK	5.7785G	60.85	68.20	-7.35	54.04	3	Horizontal	30	2.78	-	32.16	7.57	32.92

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06895G	54.24	74.00	-19.76	46.90	3	Vertical	58	2.27	-	39.86	10.61	43.13
AV	11.03725G	42.79	54.00	-11.21	35.38	3	Vertical	58	2.27	-	39.93	10.59	43.11
PK	16.58085G	56.23	68.20	-11.97	46.04	3	Vertical	24	2.26	-	38.88	12.99	41.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07725G	54.49	74.00	-19.51	47.16	3	Horizontal	290	1.95	-	39.85	10.61	43.13
AV	11.03635G	42.91	54.00	-11.09	35.50	3	Horizontal	290	1.95	-	39.93	10.59	43.11
PK	16.5802G	55.59	68.20	-12.61	45.40	3	Horizontal	217	1.71	-	38.88	12.99	41.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 18
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	60.56	74.00	-13.44	54.27	3	Vertical	72	2.92	-	31.72	7.41	32.84
PK	5.462G	60.73	68.20	-7.47	54.40	3	Vertical	72	2.92	-	31.75	7.42	32.84
AV	5.46G	50.03	54.00	-3.97	43.71	3	Vertical	72	2.92	-	31.74	7.42	32.84
PK	5.63G	114.94	Inf	-Inf	108.52	3	Vertical	72	2.92	-	31.76	7.53	32.87
AV	5.63G	104.57	Inf	-Inf	98.15	3	Vertical	72	2.92	-	31.76	7.53	32.87
PK	5.7315G	66.55	68.20	-1.65	59.84	3	Vertical	72	2.92	-	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
 Setting 18
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.73	74.00	-12.27	55.42	3	Horizontal	28	2.73	-	31.74	7.41	32.84
AV	5.453G	50.12	54.00	-3.88	43.84	3	Horizontal	28	2.73	-	31.71	7.41	32.84
PK	5.4635G	60.20	68.20	-8.00	53.87	3	Horizontal	28	2.73	-	31.75	7.42	32.84
PK	5.573G	112.39	Inf	-Inf	105.99	3	Horizontal	28	2.73	-	31.75	7.50	32.85
AV	5.573G	102.19	Inf	-Inf	95.79	3	Horizontal	28	2.73	-	31.75	7.50	32.85
PK	5.7335G	66.69	68.20	-1.51	59.97	3	Horizontal	28	2.73	-	32.07	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 18
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22875G	54.41	74.00	-19.59	47.24	3	Vertical	262	1.33	-	39.66	10.70	43.19
AV	11.24485G	42.81	54.00	-11.19	35.62	3	Vertical	262	1.33	-	39.69	10.70	43.20
PK	16.85395G	59.58	68.20	-8.62	48.07	3	Vertical	313	2.84	-	40.38	13.08	41.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 18
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1979G	54.82	74.00	-19.18	47.72	3	Horizontal	157	1.39	-	39.60	10.68	43.18
AV	11.24485G	42.64	54.00	-11.36	35.45	3	Horizontal	157	1.39	-	39.69	10.70	43.20
PK	16.84555G	58.90	68.20	-9.30	47.39	3	Horizontal	261	1.86	-	40.38	13.07	41.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	59.11	74.00	-14.89	52.81	3	Vertical	69	1.80	-	31.73	7.41	32.84
AV	5.4495G	48.31	54.00	-5.69	42.04	3	Vertical	69	1.80	-	31.70	7.41	32.84
PK	5.463G	58.70	68.20	-9.50	52.37	3	Vertical	69	1.80	-	31.75	7.42	32.84
PK	5.71G	115.28	Inf	-Inf	108.61	3	Vertical	69	1.80	-	32.02	7.55	32.90
AV	5.7095G	106.27	Inf	-Inf	99.60	3	Vertical	69	1.80	-	32.02	7.55	32.90
PK	5.85G	65.94	68.20	-2.26	59.08	3	Vertical	69	1.80	-	32.20	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	59.62	74.00	-14.38	53.32	3	Horizontal	26	3.00	-	31.73	7.41	32.84
AV	5.458G	48.58	54.00	-5.42	42.28	3	Horizontal	26	3.00	-	31.73	7.41	32.84
PK	5.461G	60.02	68.20	-8.18	53.70	3	Horizontal	26	3.00	-	31.74	7.42	32.84
PK	5.6735G	113.82	Inf	-Inf	107.28	3	Horizontal	26	3.00	-	31.89	7.54	32.89
AV	5.713G	104.20	Inf	-Inf	97.52	3	Horizontal	26	3.00	-	32.03	7.55	32.90
PK	5.8535G	67.16	68.20	-1.04	60.29	3	Horizontal	26	3.00	-	32.21	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38655G	56.48	74.00	-17.52	48.98	3	Vertical	115	1.01	-	39.97	10.78	43.25
AV	11.3958G	44.62	54.00	-9.38	37.10	3	Vertical	115	1.01	-	39.99	10.79	43.26
PK	17.05005G	58.20	68.20	-10.00	46.74	3	Vertical	225	2.60	-	40.40	13.14	42.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37635G	55.85	74.00	-18.15	48.37	3	Horizontal	199	2.03	-	39.95	10.78	43.25
AV	11.39475G	44.45	54.00	-9.55	36.93	3	Horizontal	199	2.03	-	39.99	10.79	43.26
PK	17.07645G	58.35	68.20	-9.85	46.92	3	Horizontal	18	2.80	-	40.35	13.15	42.07

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5775MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.82	68.20	-0.38	61.37	3	Vertical	58	1.01	-	31.80	7.53	32.88
PK	5.7715G	114.81	Inf	-Inf	108.02	3	Vertical	58	1.01	-	32.14	7.57	32.92
AV	5.751G	105.25	Inf	-Inf	98.50	3	Vertical	58	1.01	-	32.10	7.57	32.92
PK	5.934G	61.22	68.20	-6.98	54.15	3	Vertical	58	1.01	-	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5775MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	66.35	68.20	-1.85	59.90	3	Horizontal	292	3.00	-	31.80	7.53	32.88
PK	5.7505G	114.20	Inf	-Inf	107.45	3	Horizontal	292	3.00	-	32.10	7.57	32.92
AV	5.75G	103.49	Inf	-Inf	96.74	3	Horizontal	292	3.00	-	32.10	7.56	32.91
PK	5.925G	60.82	68.20	-7.38	53.75	3	Horizontal	292	3.00	-	32.40	7.64	32.97

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5775MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56715G	55.70	74.00	-18.30	48.14	3	Vertical	348	1.16	-	39.97	10.88	43.29
AV	11.52725G	44.50	54.00	-9.50	36.89	3	Vertical	348	1.16	-	40.05	10.86	43.30
PK	17.32815G	59.74	68.20	-8.46	47.54	3	Vertical	77	2.25	-	40.98	13.23	42.01

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5775MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5551G	55.97	74.00	-18.03	48.39	3	Horizontal	145	2.34	-	39.99	10.88	43.29
AV	11.5372G	44.52	54.00	-9.48	36.91	3	Horizontal	145	2.34	-	40.03	10.87	43.29
PK	17.34495G	60.14	68.20	-8.06	47.76	3	Horizontal	350	2.55	-	41.15	13.24	42.01

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 SET 15
 17\10\13.5\15
 -6.55\5.50\1.91\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14656G	62.26	74.00	-11.74	55.84	3	Vertical	320	2.00	15	32.09	7.23	32.90
AV	5.14656G	51.04	54.00	-2.96	44.62	3	Vertical	320	2.00	15	32.09	7.23	32.90
PK	5.32608G	109.09	Inf	-Inf	103.26	3	Vertical	320	2.00	15	31.35	7.34	32.86
AV	5.32608G	96.44	Inf	-Inf	90.61	3	Vertical	320	2.00	15	31.35	7.34	32.86
PK	5.36424G	66.14	74.00	-7.86	60.22	3	Vertical	320	2.00	15	31.43	7.35	32.86
AV	5.36592G	53.60	54.00	-0.40	47.68	3	Vertical	320	2.00	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




16/03/2024

EUT_X_4TX
SET 15
15
3.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13864G	60.31	74.00	-13.69	53.93	3	Horizontal	318	2.00	15	32.05	7.23	32.90
AV	5.14392G	49.19	54.00	-4.81	42.78	3	Horizontal	318	2.00	15	32.08	7.23	32.90
PK	5.30352G	104.10	Inf	-Inf	98.33	3	Horizontal	318	2.00	15	31.31	7.33	32.87
AV	5.304G	92.44	Inf	-Inf	86.67	3	Horizontal	318	2.00	15	31.31	7.33	32.87
PK	5.36424G	63.16	74.00	-10.84	57.24	3	Horizontal	318	2.00	15	31.43	7.35	32.86
AV	5.364G	50.55	54.00	-3.45	44.63	3	Horizontal	318	2.00	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49991G	55.53	68.20	-12.67	48.37	3	Vertical	154	1.26	-	40.10	10.10	43.04
PK	15.7434G	54.84	74.00	-19.16	46.33	3	Vertical	175	1.98	-	38.29	12.55	42.33
AV	15.74331G	42.48	54.00	-11.52	33.97	3	Vertical	175	1.98	-	38.29	12.55	42.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48827G	56.49	68.20	-11.71	49.32	3	Horizontal	121	2.91	-	40.12	10.09	43.04
PK	15.73683G	54.12	74.00	-19.88	45.65	3	Horizontal	188	2.99	-	38.27	12.54	42.34
AV	15.73575G	42.52	54.00	-11.48	34.05	3	Horizontal	188	2.99	-	38.27	12.54	42.34

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2132G	59.16	68.20	-9.04	53.07	3	Vertical	57	1.00	-	31.69	7.29	32.89
PK	5.458G	62.90	74.00	-11.10	56.60	3	Vertical	57	1.00	-	31.73	7.41	32.84
AV	5.35G	47.10	54.00	-6.90	41.21	3	Vertical	57	1.00	-	31.40	7.35	32.86
AV	5.458G	52.66	54.00	-1.34	46.36	3	Vertical	57	1.00	-	31.73	7.41	32.84
PK	5.4644G	66.13	68.20	-2.07	59.79	3	Vertical	57	1.00	-	31.76	7.42	32.84
PK	5.5268G	110.95	Inf	-Inf	104.47	3	Vertical	57	1.00	-	31.85	7.47	32.84
AV	5.526G	101.82	Inf	-Inf	95.35	3	Vertical	57	1.00	-	31.85	7.46	32.84
PK	5.726G	64.57	68.20	-3.63	57.87	3	Vertical	57	1.00	-	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_X_4TX
 Setting 17
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	59.35	68.20	-8.85	53.56	3	Horizontal	41	2.74	-	31.33	7.33	32.87
AV	5.35G	47.10	54.00	-6.90	41.21	3	Horizontal	41	2.74	-	31.40	7.35	32.86
PK	5.4572G	62.67	74.00	-11.33	56.37	3	Horizontal	41	2.74	-	31.73	7.41	32.84
AV	5.4564G	52.03	54.00	-1.97	45.73	3	Horizontal	41	2.74	-	31.73	7.41	32.84
PK	5.4684G	64.02	68.20	-4.18	57.67	3	Horizontal	41	2.74	-	31.77	7.42	32.84
PK	5.5492G	108.95	Inf	-Inf	102.52	3	Horizontal	41	2.74	-	31.80	7.48	32.85
AV	5.5492G	98.48	Inf	-Inf	92.05	3	Horizontal	41	2.74	-	31.80	7.48	32.85
PK	5.7636G	63.09	68.20	-5.11	56.31	3	Horizontal	41	2.74	-	32.13	7.57	32.92

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1269G	54.24	74.00	-19.76	47.06	3	Vertical	320	2.76	-	39.69	10.64	43.15
AV	11.1168G	42.53	54.00	-11.47	35.32	3	Vertical	320	2.76	-	39.73	10.63	43.15
PK	16.72015G	57.63	68.20	-10.57	46.76	3	Vertical	9	2.23	-	39.66	13.03	41.82

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX



EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.134G	55.12	74.00	-18.88	47.97	3	Horizontal	213	1.39	-	39.66	10.64	43.15
AV	11.11705G	42.64	54.00	-11.36	35.43	3	Horizontal	213	1.39	-	39.73	10.63	43.15
PK	16.6914G	57.27	68.20	-10.93	46.59	3	Horizontal	277	1.89	-	39.45	13.02	41.79




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.7405G	68.19	68.20	-0.01	3	Horizontal	30	2.99	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTZ_1TX
Setting 11
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.058G	62.07	74.00	-11.93	54.49	3	Vertical	112	2.56	-	32.02	6.87	31.31
AV	5.1496G	50.29	54.00	-3.71	42.64	3	Vertical	112	2.56	-	32.10	6.91	31.36
PK	5.178G	94.99	Inf	-Inf	87.51	3	Vertical	112	2.56	-	31.93	6.93	31.38
AV	5.1736G	83.50	Inf	-Inf	75.98	3	Vertical	112	2.56	-	31.96	6.93	31.37
PK	5.3572G	61.80	74.00	-12.20	54.70	3	Vertical	112	2.56	-	31.51	7.06	31.47
AV	5.3592G	49.45	54.00	-4.55	42.34	3	Vertical	112	2.56	-	31.52	7.06	31.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTZ_1TX
Setting 11
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	69.92	74.00	-4.08	62.27	3	Horizontal	247	2.59	-	32.10	6.91	31.36
AV	5.15G	53.56	54.00	-0.44	45.90	3	Horizontal	247	2.59	-	32.10	6.92	31.36
PK	5.1864G	108.34	Inf	-Inf	100.91	3	Horizontal	247	2.59	-	31.88	6.93	31.38
AV	5.1768G	96.25	Inf	-Inf	88.76	3	Horizontal	247	2.59	-	31.94	6.93	31.38
PK	5.362G	61.55	74.00	-12.45	54.45	3	Horizontal	247	2.59	-	31.52	7.06	31.48
AV	5.3592G	49.45	54.00	-4.55	42.34	3	Horizontal	247	2.59	-	31.52	7.06	31.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTZ_1TX
Setting 11
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41985G	60.96	68.20	-7.24	43.34	3	Vertical	226	1.27	-	40.14	10.06	32.58
PK	15.63005G	63.11	74.00	-10.89	45.17	3	Vertical	0	2.74	-	38.30	12.49	32.85
AV	15.62998G	47.31	54.00	-6.69	29.37	3	Vertical	0	2.74	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTZ_1TX
Setting 11
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42038G	60.40	68.20	-7.80	42.78	3	Horizontal	299	1.90	-	40.14	10.06	32.58
PK	15.63019G	62.06	74.00	-11.94	44.12	3	Horizontal	156	1.98	-	38.30	12.49	32.85
AV	15.63024G	47.16	54.00	-6.84	29.22	3	Horizontal	156	1.98	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTZ_1TX
Setting 12
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	62.03	74.00	-11.97	54.38	3	Vertical	109	2.52	-	32.10	6.91	31.36
AV	5.1355G	50.21	54.00	-3.79	42.55	3	Vertical	109	2.52	-	32.10	6.91	31.35
PK	5.179G	96.43	Inf	-Inf	88.95	3	Vertical	109	2.52	-	31.93	6.93	31.38
AV	5.178G	85.24	Inf	-Inf	77.76	3	Vertical	109	2.52	-	31.93	6.93	31.38
PK	5.3685G	60.86	74.00	-13.14	53.73	3	Vertical	109	2.52	-	31.54	7.07	31.48
AV	5.4595G	49.74	54.00	-4.26	42.32	3	Vertical	109	2.52	-	31.82	7.13	31.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTZ_1TX
Setting 12
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	71.41	74.00	-2.59	63.76	3	Horizontal	206	2.98	-	32.10	6.90	31.35
AV	5.1264G	53.96	54.00	-0.04	46.31	3	Horizontal	206	2.98	-	32.10	6.90	31.35
PK	5.182G	108.66	Inf	-Inf	101.20	3	Horizontal	206	2.98	-	31.91	6.93	31.38
AV	5.1748G	97.35	Inf	-Inf	89.84	3	Horizontal	206	2.98	-	31.95	6.93	31.37
PK	5.3588G	62.39	74.00	-11.61	55.28	3	Horizontal	206	2.98	-	31.52	7.06	31.47
AV	5.3516G	50.00	54.00	-4.00	42.92	3	Horizontal	206	2.98	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTZ_1TX
Setting 12
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42026G	60.27	68.20	-7.93	42.65	3	Vertical	321	2.49	-	40.14	10.06	32.58
PK	15.62998G	62.39	74.00	-11.61	44.45	3	Vertical	24	2.88	-	38.30	12.49	32.85
AV	15.62998G	47.17	54.00	-6.83	29.23	3	Vertical	24	2.88	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTZ_1TX
Setting 12
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42044G	60.93	68.20	-7.27	43.31	3	Horizontal	212	1.00	-	40.14	10.06	32.58
PK	15.6303G	62.30	74.00	-11.70	44.36	3	Horizontal	293	1.99	-	38.30	12.49	32.85
AV	15.63018G	47.24	54.00	-6.76	29.30	3	Horizontal	293	1.99	-	38.30	12.49	32.85

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTZ_1TX
Setting 5.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	61.35	74.00	-12.65	53.70	3	Vertical	70	2.30	-	32.10	6.90	31.35
AV	5.092G	50.21	54.00	-3.79	42.57	3	Vertical	70	2.30	-	32.08	6.89	31.33
PK	5.3228G	93.38	Inf	-Inf	86.30	3	Vertical	70	2.30	-	31.50	7.03	31.45
AV	5.328G	82.55	Inf	-Inf	75.47	3	Vertical	70	2.30	-	31.50	7.04	31.46
AV	5.3532G	49.82	54.00	-4.18	42.73	3	Vertical	70	2.30	-	31.51	7.05	31.47
PK	5.4004G	61.65	74.00	-12.35	54.46	3	Vertical	70	2.30	-	31.60	7.09	31.50
PK	5.472G	61.14	68.20	-7.06	53.69	3	Vertical	70	2.30	-	31.84	7.14	31.53

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTZ_1TX
Setting 5.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0996G	61.79	74.00	-12.21	54.13	3	Horizontal	196	2.45	-	32.10	6.89	31.33
AV	5.1496G	50.49	54.00	-3.51	42.84	3	Horizontal	196	2.45	-	32.10	6.91	31.36
PK	5.3256G	107.09	Inf	-Inf	100.02	3	Horizontal	196	2.45	-	31.50	7.03	31.46
AV	5.3272G	95.21	Inf	-Inf	88.13	3	Horizontal	196	2.45	-	31.50	7.04	31.46
PK	5.3708G	70.65	74.00	-3.35	63.52	3	Horizontal	196	2.45	-	31.54	7.07	31.48
AV	5.3656G	53.62	54.00	-0.38	46.51	3	Horizontal	196	2.45	-	31.53	7.06	31.48
PK	5.4628G	61.25	68.20	-6.95	53.82	3	Horizontal	196	2.45	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTZ_1TX
 Setting 5.5
 06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5795G	60.45	68.20	-7.75	42.71	3	Vertical	179	1.77	-	40.16	10.14	32.56
PK	15.86992G	61.38	74.00	-12.62	43.60	3	Vertical	99	1.36	-	38.06	12.61	32.89
AV	15.8695G	47.42	54.00	-6.58	29.64	3	Vertical	99	1.36	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTZ_1TX
Setting 5.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57965G	60.75	68.20	-7.45	43.01	3	Horizontal	289	1.89	-	40.16	10.14	32.56
PK	15.86978G	62.34	74.00	-11.66	44.56	3	Horizontal	263	1.11	-	38.06	12.61	32.89
AV	15.86967G	47.90	54.00	-6.10	30.12	3	Horizontal	263	1.11	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	61.24	74.00	-12.76	53.59	3	Vertical	64	2.14	-	32.10	6.90	31.35
AV	5.1456G	49.86	54.00	-4.14	42.21	3	Vertical	64	2.14	-	32.10	6.91	31.36
PK	5.3184G	93.63	Inf	-Inf	86.55	3	Vertical	64	2.14	-	31.50	7.03	31.45
AV	5.3112G	81.44	Inf	-Inf	74.37	3	Vertical	64	2.14	-	31.50	7.02	31.45
PK	5.3764G	61.22	74.00	-12.78	54.08	3	Vertical	64	2.14	-	31.55	7.07	31.48
AV	5.3764G	49.83	54.00	-4.17	42.69	3	Vertical	64	2.14	-	31.55	7.07	31.48
PK	5.4756G	61.57	68.20	-6.63	54.12	3	Vertical	64	2.14	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	65.82	74.00	-8.18	58.17	3	Horizontal	200	3.00	-	32.10	6.90	31.35
AV	5.1448G	50.06	54.00	-3.94	42.41	3	Horizontal	200	3.00	-	32.10	6.91	31.36
PK	5.328G	106.34	Inf	-Inf	99.26	3	Horizontal	200	3.00	-	31.50	7.04	31.46
AV	5.3264G	95.14	Inf	-Inf	88.07	3	Horizontal	200	3.00	-	31.50	7.03	31.46
PK	5.3868G	72.75	74.00	-1.25	65.59	3	Horizontal	200	3.00	-	31.57	7.08	31.49
AV	5.38G	53.47	54.00	-0.53	46.33	3	Horizontal	200	3.00	-	31.56	7.07	31.49
PK	5.4892G	61.34	68.20	-6.86	53.85	3	Horizontal	200	3.00	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57953G	61.43	68.20	-6.77	43.69	3	Vertical	308	2.46	-	40.16	10.14	32.56
PK	15.86974G	61.42	74.00	-12.58	43.64	3	Vertical	193	1.69	-	38.06	12.61	32.89
AV	15.86984G	47.86	54.00	-6.14	30.08	3	Vertical	193	1.69	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57988G	60.42	68.20	-7.78	42.68	3	Horizontal	122	2.20	-	40.16	10.14	32.56
PK	15.86993G	61.57	74.00	-12.43	43.79	3	Horizontal	288	2.71	-	38.06	12.61	32.89
AV	15.87019G	47.76	54.00	-6.24	29.98	3	Horizontal	288	2.71	-	38.06	12.61	32.89

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTZ_1TX
 Setting 4.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2815G	59.04	68.20	-9.16	54.09	3	Vertical	322	3.00	-	32.94	7.49	35.48
PK	5.458G	61.58	74.00	-12.42	56.59	3	Vertical	322	3.00	-	32.82	7.60	35.43
AV	5.459G	48.75	54.00	-5.25	43.76	3	Vertical	322	3.00	-	32.82	7.60	35.43
PK	5.47G	63.68	68.20	-4.52	58.66	3	Vertical	322	3.00	-	32.84	7.61	35.43
PK	5.519G	108.70	Inf	-Inf	103.62	3	Vertical	322	3.00	-	32.86	7.65	35.43
AV	5.519G	96.89	Inf	-Inf	91.81	3	Vertical	322	3.00	-	32.86	7.65	35.43
PK	5.7635G	61.49	68.20	-6.71	55.29	3	Vertical	322	3.00	-	33.75	7.97	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTZ_1TX
Setting 4.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3095G	58.99	68.20	-9.21	54.08	3	Horizontal	32	3.00	-	32.88	7.50	35.47
PK	5.456G	60.63	74.00	-13.37	55.66	3	Horizontal	32	3.00	-	32.81	7.59	35.43
AV	5.4535G	48.35	54.00	-5.65	43.38	3	Horizontal	32	3.00	-	32.81	7.59	35.43
PK	5.4685G	61.58	68.20	-6.62	56.57	3	Horizontal	32	3.00	-	32.84	7.60	35.43
PK	5.564G	104.03	Inf	-Inf	98.99	3	Horizontal	32	3.00	-	32.80	7.68	35.44
AV	5.527G	92.38	Inf	-Inf	87.31	3	Horizontal	32	3.00	-	32.85	7.65	35.43
PK	5.77G	61.05	68.20	-7.15	54.81	3	Horizontal	32	3.00	-	33.78	7.98	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTZ_1TX
Setting 4.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07015G	57.20	74.00	-16.80	41.14	3	Vertical	64	2.33	-	38.80	10.66	33.40
AV	11.06505G	45.34	54.00	-8.66	29.28	3	Vertical	64	2.33	-	38.80	10.66	33.40
PK	16.56895G	58.84	68.20	-9.36	40.78	3	Vertical	173	2.43	-	38.46	12.69	33.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTZ_1TX
Setting 4.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06385G	57.82	74.00	-16.18	41.76	3	Horizontal	330	2.04	-	38.80	10.66	33.40
AV	11.0818G	45.30	54.00	-8.70	29.22	3	Horizontal	330	2.04	-	38.80	10.67	33.39
PK	16.5685G	58.34	68.20	-9.86	40.28	3	Horizontal	232	1.80	-	38.46	12.69	33.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUTZ_1TX
 Setting 1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.59	68.20	-8.61	54.73	3	Vertical	321	3.00	-	32.80	7.52	35.46
PK	5.4545G	68.66	74.00	-5.34	63.69	3	Vertical	321	3.00	-	32.81	7.59	35.43
AV	5.455G	49.85	54.00	-4.15	44.88	3	Vertical	321	3.00	-	32.81	7.59	35.43
PK	5.4645G	66.88	68.20	-1.32	61.88	3	Vertical	321	3.00	-	32.83	7.60	35.43
PK	5.5085G	111.04	Inf	-Inf	105.94	3	Vertical	321	3.00	-	32.88	7.64	35.42
AV	5.509G	99.18	Inf	-Inf	94.08	3	Vertical	321	3.00	-	32.88	7.64	35.42
PK	5.768G	62.12	68.20	-6.08	55.89	3	Vertical	321	3.00	-	33.77	7.98	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUTZ_1TX
 Setting 1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3345G	59.38	68.20	-8.82	54.50	3	Horizontal	30	3.00	-	32.83	7.52	35.47
PK	5.4555G	65.75	74.00	-8.25	60.78	3	Horizontal	30	3.00	-	32.81	7.59	35.43
AV	5.4535G	49.04	54.00	-4.96	44.07	3	Horizontal	30	3.00	-	32.81	7.59	35.43
PK	5.465G	64.49	68.20	-3.71	59.49	3	Horizontal	30	3.00	-	32.83	7.60	35.43
PK	5.556G	107.06	Inf	-Inf	102.03	3	Horizontal	30	3.00	-	32.80	7.67	35.44
AV	5.5625G	95.16	Inf	-Inf	90.12	3	Horizontal	30	3.00	-	32.80	7.68	35.44
PK	5.777G	61.84	68.20	-6.36	55.57	3	Horizontal	30	3.00	-	33.81	7.99	35.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUTZ_1TX
Setting 1.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08415G	56.70	74.00	-17.30	40.61	3	Vertical	240	1.23	-	38.80	10.67	33.38
AV	11.08405G	45.18	54.00	-8.82	29.09	3	Vertical	240	1.23	-	38.80	10.67	33.38
PK	16.6077G	58.28	68.20	-9.92	40.21	3	Vertical	183	1.10	-	38.42	12.71	33.06

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUTZ_1TX
Setting 1.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0706G	56.76	74.00	-17.24	40.70	3	Horizontal	138	3.00	-	38.80	10.66	33.40
AV	11.08095G	44.99	54.00	-9.01	28.91	3	Horizontal	138	3.00	-	38.80	10.67	33.39
PK	16.57675G	58.17	68.20	-10.03	40.11	3	Horizontal	263	1.08	-	38.45	12.70	33.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 3.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.88	74.00	-13.12	55.89	3	Vertical	319	3.00	-	32.82	7.60	35.43
AV	5.4595G	48.76	54.00	-5.24	43.77	3	Vertical	319	3.00	-	32.82	7.60	35.43
PK	5.465G	62.94	68.20	-5.26	57.94	3	Vertical	319	3.00	-	32.83	7.60	35.43
PK	5.648G	110.39	Inf	-Inf	105.18	3	Vertical	319	3.00	-	32.90	7.79	35.48
AV	5.648G	98.69	Inf	-Inf	93.48	3	Vertical	319	3.00	-	32.90	7.79	35.48
PK	5.735G	68.02	68.20	-0.18	61.99	3	Vertical	319	3.00	-	33.61	7.93	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUTZ_1TX
 Setting 3.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.79	74.00	-14.21	54.80	3	Horizontal	28	3.00	-	32.82	7.60	35.43
AV	5.459G	48.40	54.00	-5.60	43.41	3	Horizontal	28	3.00	-	32.82	7.60	35.43
PK	5.469G	60.21	68.20	-7.99	55.19	3	Horizontal	28	3.00	-	32.84	7.61	35.43
PK	5.581G	106.82	Inf	-Inf	101.78	3	Horizontal	28	3.00	-	32.80	7.69	35.45
AV	5.578G	94.66	Inf	-Inf	89.62	3	Horizontal	28	3.00	-	32.80	7.69	35.45
PK	5.7275G	66.61	68.20	-1.59	60.64	3	Horizontal	28	3.00	-	33.57	7.91	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 3.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23333G	57.97	74.00	-16.03	41.52	3	Vertical	2	2.05	-	38.97	10.73	33.25
AV	11.22565G	45.95	54.00	-8.05	29.53	3	Vertical	2	2.05	-	38.95	10.73	33.26
PK	16.84685G	60.40	68.20	-7.80	42.16	3	Vertical	39	2.81	-	38.29	12.82	32.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUTZ_1TX
Setting 3.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23045G	57.43	74.00	-16.57	40.99	3	Horizontal	183	2.05	-	38.96	10.73	33.25
AV	11.23085G	45.86	54.00	-8.14	29.42	3	Horizontal	183	2.05	-	38.96	10.73	33.25
PK	16.83355G	59.29	68.20	-8.91	41.12	3	Horizontal	280	2.93	-	38.23	12.82	32.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUTZ_1TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.40	74.00	-11.60	57.43	3	Vertical	322	3.00	-	32.81	7.59	35.43
AV	5.4595G	48.76	54.00	-5.24	43.77	3	Vertical	322	3.00	-	32.82	7.60	35.43
PK	5.469G	63.22	68.20	-4.98	58.20	3	Vertical	322	3.00	-	32.84	7.61	35.43
PK	5.647G	111.83	Inf	-Inf	106.63	3	Vertical	322	3.00	-	32.89	7.79	35.48
AV	5.648G	99.15	Inf	-Inf	93.94	3	Vertical	322	3.00	-	32.90	7.79	35.48
PK	5.7855G	67.54	68.20	-0.66	61.22	3	Vertical	322	3.00	-	33.84	8.01	35.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUTZ_1TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.08	74.00	-13.92	55.09	3	Horizontal	28	3.00	-	32.82	7.60	35.43
AV	5.459G	48.22	54.00	-5.78	43.23	3	Horizontal	28	3.00	-	32.82	7.60	35.43
PK	5.469G	60.93	68.20	-7.27	55.91	3	Horizontal	28	3.00	-	32.84	7.61	35.43
PK	5.581G	108.08	Inf	-Inf	103.04	3	Horizontal	28	3.00	-	32.80	7.69	35.45
AV	5.578G	95.50	Inf	-Inf	90.46	3	Horizontal	28	3.00	-	32.80	7.69	35.45
PK	5.7575G	64.98	68.20	-3.22	58.81	3	Horizontal	28	3.00	-	33.73	7.96	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUTZ_1TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21125G	57.91	74.00	-16.09	41.54	3	Vertical	249	2.65	-	38.92	10.72	33.27
AV	11.2252G	45.95	54.00	-8.05	29.53	3	Vertical	249	2.65	-	38.95	10.73	33.26
PK	16.84085G	59.65	68.20	-8.55	41.44	3	Vertical	157	2.26	-	38.26	12.82	32.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUTZ_1TX
Setting 3
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24165G	57.63	74.00	-16.37	41.15	3	Horizontal	117	1.21	-	38.98	10.74	33.24
AV	11.23145G	46.04	54.00	-7.96	29.60	3	Horizontal	117	1.21	-	38.96	10.73	33.25
PK	16.843G	60.47	68.20	-7.73	42.25	3	Horizontal	186	1.30	-	38.27	12.82	32.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	59.69	74.00	-14.31	54.74	3	Vertical	63	1.03	-	32.81	7.58	35.44
PK	5.47G	60.40	68.20	-7.80	55.38	3	Vertical	63	1.03	-	32.84	7.61	35.43
AV	5.458G	48.02	54.00	-5.98	43.03	3	Vertical	63	1.03	-	32.82	7.60	35.43
PK	5.7185G	113.34	Inf	-Inf	107.43	3	Vertical	63	1.03	-	33.51	7.90	35.50
AV	5.713G	101.05	Inf	-Inf	95.18	3	Vertical	63	1.03	-	33.48	7.89	35.50
PK	5.857G	68.04	68.20	-0.16	61.50	3	Vertical	63	1.03	-	34.03	8.07	35.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	59.48	74.00	-14.52	54.52	3	Horizontal	22	3.00	-	32.81	7.59	35.44
PK	5.47G	60.40	68.20	-7.80	55.38	3	Horizontal	22	3.00	-	32.84	7.61	35.43
AV	5.46G	47.84	54.00	-6.16	42.85	3	Horizontal	22	3.00	-	32.82	7.60	35.43
PK	5.7185G	109.87	Inf	-Inf	103.96	3	Horizontal	22	3.00	-	33.51	7.90	35.50
AV	5.721G	97.60	Inf	-Inf	91.67	3	Horizontal	22	3.00	-	33.53	7.90	35.50
PK	5.852G	64.63	68.20	-3.57	58.11	3	Horizontal	22	3.00	-	34.01	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37815G	59.07	74.00	-14.93	42.35	3	Vertical	66	2.64	-	39.04	10.80	33.12
AV	11.39605G	47.53	54.00	-6.47	30.82	3	Vertical	66	2.64	-	39.01	10.80	33.10
PK	17.045G	58.38	68.20	-9.82	40.06	3	Vertical	75	2.72	-	38.19	12.92	32.79

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting -2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3885G	59.46	74.00	-14.54	42.74	3	Horizontal	282	1.65	-	39.03	10.80	33.11
AV	11.38905G	47.36	54.00	-6.64	30.65	3	Horizontal	282	1.65	-	39.02	10.80	33.11
PK	17.06795G	58.25	68.20	-9.95	39.93	3	Horizontal	317	2.27	-	38.20	12.93	32.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4545G	59.35	74.00	-14.65	54.38	3	Vertical	66	1.03	-	32.81	7.59	35.43
PK	5.461G	59.20	68.20	-9.00	54.21	3	Vertical	66	1.03	-	32.82	7.60	35.43
AV	5.46G	48.04	54.00	-5.96	43.05	3	Vertical	66	1.03	-	32.82	7.60	35.43
PK	5.7215G	112.60	Inf	-Inf	106.67	3	Vertical	66	1.03	-	33.53	7.90	35.50
AV	5.716G	101.03	Inf	-Inf	95.13	3	Vertical	66	1.03	-	33.50	7.90	35.50
PK	5.8525G	67.78	68.20	-0.42	61.26	3	Vertical	66	1.03	-	34.01	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.70	74.00	-14.30	54.71	3	Horizontal	22	3.00	-	32.82	7.60	35.43
AV	5.455G	47.80	54.00	-6.20	42.83	3	Horizontal	22	3.00	-	32.81	7.59	35.43
PK	5.466G	59.65	68.20	-8.55	54.65	3	Horizontal	22	3.00	-	32.83	7.60	35.43
PK	5.7235G	109.69	Inf	-Inf	103.74	3	Horizontal	22	3.00	-	33.54	7.91	35.50
AV	5.722G	97.62	Inf	-Inf	91.68	3	Horizontal	22	3.00	-	33.53	7.91	35.50
PK	5.851G	64.75	68.20	-3.45	58.24	3	Horizontal	22	3.00	-	34.00	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39165G	59.52	74.00	-14.48	42.81	3	Vertical	155	1.61	-	39.02	10.80	33.11
AV	11.3912G	47.51	54.00	-6.49	30.80	3	Vertical	155	1.61	-	39.02	10.80	33.11
PK	17.05035G	58.06	68.20	-10.14	39.73	3	Vertical	31	1.63	-	38.20	12.92	32.79

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 0.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37595G	58.81	74.00	-15.19	42.08	3	Horizontal	52	2.00	-	39.05	10.80	33.12
AV	11.39535G	47.45	54.00	-6.55	30.74	3	Horizontal	52	2.00	-	39.01	10.80	33.10
PK	17.05535G	58.23	68.20	-9.97	39.91	3	Horizontal	75	2.91	-	38.20	12.92	32.80

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.06	68.20	-2.14	60.85	3	Vertical	64	1.05	-	32.90	7.79	35.48
PK	5.743G	112.58	Inf	-Inf	106.49	3	Vertical	64	1.05	-	33.66	7.94	35.51
AV	5.7595G	100.33	Inf	-Inf	94.14	3	Vertical	64	1.05	-	33.74	7.97	35.52
PK	5.9295G	62.25	68.20	-5.95	55.52	3	Vertical	64	1.05	-	34.20	8.11	35.58

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	62.92	68.20	-5.28	57.71	3	Horizontal	25	3.00	-	32.90	7.79	35.48
PK	5.741G	107.43	Inf	-Inf	101.35	3	Horizontal	25	3.00	-	33.65	7.94	35.51
AV	5.7395G	95.63	Inf	-Inf	89.57	3	Horizontal	25	3.00	-	33.64	7.93	35.51
PK	5.987G	62.08	68.20	-6.12	55.41	3	Horizontal	25	3.00	-	34.13	8.15	35.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55955G	57.83	74.00	-16.17	41.15	3	Vertical	117	2.85	-	38.86	10.88	33.06
AV	11.5397G	46.37	54.00	-7.63	29.60	3	Vertical	117	2.85	-	38.94	10.87	33.04
PK	17.34585G	59.16	68.20	-9.04	40.41	3	Vertical	270	2.38	-	38.79	13.06	33.10

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUTZ_1TX
Setting 9
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5373G	57.73	74.00	-16.27	40.95	3	Horizontal	224	1.63	-	38.95	10.87	33.04
AV	11.5397G	46.29	54.00	-7.71	29.52	3	Horizontal	224	1.63	-	38.94	10.87	33.04
PK	17.34705G	59.41	68.20	-8.79	40.66	3	Horizontal	334	1.46	-	38.79	13.06	33.10

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUTZ_1TX
Setting 6.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	67.37	68.20	-0.83	62.19	3	Vertical	67	1.80	-	32.88	7.77	35.47
PK	5.7535G	113.45	Inf	-Inf	107.30	3	Vertical	67	1.80	-	33.71	7.96	35.52
AV	5.74G	101.09	Inf	-Inf	95.03	3	Vertical	67	1.80	-	33.64	7.93	35.51
PK	5.9625G	62.86	68.20	-5.34	56.14	3	Vertical	67	1.80	-	34.18	8.14	35.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUTZ_1TX
Setting 6.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	67.06	68.20	-1.14	62.01	3	Horizontal	24	2.96	-	32.80	7.71	35.46
PK	5.742G	110.44	Inf	-Inf	104.36	3	Horizontal	24	2.96	-	33.65	7.94	35.51
AV	5.7535G	97.92	Inf	-Inf	91.77	3	Horizontal	24	2.96	-	33.71	7.96	35.52
PK	5.989G	62.30	68.20	-5.90	55.64	3	Horizontal	24	2.96	-	34.12	8.15	35.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUTZ_1TX
 Setting 6.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54955G	58.37	74.00	-15.63	41.65	3	Vertical	75	1.88	-	38.90	10.87	33.05
AV	11.5457G	46.11	54.00	-7.89	29.37	3	Vertical	75	1.88	-	38.92	10.87	33.05
PK	17.3296G	59.80	68.20	-8.40	41.07	3	Vertical	270	2.62	-	38.76	13.05	33.08

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUTZ_1TX
Setting 6.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54835G	57.28	74.00	-16.72	40.55	3	Horizontal	219	1.21	-	38.91	10.87	33.05
AV	11.53655G	46.16	54.00	-7.84	29.38	3	Horizontal	219	1.21	-	38.95	10.87	33.04
PK	17.3212G	59.43	68.20	-8.77	40.72	3	Horizontal	230	1.25	-	38.74	13.04	33.07

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 7
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1234G	61.45	74.00	-12.55	53.80	3	Vertical	66	2.36	-	32.10	6.90	31.35
AV	5.052G	50.08	54.00	-3.92	42.52	3	Vertical	66	2.36	-	32.00	6.87	31.31
PK	5.3124G	89.91	Inf	-Inf	82.84	3	Vertical	66	2.36	-	31.50	7.02	31.45
AV	5.328G	78.72	Inf	-Inf	71.64	3	Vertical	66	2.36	-	31.50	7.04	31.46
PK	5.403G	62.45	74.00	-11.55	55.25	3	Vertical	66	2.36	-	31.61	7.09	31.50
AV	5.4324G	50.07	54.00	-3.93	42.74	3	Vertical	66	2.36	-	31.73	7.11	31.51
PK	5.4666G	61.57	68.20	-6.63	54.14	3	Vertical	66	2.36	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 7
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.121G	72.26	74.00	-1.74	64.61	3	Horizontal	198	2.55	-	32.10	6.90	31.35
AV	5.148G	51.73	54.00	-2.27	44.08	3	Horizontal	198	2.55	-	32.10	6.91	31.36
PK	5.307G	101.45	Inf	-Inf	94.38	3	Horizontal	198	2.55	-	31.50	7.02	31.45
AV	5.3256G	90.27	Inf	-Inf	83.20	3	Horizontal	198	2.55	-	31.50	7.03	31.46
PK	5.4072G	68.79	74.00	-5.21	61.57	3	Horizontal	198	2.55	-	31.63	7.09	31.50
AV	5.4198G	53.73	54.00	-0.27	46.46	3	Horizontal	198	2.55	-	31.68	7.10	31.51
PK	5.4678G	66.98	68.20	-1.22	59.54	3	Horizontal	198	2.55	-	31.84	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 7
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50035G	60.55	68.20	-7.65	42.92	3	Vertical	72	1.25	-	40.10	10.10	32.57
PK	15.74996G	61.56	74.00	-12.44	43.58	3	Vertical	48	1.63	-	38.30	12.55	32.87
AV	15.75022G	47.78	54.00	-6.22	29.80	3	Vertical	48	1.63	-	38.30	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 7
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50038G	59.95	68.20	-8.25	42.32	3	Horizontal	222	2.78	-	40.10	10.10	32.57
PK	15.75027G	61.64	74.00	-12.36	43.66	3	Horizontal	189	1.22	-	38.30	12.55	32.87
AV	15.74952G	47.67	54.00	-6.33	29.69	3	Horizontal	189	1.22	-	38.30	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.073G	61.57	74.00	-12.43	53.96	3	Vertical	70	2.49	-	32.05	6.88	31.32
AV	5.1492G	50.09	54.00	-3.91	42.44	3	Vertical	70	2.49	-	32.10	6.91	31.36
PK	5.316G	90.91	Inf	-Inf	83.83	3	Vertical	70	2.49	-	31.50	7.03	31.45
AV	5.3214G	79.51	Inf	-Inf	72.43	3	Vertical	70	2.49	-	31.50	7.03	31.45
PK	5.424G	61.46	74.00	-12.54	54.16	3	Vertical	70	2.49	-	31.70	7.11	31.51
AV	5.4222G	49.89	54.00	-4.11	42.61	3	Vertical	70	2.49	-	31.69	7.10	31.51
PK	5.523G	61.19	68.20	-7.01	53.67	3	Vertical	70	2.49	-	31.90	7.17	31.55

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
 Setting 7.5
 06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1138G	69.77	74.00	-4.23	62.11	3	Horizontal	196	2.45	-	32.10	6.90	31.34
AV	5.1486G	52.68	54.00	-1.32	45.03	3	Horizontal	196	2.45	-	32.10	6.91	31.36
PK	5.3154G	103.72	Inf	-Inf	96.64	3	Horizontal	196	2.45	-	31.50	7.03	31.45
AV	5.3238G	91.97	Inf	-Inf	84.89	3	Horizontal	196	2.45	-	31.50	7.03	31.45
PK	5.3748G	70.72	74.00	-3.28	63.58	3	Horizontal	196	2.45	-	31.55	7.07	31.48
AV	5.3676G	53.50	54.00	-0.50	46.37	3	Horizontal	196	2.45	-	31.54	7.07	31.48
PK	5.4648G	67.59	68.20	-0.61	60.16	3	Horizontal	196	2.45	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49956G	59.92	68.20	-8.28	42.29	3	Vertical	356	2.14	-	40.10	10.10	32.57
PK	15.7498G	61.88	74.00	-12.12	43.90	3	Vertical	353	1.50	-	38.30	12.55	32.87
AV	15.74999G	47.94	54.00	-6.06	29.96	3	Vertical	353	1.50	-	38.30	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 7.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49976G	60.39	68.20	-7.81	42.76	3	Horizontal	246	1.33	-	40.10	10.10	32.57
PK	15.75012G	62.33	74.00	-11.67	44.35	3	Horizontal	124	1.77	-	38.30	12.55	32.87
AV	15.74996G	47.84	54.00	-6.16	29.86	3	Horizontal	124	1.77	-	38.30	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 9
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0274G	62.13	74.00	-11.87	54.71	3	Vertical	69	2.46	-	31.86	6.85	31.29
AV	5.1114G	49.94	54.00	-4.06	42.28	3	Vertical	69	2.46	-	32.10	6.90	31.34
PK	5.322G	89.46	Inf	-Inf	82.38	3	Vertical	69	2.46	-	31.50	7.03	31.45
AV	5.3274G	78.72	Inf	-Inf	71.64	3	Vertical	69	2.46	-	31.50	7.04	31.46
PK	5.4456G	60.77	74.00	-13.23	53.39	3	Vertical	69	2.46	-	31.78	7.12	31.52
AV	5.4162G	49.71	54.00	-4.29	42.45	3	Vertical	69	2.46	-	31.66	7.10	31.50
PK	5.5062G	61.15	68.20	-7.05	53.64	3	Vertical	69	2.46	-	31.90	7.16	31.55

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 9
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.082G	66.32	74.00	-7.68	58.70	3	Horizontal	199	2.90	-	32.06	6.88	31.32
AV	5.0772G	52.36	54.00	-1.64	44.75	3	Horizontal	199	2.90	-	32.05	6.88	31.32
PK	5.3256G	101.93	Inf	-Inf	94.86	3	Horizontal	199	2.90	-	31.50	7.03	31.46
AV	5.3274G	91.09	Inf	-Inf	84.01	3	Horizontal	199	2.90	-	31.50	7.04	31.46
PK	5.4366G	68.99	74.00	-5.01	61.65	3	Horizontal	199	2.90	-	31.75	7.11	31.52
AV	5.4222G	53.73	54.00	-0.27	46.45	3	Horizontal	199	2.90	-	31.69	7.10	31.51
PK	5.4642G	62.83	68.20	-5.37	55.40	3	Horizontal	199	2.90	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 9
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49968G	60.64	68.20	-7.56	43.01	3	Vertical	66	2.13	-	40.10	10.10	32.57
PK	15.74973G	62.32	74.00	-11.68	44.34	3	Vertical	246	2.80	-	38.30	12.55	32.87
AV	15.7495G	47.69	54.00	-6.31	29.71	3	Vertical	246	2.80	-	38.30	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 9
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49985G	60.74	68.20	-7.46	43.11	3	Horizontal	196	2.36	-	40.10	10.10	32.57
PK	15.74992G	61.54	74.00	-12.46	43.56	3	Horizontal	19	1.35	-	38.30	12.55	32.87
AV	15.75006G	47.82	54.00	-6.18	29.84	3	Horizontal	19	1.35	-	38.30	12.55	32.87

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUTZ_1TX
Setting 7.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.25G	60.00	68.20	-8.20	55.02	3	Vertical	325	1.80	-	33.00	7.47	35.49
PK	5.458G	61.93	74.00	-12.07	56.94	3	Vertical	325	1.80	-	32.82	7.60	35.43
AV	5.4588G	48.03	54.00	-5.97	43.04	3	Vertical	325	1.80	-	32.82	7.60	35.43
PK	5.4604G	61.48	68.20	-6.72	56.49	3	Vertical	325	1.80	-	32.82	7.60	35.43
PK	5.5244G	102.76	Inf	-Inf	97.69	3	Vertical	325	1.80	-	32.85	7.65	35.43
AV	5.5204G	90.93	Inf	-Inf	85.85	3	Vertical	325	1.80	-	32.86	7.65	35.43
PK	5.7276G	65.69	68.20	-2.51	59.72	3	Vertical	325	1.80	-	33.57	7.91	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUTZ_1TX
Setting 7.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1756G	60.55	68.20	-7.65	55.58	3	Horizontal	30	3.00	-	33.05	7.43	35.51
PK	5.4532G	60.88	74.00	-13.12	55.91	3	Horizontal	30	3.00	-	32.81	7.59	35.43
AV	5.4588G	47.84	54.00	-6.16	42.85	3	Horizontal	30	3.00	-	32.82	7.60	35.43
PK	5.4676G	61.85	68.20	-6.35	56.84	3	Horizontal	30	3.00	-	32.84	7.60	35.43
PK	5.5268G	99.72	Inf	-Inf	94.65	3	Horizontal	30	3.00	-	32.85	7.65	35.43
AV	5.5284G	87.88	Inf	-Inf	82.82	3	Horizontal	30	3.00	-	32.84	7.65	35.43
PK	5.7332G	64.48	68.20	-3.72	58.47	3	Horizontal	30	3.00	-	33.60	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUTZ_1TX
Setting 7.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1511G	57.57	74.00	-16.43	41.29	3	Vertical	96	1.52	-	38.90	10.70	33.32
AV	11.1643G	45.66	54.00	-8.34	29.37	3	Vertical	96	1.52	-	38.90	10.70	33.31
PK	16.7071G	58.69	68.20	-9.51	40.94	3	Vertical	230	2.51	-	37.97	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUTZ_1TX
Setting 7.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.158G	56.93	74.00	-17.07	40.65	3	Horizontal	56	1.23	-	38.90	10.70	33.32
AV	11.165G	45.67	54.00	-8.33	29.38	3	Horizontal	56	1.23	-	38.90	10.70	33.31
PK	16.7341G	59.27	68.20	-8.93	41.60	3	Horizontal	153	2.12	-	37.86	12.77	32.96

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2636G	59.70	68.20	-8.50	54.74	3	Vertical	58	1.80	-	32.97	7.48	35.49
PK	5.4396G	59.82	74.00	-14.18	54.86	3	Vertical	58	1.80	-	32.82	7.58	35.44
PK	5.4628G	59.53	68.20	-8.67	54.53	3	Vertical	58	1.80	-	32.83	7.60	35.43
AV	5.4532G	47.59	54.00	-6.41	42.62	3	Vertical	58	1.80	-	32.81	7.59	35.43
PK	5.498G	87.00	Inf	-Inf	81.89	3	Vertical	58	1.80	-	32.90	7.63	35.42
AV	5.4996G	75.68	Inf	-Inf	70.57	3	Vertical	58	1.80	-	32.90	7.63	35.42
PK	5.9404G	62.37	68.20	-5.83	55.64	3	Vertical	58	1.80	-	34.20	8.12	35.59

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	60.30	68.20	-7.90	55.41	3	Horizontal	172	2.97	-	32.85	7.51	35.47
PK	5.3836G	61.11	74.00	-12.89	56.15	3	Horizontal	172	2.97	-	32.87	7.54	35.45
AV	5.4012G	48.78	54.00	-5.22	43.78	3	Horizontal	172	2.97	-	32.90	7.55	35.45
PK	5.4668G	60.18	68.20	-8.02	55.18	3	Horizontal	172	2.97	-	32.83	7.60	35.43
PK	5.5148G	104.64	Inf	-Inf	99.56	3	Horizontal	172	2.97	-	32.87	7.64	35.43
AV	5.6116G	92.65	Inf	-Inf	87.56	3	Horizontal	172	2.97	-	32.82	7.73	35.46
PK	5.762G	67.87	68.20	-0.33	61.67	3	Horizontal	172	2.97	-	33.75	7.97	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13715G	56.08	74.00	-17.92	39.86	3	Vertical	344	2.94	-	38.87	10.69	33.34
AV	11.15059G	44.82	54.00	-9.18	28.54	3	Vertical	344	2.94	-	38.90	10.70	33.32
PK	16.68525G	59.52	68.20	-8.68	41.62	3	Vertical	246	1.70	-	38.15	12.75	33.00

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15805G	57.28	74.00	-16.72	41.00	3	Horizontal	163	2.78	-	38.90	10.70	33.32
AV	11.16495G	45.24	54.00	-8.76	28.95	3	Horizontal	163	2.78	-	38.90	10.70	33.31
PK	16.7039G	59.52	68.20	-8.68	41.76	3	Horizontal	114	2.92	-	37.98	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Z_1TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2444G	59.65	68.20	-8.55	54.66	3	Vertical	31.9	1.80	-	33.01	7.47	35.49
PK	5.3868G	59.31	74.00	-14.69	54.35	3	Vertical	31.9	1.80	-	32.87	7.54	35.45
PK	5.4692G	58.74	68.20	-9.46	53.72	3	Vertical	31.9	1.80	-	32.84	7.61	35.43
AV	5.4492G	47.56	54.00	-6.44	42.60	3	Vertical	31.9	1.80	-	32.80	7.59	35.43
PK	5.5076G	88.24	Inf	-Inf	83.14	3	Vertical	31.9	1.80	-	32.88	7.64	35.42
AV	5.5036G	75.93	Inf	-Inf	70.83	3	Vertical	31.9	1.80	-	32.89	7.63	35.42
PK	5.9564G	62.88	68.20	-5.32	56.15	3	Vertical	31.9	1.80	-	34.19	8.13	35.59

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2348G	60.00	68.20	-8.20	54.99	3	Horizontal	172	3.00	-	33.03	7.47	35.49
PK	5.4524G	63.77	74.00	-10.23	58.81	3	Horizontal	172	3.00	-	32.80	7.59	35.43
AV	5.398G	48.92	54.00	-5.08	43.92	3	Horizontal	172	3.00	-	32.90	7.55	35.45
PK	5.4612G	61.60	68.20	-6.60	56.61	3	Horizontal	172	3.00	-	32.82	7.60	35.43
PK	5.5084G	104.86	Inf	-Inf	99.76	3	Horizontal	172	3.00	-	32.88	7.64	35.42
AV	5.6116G	93.22	Inf	-Inf	88.13	3	Horizontal	172	3.00	-	32.82	7.73	35.46
PK	5.7572G	67.27	68.20	-0.93	61.10	3	Horizontal	172	3.00	-	33.73	7.96	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16035G	56.65	74.00	-17.35	40.37	3	Vertical	239	3.00	-	38.90	10.70	33.32
AV	11.1644G	45.31	54.00	-8.69	29.02	3	Vertical	239	3.00	-	38.90	10.70	33.31
PK	16.72025G	59.29	68.20	-8.91	41.58	3	Vertical	273	1.71	-	37.92	12.76	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUTZ_1TX
Setting 6
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1383G	56.81	74.00	-17.19	40.58	3	Horizontal	144	1.55	-	38.88	10.69	33.34
AV	11.16085G	45.41	54.00	-8.59	29.13	3	Horizontal	144	1.55	-	38.90	10.70	33.32
PK	16.725G	59.03	68.20	-9.17	41.33	3	Horizontal	225	1.60	-	37.90	12.77	32.97

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	71.11	74.00	-2.89	63.46	3	Vertical	213	1.54	-	32.10	6.91	31.36
AV	5.147G	53.66	54.00	-0.34	46.01	3	Vertical	213	1.54	-	32.10	6.91	31.36
PK	5.1865G	112.18	Inf	-Inf	104.75	3	Vertical	213	1.54	-	31.88	6.93	31.38
AV	5.2055G	100.33	Inf	-Inf	93.00	3	Vertical	213	1.54	-	31.78	6.94	31.39
PK	5.413G	61.67	74.00	-12.33	54.42	3	Vertical	213	1.54	-	31.65	7.10	31.50
AV	5.368G	50.05	54.00	-3.95	42.92	3	Vertical	213	1.54	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1235G	63.19	74.00	-10.81	55.54	3	Horizontal	223	2.10	-	32.10	6.90	31.35
AV	5.148G	50.67	54.00	-3.33	43.02	3	Horizontal	223	2.10	-	32.10	6.91	31.36
PK	5.203G	105.91	Inf	-Inf	98.57	3	Horizontal	223	2.10	-	31.79	6.94	31.39
AV	5.2075G	95.39	Inf	-Inf	88.06	3	Horizontal	223	2.10	-	31.77	6.95	31.39
PK	5.444G	61.66	74.00	-12.34	54.28	3	Horizontal	223	2.10	-	31.78	7.12	31.52
AV	5.3515G	49.61	54.00	-4.39	42.53	3	Horizontal	223	2.10	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4201G	60.47	68.20	-7.73	42.85	3	Vertical	305	1.10	-	40.14	10.06	32.58
PK	15.62994G	63.11	74.00	-10.89	45.17	3	Vertical	192	2.88	-	38.30	12.49	32.85
AV	15.6302G	47.56	54.00	-6.44	29.62	3	Vertical	192	2.88	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41969G	60.18	68.20	-8.02	42.56	3	Horizontal	24	1.91	-	40.14	10.06	32.58
PK	15.63022G	61.98	74.00	-12.02	44.04	3	Horizontal	246	2.56	-	38.30	12.49	32.85
AV	15.63044G	47.16	54.00	-6.84	29.22	3	Horizontal	246	2.56	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
 Setting 9.5
 06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	72.82	74.00	-1.18	65.17	3	Vertical	214	1.56	-	32.10	6.90	31.35
AV	5.1235G	53.69	54.00	-0.31	46.04	3	Vertical	214	1.56	-	32.10	6.90	31.35
PK	5.186G	113.22	Inf	-Inf	105.79	3	Vertical	214	1.56	-	31.88	6.93	31.38
AV	5.185G	101.42	Inf	-Inf	93.98	3	Vertical	214	1.56	-	31.89	6.93	31.38
PK	5.3725G	64.71	74.00	-9.29	57.58	3	Vertical	214	1.56	-	31.54	7.07	31.48
AV	5.3685G	50.04	54.00	-3.96	42.91	3	Vertical	214	1.56	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 9.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1225G	71.34	74.00	-2.66	63.69	3	Horizontal	223	2.10	-	32.10	6.90	31.35
AV	5.1265G	51.79	54.00	-2.21	44.14	3	Horizontal	223	2.10	-	32.10	6.90	31.35
PK	5.1865G	109.57	Inf	-Inf	102.14	3	Horizontal	223	2.10	-	31.88	6.93	31.38
AV	5.246G	97.13	Inf	-Inf	89.95	3	Horizontal	223	2.10	-	31.62	6.97	31.41
PK	5.3655G	61.69	74.00	-12.31	54.58	3	Horizontal	223	2.10	-	31.53	7.06	31.48
AV	5.365G	49.64	54.00	-4.36	42.53	3	Horizontal	223	2.10	-	31.53	7.06	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
 Setting 9.5
 06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42026G	60.72	68.20	-7.48	43.10	3	Vertical	318	2.27	-	40.14	10.06	32.58
PK	15.62978G	61.74	74.00	-12.26	43.80	3	Vertical	177	2.63	-	38.30	12.49	32.85
AV	15.62952G	47.68	54.00	-6.32	29.74	3	Vertical	177	2.63	-	38.30	12.49	32.85

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 9.5
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41987G	60.51	68.20	-7.69	42.89	3	Horizontal	24	1.81	-	40.14	10.06	32.58
PK	15.62967G	62.15	74.00	-11.85	44.21	3	Horizontal	281	2.19	-	38.30	12.49	32.85
AV	15.63031G	47.59	54.00	-6.41	29.65	3	Horizontal	281	2.19	-	38.30	12.49	32.85

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 4
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.50	74.00	-10.50	55.84	3	Vertical	216	1.46	-	32.10	6.92	31.36
AV	5.1484G	49.88	54.00	-4.12	42.23	3	Vertical	216	1.46	-	32.10	6.91	31.36
PK	5.2856G	109.54	Inf	-Inf	102.44	3	Vertical	216	1.46	-	31.53	7.00	31.43
PK	5.3636G	69.24	74.00	-4.76	62.13	3	Vertical	216	1.46	-	31.53	7.06	31.48
AV	5.3272G	98.37	Inf	-Inf	91.29	3	Vertical	216	1.46	-	31.50	7.04	31.46
AV	5.3664G	53.49	54.00	-0.51	46.38	3	Vertical	216	1.46	-	31.53	7.06	31.48
PK	5.4896G	60.69	68.20	-7.51	53.20	3	Vertical	216	1.46	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 4
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	61.52	74.00	-12.48	53.86	3	Horizontal	223	2.06	-	32.10	6.89	31.33
AV	5.15G	49.48	54.00	-4.52	41.82	3	Horizontal	223	2.06	-	32.10	6.92	31.36
PK	5.2656G	103.54	Inf	-Inf	96.40	3	Horizontal	223	2.06	-	31.57	6.99	31.42
AV	5.2672G	92.48	Inf	-Inf	85.34	3	Horizontal	223	2.06	-	31.57	6.99	31.42
PK	5.3636G	63.47	74.00	-10.53	56.36	3	Horizontal	223	2.06	-	31.53	7.06	31.48
AV	5.364G	49.84	54.00	-4.16	42.73	3	Horizontal	223	2.06	-	31.53	7.06	31.48
PK	5.4764G	60.55	68.20	-7.65	53.10	3	Horizontal	223	2.06	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 4
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57993G	60.47	68.20	-7.73	42.73	3	Vertical	149	1.26	-	40.16	10.14	32.56
PK	15.86976G	61.47	74.00	-12.53	43.69	3	Vertical	70	2.35	-	38.06	12.61	32.89
AV	15.87003G	47.97	54.00	-6.03	30.19	3	Vertical	70	2.35	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 4
06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57994G	60.42	68.20	-7.78	42.68	3	Horizontal	350	1.30	-	40.16	10.14	32.56
PK	15.87033G	61.53	74.00	-12.47	43.75	3	Horizontal	243	2.94	-	38.06	12.61	32.89
AV	15.8696G	47.82	54.00	-6.18	30.04	3	Horizontal	243	2.94	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 5.5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	62.22	74.00	-11.78	54.56	3	Vertical	215	1.55	-	32.10	6.91	31.35
AV	5.1496G	49.89	54.00	-4.11	42.24	3	Vertical	215	1.55	-	32.10	6.91	31.36
PK	5.324G	110.18	Inf	-Inf	103.10	3	Vertical	215	1.55	-	31.50	7.03	31.45
AV	5.3268G	99.27	Inf	-Inf	92.19	3	Vertical	215	1.55	-	31.50	7.04	31.46
PK	5.3872G	68.49	74.00	-5.51	61.33	3	Vertical	215	1.55	-	31.57	7.08	31.49
AV	5.3856G	53.85	54.00	-0.15	46.69	3	Vertical	215	1.55	-	31.57	7.08	31.49
PK	5.4636G	60.77	68.20	-7.43	53.34	3	Vertical	215	1.55	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 5.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0912G	60.89	74.00	-13.11	53.25	3	Horizontal	226	1.64	-	32.08	6.89	31.33
AV	5.1324G	49.59	54.00	-4.41	41.93	3	Horizontal	226	1.64	-	32.10	6.91	31.35
PK	5.2672G	105.90	Inf	-Inf	98.76	3	Horizontal	226	1.64	-	31.57	6.99	31.42
AV	5.268G	93.44	Inf	-Inf	86.31	3	Horizontal	226	1.64	-	31.56	6.99	31.42
PK	5.3836G	63.36	74.00	-10.64	56.20	3	Horizontal	226	1.64	-	31.57	7.08	31.49
AV	5.3832G	49.63	54.00	-4.37	42.47	3	Horizontal	226	1.64	-	31.57	7.08	31.49
PK	5.4792G	61.49	68.20	-6.71	54.03	3	Horizontal	226	1.64	-	31.86	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
 Setting 5.5
 06-K-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57976G	60.20	68.20	-8.00	42.46	3	Vertical	318	2.10	-	40.16	10.14	32.56
PK	15.86992G	62.05	74.00	-11.95	44.27	3	Vertical	242	1.60	-	38.06	12.61	32.89
AV	15.8695G	47.90	54.00	-6.10	30.12	3	Vertical	242	1.60	-	38.06	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 5.5
06-K-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58022G	60.61	68.20	-7.59	42.87	3	Horizontal	245	1.02	-	40.16	10.14	32.56
PK	15.86988G	61.92	74.00	-12.08	44.14	3	Horizontal	158	2.84	-	38.06	12.61	32.89
AV	15.86954G	47.91	54.00	-6.09	30.13	3	Horizontal	158	2.84	-	38.06	12.61	32.89

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	58.61	68.20	-9.59	53.69	3	Vertical	325	1.01	-	32.89	7.50	35.47
PK	5.46G	66.63	74.00	-7.37	61.64	3	Vertical	325	1.01	-	32.82	7.60	35.43
AV	5.46G	50.90	54.00	-3.10	45.91	3	Vertical	325	1.01	-	32.82	7.60	35.43
PK	5.464G	68.16	68.20	-0.04	63.16	3	Vertical	325	1.01	-	32.83	7.60	35.43
PK	5.521G	111.14	Inf	-Inf	106.06	3	Vertical	325	1.01	-	32.86	7.65	35.43
AV	5.523G	99.08	Inf	-Inf	94.01	3	Vertical	325	1.01	-	32.85	7.65	35.43
PK	5.753G	66.17	68.20	-2.03	60.03	3	Vertical	325	1.01	-	33.71	7.95	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3005G	59.37	68.20	-8.83	54.45	3	Horizontal	41	3.00	-	32.90	7.50	35.48
AV	5.35G	47.23	54.00	-6.77	42.36	3	Horizontal	41	3.00	-	32.80	7.53	35.46
PK	5.4525G	61.75	74.00	-12.25	56.79	3	Horizontal	41	3.00	-	32.80	7.59	35.43
AV	5.453G	49.04	54.00	-4.96	44.07	3	Horizontal	41	3.00	-	32.81	7.59	35.43
PK	5.468G	64.49	68.20	-3.71	59.48	3	Horizontal	41	3.00	-	32.84	7.60	35.43
PK	5.5115G	108.39	Inf	-Inf	103.29	3	Horizontal	41	3.00	-	32.88	7.64	35.42
AV	5.5115G	97.48	Inf	-Inf	92.38	3	Horizontal	41	3.00	-	32.88	7.64	35.42
PK	5.766G	61.37	68.20	-6.83	55.15	3	Horizontal	41	3.00	-	33.76	7.98	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.063G	56.88	74.00	-17.12	40.82	3	Vertical	250	1.22	-	38.80	10.66	33.40
AV	11.06795G	44.98	54.00	-9.02	28.92	3	Vertical	250	1.22	-	38.80	10.66	33.40
PK	16.578G	58.30	68.20	-9.90	40.25	3	Vertical	344	1.10	-	38.44	12.70	33.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_X_2TX
Setting 1.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06825G	56.39	74.00	-17.61	40.33	3	Horizontal	132	2.89	-	38.80	10.66	33.40
AV	11.06765G	43.98	54.00	-10.02	27.92	3	Horizontal	132	2.89	-	38.80	10.66	33.40
PK	16.5876G	58.50	68.20	-9.70	40.46	3	Horizontal	140	1.07	-	38.42	12.70	33.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_X_2TX
 Setting -0.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2805G	59.48	68.20	-8.72	54.53	3	Vertical	324	1.00	-	32.94	7.49	35.48
PK	5.4595G	67.00	74.00	-7.00	62.01	3	Vertical	324	1.00	-	32.82	7.60	35.43
AV	5.445G	51.30	54.00	-2.70	46.34	3	Vertical	324	1.00	-	32.81	7.59	35.44
PK	5.4625G	67.39	68.20	-0.81	62.40	3	Vertical	324	1.00	-	32.82	7.60	35.43
AV	5.503G	101.47	Inf	-Inf	96.37	3	Vertical	324	1.00	-	32.89	7.63	35.42
PK	5.56G	113.45	Inf	-Inf	108.41	3	Vertical	324	1.00	-	32.80	7.68	35.44
PK	5.745G	61.92	68.20	-6.28	55.82	3	Vertical	324	1.00	-	33.67	7.94	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_X_2TX
 Setting -0.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	59.63	68.20	-8.57	54.73	3	Horizontal	41	3.00	-	32.86	7.51	35.47
PK	5.449G	67.60	74.00	-6.40	62.64	3	Horizontal	41	3.00	-	32.80	7.59	35.43
AV	5.4535G	50.43	54.00	-3.57	45.46	3	Horizontal	41	3.00	-	32.81	7.59	35.43
PK	5.469G	63.98	68.20	-4.22	58.96	3	Horizontal	41	3.00	-	32.84	7.61	35.43
PK	5.509G	111.74	Inf	-Inf	106.64	3	Horizontal	41	3.00	-	32.88	7.64	35.42
AV	5.551G	99.53	Inf	-Inf	94.50	3	Horizontal	41	3.00	-	32.80	7.67	35.44
PK	5.78G	61.89	68.20	-6.31	55.60	3	Horizontal	41	3.00	-	33.82	8.00	35.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_X_2TX
 Setting -0.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07395G	57.06	74.00	-16.94	40.99	3	Vertical	124	2.95	-	38.80	10.66	33.39
AV	11.08405G	45.18	54.00	-8.82	29.09	3	Vertical	124	2.95	-	38.80	10.67	33.38
PK	16.59255G	58.48	68.20	-9.72	40.43	3	Vertical	356	1.87	-	38.41	12.71	33.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_X_2TX
 Setting -0.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03915G	56.95	74.00	-17.05	40.90	3	Horizontal	227	1.00	-	38.82	10.65	33.42
AV	11.08375G	45.25	54.00	-8.75	29.16	3	Horizontal	227	1.00	-	38.80	10.67	33.38
PK	16.58805G	59.22	68.20	-8.98	41.18	3	Horizontal	32	1.75	-	38.42	12.70	33.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_X_2TX
Setting 2.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4195G	59.27	74.00	-14.73	54.28	3	Vertical	326	1.01	-	32.86	7.57	35.44
PK	5.462G	59.96	68.20	-8.24	54.97	3	Vertical	326	1.01	-	32.82	7.60	35.43
AV	5.4585G	47.84	54.00	-6.16	42.85	3	Vertical	326	1.01	-	32.82	7.60	35.43
PK	5.582G	111.38	Inf	-Inf	106.33	3	Vertical	326	1.01	-	32.80	7.70	35.45
AV	5.582G	99.66	Inf	-Inf	94.61	3	Vertical	326	1.01	-	32.80	7.70	35.45
PK	5.7385G	68.17	68.20	-0.03	62.12	3	Vertical	326	1.01	-	33.63	7.93	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_X_2TX
 Setting 2.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.421G	59.63	74.00	-14.37	54.64	3	Horizontal	41	3.00	-	32.86	7.57	35.44
PK	5.4695G	60.26	68.20	-7.94	55.24	3	Horizontal	41	3.00	-	32.84	7.61	35.43
AV	5.449G	47.94	54.00	-6.06	42.98	3	Horizontal	41	3.00	-	32.80	7.59	35.43
PK	5.5885G	110.41	Inf	-Inf	105.36	3	Horizontal	41	3.00	-	32.80	7.70	35.45
AV	5.5915G	98.37	Inf	-Inf	93.32	3	Horizontal	41	3.00	-	32.80	7.70	35.45
PK	5.7445G	68.07	68.20	-0.13	61.97	3	Horizontal	41	3.00	-	33.67	7.94	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_X_2TX
Setting 2.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22732G	57.71	74.00	-16.29	41.29	3	Vertical	54	1.87	-	38.95	10.73	33.26
AV	11.23458G	46.18	54.00	-7.82	29.73	3	Vertical	54	1.87	-	38.97	10.73	33.25
PK	16.82244G	59.56	68.20	-8.64	41.45	3	Vertical	337	1.69	-	38.19	12.81	32.89

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_X_2TX
Setting 2.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22357G	59.11	74.00	-14.89	42.69	3	Horizontal	193	1.46	-	38.95	10.73	33.26
AV	11.22738G	46.23	54.00	-7.77	29.81	3	Horizontal	193	1.46	-	38.95	10.73	33.26
PK	16.83438G	59.83	68.20	-8.37	41.65	3	Horizontal	332	2.21	-	38.24	12.82	32.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_X_2TX
Setting -0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.98	74.00	-12.02	56.99	3	Vertical	327	1.01	-	32.82	7.60	35.43
AV	5.4595G	49.10	54.00	-4.90	44.11	3	Vertical	327	1.01	-	32.82	7.60	35.43
PK	5.4625G	62.36	68.20	-5.84	57.37	3	Vertical	327	1.01	-	32.82	7.60	35.43
PK	5.584G	113.49	Inf	-Inf	108.44	3	Vertical	327	1.01	-	32.80	7.70	35.45
AV	5.582G	102.16	Inf	-Inf	97.11	3	Vertical	327	1.01	-	32.80	7.70	35.45
PK	5.725G	68.02	68.20	-0.18	62.07	3	Vertical	327	1.01	-	33.55	7.91	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_X_2TX
Setting -0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4545G	61.01	74.00	-12.99	56.04	3	Horizontal	40	3.00	-	32.81	7.59	35.43
AV	5.4515G	48.51	54.00	-5.49	43.55	3	Horizontal	40	3.00	-	32.80	7.59	35.43
PK	5.47G	63.65	68.20	-4.55	58.63	3	Horizontal	40	3.00	-	32.84	7.61	35.43
PK	5.589G	113.09	Inf	-Inf	108.04	3	Horizontal	40	3.00	-	32.80	7.70	35.45
AV	5.5885G	100.68	Inf	-Inf	95.63	3	Horizontal	40	3.00	-	32.80	7.70	35.45
PK	5.753G	67.30	68.20	-0.90	61.16	3	Horizontal	40	3.00	-	33.71	7.95	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_X_2TX
 Setting -0.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2293G	57.76	74.00	-16.24	41.32	3	Vertical	352	1.68	-	38.96	10.73	33.25
AV	11.2234G	46.01	54.00	-7.99	29.59	3	Vertical	352	1.68	-	38.95	10.73	33.26
PK	16.8431G	60.05	68.20	-8.15	41.83	3	Vertical	60	2.14	-	38.27	12.82	32.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_X_2TX
 Setting -0.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2405G	57.35	74.00	-16.65	40.87	3	Horizontal	87	2.30	-	38.98	10.74	33.24
AV	11.2445G	46.07	54.00	-7.93	29.58	3	Horizontal	87	2.30	-	38.99	10.74	33.24
PK	16.8495G	60.09	68.20	-8.11	41.82	3	Horizontal	119	2.87	-	38.30	12.83	32.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.13	74.00	-13.87	55.16	3	Vertical	63	1.80	-	32.81	7.59	35.43
AV	5.46G	47.84	54.00	-6.16	42.85	3	Vertical	63	1.80	-	32.82	7.60	35.43
PK	5.4685G	60.25	68.20	-7.95	55.24	3	Vertical	63	1.80	-	32.84	7.60	35.43
PK	5.7275G	112.60	Inf	-Inf	106.63	3	Vertical	63	1.80	-	33.57	7.91	35.51
AV	5.728G	101.45	Inf	-Inf	95.48	3	Vertical	63	1.80	-	33.57	7.91	35.51
PK	5.851G	67.51	68.20	-0.69	61.00	3	Vertical	63	1.80	-	34.00	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting -1.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4475G	59.70	74.00	-14.30	54.74	3	Horizontal	39	2.97	-	32.80	7.59	35.43
AV	5.4535G	47.98	54.00	-6.02	43.01	3	Horizontal	39	2.97	-	32.81	7.59	35.43
PK	5.4675G	60.99	68.20	-7.21	55.99	3	Horizontal	39	2.97	-	32.83	7.60	35.43
PK	5.671G	112.83	Inf	-Inf	107.38	3	Horizontal	39	2.97	-	33.11	7.82	35.48
AV	5.671G	101.44	Inf	-Inf	95.99	3	Horizontal	39	2.97	-	33.11	7.82	35.48
PK	5.8545G	66.14	68.20	-2.06	59.60	3	Horizontal	39	2.97	-	34.02	8.07	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting -1.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3692G	58.60	74.00	-15.40	41.88	3	Vertical	244	1.54	-	39.06	10.79	33.13
AV	11.39505G	47.38	54.00	-6.62	30.67	3	Vertical	244	1.54	-	39.01	10.80	33.10
PK	17.0615G	58.88	68.20	-9.32	40.56	3	Vertical	331	1.22	-	38.20	12.92	32.80

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38515G	59.13	74.00	-14.87	42.41	3	Horizontal	174	1.63	-	39.03	10.80	33.11
AV	11.3887G	47.51	54.00	-6.49	30.80	3	Horizontal	174	1.63	-	39.02	10.80	33.11
PK	17.05575G	58.07	68.20	-10.13	39.75	3	Horizontal	183	1.88	-	38.20	12.92	32.80

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -2.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4425G	59.19	74.00	-14.81	54.24	3	Vertical	64	1.80	-	32.81	7.58	35.44
PK	5.461G	59.26	68.20	-8.94	54.27	3	Vertical	64	1.80	-	32.82	7.60	35.43
AV	5.4555G	47.80	54.00	-6.20	42.83	3	Vertical	64	1.80	-	32.81	7.59	35.43
PK	5.711G	113.34	Inf	-Inf	107.48	3	Vertical	64	1.80	-	33.47	7.89	35.50
AV	5.7285G	101.61	Inf	-Inf	95.63	3	Vertical	64	1.80	-	33.57	7.92	35.51
PK	5.854G	66.74	68.20	-1.46	60.20	3	Vertical	64	1.80	-	34.02	8.07	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -2.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.75	74.00	-14.25	54.78	3	Horizontal	36	3.00	-	32.81	7.59	35.43
AV	5.4525G	47.77	54.00	-6.23	42.81	3	Horizontal	36	3.00	-	32.80	7.59	35.43
PK	5.4655G	59.44	68.20	-8.76	54.44	3	Horizontal	36	3.00	-	32.83	7.60	35.43
PK	5.7135G	113.62	Inf	-Inf	107.75	3	Horizontal	36	3.00	-	33.48	7.89	35.50
AV	5.713G	101.73	Inf	-Inf	95.86	3	Horizontal	36	3.00	-	33.48	7.89	35.50
PK	5.851G	65.70	68.20	-2.50	59.19	3	Horizontal	36	3.00	-	34.00	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -2.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37945G	58.82	74.00	-15.18	42.10	3	Vertical	282	1.15	-	39.04	10.80	33.12
AV	11.39645G	47.53	54.00	-6.47	30.82	3	Vertical	282	1.15	-	39.01	10.80	33.10
PK	17.06315G	57.84	68.20	-10.36	39.53	3	Vertical	126	1.11	-	38.20	12.92	32.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting -2.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3773G	58.60	74.00	-15.40	41.87	3	Horizontal	21	2.14	-	39.05	10.80	33.12
AV	11.37405G	47.45	54.00	-6.55	30.73	3	Horizontal	21	2.14	-	39.05	10.79	33.12
PK	17.0949G	58.84	68.20	-9.36	40.54	3	Horizontal	332	2.99	-	38.20	12.94	32.84

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	67.34	69.31	-1.97	62.12	3	Vertical	63	1.80	-	32.91	7.79	35.48
PK	5.7535G	112.08	Inf	-Inf	105.93	3	Vertical	63	1.80	-	33.71	7.96	35.52
AV	5.7535G	100.38	Inf	-Inf	94.23	3	Vertical	63	1.80	-	33.71	7.96	35.52
PK	5.944G	62.13	68.20	-6.07	55.40	3	Vertical	63	1.80	-	34.20	8.12	35.59

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.40	68.20	-1.80	61.23	3	Horizontal	38	3.00	-	32.87	7.77	35.47
PK	5.756G	112.89	Inf	-Inf	106.73	3	Horizontal	38	3.00	-	33.72	7.96	35.52
AV	5.7565G	100.74	Inf	-Inf	94.57	3	Horizontal	38	3.00	-	33.73	7.96	35.52
PK	5.927G	62.00	68.20	-6.20	55.27	3	Horizontal	38	3.00	-	34.20	8.11	35.58

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5638G	58.12	74.00	-15.88	41.47	3	Vertical	54	1.40	-	38.84	10.88	33.07
AV	11.53925G	46.22	54.00	-7.78	29.45	3	Vertical	54	1.40	-	38.94	10.87	33.04
PK	17.3456G	59.64	68.20	-8.56	40.89	3	Vertical	141	1.79	-	38.79	13.06	33.10

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55035G	57.83	74.00	-16.17	41.11	3	Horizontal	95	2.78	-	38.90	10.87	33.05
AV	11.5397G	46.22	54.00	-7.78	29.45	3	Horizontal	95	2.78	-	38.94	10.87	33.04
PK	17.3364G	59.96	68.20	-8.24	41.23	3	Horizontal	299	2.99	-	38.77	13.05	33.09

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_X_2TX
Setting 3.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	67.14	68.20	-1.06	61.99	3	Vertical	64	1.80	-	32.86	7.76	35.47
PK	5.753G	114.09	Inf	-Inf	107.95	3	Vertical	64	1.80	-	33.71	7.95	35.52
AV	5.754G	102.08	Inf	-Inf	95.92	3	Vertical	64	1.80	-	33.72	7.96	35.52
PK	5.978G	62.53	68.20	-5.67	55.84	3	Vertical	64	1.80	-	34.14	8.15	35.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_X_2TX
 Setting 3.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	68.08	68.20	-0.12	62.92	3	Horizontal	36	3.00	-	32.87	7.76	35.47
PK	5.7365G	113.51	Inf	-Inf	107.47	3	Horizontal	36	3.00	-	33.62	7.93	35.51
AV	5.737G	102.11	Inf	-Inf	96.07	3	Horizontal	36	3.00	-	33.62	7.93	35.51
PK	5.9565G	62.97	68.20	-5.23	56.24	3	Horizontal	36	3.00	-	34.19	8.13	35.59

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_X_2TX
 Setting 3.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54275G	58.64	74.00	-15.36	41.89	3	Vertical	201	1.76	-	38.93	10.87	33.05
AV	11.53655G	46.31	54.00	-7.69	29.53	3	Vertical	201	1.76	-	38.95	10.87	33.04
PK	17.32465G	59.85	68.20	-8.35	41.13	3	Vertical	19	2.00	-	38.75	13.05	33.08

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_X_2TX
Setting 3.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5626G	58.49	74.00	-15.51	41.83	3	Horizontal	82	2.16	-	38.85	10.88	33.07
AV	11.5395G	46.14	54.00	-7.86	29.37	3	Horizontal	82	2.16	-	38.94	10.87	33.04
PK	17.3459G	59.60	68.20	-8.60	40.85	3	Horizontal	31	1.93	-	38.79	13.06	33.10

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1198G	68.44	74.00	-5.56	60.78	3	Vertical	215	1.50	-	32.10	6.90	31.34
AV	5.0718G	52.06	54.00	-1.94	44.46	3	Vertical	215	1.50	-	32.04	6.88	31.32
PK	5.3268G	106.76	Inf	-Inf	99.68	3	Vertical	215	1.50	-	31.50	7.04	31.46
AV	5.3262G	94.79	Inf	-Inf	87.72	3	Vertical	215	1.50	-	31.50	7.03	31.46
PK	5.3832G	68.26	74.00	-5.74	61.10	3	Vertical	215	1.50	-	31.57	7.08	31.49
AV	5.3892G	53.45	54.00	-0.55	46.28	3	Vertical	215	1.50	-	31.58	7.08	31.49
PK	5.469G	63.37	68.20	-4.83	55.93	3	Vertical	215	1.50	-	31.84	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.091G	61.67	74.00	-12.33	54.03	3	Horizontal	225	2.20	-	32.08	6.89	31.33
AV	5.0898G	50.79	54.00	-3.21	43.16	3	Horizontal	225	2.20	-	32.08	6.88	31.33
PK	5.1876G	100.87	Inf	-Inf	93.45	3	Horizontal	225	2.20	-	31.87	6.93	31.38
AV	5.1864G	89.86	Inf	-Inf	82.43	3	Horizontal	225	2.20	-	31.88	6.93	31.38
PK	5.3646G	61.75	74.00	-12.25	54.64	3	Horizontal	225	2.20	-	31.53	7.06	31.48
AV	5.4258G	50.08	54.00	-3.92	42.78	3	Horizontal	225	2.20	-	31.70	7.11	31.51
PK	5.4894G	60.75	68.20	-7.45	53.26	3	Horizontal	225	2.20	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50666G	60.92	68.20	-7.28	43.29	3	Vertical	225	2.91	-	40.10	10.10	32.57
PK	15.73554G	62.59	74.00	-11.41	44.65	3	Vertical	104	2.73	-	38.27	12.54	32.87
AV	15.73809G	47.67	54.00	-6.33	29.71	3	Vertical	104	2.73	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49106G	61.38	68.20	-6.82	43.74	3	Horizontal	292	2.46	-	40.12	10.09	32.57
PK	15.73635G	63.49	74.00	-10.51	45.55	3	Horizontal	360	1.50	-	38.27	12.54	32.87
AV	15.73506G	48.63	54.00	-5.37	30.69	3	Horizontal	360	1.50	-	38.27	12.54	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	70.82	74.00	-3.18	63.17	3	Vertical	213	1.45	-	32.10	6.91	31.36
AV	5.088G	53.75	54.00	-0.25	46.12	3	Vertical	213	1.45	-	32.08	6.88	31.33
PK	5.3262G	107.17	Inf	-Inf	100.10	3	Vertical	213	1.45	-	31.50	7.03	31.46
AV	5.3274G	96.42	Inf	-Inf	89.34	3	Vertical	213	1.45	-	31.50	7.04	31.46
PK	5.3682G	71.94	74.00	-2.06	64.81	3	Vertical	213	1.45	-	31.54	7.07	31.48
AV	5.35G	53.84	54.00	-0.16	46.76	3	Vertical	213	1.45	-	31.50	7.05	31.47
PK	5.466G	64.82	68.20	-3.38	57.39	3	Vertical	213	1.45	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	63.64	74.00	-10.36	56.01	3	Horizontal	223	2.21	-	32.08	6.88	31.33
AV	5.0898G	50.97	54.00	-3.03	43.34	3	Horizontal	223	2.21	-	32.08	6.88	31.33
PK	5.2266G	102.99	Inf	-Inf	95.74	3	Horizontal	223	2.21	-	31.69	6.96	31.40
AV	5.2266G	91.15	Inf	-Inf	83.90	3	Horizontal	223	2.21	-	31.69	6.96	31.40
PK	5.355G	63.42	74.00	-10.58	56.32	3	Horizontal	223	2.21	-	31.51	7.06	31.47
AV	5.3664G	49.64	54.00	-4.36	42.53	3	Horizontal	223	2.21	-	31.53	7.06	31.48
PK	5.5014G	61.40	68.20	-6.80	53.89	3	Horizontal	223	2.21	-	31.90	7.16	31.55

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48734G	60.64	68.20	-7.56	42.99	3	Vertical	12	2.63	-	40.13	10.09	32.57
PK	15.73917G	62.32	74.00	-11.68	44.36	3	Vertical	264	2.43	-	38.28	12.55	32.87
AV	15.73722G	46.99	54.00	-7.01	29.04	3	Vertical	264	2.43	-	38.27	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50087G	60.67	68.20	-7.53	43.04	3	Horizontal	265	2.98	-	40.10	10.10	32.57
PK	15.75321G	61.77	74.00	-12.23	43.79	3	Horizontal	350	2.07	-	38.30	12.55	32.87
AV	15.74292G	47.28	54.00	-6.72	29.31	3	Horizontal	350	2.07	-	38.29	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 7
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0934G	63.55	74.00	-10.45	55.90	3	Vertical	219	1.53	-	32.09	6.89	31.33
AV	5.0694G	52.22	54.00	-1.78	44.63	3	Vertical	219	1.53	-	32.04	6.87	31.32
PK	5.208G	106.01	Inf	-Inf	98.68	3	Vertical	219	1.53	-	31.77	6.95	31.39
PK	5.4294G	66.86	74.00	-7.14	59.54	3	Vertical	219	1.53	-	31.72	7.11	31.51
AV	5.3268G	95.24	Inf	-Inf	88.16	3	Vertical	219	1.53	-	31.50	7.04	31.46
AV	5.4264G	53.61	54.00	-0.39	46.30	3	Vertical	219	1.53	-	31.71	7.11	31.51
PK	5.463G	61.46	68.20	-6.74	54.03	3	Vertical	219	1.53	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 7
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0736G	61.93	74.00	-12.07	54.32	3	Horizontal	224	2.16	-	32.05	6.88	31.32
AV	5.0718G	51.04	54.00	-2.96	43.44	3	Horizontal	224	2.16	-	32.04	6.88	31.32
PK	5.2068G	101.41	Inf	-Inf	94.08	3	Horizontal	224	2.16	-	31.77	6.95	31.39
AV	5.2062G	90.80	Inf	-Inf	83.47	3	Horizontal	224	2.16	-	31.78	6.94	31.39
PK	5.4288G	61.99	74.00	-12.01	54.67	3	Horizontal	224	2.16	-	31.72	7.11	31.51
AV	5.4252G	50.27	54.00	-3.73	42.97	3	Horizontal	224	2.16	-	31.70	7.11	31.51
PK	5.5188G	61.24	68.20	-6.96	53.72	3	Horizontal	224	2.16	-	31.90	7.17	31.55

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 7
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49664G	60.77	68.20	-7.43	43.13	3	Vertical	234	1.22	-	40.11	10.10	32.57
PK	15.74907G	62.17	74.00	-11.83	44.19	3	Vertical	253	1.41	-	38.30	12.55	32.87
AV	15.73767G	47.28	54.00	-6.72	29.32	3	Vertical	253	1.41	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 7
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51419G	60.72	68.20	-7.48	43.09	3	Horizontal	226	1.45	-	40.10	10.10	32.57
PK	15.76263G	62.64	74.00	-11.36	44.65	3	Horizontal	110	2.26	-	38.30	12.56	32.87
AV	15.73539G	47.28	54.00	-6.72	29.34	3	Horizontal	110	2.26	-	38.27	12.54	32.87

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2036G	60.38	68.20	-7.82	55.34	3	Vertical	325	1.00	-	33.09	7.45	35.50
PK	5.4572G	65.25	74.00	-8.75	60.27	3	Vertical	325	1.00	-	32.81	7.60	35.43
AV	5.4596G	48.22	54.00	-5.78	43.23	3	Vertical	325	1.00	-	32.82	7.60	35.43
PK	5.4636G	65.60	68.20	-2.60	60.60	3	Vertical	325	1.00	-	32.83	7.60	35.43
PK	5.5012G	105.43	Inf	-Inf	100.32	3	Vertical	325	1.00	-	32.90	7.63	35.42
AV	5.5228G	93.21	Inf	-Inf	88.14	3	Vertical	325	1.00	-	32.85	7.65	35.43
PK	5.7324G	66.24	68.20	-1.96	60.24	3	Vertical	325	1.00	-	33.59	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_X_2TX
 Setting 5.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	59.45	68.20	-8.75	54.53	3	Horizontal	38	3.00	-	32.89	7.50	35.47
PK	5.4564G	60.73	74.00	-13.27	55.75	3	Horizontal	38	3.00	-	32.81	7.60	35.43
AV	5.4548G	47.80	54.00	-6.20	42.83	3	Horizontal	38	3.00	-	32.81	7.59	35.43
PK	5.466G	60.72	68.20	-7.48	55.72	3	Horizontal	38	3.00	-	32.83	7.60	35.43
AV	5.5116G	91.39	Inf	-Inf	86.29	3	Horizontal	38	3.00	-	32.88	7.64	35.42
PK	5.6108G	102.81	Inf	-Inf	97.72	3	Horizontal	38	3.00	-	32.82	7.73	35.46
PK	5.7852G	62.62	68.20	-5.58	56.30	3	Horizontal	38	3.00	-	33.84	8.01	35.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_X_2TX
 Setting 5.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16425G	57.48	74.00	-16.52	41.19	3	Vertical	247	2.94	-	38.90	10.70	33.31
AV	11.1611G	45.60	54.00	-8.40	29.32	3	Vertical	247	2.94	-	38.90	10.70	33.32
PK	16.7258G	59.06	68.20	-9.14	41.35	3	Vertical	141	2.21	-	37.90	12.77	32.96

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_X_2TX
Setting 5.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16435G	57.51	74.00	-16.49	41.22	3	Horizontal	328	2.82	-	38.90	10.70	33.31
AV	11.16455G	45.59	54.00	-8.41	29.30	3	Horizontal	328	2.82	-	38.90	10.70	33.31
PK	16.71085G	59.48	68.20	-8.72	41.74	3	Horizontal	85	2.04	-	37.96	12.76	32.98

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3436G	63.17	68.20	-5.03	58.30	3	Vertical	326	1.01	-	32.81	7.52	35.46
PK	5.4324G	66.90	74.00	-7.10	61.92	3	Vertical	326	1.01	-	32.84	7.58	35.44
AV	5.4436G	49.44	54.00	-4.56	44.49	3	Vertical	326	1.01	-	32.81	7.58	35.44
PK	5.462G	65.49	68.20	-2.71	60.50	3	Vertical	326	1.01	-	32.82	7.60	35.43
PK	5.586G	107.46	Inf	-Inf	102.41	3	Vertical	326	1.01	-	32.80	7.70	35.45
AV	5.582G	96.26	Inf	-Inf	91.21	3	Vertical	326	1.01	-	32.80	7.70	35.45
PK	5.7276G	68.14	68.20	-0.06	62.17	3	Vertical	326	1.01	-	33.57	7.91	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3324G	60.69	68.20	-7.51	55.80	3	Horizontal	40	3.00	-	32.84	7.52	35.47
PK	5.4308G	65.93	74.00	-8.07	60.96	3	Horizontal	40	3.00	-	32.84	7.57	35.44
AV	5.4324G	48.71	54.00	-5.29	43.73	3	Horizontal	40	3.00	-	32.84	7.58	35.44
PK	5.4604G	63.69	68.20	-4.51	58.70	3	Horizontal	40	3.00	-	32.82	7.60	35.43
PK	5.5892G	106.04	Inf	-Inf	100.99	3	Horizontal	40	3.00	-	32.80	7.70	35.45
AV	5.5892G	94.49	Inf	-Inf	89.44	3	Horizontal	40	3.00	-	32.80	7.70	35.45
PK	5.7724G	67.99	68.20	-0.21	61.73	3	Horizontal	40	3.00	-	33.79	7.99	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16335G	56.73	74.00	-17.27	40.44	3	Vertical	35	1.41	-	38.90	10.70	33.31
AV	11.16255G	45.28	54.00	-8.72	28.99	3	Vertical	35	1.41	-	38.90	10.70	33.31
PK	16.69525G	59.21	68.20	-8.99	41.40	3	Vertical	272	2.05	-	38.05	12.75	32.99

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15785G	56.43	74.00	-17.57	40.15	3	Horizontal	333	2.25	-	38.90	10.70	33.32
AV	11.1555G	45.31	54.00	-8.69	29.03	3	Horizontal	333	2.25	-	38.90	10.70	33.32
PK	16.7141G	59.05	68.20	-9.15	41.32	3	Horizontal	19	1.91	-	37.94	12.76	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	61.90	68.20	-6.30	57.03	3	Vertical	324	1.03	-	32.81	7.52	35.46
PK	5.382G	65.99	74.00	-8.01	61.04	3	Vertical	324	1.03	-	32.86	7.54	35.45
AV	5.3836G	52.87	54.00	-1.13	47.91	3	Vertical	324	1.03	-	32.87	7.54	35.45
PK	5.462G	62.47	68.20	-5.73	57.48	3	Vertical	324	1.03	-	32.82	7.60	35.43
PK	5.5028G	107.99	Inf	-Inf	102.89	3	Vertical	324	1.03	-	32.89	7.63	35.42
PK	5.742G	68.11	68.20	-0.09	62.03	3	Vertical	324	1.03	-	33.65	7.94	35.51
AV	5.6228G	95.57	Inf	-Inf	90.44	3	Vertical	324	1.03	-	32.85	7.75	35.47

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2348G	60.62	68.20	-7.58	55.61	3	Horizontal	37	3.00	-	33.03	7.47	35.49
PK	5.3756G	63.64	74.00	-10.36	58.70	3	Horizontal	37	3.00	-	32.85	7.54	35.45
AV	5.3932G	49.95	54.00	-4.05	44.96	3	Horizontal	37	3.00	-	32.89	7.55	35.45
PK	5.4652G	60.45	68.20	-7.75	55.45	3	Horizontal	37	3.00	-	32.83	7.60	35.43
PK	5.6116G	106.85	Inf	-Inf	101.76	3	Horizontal	37	3.00	-	32.82	7.73	35.46
AV	5.6116G	95.35	Inf	-Inf	90.26	3	Horizontal	37	3.00	-	32.82	7.73	35.46
PK	5.7748G	66.48	68.20	-1.72	60.21	3	Horizontal	37	3.00	-	33.80	7.99	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13085G	56.49	74.00	-17.51	40.28	3	Vertical	132	2.76	-	38.86	10.69	33.34
AV	11.16385G	45.39	54.00	-8.61	29.10	3	Vertical	132	2.76	-	38.90	10.70	33.31
PK	16.6905G	59.18	68.20	-9.02	41.33	3	Vertical	86	1.59	-	38.09	12.75	32.99

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_X_2TX
Setting 3
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16235G	57.18	74.00	-16.82	40.89	3	Horizontal	152	1.48	-	38.90	10.70	33.31
AV	11.1597G	45.22	54.00	-8.78	28.94	3	Horizontal	152	1.48	-	38.90	10.70	33.32
PK	16.70355G	58.81	68.20	-9.39	41.04	3	Horizontal	19	2.59	-	37.99	12.76	32.98

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 6.5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	69.46	74.00	-4.54	61.81	3	Vertical	211	1.54	-	32.10	6.91	31.36
AV	5.1452G	53.91	54.00	-0.09	46.26	3	Vertical	211	1.54	-	32.10	6.91	31.36
PK	5.2464G	114.47	Inf	-Inf	107.30	3	Vertical	211	1.54	-	31.61	6.97	31.41
AV	5.206G	103.39	Inf	-Inf	96.06	3	Vertical	211	1.54	-	31.78	6.94	31.39
PK	5.3676G	63.10	74.00	-10.90	55.97	3	Vertical	211	1.54	-	31.54	7.07	31.48
AV	5.3676G	50.05	54.00	-3.95	42.92	3	Vertical	211	1.54	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 6.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	68.78	74.00	-5.22	61.13	3	Horizontal	221	2.10	-	32.10	6.91	31.36
AV	5.1428G	52.03	54.00	-1.97	44.38	3	Horizontal	221	2.10	-	32.10	6.91	31.36
PK	5.2428G	112.65	Inf	-Inf	105.46	3	Horizontal	221	2.10	-	31.63	6.97	31.41
AV	5.2432G	100.81	Inf	-Inf	93.62	3	Horizontal	221	2.10	-	31.63	6.97	31.41
PK	5.3864G	60.43	74.00	-13.57	53.27	3	Horizontal	221	2.10	-	31.57	7.08	31.49
AV	5.3696G	49.64	54.00	-4.36	42.51	3	Horizontal	221	2.10	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 6.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4155G	61.23	68.20	-6.97	43.63	3	Vertical	193	1.61	-	40.13	10.06	32.59
PK	15.63495G	62.89	74.00	-11.11	44.99	3	Vertical	305	2.74	-	38.25	12.50	32.85
AV	15.61509G	47.28	54.00	-6.72	29.18	3	Vertical	305	2.74	-	38.45	12.49	32.84

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
 Setting 6.5
 06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42084G	60.94	68.20	-7.26	43.32	3	Horizontal	216	2.76	-	40.14	10.06	32.58
PK	15.63831G	62.10	74.00	-11.90	44.23	3	Horizontal	195	1.87	-	38.22	12.50	32.85
AV	15.61533G	47.58	54.00	-6.42	29.48	3	Horizontal	195	1.87	-	38.45	12.49	32.84

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 8
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	72.18	74.00	-1.82	64.52	3	Vertical	211	1.47	-	32.10	6.90	31.34
AV	5.1252G	53.82	54.00	-0.18	46.17	3	Vertical	211	1.47	-	32.10	6.90	31.35
PK	5.246G	114.21	Inf	-Inf	107.03	3	Vertical	211	1.47	-	31.62	6.97	31.41
AV	5.2464G	104.03	Inf	-Inf	96.86	3	Vertical	211	1.47	-	31.61	6.97	31.41
PK	5.3644G	64.32	74.00	-9.68	57.21	3	Vertical	211	1.47	-	31.53	7.06	31.48
AV	5.3652G	50.41	54.00	-3.59	43.30	3	Vertical	211	1.47	-	31.53	7.06	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 8
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1028G	65.98	74.00	-8.02	58.33	3	Horizontal	221	2.11	-	32.10	6.89	31.34
AV	5.1136G	52.40	54.00	-1.60	44.74	3	Horizontal	221	2.11	-	32.10	6.90	31.34
PK	5.1828G	112.29	Inf	-Inf	104.84	3	Horizontal	221	2.11	-	31.90	6.93	31.38
AV	5.2436G	101.31	Inf	-Inf	94.12	3	Horizontal	221	2.11	-	31.63	6.97	31.41
PK	5.3608G	61.56	74.00	-12.44	54.45	3	Horizontal	221	2.11	-	31.52	7.06	31.47
AV	5.3612G	49.44	54.00	-4.56	42.34	3	Horizontal	221	2.11	-	31.52	7.06	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 8
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42087G	61.15	68.20	-7.05	43.53	3	Vertical	112	1.92	-	40.14	10.06	32.58
PK	15.63177G	62.18	74.00	-11.82	44.25	3	Vertical	324	2.53	-	38.28	12.50	32.85
AV	15.62256G	47.23	54.00	-6.77	29.21	3	Vertical	324	2.53	-	38.37	12.49	32.84

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 8
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42171G	60.79	68.20	-7.41	43.17	3	Horizontal	27	2.04	-	40.14	10.06	32.58
PK	15.61914G	61.84	74.00	-12.16	43.78	3	Horizontal	80	2.01	-	38.41	12.49	32.84
AV	15.61845G	47.58	54.00	-6.42	29.51	3	Horizontal	80	2.01	-	38.42	12.49	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	61.01	74.00	-12.99	53.36	3	Vertical	210	1.57	-	32.10	6.90	31.35
AV	5.1324G	50.40	54.00	-3.60	42.74	3	Vertical	210	1.57	-	32.10	6.91	31.35
PK	5.286G	111.98	Inf	-Inf	104.88	3	Vertical	210	1.57	-	31.53	7.00	31.43
AV	5.3256G	101.37	Inf	-Inf	94.30	3	Vertical	210	1.57	-	31.50	7.03	31.46
PK	5.3664G	68.01	74.00	-5.99	60.90	3	Vertical	210	1.57	-	31.53	7.06	31.48
AV	5.3656G	53.49	54.00	-0.51	46.38	3	Vertical	210	1.57	-	31.53	7.06	31.48
PK	5.482G	60.86	68.20	-7.34	53.40	3	Vertical	210	1.57	-	31.86	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1024G	61.56	74.00	-12.44	53.91	3	Horizontal	221	2.08	-	32.10	6.89	31.34
AV	5.1196G	50.17	54.00	-3.83	42.51	3	Horizontal	221	2.08	-	32.10	6.90	31.34
PK	5.2828G	109.62	Inf	-Inf	102.52	3	Horizontal	221	2.08	-	31.53	7.00	31.43
AV	5.2628G	97.66	Inf	-Inf	90.52	3	Horizontal	221	2.08	-	31.57	6.99	31.42
PK	5.3824G	63.88	74.00	-10.12	56.73	3	Horizontal	221	2.08	-	31.56	7.08	31.49
AV	5.3624G	50.95	54.00	-3.05	43.85	3	Horizontal	221	2.08	-	31.52	7.06	31.48
PK	5.4748G	60.72	68.20	-7.48	53.27	3	Horizontal	221	2.08	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57103G	61.06	68.20	-7.14	43.35	3	Vertical	21	2.12	-	40.14	10.13	32.56
PK	15.88269G	62.82	74.00	-11.18	45.08	3	Vertical	11	2.98	-	38.03	12.61	32.90
AV	15.88482G	47.51	54.00	-6.49	29.76	3	Vertical	11	2.98	-	38.03	12.62	32.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56746G	61.76	68.20	-6.44	44.06	3	Horizontal	30	2.97	-	40.13	10.13	32.56
PK	15.88323G	61.25	74.00	-12.75	43.51	3	Horizontal	79	1.81	-	38.03	12.61	32.90
AV	15.87393G	47.27	54.00	-6.73	29.50	3	Horizontal	79	1.81	-	38.05	12.61	32.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.43	74.00	-10.57	55.78	3	Vertical	212	1.54	-	32.10	6.91	31.36
AV	5.1456G	50.27	54.00	-3.73	42.62	3	Vertical	212	1.54	-	32.10	6.91	31.36
PK	5.326G	111.76	Inf	-Inf	104.69	3	Vertical	212	1.54	-	31.50	7.03	31.46
AV	5.3256G	101.22	Inf	-Inf	94.15	3	Vertical	212	1.54	-	31.50	7.03	31.46
PK	5.3844G	71.15	74.00	-2.85	63.99	3	Vertical	212	1.54	-	31.57	7.08	31.49
AV	5.3856G	53.72	54.00	-0.28	46.56	3	Vertical	212	1.54	-	31.57	7.08	31.49
PK	5.4748G	60.99	68.20	-7.21	53.54	3	Vertical	212	1.54	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 5
06-K-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	61.68	74.00	-12.32	54.02	3	Horizontal	220	2.19	-	32.10	6.89	31.33
AV	5.1444G	50.06	54.00	-3.94	42.41	3	Horizontal	220	2.19	-	32.10	6.91	31.36
PK	5.2632G	108.17	Inf	-Inf	101.03	3	Horizontal	220	2.19	-	31.57	6.99	31.42
AV	5.2628G	97.37	Inf	-Inf	90.23	3	Horizontal	220	2.19	-	31.57	6.99	31.42
PK	5.3804G	64.16	74.00	-9.84	57.01	3	Horizontal	220	2.19	-	31.56	7.08	31.49
AV	5.382G	50.58	54.00	-3.42	43.43	3	Horizontal	220	2.19	-	31.56	7.08	31.49
PK	5.49G	60.63	68.20	-7.57	53.14	3	Horizontal	220	2.19	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59176G	60.19	68.20	-8.01	42.43	3	Vertical	327	3.00	-	40.18	10.14	32.56
PK	15.86076G	62.28	74.00	-11.72	44.49	3	Vertical	200	1.87	-	38.08	12.60	32.89
AV	15.88047G	47.88	54.00	-6.12	30.13	3	Vertical	200	1.87	-	38.04	12.61	32.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59176G	60.33	68.20	-7.87	42.57	3	Horizontal	245	2.59	-	40.18	10.14	32.56
PK	15.85857G	62.44	74.00	-11.56	44.65	3	Horizontal	267	1.41	-	38.08	12.60	32.89
AV	15.88161G	47.21	54.00	-6.79	29.46	3	Horizontal	267	1.41	-	38.04	12.61	32.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




21/05/2024

EUT_X_4TX
Setting 1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	59.17	68.20	-9.03	54.31	3	Vertical	54	1.01	-	32.80	7.52	35.46
PK	5.448G	67.41	74.00	-6.59	62.45	3	Vertical	54	1.01	-	32.80	7.59	35.43
AV	5.4495G	50.40	54.00	-3.60	45.44	3	Vertical	54	1.01	-	32.80	7.59	35.43
PK	5.464G	68.17	68.20	-0.03	63.17	3	Vertical	54	1.01	-	32.83	7.60	35.43
PK	5.526G	109.98	Inf	-Inf	104.91	3	Vertical	54	1.01	-	32.85	7.65	35.43
AV	5.5265G	98.01	Inf	-Inf	92.94	3	Vertical	54	1.01	-	32.85	7.65	35.43
PK	5.7775G	63.40	68.20	-4.80	57.13	3	Vertical	54	1.01	-	33.81	7.99	35.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
 Setting 1.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	58.88	68.20	-9.32	53.97	3	Horizontal	39	3.00	-	32.87	7.51	35.47
PK	5.4535G	69.45	74.00	-4.55	64.48	3	Horizontal	39	3.00	-	32.81	7.59	35.43
AV	5.453G	51.62	54.00	-2.38	46.65	3	Horizontal	39	3.00	-	32.81	7.59	35.43
PK	5.467G	68.04	68.20	-0.16	63.04	3	Horizontal	39	3.00	-	32.83	7.60	35.43
PK	5.5115G	110.46	Inf	-Inf	105.36	3	Horizontal	39	3.00	-	32.88	7.64	35.42
AV	5.5115G	98.45	Inf	-Inf	93.35	3	Horizontal	39	3.00	-	32.88	7.64	35.42
PK	5.766G	62.76	68.20	-5.44	56.54	3	Horizontal	39	3.00	-	33.76	7.98	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0731G	56.17	74.00	-17.83	40.10	3	Vertical	59	2.59	-	38.80	10.66	33.39
AV	11.08335G	44.83	54.00	-9.17	28.74	3	Vertical	59	2.59	-	38.80	10.67	33.38
PK	16.58665G	58.13	68.20	-10.07	40.08	3	Vertical	314	2.07	-	38.43	12.70	33.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0794G	55.98	74.00	-18.02	39.91	3	Horizontal	283	2.06	-	38.80	10.66	33.39
AV	11.08355G	44.99	54.00	-9.01	28.90	3	Horizontal	283	2.06	-	38.80	10.67	33.38
PK	16.5987G	58.36	68.20	-9.84	40.32	3	Horizontal	29	2.93	-	38.40	12.71	33.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting -1
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	59.39	68.20	-8.81	54.49	3	Vertical	326	1.04	-	32.86	7.51	35.47
PK	5.4445G	70.71	74.00	-3.29	65.75	3	Vertical	326	1.04	-	32.81	7.59	35.44
AV	5.444G	51.29	54.00	-2.71	46.33	3	Vertical	326	1.04	-	32.81	7.59	35.44
PK	5.463G	68.01	68.20	-0.19	63.01	3	Vertical	326	1.04	-	32.83	7.60	35.43
PK	5.563G	113.56	Inf	-Inf	108.52	3	Vertical	326	1.04	-	32.80	7.68	35.44
AV	5.562G	101.11	Inf	-Inf	96.07	3	Vertical	326	1.04	-	32.80	7.68	35.44
PK	5.7465G	66.97	68.20	-1.23	60.86	3	Vertical	326	1.04	-	33.68	7.94	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
 Setting -1
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.286G	59.35	68.20	-8.85	54.41	3	Horizontal	36	3.00	-	32.93	7.49	35.48
PK	5.4505G	70.37	74.00	-3.63	65.41	3	Horizontal	36	3.00	-	32.80	7.59	35.43
AV	5.4505G	51.22	54.00	-2.78	46.26	3	Horizontal	36	3.00	-	32.80	7.59	35.43
PK	5.4655G	66.78	68.20	-1.42	61.78	3	Horizontal	36	3.00	-	32.83	7.60	35.43
PK	5.552G	111.32	Inf	-Inf	106.29	3	Horizontal	36	3.00	-	32.80	7.67	35.44
AV	5.551G	99.62	Inf	-Inf	94.59	3	Horizontal	36	3.00	-	32.80	7.67	35.44
PK	5.76G	62.35	68.20	-5.85	56.16	3	Horizontal	36	3.00	-	33.74	7.97	35.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting -1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0644G	56.50	74.00	-17.50	40.44	3	Vertical	98	2.19	-	38.80	10.66	33.40
AV	11.0769G	45.01	54.00	-8.99	28.94	3	Vertical	98	2.19	-	38.80	10.66	33.39
PK	16.58615G	58.00	68.20	-10.20	39.95	3	Vertical	116	1.83	-	38.43	12.70	33.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting -1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.036G	56.78	74.00	-17.22	40.73	3	Horizontal	267	1.53	-	38.83	10.65	33.43
AV	11.0763G	44.85	54.00	-9.15	28.78	3	Horizontal	267	1.53	-	38.80	10.66	33.39
PK	16.5961G	58.66	68.20	-9.54	40.61	3	Horizontal	199	2.05	-	38.41	12.71	33.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 2
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.389G	58.98	74.00	-15.02	54.01	3	Vertical	324	1.00	-	32.88	7.54	35.45
PK	5.4605G	58.72	68.20	-9.48	53.73	3	Vertical	324	1.00	-	32.82	7.60	35.43
AV	5.4585G	47.84	54.00	-6.16	42.85	3	Vertical	324	1.00	-	32.82	7.60	35.43
PK	5.5835G	110.31	Inf	-Inf	105.26	3	Vertical	324	1.00	-	32.80	7.70	35.45
AV	5.5825G	100.06	Inf	-Inf	95.01	3	Vertical	324	1.00	-	32.80	7.70	35.45
PK	5.739G	67.96	68.20	-0.24	61.91	3	Vertical	324	1.00	-	33.63	7.93	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 2
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4515G	59.72	74.00	-14.28	54.76	3	Horizontal	30	2.99	-	32.80	7.59	35.43
AV	5.4545G	47.79	54.00	-6.21	42.82	3	Horizontal	30	2.99	-	32.81	7.59	35.43
PK	5.463G	58.46	68.20	-9.74	53.46	3	Horizontal	30	2.99	-	32.83	7.60	35.43
PK	5.6315G	108.70	Inf	-Inf	103.55	3	Horizontal	30	2.99	-	32.86	7.76	35.47
AV	5.6325G	96.86	Inf	-Inf	91.70	3	Horizontal	30	2.99	-	32.87	7.76	35.47
PK	5.7405G	68.19	68.20	-0.01	62.13	3	Horizontal	30	2.99	-	33.64	7.93	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2304G	57.13	74.00	-16.87	40.69	3	Vertical	131	2.49	-	38.96	10.73	33.25
AV	11.24335G	45.50	54.00	-8.50	29.01	3	Vertical	131	2.49	-	38.99	10.74	33.24
PK	16.8471G	60.15	68.20	-8.05	41.91	3	Vertical	291	1.16	-	38.29	12.82	32.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2267G	57.86	74.00	-16.14	41.44	3	Horizontal	173	2.50	-	38.95	10.73	33.26
AV	11.2417G	45.56	54.00	-8.44	29.08	3	Horizontal	173	2.50	-	38.98	10.74	33.24
PK	16.8492G	59.73	68.20	-8.47	41.47	3	Horizontal	151	1.94	-	38.30	12.82	32.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting 0.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4575G	60.43	74.00	-13.57	55.45	3	Vertical	326	1.00	-	32.81	7.60	35.43
AV	5.4595G	48.22	54.00	-5.78	43.23	3	Vertical	326	1.00	-	32.82	7.60	35.43
PK	5.462G	61.20	68.20	-7.00	56.21	3	Vertical	326	1.00	-	32.82	7.60	35.43
PK	5.582G	113.10	Inf	-Inf	108.05	3	Vertical	326	1.00	-	32.80	7.70	35.45
AV	5.5825G	101.36	Inf	-Inf	96.31	3	Vertical	326	1.00	-	32.80	7.70	35.45
PK	5.737G	68.18	68.20	-0.02	62.14	3	Vertical	40	2.62	-	33.62	7.93	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
 Setting 0.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4515G	60.64	74.00	-13.36	55.68	3	Horizontal	40	2.62	-	32.80	7.59	35.43
AV	5.4535G	48.17	54.00	-5.83	43.20	3	Horizontal	40	2.62	-	32.81	7.59	35.43
PK	5.4685G	61.17	68.20	-7.03	56.16	3	Horizontal	40	2.62	-	32.84	7.60	35.43
PK	5.586G	110.88	Inf	-Inf	105.83	3	Horizontal	40	2.62	-	32.80	7.70	35.45
AV	5.5715G	100.03	Inf	-Inf	94.99	3	Horizontal	40	2.62	-	32.80	7.69	35.45
PK	5.7325G	67.83	68.20	-0.37	61.83	3	Horizontal	40	2.62	-	33.59	7.92	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting 0.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.205G	56.86	74.00	-17.14	40.51	3	Vertical	272	2.72	-	38.91	10.72	33.28
AV	11.2445G	45.51	54.00	-8.49	29.02	3	Vertical	272	2.72	-	38.99	10.74	33.24
PK	16.8533G	59.81	68.20	-8.39	41.56	3	Vertical	135	1.16	-	38.28	12.83	32.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
 Setting 0.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23385G	57.06	74.00	-16.94	40.61	3	Horizontal	54	1.91	-	38.97	10.73	33.25
AV	11.24445G	45.51	54.00	-8.49	29.02	3	Horizontal	54	1.91	-	38.99	10.74	33.24
PK	16.8512G	60.34	68.20	-7.86	42.08	3	Horizontal	214	1.30	-	38.29	12.83	32.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	58.92	68.20	-9.28	54.00	3	Vertical	65	1.80	-	32.89	7.50	35.47
PK	5.4236G	58.79	74.00	-15.21	53.81	3	Vertical	65	1.80	-	32.85	7.57	35.44
PK	5.4692G	59.53	68.20	-8.67	54.51	3	Vertical	65	1.80	-	32.84	7.61	35.43
AV	5.4508G	47.77	54.00	-6.23	42.81	3	Vertical	65	1.80	-	32.80	7.59	35.43
PK	5.7276G	112.98	Inf	-Inf	107.01	3	Vertical	65	1.80	-	33.57	7.91	35.51
AV	5.7284G	101.42	Inf	-Inf	95.44	3	Vertical	65	1.80	-	33.57	7.92	35.51
PK	5.854G	67.33	68.20	-0.87	60.79	3	Vertical	65	1.80	-	34.02	8.07	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -1.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3452G	58.61	68.20	-9.59	53.74	3	Horizontal	32	2.97	-	32.81	7.52	35.46
PK	5.358G	58.94	74.00	-15.06	54.05	3	Horizontal	32	2.97	-	32.82	7.53	35.46
PK	5.4668G	59.80	68.20	-8.40	54.80	3	Horizontal	32	2.97	-	32.83	7.60	35.43
AV	5.4532G	48.35	54.00	-5.65	43.38	3	Horizontal	32	2.97	-	32.81	7.59	35.43
PK	5.6724G	111.83	Inf	-Inf	106.37	3	Horizontal	32	2.97	-	33.12	7.83	35.49
AV	5.6724G	100.07	Inf	-Inf	94.61	3	Horizontal	32	2.97	-	33.12	7.83	35.49
PK	5.8556G	65.42	68.20	-2.78	58.89	3	Horizontal	32	2.97	-	34.02	8.07	35.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39815G	59.67	74.00	-14.33	42.96	3	Vertical	260	2.30	-	39.00	10.81	33.10
AV	11.38985G	46.95	54.00	-7.05	30.24	3	Vertical	260	2.30	-	39.02	10.80	33.11
PK	17.04875G	58.91	68.20	-9.29	40.58	3	Vertical	139	2.78	-	38.20	12.92	32.79

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -1.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.394G	58.93	74.00	-15.07	42.23	3	Horizontal	174	1.96	-	39.01	10.80	33.11
AV	11.3922G	47.11	54.00	-6.89	30.40	3	Horizontal	174	1.96	-	39.02	10.80	33.11
PK	17.0679G	58.60	68.20	-9.60	40.28	3	Horizontal	214	2.19	-	38.20	12.93	32.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -2.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	59.15	68.20	-9.05	54.25	3	Vertical	65.1	1.80	-	32.86	7.51	35.47
PK	5.4404G	59.63	74.00	-14.37	54.67	3	Vertical	65.1	1.80	-	32.82	7.58	35.44
AV	5.4476G	47.74	54.00	-6.26	42.78	3	Vertical	65.1	1.80	-	32.80	7.59	35.43
PK	5.4676G	58.38	68.20	-9.82	53.37	3	Vertical	65.1	1.80	-	32.84	7.60	35.43
PK	5.7276G	111.84	Inf	-Inf	105.87	3	Vertical	65.1	1.80	-	33.57	7.91	35.51
AV	5.7284G	101.81	Inf	-Inf	95.83	3	Vertical	65.1	1.80	-	33.57	7.92	35.51
PK	5.8524G	67.75	68.20	-0.45	61.23	3	Vertical	65.1	1.80	-	34.01	8.06	35.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
 Setting -2.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	59.01	68.20	-9.19	54.13	3	Horizontal	34	1.01	-	32.84	7.51	35.47
PK	5.4404G	60.01	74.00	-13.99	55.05	3	Horizontal	34	1.01	-	32.82	7.58	35.44
AV	5.4468G	47.55	54.00	-6.45	42.58	3	Horizontal	34	1.01	-	32.81	7.59	35.43
PK	5.4652G	58.86	68.20	-9.34	53.86	3	Horizontal	34	1.01	-	32.83	7.60	35.43
PK	5.7132G	110.36	Inf	-Inf	104.49	3	Horizontal	34	1.01	-	33.48	7.89	35.50
AV	5.7148G	99.09	Inf	-Inf	93.21	3	Horizontal	34	1.01	-	33.49	7.89	35.50
PK	5.8556G	63.69	68.20	-4.51	57.16	3	Horizontal	34	1.01	-	34.02	8.07	35.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3926G	58.28	74.00	-15.72	41.58	3	Vertical	218	2.58	-	39.01	10.80	33.11
AV	11.39445G	47.04	54.00	-6.96	30.33	3	Vertical	218	2.58	-	39.01	10.80	33.10
PK	17.08555G	58.23	68.20	-9.97	39.93	3	Vertical	41	2.50	-	38.20	12.93	32.83

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
 Setting -2.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37745G	58.69	74.00	-15.31	41.96	3	Horizontal	203	2.52	-	39.05	10.80	33.12
AV	11.40245G	47.01	54.00	-6.99	30.30	3	Horizontal	203	2.52	-	39.00	10.81	33.10
PK	17.0884G	58.05	68.20	-10.15	39.74	3	Horizontal	88	1.64	-	38.20	12.94	32.83

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
 Setting 5.5
 05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	69.28	69.31	-0.03	64.06	3	Vertical	66	1.80	-	32.91	7.79	35.48
PK	5.754G	112.28	Inf	-Inf	106.12	3	Vertical	66	1.80	-	33.72	7.96	35.52
AV	5.754G	100.97	Inf	-Inf	94.81	3	Vertical	66	1.80	-	33.72	7.96	35.52
PK	5.976G	62.50	68.20	-5.70	55.81	3	Vertical	66	1.80	-	34.15	8.14	35.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 5.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	66.28	68.20	-1.92	61.10	3	Horizontal	36	1.00	-	32.88	7.77	35.47
PK	5.7585G	110.83	Inf	-Inf	104.66	3	Horizontal	36	1.00	-	33.73	7.96	35.52
AV	5.759G	98.96	Inf	-Inf	92.78	3	Horizontal	36	1.00	-	33.74	7.96	35.52
PK	5.9355G	62.31	68.20	-5.89	55.58	3	Horizontal	36	1.00	-	34.20	8.12	35.59

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 5.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5418G	56.92	74.00	-17.08	40.17	3	Vertical	238	1.05	-	38.93	10.87	33.05
AV	11.5341G	45.91	54.00	-8.09	29.12	3	Vertical	238	1.05	-	38.96	10.87	33.04
PK	17.32505G	59.84	68.20	-8.36	41.12	3	Vertical	17	2.13	-	38.75	13.05	33.08

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 5.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5291G	57.41	74.00	-16.59	40.61	3	Horizontal	168	1.09	-	38.98	10.86	33.04
AV	11.53615G	45.83	54.00	-8.17	29.04	3	Horizontal	168	1.09	-	38.96	10.87	33.04
PK	17.34075G	60.64	68.20	-7.56	41.90	3	Horizontal	24	2.79	-	38.78	13.05	33.09

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 4
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6165G	66.11	68.20	-2.09	61.00	3	Vertical	65	1.80	-	32.83	7.74	35.46
PK	5.7535G	113.43	Inf	-Inf	107.28	3	Vertical	65	1.80	-	33.71	7.96	35.52
AV	5.7535G	102.15	Inf	-Inf	96.00	3	Vertical	65	1.80	-	33.71	7.96	35.52
PK	5.9415G	62.67	68.20	-5.53	55.94	3	Vertical	65	1.80	-	34.20	8.12	35.59

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 4
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.49	68.20	-1.71	61.32	3	Horizontal	33	2.99	-	32.87	7.77	35.47
PK	5.737G	112.12	Inf	-Inf	106.08	3	Horizontal	33	2.99	-	33.62	7.93	35.51
AV	5.737G	100.87	Inf	-Inf	94.83	3	Horizontal	33	2.99	-	33.62	7.93	35.51
PK	5.996G	62.23	68.20	-5.97	55.57	3	Horizontal	33	2.99	-	34.11	8.16	35.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57125G	57.10	74.00	-16.90	40.48	3	Vertical	317	1.74	-	38.81	10.88	33.07
AV	11.53395G	45.66	54.00	-8.34	28.88	3	Vertical	317	1.74	-	38.96	10.86	33.04
PK	17.32115G	60.22	68.20	-7.98	41.51	3	Vertical	24	1.37	-	38.74	13.04	33.07

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 4
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53335G	57.76	74.00	-16.24	40.97	3	Horizontal	197	2.52	-	38.97	10.86	33.04
AV	11.5385G	45.74	54.00	-8.26	28.96	3	Horizontal	197	2.52	-	38.95	10.87	33.04
PK	17.3385G	60.05	68.20	-8.15	41.31	3	Horizontal	53	2.93	-	38.78	13.05	33.09

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 Setting 5
 06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	70.00	74.00	-4.00	62.35	3	Vertical	209	1.56	-	32.10	6.90	31.35
AV	5.0868G	52.32	54.00	-1.68	44.70	3	Vertical	209	1.56	-	32.07	6.88	31.33
PK	5.286G	107.04	Inf	-Inf	99.94	3	Vertical	209	1.56	-	31.53	7.00	31.43
AV	5.3262G	96.35	Inf	-Inf	89.28	3	Vertical	209	1.56	-	31.50	7.03	31.46
PK	5.3664G	68.75	74.00	-5.25	61.64	3	Vertical	209	1.56	-	31.53	7.06	31.48
AV	5.3862G	53.72	54.00	-0.28	46.56	3	Vertical	209	1.56	-	31.57	7.08	31.49
PK	5.466G	63.83	68.20	-4.37	56.40	3	Vertical	209	1.56	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	65.45	74.00	-8.55	57.80	3	Horizontal	222	1.73	-	32.10	6.90	31.35
AV	5.082G	50.83	54.00	-3.17	43.21	3	Horizontal	222	1.73	-	32.06	6.88	31.32
PK	5.2614G	104.08	Inf	-Inf	96.93	3	Horizontal	222	1.73	-	31.58	6.99	31.42
AV	5.3016G	92.79	Inf	-Inf	85.71	3	Horizontal	222	1.73	-	31.50	7.02	31.44
PK	5.3616G	67.12	74.00	-6.88	60.02	3	Horizontal	222	1.73	-	31.52	7.06	31.48
AV	5.4024G	51.19	54.00	-2.81	43.99	3	Horizontal	222	1.73	-	31.61	7.09	31.50
PK	5.463G	63.30	68.20	-4.90	55.87	3	Horizontal	222	1.73	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49322G	61.09	68.20	-7.11	43.46	3	Vertical	115	1.22	-	40.11	10.09	32.57
PK	15.7446G	62.08	74.00	-11.92	44.11	3	Vertical	276	2.88	-	38.29	12.55	32.87
AV	15.74466G	47.25	54.00	-6.75	29.28	3	Vertical	276	2.88	-	38.29	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48737G	60.52	68.20	-7.68	42.87	3	Horizontal	55	1.78	-	40.13	10.09	32.57
PK	15.75441G	62.63	74.00	-11.37	44.65	3	Horizontal	158	2.45	-	38.30	12.55	32.87
AV	15.74367G	47.28	54.00	-6.72	29.31	3	Horizontal	158	2.45	-	38.29	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	69.67	74.00	-4.33	62.02	3	Vertical	214	1.51	-	32.10	6.90	31.35
AV	5.1048G	53.41	54.00	-0.59	45.76	3	Vertical	214	1.51	-	32.10	6.89	31.34
PK	5.3262G	108.81	Inf	-Inf	101.74	3	Vertical	214	1.51	-	31.50	7.03	31.46
AV	5.325G	96.88	Inf	-Inf	89.81	3	Vertical	214	1.51	-	31.50	7.03	31.46
PK	5.364G	70.04	74.00	-3.96	62.93	3	Vertical	214	1.51	-	31.53	7.06	31.48
AV	5.3652G	53.62	54.00	-0.38	46.51	3	Vertical	214	1.51	-	31.53	7.06	31.48
PK	5.4642G	63.38	68.20	-4.82	55.95	3	Vertical	214	1.51	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	69.69	74.00	-4.31	62.04	3	Horizontal	222	2.22	-	32.10	6.91	31.36
AV	5.103G	51.94	54.00	-2.06	44.29	3	Horizontal	222	2.22	-	32.10	6.89	31.34
PK	5.2236G	105.75	Inf	-Inf	98.48	3	Horizontal	222	2.22	-	31.71	6.96	31.40
AV	5.223G	94.19	Inf	-Inf	86.92	3	Horizontal	222	2.22	-	31.71	6.96	31.40
PK	5.442G	65.19	74.00	-8.81	57.82	3	Horizontal	222	2.22	-	31.77	7.12	31.52
AV	5.3628G	51.79	54.00	-2.21	44.68	3	Horizontal	222	2.22	-	31.53	7.06	31.48
PK	5.4618G	62.64	68.20	-5.56	55.22	3	Horizontal	222	2.22	-	31.82	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49016G	60.78	68.20	-7.42	43.14	3	Vertical	279	1.80	-	40.12	10.09	32.57
PK	15.76194G	62.88	74.00	-11.12	44.89	3	Vertical	118	2.77	-	38.30	12.56	32.87
AV	15.73533G	47.28	54.00	-6.72	29.34	3	Vertical	118	2.77	-	38.27	12.54	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49319G	60.67	68.20	-7.53	43.04	3	Horizontal	190	1.76	-	40.11	10.09	32.57
PK	15.7563G	62.03	74.00	-11.97	44.05	3	Horizontal	179	2.03	-	38.30	12.55	32.87
AV	15.73932G	48.17	54.00	-5.83	30.21	3	Horizontal	179	2.03	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.046G	66.56	74.00	-7.44	59.02	3	Vertical	212	1.56	-	31.98	6.86	31.30
AV	5.0658G	52.69	54.00	-1.31	45.11	3	Vertical	212	1.56	-	32.03	6.87	31.32
PK	5.2044G	107.61	Inf	-Inf	100.28	3	Vertical	212	1.56	-	31.78	6.94	31.39
PK	5.4264G	68.21	74.00	-5.79	60.90	3	Vertical	212	1.56	-	31.71	7.11	31.51
AV	5.3256G	97.28	Inf	-Inf	90.21	3	Vertical	212	1.56	-	31.50	7.03	31.46
AV	5.4252G	53.85	54.00	-0.15	46.55	3	Vertical	212	1.56	-	31.70	7.11	31.51
PK	5.4666G	65.16	68.20	-3.04	57.73	3	Vertical	212	1.56	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6
06-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0832G	65.58	74.00	-8.42	57.95	3	Horizontal	220	2.30	-	32.07	6.88	31.32
AV	5.0826G	52.04	54.00	-1.96	44.41	3	Horizontal	220	2.30	-	32.07	6.88	31.32
PK	5.2044G	104.77	Inf	-Inf	97.44	3	Horizontal	220	2.30	-	31.78	6.94	31.39
AV	5.2038G	94.42	Inf	-Inf	87.09	3	Horizontal	220	2.30	-	31.78	6.94	31.39
PK	5.424G	65.52	74.00	-8.48	58.22	3	Horizontal	220	2.30	-	31.70	7.11	31.51
AV	5.4234G	51.48	54.00	-2.52	44.19	3	Horizontal	220	2.30	-	31.69	7.11	31.51
PK	5.4708G	61.50	68.20	-6.70	54.05	3	Horizontal	220	2.30	-	31.84	7.14	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48992G	60.51	68.20	-7.69	42.87	3	Vertical	208	2.50	-	40.12	10.09	32.57
PK	15.74358G	62.07	74.00	-11.93	44.10	3	Vertical	55	2.58	-	38.29	12.55	32.87
AV	15.73938G	48.29	54.00	-5.71	30.33	3	Vertical	55	2.58	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49256G	60.55	68.20	-7.65	42.92	3	Horizontal	235	2.26	-	40.11	10.09	32.57
PK	15.74373G	62.06	74.00	-11.94	44.09	3	Horizontal	108	1.84	-	38.29	12.55	32.87
AV	15.73641G	48.11	54.00	-5.89	30.17	3	Horizontal	108	1.84	-	38.27	12.54	32.87

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2452G	62.22	68.20	-5.98	57.23	3	Vertical	322	1.00	-	33.01	7.47	35.49
PK	5.4572G	66.43	74.00	-7.57	61.45	3	Vertical	322	1.00	-	32.81	7.60	35.43
AV	5.4596G	48.03	54.00	-5.97	43.04	3	Vertical	322	1.00	-	32.82	7.60	35.43
PK	5.4668G	65.34	68.20	-2.86	60.34	3	Vertical	322	1.00	-	32.83	7.60	35.43
PK	5.5244G	105.52	Inf	-Inf	100.45	3	Vertical	322	1.00	-	32.85	7.65	35.43
AV	5.5236G	93.76	Inf	-Inf	88.69	3	Vertical	322	1.00	-	32.85	7.65	35.43
PK	5.7332G	67.86	68.20	-0.34	61.85	3	Vertical	322	1.00	-	33.60	7.92	35.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.246G	66.63	68.20	-1.57	61.64	3	Horizontal	37	3.00	-	33.01	7.47	35.49
PK	5.4564G	61.32	74.00	-12.68	56.34	3	Horizontal	37	3.00	-	32.81	7.60	35.43
AV	5.4556G	47.80	54.00	-6.20	42.83	3	Horizontal	37	3.00	-	32.81	7.59	35.43
PK	5.4668G	61.87	68.20	-6.33	56.87	3	Horizontal	37	3.00	-	32.83	7.60	35.43
AV	5.5124G	92.05	Inf	-Inf	86.95	3	Horizontal	37	3.00	-	32.88	7.64	35.42
PK	5.5908G	104.42	Inf	-Inf	99.37	3	Horizontal	37	3.00	-	32.80	7.70	35.45
PK	5.7724G	65.94	68.20	-2.26	59.68	3	Horizontal	37	3.00	-	33.79	7.99	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16145G	56.56	74.00	-17.44	40.27	3	Vertical	235	1.90	-	38.90	10.70	33.31
AV	11.1624G	45.28	54.00	-8.72	28.99	3	Vertical	235	1.90	-	38.90	10.70	33.31
PK	16.6933G	58.89	68.20	-9.31	41.06	3	Vertical	294	2.07	-	38.07	12.75	32.99

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16495G	57.12	74.00	-16.88	40.83	3	Horizontal	7	2.97	-	38.90	10.70	33.31
AV	11.16215G	45.19	54.00	-8.81	28.90	3	Horizontal	7	2.97	-	38.90	10.70	33.31
PK	16.71585G	59.18	68.20	-9.02	41.45	3	Horizontal	170	2.25	-	37.94	12.76	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2324G	66.76	68.20	-1.44	61.74	3	Vertical	324	1.00	-	33.04	7.47	35.49
PK	5.4436G	62.12	74.00	-11.88	57.17	3	Vertical	324	1.00	-	32.81	7.58	35.44
PK	5.4676G	60.43	68.20	-7.77	55.42	3	Vertical	324	1.00	-	32.84	7.60	35.43
AV	5.458G	48.21	54.00	-5.79	43.22	3	Vertical	324	1.00	-	32.82	7.60	35.43
PK	5.5412G	104.88	Inf	-Inf	99.84	3	Vertical	324	1.00	-	32.82	7.66	35.44
AV	5.542G	94.07	Inf	-Inf	89.03	3	Vertical	324	1.00	-	32.82	7.66	35.44
PK	5.7516G	68.07	68.20	-0.13	61.93	3	Vertical	324	1.00	-	33.71	7.95	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2452G	63.46	68.20	-4.74	58.47	3	Horizontal	43	3.00	-	33.01	7.47	35.49
PK	5.45G	60.59	74.00	-13.41	55.63	3	Horizontal	43	3.00	-	32.80	7.59	35.43
AV	5.4532G	47.98	54.00	-6.02	43.01	3	Horizontal	43	3.00	-	32.81	7.59	35.43
PK	5.466G	59.94	68.20	-8.26	54.94	3	Horizontal	43	3.00	-	32.83	7.60	35.43
PK	5.5116G	103.81	Inf	-Inf	98.71	3	Horizontal	43	3.00	-	32.88	7.64	35.42
AV	5.5116G	92.51	Inf	-Inf	87.41	3	Horizontal	43	3.00	-	32.88	7.64	35.42
PK	5.7532G	65.46	68.20	-2.74	59.31	3	Horizontal	43	3.00	-	33.71	7.96	35.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15405G	56.67	74.00	-17.33	40.39	3	Vertical	359	1.61	-	38.90	10.70	33.32
AV	11.1603G	45.32	54.00	-8.68	29.04	3	Vertical	359	1.61	-	38.90	10.70	33.32
PK	16.72085G	60.14	68.20	-8.06	42.42	3	Vertical	280	2.42	-	37.92	12.77	32.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15905G	56.86	74.00	-17.14	40.58	3	Horizontal	304	1.54	-	38.90	10.70	33.32
AV	11.16375G	45.22	54.00	-8.78	28.93	3	Horizontal	304	1.54	-	38.90	10.70	33.31
PK	16.7268G	59.22	68.20	-8.98	41.52	3	Horizontal	328	2.38	-	37.89	12.77	32.96

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX



EUT_X_4TX
Setting 6
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2316G	64.62	68.20	-3.58	59.61	3	Vertical	326	1.01	-	33.04	7.47	35.50
PK	5.4588G	60.08	74.00	-13.92	55.09	3	Vertical	326	1.01	-	32.82	7.60	35.43
AV	5.4572G	47.82	54.00	-6.18	42.84	3	Vertical	326	1.01	-	32.81	7.60	35.43
PK	5.4684G	58.10	68.20	-10.10	53.09	3	Vertical	326	1.01	-	32.84	7.60	35.43
AV	5.522G	92.87	Inf	-Inf	87.79	3	Vertical	326	1.01	-	32.86	7.65	35.43
PK	5.6228G	104.19	Inf	-Inf	99.06	3	Vertical	326	1.01	-	32.85	7.75	35.47
PK	5.742G	67.90	68.20	-0.30	61.82	3	Vertical	326	1.01	-	33.65	7.94	35.51