


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
 SET 24
 24
 6.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42352G	59.50	74.00	-14.50	53.37	3	Vertical	319	2.00	24	31.59	7.39	32.85
PK	5.46672G	59.27	68.20	-8.93	52.92	3	Vertical	319	2.00	24	31.77	7.42	32.84
AV	5.46G	47.68	54.00	-6.32	41.36	3	Vertical	319	2.00	24	31.74	7.42	32.84
PK	5.57488G	118.72	Inf	-Inf	112.33	3	Vertical	319	2.00	24	31.75	7.50	32.86
AV	5.58448G	109.91	Inf	-Inf	103.53	3	Vertical	319	2.00	24	31.73	7.51	32.86
PK	5.73808G	61.18	68.20	-7.02	54.45	3	Vertical	319	2.00	24	32.08	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
 SET 24
 24
 6.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.08	74.00	-14.92	52.80	3	Horizontal	323	2.00	24	31.71	7.41	32.84
AV	5.44272G	47.31	54.00	-6.69	41.08	3	Horizontal	323	2.00	24	31.67	7.40	32.84
PK	5.46736G	58.98	68.20	-9.22	52.63	3	Horizontal	323	2.00	24	31.77	7.42	32.84
PK	5.57776G	113.72	Inf	-Inf	107.34	3	Horizontal	323	2.00	24	31.74	7.50	32.86
AV	5.58288G	104.44	Inf	-Inf	98.06	3	Horizontal	323	2.00	24	31.73	7.51	32.86
PK	5.73776G	59.73	68.20	-8.47	53.00	3	Horizontal	323	2.00	24	32.08	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1594G	55.68	74.00	-18.32	48.58	3	Vertical	141	2.94	-	39.60	10.66	43.16
AV	11.17365G	42.50	54.00	-11.50	35.40	3	Vertical	141	2.94	-	39.60	10.67	43.17
PK	16.72995G	58.28	68.20	-9.92	47.33	3	Vertical	141	2.94	-	39.74	13.04	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15004G	55.13	74.00	-18.87	48.04	3	Horizontal	142	1.80	-	39.60	10.65	43.16
AV	11.16666G	42.54	54.00	-11.46	35.45	3	Horizontal	142	1.80	-	39.60	10.66	43.17
PK	16.73796G	58.17	68.20	-10.03	47.16	3	Horizontal	290	3.00	-	39.80	13.04	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_X_2TX
 SET 19.5
 19.5
 0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6947G	114.42	Inf	-Inf	107.79	3	Vertical	68	2.00	19.5	31.98	7.55	32.90
AV	5.6948G	105.92	Inf	-Inf	99.29	3	Vertical	68	2.00	19.5	31.98	7.55	32.90
PK	5.7257G	68.15	68.20	-0.05	61.45	3	Vertical	68	2.00	19.5	32.05	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_X_2TX
 SET 19.5
 19.5
 2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	109.29	Inf	-Inf	102.66	3	Horizontal	40	2.00	19.5	31.98	7.55	32.90
AV	5.696G	99.58	Inf	-Inf	92.95	3	Horizontal	40	2.00	19.5	31.98	7.55	32.90
PK	5.7262G	65.93	68.20	-2.27	59.23	3	Horizontal	40	2.00	19.5	32.05	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_X_2TX
 SET 19.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39145G	55.13	74.00	-18.87	47.62	3	Vertical	65	1.29	-	39.98	10.79	43.26
AV	11.39292G	42.54	54.00	-11.46	35.02	3	Vertical	65	1.29	-	39.99	10.79	43.26
PK	17.08824G	58.14	68.20	-10.06	46.74	3	Vertical	68	2.75	-	40.32	13.15	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_X_2TX
 SET 19.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41161G	55.54	74.00	-18.46	48.02	3	Horizontal	263	1.24	-	39.98	10.80	43.26
AV	11.40894G	42.76	54.00	-11.24	35.25	3	Horizontal	263	1.24	-	39.98	10.79	43.26
PK	17.10459G	57.73	68.20	-10.47	46.32	3	Horizontal	254	2.02	-	40.31	13.16	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4527G	58.66	74.00	-15.34	52.38	3	Vertical	67	2.00	24	31.71	7.41	32.84
AV	5.45486G	47.43	54.00	-6.57	41.14	3	Vertical	67	2.00	24	31.72	7.41	32.84
PK	5.4689G	59.78	68.20	-8.42	53.42	3	Vertical	67	2.00	24	31.78	7.42	32.84
PK	5.7146G	118.35	Inf	-Inf	111.67	3	Vertical	67	2.00	24	32.03	7.55	32.90
AV	5.72486G	109.72	Inf	-Inf	103.02	3	Vertical	67	2.00	24	32.05	7.56	32.91
PK	5.90036G	61.31	68.20	-6.89	54.25	3	Vertical	67	2.00	24	32.40	7.63	32.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45378G	59.48	74.00	-14.52	53.19	3	Horizontal	31	1.50	24	31.72	7.41	32.84
PK	5.46404G	59.09	68.20	-9.11	52.75	3	Horizontal	31	1.50	24	31.76	7.42	32.84
AV	5.45918G	47.22	54.00	-6.78	40.91	3	Horizontal	31	1.50	24	31.74	7.41	32.84
PK	5.72216G	110.89	Inf	-Inf	104.20	3	Horizontal	31	1.50	24	32.04	7.56	32.91
AV	5.72702G	101.81	Inf	-Inf	95.11	3	Horizontal	31	1.50	24	32.05	7.56	32.91
PK	5.8685G	60.95	68.20	-7.25	54.03	3	Horizontal	31	1.50	24	32.27	7.61	32.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43952G	54.52	74.00	-19.48	47.07	3	Vertical	246	2.95	-	39.92	10.81	43.28
AV	11.42506G	42.20	54.00	-11.80	34.72	3	Vertical	246	2.95	-	39.95	10.80	43.27
PK	17.1675G	57.73	68.20	-10.47	46.16	3	Vertical	264	2.34	-	40.44	13.18	42.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43769G	54.34	74.00	-19.66	46.89	3	Horizontal	130	1.72	-	39.92	10.81	43.28
AV	11.42506G	42.42	54.00	-11.58	34.94	3	Horizontal	130	1.72	-	39.95	10.80	43.27
PK	17.17137G	57.87	68.20	-10.33	46.30	3	Horizontal	277	2.71	-	40.44	13.18	42.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
 SET 24
 24
 7.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57286G	60.37	68.20	-7.83	53.97	3	Vertical	67	2.00	24	31.75	7.50	32.85
PK	5.74994G	117.66	Inf	-Inf	110.91	3	Vertical	67	2.00	24	32.10	7.56	32.91
AV	5.74994G	109.08	Inf	-Inf	102.33	3	Vertical	67	2.00	24	32.10	7.56	32.91
PK	5.93234G	60.98	68.20	-7.22	53.91	3	Vertical	67	2.00	24	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
 SET 24
 24
 7.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62834G	59.30	68.20	-8.90	52.88	3	Horizontal	41	2.00	24	31.76	7.53	32.87
PK	5.74158G	111.43	Inf	-Inf	104.70	3	Horizontal	41	2.00	24	32.08	7.56	32.91
AV	5.75146G	102.28	Inf	-Inf	95.53	3	Horizontal	41	2.00	24	32.10	7.57	32.92
PK	5.93006G	60.47	68.20	-7.73	53.40	3	Horizontal	41	2.00	24	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50401G	55.00	74.00	-19.00	47.36	3	Vertical	146	1.51	-	40.09	10.85	43.30
AV	11.50308G	42.98	54.00	-11.02	35.34	3	Vertical	146	1.51	-	40.09	10.85	43.30
PK	17.24091G	57.97	68.20	-10.23	46.22	3	Vertical	205	1.97	-	40.58	13.20	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48433G	54.82	74.00	-19.18	47.23	3	Horizontal	101	2.00	-	40.04	10.84	43.29
AV	11.50305G	43.06	54.00	-10.94	35.42	3	Horizontal	101	2.00	-	40.09	10.85	43.30
PK	17.24802G	57.98	68.20	-10.22	46.20	3	Horizontal	281	2.69	-	40.60	13.21	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
24
7.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6464G	59.25	68.20	-8.95	52.81	3	Vertical	64	2.00	24	31.79	7.53	32.88
PK	5.7796G	117.35	Inf	-Inf	110.55	3	Vertical	64	2.00	24	32.16	7.57	32.93
AV	5.7799G	108.57	Inf	-Inf	101.77	3	Vertical	64	2.00	24	32.16	7.57	32.93
PK	5.9263G	60.54	68.20	-7.66	53.47	3	Vertical	64	2.00	24	32.40	7.64	32.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
24
7.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6461G	59.01	68.20	-9.19	52.57	3	Horizontal	295	2.00	24	31.79	7.53	32.88
PK	5.7787G	111.28	Inf	-Inf	104.47	3	Horizontal	295	2.00	24	32.16	7.57	32.92
AV	5.7883G	102.19	Inf	-Inf	95.36	3	Horizontal	295	2.00	24	32.18	7.58	32.93
PK	5.9245G	60.84	68.57	-7.73	53.77	3	Horizontal	295	2.00	24	32.40	7.64	32.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57342G	57.43	74.00	-16.57	49.88	3	Vertical	161	1.23	-	39.95	10.89	43.29
AV	11.57657G	43.44	54.00	-10.56	35.89	3	Vertical	161	1.23	-	39.95	10.89	43.29
PK	17.35737G	59.68	68.20	-8.52	47.17	3	Vertical	197	2.87	-	41.27	13.24	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57744G	56.05	74.00	-17.95	48.50	3	Horizontal	221	1.68	-	39.95	10.89	43.29
AV	11.57324G	43.64	54.00	-10.36	36.09	3	Horizontal	221	1.68	-	39.95	10.89	43.29
PK	17.36133G	59.15	68.20	-9.05	46.60	3	Horizontal	276	2.32	-	41.31	13.24	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
 SET 24
 24
 6.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64298G	59.10	68.20	-9.10	52.66	3	Vertical	66	1.99	24	31.79	7.53	32.88
PK	5.81968G	116.46	Inf	-Inf	109.61	3	Vertical	66	1.99	24	32.20	7.59	32.94
AV	5.81968G	107.43	Inf	-Inf	100.58	3	Vertical	66	1.99	24	32.20	7.59	32.94
PK	5.9903G	61.43	68.20	-6.77	54.27	3	Vertical	66	1.99	24	32.48	7.68	33.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
 SET 24
 24
 7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64754G	59.56	68.20	-8.64	53.11	3	Horizontal	296	2.00	24	31.80	7.53	32.88
PK	5.81854G	112.38	Inf	-Inf	105.53	3	Horizontal	296	2.00	24	32.20	7.59	32.94
AV	5.81816G	102.98	Inf	-Inf	96.13	3	Horizontal	296	2.00	24	32.20	7.59	32.94
PK	5.98118G	61.18	68.20	-7.02	54.04	3	Horizontal	296	2.00	24	32.46	7.67	32.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6512G	55.14	74.00	-18.86	47.79	3	Vertical	352	1.38	-	39.70	10.93	43.28
AV	11.64139G	42.90	54.00	-11.10	35.53	3	Vertical	352	1.38	-	39.73	10.92	43.28
PK	17.47704G	60.14	68.20	-8.06	46.52	3	Vertical	274	2.17	-	42.32	13.28	41.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65084G	55.51	74.00	-18.49	48.16	3	Horizontal	20	1.52	-	39.70	10.93	43.28
AV	11.64121G	43.16	54.00	-10.84	35.78	3	Horizontal	20	1.52	-	39.74	10.92	43.28
PK	17.48517G	60.88	68.20	-7.32	47.19	3	Horizontal	47	1.96	-	42.38	13.28	41.97

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
 SET 21
 17\22.5\20\21
 5.85\ -2.60\3.95\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1401G	68.90	74.00	-5.10	62.51	3	Vertical	322	2.00	21	32.06	7.23	32.90
AV	5.1498G	53.67	54.00	-0.33	47.23	3	Vertical	322	2.00	21	32.10	7.24	32.90
PK	5.1781G	119.24	Inf	-Inf	112.94	3	Vertical	322	2.00	21	31.93	7.26	32.89
AV	5.1775G	107.43	Inf	-Inf	101.13	3	Vertical	322	2.00	21	31.93	7.26	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
 SET 21
 21
 3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1391G	62.43	74.00	-11.57	56.04	3	Horizontal	22	1.80	21	32.06	7.23	32.90
AV	5.1499G	50.05	54.00	-3.95	43.61	3	Horizontal	22	1.80	21	32.10	7.24	32.90
PK	5.175G	112.62	Inf	-Inf	106.30	3	Horizontal	22	1.80	21	31.95	7.26	32.89
AV	5.1753G	100.89	Inf	-Inf	94.57	3	Horizontal	22	1.80	21	31.95	7.26	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36138G	55.31	68.20	-12.89	48.28	3	Vertical	117	1.87	-	40.02	10.03	43.02
PK	15.53517G	55.66	74.00	-18.34	46.85	3	Vertical	3	1.94	-	38.93	12.45	42.57
AV	15.52623G	43.51	54.00	-10.49	34.70	3	Vertical	3	1.94	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36822G	56.38	68.20	-11.82	49.33	3	Horizontal	341	1.66	-	40.04	10.03	43.02
PK	15.54069G	55.31	74.00	-18.69	46.50	3	Horizontal	326	2.08	-	38.92	12.45	42.56
AV	15.52533G	43.61	54.00	-10.39	34.80	3	Horizontal	326	2.08	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 SET 23.5
 17\23\24\23.5
 6.05\2.66\ -0.07\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14722G	70.38	74.00	-3.62	63.95	3	Vertical	320	2.00	23.5	32.09	7.24	32.90
AV	5.14988G	53.97	54.00	-0.03	47.53	3	Vertical	320	2.00	23.5	32.10	7.24	32.90
PK	5.1965G	121.54	Inf	-Inf	115.33	3	Vertical	320	2.00	23.5	31.82	7.28	32.89
AV	5.1979G	110.15	Inf	-Inf	103.95	3	Vertical	320	2.00	23.5	31.81	7.28	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 SET 23.5
 23.5
 3.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.65	74.00	-8.35	59.21	3	Horizontal	30	1.80	23.5	32.10	7.24	32.90
AV	5.15G	50.93	54.00	-3.07	44.49	3	Horizontal	30	1.80	23.5	32.10	7.24	32.90
PK	5.1944G	115.15	Inf	-Inf	108.93	3	Horizontal	30	1.80	23.5	31.83	7.28	32.89
AV	5.19328G	103.49	Inf	-Inf	97.27	3	Horizontal	30	1.80	23.5	31.84	7.27	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 23.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38521G	56.24	68.20	-11.96	49.16	3	Vertical	347	2.78	-	40.07	10.04	43.03
PK	15.58956G	55.40	74.00	-18.60	46.77	3	Vertical	138	1.41	-	38.66	12.48	42.51
AV	15.58977G	43.64	54.00	-10.36	35.01	3	Vertical	138	1.41	-	38.66	12.48	42.51

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 23.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40801G	56.73	68.20	-11.47	49.59	3	Horizontal	239	1.73	-	40.12	10.05	43.03
PK	15.6G	55.71	74.00	-18.29	47.12	3	Horizontal	65	2.56	-	38.60	12.48	42.49
AV	15.58761G	43.60	54.00	-10.40	34.97	3	Horizontal	65	2.56	-	38.67	12.47	42.51

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
 SET 24
 17\23\24
 6.45\5.86\5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1477G	60.19	74.00	-13.81	53.76	3	Vertical	321	1.50	24	32.09	7.24	32.90
AV	5.149G	48.15	54.00	-5.85	41.71	3	Vertical	321	1.50	24	32.10	7.24	32.90
PK	5.23532G	121.10	Inf	-Inf	115.16	3	Vertical	321	1.50	24	31.52	7.30	32.88
AV	5.2361G	109.13	Inf	-Inf	103.20	3	Vertical	321	1.50	24	31.51	7.30	32.88
PK	5.36896G	59.76	74.00	-14.24	53.82	3	Vertical	321	1.50	24	31.44	7.36	32.86
AV	5.35804G	47.73	54.00	-6.27	41.82	3	Vertical	321	1.50	24	31.42	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
SET 24
24
6.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11182G	59.18	74.00	-14.82	52.93	3	Horizontal	321	2.00	24	31.95	7.21	32.91
AV	5.14718G	47.53	54.00	-6.47	41.10	3	Horizontal	321	2.00	24	32.09	7.24	32.90
PK	5.23116G	115.16	Inf	-Inf	109.20	3	Horizontal	321	2.00	24	31.55	7.29	32.88
AV	5.23116G	104.36	Inf	-Inf	98.40	3	Horizontal	321	2.00	24	31.55	7.29	32.88
PK	5.3557G	58.74	74.00	-15.26	52.84	3	Horizontal	321	2.00	24	31.41	7.35	32.86
AV	5.35414G	47.10	54.00	-6.90	41.20	3	Horizontal	321	2.00	24	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48249G	56.05	68.20	-12.15	48.86	3	Vertical	287	2.60	-	40.14	10.09	43.04
PK	15.72744G	54.87	74.00	-19.13	46.43	3	Vertical	97	1.63	-	38.25	12.54	42.35
AV	15.7242G	42.96	54.00	-11.04	34.52	3	Vertical	97	1.63	-	38.25	12.54	42.35

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48291G	55.36	68.20	-12.84	48.18	3	Horizontal	28	1.72	-	40.13	10.09	43.04
PK	15.72276G	55.29	74.00	-18.71	46.85	3	Horizontal	260	1.26	-	38.25	12.54	42.35
AV	15.72648G	42.97	54.00	-11.03	34.53	3	Horizontal	260	1.26	-	38.25	12.54	42.35

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 24
17\23\24
6.45\5.94\5.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13598G	60.61	74.00	-13.39	54.24	3	Vertical	321	1.50	24	32.04	7.23	32.90
AV	5.13676G	48.06	54.00	-5.94	41.68	3	Vertical	321	1.50	24	32.05	7.23	32.90
PK	5.25454G	120.76	Inf	-Inf	114.95	3	Vertical	321	1.50	24	31.39	7.30	32.88
AV	5.2561G	109.47	Inf	-Inf	103.65	3	Vertical	321	1.50	24	31.39	7.31	32.88
PK	5.36166G	60.22	74.00	-13.78	54.31	3	Vertical	321	1.50	24	31.42	7.35	32.86
AV	5.35672G	47.71	54.00	-6.29	41.81	3	Vertical	321	1.50	24	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
 SET 24
 24
 6.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	59.25	74.00	-14.75	52.91	3	Horizontal	28	1.80	24	32.02	7.22	32.90
AV	5.13728G	47.46	54.00	-6.54	41.08	3	Horizontal	28	1.80	24	32.05	7.23	32.90
PK	5.25558G	115.25	Inf	-Inf	109.43	3	Horizontal	28	1.80	24	31.39	7.31	32.88
AV	5.25558G	103.06	Inf	-Inf	97.24	3	Horizontal	28	1.80	24	31.39	7.31	32.88
PK	5.3718G	58.58	74.00	-15.42	52.64	3	Horizontal	28	1.80	24	31.44	7.36	32.86
AV	5.3726G	47.05	54.00	-6.95	41.09	3	Horizontal	28	1.80	24	31.45	7.36	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52465G	56.23	68.20	-11.97	49.06	3	Vertical	246	2.42	-	40.10	10.11	43.04
PK	15.78909G	54.47	74.00	-19.53	45.87	3	Vertical	121	2.55	-	38.30	12.57	42.27
AV	15.78969G	42.56	54.00	-11.44	33.96	3	Vertical	121	2.55	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50575G	55.44	68.20	-12.76	48.28	3	Horizontal	154	2.30	-	40.10	10.10	43.04
PK	15.79119G	54.61	74.00	-19.39	46.01	3	Horizontal	57	2.69	-	38.30	12.57	42.27
AV	15.78912G	42.45	54.00	-11.55	33.85	3	Horizontal	57	2.69	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
 SET 22.5
 17\23.5\20.5\22\22.5\23\22.5
 6.59\ -2.43\5.94\2.74\2.61\ -1.67\2.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29818G	118.65	Inf	-Inf	112.90	3	Vertical	321	2.00	22.5	31.30	7.32	32.87
AV	5.2979G	107.49	Inf	-Inf	101.74	3	Vertical	321	2.00	22.5	31.30	7.32	32.87
PK	5.35572G	68.96	74.00	-5.04	63.06	3	Vertical	321	2.00	22.5	31.41	7.35	32.86
AV	5.35026G	51.26	54.00	-2.74	45.37	3	Vertical	321	2.00	22.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
SET 22.5
22.5
4.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29104G	114.85	Inf	-Inf	109.08	3	Horizontal	318	2.00	22.5	31.32	7.32	32.87
AV	5.29146G	102.86	Inf	-Inf	97.09	3	Horizontal	318	2.00	22.5	31.32	7.32	32.87
PK	5.3518G	63.17	74.00	-10.83	57.28	3	Horizontal	318	2.00	22.5	31.40	7.35	32.86
AV	5.35012G	49.09	54.00	-4.91	43.20	3	Horizontal	318	2.00	22.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 22.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60792G	56.05	74.00	-17.95	48.75	3	Vertical	315	1.18	-	40.20	10.15	43.05
AV	10.61359G	43.84	54.00	-10.16	36.54	3	Vertical	315	1.18	-	40.20	10.15	43.05
PK	15.89136G	54.47	74.00	-19.53	45.99	3	Vertical	66	1.69	-	38.02	12.62	42.16
AV	15.90825G	42.80	54.00	-11.20	34.33	3	Vertical	66	1.69	-	37.98	12.63	42.14

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 22.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59949G	55.92	68.20	-12.28	48.63	3	Horizontal	151	2.35	-	40.20	10.14	43.05
AV	10.61194G	43.81	54.00	-10.19	36.51	3	Horizontal	151	2.35	-	40.20	10.15	43.05
PK	15.90903G	54.74	74.00	-19.26	46.27	3	Horizontal	306	2.85	-	37.98	12.63	42.14
AV	15.90984G	42.85	54.00	-11.15	34.37	3	Horizontal	306	2.85	-	37.98	12.63	42.13

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
 SET 19
 17\22\19.5\18.5\19
 5.39\ -8.22\ -1.14\4.55\2.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3179G	116.71	Inf	-Inf	110.91	3	Vertical	318	2.00	19	31.34	7.33	32.87
AV	5.3189G	105.11	Inf	-Inf	99.31	3	Vertical	318	2.00	19	31.34	7.33	32.87
PK	5.355G	66.20	74.00	-7.80	60.30	3	Vertical	318	2.00	19	31.41	7.35	32.86
AV	5.3517G	51.64	54.00	-2.36	45.75	3	Vertical	318	2.00	19	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
 SET 19
 19
 4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	111.25	Inf	-Inf	105.47	3	Horizontal	324	2.00	19	31.32	7.33	32.87
AV	5.3113G	99.56	Inf	-Inf	93.78	3	Horizontal	324	2.00	19	31.32	7.33	32.87
PK	5.3503G	61.77	74.00	-12.23	55.88	3	Horizontal	324	2.00	19	31.40	7.35	32.86
AV	5.3501G	49.42	54.00	-4.58	43.53	3	Horizontal	324	2.00	19	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62869G	56.27	74.00	-17.73	48.97	3	Vertical	217	2.99	-	40.20	10.16	43.06
AV	10.62824G	43.80	54.00	-10.20	36.50	3	Vertical	217	2.99	-	40.20	10.16	43.06
PK	15.95022G	54.86	74.00	-19.14	46.40	3	Vertical	38	1.43	-	37.90	12.65	42.09
AV	15.96153G	43.17	54.00	-10.83	34.69	3	Vertical	38	1.43	-	37.90	12.65	42.07

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6448G	55.94	74.00	-18.06	48.63	3	Horizontal	200	1.44	-	40.20	10.17	43.06
AV	10.63223G	43.87	54.00	-10.13	36.57	3	Horizontal	200	1.44	-	40.20	10.16	43.06
PK	15.95196G	55.11	74.00	-18.89	46.65	3	Horizontal	75	2.54	-	37.90	12.65	42.09
AV	15.97203G	43.19	54.00	-10.81	34.69	3	Horizontal	75	2.54	-	37.90	12.66	42.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
 SET 20.5
 19\24\21.5\20.5\21\20.5
 5.11\ -7.61\ -7.24\0.84\ -3.83\1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4559G	66.12	74.00	-7.88	59.83	3	Vertical	315	2.00	20.5	31.72	7.41	32.84
PK	5.4603G	66.82	68.20	-1.38	60.50	3	Vertical	315	2.00	20.5	31.74	7.42	32.84
AV	5.46G	50.76	54.00	-3.24	44.44	3	Vertical	315	2.00	20.5	31.74	7.42	32.84
PK	5.4984G	118.51	Inf	-Inf	112.01	3	Vertical	315	2.00	20.5	31.89	7.44	32.83
AV	5.4988G	107.08	Inf	-Inf	100.57	3	Vertical	315	2.00	20.5	31.90	7.44	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
 SET 20.5
 20.5
 3.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4509G	60.10	74.00	-13.90	53.83	3	Horizontal	320	2.00	20.5	31.70	7.41	32.84
AV	5.4554G	47.86	54.00	-6.14	41.57	3	Horizontal	320	2.00	20.5	31.72	7.41	32.84
PK	5.4693G	64.34	68.20	-3.86	57.98	3	Horizontal	320	2.00	20.5	31.78	7.42	32.84
PK	5.4925G	113.16	Inf	-Inf	106.68	3	Horizontal	320	2.00	20.5	31.87	7.44	32.83
AV	5.4917G	101.83	Inf	-Inf	95.35	3	Horizontal	320	2.00	20.5	31.87	7.44	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
SET 20.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01038G	55.21	74.00	-18.79	47.75	3	Vertical	11	1.82	-	39.98	10.58	43.10
AV	11.00897G	43.03	54.00	-10.97	35.58	3	Vertical	11	1.82	-	39.98	10.57	43.10
PK	16.49898G	57.31	68.20	-10.89	46.75	3	Vertical	353	2.22	-	39.20	12.96	41.60

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
SET 20.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01116G	55.09	74.00	-18.91	47.63	3	Horizontal	306	2.66	-	39.98	10.58	43.10
AV	11.00156G	42.99	54.00	-11.01	35.52	3	Horizontal	306	2.66	-	40.00	10.57	43.10
PK	16.51053G	57.48	68.20	-10.72	46.96	3	Horizontal	209	1.86	-	39.16	12.97	41.61

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
SET 24
24
5.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45008G	60.10	74.00	-13.90	53.83	3	Vertical	318	2.00	24	31.70	7.41	32.84
AV	5.45648G	48.08	54.00	-5.92	41.78	3	Vertical	318	2.00	24	31.73	7.41	32.84
PK	5.46896G	59.73	68.20	-8.47	53.37	3	Vertical	318	2.00	24	31.78	7.42	32.84
PK	5.57776G	120.74	Inf	-Inf	114.36	3	Vertical	318	2.00	24	31.74	7.50	32.86
AV	5.57776G	109.43	Inf	-Inf	103.05	3	Vertical	318	2.00	24	31.74	7.50	32.86
PK	5.72976G	60.52	68.20	-7.68	53.81	3	Vertical	318	2.00	24	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
SET 24
24
6.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44176G	59.90	74.00	-14.10	53.67	3	Horizontal	321	2.00	24	31.67	7.40	32.84
PK	5.46672G	60.19	68.20	-8.01	53.84	3	Horizontal	321	2.00	24	31.77	7.42	32.84
AV	5.4568G	47.44	54.00	-6.56	41.14	3	Horizontal	321	2.00	24	31.73	7.41	32.84
PK	5.57072G	116.70	Inf	-Inf	110.29	3	Horizontal	321	2.00	24	31.76	7.50	32.85
AV	5.57136G	104.59	Inf	-Inf	98.18	3	Horizontal	321	2.00	24	31.76	7.50	32.85
PK	5.7352G	59.88	68.20	-8.32	53.16	3	Horizontal	321	2.00	24	32.07	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
SET 24
01-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15601G	54.91	74.00	-19.09	47.81	3	Vertical	41	1.80	-	39.60	10.66	43.16
AV	11.16429G	42.99	54.00	-11.01	35.90	3	Vertical	41	1.80	-	39.60	10.66	43.17
PK	16.72896G	58.49	68.20	-9.71	47.54	3	Vertical	185	1.80	-	39.73	13.04	41.82

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




13/03/2024

EUT_X_2TX
SET 24
01-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16942G	55.31	74.00	-18.69	48.22	3	Horizontal	79	1.80	-	39.60	10.66	43.17
AV	11.16645G	42.99	54.00	-11.01	35.90	3	Horizontal	79	1.80	-	39.60	10.66	43.17
PK	16.74735G	57.60	68.20	-10.60	46.52	3	Horizontal	215	1.80	-	39.88	13.04	41.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
 SET 17.5
 19\15.5\17\17.5\18\17.5
 -3.14\7.01\6.13\1.38\2.00\1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	115.03	Inf	-Inf	108.38	3	Vertical	68	2.00	17.5	32.00	7.55	32.90
AV	5.6986G	103.69	Inf	-Inf	97.05	3	Vertical	68	2.00	17.5	31.99	7.55	32.90
PK	5.725G	66.93	68.20	-1.27	60.23	3	Vertical	68	2.00	17.5	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
 SET 17.5
 17.5
 4.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	108.88	Inf	-Inf	102.22	3	Horizontal	37	2.00	17.5	32.01	7.55	32.90
AV	5.7044G	96.92	Inf	-Inf	90.26	3	Horizontal	37	2.00	17.5	32.01	7.55	32.90
PK	5.7266G	63.49	68.20	-4.71	56.79	3	Horizontal	37	2.00	17.5	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39442G	55.28	74.00	-18.72	47.76	3	Vertical	311	1.80	-	39.99	10.79	43.26
AV	11.38662G	42.91	54.00	-11.09	35.41	3	Vertical	311	1.80	-	39.97	10.78	43.25
PK	17.091G	57.39	68.20	-10.81	45.99	3	Vertical	104	1.60	-	40.32	13.15	42.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40489G	56.48	74.00	-17.52	48.96	3	Horizontal	32	1.94	-	39.99	10.79	43.26
AV	11.39304G	42.89	54.00	-11.11	35.37	3	Horizontal	32	1.94	-	39.99	10.79	43.26
PK	17.11107G	57.68	68.20	-10.52	46.26	3	Horizontal	88	1.28	-	40.32	13.16	42.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.01	74.00	-14.99	52.74	3	Vertical	66	2.00	24	31.70	7.41	32.84
PK	5.46458G	59.32	68.20	-8.88	52.98	3	Vertical	66	2.00	24	31.76	7.42	32.84
AV	5.45972G	47.45	54.00	-6.55	41.14	3	Vertical	66	2.00	24	31.74	7.41	32.84
PK	5.71838G	120.52	Inf	-Inf	113.82	3	Vertical	66	2.00	24	32.04	7.56	32.90
AV	5.71892G	109.13	Inf	-Inf	102.43	3	Vertical	66	2.00	24	32.04	7.56	32.90
PK	5.96894G	61.14	68.20	-7.06	54.03	3	Vertical	66	2.00	24	32.44	7.66	32.99

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	58.55	74.00	-15.45	52.26	3	Horizontal	30	1.50	24	31.72	7.41	32.84
AV	5.45702G	47.44	54.00	-6.56	41.14	3	Horizontal	30	1.50	24	31.73	7.41	32.84
PK	5.46296G	59.02	68.20	-9.18	52.69	3	Horizontal	30	1.50	24	31.75	7.42	32.84
PK	5.72756G	112.54	Inf	-Inf	105.83	3	Horizontal	30	1.50	24	32.06	7.56	32.91
AV	5.72864G	101.84	Inf	-Inf	95.13	3	Horizontal	30	1.50	24	32.06	7.56	32.91
PK	5.85608G	61.61	68.20	-6.59	54.73	3	Horizontal	30	1.50	24	32.22	7.61	32.95

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43424G	55.08	74.00	-18.92	47.61	3	Vertical	98	2.70	-	39.93	10.81	43.27
AV	11.42554G	42.65	54.00	-11.35	35.17	3	Vertical	98	2.70	-	39.95	10.80	43.27
PK	17.14839G	57.54	68.20	-10.66	46.02	3	Vertical	134	2.69	-	40.40	13.17	42.05

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45356G	54.15	74.00	-19.85	46.70	3	Horizontal	56	2.82	-	39.91	10.82	43.28
AV	11.42611G	42.57	54.00	-11.43	35.09	3	Horizontal	56	2.82	-	39.95	10.80	43.27
PK	17.17089G	57.66	68.20	-10.54	46.09	3	Horizontal	192	1.06	-	40.44	13.18	42.05

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
 SET 24
 24
 7.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63822G	60.25	68.20	-7.95	53.82	3	Vertical	66	2.00	24	31.78	7.53	32.88
PK	5.74614G	119.25	Inf	-Inf	112.51	3	Vertical	66	2.00	24	32.09	7.56	32.91
AV	5.74386G	108.56	Inf	-Inf	101.82	3	Vertical	66	2.00	24	32.09	7.56	32.91
PK	5.92854G	59.85	68.20	-8.35	52.79	3	Vertical	66	2.00	24	32.40	7.64	32.98

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
 SET 24
 24
 7.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5854G	59.83	68.20	-8.37	53.45	3	Horizontal	29	1.80	24	31.73	7.51	32.86
PK	5.73664G	111.28	Inf	-Inf	104.56	3	Horizontal	29	1.80	24	32.07	7.56	32.91
AV	5.73626G	100.03	Inf	-Inf	93.31	3	Horizontal	29	1.80	24	32.07	7.56	32.91
PK	5.92512G	60.37	68.20	-7.83	53.30	3	Horizontal	29	1.80	24	32.40	7.64	32.97

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50014G	55.60	74.00	-18.40	47.95	3	Vertical	329	2.49	-	40.10	10.85	43.30
AV	11.49681G	43.27	54.00	-10.73	35.64	3	Vertical	329	2.49	-	40.09	10.84	43.30
PK	17.247G	58.14	68.20	-10.06	46.37	3	Vertical	86	2.67	-	40.59	13.21	42.03

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4897G	55.36	74.00	-18.64	47.76	3	Horizontal	130	2.69	-	40.06	10.84	43.30
AV	11.50335G	43.35	54.00	-10.65	35.71	3	Horizontal	130	2.69	-	40.09	10.85	43.30
PK	17.23989G	58.53	68.20	-9.67	46.78	3	Horizontal	166	1.10	-	40.58	13.20	42.03

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
 SET 24
 24
 7.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6419G	60.13	68.20	-8.07	53.70	3	Vertical	66	1.99	24	31.78	7.53	32.88
PK	5.7838G	118.37	Inf	-Inf	111.55	3	Vertical	66	1.99	24	32.17	7.58	32.93
AV	5.7835G	107.56	Inf	-Inf	100.74	3	Vertical	66	1.99	24	32.17	7.58	32.93
PK	5.9296G	60.52	68.20	-7.68	53.46	3	Vertical	66	1.99	24	32.40	7.64	32.98

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
24
7.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6386G	59.94	68.20	-8.26	53.51	3	Horizontal	297	2.00	24	31.78	7.53	32.88
PK	5.7787G	112.60	Inf	-Inf	105.79	3	Horizontal	297	2.00	24	32.16	7.57	32.92
AV	5.7778G	101.42	Inf	-Inf	94.61	3	Horizontal	297	2.00	24	32.16	7.57	32.92
PK	5.9347G	60.86	68.20	-7.34	53.79	3	Horizontal	297	2.00	24	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58086G	56.14	74.00	-17.86	48.60	3	Vertical	288	1.13	-	39.94	10.89	43.29
AV	11.57321G	43.80	54.00	-10.20	36.25	3	Vertical	288	1.13	-	39.95	10.89	43.29
PK	17.34402G	58.71	68.20	-9.49	46.34	3	Vertical	137	1.46	-	41.14	13.24	42.01

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58101G	55.76	74.00	-18.24	48.22	3	Horizontal	252	1.47	-	39.94	10.89	43.29
AV	11.57348G	43.83	54.00	-10.17	36.28	3	Horizontal	252	1.47	-	39.95	10.89	43.29
PK	17.34363G	58.43	68.20	-9.77	46.06	3	Horizontal	250	2.29	-	41.14	13.24	42.01

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
SET 24
24
7.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64184G	59.20	68.20	-9.00	52.77	3	Vertical	66	1.99	24	31.78	7.53	32.88
PK	5.82386G	117.98	Inf	-Inf	111.13	3	Vertical	66	1.99	24	32.20	7.59	32.94
AV	5.82386G	106.65	Inf	-Inf	99.80	3	Vertical	66	1.99	24	32.20	7.59	32.94
PK	5.9713G	60.76	68.20	-7.44	53.64	3	Vertical	66	1.99	24	32.44	7.67	32.99

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
 SET 24
 24
 7.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64108G	58.72	68.20	-9.48	52.29	3	Horizontal	295	2.00	24	31.78	7.53	32.88
PK	5.81816G	114.75	Inf	-Inf	107.90	3	Horizontal	295	2.00	24	32.20	7.59	32.94
AV	5.81702G	102.92	Inf	-Inf	96.07	3	Horizontal	295	2.00	24	32.20	7.59	32.94
PK	5.9523G	61.15	68.20	-7.05	54.07	3	Horizontal	295	2.00	24	32.40	7.66	32.98

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65081G	55.31	74.00	-18.69	47.96	3	Vertical	77	1.89	-	39.70	10.93	43.28
AV	11.64205G	43.32	54.00	-10.68	35.95	3	Vertical	77	1.89	-	39.73	10.92	43.28
PK	17.4747G	59.92	68.20	-8.28	46.32	3	Vertical	121	1.28	-	42.30	13.28	41.98

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65933G	55.17	74.00	-18.83	47.83	3	Horizontal	224	2.80	-	39.68	10.93	43.27
AV	11.64151G	43.37	54.00	-10.63	36.00	3	Horizontal	224	2.80	-	39.73	10.92	43.28
PK	17.46591G	60.25	68.20	-7.95	46.72	3	Horizontal	233	1.29	-	42.23	13.28	41.98

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
 SET 17
 17\19\18\17.5\17
 2.40\4.31\0.64\0.45\2.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.93	74.00	-8.07	59.49	3	Vertical	321	2.00	17	32.10	7.24	32.90
AV	5.14788G	51.72	54.00	-2.28	45.29	3	Vertical	321	2.00	17	32.09	7.24	32.90
PK	5.1858G	112.23	Inf	-Inf	105.96	3	Vertical	321	2.00	17	31.89	7.27	32.89
AV	5.18772G	100.55	Inf	-Inf	94.30	3	Vertical	321	2.00	17	31.87	7.27	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
 SET 17
 17
 5.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14824G	60.04	74.00	-13.96	53.61	3	Horizontal	30	1.80	17	32.09	7.24	32.90
AV	5.14848G	48.33	54.00	-5.67	41.90	3	Horizontal	30	1.80	17	32.09	7.24	32.90
PK	5.18304G	106.89	Inf	-Inf	100.61	3	Horizontal	30	1.80	17	31.90	7.27	32.89
AV	5.18448G	94.66	Inf	-Inf	88.39	3	Horizontal	30	1.80	17	31.89	7.27	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
Setting 17
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37601G	56.63	68.20	-11.57	49.57	3	Vertical	137	2.60	-	40.05	10.04	43.03
PK	15.55899G	54.98	74.00	-19.02	46.21	3	Vertical	337	2.02	-	38.85	12.46	42.54
AV	15.57555G	43.52	54.00	-10.48	34.82	3	Vertical	337	2.02	-	38.75	12.47	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
Setting 17
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37331G	56.58	68.20	-11.62	49.51	3	Horizontal	170	2.69	-	40.05	10.04	43.02
PK	15.5592G	55.36	74.00	-18.64	46.60	3	Horizontal	318	1.35	-	38.84	12.46	42.54
AV	15.57762G	43.50	54.00	-10.50	34.82	3	Horizontal	318	1.35	-	38.73	12.47	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
 SET 22.5
 17\23\20\21.5\22\22.5
 6.25\1.42\5.48\1.19\0.85\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	69.57	74.00	-4.43	63.13	3	Vertical	322	1.50	22.5	32.10	7.24	32.90
AV	5.14966G	53.15	54.00	-0.85	46.71	3	Vertical	322	1.50	22.5	32.10	7.24	32.90
PK	5.2469G	116.72	Inf	-Inf	110.88	3	Vertical	322	1.50	22.5	31.42	7.30	32.88
AV	5.24638G	105.10	Inf	-Inf	99.25	3	Vertical	322	1.50	22.5	31.43	7.30	32.88
PK	5.3535G	59.41	74.00	-14.59	53.51	3	Vertical	322	1.50	22.5	31.41	7.35	32.86
AV	5.35896G	48.11	54.00	-5.89	42.20	3	Vertical	322	1.50	22.5	31.42	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
 SET 22.5
 22.5
 2.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.58	74.00	-10.42	57.14	3	Horizontal	320	2.00	22.5	32.10	7.24	32.90
AV	5.14992G	51.34	54.00	-2.66	44.90	3	Horizontal	320	2.00	22.5	32.10	7.24	32.90
PK	5.243G	112.75	Inf	-Inf	106.87	3	Horizontal	320	2.00	22.5	31.46	7.30	32.88
AV	5.22064G	100.79	Inf	-Inf	94.76	3	Horizontal	320	2.00	22.5	31.63	7.29	32.89
PK	5.35G	59.23	74.00	-14.77	53.34	3	Horizontal	320	2.00	22.5	31.40	7.35	32.86
AV	5.35506G	47.31	54.00	-6.69	41.41	3	Horizontal	320	2.00	22.5	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
 Setting 22.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45742G	55.33	68.20	-12.87	48.09	3	Vertical	196	1.71	-	40.19	10.08	43.03
PK	15.68367G	53.85	74.00	-20.15	45.56	3	Vertical	211	2.55	-	38.17	12.52	42.40
AV	15.70356G	42.48	54.00	-11.52	34.11	3	Vertical	211	2.55	-	38.21	12.53	42.37

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
 Setting 22.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47464G	55.74	68.20	-12.46	48.54	3	Horizontal	32	2.87	-	40.15	10.09	43.04
PK	15.70041G	53.57	74.00	-20.43	45.22	3	Horizontal	318	1.48	-	38.20	12.53	42.38
AV	15.70497G	42.54	54.00	-11.46	34.17	3	Horizontal	318	1.48	-	38.21	12.53	42.37

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
 SET 21.5
 17\23\20\21.5
 6.45\5.32\5.59\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14792G	60.09	74.00	-13.91	53.66	3	Vertical	317	1.50	21.5	32.09	7.24	32.90
AV	5.14652G	48.68	54.00	-5.32	42.26	3	Vertical	317	1.50	21.5	32.09	7.23	32.90
PK	5.26692G	117.31	Inf	-Inf	111.51	3	Vertical	317	1.50	21.5	31.37	7.31	32.88
AV	5.28708G	105.67	Inf	-Inf	99.89	3	Vertical	317	1.50	21.5	31.33	7.32	32.87
PK	5.35064G	68.94	74.00	-5.06	63.05	3	Vertical	317	1.50	21.5	31.40	7.35	32.86
AV	5.35G	53.98	54.00	-0.02	48.09	3	Vertical	317	1.50	21.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
SET 21.5
21.5
3.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14568G	59.09	74.00	-14.91	52.68	3	Horizontal	27	2.00	21.5	32.08	7.23	32.90
AV	5.14904G	47.75	54.00	-6.25	41.31	3	Horizontal	27	2.00	21.5	32.10	7.24	32.90
PK	5.26496G	111.64	Inf	-Inf	105.84	3	Horizontal	27	2.00	21.5	31.37	7.31	32.88
AV	5.26692G	100.21	Inf	-Inf	94.41	3	Horizontal	27	2.00	21.5	31.37	7.31	32.88
PK	5.3512G	62.50	74.00	-11.50	56.61	3	Horizontal	27	2.00	21.5	31.40	7.35	32.86
AV	5.35G	50.17	54.00	-3.83	44.28	3	Horizontal	27	2.00	21.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
 Setting 21.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.537G	55.20	68.20	-13.00	48.02	3	Vertical	8	2.64	-	40.10	10.12	43.04
PK	15.81351G	55.11	74.00	-18.89	46.53	3	Vertical	226	2.76	-	38.25	12.58	42.25
AV	15.8082G	42.64	54.00	-11.36	34.04	3	Vertical	226	2.76	-	38.27	12.58	42.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
 Setting 21.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52959G	55.44	68.20	-12.76	48.27	3	Horizontal	86	2.33	-	40.10	10.11	43.04
PK	15.81696G	54.97	74.00	-19.03	46.40	3	Horizontal	62	1.71	-	38.23	12.58	42.24
AV	15.80637G	42.66	54.00	-11.34	34.06	3	Horizontal	62	1.71	-	38.27	12.58	42.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
 SET 16.5
 17\15\16\16.5
 -1.97\4.12\1.33\1.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30892G	111.51	Inf	-Inf	105.73	3	Vertical	319	2.00	16.5	31.32	7.33	32.87
AV	5.32812G	99.95	Inf	-Inf	94.11	3	Vertical	319	2.00	16.5	31.36	7.34	32.86
PK	5.35056G	65.35	74.00	-8.65	59.46	3	Vertical	319	2.00	16.5	31.40	7.35	32.86
AV	5.35G	52.56	54.00	-1.44	46.67	3	Vertical	319	2.00	16.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
 SET 16.5
 16.5
 6.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	105.12	Inf	-Inf	99.32	3	Horizontal	325	1.99	16.5	31.34	7.33	32.87
AV	5.32008G	93.51	Inf	-Inf	87.71	3	Horizontal	325	1.99	16.5	31.34	7.33	32.87
PK	5.3544G	59.85	74.00	-14.15	53.95	3	Horizontal	325	1.99	16.5	31.41	7.35	32.86
AV	5.35776G	47.72	54.00	-6.28	41.81	3	Horizontal	325	1.99	16.5	31.42	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 16.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61082G	55.71	74.00	-18.29	48.41	3	Vertical	58	2.79	-	40.20	10.15	43.05
AV	10.61007G	43.79	54.00	-10.21	36.49	3	Vertical	58	2.79	-	40.20	10.15	43.05
PK	15.92694G	55.41	74.00	-18.59	46.93	3	Vertical	122	1.76	-	37.95	12.64	42.11
AV	15.94047G	43.11	54.00	-10.89	34.65	3	Vertical	122	1.76	-	37.92	12.64	42.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61529G	55.98	74.00	-18.02	48.68	3	Horizontal	113	1.54	-	40.20	10.15	43.05
AV	10.61571G	43.89	54.00	-10.11	36.59	3	Horizontal	113	1.54	-	40.20	10.15	43.05
PK	15.92238G	55.10	74.00	-18.90	46.63	3	Horizontal	69	1.71	-	37.96	12.63	42.12
AV	15.94296G	43.14	54.00	-10.86	34.69	3	Horizontal	69	1.71	-	37.91	12.64	42.10

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 SET 18.5
 19\16\17.5\18\18.5
 -2.94\6.15\2.38\2.46\1.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45996G	61.26	74.00	-12.74	54.95	3	Vertical	327	1.80	18.5	31.74	7.41	32.84
AV	5.459G	48.30	54.00	-5.70	41.99	3	Vertical	327	1.80	18.5	31.74	7.41	32.84
PK	5.46848G	66.62	68.20	-1.58	60.27	3	Vertical	327	1.80	18.5	31.77	7.42	32.84
PK	5.5082G	112.63	Inf	-Inf	106.13	3	Vertical	327	1.80	18.5	31.88	7.45	32.83
AV	5.50796G	100.46	Inf	-Inf	93.96	3	Vertical	327	1.80	18.5	31.88	7.45	32.83

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 SET 18.5
 18.5
 5.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.25	74.00	-13.75	53.94	3	Horizontal	322	2.00	18.5	31.74	7.41	32.84
AV	5.45996G	48.50	54.00	-5.50	42.19	3	Horizontal	322	2.00	18.5	31.74	7.41	32.84
PK	5.46308G	60.62	68.20	-7.58	54.29	3	Horizontal	322	2.00	18.5	31.75	7.42	32.84
PK	5.50256G	108.21	Inf	-Inf	101.70	3	Horizontal	322	2.00	18.5	31.89	7.45	32.83
AV	5.52068G	96.53	Inf	-Inf	90.05	3	Horizontal	322	2.00	18.5	31.86	7.46	32.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01115G	54.95	74.00	-19.05	47.49	3	Vertical	55	2.08	-	39.98	10.58	43.10
AV	11.01022G	43.00	54.00	-11.00	35.54	3	Vertical	55	2.08	-	39.98	10.58	43.10
PK	16.52262G	57.09	68.20	-11.11	46.63	3	Vertical	329	1.83	-	39.11	12.97	41.62

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00518G	54.68	74.00	-19.32	47.22	3	Horizontal	54	1.52	-	39.99	10.57	43.10
AV	11.00506G	43.00	54.00	-11.00	35.54	3	Horizontal	54	1.52	-	39.99	10.57	43.10
PK	16.51797G	57.23	68.20	-10.97	46.75	3	Horizontal	159	1.66	-	39.13	12.97	41.62

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
 SET 20.5
 20.5\24\22.5\22\21.5\21\20.5
 4.63\ -3.96\ -3.23\ -2.78\ -2.66\ -0.23\ 3.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.37	74.00	-16.63	51.48	3	Vertical	321	1.99	20.5	31.40	7.35	32.86
AV	5.35G	47.07	54.00	-6.93	41.18	3	Vertical	321	1.99	20.5	31.40	7.35	32.86
PK	5.4136G	60.42	74.00	-13.58	54.34	3	Vertical	321	1.99	20.5	31.55	7.38	32.85
AV	5.4376G	48.10	54.00	-5.90	41.89	3	Vertical	321	1.99	20.5	31.65	7.40	32.84
PK	5.468G	64.52	68.20	-3.68	58.17	3	Vertical	321	1.99	20.5	31.77	7.42	32.84
PK	5.566G	116.97	Inf	-Inf	110.56	3	Vertical	321	1.99	20.5	31.77	7.49	32.85
AV	5.568G	104.51	Inf	-Inf	98.10	3	Vertical	321	1.99	20.5	31.76	7.50	32.85
PK	5.7356G	61.09	68.20	-7.11	54.37	3	Vertical	321	1.99	20.5	32.07	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
 SET 20.5
 20.5
 6.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	56.37	74.00	-17.63	50.48	3	Horizontal	322	2.00	20.5	31.40	7.35	32.86
AV	5.35G	46.65	54.00	-7.35	40.76	3	Horizontal	322	2.00	20.5	31.40	7.35	32.86
PK	5.4276G	59.46	74.00	-14.54	53.30	3	Horizontal	322	2.00	20.5	31.61	7.39	32.84
PK	5.462G	60.22	68.20	-7.98	53.89	3	Horizontal	322	2.00	20.5	31.75	7.42	32.84
AV	5.4588G	47.67	54.00	-6.33	41.36	3	Horizontal	322	2.00	20.5	31.74	7.41	32.84
PK	5.5596G	110.31	Inf	-Inf	103.89	3	Horizontal	322	2.00	20.5	31.78	7.49	32.85
AV	5.5408G	98.80	Inf	-Inf	92.34	3	Horizontal	322	2.00	20.5	31.82	7.48	32.84
PK	5.7484G	60.70	68.20	-7.50	53.95	3	Horizontal	322	2.00	20.5	32.10	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
SET 20.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10816G	54.39	74.00	-19.61	47.13	3	Vertical	349	1.02	-	39.77	10.63	43.14
AV	11.08749G	42.68	54.00	-11.32	35.36	3	Vertical	349	1.02	-	39.83	10.62	43.13
PK	16.66407G	57.62	68.20	-10.58	47.08	3	Vertical	21	1.50	-	39.28	13.02	41.76

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
SET 20.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0919G	54.34	74.00	-19.66	47.04	3	Horizontal	226	1.71	-	39.82	10.62	43.14
AV	11.11308G	42.70	54.00	-11.30	35.47	3	Horizontal	226	1.71	-	39.75	10.63	43.15
PK	16.66278G	57.55	68.20	-10.65	47.01	3	Horizontal	43	1.58	-	39.28	13.02	41.76

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
 SET 19
 19.5\18.5\19
 -0.92\7.31\4.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66744G	113.04	Inf	-Inf	106.52	3	Vertical	69	2.00	19	31.87	7.54	32.89
AV	5.68824G	101.50	Inf	-Inf	94.89	3	Vertical	69	2.00	19	31.95	7.55	32.89
PK	5.7252G	63.91	68.20	-4.29	57.21	3	Vertical	69	2.00	19	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
 SET 19
 19
 4.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65256G	108.05	Inf	-Inf	101.58	3	Horizontal	42	2.00	19	31.81	7.54	32.88
AV	5.654G	95.98	Inf	-Inf	89.50	3	Horizontal	42	2.00	19	31.82	7.54	32.88
PK	5.72632G	63.45	68.20	-4.75	56.75	3	Horizontal	42	2.00	19	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
SET 19.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34177G	54.36	74.00	-19.64	46.97	3	Vertical	205	1.13	-	39.87	10.76	43.24
AV	11.35467G	42.82	54.00	-11.18	35.38	3	Vertical	205	1.13	-	39.91	10.77	43.24
PK	17.02074G	58.81	68.20	-9.39	47.55	3	Vertical	228	2.30	-	40.22	13.13	42.09

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
SET 19.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33844G	55.32	74.00	-18.68	47.95	3	Horizontal	111	2.58	-	39.85	10.76	43.24
AV	11.34918G	42.71	54.00	-11.29	35.29	3	Horizontal	111	2.58	-	39.90	10.76	43.24
PK	17.02203G	57.63	68.20	-10.57	46.35	3	Horizontal	100	1.81	-	40.23	13.13	42.08

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45988G	59.05	74.00	-14.95	52.74	3	Vertical	69	2.00	24	31.74	7.41	32.84
AV	5.45884G	47.45	54.00	-6.55	41.14	3	Vertical	69	2.00	24	31.74	7.41	32.84
PK	5.46144G	59.19	68.20	-9.01	52.86	3	Vertical	69	2.00	24	31.75	7.42	32.84
PK	5.70636G	116.88	Inf	-Inf	110.22	3	Vertical	69	2.00	24	32.01	7.55	32.90
AV	5.7282G	105.89	Inf	-Inf	99.18	3	Vertical	69	2.00	24	32.06	7.56	32.91
PK	5.8712G	61.12	68.20	-7.08	54.18	3	Vertical	69	2.00	24	32.28	7.62	32.96

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 24
 24
 6.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	58.83	74.00	-15.17	52.56	3	Horizontal	28	1.50	24	31.70	7.41	32.84
AV	5.45884G	47.45	54.00	-6.55	41.14	3	Horizontal	28	1.50	24	31.74	7.41	32.84
PK	5.46716G	59.44	68.20	-8.76	53.09	3	Horizontal	28	1.50	24	31.77	7.42	32.84
PK	5.69856G	110.46	Inf	-Inf	103.82	3	Horizontal	28	1.50	24	31.99	7.55	32.90
AV	5.6996G	98.78	Inf	-Inf	92.13	3	Horizontal	28	1.50	24	32.00	7.55	32.90
PK	5.89148G	61.18	68.20	-7.02	54.14	3	Horizontal	28	1.50	24	32.37	7.63	32.96

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42951G	54.98	74.00	-19.02	47.50	3	Vertical	210	2.31	-	39.94	10.81	43.27
AV	11.40872G	43.03	54.00	-10.97	35.52	3	Vertical	210	2.31	-	39.98	10.79	43.26
PK	17.13957G	57.86	68.20	-10.34	46.37	3	Vertical	265	1.47	-	40.38	13.17	42.06

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40629G	55.54	74.00	-18.46	48.02	3	Horizontal	202	1.33	-	39.99	10.79	43.26
AV	11.40569G	42.98	54.00	-11.02	35.46	3	Horizontal	202	1.33	-	39.99	10.79	43.26
PK	17.11845G	57.69	68.20	-10.51	46.25	3	Horizontal	279	1.28	-	40.34	13.16	42.06

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
 SET 24
 24
 1.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65204G	67.77	69.71	-1.94	61.30	3	Vertical	70	2.00	24	31.81	7.54	32.88
PK	5.75572G	116.12	Inf	-Inf	109.36	3	Vertical	70	2.00	24	32.11	7.57	32.92
AV	5.75356G	105.08	Inf	-Inf	98.32	3	Vertical	70	2.00	24	32.11	7.57	32.92
PK	5.92744G	60.70	68.20	-7.50	53.64	3	Vertical	70	2.00	24	32.40	7.64	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
 SET 24
 24
 5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63944G	62.38	68.20	-5.82	55.95	3	Horizontal	34	1.50	24	31.78	7.53	32.88
PK	5.76112G	109.28	Inf	-Inf	102.51	3	Horizontal	34	1.50	24	32.12	7.57	32.92
AV	5.74132G	97.92	Inf	-Inf	91.19	3	Horizontal	34	1.50	24	32.08	7.56	32.91
PK	5.9296G	59.84	68.20	-8.36	52.78	3	Horizontal	34	1.50	24	32.40	7.64	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49554G	55.68	74.00	-18.32	48.06	3	Vertical	329	2.27	-	40.08	10.84	43.30
AV	11.52218G	43.76	54.00	-10.24	36.14	3	Vertical	329	2.27	-	40.06	10.86	43.30
PK	17.27787G	59.83	68.20	-8.37	47.97	3	Vertical	212	2.62	-	40.66	13.22	42.02

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51789G	55.15	74.00	-18.85	47.54	3	Horizontal	106	2.85	-	40.06	10.85	43.30
AV	11.52419G	43.69	54.00	-10.31	36.08	3	Horizontal	106	2.85	-	40.05	10.86	43.30
PK	17.26587G	59.08	68.20	-9.12	47.27	3	Horizontal	317	1.20	-	40.63	13.21	42.03

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
 SET 24
 24
 7.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64972G	60.33	68.20	-7.87	53.88	3	Vertical	60	2.00	24	31.80	7.53	32.88
PK	5.79436G	116.68	Inf	-Inf	109.84	3	Vertical	60	2.00	24	32.19	7.58	32.93
AV	5.77644G	104.45	Inf	-Inf	97.65	3	Vertical	60	2.00	24	32.15	7.57	32.92
PK	5.93612G	60.51	68.20	-7.69	53.44	3	Vertical	60	2.00	24	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
 SET 24
 24
 7.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65036G	59.36	68.47	-9.11	52.90	3	Horizontal	294	2.00	24	31.80	7.54	32.88
PK	5.81004G	110.66	Inf	-Inf	103.81	3	Horizontal	294	2.00	24	32.20	7.59	32.94
AV	5.80844G	99.28	Inf	-Inf	92.43	3	Horizontal	294	2.00	24	32.20	7.58	32.93
PK	5.92844G	60.58	68.20	-7.62	53.52	3	Horizontal	294	2.00	24	32.40	7.64	32.98

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57509G	56.86	74.00	-17.14	49.31	3	Vertical	261	1.80	-	39.95	10.89	43.29
AV	11.58991G	43.99	54.00	-10.01	36.47	3	Vertical	261	1.80	-	39.92	10.89	43.29
PK	17.37735G	59.32	68.20	-8.88	46.60	3	Vertical	282	1.80	-	41.47	13.25	42.00

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57806G	56.47	74.00	-17.53	48.93	3	Horizontal	5	1.80	-	39.94	10.89	43.29
AV	11.59186G	44.03	54.00	-9.97	36.50	3	Horizontal	5	1.80	-	39.92	10.90	43.29
PK	17.37213G	59.55	68.20	-8.65	46.88	3	Horizontal	22	1.80	-	41.42	13.25	42.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
 SET 17
 17\18.5\18\17.5\17
 1.89\0.88\1.58\1.00\1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14888G	66.39	74.00	-7.61	59.95	3	Vertical	320	2.00	17	32.10	7.24	32.90
AV	5.14888G	52.23	54.00	-1.77	45.79	3	Vertical	320	2.00	17	32.10	7.24	32.90
PK	5.18728G	108.72	Inf	-Inf	102.46	3	Vertical	320	2.00	17	31.88	7.27	32.89
AV	5.18824G	97.96	Inf	-Inf	91.71	3	Vertical	320	2.00	17	31.87	7.27	32.89
PK	5.36712G	59.54	74.00	-14.46	53.61	3	Vertical	320	2.00	17	31.43	7.36	32.86
AV	5.36872G	47.41	54.00	-6.59	41.47	3	Vertical	320	2.00	17	31.44	7.36	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
SET 17
17
3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	62.98	74.00	-11.02	56.56	3	Horizontal	29	2.00	17	32.09	7.23	32.90
AV	5.1492G	50.05	54.00	-3.95	43.61	3	Horizontal	29	2.00	17	32.10	7.24	32.90
PK	5.18504G	104.45	Inf	-Inf	98.18	3	Horizontal	29	2.00	17	31.89	7.27	32.89
AV	5.186G	93.20	Inf	-Inf	86.94	3	Horizontal	29	2.00	17	31.88	7.27	32.89
PK	5.37G	58.29	74.00	-15.71	52.35	3	Horizontal	29	2.00	17	31.44	7.36	32.86
AV	5.35336G	46.89	54.00	-7.11	40.99	3	Horizontal	29	2.00	17	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41289G	55.36	68.20	-12.84	48.20	3	Vertical	52	2.46	-	40.13	10.06	43.03
PK	15.61743G	54.57	74.00	-19.43	46.12	3	Vertical	338	1.26	-	38.43	12.49	42.47
AV	15.61989G	43.18	54.00	-10.82	34.76	3	Vertical	338	1.26	-	38.40	12.49	42.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42861G	55.49	68.20	-12.71	48.30	3	Horizontal	86	2.06	-	40.16	10.06	43.03
PK	15.62535G	54.44	74.00	-19.56	46.06	3	Horizontal	114	1.74	-	38.35	12.49	42.46
AV	15.61827G	43.05	54.00	-10.95	34.61	3	Horizontal	114	1.74	-	38.42	12.49	42.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
 SET 15
 17\13\15\16\15.5\15
 -3.59\5.76\1.77\0.79\0.78\1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	59.10	74.00	-14.90	52.72	3	Vertical	317	2.00	15	32.05	7.23	32.90
AV	5.14888G	47.55	54.00	-6.45	41.11	3	Vertical	317	2.00	15	32.10	7.24	32.90
PK	5.3284G	108.60	Inf	-Inf	102.76	3	Vertical	317	2.00	15	31.36	7.34	32.86
AV	5.3284G	96.43	Inf	-Inf	90.59	3	Vertical	317	2.00	15	31.36	7.34	32.86
PK	5.3636G	65.86	74.00	-8.14	59.94	3	Vertical	317	2.00	15	31.43	7.35	32.86
AV	5.35G	52.11	54.00	-1.89	46.22	3	Vertical	317	2.00	15	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




16/03/2024

EUT_X_2TX
SET 15
15
6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	59.81	74.00	-14.19	53.37	3	Horizontal	22	1.80	15	32.10	7.24	32.90
AV	5.14152G	47.28	54.00	-6.72	40.88	3	Horizontal	22	1.80	15	32.07	7.23	32.90
PK	5.32424G	98.75	Inf	-Inf	92.93	3	Horizontal	22	1.80	15	31.35	7.34	32.87
AV	5.32488G	87.55	Inf	-Inf	81.73	3	Horizontal	22	1.80	15	31.35	7.34	32.87
PK	5.43656G	59.68	74.00	-14.32	53.47	3	Horizontal	22	1.80	15	31.65	7.40	32.84
AV	5.36424G	47.57	54.00	-6.43	41.65	3	Horizontal	22	1.80	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5743G	56.04	68.20	-12.16	48.81	3	Vertical	190	2.32	-	40.15	10.13	43.05
PK	15.88194G	53.94	74.00	-20.06	45.46	3	Vertical	342	1.83	-	38.04	12.61	42.17
AV	15.8844G	42.49	54.00	-11.51	34.00	3	Vertical	342	1.83	-	38.03	12.62	42.16

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
Setting 15
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56992G	55.52	68.20	-12.68	48.30	3	Horizontal	297	2.24	-	40.14	10.13	43.05
PK	15.86868G	54.64	74.00	-19.36	46.15	3	Horizontal	22	1.40	-	38.06	12.61	42.18
AV	15.8847G	42.49	54.00	-11.51	34.00	3	Horizontal	22	1.40	-	38.03	12.62	42.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




16/03/2024

EUT_X_2TX
 SET 16.5
 17.5\9.5\13.5\15.5\16.5\17\16.5
 -7.54\6.37\5.94\4.56\4.63\ -1.34\3.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45304G	61.83	74.00	-12.17	55.55	3	Vertical	321	2.00	16.5	31.71	7.41	32.84
AV	5.45128G	49.22	54.00	-4.78	42.94	3	Vertical	321	2.00	16.5	31.71	7.41	32.84
PK	5.46552G	64.63	68.20	-3.57	58.29	3	Vertical	321	2.00	16.5	31.76	7.42	32.84
PK	5.56776G	109.89	Inf	-Inf	103.48	3	Vertical	321	2.00	16.5	31.76	7.50	32.85
AV	5.5676G	97.45	Inf	-Inf	91.04	3	Vertical	321	2.00	16.5	31.76	7.50	32.85

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_X_2TX
 SET 16.5
 16.5
 5.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	61.02	74.00	-12.98	54.72	3	Horizontal	322	2.00	16.5	31.73	7.41	32.84
AV	5.4588G	48.30	54.00	-5.70	41.99	3	Horizontal	322	2.00	16.5	31.74	7.41	32.84
PK	5.46216G	60.32	68.20	-7.88	53.99	3	Horizontal	322	2.00	16.5	31.75	7.42	32.84
PK	5.56056G	103.59	Inf	-Inf	97.17	3	Horizontal	322	2.00	16.5	31.78	7.49	32.85
AV	5.56056G	91.79	Inf	-Inf	85.37	3	Horizontal	322	2.00	16.5	31.78	7.49	32.85

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_X_2TX
SET 17.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04701G	55.73	74.00	-18.27	48.34	3	Vertical	164	1.39	-	39.91	10.60	43.12
AV	11.06528G	42.83	54.00	-11.17	35.48	3	Vertical	164	1.39	-	39.87	10.61	43.13
PK	16.57536G	57.11	68.20	-11.09	46.89	3	Vertical	252	2.59	-	38.90	12.99	41.67

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_X_2TX
SET 17.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06903G	54.65	74.00	-19.35	47.31	3	Horizontal	102	1.96	-	39.86	10.61	43.13
AV	11.06189G	42.86	54.00	-11.14	35.50	3	Horizontal	102	1.96	-	39.88	10.60	43.12
PK	16.58235G	57.35	68.20	-10.85	47.17	3	Horizontal	70	2.61	-	38.87	12.99	41.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_X_2TX
 SET 19.5
 18.5\22\20.5\20\19.5
 3.88\ -4.81\ -0.33\ -1.06\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	61.23	74.00	-12.77	54.94	3	Vertical	317	2.00	19.5	31.72	7.41	32.84
AV	5.4516G	49.40	54.00	-4.60	43.12	3	Vertical	317	2.00	19.5	31.71	7.41	32.84
PK	5.46536G	64.16	68.20	-4.04	57.82	3	Vertical	317	2.00	19.5	31.76	7.42	32.84
PK	5.58888G	112.77	Inf	-Inf	106.40	3	Vertical	317	2.00	19.5	31.72	7.51	32.86
AV	5.58792G	100.90	Inf	-Inf	94.53	3	Vertical	317	2.00	19.5	31.72	7.51	32.86
PK	5.73032G	67.90	68.20	-0.30	61.19	3	Vertical	317	2.00	19.5	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_X_2TX
 SET 19.5
 19.5
 5.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45992G	60.98	74.00	-13.02	54.67	3	Horizontal	322	2.00	19.5	31.74	7.41	32.84
AV	5.4596G	48.30	54.00	-5.70	41.99	3	Horizontal	322	2.00	19.5	31.74	7.41	32.84
PK	5.46248G	62.02	68.20	-6.18	55.69	3	Horizontal	322	2.00	19.5	31.75	7.42	32.84
PK	5.58152G	107.14	Inf	-Inf	100.75	3	Horizontal	322	2.00	19.5	31.74	7.51	32.86
AV	5.5812G	95.54	Inf	-Inf	89.15	3	Horizontal	322	2.00	19.5	31.74	7.51	32.86
PK	5.7252G	61.74	68.20	-6.46	55.04	3	Horizontal	322	2.00	19.5	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_X_2TX
SET 19.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22819G	54.59	74.00	-19.41	47.42	3	Vertical	101	2.59	-	39.66	10.70	43.19
AV	11.23302G	42.78	54.00	-11.22	35.60	3	Vertical	101	2.59	-	39.67	10.70	43.19
PK	16.84443G	58.53	68.20	-9.67	47.02	3	Vertical	152	1.92	-	40.38	13.07	41.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_X_2TX
 SET 19.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2347G	54.89	74.00	-19.11	47.71	3	Horizontal	132	2.15	-	39.67	10.70	43.19
AV	11.20731G	42.89	54.00	-11.11	35.78	3	Horizontal	132	2.15	-	39.61	10.68	43.18
PK	16.82403G	58.08	68.20	-10.12	46.63	3	Horizontal	258	1.38	-	40.30	13.07	41.92

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 22.5
 24\23\22.5
 -0.87\ -0.18\1.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	59.84	74.00	-14.16	53.57	3	Vertical	68	2.00	22.5	31.70	7.41	32.84
AV	5.45048G	48.64	54.00	-5.36	42.37	3	Vertical	68	2.00	22.5	31.70	7.41	32.84
PK	5.46968G	60.66	68.20	-7.54	54.30	3	Vertical	68	2.00	22.5	31.78	7.42	32.84
PK	5.66744G	113.40	Inf	-Inf	106.88	3	Vertical	68	2.00	22.5	31.87	7.54	32.89
AV	5.72792G	101.82	Inf	-Inf	95.11	3	Vertical	68	2.00	22.5	32.06	7.56	32.91
PK	5.85032G	66.99	68.20	-1.21	60.13	3	Vertical	68	2.00	22.5	32.20	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 SET 22.5
 22.5
 5.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	59.92	74.00	-14.08	53.63	3	Horizontal	42	2.00	22.5	31.72	7.41	32.84
AV	5.45672G	48.08	54.00	-5.92	41.78	3	Horizontal	42	2.00	22.5	31.73	7.41	32.84
PK	5.47G	59.23	68.20	-8.97	52.87	3	Horizontal	42	2.00	22.5	31.78	7.42	32.84
PK	5.67224G	106.77	Inf	-Inf	100.23	3	Horizontal	42	2.00	22.5	31.89	7.54	32.89
AV	5.654G	95.91	Inf	-Inf	89.43	3	Horizontal	42	2.00	22.5	31.82	7.54	32.88
PK	5.85176G	62.36	68.20	-5.84	55.49	3	Horizontal	42	2.00	22.5	32.21	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38717G	55.12	74.00	-18.88	47.62	3	Vertical	359	1.80	-	39.97	10.78	43.25
AV	11.37349G	43.04	54.00	-10.96	35.56	3	Vertical	359	1.80	-	39.95	10.78	43.25
PK	17.06118G	58.71	68.20	-9.49	47.27	3	Vertical	18	1.80	-	40.38	13.14	42.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
SET 24
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37328G	55.61	74.00	-18.39	48.13	3	Horizontal	360	1.80	-	39.95	10.78	43.25
AV	11.36743G	43.05	54.00	-10.95	35.60	3	Horizontal	360	1.80	-	39.93	10.77	43.25
PK	17.07585G	58.47	68.20	-9.73	47.04	3	Horizontal	67	1.80	-	40.35	13.15	42.07

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5775MHz_TX




EUT_X_2TX
 SET 20.5
 22\16.5\19\20\20.5\23\20.5
 -5.01\8.08\5.40\3.52\3.51\ -6.70\3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65276G	66.68	70.24	-3.56	60.21	3	Vertical	67	2.00	20.5	31.81	7.54	32.88
PK	5.7366G	112.50	Inf	-Inf	105.78	3	Vertical	67	2.00	20.5	32.07	7.56	32.91
AV	5.75356G	100.36	Inf	-Inf	93.60	3	Vertical	67	2.00	20.5	32.11	7.57	32.92
PK	5.93084G	60.47	68.20	-7.73	53.40	3	Vertical	67	2.00	20.5	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5775MHz_TX




EUT_X_2TX
SET 20.5
20.5
5.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64124G	62.48	68.20	-5.72	56.05	3	Horizontal	43	2.00	20.5	31.78	7.53	32.88
PK	5.73948G	104.78	Inf	-Inf	98.05	3	Horizontal	43	2.00	20.5	32.08	7.56	32.91
AV	5.75868G	93.30	Inf	-Inf	86.53	3	Horizontal	43	2.00	20.5	32.12	7.57	32.92
PK	5.93212G	59.78	68.20	-8.42	52.71	3	Horizontal	43	2.00	20.5	32.40	7.65	32.98

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5775MHz_TX




EUT_X_2TX
SET 22
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55975G	56.11	74.00	-17.89	48.54	3	Vertical	151	2.32	-	39.98	10.88	43.29
AV	11.54145G	43.85	54.00	-10.15	36.25	3	Vertical	151	2.32	-	40.02	10.87	43.29
PK	17.32044G	59.10	68.20	-9.10	46.98	3	Vertical	74	2.16	-	40.90	13.23	42.01

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5775MHz_TX




EUT_X_2TX
SET 22
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56092G	55.34	74.00	-18.66	47.77	3	Horizontal	266	1.05	-	39.98	10.88	43.29
AV	11.54103G	43.98	54.00	-10.02	36.38	3	Horizontal	266	1.05	-	40.02	10.87	43.29
PK	17.33298G	59.05	68.20	-9.15	46.80	3	Horizontal	201	2.49	-	41.03	13.23	42.01

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




16/03/2024

EUT_X_2TX
SET 15.5
17\13.5\15\15.5
-3.22\4.42\2.37\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	62.77	74.00	-11.23	56.40	3	Vertical	318	2.00	15.5	32.04	7.23	32.90
AV	5.14896G	50.65	54.00	-3.35	44.21	3	Vertical	318	2.00	15.5	32.10	7.24	32.90
PK	5.32872G	106.53	Inf	-Inf	100.69	3	Vertical	318	2.00	15.5	31.36	7.34	32.86
AV	5.32824G	94.33	Inf	-Inf	88.49	3	Vertical	318	2.00	15.5	31.36	7.34	32.86
PK	5.35248G	66.94	74.00	-7.06	61.05	3	Vertical	318	2.00	15.5	31.40	7.35	32.86
AV	5.36904G	53.53	54.00	-0.47	47.59	3	Vertical	318	2.00	15.5	31.44	7.36	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 SET 15.5
 15.5
 5.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14752G	60.28	74.00	-13.72	53.85	3	Horizontal	28	1.80	15.5	32.09	7.24	32.90
AV	5.14776G	48.33	54.00	-5.67	41.90	3	Horizontal	28	1.80	15.5	32.09	7.24	32.90
PK	5.18568G	98.92	Inf	-Inf	92.65	3	Horizontal	28	1.80	15.5	31.89	7.27	32.89
AV	5.18472G	87.70	Inf	-Inf	81.43	3	Horizontal	28	1.80	15.5	31.89	7.27	32.89
PK	5.36448G	60.01	74.00	-13.99	54.09	3	Horizontal	28	1.80	15.5	31.43	7.35	32.86
AV	5.36568G	48.15	54.00	-5.85	42.23	3	Horizontal	28	1.80	15.5	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 15.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51491G	55.64	68.20	-12.56	48.48	3	Vertical	188	2.61	-	40.10	10.10	43.04
PK	15.76038G	54.25	74.00	-19.75	45.70	3	Vertical	285	2.09	-	38.30	12.56	42.31
AV	15.73875G	42.56	54.00	-11.44	34.06	3	Vertical	285	2.09	-	38.28	12.55	42.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50414G	55.62	68.20	-12.58	48.46	3	Horizontal	272	2.18	-	40.10	10.10	43.04
PK	15.74097G	54.96	74.00	-19.04	46.46	3	Horizontal	284	1.08	-	38.28	12.55	42.33
AV	15.7371G	42.49	54.00	-11.51	34.00	3	Horizontal	284	1.08	-	38.27	12.55	42.33

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_X_2TX
SET 16
16
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44616G	68.57	74.00	-5.43	62.33	3	Vertical	317	2.00	16	31.68	7.40	32.84
AV	5.45156G	51.85	54.00	-2.15	45.57	3	Vertical	317	2.00	16	31.71	7.41	32.84
PK	5.46848G	68.00	68.20	-0.20	61.65	3	Vertical	317	2.00	16	31.77	7.42	32.84
PK	5.5484G	106.71	Inf	-Inf	100.28	3	Vertical	317	2.00	16	31.80	7.48	32.85
AV	5.56784G	94.50	Inf	-Inf	88.09	3	Vertical	317	2.00	16	31.76	7.50	32.85
PK	5.7284G	65.72	68.20	-2.48	59.01	3	Vertical	317	2.00	16	32.06	7.56	32.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_X_2TX
SET 16
16
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42636G	62.26	74.00	-11.74	56.10	3	Horizontal	322	2.00	16	31.61	7.39	32.84
PK	5.46344G	61.19	68.20	-7.01	54.86	3	Horizontal	322	2.00	16	31.75	7.42	32.84
AV	5.45948G	48.88	54.00	-5.12	42.57	3	Horizontal	322	2.00	16	31.74	7.41	32.84
PK	5.54228G	101.03	Inf	-Inf	94.57	3	Horizontal	322	2.00	16	31.82	7.48	32.84
AV	5.5808G	89.08	Inf	-Inf	82.69	3	Horizontal	322	2.00	16	31.74	7.51	32.86
PK	5.74316G	61.20	68.20	-7.00	54.46	3	Horizontal	322	2.00	16	32.09	7.56	32.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_X_2TX
SET 16
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14804G	54.72	74.00	-19.28	47.62	3	Vertical	10	1.80	-	39.61	10.65	43.16
AV	11.12509G	42.43	54.00	-11.57	35.24	3	Vertical	10	1.80	-	39.70	10.64	43.15
PK	16.6971G	57.37	68.20	-10.83	46.65	3	Vertical	309	1.80	-	39.48	13.03	41.79

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_X_2TX
SET 16
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15098G	54.95	74.00	-19.05	47.86	3	Horizontal	14	1.80	-	39.60	10.65	43.16
AV	11.13667G	42.55	54.00	-11.45	35.40	3	Horizontal	14	1.80	-	39.65	10.65	43.15
PK	16.70793G	57.37	68.20	-10.83	46.58	3	Horizontal	11	1.03	-	39.56	13.03	41.80

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
 SET 20.5
 17\23\20\21.5\21\20.5
 6.05\ -6.66\3.65\ -5.06\ -1.00\3.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	63.24	74.00	-10.76	56.80	3	Vertical	321	2.00	20.5	32.10	7.24	32.90
AV	5.1499G	50.50	54.00	-3.50	44.06	3	Vertical	321	2.00	20.5	32.10	7.24	32.90
PK	5.1769G	119.56	Inf	-Inf	113.25	3	Vertical	321	2.00	20.5	31.94	7.26	32.89
AV	5.1763G	110.58	Inf	-Inf	104.27	3	Vertical	321	2.00	20.5	31.94	7.26	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
 SET 20.5
 20.5
 2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	65.68	74.00	-8.32	59.26	3	Horizontal	324	2.00	20.5	32.09	7.23	32.90
AV	5.1479G	51.19	54.00	-2.81	44.76	3	Horizontal	324	2.00	20.5	32.09	7.24	32.90
PK	5.187G	115.90	Inf	-Inf	109.64	3	Horizontal	324	2.00	20.5	31.88	7.27	32.89
AV	5.1874G	107.30	Inf	-Inf	101.04	3	Horizontal	324	2.00	20.5	31.88	7.27	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
 Setting 20.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35139G	55.75	68.20	-12.45	48.74	3	Vertical	133	1.71	-	40.00	10.03	43.02
PK	15.53376G	55.23	74.00	-18.77	46.42	3	Vertical	188	2.22	-	38.93	12.45	42.57
AV	15.52506G	43.31	54.00	-10.69	34.50	3	Vertical	188	2.22	-	38.95	12.44	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
 Setting 20.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37242G	55.38	68.20	-12.82	48.32	3	Horizontal	14	1.26	-	40.04	10.04	43.02
PK	15.5355G	55.48	74.00	-18.52	46.67	3	Horizontal	143	2.21	-	38.93	12.45	42.57
AV	15.5271G	43.27	54.00	-10.73	34.45	3	Horizontal	143	2.21	-	38.95	12.45	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
 SET 24
 17\23\24
 6.25\3.66\1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	68.14	74.00	-5.86	61.71	3	Vertical	320	2.00	24	32.09	7.24	32.90
AV	5.14918G	52.35	54.00	-1.65	45.91	3	Vertical	320	2.00	24	32.10	7.24	32.90
PK	5.19594G	122.68	Inf	-Inf	116.47	3	Vertical	320	2.00	24	31.82	7.28	32.89
AV	5.1965G	113.64	Inf	-Inf	107.43	3	Vertical	320	2.00	24	31.82	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
 SET 24
 24
 3.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14876G	66.96	74.00	-7.04	60.52	3	Horizontal	324	2.00	24	32.10	7.24	32.90
AV	5.1482G	50.92	54.00	-3.08	44.49	3	Horizontal	324	2.00	24	32.09	7.24	32.90
PK	5.20742G	118.13	Inf	-Inf	112.00	3	Horizontal	324	2.00	24	31.74	7.28	32.89
AV	5.19524G	109.34	Inf	-Inf	103.12	3	Horizontal	324	2.00	24	31.83	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39583G	56.75	68.20	-11.45	49.64	3	Vertical	129	1.66	-	40.09	10.05	43.03
PK	15.58842G	55.70	74.00	-18.30	47.07	3	Vertical	283	2.00	-	38.67	12.47	42.51
AV	15.58614G	43.27	54.00	-10.73	34.63	3	Vertical	283	2.00	-	38.68	12.47	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40861G	56.24	68.20	-11.96	49.10	3	Horizontal	272	1.81	-	40.12	10.05	43.03
PK	15.59649G	55.70	74.00	-18.30	47.10	3	Horizontal	274	2.55	-	38.62	12.48	42.50
AV	15.58503G	43.28	54.00	-10.72	34.63	3	Horizontal	274	2.55	-	38.69	12.47	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
 SET 24
 17.23.24
 6.47.5.20.5.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11728G	60.52	74.00	-13.48	54.25	3	Vertical	320	1.50	24	31.97	7.21	32.91
AV	5.1165G	48.47	54.00	-5.53	42.20	3	Vertical	320	1.50	24	31.97	7.21	32.91
PK	5.2348G	121.88	Inf	-Inf	115.94	3	Vertical	320	1.50	24	31.52	7.30	32.88
AV	5.23532G	113.40	Inf	-Inf	107.46	3	Vertical	320	1.50	24	31.52	7.30	32.88
PK	5.35362G	60.35	74.00	-13.65	54.45	3	Vertical	320	1.50	24	31.41	7.35	32.86
AV	5.35674G	48.80	54.00	-5.20	42.90	3	Vertical	320	1.50	24	31.41	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
 SET 24
 24
 6.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12794G	59.80	74.00	-14.20	53.47	3	Horizontal	321	2.00	24	32.01	7.22	32.90
AV	5.14926G	47.55	54.00	-6.45	41.11	3	Horizontal	321	2.00	24	32.10	7.24	32.90
PK	5.23454G	117.88	Inf	-Inf	111.94	3	Horizontal	321	2.00	24	31.52	7.30	32.88
AV	5.2348G	109.20	Inf	-Inf	103.26	3	Horizontal	321	2.00	24	31.52	7.30	32.88
PK	5.3609G	59.40	74.00	-14.60	53.49	3	Horizontal	321	2.00	24	31.42	7.35	32.86
AV	5.3531G	47.50	54.00	-6.50	41.60	3	Horizontal	321	2.00	24	31.41	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47067G	55.55	68.20	-12.65	48.35	3	Vertical	295	2.87	-	40.16	10.08	43.04
PK	15.7137G	54.34	74.00	-19.66	45.94	3	Vertical	199	2.50	-	38.23	12.53	42.36
AV	15.72234G	42.63	54.00	-11.37	34.20	3	Vertical	199	2.50	-	38.24	12.54	42.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48927G	55.84	68.20	-12.36	48.67	3	Horizontal	349	1.36	-	40.12	10.09	43.04
PK	15.72213G	55.52	74.00	-18.48	47.09	3	Horizontal	20	2.31	-	38.24	12.54	42.35
AV	15.72258G	42.64	54.00	-11.36	34.20	3	Horizontal	20	2.31	-	38.25	12.54	42.35

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
 SET 24
 17.23.5.24
 6.52\5.56\5.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	60.01	74.00	-13.99	53.64	3	Vertical	322	1.50	24	32.04	7.23	32.90
AV	5.1365G	48.44	54.00	-5.56	42.06	3	Vertical	322	1.50	24	32.05	7.23	32.90
PK	5.25662G	122.49	Inf	-Inf	116.67	3	Vertical	322	1.50	24	31.39	7.31	32.88
AV	5.25584G	113.44	Inf	-Inf	107.62	3	Vertical	322	1.50	24	31.39	7.31	32.88
PK	5.37674G	59.81	74.00	-14.19	53.85	3	Vertical	322	1.50	24	31.45	7.36	32.85
AV	5.377G	48.60	54.00	-5.40	42.64	3	Vertical	322	1.50	24	31.45	7.36	32.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
 SET 24
 24
 6.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	59.73	74.00	-14.27	53.38	3	Horizontal	319	2.00	24	32.03	7.22	32.90
AV	5.14768G	47.54	54.00	-6.46	41.11	3	Horizontal	319	2.00	24	32.09	7.24	32.90
PK	5.25376G	118.34	Inf	-Inf	112.53	3	Horizontal	319	2.00	24	31.39	7.30	32.88
AV	5.2535G	109.40	Inf	-Inf	103.59	3	Horizontal	319	2.00	24	31.39	7.30	32.88
PK	5.377G	59.47	74.00	-14.53	53.51	3	Horizontal	319	2.00	24	31.45	7.36	32.85
AV	5.37284G	47.63	54.00	-6.37	41.68	3	Horizontal	319	2.00	24	31.45	7.36	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53089G	55.35	68.20	-12.85	48.18	3	Vertical	183	2.13	-	40.10	10.11	43.04
PK	15.77766G	54.21	74.00	-19.79	45.64	3	Vertical	238	2.64	-	38.30	12.56	42.29
AV	15.78876G	42.27	54.00	-11.73	33.68	3	Vertical	238	2.64	-	38.30	12.57	42.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5305G	55.22	68.20	-12.98	48.05	3	Horizontal	293	2.70	-	40.10	10.11	43.04
PK	15.79485G	54.62	74.00	-19.38	46.02	3	Horizontal	12	2.51	-	38.30	12.57	42.27
AV	15.78882G	42.22	54.00	-11.78	33.62	3	Horizontal	12	2.51	-	38.30	12.57	42.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
 SET 24
 17\23.5\24
 6.68\0.57\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29664G	121.56	Inf	-Inf	115.80	3	Vertical	319	2.00	24	31.31	7.32	32.87
AV	5.2958G	112.50	Inf	-Inf	106.74	3	Vertical	319	2.00	24	31.31	7.32	32.87
PK	5.35488G	69.61	74.00	-4.39	63.71	3	Vertical	319	2.00	24	31.41	7.35	32.86
AV	5.35404G	53.43	54.00	-0.57	47.53	3	Vertical	319	2.00	24	31.41	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
 SET 24
 24
 2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2937G	117.95	Inf	-Inf	112.19	3	Horizontal	318	2.00	24	31.31	7.32	32.87
AV	5.29328G	109.13	Inf	-Inf	103.37	3	Horizontal	318	2.00	24	31.31	7.32	32.87
PK	5.35474G	65.87	74.00	-8.13	59.97	3	Horizontal	318	2.00	24	31.41	7.35	32.86
AV	5.35376G	51.16	54.00	-2.84	45.26	3	Horizontal	318	2.00	24	31.41	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6G	55.63	74.00	-18.37	48.33	3	Vertical	195	1.77	-	40.20	10.15	43.05
AV	10.60894G	43.57	54.00	-10.43	36.27	3	Vertical	195	1.77	-	40.20	10.15	43.05
PK	15.90726G	55.48	74.00	-18.52	47.00	3	Vertical	143	1.13	-	37.99	12.63	42.14
AV	15.91194G	42.60	54.00	-11.40	34.12	3	Vertical	143	1.13	-	37.98	12.63	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59985G	56.34	68.20	-11.86	49.05	3	Horizontal	91	1.24	-	40.20	10.14	43.05
AV	10.6096G	43.57	54.00	-10.43	36.27	3	Horizontal	91	1.24	-	40.20	10.15	43.05
PK	15.89436G	54.95	74.00	-19.05	46.47	3	Horizontal	236	2.10	-	38.01	12.62	42.15
AV	15.90165G	42.57	54.00	-11.43	34.09	3	Horizontal	236	2.10	-	38.00	12.62	42.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
 SET 20
 17\23\20\21.5\21\16\18.5\19.5\20
 6.29\11.30\1.86\9.36\3.05\6.49\5.91\1.86\1.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	118.69	Inf	-Inf	112.90	3	Vertical	322	2.00	20	31.33	7.33	32.87
AV	5.3165G	109.76	Inf	-Inf	103.97	3	Vertical	322	2.00	20	31.33	7.33	32.87
PK	5.3554G	70.02	74.00	-3.98	64.12	3	Vertical	322	2.00	20	31.41	7.35	32.86
AV	5.354G	52.14	54.00	-1.86	46.24	3	Vertical	322	2.00	20	31.41	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
 SET 20
 20
 2.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	115.61	Inf	-Inf	109.82	3	Horizontal	317	2.00	20	31.33	7.33	32.87
AV	5.3134G	106.27	Inf	-Inf	100.48	3	Horizontal	317	2.00	20	31.33	7.33	32.87
PK	5.3531G	70.43	74.00	-3.57	64.53	3	Horizontal	317	2.00	20	31.41	7.35	32.86
AV	5.3522G	51.52	54.00	-2.48	45.63	3	Horizontal	317	2.00	20	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63604G	55.68	74.00	-18.32	48.38	3	Vertical	189	1.80	-	40.20	10.16	43.06
AV	10.62992G	43.57	54.00	-10.43	36.27	3	Vertical	189	1.80	-	40.20	10.16	43.06
PK	15.97362G	54.81	74.00	-19.19	46.31	3	Vertical	275	1.37	-	37.90	12.66	42.06
AV	15.96264G	42.98	54.00	-11.02	34.50	3	Vertical	275	1.37	-	37.90	12.65	42.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62587G	55.21	74.00	-18.79	47.91	3	Horizontal	241	2.31	-	40.20	10.16	43.06
AV	10.62689G	43.62	54.00	-10.38	36.32	3	Horizontal	241	2.31	-	40.20	10.16	43.06
PK	15.9549G	54.50	74.00	-19.50	46.03	3	Horizontal	78	1.87	-	37.90	12.65	42.08
AV	15.95793G	43.09	54.00	-10.91	34.62	3	Horizontal	78	1.87	-	37.90	12.65	42.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
 Setting 18
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4567G	62.89	74.00	-11.11	56.59	3	Vertical	56	1.01	-	31.73	7.41	32.84
AV	5.455G	50.30	54.00	-3.70	44.01	3	Vertical	56	1.01	-	31.72	7.41	32.84
PK	5.4661G	65.55	68.20	-2.65	59.21	3	Vertical	56	1.01	-	31.76	7.42	32.84
PK	5.4967G	119.63	Inf	-Inf	113.13	3	Vertical	56	1.01	-	31.89	7.44	32.83
AV	5.4955G	110.76	Inf	-Inf	104.27	3	Vertical	56	1.01	-	31.88	7.44	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
 Setting 18
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4527G	63.73	74.00	-10.27	57.45	3	Horizontal	29	2.75	-	31.71	7.41	32.84
PK	5.4631G	67.79	68.20	-0.41	61.46	3	Horizontal	29	2.75	-	31.75	7.42	32.84
AV	5.46G	50.51	54.00	-3.49	44.19	3	Horizontal	29	2.75	-	31.74	7.42	32.84
PK	5.5033G	116.81	Inf	-Inf	110.30	3	Horizontal	29	2.75	-	31.89	7.45	32.83
AV	5.503G	108.35	Inf	-Inf	101.84	3	Horizontal	29	2.75	-	31.89	7.45	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99325G	56.29	74.00	-17.71	48.79	3	Vertical	156	1.80	-	40.03	10.57	43.10
AV	10.9808G	43.21	54.00	-10.79	35.67	3	Vertical	156	1.80	-	40.08	10.56	43.10
PK	16.51205G	57.92	68.20	-10.28	47.41	3	Vertical	313	2.82	-	39.15	12.97	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9772G	55.78	74.00	-18.22	48.23	3	Horizontal	122	1.22	-	40.09	10.56	43.10
AV	10.97775G	43.55	54.00	-10.45	36.00	3	Horizontal	122	1.22	-	40.09	10.56	43.10
PK	16.4813G	57.94	68.20	-10.26	47.47	3	Horizontal	335	1.06	-	39.13	12.96	41.62

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	59.54	74.00	-14.46	53.31	3	Vertical	71	1.80	-	31.67	7.40	32.84
PK	5.464G	59.01	68.20	-9.19	52.67	3	Vertical	71	1.80	-	31.76	7.42	32.84
AV	5.4592G	48.20	54.00	-5.80	41.89	3	Vertical	71	1.80	-	31.74	7.41	32.84
PK	5.5792G	120.75	Inf	-Inf	114.37	3	Vertical	71	1.80	-	31.74	7.50	32.86
AV	5.5788G	112.73	Inf	-Inf	106.35	3	Vertical	71	1.80	-	31.74	7.50	32.86
PK	5.726G	61.06	68.20	-7.14	54.36	3	Vertical	71	1.80	-	32.05	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.16	74.00	-13.84	53.87	3	Horizontal	29	2.70	-	31.72	7.41	32.84
AV	5.46G	48.01	54.00	-5.99	41.69	3	Horizontal	29	2.70	-	31.74	7.42	32.84
PK	5.4688G	59.06	68.20	-9.14	52.70	3	Horizontal	29	2.70	-	31.78	7.42	32.84
PK	5.5832G	120.25	Inf	-Inf	113.87	3	Horizontal	29	2.70	-	31.73	7.51	32.86
AV	5.5832G	111.24	Inf	-Inf	104.86	3	Horizontal	29	2.70	-	31.73	7.51	32.86
PK	5.756G	61.37	68.20	-6.83	54.61	3	Horizontal	29	2.70	-	32.11	7.57	32.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.18455G	54.96	74.00	-19.04	47.86	3	Vertical	183	2.49	-	39.60	10.67	43.17
AV	11.1715G	42.67	54.00	-11.33	35.58	3	Vertical	183	2.49	-	39.60	10.66	43.17
PK	16.72415G	58.95	68.20	-9.25	48.04	3	Vertical	300	1.65	-	39.69	13.04	41.82

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13595G	54.87	74.00	-19.13	47.72	3	Horizontal	293	1.11	-	39.66	10.64	43.15
AV	11.1718G	42.60	54.00	-11.40	35.51	3	Horizontal	293	1.11	-	39.60	10.66	43.17
PK	16.73565G	59.15	68.20	-9.05	48.15	3	Horizontal	137	1.56	-	39.79	13.04	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6967G	119.43	Inf	-Inf	112.79	3	Vertical	58	1.00	-	31.99	7.55	32.90
AV	5.6966G	110.72	Inf	-Inf	104.08	3	Vertical	58	1.00	-	31.99	7.55	32.90
PK	5.7251G	64.70	68.20	-3.50	58.00	3	Vertical	58	1.00	-	32.05	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6967G	117.04	Inf	-Inf	110.40	3	Horizontal	299	3.00	-	31.99	7.55	32.90
AV	5.6968G	108.04	Inf	-Inf	101.40	3	Horizontal	299	3.00	-	31.99	7.55	32.90
PK	5.7266G	63.99	68.20	-4.21	57.29	3	Horizontal	299	3.00	-	32.05	7.56	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39515G	57.08	74.00	-16.92	49.56	3	Vertical	49	1.59	-	39.99	10.79	43.26
AV	11.39425G	44.69	54.00	-9.31	37.17	3	Vertical	49	1.59	-	39.99	10.79	43.26
PK	17.12265G	58.62	68.20	-9.58	47.17	3	Vertical	45	1.70	-	40.35	13.16	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39855G	56.88	74.00	-17.12	49.35	3	Horizontal	68	2.09	-	40.00	10.79	43.26
AV	11.3958G	44.69	54.00	-9.31	37.17	3	Horizontal	68	2.09	-	39.99	10.79	43.26
PK	17.1189G	58.56	68.20	-9.64	47.12	3	Horizontal	44	2.53	-	40.34	13.16	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	123.26	Inf	-Inf	116.57	3	Vertical	60	1.00	-	32.03	7.56	32.90
AV	5.7168G	114.52	Inf	-Inf	107.83	3	Vertical	60	1.00	-	32.03	7.56	32.90
PK	5.8532G	61.49	68.20	-6.71	54.62	3	Vertical	60	1.00	-	32.21	7.61	32.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	121.34	Inf	-Inf	114.66	3	Horizontal	291	3.00	-	32.03	7.55	32.90
AV	5.7152G	112.19	Inf	-Inf	105.51	3	Horizontal	291	3.00	-	32.03	7.55	32.90
PK	5.854G	61.72	68.20	-6.48	54.84	3	Horizontal	291	3.00	-	32.22	7.61	32.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41665G	57.08	74.00	-16.92	49.58	3	Vertical	169	1.89	-	39.97	10.80	43.27
AV	11.415G	44.22	54.00	-9.78	36.72	3	Vertical	169	1.89	-	39.97	10.80	43.27
PK	17.1593G	59.97	68.20	-8.23	48.42	3	Vertical	113	1.56	-	40.42	13.18	42.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4274G	56.00	74.00	-18.00	48.51	3	Horizontal	292	2.20	-	39.95	10.81	43.27
AV	11.415G	44.22	54.00	-9.78	36.72	3	Horizontal	292	2.20	-	39.97	10.80	43.27
PK	17.1764G	59.24	68.20	-8.96	47.66	3	Horizontal	304	2.95	-	40.45	13.18	42.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5185G	61.15	68.20	-7.05	54.67	3	Vertical	70	1.80	-	31.86	7.46	32.84
PK	5.7435G	120.58	Inf	-Inf	113.84	3	Vertical	70	1.80	-	32.09	7.56	32.91
AV	5.744G	112.31	Inf	-Inf	105.57	3	Vertical	70	1.80	-	32.09	7.56	32.91
PK	5.9295G	61.91	68.20	-6.29	54.85	3	Vertical	70	1.80	-	32.40	7.64	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.564G	61.48	68.20	-6.72	55.07	3	Horizontal	293	3.00	-	31.77	7.49	32.85
PK	5.742G	120.47	Inf	-Inf	113.74	3	Horizontal	293	3.00	-	32.08	7.56	32.91
AV	5.74G	111.83	Inf	-Inf	105.10	3	Horizontal	293	3.00	-	32.08	7.56	32.91
PK	5.9525G	61.80	68.20	-6.40	54.71	3	Horizontal	293	3.00	-	32.41	7.66	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5112G	56.19	74.00	-17.81	48.56	3	Vertical	6	2.62	-	40.08	10.85	43.30
AV	11.511G	44.26	54.00	-9.74	36.63	3	Vertical	6	2.62	-	40.08	10.85	43.30
PK	17.2338G	59.72	68.20	-8.48	47.98	3	Vertical	71	1.82	-	40.57	13.20	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5036G	56.69	74.00	-17.31	49.05	3	Horizontal	29	1.65	-	40.09	10.85	43.30
AV	11.511G	44.23	54.00	-9.77	36.60	3	Horizontal	29	1.65	-	40.08	10.85	43.30
PK	17.2556G	60.07	68.20	-8.13	48.28	3	Horizontal	124	2.84	-	40.61	13.21	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	61.06	68.20	-7.14	54.63	3	Vertical	60	1.01	-	31.79	7.49	32.85
PK	5.7815G	122.12	Inf	-Inf	115.32	3	Vertical	60	1.01	-	32.16	7.57	32.93
AV	5.7815G	113.63	Inf	-Inf	106.83	3	Vertical	60	1.01	-	32.16	7.57	32.93
PK	5.952G	61.31	68.20	-6.89	54.23	3	Vertical	60	1.01	-	32.40	7.66	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_X_4TX
 Setting 24
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.554G	60.13	68.20	-8.07	53.70	3	Horizontal	287	3.00	-	31.79	7.49	32.85
PK	5.7795G	120.97	Inf	-Inf	114.17	3	Horizontal	287	3.00	-	32.16	7.57	32.93
AV	5.7795G	112.23	Inf	-Inf	105.43	3	Horizontal	287	3.00	-	32.16	7.57	32.93
PK	5.954G	61.74	68.20	-6.46	54.65	3	Horizontal	287	3.00	-	32.41	7.66	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57175G	57.14	74.00	-16.86	49.59	3	Vertical	356	1.37	-	39.96	10.88	43.29
AV	11.5926G	44.58	54.00	-9.42	37.06	3	Vertical	356	1.37	-	39.91	10.90	43.29
PK	17.35095G	60.33	68.20	-7.87	47.89	3	Vertical	126	2.71	-	41.21	13.24	42.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55805G	56.90	74.00	-17.10	49.33	3	Horizontal	156	1.56	-	39.98	10.88	43.29
AV	11.5925G	44.49	54.00	-9.51	36.97	3	Horizontal	156	1.56	-	39.91	10.90	43.29
PK	17.35425G	60.18	68.20	-8.02	47.70	3	Horizontal	189	2.17	-	41.24	13.24	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6225G	60.39	68.20	-7.81	53.99	3	Vertical	61	1.01	-	31.74	7.53	32.87
PK	5.8215G	121.48	Inf	-Inf	114.63	3	Vertical	61	1.01	-	32.20	7.59	32.94
AV	5.822G	112.62	Inf	-Inf	105.77	3	Vertical	61	1.01	-	32.20	7.59	32.94
PK	5.998G	61.91	68.20	-6.29	54.73	3	Vertical	61	1.01	-	32.50	7.68	33.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5875G	59.87	68.20	-8.33	53.49	3	Horizontal	292	3.00	-	31.73	7.51	32.86
PK	5.8195G	119.58	Inf	-Inf	112.73	3	Horizontal	292	3.00	-	32.20	7.59	32.94
AV	5.82G	110.85	Inf	-Inf	104.00	3	Horizontal	292	3.00	-	32.20	7.59	32.94
PK	5.944G	61.53	68.20	-6.67	54.46	3	Horizontal	292	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63375G	56.33	74.00	-17.67	48.92	3	Vertical	133	2.69	-	39.77	10.92	43.28
AV	11.66615G	44.13	54.00	-9.87	36.79	3	Vertical	133	2.69	-	39.67	10.94	43.27
PK	17.46685G	62.19	68.20	-6.01	48.66	3	Vertical	301	2.94	-	42.23	13.28	41.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66775G	56.46	74.00	-17.54	49.13	3	Horizontal	329	2.10	-	39.66	10.94	43.27
AV	11.67235G	44.00	54.00	-10.00	36.67	3	Horizontal	329	2.10	-	39.66	10.94	43.27
PK	17.4827G	61.45	68.20	-6.75	47.78	3	Horizontal	27	2.10	-	42.36	13.28	41.97

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
 SET 20.5
 17\22.5\20\21\20.5
 5.85\7.15\1.42\3.94\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	66.94	74.00	-7.06	60.50	3	Vertical	321	2.00	20.5	32.10	7.24	32.90
AV	5.1493G	52.70	54.00	-1.30	46.26	3	Vertical	321	2.00	20.5	32.10	7.24	32.90
PK	5.1763G	121.96	Inf	-Inf	115.65	3	Vertical	321	2.00	20.5	31.94	7.26	32.89
AV	5.1763G	110.10	Inf	-Inf	103.79	3	Vertical	321	2.00	20.5	31.94	7.26	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
SET 19
20.5\19.5\19
-0.98\ -1.00\3.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	64.82	74.00	-9.18	58.40	3	Horizontal	327	2.00	19	32.09	7.23	32.90
AV	5.1487G	50.49	54.00	-3.51	44.06	3	Horizontal	327	2.00	19	32.09	7.24	32.90
PK	5.1885G	117.70	Inf	-Inf	111.45	3	Horizontal	327	2.00	19	31.87	7.27	32.89
AV	5.1884G	105.70	Inf	-Inf	99.45	3	Horizontal	327	2.00	19	31.87	7.27	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36615G	56.00	68.20	-12.20	48.96	3	Vertical	68	1.81	-	40.03	10.03	43.02
PK	15.54942G	56.10	74.00	-17.90	47.29	3	Vertical	0	1.88	-	38.90	12.46	42.55
AV	15.52509G	43.31	54.00	-10.69	34.50	3	Vertical	0	1.88	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35685G	55.88	68.20	-12.32	48.86	3	Horizontal	264	2.64	-	40.01	10.03	43.02
PK	15.5502G	55.36	74.00	-18.64	46.55	3	Horizontal	198	2.08	-	38.90	12.46	42.55
AV	15.525G	43.31	54.00	-10.69	34.50	3	Horizontal	198	2.08	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
 SET 24
 17\23\24
 6.27\2.90\1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	69.27	74.00	-4.73	62.84	3	Vertical	318	1.50	24	32.09	7.24	32.90
AV	5.14792G	52.80	54.00	-1.20	46.37	3	Vertical	318	1.50	24	32.09	7.24	32.90
PK	5.1951G	124.66	Inf	-Inf	118.44	3	Vertical	318	1.50	24	31.83	7.28	32.89
AV	5.19496G	113.21	Inf	-Inf	106.99	3	Vertical	318	1.50	24	31.83	7.28	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
 SET 23
 24\23.5\23
 -0.06\ -0.06\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14932G	70.91	74.00	-3.09	64.47	3	Horizontal	326	2.00	23	32.10	7.24	32.90
AV	5.14848G	53.56	54.00	-0.44	47.13	3	Horizontal	326	2.00	23	32.09	7.24	32.90
PK	5.20742G	120.20	Inf	-Inf	114.07	3	Horizontal	326	2.00	23	31.74	7.28	32.89
AV	5.2084G	108.70	Inf	-Inf	102.58	3	Horizontal	326	2.00	23	31.73	7.28	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
Setting 23
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40987G	56.63	68.20	-11.57	49.49	3	Vertical	262	2.54	-	40.12	10.05	43.03
PK	15.60276G	54.81	74.00	-19.19	46.25	3	Vertical	101	1.17	-	38.57	12.48	42.49
AV	15.59244G	43.30	54.00	-10.70	34.67	3	Vertical	101	1.17	-	38.65	12.48	42.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
Setting 23
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40159G	56.82	68.20	-11.38	49.70	3	Horizontal	326	2.34	-	40.10	10.05	43.03
PK	15.59991G	56.02	74.00	-17.98	47.43	3	Horizontal	64	1.42	-	38.60	12.48	42.49
AV	15.60021G	43.36	54.00	-10.64	34.77	3	Horizontal	64	1.42	-	38.60	12.48	42.49

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
SET 24
17.23\24
6.48\5.38\5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13496G	60.82	74.00	-13.18	54.46	3	Vertical	319	1.50	24	32.04	7.22	32.90
AV	5.11754G	48.47	54.00	-5.53	42.20	3	Vertical	319	1.50	24	31.97	7.21	32.91
PK	5.23506G	123.93	Inf	-Inf	117.99	3	Vertical	319	1.50	24	31.52	7.30	32.88
AV	5.23532G	112.68	Inf	-Inf	106.74	3	Vertical	319	1.50	24	31.52	7.30	32.88
PK	5.36532G	60.56	74.00	-13.44	54.64	3	Vertical	319	1.50	24	31.43	7.35	32.86
AV	5.35544G	48.62	54.00	-5.38	42.72	3	Vertical	319	1.50	24	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
SET 24
24
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11026G	59.91	74.00	-14.09	53.68	3	Horizontal	326	2.00	24	31.94	7.20	32.91
AV	5.12898G	47.61	54.00	-6.39	41.27	3	Horizontal	326	2.00	24	32.02	7.22	32.90
PK	5.24832G	119.68	Inf	-Inf	113.85	3	Horizontal	326	2.00	24	31.41	7.30	32.88
AV	5.24832G	108.46	Inf	-Inf	102.63	3	Horizontal	326	2.00	24	31.41	7.30	32.88
PK	5.3531G	59.50	74.00	-14.50	53.60	3	Horizontal	326	2.00	24	31.41	7.35	32.86
AV	5.35336G	47.30	54.00	-6.70	41.40	3	Horizontal	326	2.00	24	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49383G	55.42	68.20	-12.78	48.26	3	Vertical	253	1.53	-	40.11	10.09	43.04
PK	15.71808G	54.72	74.00	-19.28	46.30	3	Vertical	305	2.26	-	38.24	12.54	42.36
AV	15.71967G	42.61	54.00	-11.39	34.19	3	Vertical	305	2.26	-	38.24	12.54	42.36

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4872G	55.03	68.20	-13.17	47.85	3	Horizontal	311	2.48	-	40.13	10.09	43.04
PK	15.71619G	54.32	74.00	-19.68	45.91	3	Horizontal	162	1.82	-	38.23	12.54	42.36
AV	15.72339G	42.70	54.00	-11.30	34.26	3	Horizontal	162	1.82	-	38.25	12.54	42.35

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
 SET 24
 17.23.5.24
 6.54\5.58\5.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	59.73	74.00	-14.27	53.31	3	Vertical	324	1.50	24	32.09	7.23	32.90
AV	5.1365G	48.25	54.00	-5.75	41.87	3	Vertical	324	1.50	24	32.05	7.23	32.90
PK	5.25636G	124.34	Inf	-Inf	118.52	3	Vertical	324	1.50	24	31.39	7.31	32.88
AV	5.2561G	112.86	Inf	-Inf	107.04	3	Vertical	324	1.50	24	31.39	7.31	32.88
PK	5.3549G	60.36	74.00	-13.64	54.46	3	Vertical	324	1.50	24	31.41	7.35	32.86
AV	5.37648G	48.42	54.00	-5.58	42.46	3	Vertical	324	1.50	24	31.45	7.36	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
SET 24
24
6.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1365G	59.47	74.00	-14.53	53.09	3	Horizontal	318	2.00	24	32.05	7.23	32.90
AV	5.14898G	47.55	54.00	-6.45	41.11	3	Horizontal	318	2.00	24	32.10	7.24	32.90
PK	5.25428G	119.99	Inf	-Inf	114.18	3	Horizontal	318	2.00	24	31.39	7.30	32.88
AV	5.25376G	108.99	Inf	-Inf	103.18	3	Horizontal	318	2.00	24	31.39	7.30	32.88
PK	5.36946G	59.21	74.00	-14.79	53.27	3	Horizontal	318	2.00	24	31.44	7.36	32.86
AV	5.3731G	47.44	54.00	-6.56	41.49	3	Horizontal	318	2.00	24	31.45	7.36	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51808G	55.43	68.20	-12.77	48.26	3	Vertical	164	2.19	-	40.10	10.11	43.04
PK	15.78942G	54.68	74.00	-19.32	46.08	3	Vertical	312	2.95	-	38.30	12.57	42.27
AV	15.78927G	42.28	54.00	-11.72	33.68	3	Vertical	312	2.95	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52834G	55.90	68.20	-12.30	48.73	3	Horizontal	101	2.53	-	40.10	10.11	43.04
PK	15.78636G	54.36	74.00	-19.64	45.77	3	Horizontal	357	1.47	-	38.30	12.57	42.28
AV	15.78918G	42.28	54.00	-11.72	33.68	3	Horizontal	357	1.47	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
 SET 22.5
 17\23.5\20.5\22\22.5\23\22.5
 6.89\ -2.50\6.11\1.09\0.98\ -2.29\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29524G	123.14	Inf	-Inf	117.38	3	Vertical	319	1.50	22.5	31.31	7.32	32.87
AV	5.2951G	111.40	Inf	-Inf	105.64	3	Vertical	319	1.50	22.5	31.31	7.32	32.87
PK	5.35446G	70.91	74.00	-3.09	65.01	3	Vertical	319	1.50	22.5	31.41	7.35	32.86
AV	5.35348G	53.12	54.00	-0.88	47.22	3	Vertical	319	1.50	22.5	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
 SET 22.5
 22.5
 3.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	119.47	Inf	-Inf	113.71	3	Horizontal	318	2.00	22.5	31.31	7.32	32.87
AV	5.29384G	107.57	Inf	-Inf	101.81	3	Horizontal	318	2.00	22.5	31.31	7.32	32.87
PK	5.3546G	68.72	74.00	-5.28	62.82	3	Horizontal	318	2.00	22.5	31.41	7.35	32.86
AV	5.3532G	50.76	54.00	-3.24	44.86	3	Horizontal	318	2.00	22.5	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
Setting 22.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60876G	56.06	74.00	-17.94	48.76	3	Vertical	240	2.58	-	40.20	10.15	43.05
AV	10.61476G	43.53	54.00	-10.47	36.23	3	Vertical	240	2.58	-	40.20	10.15	43.05
PK	15.88734G	54.60	74.00	-19.40	46.11	3	Vertical	228	2.89	-	38.03	12.62	42.16
AV	15.91143G	42.55	54.00	-11.45	34.07	3	Vertical	228	2.89	-	37.98	12.63	42.13

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
Setting 22.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6051G	55.55	74.00	-18.45	48.25	3	Horizontal	182	1.85	-	40.20	10.15	43.05
AV	10.60942G	43.53	54.00	-10.47	36.23	3	Horizontal	182	1.85	-	40.20	10.15	43.05
PK	15.8931G	54.27	74.00	-19.73	45.79	3	Horizontal	184	1.05	-	38.01	12.62	42.15
AV	15.91164G	42.60	54.00	-11.40	34.12	3	Horizontal	184	1.05	-	37.98	12.63	42.13

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
 SET 19
 17\22\19.5\18.5\19
 5.04\12.28\3.93\3.37\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3164G	119.73	Inf	-Inf	113.94	3	Vertical	321	2.00	19	31.33	7.33	32.87
AV	5.3162G	108.26	Inf	-Inf	102.47	3	Vertical	321	2.00	19	31.33	7.33	32.87
PK	5.3566G	70.58	74.00	-3.42	64.68	3	Vertical	321	2.00	19	31.41	7.35	32.86
AV	5.355G	53.63	54.00	-0.37	47.73	3	Vertical	321	2.00	19	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 19
19
2.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	116.31	Inf	-Inf	110.52	3	Horizontal	324	2.00	19	31.33	7.33	32.87
AV	5.3153G	104.56	Inf	-Inf	98.77	3	Horizontal	324	2.00	19	31.33	7.33	32.87
PK	5.3543G	66.81	74.00	-7.19	60.91	3	Horizontal	324	2.00	19	31.41	7.35	32.86
AV	5.3547G	51.03	54.00	-2.97	45.13	3	Horizontal	324	2.00	19	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6547G	55.73	74.00	-18.27	48.42	3	Vertical	169	2.40	-	40.20	10.17	43.06
AV	10.63631G	43.56	54.00	-10.44	36.26	3	Vertical	169	2.40	-	40.20	10.16	43.06
PK	15.94884G	55.09	74.00	-18.91	46.63	3	Vertical	88	2.82	-	37.90	12.65	42.09
AV	15.97491G	42.92	54.00	-11.08	34.42	3	Vertical	88	2.82	-	37.90	12.66	42.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64339G	57.05	74.00	-16.95	49.74	3	Horizontal	71	1.19	-	40.20	10.17	43.06
AV	10.62656G	43.55	54.00	-10.45	36.25	3	Horizontal	71	1.19	-	40.20	10.16	43.06
PK	15.95658G	54.52	74.00	-19.48	46.05	3	Horizontal	33	2.60	-	37.90	12.65	42.08
AV	15.96798G	42.96	54.00	-11.04	34.48	3	Horizontal	33	2.60	-	37.90	12.65	42.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4557G	63.10	74.00	-10.90	56.81	3	Vertical	56	1.01	-	31.72	7.41	32.84
AV	5.4563G	49.66	54.00	-4.34	43.36	3	Vertical	56	1.01	-	31.73	7.41	32.84
PK	5.4681G	66.80	68.20	-1.40	60.45	3	Vertical	56	1.01	-	31.77	7.42	32.84
PK	5.4959G	121.71	Inf	-Inf	115.22	3	Vertical	56	1.01	-	31.88	7.44	32.83
AV	5.496G	109.85	Inf	-Inf	103.36	3	Vertical	56	1.01	-	31.88	7.44	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	61.73	74.00	-12.27	55.46	3	Horizontal	27	2.75	-	31.70	7.41	32.84
PK	5.463G	63.80	68.20	-4.40	57.47	3	Horizontal	27	2.75	-	31.75	7.42	32.84
AV	5.46G	49.35	54.00	-4.65	43.03	3	Horizontal	27	2.75	-	31.74	7.42	32.84
PK	5.5015G	117.88	Inf	-Inf	111.36	3	Horizontal	27	2.75	-	31.90	7.45	32.83
AV	5.5026G	106.48	Inf	-Inf	99.97	3	Horizontal	27	2.75	-	31.89	7.45	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98535G	55.74	74.00	-18.26	48.22	3	Vertical	112	1.94	-	40.06	10.56	43.10
AV	10.9776G	43.59	54.00	-10.41	36.04	3	Vertical	112	1.94	-	40.09	10.56	43.10
PK	16.49205G	57.91	68.20	-10.29	47.39	3	Vertical	49	2.95	-	39.17	12.96	41.61

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
Setting 17.5
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.97525G	56.15	74.00	-17.85	48.59	3	Horizontal	344	2.09	-	40.10	10.56	43.10
AV	10.9804G	43.46	54.00	-10.54	35.92	3	Horizontal	344	2.09	-	40.08	10.56	43.10
PK	16.5027G	57.72	68.20	-10.48	47.17	3	Horizontal	6	2.41	-	39.19	12.96	41.60

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.34	74.00	-13.66	54.06	3	Vertical	55	1.01	-	31.71	7.41	32.84
AV	5.4584G	48.39	54.00	-5.61	42.09	3	Vertical	55	1.01	-	31.73	7.41	32.84
PK	5.4692G	59.74	68.20	-8.46	53.38	3	Vertical	55	1.01	-	31.78	7.42	32.84
PK	5.5768G	125.38	Inf	-Inf	118.99	3	Vertical	55	1.01	-	31.75	7.50	32.86
AV	5.576G	114.71	Inf	-Inf	108.32	3	Vertical	55	1.01	-	31.75	7.50	32.86
PK	5.7736G	62.18	68.20	-6.02	55.38	3	Vertical	55	1.01	-	32.15	7.57	32.92

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4292G	60.17	74.00	-13.83	54.00	3	Horizontal	27	2.69	-	31.62	7.39	32.84
PK	5.4612G	60.07	68.20	-8.13	53.75	3	Horizontal	27	2.69	-	31.74	7.42	32.84
AV	5.4564G	48.18	54.00	-5.82	41.88	3	Horizontal	27	2.69	-	31.73	7.41	32.84
PK	5.5816G	121.90	Inf	-Inf	115.51	3	Horizontal	27	2.69	-	31.74	7.51	32.86
AV	5.5828G	111.09	Inf	-Inf	104.71	3	Horizontal	27	2.69	-	31.73	7.51	32.86
PK	5.7372G	61.30	68.20	-6.90	54.58	3	Horizontal	27	2.69	-	32.07	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.18495G	55.83	74.00	-18.17	48.73	3	Vertical	74	2.82	-	39.60	10.67	43.17
AV	11.1688G	42.59	54.00	-11.41	35.50	3	Vertical	74	2.82	-	39.60	10.66	43.17
PK	16.75575G	58.21	68.20	-9.99	47.08	3	Vertical	305	1.74	-	39.93	13.05	41.85

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.18115G	55.04	74.00	-18.96	47.94	3	Horizontal	149	2.70	-	39.60	10.67	43.17
AV	11.17715G	42.63	54.00	-11.37	35.53	3	Horizontal	149	2.70	-	39.60	10.67	43.17
PK	16.75385G	58.51	68.20	-9.69	47.39	3	Horizontal	158	2.03	-	39.92	13.05	41.85

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6983G	120.36	Inf	-Inf	113.72	3	Vertical	61	1.48	-	31.99	7.55	32.90
AV	5.6978G	108.89	Inf	-Inf	102.25	3	Vertical	61	1.48	-	31.99	7.55	32.90
PK	5.7395G	65.63	68.20	-2.57	58.90	3	Vertical	61	1.48	-	32.08	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7033G	118.62	Inf	-Inf	111.96	3	Horizontal	28	2.71	-	32.01	7.55	32.90
AV	5.7037G	107.39	Inf	-Inf	100.73	3	Horizontal	28	2.71	-	32.01	7.55	32.90
PK	5.726G	68.13	68.20	-0.07	61.43	3	Horizontal	28	2.71	-	32.05	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3935G	57.14	74.00	-16.86	49.62	3	Vertical	163	2.97	-	39.99	10.79	43.26
AV	11.39755G	44.71	54.00	-9.29	37.18	3	Vertical	163	2.97	-	40.00	10.79	43.26
PK	17.1203G	58.50	68.20	-9.70	47.06	3	Vertical	225	2.52	-	40.34	13.16	42.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
Setting 18.5
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3955G	56.62	74.00	-17.38	49.10	3	Horizontal	187	2.46	-	39.99	10.79	43.26
AV	11.39515G	44.66	54.00	-9.34	37.14	3	Horizontal	187	2.46	-	39.99	10.79	43.26
PK	17.0859G	59.20	68.20	-9.00	47.79	3	Horizontal	32	1.58	-	40.33	13.15	42.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	122.87	Inf	-Inf	116.18	3	Vertical	71	3.00	-	32.04	7.56	32.91
AV	5.7208G	112.43	Inf	-Inf	105.74	3	Vertical	71	3.00	-	32.04	7.56	32.91
PK	5.8928G	61.65	68.20	-6.55	54.61	3	Vertical	71	3.00	-	32.37	7.63	32.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7236G	120.12	Inf	-Inf	113.42	3	Horizontal	26	3.00	-	32.05	7.56	32.91
AV	5.7228G	110.24	Inf	-Inf	103.54	3	Horizontal	26	3.00	-	32.05	7.56	32.91
PK	5.8712G	61.97	68.20	-6.23	55.03	3	Horizontal	26	3.00	-	32.28	7.62	32.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42915G	56.73	74.00	-17.27	49.25	3	Vertical	160	2.60	-	39.94	10.81	43.27
AV	11.4154G	44.28	54.00	-9.72	36.78	3	Vertical	160	2.60	-	39.97	10.80	43.27
PK	17.1673G	58.92	68.20	-9.28	47.36	3	Vertical	153	2.37	-	40.43	13.18	42.05

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4189G	55.87	74.00	-18.13	48.38	3	Horizontal	338	1.48	-	39.96	10.80	43.27
AV	11.41535G	44.14	54.00	-9.86	36.64	3	Horizontal	338	1.48	-	39.97	10.80	43.27
PK	17.18455G	58.93	68.20	-9.27	47.33	3	Horizontal	191	1.67	-	40.47	13.18	42.05

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.76	68.20	-7.44	54.39	3	Vertical	52	1.05	-	31.72	7.51	32.86
PK	5.7405G	123.30	Inf	-Inf	116.57	3	Vertical	52	1.05	-	32.08	7.56	32.91
AV	5.7405G	112.94	Inf	-Inf	106.21	3	Vertical	52	1.05	-	32.08	7.56	32.91
PK	5.9915G	62.06	68.20	-6.14	54.90	3	Vertical	52	1.05	-	32.48	7.68	33.00

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.558G	61.00	68.20	-7.20	54.58	3	Horizontal	28	3.00	-	31.78	7.49	32.85
PK	5.7485G	119.10	Inf	-Inf	112.35	3	Horizontal	28	3.00	-	32.10	7.56	32.91
AV	5.7485G	109.09	Inf	-Inf	102.34	3	Horizontal	28	3.00	-	32.10	7.56	32.91
PK	5.9785G	61.49	68.20	-6.71	54.35	3	Horizontal	28	3.00	-	32.46	7.67	32.99

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4945G	56.85	74.00	-17.15	49.23	3	Vertical	255	2.34	-	40.08	10.84	43.30
AV	11.51405G	44.12	54.00	-9.88	36.50	3	Vertical	255	2.34	-	40.07	10.85	43.30
PK	17.2592G	61.19	68.20	-7.01	49.39	3	Vertical	89	2.43	-	40.62	13.21	42.03

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4803G	56.34	74.00	-17.66	48.78	3	Horizontal	178	2.42	-	40.02	10.83	43.29
AV	11.511G	44.26	54.00	-9.74	36.63	3	Horizontal	178	2.42	-	40.08	10.85	43.30
PK	17.2369G	60.38	68.20	-7.82	48.64	3	Horizontal	102	2.18	-	40.57	13.20	42.03

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6325G	60.89	68.20	-7.31	54.47	3	Vertical	67	2.19	-	31.77	7.53	32.88
PK	5.784G	122.90	Inf	-Inf	116.08	3	Vertical	67	2.19	-	32.17	7.58	32.93
AV	5.7835G	113.19	Inf	-Inf	106.37	3	Vertical	67	2.19	-	32.17	7.58	32.93
PK	6.022G	61.10	68.20	-7.10	53.88	3	Vertical	67	2.19	-	32.54	7.68	33.00

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.85	68.20	-7.35	54.41	3	Horizontal	294	3.00	-	31.79	7.53	32.88
PK	5.781G	121.56	Inf	-Inf	114.76	3	Horizontal	294	3.00	-	32.16	7.57	32.93
AV	5.781G	111.50	Inf	-Inf	104.70	3	Horizontal	294	3.00	-	32.16	7.57	32.93
PK	5.992G	62.00	68.20	-6.20	54.84	3	Horizontal	294	3.00	-	32.48	7.68	33.00

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5793G	57.90	74.00	-16.10	50.36	3	Vertical	148	1.93	-	39.94	10.89	43.29
AV	11.5893G	44.75	54.00	-9.25	37.23	3	Vertical	148	1.93	-	39.92	10.89	43.29
PK	17.3791G	60.37	68.20	-7.83	47.63	3	Vertical	134	2.20	-	41.49	13.25	42.00

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57815G	56.24	74.00	-17.76	48.70	3	Horizontal	152	2.45	-	39.94	10.89	43.29
AV	11.5921G	44.56	54.00	-9.44	37.03	3	Horizontal	152	2.45	-	39.92	10.90	43.29
PK	17.34265G	60.81	68.20	-7.39	48.45	3	Horizontal	264	2.86	-	41.13	13.24	42.01

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.24	68.20	-7.96	53.86	3	Vertical	52	1.01	-	31.73	7.51	32.86
PK	5.8205G	122.16	Inf	-Inf	115.31	3	Vertical	52	1.01	-	32.20	7.59	32.94
AV	5.821G	112.08	Inf	-Inf	105.23	3	Vertical	52	1.01	-	32.20	7.59	32.94
PK	5.9605G	61.88	68.20	-6.32	54.79	3	Vertical	52	1.01	-	32.42	7.66	32.99

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	60.09	68.20	-8.11	53.71	3	Horizontal	293	2.58	-	31.73	7.52	32.87
PK	5.82G	121.10	Inf	-Inf	114.25	3	Horizontal	293	2.58	-	32.20	7.59	32.94
AV	5.8195G	110.44	Inf	-Inf	103.59	3	Horizontal	293	2.58	-	32.20	7.59	32.94
PK	6.015G	61.81	68.20	-6.39	54.60	3	Horizontal	293	2.58	-	32.53	7.68	33.00

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66185G	56.01	74.00	-17.99	48.67	3	Vertical	65	1.70	-	39.68	10.93	43.27
AV	11.67445G	44.14	54.00	-9.86	36.82	3	Vertical	65	1.70	-	39.65	10.94	43.27
PK	17.4934G	62.04	68.20	-6.16	48.27	3	Vertical	41	2.48	-	42.45	13.29	41.97

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63395G	56.35	74.00	-17.65	48.95	3	Horizontal	87	2.15	-	39.76	10.92	43.28
AV	11.67245G	44.12	54.00	-9.88	36.79	3	Horizontal	87	2.15	-	39.66	10.94	43.27
PK	17.47475G	61.44	68.20	-6.76	47.84	3	Horizontal	224	2.86	-	42.30	13.28	41.98

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 SET 16.5
 17,15.5,16,16.5
 -1.24,1.92,1.80,1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	65.35	74.00	-8.65	58.94	3	Vertical	321	2.00	16.5	32.08	7.23	32.90
AV	5.14704G	52.20	54.00	-1.80	45.78	3	Vertical	321	2.00	16.5	32.09	7.23	32.90
PK	5.18508G	115.02	Inf	-Inf	108.75	3	Vertical	321	2.00	16.5	31.89	7.27	32.89
AV	5.18616G	103.13	Inf	-Inf	96.87	3	Vertical	321	2.00	16.5	31.88	7.27	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
SET 16.5
16.5
5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	61.29	74.00	-12.71	54.88	3	Horizontal	327	2.00	16.5	32.08	7.23	32.90
AV	5.15G	48.34	54.00	-5.66	41.90	3	Horizontal	327	2.00	16.5	32.10	7.24	32.90
PK	5.20656G	111.00	Inf	-Inf	104.86	3	Horizontal	327	2.00	16.5	31.75	7.28	32.89
AV	5.19852G	98.79	Inf	-Inf	92.59	3	Horizontal	327	2.00	16.5	31.81	7.28	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38192G	56.11	68.20	-12.09	49.04	3	Vertical	85	1.03	-	40.06	10.04	43.03
PK	15.57525G	56.09	74.00	-17.91	47.39	3	Vertical	171	1.90	-	38.75	12.47	42.52
AV	15.58221G	43.30	54.00	-10.70	34.63	3	Vertical	171	1.90	-	38.71	12.47	42.51

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37601G	56.25	68.20	-11.95	49.19	3	Horizontal	342	2.22	-	40.05	10.04	43.03
PK	15.57936G	56.09	74.00	-17.91	47.42	3	Horizontal	321	1.13	-	38.72	12.47	42.52
AV	15.57882G	43.31	54.00	-10.69	34.63	3	Horizontal	321	1.13	-	38.73	12.47	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
 SET 21
 17\23\20\21.5\21
 6.26\5.07\4.46\2.11\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14654G	69.54	74.00	-4.46	63.12	3	Vertical	320	1.50	21	32.09	7.23	32.90
AV	5.14706G	52.22	54.00	-1.78	45.79	3	Vertical	320	1.50	21	32.09	7.24	32.90
PK	5.22532G	119.82	Inf	-Inf	113.81	3	Vertical	320	1.50	21	31.60	7.29	32.88
AV	5.22532G	108.41	Inf	-Inf	102.40	3	Vertical	320	1.50	21	31.60	7.29	32.88
PK	5.36G	59.49	74.00	-14.51	53.58	3	Vertical	320	1.50	21	31.42	7.35	32.86
AV	5.35532G	47.90	54.00	-6.10	42.00	3	Vertical	320	1.50	21	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
 SET 21
 21
 2.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	66.05	74.00	-7.95	59.63	3	Horizontal	319	2.00	21	32.09	7.23	32.90
AV	5.14628G	51.96	54.00	-2.04	45.54	3	Horizontal	319	2.00	21	32.09	7.23	32.90
PK	5.24404G	116.39	Inf	-Inf	110.52	3	Horizontal	319	2.00	21	31.45	7.30	32.88
AV	5.2443G	104.53	Inf	-Inf	98.66	3	Horizontal	319	2.00	21	31.45	7.30	32.88
PK	5.35402G	59.10	74.00	-14.90	53.20	3	Horizontal	319	2.00	21	31.41	7.35	32.86
AV	5.35428G	47.51	54.00	-6.49	41.61	3	Horizontal	319	2.00	21	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45115G	55.40	68.20	-12.80	48.16	3	Vertical	187	2.31	-	40.20	10.07	43.03
PK	15.69657G	54.18	74.00	-19.82	45.84	3	Vertical	219	2.10	-	38.19	12.53	42.38
AV	15.70494G	42.27	54.00	-11.73	33.90	3	Vertical	219	2.10	-	38.21	12.53	42.37

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44812G	55.26	68.20	-12.94	48.02	3	Horizontal	351	2.77	-	40.20	10.07	43.03
PK	15.6753G	54.17	74.00	-19.83	45.91	3	Horizontal	165	1.73	-	38.15	12.52	42.41
AV	15.70314G	42.38	54.00	-11.62	34.01	3	Horizontal	165	1.73	-	38.21	12.53	42.37

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




16/03/2024

EUT_X_4TX
SET 21
17\23\20\21.5\21
6.47\ -2.76\6.06\ -0.44\4.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	60.10	74.00	-13.90	53.70	3	Vertical	320	1.50	21	32.07	7.23	32.90
AV	5.14652G	48.50	54.00	-5.50	42.08	3	Vertical	320	1.50	21	32.09	7.23	32.90
PK	5.26608G	119.74	Inf	-Inf	113.94	3	Vertical	320	1.50	21	31.37	7.31	32.88
AV	5.26552G	108.19	Inf	-Inf	102.39	3	Vertical	320	1.50	21	31.37	7.31	32.88
PK	5.35176G	64.03	74.00	-9.97	58.14	3	Vertical	320	1.50	21	31.40	7.35	32.86
AV	5.3526G	49.28	54.00	-4.72	43.38	3	Vertical	320	1.50	21	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 21
21
5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13588G	59.45	74.00	-14.55	53.08	3	Horizontal	319	2.00	21	32.04	7.23	32.90
AV	5.13392G	47.64	54.00	-6.36	41.28	3	Horizontal	319	2.00	21	32.04	7.22	32.90
PK	5.26468G	115.26	Inf	-Inf	109.46	3	Horizontal	319	2.00	21	31.37	7.31	32.88
AV	5.284G	104.22	Inf	-Inf	98.44	3	Horizontal	319	2.00	21	31.33	7.32	32.87
PK	5.35652G	62.97	74.00	-11.03	57.07	3	Horizontal	319	2.00	21	31.41	7.35	32.86
AV	5.3638G	48.85	54.00	-5.15	42.93	3	Horizontal	319	2.00	21	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54324G	55.46	68.20	-12.74	48.29	3	Vertical	36	2.65	-	40.10	10.12	43.05
PK	15.79824G	54.32	74.00	-19.68	45.71	3	Vertical	0	1.35	-	38.30	12.57	42.26
AV	15.81273G	42.58	54.00	-11.42	34.00	3	Vertical	0	1.35	-	38.25	12.58	42.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55047G	55.13	68.20	-13.07	47.96	3	Horizontal	181	2.61	-	40.10	10.12	43.05
PK	15.79869G	54.93	74.00	-19.07	46.32	3	Horizontal	302	1.98	-	38.30	12.57	42.26
AV	15.80586G	42.50	54.00	-11.50	33.90	3	Horizontal	302	1.98	-	38.28	12.58	42.26

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 SET 16.5
 17\16\16.5
 -0.63\2.34\2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32656G	113.78	Inf	-Inf	107.95	3	Vertical	322	1.99	16.5	31.35	7.34	32.86
AV	5.32644G	102.43	Inf	-Inf	96.60	3	Vertical	322	1.99	16.5	31.35	7.34	32.86
PK	5.35236G	66.24	74.00	-7.76	60.35	3	Vertical	322	1.99	16.5	31.40	7.35	32.86
AV	5.35308G	51.66	54.00	-2.34	45.76	3	Vertical	322	1.99	16.5	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 SET 16.5
 16.5
 4.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30256G	110.10	Inf	-Inf	104.33	3	Horizontal	317	2.00	16.5	31.31	7.33	32.87
AV	5.32356G	98.51	Inf	-Inf	92.69	3	Horizontal	317	2.00	16.5	31.35	7.34	32.87
PK	5.35656G	61.69	74.00	-12.31	55.79	3	Horizontal	317	2.00	16.5	31.41	7.35	32.86
AV	5.35524G	49.13	54.00	-4.87	43.23	3	Horizontal	317	2.00	16.5	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62057G	56.18	74.00	-17.82	48.88	3	Vertical	355	2.35	-	40.20	10.15	43.05
AV	10.62657G	43.62	54.00	-10.38	36.32	3	Vertical	355	2.35	-	40.20	10.16	43.06
PK	15.92277G	54.84	74.00	-19.16	46.38	3	Vertical	312	2.62	-	37.95	12.63	42.12
AV	15.93699G	42.79	54.00	-11.21	34.32	3	Vertical	312	2.62	-	37.93	12.64	42.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 Setting 16.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62183G	55.80	74.00	-18.20	48.49	3	Horizontal	34	2.83	-	40.20	10.16	43.05
AV	10.61784G	43.71	54.00	-10.29	36.41	3	Horizontal	34	2.83	-	40.20	10.15	43.05
PK	15.92652G	54.65	74.00	-19.35	46.18	3	Horizontal	122	2.11	-	37.95	12.64	42.12
AV	15.93042G	42.75	54.00	-11.25	34.28	3	Horizontal	122	2.11	-	37.94	12.64	42.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	60.10	74.00	-13.90	53.81	3	Vertical	54	1.01	-	31.72	7.41	32.84
AV	5.449G	49.24	54.00	-4.76	42.97	3	Vertical	54	1.01	-	31.70	7.41	32.84
PK	5.4688G	66.55	68.20	-1.65	60.19	3	Vertical	54	1.01	-	31.78	7.42	32.84
PK	5.5256G	117.66	Inf	-Inf	111.19	3	Vertical	54	1.01	-	31.85	7.46	32.84
AV	5.5256G	107.87	Inf	-Inf	101.40	3	Vertical	54	1.01	-	31.85	7.46	32.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT X_4TX
 Setting 17.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	59.98	74.00	-14.02	53.68	3	Horizontal	41	2.75	-	31.73	7.41	32.84
AV	5.46G	49.35	54.00	-4.65	43.03	3	Horizontal	41	2.75	-	31.74	7.42	32.84
PK	5.4676G	63.15	68.20	-5.05	56.80	3	Horizontal	41	2.75	-	31.77	7.42	32.84
PK	5.529G	113.95	Inf	-Inf	107.48	3	Horizontal	41	2.75	-	31.84	7.47	32.84
AV	5.5284G	104.24	Inf	-Inf	97.77	3	Horizontal	41	2.75	-	31.84	7.47	32.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0088G	55.27	74.00	-18.73	47.82	3	Vertical	3	2.92	-	39.98	10.57	43.10
AV	11.01655G	43.26	54.00	-10.74	35.82	3	Vertical	3	2.92	-	39.97	10.58	43.11
PK	16.5387G	57.20	68.20	-11.00	46.81	3	Vertical	337	2.57	-	39.05	12.98	41.64

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
 Setting 17.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.025G	54.52	74.00	-19.48	47.10	3	Horizontal	143	2.92	-	39.95	10.58	43.11
AV	11.01235G	43.29	54.00	-10.71	35.83	3	Horizontal	143	2.92	-	39.98	10.58	43.10
PK	16.5259G	56.95	68.20	-11.25	46.51	3	Horizontal	11	2.93	-	39.10	12.97	41.63

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT X_4TX
Setting 18.5
01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.46	74.00	-11.54	56.15	3	Vertical	72	2.57	-	31.74	7.41	32.84
AV	5.46G	51.39	54.00	-2.61	45.07	3	Vertical	72	2.57	-	31.74	7.42	32.84
PK	5.4696G	68.13	68.20	-0.07	61.77	3	Vertical	72	2.57	-	31.78	7.42	32.84
PK	5.5485G	118.68	Inf	-Inf	112.25	3	Vertical	72	2.57	-	31.80	7.48	32.85
AV	5.5491G	108.50	Inf	-Inf	102.07	3	Vertical	72	2.57	-	31.80	7.48	32.85

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4501G	60.46	74.00	-13.54	54.19	3	Horizontal	28	2.73	-	31.70	7.41	32.84
AV	5.4519G	49.27	54.00	-4.73	42.99	3	Horizontal	28	2.73	-	31.71	7.41	32.84
PK	5.4696G	60.66	68.20	-7.54	54.30	3	Horizontal	28	2.73	-	31.78	7.42	32.84
PK	5.5524G	115.23	Inf	-Inf	108.80	3	Horizontal	28	2.73	-	31.80	7.48	32.85
AV	5.5326G	105.77	Inf	-Inf	99.31	3	Horizontal	28	2.73	-	31.83	7.47	32.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1054G	54.80	74.00	-19.20	47.53	3	Vertical	238	1.53	-	39.78	10.63	43.14
AV	11.09915G	42.76	54.00	-11.24	35.48	3	Vertical	238	1.53	-	39.80	10.62	43.14
PK	16.6515G	56.20	68.20	-12.00	45.73	3	Vertical	356	1.72	-	39.21	13.01	41.75

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08755G	54.60	74.00	-19.40	47.30	3	Horizontal	147	2.17	-	39.82	10.62	43.14
AV	11.0949G	42.78	54.00	-11.22	35.49	3	Horizontal	147	2.17	-	39.81	10.62	43.14
PK	16.65825G	56.01	68.20	-12.19	45.51	3	Horizontal	66	1.81	-	39.25	13.01	41.76

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX



EUT_X_4TX
 Setting 18.5
 01-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6864G	120.14	Inf	-Inf	113.53	3	Vertical	56	1.01	-	31.95	7.55	32.89
AV	5.6862G	108.10	Inf	-Inf	101.50	3	Vertical	56	1.01	-	31.94	7.55	32.89
PK	5.7256G	68.12	68.20	-0.08	61.42	3	Vertical	56	1.01	-	32.05	7.56	32.91