


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
 Setting 7.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42835G	56.34	68.20	-11.86	40.88	3	Vertical	316	2.12	-	38.80	10.38	33.72
PK	15.64775G	57.86	74.00	-16.14	41.40	3	Vertical	183	1.12	-	37.52	12.31	33.37
AV	15.62155G	46.67	54.00	-7.33	30.00	3	Vertical	183	1.12	-	37.78	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4138G	56.02	68.20	-12.18	40.55	3	Horizontal	46	1.26	-	38.80	10.37	33.70
PK	15.632G	57.95	74.00	-16.05	41.35	3	Horizontal	225	1.20	-	37.68	12.31	33.39
AV	15.6164G	46.41	54.00	-7.59	29.68	3	Horizontal	225	1.20	-	37.84	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	66.45	74.00	-7.55	61.60	3	Vertical	308	1.80	-	33.00	7.38	35.53
AV	5.123G	52.93	54.00	-1.07	48.08	3	Vertical	308	1.80	-	33.00	7.38	35.53
PK	5.1845G	113.45	Inf	-Inf	108.45	3	Vertical	308	1.80	-	33.07	7.44	35.51
AV	5.184G	101.95	Inf	-Inf	96.96	3	Vertical	308	1.80	-	33.07	7.43	35.51
PK	5.457G	59.26	74.00	-14.74	54.28	3	Vertical	308	1.80	-	32.81	7.60	35.43
AV	5.4255G	47.58	54.00	-6.42	42.60	3	Vertical	308	1.80	-	32.85	7.57	35.44

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	67.44	74.00	-6.56	62.60	3	Horizontal	78	2.18	-	33.00	7.37	35.53
AV	5.124G	51.66	54.00	-2.34	46.81	3	Horizontal	78	2.18	-	33.00	7.38	35.53
PK	5.1815G	112.92	Inf	-Inf	107.94	3	Horizontal	78	2.18	-	33.06	7.43	35.51
AV	5.1825G	100.68	Inf	-Inf	95.69	3	Horizontal	78	2.18	-	33.07	7.43	35.51
PK	5.3535G	62.13	74.00	-11.87	57.25	3	Horizontal	78	2.18	-	32.81	7.53	35.46
AV	5.3635G	47.87	54.00	-6.13	42.97	3	Horizontal	78	2.18	-	32.83	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42675G	56.50	68.20	-11.70	41.04	3	Vertical	293	2.79	-	38.80	10.38	33.72
PK	15.64305G	58.09	74.00	-15.91	41.58	3	Vertical	228	2.39	-	37.57	12.31	33.37
AV	15.61595G	46.59	54.00	-7.41	29.86	3	Vertical	228	2.39	-	37.84	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44255G	56.05	68.20	-12.15	40.62	3	Horizontal	62	1.13	-	38.80	10.38	33.75
PK	15.62755G	58.58	74.00	-15.42	41.95	3	Horizontal	184	2.01	-	37.72	12.31	33.40
AV	15.6162G	46.32	54.00	-7.68	29.59	3	Horizontal	184	2.01	-	37.84	12.30	33.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
 Setting 0.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	62.99	74.00	-11.01	58.11	3	Vertical	314	3.00	-	33.00	7.40	35.52
AV	5.146G	48.64	54.00	-5.36	43.76	3	Vertical	314	3.00	-	33.00	7.40	35.52
PK	5.267G	114.08	Inf	-Inf	109.12	3	Vertical	314	3.00	-	32.97	7.48	35.49
AV	5.267G	102.12	Inf	-Inf	97.16	3	Vertical	314	3.00	-	32.97	7.48	35.49
PK	5.3685G	72.23	74.00	-1.77	67.32	3	Vertical	314	3.00	-	32.84	7.53	35.46
AV	5.368G	52.90	54.00	-1.10	47.99	3	Vertical	314	3.00	-	32.84	7.53	35.46
PK	5.484G	59.75	68.20	-8.45	54.68	3	Vertical	314	3.00	-	32.87	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
 Setting 0.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	62.15	74.00	-11.85	57.27	3	Horizontal	73	1.80	-	33.00	7.40	35.52
AV	5.15G	48.31	54.00	-5.69	43.43	3	Horizontal	73	1.80	-	33.00	7.40	35.52
PK	5.269G	111.82	Inf	-Inf	106.86	3	Horizontal	73	1.80	-	32.96	7.48	35.48
AV	5.269G	99.80	Inf	-Inf	94.84	3	Horizontal	73	1.80	-	32.96	7.48	35.48
PK	5.3505G	71.15	74.00	-2.85	66.28	3	Horizontal	73	1.80	-	32.80	7.53	35.46
AV	5.35G	53.27	54.00	-0.73	48.40	3	Horizontal	73	1.80	-	32.80	7.53	35.46
PK	5.487G	59.86	68.20	-8.34	54.79	3	Horizontal	73	1.80	-	32.87	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
 Setting 0.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55935G	57.10	68.20	-11.10	41.64	3	Vertical	265	1.47	-	38.82	10.44	33.80
PK	15.853G	59.04	74.00	-14.96	42.02	3	Vertical	139	1.76	-	37.69	12.38	33.05
AV	15.8794G	46.48	54.00	-7.52	29.46	3	Vertical	139	1.76	-	37.64	12.39	33.01

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT X_4TX
Setting 0.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56825G	56.84	68.20	-11.36	41.36	3	Horizontal	169	2.15	-	38.84	10.44	33.80
PK	15.8589G	57.59	74.00	-16.41	40.57	3	Horizontal	187	2.63	-	37.68	12.38	33.04
AV	15.8849G	46.42	54.00	-7.58	29.40	3	Horizontal	187	2.63	-	37.63	12.39	33.00

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	63.60	74.00	-10.40	58.72	3	Vertical	308	1.80	-	33.00	7.40	35.52
AV	5.1435G	48.79	54.00	-5.21	43.91	3	Vertical	308	1.80	-	33.00	7.40	35.52
PK	5.264G	113.13	Inf	-Inf	108.17	3	Vertical	308	1.80	-	32.97	7.48	35.49
AV	5.2645G	101.88	Inf	-Inf	96.92	3	Vertical	308	1.80	-	32.97	7.48	35.49
PK	5.3675G	64.55	74.00	-9.45	59.65	3	Vertical	308	1.80	-	32.83	7.53	35.46
AV	5.3675G	48.05	54.00	-5.95	43.15	3	Vertical	308	1.80	-	32.83	7.53	35.46
PK	5.5225G	60.27	68.20	-7.93	55.20	3	Vertical	308	1.80	-	32.85	7.65	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0685G	60.23	74.00	-13.77	55.38	3	Horizontal	74.9	1.80	-	33.06	7.33	35.54
AV	5.15G	48.31	54.00	-5.69	43.43	3	Horizontal	74.9	1.80	-	33.00	7.40	35.52
PK	5.2685G	111.35	Inf	-Inf	106.39	3	Horizontal	74.9	1.80	-	32.96	7.48	35.48
AV	5.269G	100.28	Inf	-Inf	95.32	3	Horizontal	74.9	1.80	-	32.96	7.48	35.48
PK	5.387G	63.33	74.00	-10.67	58.37	3	Horizontal	74.9	1.80	-	32.87	7.54	35.45
AV	5.3845G	50.14	54.00	-3.86	45.18	3	Horizontal	74.9	1.80	-	32.87	7.54	35.45
PK	5.513G	59.98	68.20	-8.22	54.89	3	Horizontal	74.9	1.80	-	32.87	7.64	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
 Setting 0.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5875G	56.46	68.20	-11.74	40.92	3	Vertical	219	1.67	-	38.87	10.45	33.78
PK	15.86165G	58.26	74.00	-15.74	41.24	3	Vertical	251	1.03	-	37.68	12.38	33.04
AV	15.8891G	46.53	54.00	-7.47	29.52	3	Vertical	251	1.03	-	37.62	12.39	33.00

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56G	57.99	68.20	-10.21	42.53	3	Horizontal	99	1.80	-	38.82	10.44	33.80
PK	15.88945G	58.29	74.00	-15.71	41.28	3	Horizontal	342	1.85	-	37.62	12.39	33.00
AV	15.84595G	46.48	54.00	-7.52	29.45	3	Horizontal	342	1.85	-	37.71	12.38	33.06

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
 Setting 1.75
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	68.04	74.00	-5.96	63.16	3	Vertical	305	1.80	-	33.00	7.40	35.52
AV	5.1444G	51.65	54.00	-2.35	46.77	3	Vertical	305	1.80	-	33.00	7.40	35.52
PK	5.1836G	108.30	Inf	-Inf	103.31	3	Vertical	305	1.80	-	33.07	7.43	35.51
AV	5.1852G	97.51	Inf	-Inf	92.51	3	Vertical	305	1.80	-	33.07	7.44	35.51
PK	5.3876G	66.76	74.00	-7.24	61.79	3	Vertical	305	1.80	-	32.88	7.54	35.45
AV	5.3668G	50.68	54.00	-3.32	45.78	3	Vertical	305	1.80	-	32.83	7.53	35.46
PK	5.4988G	59.87	68.20	-8.33	54.76	3	Vertical	305	1.80	-	32.90	7.63	35.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 1.75
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	71.11	74.00	-2.89	66.24	3	Horizontal	73.9	1.80	-	33.00	7.39	35.52
AV	5.15G	50.55	54.00	-3.45	45.67	3	Horizontal	73.9	1.80	-	33.00	7.40	35.52
PK	5.2892G	107.25	Inf	-Inf	102.32	3	Horizontal	73.9	1.80	-	32.92	7.49	35.48
AV	5.2692G	95.96	Inf	-Inf	91.00	3	Horizontal	73.9	1.80	-	32.96	7.48	35.48
PK	5.3884G	69.72	74.00	-4.28	64.75	3	Horizontal	73.9	1.80	-	32.88	7.54	35.45
AV	5.37G	53.11	54.00	-0.89	48.19	3	Horizontal	73.9	1.80	-	32.84	7.54	35.46
PK	5.55G	60.23	68.20	-7.97	55.20	3	Horizontal	73.9	1.80	-	32.80	7.67	35.44

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 1.75
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4841G	56.76	68.20	-11.44	41.38	3	Vertical	128	1.74	-	38.80	10.40	33.82
PK	15.7718G	57.98	74.00	-16.02	41.01	3	Vertical	118	1.69	-	37.80	12.35	33.18
AV	15.75985G	46.65	54.00	-7.35	29.70	3	Vertical	118	1.69	-	37.80	12.35	33.20

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
 Setting 1.75
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50025G	56.89	68.20	-11.31	41.53	3	Horizontal	207	2.59	-	38.80	10.41	33.85
PK	15.7477G	58.34	74.00	-15.66	41.40	3	Horizontal	279	2.81	-	37.80	12.35	33.21
AV	15.76G	46.49	54.00	-7.51	29.53	3	Horizontal	279	2.81	-	37.80	12.35	33.19

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	72.41	74.00	-1.59	67.55	3	Vertical	312	1.80	-	33.00	7.38	35.52
AV	5.1036G	53.23	54.00	-0.77	48.40	3	Vertical	312	1.80	-	33.00	7.36	35.53
AV	5.1836G	99.02	Inf	-Inf	94.03	3	Vertical	312	1.80	-	33.07	7.43	35.51
PK	5.2644G	110.57	Inf	-Inf	105.61	3	Vertical	312	1.80	-	32.97	7.48	35.49
PK	5.3852G	70.59	74.00	-3.41	65.63	3	Vertical	312	1.80	-	32.87	7.54	35.45
AV	5.3652G	51.16	54.00	-2.84	46.26	3	Vertical	312	1.80	-	32.83	7.53	35.46
PK	5.5004G	60.12	68.20	-8.08	55.01	3	Vertical	312	1.80	-	32.90	7.63	35.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
 Setting 0.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	72.96	74.00	-1.04	68.10	3	Horizontal	78	1.43	-	33.00	7.38	35.52
AV	5.1476G	52.54	54.00	-1.46	47.66	3	Horizontal	78	1.43	-	33.00	7.40	35.52
PK	5.2676G	109.95	Inf	-Inf	105.00	3	Horizontal	78	1.43	-	32.96	7.48	35.49
AV	5.2676G	98.06	Inf	-Inf	93.11	3	Horizontal	78	1.43	-	32.96	7.48	35.49
PK	5.3948G	73.15	74.00	-0.85	68.16	3	Horizontal	78	1.43	-	32.89	7.55	35.45
AV	5.3764G	52.56	54.00	-1.44	47.62	3	Horizontal	78	1.43	-	32.85	7.54	35.45
PK	5.5116G	60.27	68.20	-7.93	55.17	3	Horizontal	78	1.43	-	32.88	7.64	35.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5186G	57.40	68.20	-10.80	42.02	3	Vertical	123	2.44	-	38.80	10.42	33.84
PK	15.76385G	58.61	74.00	-15.39	41.65	3	Vertical	224	2.18	-	37.80	12.35	33.19
AV	15.73465G	46.50	54.00	-7.50	29.62	3	Vertical	224	2.18	-	37.77	12.34	33.23

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52075G	56.82	68.20	-11.38	41.43	3	Horizontal	59	2.04	-	38.80	10.42	33.83
PK	15.7487G	58.26	74.00	-15.74	41.32	3	Horizontal	184	1.56	-	37.80	12.35	33.21
AV	15.76685G	46.52	54.00	-7.48	29.55	3	Horizontal	184	1.56	-	37.80	12.35	33.18

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
 Setting 0.25
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	65.04	74.00	-8.96	60.16	3	Vertical	305	1.80	-	33.00	7.40	35.52
AV	5.0836G	52.00	54.00	-2.00	47.17	3	Vertical	305	1.80	-	33.03	7.34	35.54
PK	5.1844G	110.69	Inf	-Inf	105.69	3	Vertical	305	1.80	-	33.07	7.44	35.51
AV	5.1844G	99.03	Inf	-Inf	94.03	3	Vertical	305	1.80	-	33.07	7.44	35.51
PK	5.3876G	64.76	74.00	-9.24	59.79	3	Vertical	305	1.80	-	32.88	7.54	35.45
AV	5.3868G	48.52	54.00	-5.48	43.56	3	Vertical	305	1.80	-	32.87	7.54	35.45
PK	5.6292G	60.01	68.20	-8.19	54.86	3	Vertical	305	1.80	-	32.86	7.76	35.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	67.23	74.00	-6.77	62.36	3	Horizontal	73	1.80	-	33.00	7.39	35.52
AV	5.0804G	51.20	54.00	-2.80	46.36	3	Horizontal	73	1.80	-	33.04	7.34	35.54
PK	5.3084G	108.08	Inf	-Inf	103.17	3	Horizontal	73	1.80	-	32.88	7.50	35.47
AV	5.3092G	96.86	Inf	-Inf	91.95	3	Horizontal	73	1.80	-	32.88	7.50	35.47
PK	5.3884G	68.21	74.00	-5.79	63.24	3	Horizontal	73	1.80	-	32.88	7.54	35.45
AV	5.3788G	49.70	54.00	-4.30	44.75	3	Horizontal	73	1.80	-	32.86	7.54	35.45
PK	5.5156G	60.39	68.20	-7.81	55.31	3	Horizontal	73	1.80	-	32.87	7.64	35.43

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_4TX
Setting 0.25
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5027G	57.54	68.20	-10.66	42.18	3	Vertical	114	1.69	-	38.80	10.41	33.85
PK	15.7478G	57.84	74.00	-16.16	40.90	3	Vertical	360	1.48	-	37.80	12.35	33.21
AV	15.75175G	46.53	54.00	-7.47	29.59	3	Vertical	360	1.48	-	37.80	12.35	33.21

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX



EUT_X_4TX
 Setting 0.25
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5092G	56.76	68.20	-11.44	41.39	3	Horizontal	42	2.52	-	38.80	10.41	33.84
PK	15.7485G	58.13	74.00	-15.87	41.19	3	Horizontal	319	2.78	-	37.80	12.35	33.21
AV	15.76055G	46.49	54.00	-7.51	29.53	3	Horizontal	319	2.78	-	37.80	12.35	33.19




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14)_4TX	Pass	AV	5.3655G	53.95	54.00	-0.05	3	Vertical	208	1.55	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUTY_1TX
 Setting 17.5
 05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.23	74.00	-9.77	59.65	3	Vertical	68	1.80	-	32.70	7.40	35.52
AV	5.141G	47.84	54.00	-6.16	43.25	3	Vertical	68	1.80	-	32.72	7.39	35.52
PK	5.183G	102.50	Inf	-Inf	97.81	3	Vertical	68	1.80	-	32.77	7.43	35.51
AV	5.175G	88.68	Inf	-Inf	84.01	3	Vertical	68	1.80	-	32.75	7.43	35.51
PK	5.438G	61.39	74.00	-12.61	56.63	3	Vertical	68	1.80	-	32.62	7.58	35.44
AV	5.447G	47.65	54.00	-6.35	42.88	3	Vertical	68	1.80	-	32.61	7.59	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUTY_1TX
Setting 17.5
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	73.00	74.00	-1.00	68.40	3	Horizontal	59	1.80	-	32.74	7.38	35.52
AV	5.15G	51.46	54.00	-2.54	46.88	3	Horizontal	59	1.80	-	32.70	7.40	35.52
PK	5.187G	111.55	Inf	-Inf	106.85	3	Horizontal	59	1.80	-	32.77	7.44	35.51
AV	5.174G	98.26	Inf	-Inf	93.59	3	Horizontal	59	1.80	-	32.75	7.43	35.51
PK	5.444G	61.07	74.00	-12.93	56.31	3	Horizontal	59	1.80	-	32.61	7.59	35.44
AV	5.447G	47.57	54.00	-6.43	42.80	3	Horizontal	59	1.80	-	32.61	7.59	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUTY_1TX
Setting 17.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41992G	58.16	68.20	-10.04	43.00	3	Vertical	4	1.39	-	38.50	10.37	33.71
PK	15.6344G	59.98	74.00	-14.02	43.29	3	Vertical	173	2.74	-	37.77	12.31	33.39
AV	15.62886G	45.78	54.00	-8.22	29.09	3	Vertical	173	2.74	-	37.77	12.31	33.39

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUTY_1TX
Setting 17.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4172G	57.78	68.20	-10.42	42.61	3	Horizontal	271	2.80	-	38.50	10.37	33.70
PK	15.63386G	59.89	74.00	-14.11	43.20	3	Horizontal	210	1.24	-	37.77	12.31	33.39
AV	15.6297G	45.77	54.00	-8.23	29.08	3	Horizontal	210	1.24	-	37.77	12.31	33.39

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX



EUT_Y_1TX
Setting 17
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.079G	60.77	74.00	-13.23	56.09	3	Vertical	316	1.80	-	32.88	7.34	35.54
AV	5.068G	47.24	54.00	-6.76	42.53	3	Vertical	316	1.80	-	32.93	7.32	35.54
PK	5.317G	102.85	Inf	-Inf	98.14	3	Vertical	316	1.80	-	32.67	7.51	35.47
AV	5.3G	88.96	Inf	-Inf	84.24	3	Vertical	316	1.80	-	32.70	7.50	35.48
PK	5.35G	65.35	74.00	-8.65	60.68	3	Vertical	316	1.80	-	32.60	7.53	35.46
AV	5.35G	48.16	54.00	-5.84	43.49	3	Vertical	316	1.80	-	32.60	7.53	35.46
PK	5.537G	61.48	68.20	-6.72	56.65	3	Vertical	316	1.80	-	32.60	7.66	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




13/06/2024

EUT_Y_1TX
Setting 17
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.89	74.00	-13.11	56.30	3	Horizontal	53	3.00	-	32.72	7.39	35.52
AV	5.138G	47.48	54.00	-6.52	42.89	3	Horizontal	53	3.00	-	32.72	7.39	35.52
PK	5.321G	111.56	Inf	-Inf	106.86	3	Horizontal	53	3.00	-	32.66	7.51	35.47
AV	5.325G	97.03	Inf	-Inf	92.34	3	Horizontal	53	3.00	-	32.65	7.51	35.47
PK	5.356G	72.91	74.00	-1.09	68.23	3	Horizontal	53	3.00	-	32.61	7.53	35.46
AV	5.35G	52.22	54.00	-1.78	47.55	3	Horizontal	53	3.00	-	32.60	7.53	35.46
PK	5.492G	61.60	68.20	-6.60	56.80	3	Horizontal	53	3.00	-	32.60	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58114G	58.72	68.20	-9.48	43.24	3	Vertical	326	2.63	-	38.82	10.45	33.79
PK	15.87318G	59.36	74.00	-14.64	42.31	3	Vertical	298	2.10	-	37.68	12.39	33.02
AV	15.86974G	45.09	54.00	-8.91	28.04	3	Vertical	298	2.10	-	37.69	12.39	33.03

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUTY_1TX
Setting 17
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57604G	58.64	68.20	-9.56	43.19	3	Horizontal	304	1.47	-	38.80	10.44	33.79
PK	15.87218G	59.83	74.00	-14.17	42.78	3	Horizontal	128	2.83	-	37.68	12.39	33.02
AV	15.875G	45.20	54.00	-8.80	28.16	3	Horizontal	128	2.83	-	37.67	12.39	33.02

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
Setting 14.5
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	63.95	74.00	-10.05	59.36	3	Vertical	65	1.80	-	32.71	7.40	35.52
AV	5.0052G	47.49	54.00	-6.51	42.70	3	Vertical	65	1.80	-	33.09	7.26	35.56
PK	5.2612G	97.89	Inf	-Inf	93.12	3	Vertical	65	1.80	-	32.78	7.48	35.49
AV	5.2612G	83.29	Inf	-Inf	78.52	3	Vertical	65	1.80	-	32.78	7.48	35.49
PK	5.362G	62.69	74.00	-11.31	58.00	3	Vertical	65	1.80	-	32.62	7.53	35.46
AV	5.426G	47.55	54.00	-6.45	42.77	3	Vertical	65	1.80	-	32.65	7.57	35.44
PK	5.5012G	61.94	68.20	-6.26	57.13	3	Vertical	65	1.80	-	32.60	7.63	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
Setting 14.5
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	73.63	74.00	-0.37	69.04	3	Horizontal	56	1.80	-	32.71	7.40	35.52
AV	5.146G	49.48	54.00	-4.52	44.89	3	Horizontal	56	1.80	-	32.71	7.40	35.52
PK	5.1732G	105.57	Inf	-Inf	100.91	3	Horizontal	56	1.80	-	32.75	7.42	35.51
AV	5.1748G	91.99	Inf	-Inf	87.32	3	Horizontal	56	1.80	-	32.75	7.43	35.51
PK	5.3732G	68.27	74.00	-5.73	63.54	3	Horizontal	56	1.80	-	32.65	7.54	35.46
AV	5.3556G	47.99	54.00	-6.01	43.31	3	Horizontal	56	1.80	-	32.61	7.53	35.46
PK	5.5204G	62.15	68.20	-6.05	57.33	3	Horizontal	56	1.80	-	32.60	7.65	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
Setting 14.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50352G	58.55	68.20	-9.65	43.48	3	Vertical	211	1.27	-	38.51	10.41	33.85
PK	15.75516G	60.54	74.00	-13.46	43.58	3	Vertical	297	2.12	-	37.81	12.35	33.20
AV	15.75468G	45.94	54.00	-8.06	28.98	3	Vertical	297	2.12	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 14.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5094G	57.76	68.20	-10.44	42.65	3	Horizontal	190	2.97	-	38.54	10.41	33.84
PK	15.75012G	60.38	74.00	-13.62	43.44	3	Horizontal	212	1.86	-	37.80	12.35	33.21
AV	15.75472G	45.95	54.00	-8.05	28.99	3	Horizontal	212	1.86	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 15
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	62.99	74.00	-11.01	58.38	3	Vertical	314	1.80	-	32.77	7.37	35.53
AV	5.018G	47.46	54.00	-6.54	42.67	3	Vertical	314	1.80	-	33.06	7.28	35.55
PK	5.3012G	98.51	Inf	-Inf	93.79	3	Vertical	314	1.80	-	32.70	7.50	35.48
AV	5.3012G	84.79	Inf	-Inf	80.07	3	Vertical	314	1.80	-	32.70	7.50	35.48
PK	5.3652G	63.40	74.00	-10.60	58.70	3	Vertical	314	1.80	-	32.63	7.53	35.46
AV	5.3844G	47.81	54.00	-6.19	43.05	3	Vertical	314	1.80	-	32.67	7.54	35.45
PK	5.4692G	61.42	68.20	-6.78	56.64	3	Vertical	314	1.80	-	32.60	7.61	35.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 15
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	72.90	74.00	-1.10	68.29	3	Horizontal	56	1.80	-	32.77	7.37	35.53
AV	5.0884G	49.42	54.00	-4.58	44.77	3	Horizontal	56	1.80	-	32.85	7.34	35.54
PK	5.1876G	106.52	Inf	-Inf	101.81	3	Horizontal	56	1.80	-	32.78	7.44	35.51
AV	5.1732G	93.03	Inf	-Inf	88.37	3	Horizontal	56	1.80	-	32.75	7.42	35.51
PK	5.3604G	67.63	74.00	-6.37	62.94	3	Horizontal	56	1.80	-	32.62	7.53	35.46
AV	5.386G	49.03	54.00	-4.97	44.27	3	Horizontal	56	1.80	-	32.67	7.54	35.45
PK	5.498G	61.77	68.20	-6.43	56.96	3	Horizontal	56	1.80	-	32.60	7.63	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 15
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5042G	57.44	68.20	-10.76	42.36	3	Vertical	338	2.64	-	38.52	10.41	33.85
PK	15.74388G	60.00	74.00	-14.00	43.09	3	Vertical	46	2.08	-	37.79	12.34	33.22
AV	15.76G	46.06	54.00	-7.94	29.08	3	Vertical	46	2.08	-	37.82	12.35	33.19

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 15
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.503G	58.02	68.20	-10.18	42.95	3	Horizontal	78	2.63	-	38.51	10.41	33.85
PK	15.75936G	60.79	74.00	-13.21	43.82	3	Horizontal	272	2.17	-	37.82	12.35	33.20
AV	15.74456G	45.99	54.00	-8.01	29.08	3	Horizontal	272	2.17	-	37.79	12.34	33.22

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
Setting 17
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	72.53	74.00	-1.47	67.93	3	Vertical	299	2.27	-	32.73	7.39	35.52
AV	5.15G	53.63	54.00	-0.37	49.05	3	Vertical	299	2.27	-	32.70	7.40	35.52
PK	5.178G	115.13	Inf	-Inf	110.45	3	Vertical	299	2.27	-	32.76	7.43	35.51
AV	5.177G	101.26	Inf	-Inf	96.59	3	Vertical	299	2.27	-	32.75	7.43	35.51
PK	5.355G	61.39	74.00	-12.61	56.71	3	Vertical	299	2.27	-	32.61	7.53	35.46
AV	5.35G	47.72	54.00	-6.28	43.05	3	Vertical	299	2.27	-	32.60	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
 Setting 17
 05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.45	74.00	-5.55	63.87	3	Horizontal	78	1.80	-	32.70	7.40	35.52
AV	5.15G	50.38	54.00	-3.62	45.80	3	Horizontal	78	1.80	-	32.70	7.40	35.52
PK	5.174G	109.72	Inf	-Inf	105.05	3	Horizontal	78	1.80	-	32.75	7.43	35.51
AV	5.172G	96.47	Inf	-Inf	91.82	3	Horizontal	78	1.80	-	32.74	7.42	35.51
PK	5.434G	61.20	74.00	-12.80	56.43	3	Horizontal	78	1.80	-	32.63	7.58	35.44
AV	5.447G	47.56	54.00	-6.44	42.79	3	Horizontal	78	1.80	-	32.61	7.59	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
Setting 17
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41568G	58.92	68.20	-9.28	43.75	3	Vertical	127	2.70	-	38.50	10.37	33.70
PK	15.63224G	60.24	74.00	-13.76	43.55	3	Vertical	260	1.22	-	37.77	12.31	33.39
AV	15.62978G	46.02	54.00	-7.98	29.33	3	Vertical	260	1.22	-	37.77	12.31	33.39

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
Setting 17
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41728G	58.10	68.20	-10.10	42.93	3	Horizontal	28	1.37	-	38.50	10.37	33.70
PK	15.62584G	60.01	74.00	-13.99	43.34	3	Horizontal	219	1.99	-	37.77	12.30	33.40
AV	15.62928G	46.00	54.00	-8.00	29.31	3	Horizontal	219	1.99	-	37.77	12.31	33.39

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 16.5
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.07G	60.74	74.00	-13.26	56.03	3	Vertical	305	2.28	-	32.92	7.33	35.54
AV	5.138G	47.55	54.00	-6.45	42.96	3	Vertical	305	2.28	-	32.72	7.39	35.52
PK	5.279G	113.56	Inf	-Inf	108.81	3	Vertical	305	2.28	-	32.74	7.49	35.48
AV	5.299G	100.06	Inf	-Inf	95.34	3	Vertical	305	2.28	-	32.70	7.50	35.48
PK	5.361G	72.95	74.00	-1.05	68.26	3	Vertical	305	2.28	-	32.62	7.53	35.46
AV	5.36G	52.31	54.00	-1.69	47.62	3	Vertical	305	2.28	-	32.62	7.53	35.46
PK	5.51G	61.01	68.20	-7.19	56.19	3	Vertical	305	2.28	-	32.60	7.64	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
 Setting 16.5
 05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	60.99	74.00	-13.01	56.39	3	Horizontal	305	2.13	-	32.74	7.38	35.52
AV	5.141G	47.37	54.00	-6.63	42.78	3	Horizontal	305	2.13	-	32.72	7.39	35.52
PK	5.304G	109.78	Inf	-Inf	105.06	3	Horizontal	305	2.13	-	32.69	7.50	35.47
AV	5.284G	96.83	Inf	-Inf	92.09	3	Horizontal	305	2.13	-	32.73	7.49	35.48
PK	5.352G	71.55	74.00	-2.45	66.88	3	Horizontal	305	2.13	-	32.60	7.53	35.46
AV	5.35G	50.74	54.00	-3.26	46.07	3	Horizontal	305	2.13	-	32.60	7.53	35.46
PK	5.537G	61.69	68.20	-6.51	56.86	3	Horizontal	305	2.13	-	32.60	7.66	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 16.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5848G	58.68	68.20	-9.52	43.17	3	Vertical	143	1.21	-	38.84	10.45	33.78
PK	15.87368G	59.28	74.00	-14.72	42.23	3	Vertical	310	1.32	-	37.68	12.39	33.02
AV	15.87498G	45.20	54.00	-8.80	28.15	3	Vertical	310	1.32	-	37.68	12.39	33.02

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
 Setting 16.5
 05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58478G	58.61	68.20	-9.59	43.10	3	Horizontal	91	1.25	-	38.84	10.45	33.78
PK	15.87258G	59.83	74.00	-14.17	42.78	3	Horizontal	6	2.25	-	37.68	12.39	33.02
AV	15.86974G	45.21	54.00	-8.79	28.16	3	Horizontal	6	2.25	-	37.69	12.39	33.03

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.15	74.00	-1.85	67.56	3	Vertical	300	2.15	-	32.71	7.40	35.52
AV	5.1364G	50.70	54.00	-3.30	46.10	3	Vertical	300	2.15	-	32.73	7.39	35.52
PK	5.2724G	108.51	Inf	-Inf	103.74	3	Vertical	300	2.15	-	32.76	7.49	35.48
AV	5.2756G	96.31	Inf	-Inf	91.55	3	Vertical	300	2.15	-	32.75	7.49	35.48
PK	5.3668G	71.33	74.00	-2.67	66.63	3	Vertical	300	2.15	-	32.63	7.53	35.46
AV	5.3588G	50.80	54.00	-3.20	46.11	3	Vertical	300	2.15	-	32.62	7.53	35.46
PK	5.6004G	61.89	68.20	-6.31	57.04	3	Vertical	300	2.15	-	32.60	7.71	35.46

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.87	74.00	-4.13	65.28	3	Horizontal	80	1.80	-	32.71	7.40	35.52
AV	5.1492G	50.30	54.00	-3.70	45.72	3	Horizontal	80	1.80	-	32.70	7.40	35.52
PK	5.1716G	103.33	Inf	-Inf	98.68	3	Horizontal	80	1.80	-	32.74	7.42	35.51
AV	5.1732G	91.77	Inf	-Inf	87.11	3	Horizontal	80	1.80	-	32.75	7.42	35.51
PK	5.3668G	67.79	74.00	-6.21	63.09	3	Horizontal	80	1.80	-	32.63	7.53	35.46
AV	5.3604G	49.49	54.00	-4.51	44.80	3	Horizontal	80	1.80	-	32.62	7.53	35.46
PK	5.5044G	61.89	68.20	-6.31	57.08	3	Horizontal	80	1.80	-	32.60	7.63	35.42

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50016G	58.00	68.20	-10.20	42.94	3	Vertical	60	2.23	-	38.50	10.41	33.85
PK	15.74714G	60.41	74.00	-13.59	43.48	3	Vertical	301	2.45	-	37.79	12.35	33.21
AV	15.75392G	46.09	54.00	-7.91	29.13	3	Vertical	301	2.45	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5037G	58.13	68.20	-10.07	43.06	3	Horizontal	33	1.50	-	38.51	10.41	33.85
PK	15.74724G	59.80	74.00	-14.20	42.87	3	Horizontal	347	1.73	-	37.79	12.35	33.21
AV	15.75496G	46.07	54.00	-7.93	29.11	3	Horizontal	347	1.73	-	37.81	12.35	33.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	69.32	74.00	-4.68	64.71	3	Vertical	300	2.26	-	32.77	7.37	35.53
AV	5.0964G	50.72	54.00	-3.28	46.09	3	Vertical	300	2.26	-	32.81	7.35	35.53
PK	5.298G	109.48	Inf	-Inf	104.76	3	Vertical	300	2.26	-	32.70	7.50	35.48
AV	5.298G	97.67	Inf	-Inf	92.95	3	Vertical	300	2.26	-	32.70	7.50	35.48
PK	5.3812G	70.55	74.00	-3.45	65.80	3	Vertical	300	2.26	-	32.66	7.54	35.45
AV	5.3796G	53.09	54.00	-0.91	48.34	3	Vertical	300	2.26	-	32.66	7.54	35.45
PK	5.6436G	61.32	68.20	-6.88	56.41	3	Vertical	300	2.26	-	32.60	7.78	35.47

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	69.89	74.00	-4.11	65.31	3	Horizontal	81	1.80	-	32.70	7.40	35.52
AV	5.0884G	50.26	54.00	-3.74	45.61	3	Horizontal	81	1.80	-	32.85	7.34	35.54
PK	5.1924G	105.40	Inf	-Inf	100.69	3	Horizontal	81	1.80	-	32.78	7.44	35.51
AV	5.1716G	93.24	Inf	-Inf	88.59	3	Horizontal	81	1.80	-	32.74	7.42	35.51
PK	5.35G	67.82	74.00	-6.18	63.15	3	Horizontal	81	1.80	-	32.60	7.53	35.46
AV	5.3796G	50.80	54.00	-3.20	46.05	3	Horizontal	81	1.80	-	32.66	7.54	35.45
PK	5.5636G	61.67	68.20	-6.53	56.83	3	Horizontal	81	1.80	-	32.60	7.68	35.44

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
 Setting 14.5
 05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50482G	58.70	68.20	-9.50	43.62	3	Vertical	111	2.37	-	38.52	10.41	33.85
PK	15.7497G	60.54	74.00	-13.46	43.60	3	Vertical	281	2.57	-	37.80	12.35	33.21
AV	15.75264G	46.08	54.00	-7.92	29.13	3	Vertical	281	2.57	-	37.81	12.35	33.21

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14.5
05-R-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49638G	57.46	68.20	-10.74	42.39	3	Horizontal	43	2.09	-	38.50	10.41	33.84
PK	15.74942G	60.00	74.00	-14.00	43.06	3	Horizontal	120	2.88	-	37.80	12.35	33.21
AV	15.75452G	46.10	54.00	-7.90	29.14	3	Horizontal	120	2.88	-	37.81	12.35	33.20

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_X_4TX
Setting 17
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	73.79	74.00	-0.21	66.14	3	Vertical	210	1.50	-	32.10	6.91	31.36
AV	5.146G	53.86	54.00	-0.14	46.21	3	Vertical	210	1.50	-	32.10	6.91	31.36
PK	5.206G	115.66	Inf	-Inf	108.33	3	Vertical	210	1.50	-	31.78	6.94	31.39
AV	5.226G	103.96	Inf	-Inf	96.70	3	Vertical	210	1.50	-	31.70	6.96	31.40
PK	5.418G	61.50	74.00	-12.50	54.24	3	Vertical	210	1.50	-	31.67	7.10	31.51
AV	5.367G	49.44	54.00	-4.56	42.32	3	Vertical	210	1.50	-	31.53	7.07	31.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_X_4TX
Setting 17
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	69.88	74.00	-4.12	62.23	3	Horizontal	220	2.09	-	32.10	6.91	31.36
AV	5.144G	52.04	54.00	-1.96	44.39	3	Horizontal	220	2.09	-	32.10	6.91	31.36
PK	5.204G	112.38	Inf	-Inf	105.05	3	Horizontal	220	2.09	-	31.78	6.94	31.39
AV	5.223G	101.29	Inf	-Inf	94.02	3	Horizontal	220	2.09	-	31.71	6.96	31.40
PK	5.395G	62.22	74.00	-11.78	55.03	3	Horizontal	220	2.09	-	31.59	7.09	31.49
AV	5.459G	49.12	54.00	-4.88	41.70	3	Horizontal	220	2.09	-	31.82	7.13	31.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_X_4TX
 Setting 17
 06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4266G	60.10	68.20	-8.10	42.47	3	Vertical	239	1.91	-	40.15	10.06	32.58
PK	15.6354G	61.67	74.00	-12.33	43.77	3	Vertical	5	2.55	-	38.25	12.50	32.85
AV	15.615G	47.18	54.00	-6.82	29.08	3	Vertical	5	2.55	-	38.45	12.49	32.84

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_X_4TX
Setting 17
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41298G	60.72	68.20	-7.48	43.12	3	Horizontal	183	2.96	-	40.13	10.06	32.59
PK	15.62112G	61.86	74.00	-12.14	43.82	3	Horizontal	6	1.31	-	38.39	12.49	32.84
AV	15.615G	48.18	54.00	-5.82	30.08	3	Horizontal	6	1.31	-	38.45	12.49	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.049G	61.86	74.00	-12.14	54.32	3	Vertical	208	1.55	-	31.99	6.86	31.31
AV	5.1245G	49.56	54.00	-4.44	41.91	3	Vertical	208	1.55	-	32.10	6.90	31.35
PK	5.3265G	113.20	Inf	-Inf	106.13	3	Vertical	208	1.55	-	31.50	7.03	31.46
AV	5.326G	101.85	Inf	-Inf	94.78	3	Vertical	208	1.55	-	31.50	7.03	31.46
PK	5.366G	71.69	74.00	-2.31	64.58	3	Vertical	208	1.55	-	31.53	7.06	31.48
AV	5.3655G	53.95	54.00	-0.05	46.84	3	Vertical	208	1.55	-	31.53	7.06	31.48
PK	5.5365G	62.15	68.20	-6.05	54.62	3	Vertical	208	1.55	-	31.90	7.18	31.55

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0795G	61.60	74.00	-12.40	53.98	3	Horizontal	220	1.80	-	32.06	6.88	31.32
AV	5.085G	49.41	54.00	-4.59	41.79	3	Horizontal	220	1.80	-	32.07	6.88	31.33
PK	5.302G	109.52	Inf	-Inf	102.44	3	Horizontal	220	1.80	-	31.50	7.02	31.44
AV	5.282G	97.75	Inf	-Inf	90.64	3	Horizontal	220	1.80	-	31.54	7.00	31.43
PK	5.3625G	68.32	74.00	-5.68	61.22	3	Horizontal	220	1.80	-	31.52	7.06	31.48
AV	5.361G	52.25	54.00	-1.75	45.14	3	Horizontal	220	1.80	-	31.52	7.06	31.47
PK	5.5095G	61.83	68.20	-6.37	54.32	3	Horizontal	220	1.80	-	31.90	7.16	31.55

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57892G	57.77	68.20	-10.43	40.04	3	Vertical	287	1.80	-	40.16	10.13	32.56
PK	15.87514G	58.42	74.00	-15.58	40.66	3	Vertical	55	2.01	-	38.05	12.61	32.90
AV	15.87704G	46.43	54.00	-7.57	28.67	3	Vertical	55	2.01	-	38.05	12.61	32.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58914G	57.96	68.20	-10.24	42.41	3	Horizontal	306	1.80	-	38.88	10.45	33.78
PK	15.87926G	59.18	74.00	-14.82	42.16	3	Horizontal	279	1.35	-	37.64	12.39	33.01
AV	15.87698G	46.53	54.00	-7.47	29.51	3	Horizontal	279	1.35	-	37.65	12.39	33.02

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 Setting 11.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	73.33	74.00	-0.67	65.68	3	Vertical	209	1.65	-	32.10	6.91	31.36
AV	5.126G	51.63	54.00	-2.37	43.98	3	Vertical	209	1.65	-	32.10	6.90	31.35
PK	5.226G	106.52	Inf	-Inf	99.26	3	Vertical	209	1.65	-	31.70	6.96	31.40
AV	5.206G	94.48	Inf	-Inf	87.15	3	Vertical	209	1.65	-	31.78	6.94	31.39
PK	5.366G	73.53	74.00	-0.47	66.42	3	Vertical	209	1.65	-	31.53	7.06	31.48
AV	5.365G	50.78	54.00	-3.22	43.67	3	Vertical	209	1.65	-	31.53	7.06	31.48
PK	5.463G	61.31	68.20	-6.89	53.88	3	Vertical	209	1.65	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 11.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	69.20	74.00	-4.80	61.55	3	Horizontal	219	2.09	-	32.10	6.90	31.35
AV	5.122G	50.36	54.00	-3.64	42.71	3	Horizontal	219	2.09	-	32.10	6.90	31.35
PK	5.243G	103.07	Inf	-Inf	95.88	3	Horizontal	219	2.09	-	31.63	6.97	31.41
AV	5.243G	92.13	Inf	-Inf	84.94	3	Horizontal	219	2.09	-	31.63	6.97	31.41
PK	5.383G	69.03	74.00	-4.97	61.87	3	Horizontal	219	2.09	-	31.57	7.08	31.49
AV	5.363G	49.85	54.00	-4.15	42.74	3	Horizontal	219	2.09	-	31.53	7.06	31.48
PK	5.461G	61.24	68.20	-6.96	53.82	3	Horizontal	219	2.09	-	31.82	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 11.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48536G	59.95	68.20	-8.25	42.30	3	Vertical	297	2.22	-	40.13	10.09	32.57
PK	15.74034G	61.35	74.00	-12.65	43.39	3	Vertical	264	2.75	-	38.28	12.55	32.87
AV	15.741G	47.08	54.00	-6.92	29.12	3	Vertical	264	2.75	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 11.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48542G	60.50	68.20	-7.70	42.85	3	Horizontal	6	2.72	-	40.13	10.09	32.57
PK	15.7416G	61.38	74.00	-12.62	43.42	3	Horizontal	293	2.45	-	38.28	12.55	32.87
AV	15.74118G	47.58	54.00	-6.42	29.62	3	Horizontal	293	2.45	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 Setting 13.5
 06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.73	74.00	-8.27	58.08	3	Vertical	212	1.45	-	32.10	6.91	31.36
AV	5.146G	52.21	54.00	-1.79	44.56	3	Vertical	212	1.45	-	32.10	6.91	31.36
PK	5.285G	108.76	Inf	-Inf	101.66	3	Vertical	212	1.45	-	31.53	7.00	31.43
AV	5.326G	96.87	Inf	-Inf	89.80	3	Vertical	212	1.45	-	31.50	7.03	31.46
PK	5.406G	68.32	74.00	-5.68	61.11	3	Vertical	212	1.45	-	31.62	7.09	31.50
AV	5.386G	53.60	54.00	-0.40	46.44	3	Vertical	212	1.45	-	31.57	7.08	31.49
PK	5.466G	63.14	68.20	-5.06	55.71	3	Vertical	212	1.45	-	31.83	7.13	31.53

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	64.47	74.00	-9.53	56.82	3	Horizontal	220	2.25	-	32.10	6.91	31.36
AV	5.082G	51.01	54.00	-2.99	43.39	3	Horizontal	220	2.25	-	32.06	6.88	31.32
PK	5.182G	104.84	Inf	-Inf	97.38	3	Horizontal	220	2.25	-	31.91	6.93	31.38
AV	5.204G	93.98	Inf	-Inf	86.65	3	Horizontal	220	2.25	-	31.78	6.94	31.39
PK	5.402G	64.03	74.00	-9.97	56.83	3	Horizontal	220	2.25	-	31.61	7.09	31.50
AV	5.422G	50.98	54.00	-3.02	43.70	3	Horizontal	220	2.25	-	31.69	7.10	31.51
PK	5.489G	61.13	68.20	-7.07	53.64	3	Horizontal	220	2.25	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 13.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51026G	60.25	68.20	-7.95	42.62	3	Vertical	197	1.42	-	40.10	10.10	32.57
PK	15.74178G	61.85	74.00	-12.15	43.89	3	Vertical	328	2.74	-	38.28	12.55	32.87
AV	15.7392G	47.32	54.00	-6.68	29.36	3	Vertical	328	2.74	-	38.28	12.55	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_X_4TX
Setting 13.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48998G	60.85	68.20	-7.35	43.21	3	Horizontal	148	1.01	-	40.12	10.09	32.57
PK	15.74904G	61.96	74.00	-12.04	43.98	3	Horizontal	69	1.60	-	38.30	12.55	32.87
AV	15.7422G	46.25	54.00	-7.75	28.29	3	Horizontal	69	1.60	-	38.28	12.55	32.87




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Vertical	134	2.33	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
 Setting 21.5
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	68.35	74.00	-5.65	62.40	3	Vertical	316	2.52	-	34.00	6.80	34.85
AV	5.15G	53.12	54.00	-0.88	47.17	3	Vertical	316	2.52	-	34.00	6.80	34.85
PK	5.1833G	111.44	Inf	-Inf	105.44	3	Vertical	316	2.52	-	34.00	6.86	34.86
AV	5.1872G	102.05	Inf	-Inf	96.04	3	Vertical	316	2.52	-	34.00	6.87	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
 Setting 21.5
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.43	74.00	-9.57	58.48	3	Horizontal	353	2.93	-	34.00	6.80	34.85
AV	5.15G	48.58	54.00	-5.42	42.63	3	Horizontal	353	2.93	-	34.00	6.80	34.85
PK	5.1761G	107.56	Inf	-Inf	101.56	3	Horizontal	353	2.93	-	34.00	6.85	34.85
AV	5.1872G	96.80	Inf	-Inf	90.79	3	Horizontal	353	2.93	-	34.00	6.87	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
 Setting 21.5
 03-S-5-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53955G	55.55	74.00	-18.45	47.45	3	Vertical	44	1.64	-	37.98	12.68	42.56			
AV	15.53556G	41.32	54.00	-12.68	33.19	3	Vertical	44	1.64	-	38.02	12.68	42.57			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUTZ_1TX
 Setting 21.5
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53631G	55.12	74.00	-18.88	47.00	3	Horizontal	260	1.83	-	38.01	12.68	42.57
AV	15.53609G	41.32	54.00	-12.68	33.20	3	Horizontal	260	1.83	-	38.01	12.68	42.57

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	61.14	74.00	-12.86	55.20	3	Vertical	103	2.30	-	33.99	6.80	34.85
AV	5.1498G	46.99	54.00	-7.01	41.04	3	Vertical	103	2.30	-	34.00	6.80	34.85
PK	5.2064G	113.38	Inf	-Inf	107.33	3	Vertical	103	2.30	-	34.01	6.90	34.86
AV	5.2068G	102.99	Inf	-Inf	96.94	3	Vertical	103	2.30	-	34.01	6.90	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.12	74.00	-14.88	53.18	3	Horizontal	342	2.62	-	33.99	6.80	34.85
AV	5.1494G	45.92	54.00	-8.08	39.97	3	Horizontal	342	2.62	-	34.00	6.80	34.85
PK	5.1934G	108.12	Inf	-Inf	102.10	3	Horizontal	342	2.62	-	34.00	6.88	34.86
AV	5.1928G	97.50	Inf	-Inf	91.48	3	Horizontal	342	2.62	-	34.00	6.88	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60049G	55.58	74.00	-18.42	47.57	3	Vertical	301	1.85	-	37.80	12.70	42.49
AV	15.59585G	41.20	54.00	-12.80	33.20	3	Vertical	301	1.85	-	37.81	12.69	42.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59911G	54.57	74.00	-19.43	46.57	3	Horizontal	298	1.20	-	37.80	12.70	42.50
AV	15.59521G	41.19	54.00	-12.81	33.19	3	Horizontal	298	1.20	-	37.81	12.69	42.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1161G	59.17	74.00	-14.83	53.48	3	Vertical	132	2.45	-	33.80	6.74	34.85
AV	5.15G	45.75	54.00	-8.25	39.80	3	Vertical	132	2.45	-	34.00	6.80	34.85
PK	5.2472G	114.24	Inf	-Inf	108.05	3	Vertical	132	2.45	-	34.09	6.96	34.86
AV	5.2427G	104.42	Inf	-Inf	98.24	3	Vertical	132	2.45	-	34.09	6.95	34.86
PK	5.3549G	60.24	74.00	-13.76	53.60	3	Vertical	132	2.45	-	34.41	7.11	34.88
AV	5.3612G	46.90	54.00	-7.10	40.24	3	Vertical	132	2.45	-	34.42	7.12	34.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.84	74.00	-15.16	52.90	3	Horizontal	342	2.55	-	33.99	6.80	34.85
AV	5.1473G	45.63	54.00	-8.37	39.70	3	Horizontal	342	2.55	-	33.98	6.80	34.85
PK	5.243G	108.63	Inf	-Inf	102.45	3	Horizontal	342	2.55	-	34.09	6.95	34.86
AV	5.2433G	98.86	Inf	-Inf	92.68	3	Horizontal	342	2.55	-	34.09	6.95	34.86
PK	5.3666G	59.93	74.00	-14.07	53.26	3	Horizontal	342	2.55	-	34.43	7.12	34.88
AV	5.3873G	46.69	54.00	-7.31	39.95	3	Horizontal	342	2.55	-	34.47	7.15	34.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.71629G	55.86	74.00	-18.14	47.52	3	Vertical	21	1.34	-	37.97	12.73	42.36
AV	15.72163G	42.44	54.00	-11.56	34.10	3	Vertical	21	1.34	-	37.96	12.73	42.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72005G	55.91	74.00	-18.09	47.57	3	Horizontal	29	2.15	-	37.96	12.73	42.35
AV	15.7239G	42.43	54.00	-11.57	34.10	3	Horizontal	29	2.15	-	37.95	12.73	42.35

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	58.74	74.00	-15.26	52.94	3	Vertical	137	2.18	-	33.88	6.77	34.85
AV	5.1412G	45.64	54.00	-8.36	39.75	3	Vertical	137	2.18	-	33.95	6.79	34.85
PK	5.2564G	114.80	Inf	-Inf	108.57	3	Vertical	137	2.18	-	34.13	6.97	34.87
AV	5.2666G	104.63	Inf	-Inf	98.35	3	Vertical	137	2.18	-	34.17	6.98	34.87
PK	5.4085G	60.20	74.00	-13.80	53.41	3	Vertical	137	2.18	-	34.50	7.18	34.89
AV	5.3914G	46.95	54.00	-7.05	40.19	3	Vertical	137	2.18	-	34.48	7.16	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1265G	59.05	74.00	-14.95	53.28	3	Horizontal	356	2.87	-	33.86	6.76	34.85
AV	5.1421G	45.38	54.00	-8.62	39.49	3	Horizontal	356	2.87	-	33.95	6.79	34.85
PK	5.2534G	108.96	Inf	-Inf	102.76	3	Horizontal	356	2.87	-	34.11	6.96	34.87
AV	5.2666G	99.14	Inf	-Inf	92.86	3	Horizontal	356	2.87	-	34.17	6.98	34.87
PK	5.3521G	60.08	74.00	-13.92	53.46	3	Horizontal	356	2.87	-	34.40	7.10	34.88
AV	5.3779G	46.87	54.00	-7.13	40.15	3	Horizontal	356	2.87	-	34.46	7.14	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78382G	55.96	74.00	-18.04	47.79	3	Vertical	285	2.88	-	37.70	12.75	42.28
AV	15.78306G	42.30	54.00	-11.70	34.13	3	Vertical	285	2.88	-	37.70	12.75	42.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77523G	55.27	74.00	-18.73	47.06	3	Horizontal	117	2.68	-	37.75	12.75	42.29
AV	15.77945G	42.25	54.00	-11.75	34.07	3	Horizontal	117	2.68	-	37.72	12.75	42.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29344G	114.69	Inf	-Inf	108.27	3	Vertical	133	2.48	-	34.27	7.02	34.87
AV	5.29304G	104.95	Inf	-Inf	98.53	3	Vertical	133	2.48	-	34.27	7.02	34.87
PK	5.35184G	65.51	74.00	-8.49	58.89	3	Vertical	133	2.48	-	34.40	7.10	34.88
AV	5.35124G	50.89	54.00	-3.11	44.27	3	Vertical	133	2.48	-	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2934G	108.87	Inf	-Inf	102.45	3	Horizontal	356	2.82	-	34.27	7.02	34.87
AV	5.293G	98.67	Inf	-Inf	92.25	3	Horizontal	356	2.82	-	34.27	7.02	34.87
PK	5.3542G	62.36	74.00	-11.64	55.72	3	Horizontal	356	2.82	-	34.41	7.11	34.88
AV	5.3504G	47.94	54.00	-6.06	41.32	3	Horizontal	356	2.82	-	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90231G	55.03	74.00	-18.97	46.88	3	Vertical	230	1.43	-	37.50	12.79	42.14			
AV	15.90353G	42.38	54.00	-11.62	34.23	3	Vertical	230	1.43	-	37.50	12.79	42.14			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9003G	55.32	74.00	-18.68	47.18	3	Horizontal	207	1.84	-	37.50	12.79	42.15
AV	15.90332G	42.28	54.00	-11.72	34.13	3	Horizontal	207	1.84	-	37.50	12.79	42.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	111.84	Inf	-Inf	105.31	3	Vertical	134	2.33	-	34.35	7.06	34.88
AV	5.3266G	101.41	Inf	-Inf	94.87	3	Vertical	134	2.33	-	34.35	7.07	34.88
PK	5.352G	71.39	74.00	-2.61	64.77	3	Vertical	134	2.33	-	34.40	7.10	34.88
AV	5.35G	53.98	54.00	-0.02	47.36	3	Vertical	134	2.33	-	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3134G	106.49	Inf	-Inf	99.98	3	Horizontal	357	2.94	-	34.33	7.05	34.87
AV	5.3132G	95.78	Inf	-Inf	89.27	3	Horizontal	357	2.94	-	34.33	7.05	34.87
PK	5.35G	65.41	74.00	-8.59	58.79	3	Horizontal	357	2.94	-	34.40	7.10	34.88
AV	5.35G	50.28	54.00	-3.72	43.66	3	Horizontal	357	2.94	-	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9554G	54.93	74.00	-19.07	46.69	3	Vertical	172	2.71	-	37.51	12.81	42.08
AV	15.956G	41.40	54.00	-12.60	33.16	3	Vertical	172	2.71	-	37.51	12.81	42.08

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96385G	55.40	74.00	-18.60	47.13	3	Horizontal	116	1.78	-	37.53	12.81	42.07
AV	15.95523G	41.42	54.00	-12.58	33.18	3	Horizontal	116	1.78	-	37.51	12.81	42.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 21
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	60.57	74.00	-13.43	53.70	3	Vertical	122	2.36	-	34.51	7.25	34.89
AV	5.4598G	46.57	54.00	-7.43	39.69	3	Vertical	122	2.36	-	34.52	7.25	34.89
PK	5.4682G	67.90	68.20	-0.30	61.00	3	Vertical	122	2.36	-	34.54	7.26	34.90
PK	5.4934G	112.15	Inf	-Inf	105.16	3	Vertical	122	2.36	-	34.59	7.30	34.90
AV	5.493G	101.47	Inf	-Inf	94.48	3	Vertical	122	2.36	-	34.59	7.30	34.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 21
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4018G	59.70	74.00	-14.30	52.92	3	Horizontal	353	2.78	-	34.50	7.17	34.89
PK	5.4694G	65.54	68.20	-2.66	58.64	3	Horizontal	353	2.78	-	34.54	7.26	34.90
AV	5.4588G	45.98	54.00	-8.02	39.10	3	Horizontal	353	2.78	-	34.52	7.25	34.89
PK	5.4934G	106.69	Inf	-Inf	99.70	3	Horizontal	353	2.78	-	34.59	7.30	34.90
AV	5.4932G	96.26	Inf	-Inf	89.27	3	Horizontal	353	2.78	-	34.59	7.30	34.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99519G	54.99	74.00	-19.01	48.83	3	Vertical	308	1.07	-	38.30	10.96	43.10
AV	10.99562G	40.98	54.00	-13.02	34.82	3	Vertical	308	1.07	-	38.30	10.96	43.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUTZ_1TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00424G	55.01	74.00	-18.99	48.83	3	Horizontal	156	2.61	-	38.31	10.97	43.10
AV	10.99685G	41.00	54.00	-13.00	34.84	3	Horizontal	156	2.61	-	38.30	10.96	43.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	60.52	74.00	-13.48	53.68	3	Vertical	320	2.30	-	34.50	7.23	34.89
PK	5.4604G	58.86	68.20	-9.34	51.98	3	Vertical	320	2.30	-	34.52	7.25	34.89
AV	5.458G	45.85	54.00	-8.15	38.97	3	Vertical	320	2.30	-	34.52	7.25	34.89
PK	5.5768G	114.16	Inf	-Inf	107.34	3	Vertical	320	2.30	-	34.35	7.41	34.94
AV	5.5864G	103.17	Inf	-Inf	96.36	3	Vertical	320	2.30	-	34.33	7.42	34.94
PK	5.7536G	60.30	68.20	-7.90	53.61	3	Vertical	320	2.30	-	34.20	7.51	35.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	59.50	74.00	-14.50	52.76	3	Horizontal	336	2.82	-	34.47	7.15	34.88
PK	5.4604G	59.57	68.20	-8.63	52.69	3	Horizontal	336	2.82	-	34.52	7.25	34.89
AV	5.4592G	45.72	54.00	-8.28	38.84	3	Horizontal	336	2.82	-	34.52	7.25	34.89
PK	5.5732G	108.80	Inf	-Inf	101.99	3	Horizontal	336	2.82	-	34.35	7.40	34.94
AV	5.5864G	98.29	Inf	-Inf	91.48	3	Horizontal	336	2.82	-	34.33	7.42	34.94
PK	5.7292G	59.57	68.20	-8.63	52.92	3	Horizontal	336	2.82	-	34.16	7.50	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15758G	55.06	74.00	-18.94	48.85	3	Vertical	190	2.58	-	38.32	11.05	43.16			
AV	11.1572G	40.95	54.00	-13.05	34.75	3	Vertical	190	2.58	-	38.31	11.05	43.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16402G	55.22	74.00	-18.78	49.00	3	Horizontal	212	2.16	-	38.33	11.06	43.17
AV	11.16402G	40.91	54.00	-13.09	34.69	3	Horizontal	212	2.16	-	38.33	11.06	43.17

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6934G	112.03	Inf	-Inf	105.43	3	Vertical	124	2.79	-	34.11	7.48	34.99
AV	5.6929G	101.98	Inf	-Inf	95.38	3	Vertical	124	2.79	-	34.11	7.48	34.99
PK	5.7282G	67.98	68.20	-0.22	61.33	3	Vertical	124	2.79	-	34.16	7.50	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	107.21	Inf	-Inf	100.61	3	Horizontal	351	2.70	-	34.11	7.49	35.00
AV	5.7032G	97.01	Inf	-Inf	90.41	3	Horizontal	351	2.70	-	34.11	7.49	35.00
PK	5.7287G	64.91	68.20	-3.29	58.26	3	Horizontal	351	2.70	-	34.16	7.50	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39741G	55.58	74.00	-18.42	48.96	3	Vertical	300	1.92	-	38.69	11.19	43.26
AV	11.39881G	41.98	54.00	-12.02	35.35	3	Vertical	300	1.92	-	38.70	11.19	43.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUTZ_1TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39926G	55.24	74.00	-18.76	48.61	3	Horizontal	120	2.35	-	38.70	11.19	43.26
AV	11.39804G	41.82	54.00	-12.18	35.19	3	Horizontal	120	2.35	-	38.70	11.19	43.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	58.94	74.00	-15.06	52.13	3	Vertical	330	2.22	-	34.50	7.20	34.89
AV	5.4338G	46.59	54.00	-7.41	39.76	3	Vertical	330	2.22	-	34.50	7.22	34.89
PK	5.4626G	58.96	68.20	-9.24	52.07	3	Vertical	330	2.22	-	34.53	7.25	34.89
PK	5.7134G	114.02	Inf	-Inf	107.40	3	Vertical	330	2.22	-	34.13	7.49	35.00
AV	5.7224G	104.39	Inf	-Inf	97.76	3	Vertical	330	2.22	-	34.14	7.50	35.01
PK	5.9774G	60.30	68.20	-7.90	53.16	3	Vertical	330	2.22	-	34.60	7.67	35.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	59.97	74.00	-14.03	53.12	3	Horizontal	337	2.68	-	34.50	7.24	34.89
AV	5.4236G	46.41	54.00	-7.59	39.60	3	Horizontal	337	2.68	-	34.50	7.20	34.89
PK	5.468G	58.66	68.20	-9.54	51.76	3	Horizontal	337	2.68	-	34.54	7.26	34.90
PK	5.723G	108.64	Inf	-Inf	102.00	3	Horizontal	337	2.68	-	34.15	7.50	35.01
AV	5.723G	98.91	Inf	-Inf	92.27	3	Horizontal	337	2.68	-	34.15	7.50	35.01
PK	5.925G	60.59	68.20	-7.61	53.51	3	Horizontal	337	2.68	-	34.55	7.63	35.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43962G	54.87	74.00	-19.13	48.24	3	Vertical	157	2.41	-	38.70	11.21	43.28			
AV	11.4398G	41.82	54.00	-12.18	35.19	3	Vertical	157	2.41	-	38.70	11.21	43.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44082G	56.38	74.00	-17.62	49.75	3	Horizontal	108	2.91	-	38.70	11.21	43.28
AV	11.4407G	41.87	54.00	-12.13	35.24	3	Horizontal	108	2.91	-	38.70	11.21	43.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	59.73	68.20	-8.47	52.99	3	Vertical	323	2.25	-	34.25	7.45	34.96
PK	5.749G	113.89	Inf	-Inf	107.20	3	Vertical	323	2.25	-	34.20	7.51	35.02
AV	5.7485G	104.05	Inf	-Inf	97.36	3	Vertical	323	2.25	-	34.20	7.51	35.02
PK	5.9685G	60.20	68.20	-8.00	53.06	3	Vertical	323	2.25	-	34.60	7.66	35.12

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.528G	59.91	68.20	-8.29	52.99	3	Horizontal	336	2.35	-	34.49	7.34	34.91
PK	5.7395G	108.42	Inf	-Inf	101.75	3	Horizontal	336	2.35	-	34.18	7.50	35.01
AV	5.738G	98.58	Inf	-Inf	91.91	3	Horizontal	336	2.35	-	34.18	7.50	35.01
PK	5.954G	60.01	68.20	-8.19	52.88	3	Horizontal	336	2.35	-	34.60	7.65	35.12

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49307G	55.66	74.00	-18.34	48.85	3	Vertical	206	2.48	-	38.87	11.24	43.30			
AV	11.48969G	42.10	54.00	-11.90	35.30	3	Vertical	206	2.48	-	38.86	11.24	43.30			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48946G	55.51	74.00	-18.49	48.71	3	Horizontal	340	1.20	-	38.86	11.24	43.30
AV	11.48532G	42.02	54.00	-11.98	35.24	3	Horizontal	340	1.20	-	38.84	11.23	43.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.563G	60.63	68.20	-7.57	53.80	3	Vertical	320	2.21	-	34.37	7.39	34.93
PK	5.788G	112.69	Inf	-Inf	106.01	3	Vertical	320	2.21	-	34.20	7.52	35.04
AV	5.788G	102.75	Inf	-Inf	96.07	3	Vertical	320	2.21	-	34.20	7.52	35.04
PK	6.002G	59.81	68.20	-8.39	52.66	3	Vertical	320	2.21	-	34.60	7.69	35.14

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6085G	59.50	68.20	-8.70	52.73	3	Horizontal	347	2.70	-	34.28	7.44	34.95
PK	5.7785G	107.22	Inf	-Inf	100.53	3	Horizontal	347	2.70	-	34.20	7.52	35.03
AV	5.778G	97.17	Inf	-Inf	90.48	3	Horizontal	347	2.70	-	34.20	7.52	35.03
PK	5.928G	60.09	68.20	-8.11	53.01	3	Horizontal	347	2.70	-	34.56	7.63	35.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.56931G	56.01	74.00	-17.99	48.88	3	Vertical	319	1.31	-	39.14	11.28	43.29			
AV	11.57352G	42.51	54.00	-11.49	35.37	3	Vertical	319	1.31	-	39.15	11.28	43.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57366G	55.95	74.00	-18.05	48.81	3	Horizontal	323	1.40	-	39.15	11.28	43.29
AV	11.57363G	42.57	54.00	-11.43	35.43	3	Horizontal	323	1.40	-	39.15	11.28	43.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.53	68.20	-8.67	52.76	3	Vertical	315	2.00	-	34.27	7.45	34.95
PK	5.8185G	111.93	Inf	-Inf	105.20	3	Vertical	315	2.00	-	34.24	7.54	35.05
AV	5.8185G	101.92	Inf	-Inf	95.19	3	Vertical	315	2.00	-	34.24	7.54	35.05
PK	6.049G	60.22	68.20	-7.98	52.99	3	Vertical	315	2.00	-	34.60	7.75	35.12

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6195G	59.34	68.20	-8.86	52.59	3	Horizontal	350	2.39	-	34.26	7.45	34.96
PK	5.828G	107.87	Inf	-Inf	101.12	3	Horizontal	350	2.39	-	34.26	7.55	35.06
AV	5.8275G	98.06	Inf	-Inf	91.31	3	Horizontal	350	2.39	-	34.26	7.55	35.06
PK	5.989G	61.06	68.20	-7.14	53.91	3	Horizontal	350	2.39	-	34.60	7.68	35.13

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-5-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.64758G	56.24	74.00	-17.76	49.00	3	Vertical	239	2.35	-	39.20	11.32	43.28			
AV	11.64977G	42.89	54.00	-11.11	35.64	3	Vertical	239	2.35	-	39.20	11.33	43.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6536G	56.13	74.00	-17.87	48.87	3	Horizontal	137	1.98	-	39.21	11.33	43.28
AV	11.64652G	42.78	54.00	-11.22	35.54	3	Horizontal	137	1.98	-	39.20	11.32	43.28

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 21
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.60	74.00	-6.40	61.66	3	Vertical	133	2.46	-	33.99	6.80	34.85
AV	5.15G	53.53	54.00	-0.47	47.58	3	Vertical	133	2.46	-	34.00	6.80	34.85
PK	5.1736G	113.44	Inf	-Inf	107.45	3	Vertical	133	2.46	-	34.00	6.84	34.85
AV	5.1772G	100.83	Inf	-Inf	94.83	3	Vertical	133	2.46	-	34.00	6.85	34.85

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 21
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.64	74.00	-10.36	57.70	3	Horizontal	342	2.88	-	33.99	6.80	34.85
AV	5.15G	48.87	54.00	-5.13	42.92	3	Horizontal	342	2.88	-	34.00	6.80	34.85
PK	5.184G	108.31	Inf	-Inf	102.31	3	Horizontal	342	2.88	-	34.00	6.86	34.86
AV	5.1876G	95.24	Inf	-Inf	89.23	3	Horizontal	342	2.88	-	34.00	6.87	34.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 21
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54197G	55.48	74.00	-18.52	47.40	3	Vertical	34	1.47	-	37.96	12.68	42.56			
AV	15.53927G	42.15	54.00	-11.85	34.04	3	Vertical	34	1.47	-	37.99	12.68	42.56			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 21
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53973G	55.16	74.00	-18.84	47.06	3	Horizontal	151	1.15	-	37.98	12.68	42.56
AV	15.54399G	42.22	54.00	-11.78	34.15	3	Horizontal	151	1.15	-	37.95	12.68	42.56

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.35	74.00	-8.65	59.40	3	Vertical	108	2.54	-	34.00	6.80	34.85
AV	5.15G	49.72	54.00	-4.28	43.77	3	Vertical	108	2.54	-	34.00	6.80	34.85
PK	5.2068G	115.41	Inf	-Inf	109.36	3	Vertical	108	2.54	-	34.01	6.90	34.86
AV	5.2088G	103.32	Inf	-Inf	97.26	3	Vertical	108	2.54	-	34.02	6.90	34.86
PK	5.3964G	59.61	74.00	-14.39	52.85	3	Vertical	108	2.54	-	34.49	7.16	34.89
AV	5.3824G	46.96	54.00	-7.04	40.23	3	Vertical	108	2.54	-	34.46	7.15	34.88

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.37	74.00	-11.63	56.42	3	Horizontal	340	2.61	-	34.00	6.80	34.85
AV	5.1492G	47.38	54.00	-6.62	41.43	3	Horizontal	340	2.61	-	34.00	6.80	34.85
PK	5.2072G	110.32	Inf	-Inf	104.27	3	Horizontal	340	2.61	-	34.01	6.90	34.86
AV	5.2088G	97.89	Inf	-Inf	91.83	3	Horizontal	340	2.61	-	34.02	6.90	34.86
PK	5.3828G	59.98	74.00	-14.02	53.24	3	Horizontal	340	2.61	-	34.47	7.15	34.88
AV	5.3992G	46.67	54.00	-7.33	39.89	3	Horizontal	340	2.61	-	34.50	7.17	34.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59839G	56.03	74.00	-17.97	48.03	3	Vertical	143	1.02	-	37.80	12.70	42.50
AV	15.59835G	41.95	54.00	-12.05	33.95	3	Vertical	143	1.02	-	37.80	12.70	42.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60458G	55.36	74.00	-18.64	47.34	3	Horizontal	10	2.44	-	37.81	12.70	42.49
AV	15.59688G	41.86	54.00	-12.14	33.85	3	Horizontal	10	2.44	-	37.81	12.70	42.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1168G	59.03	74.00	-14.97	53.34	3	Vertical	132	2.47	-	33.80	6.74	34.85
AV	5.1444G	45.87	54.00	-8.13	39.96	3	Vertical	132	2.47	-	33.97	6.79	34.85
PK	5.248G	116.31	Inf	-Inf	110.11	3	Vertical	132	2.47	-	34.10	6.96	34.86
AV	5.2488G	104.08	Inf	-Inf	97.88	3	Vertical	132	2.47	-	34.10	6.96	34.86
PK	5.3648G	60.40	74.00	-13.60	53.73	3	Vertical	132	2.47	-	34.43	7.12	34.88
AV	5.4156G	46.99	54.00	-7.01	40.19	3	Vertical	132	2.47	-	34.50	7.19	34.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.59	74.00	-15.41	52.70	3	Horizontal	360	3.00	-	33.95	6.79	34.85
AV	5.146G	45.53	54.00	-8.47	39.60	3	Horizontal	360	3.00	-	33.98	6.80	34.85
PK	5.2416G	112.14	Inf	-Inf	105.97	3	Horizontal	360	3.00	-	34.08	6.95	34.86
AV	5.2488G	100.07	Inf	-Inf	93.87	3	Horizontal	360	3.00	-	34.10	6.96	34.86
PK	5.4308G	59.89	74.00	-14.11	53.07	3	Horizontal	360	3.00	-	34.50	7.21	34.89
AV	5.4048G	46.85	54.00	-7.15	40.06	3	Horizontal	360	3.00	-	34.50	7.18	34.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71558G	55.41	74.00	-18.59	47.07	3	Vertical	162	2.45	-	37.97	12.73	42.36			
AV	15.72108G	42.33	54.00	-11.67	33.99	3	Vertical	162	2.45	-	37.96	12.73	42.35			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72367G	55.78	74.00	-18.22	47.45	3	Horizontal	161	2.72	-	37.95	12.73	42.35
AV	15.72161G	42.41	54.00	-11.59	34.07	3	Horizontal	161	2.72	-	37.96	12.73	42.35

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.35	74.00	-15.65	52.40	3	Vertical	134	2.53	-	34.00	6.80	34.85
AV	5.136G	45.71	54.00	-8.29	39.86	3	Vertical	134	2.53	-	33.92	6.78	34.85
PK	5.2664G	116.83	Inf	-Inf	110.55	3	Vertical	134	2.53	-	34.17	6.98	34.87
AV	5.254G	104.13	Inf	-Inf	97.91	3	Vertical	134	2.53	-	34.12	6.97	34.87
PK	5.4348G	60.33	74.00	-13.67	53.50	3	Vertical	134	2.53	-	34.50	7.22	34.89
AV	5.4424G	46.98	54.00	-7.02	40.14	3	Vertical	134	2.53	-	34.50	7.23	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.47	74.00	-14.53	53.52	3	Horizontal	343	2.57	-	34.00	6.80	34.85
AV	5.1492G	45.63	54.00	-8.37	39.68	3	Horizontal	343	2.57	-	34.00	6.80	34.85
PK	5.2664G	109.56	Inf	-Inf	103.28	3	Horizontal	343	2.57	-	34.17	6.98	34.87
AV	5.252G	97.49	Inf	-Inf	91.29	3	Horizontal	343	2.57	-	34.11	6.96	34.87
PK	5.3556G	59.85	74.00	-14.15	53.21	3	Horizontal	343	2.57	-	34.41	7.11	34.88
AV	5.4404G	46.68	54.00	-7.32	39.85	3	Horizontal	343	2.57	-	34.50	7.22	34.89

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7785G	55.46	74.00	-18.54	47.27	3	Vertical	135	2.73	-	37.73	12.75	42.29
AV	15.77688G	42.22	54.00	-11.78	34.02	3	Vertical	135	2.73	-	37.74	12.75	42.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77962G	55.26	74.00	-18.74	47.08	3	Horizontal	251	1.03	-	37.72	12.75	42.29
AV	15.77518G	42.18	54.00	-11.82	33.97	3	Horizontal	251	1.03	-	37.75	12.75	42.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2908G	116.78	Inf	-Inf	110.37	3	Vertical	131	2.50	-	34.26	7.02	34.87
AV	5.3012G	103.96	Inf	-Inf	97.50	3	Vertical	131	2.50	-	34.30	7.03	34.87
PK	5.351G	69.53	74.00	-4.47	62.91	3	Vertical	131	2.50	-	34.40	7.10	34.88
AV	5.35G	53.19	54.00	-0.81	46.57	3	Vertical	131	2.50	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	110.45	Inf	-Inf	104.04	3	Horizontal	355	2.82	-	34.26	7.02	34.87
AV	5.2916G	98.19	Inf	-Inf	91.77	3	Horizontal	355	2.82	-	34.27	7.02	34.87
PK	5.3526G	66.10	74.00	-7.90	59.47	3	Horizontal	355	2.82	-	34.41	7.10	34.88
AV	5.3502G	49.41	54.00	-4.59	42.79	3	Horizontal	355	2.82	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90095G	55.35	74.00	-18.65	47.20	3	Vertical	15	1.70	-	37.50	12.79	42.14			
AV	15.89862G	42.16	54.00	-11.84	34.02	3	Vertical	15	1.70	-	37.50	12.79	42.15			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89615G	55.20	74.00	-18.80	47.06	3	Horizontal	143	2.61	-	37.50	12.79	42.15
AV	15.89687G	42.21	54.00	-11.79	34.07	3	Horizontal	143	2.61	-	37.50	12.79	42.15

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 20
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	113.98	Inf	-Inf	107.43	3	Vertical	135	2.34	-	34.36	7.07	34.88
AV	5.3284G	101.18	Inf	-Inf	94.63	3	Vertical	135	2.34	-	34.36	7.07	34.88
PK	5.3512G	69.91	74.00	-4.09	63.29	3	Vertical	135	2.34	-	34.40	7.10	34.88
AV	5.3502G	53.71	54.00	-0.29	47.09	3	Vertical	135	2.34	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 20
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3118G	107.11	Inf	-Inf	100.61	3	Horizontal	356	2.80	-	34.32	7.05	34.87
AV	5.3112G	94.64	Inf	-Inf	88.14	3	Horizontal	356	2.80	-	34.32	7.05	34.87
PK	5.35G	64.55	74.00	-9.45	57.93	3	Horizontal	356	2.80	-	34.40	7.10	34.88
AV	5.35G	49.69	54.00	-4.31	43.07	3	Horizontal	356	2.80	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 20
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96248G	55.05	74.00	-18.95	46.79	3	Vertical	84	2.30	-	37.52	12.81	42.07
AV	15.9562G	41.62	54.00	-12.38	33.38	3	Vertical	84	2.30	-	37.51	12.81	42.08

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTZ_1TX
Setting 20
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95949G	55.14	74.00	-18.86	46.89	3	Horizontal	32	1.98	-	37.52	12.81	42.08
AV	15.96162G	41.58	54.00	-12.42	33.32	3	Horizontal	32	1.98	-	37.52	12.81	42.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTZ_1TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	64.30	74.00	-9.70	57.42	3	Vertical	321	2.40	-	34.52	7.25	34.89
AV	5.4592G	49.07	54.00	-4.93	42.19	3	Vertical	321	2.40	-	34.52	7.25	34.89
PK	5.4688G	68.08	68.20	-0.12	61.18	3	Vertical	321	2.40	-	34.54	7.26	34.90
PK	5.5078G	113.95	Inf	-Inf	106.96	3	Vertical	321	2.40	-	34.57	7.32	34.90
AV	5.5076G	100.73	Inf	-Inf	93.74	3	Vertical	321	2.40	-	34.57	7.32	34.90

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTZ_1TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	62.07	74.00	-11.93	55.19	3	Horizontal	355	2.76	-	34.52	7.25	34.89
AV	5.4598G	47.64	54.00	-6.36	40.76	3	Horizontal	355	2.76	-	34.52	7.25	34.89
PK	5.47G	65.42	68.20	-2.78	58.52	3	Horizontal	355	2.76	-	34.54	7.26	34.90
PK	5.5026G	108.99	Inf	-Inf	101.99	3	Horizontal	355	2.76	-	34.59	7.31	34.90
AV	5.5076G	96.16	Inf	-Inf	89.17	3	Horizontal	355	2.76	-	34.57	7.32	34.90

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99535G	55.49	74.00	-18.51	49.33	3	Vertical	132	2.59	-	38.30	10.96	43.10
AV	10.99643G	41.88	54.00	-12.12	35.72	3	Vertical	132	2.59	-	38.30	10.96	43.10

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99817G	55.14	74.00	-18.86	48.98	3	Horizontal	111	2.46	-	38.30	10.96	43.10
AV	10.99587G	41.77	54.00	-12.23	35.61	3	Horizontal	111	2.46	-	38.30	10.96	43.10

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4292G	60.49	74.00	-13.51	53.67	3	Vertical	129	2.91	-	34.50	7.21	34.89
AV	5.446G	46.87	54.00	-7.13	40.03	3	Vertical	129	2.91	-	34.50	7.23	34.89
PK	5.4676G	59.63	68.20	-8.57	52.73	3	Vertical	129	2.91	-	34.54	7.26	34.90
PK	5.5724G	116.54	Inf	-Inf	109.71	3	Vertical	129	2.91	-	34.36	7.40	34.93
AV	5.5728G	104.34	Inf	-Inf	97.52	3	Vertical	129	2.91	-	34.35	7.40	34.93
PK	5.7448G	61.38	68.20	-6.82	54.70	3	Vertical	129	2.91	-	34.19	7.51	35.02

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.38G	59.47	74.00	-14.53	52.75	3	Horizontal	338	2.79	-	34.46	7.14	34.88
PK	5.462G	58.81	68.20	-9.39	51.93	3	Horizontal	338	2.79	-	34.52	7.25	34.89
AV	5.434G	46.54	54.00	-7.46	39.71	3	Horizontal	338	2.79	-	34.50	7.22	34.89
PK	5.5728G	111.67	Inf	-Inf	104.85	3	Horizontal	338	2.79	-	34.35	7.40	34.93
AV	5.5712G	98.99	Inf	-Inf	92.16	3	Horizontal	338	2.79	-	34.36	7.40	34.93
PK	5.7616G	59.72	68.20	-8.48	53.04	3	Horizontal	338	2.79	-	34.20	7.51	35.03

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1593G	55.15	74.00	-18.85	48.94	3	Vertical	240	2.22	-	38.32	11.05	43.16
AV	11.15604G	41.58	54.00	-12.42	35.38	3	Vertical	240	2.22	-	38.31	11.05	43.16

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15745G	54.83	74.00	-19.17	48.63	3	Horizontal	251	2.76	-	38.31	11.05	43.16
AV	11.15554G	41.65	54.00	-12.35	35.45	3	Horizontal	251	2.76	-	38.31	11.05	43.16

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 19
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6944G	113.82	Inf	-Inf	107.22	3	Vertical	127	2.93	-	34.11	7.48	34.99
AV	5.6928G	100.80	Inf	-Inf	94.20	3	Vertical	127	2.93	-	34.11	7.48	34.99
PK	5.7252G	67.78	68.20	-0.42	61.14	3	Vertical	127	2.93	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 19
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	107.77	Inf	-Inf	101.17	3	Horizontal	338	2.54	-	34.11	7.48	34.99
AV	5.7016G	94.85	Inf	-Inf	88.26	3	Horizontal	338	2.54	-	34.10	7.49	35.00
PK	5.7256G	63.02	68.20	-5.18	56.38	3	Horizontal	338	2.54	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.39927G	55.03	74.00	-18.97	48.40	3	Vertical	5	2.00	-	38.70	11.19	43.26
AV	11.39721G	41.79	54.00	-12.21	35.17	3	Vertical	5	2.00	-	38.69	11.19	43.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39837G	55.37	74.00	-18.63	48.74	3	Horizontal	131	1.57	-	38.70	11.19	43.26
AV	11.40402G	41.77	54.00	-12.23	35.14	3	Horizontal	131	1.57	-	38.70	11.19	43.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.47G	58.90	68.20	-9.30	52.00	3	Vertical	125	2.76	-	34.54	7.26	34.90
PK	5.7195G	116.71	Inf	-Inf	110.09	3	Vertical	125	2.76	-	34.14	7.49	35.01
AV	5.713G	104.48	Inf	-Inf	97.86	3	Vertical	125	2.76	-	34.13	7.49	35.00
PK	5.8645G	60.39	68.20	-7.81	53.52	3	Vertical	125	2.76	-	34.36	7.58	35.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.47G	57.45	68.20	-10.75	50.55	3	Horizontal	356	2.67	-	34.54	7.26	34.90
PK	5.7225G	112.35	Inf	-Inf	105.71	3	Horizontal	356	2.67	-	34.15	7.50	35.01
AV	5.7115G	99.73	Inf	-Inf	93.12	3	Horizontal	356	2.67	-	34.12	7.49	35.00
PK	5.958G	60.04	68.20	-8.16	52.90	3	Horizontal	356	2.67	-	34.60	7.66	35.12

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44204G	56.18	74.00	-17.82	49.55	3	Vertical	182	1.48	-	38.70	11.21	43.28
AV	11.44365G	40.78	54.00	-13.22	34.15	3	Vertical	182	1.48	-	38.70	11.21	43.28

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44445G	55.47	74.00	-18.53	48.84	3	Horizontal	31	2.95	-	38.70	11.21	43.28
AV	11.43998G	40.78	54.00	-13.22	34.15	3	Horizontal	31	2.95	-	38.70	11.21	43.28

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5175G	60.25	68.20	-7.95	53.30	3	Vertical	129	2.52	-	34.53	7.33	34.91
PK	5.736G	116.25	Inf	-Inf	109.59	3	Vertical	129	2.52	-	34.17	7.50	35.01
AV	5.737G	103.18	Inf	-Inf	96.52	3	Vertical	129	2.52	-	34.17	7.50	35.01
PK	5.9895G	60.66	68.20	-7.54	53.51	3	Vertical	129	2.52	-	34.60	7.68	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	59.60	68.20	-8.60	52.83	3	Horizontal	355	2.67	-	34.28	7.44	34.95
PK	5.7385G	111.68	Inf	-Inf	105.01	3	Horizontal	355	2.67	-	34.18	7.50	35.01
AV	5.736G	99.43	Inf	-Inf	92.77	3	Horizontal	355	2.67	-	34.17	7.50	35.01
PK	5.9785G	60.47	68.20	-7.73	53.33	3	Horizontal	355	2.67	-	34.60	7.67	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48986G	55.45	74.00	-18.55	48.65	3	Vertical	190	1.55	-	38.86	11.24	43.30
AV	11.49455G	42.05	54.00	-11.95	35.23	3	Vertical	190	1.55	-	38.88	11.24	43.30

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49462G	56.60	74.00	-17.40	49.78	3	Horizontal	10	2.65	-	38.88	11.24	43.30
AV	11.48573G	42.11	54.00	-11.89	35.33	3	Horizontal	10	2.65	-	38.84	11.23	43.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
 Setting 24
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.54G	60.29	68.20	-7.91	53.41	3	Vertical	328	2.67	-	34.44	7.36	34.92
PK	5.791G	115.60	Inf	-Inf	108.91	3	Vertical	328	2.67	-	34.20	7.53	35.04
AV	5.777G	102.88	Inf	-Inf	96.19	3	Vertical	328	2.67	-	34.20	7.52	35.03
PK	5.9735G	61.17	68.20	-7.03	54.03	3	Vertical	328	2.67	-	34.60	7.67	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	59.96	68.20	-8.24	53.15	3	Horizontal	190	2.89	-	34.32	7.43	34.94
PK	5.779G	109.32	Inf	-Inf	102.63	3	Horizontal	190	2.89	-	34.20	7.52	35.03
AV	5.7765G	97.40	Inf	-Inf	90.71	3	Horizontal	190	2.89	-	34.20	7.52	35.03
PK	6.0345G	60.54	68.20	-7.66	53.34	3	Horizontal	190	2.89	-	34.60	7.73	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57117G	55.77	74.00	-18.23	48.64	3	Vertical	37	1.00	-	39.14	11.28	43.29
AV	11.56791G	42.68	54.00	-11.32	35.55	3	Vertical	37	1.00	-	39.14	11.28	43.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56811G	55.78	74.00	-18.22	48.65	3	Horizontal	212	1.26	-	39.14	11.28	43.29
AV	11.56653G	42.74	54.00	-11.26	35.62	3	Horizontal	212	1.26	-	39.13	11.28	43.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6105G	60.28	68.20	-7.92	53.51	3	Vertical	319	2.33	-	34.28	7.44	34.95
PK	5.8295G	115.63	Inf	-Inf	108.88	3	Vertical	319	2.33	-	34.26	7.55	35.06
AV	5.817G	103.23	Inf	-Inf	96.51	3	Vertical	319	2.33	-	34.23	7.54	35.05
PK	5.973G	60.70	68.20	-7.50	53.56	3	Vertical	319	2.33	-	34.60	7.67	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6075G	59.90	68.20	-8.30	53.13	3	Horizontal	350	2.67	-	34.28	7.44	34.95
PK	5.817G	111.19	Inf	-Inf	104.47	3	Horizontal	350	2.67	-	34.23	7.54	35.05
AV	5.8175G	98.79	Inf	-Inf	92.06	3	Horizontal	350	2.67	-	34.24	7.54	35.05
PK	6.0605G	61.00	68.20	-7.20	53.70	3	Horizontal	350	2.67	-	34.66	7.76	35.12

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64648G	56.61	74.00	-17.39	49.37	3	Vertical	148	2.14	-	39.20	11.32	43.28
AV	11.64553G	42.72	54.00	-11.28	35.48	3	Vertical	148	2.14	-	39.20	11.32	43.28

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6539G	56.22	74.00	-17.78	48.95	3	Horizontal	356	2.33	-	39.22	11.33	43.28
AV	11.65437G	42.82	54.00	-11.18	35.55	3	Horizontal	356	2.33	-	39.22	11.33	43.28

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.21	74.00	-5.79	62.28	3	Vertical	104	2.35	-	33.98	6.80	34.85
AV	5.15G	53.59	54.00	-0.41	47.64	3	Vertical	104	2.35	-	34.00	6.80	34.85
PK	5.2056G	110.27	Inf	-Inf	104.22	3	Vertical	104	2.35	-	34.01	6.90	34.86
AV	5.2076G	97.35	Inf	-Inf	91.29	3	Vertical	104	2.35	-	34.02	6.90	34.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
Setting 20.5
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.64	74.00	-9.36	58.70	3	Horizontal	341	2.60	-	33.99	6.80	34.85
AV	5.15G	49.65	54.00	-4.35	43.70	3	Horizontal	341	2.60	-	34.00	6.80	34.85
PK	5.2076G	106.35	Inf	-Inf	100.29	3	Horizontal	341	2.60	-	34.02	6.90	34.86
AV	5.2078G	92.30	Inf	-Inf	86.24	3	Horizontal	341	2.60	-	34.02	6.90	34.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.56606G	56.00	74.00	-18.00	47.97	3	Vertical	216	2.23	-	37.87	12.69	42.53			
AV	15.56732G	41.89	54.00	-12.11	33.86	3	Vertical	216	2.23	-	37.87	12.69	42.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTZ_1TX
 Setting 20.5
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57251G	55.19	74.00	-18.81	47.18	3	Horizontal	48	2.15	-	37.85	12.69	42.53
AV	15.57205G	41.84	54.00	-12.16	33.82	3	Horizontal	48	2.15	-	37.86	12.69	42.53

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 23
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.74	74.00	-5.26	62.79	3	Vertical	131	2.36	-	34.00	6.80	34.85
AV	5.15G	53.93	54.00	-0.07	47.98	3	Vertical	131	2.36	-	34.00	6.80	34.85
PK	5.212G	113.61	Inf	-Inf	107.54	3	Vertical	131	2.36	-	34.02	6.91	34.86
AV	5.244G	100.26	Inf	-Inf	94.08	3	Vertical	131	2.36	-	34.09	6.95	34.86
PK	5.35G	61.36	74.00	-12.64	54.74	3	Vertical	131	2.36	-	34.40	7.10	34.88
AV	5.35G	47.63	54.00	-6.37	41.01	3	Vertical	131	2.36	-	34.40	7.10	34.88

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 23
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.67	74.00	-11.33	56.74	3	Horizontal	356	2.86	-	33.98	6.80	34.85
AV	5.15G	49.24	54.00	-4.76	43.29	3	Horizontal	356	2.86	-	34.00	6.80	34.85
PK	5.2216G	109.54	Inf	-Inf	103.44	3	Horizontal	356	2.86	-	34.04	6.92	34.86
AV	5.2236G	95.72	Inf	-Inf	89.61	3	Horizontal	356	2.86	-	34.05	6.92	34.86
PK	5.352G	59.99	74.00	-14.01	53.37	3	Horizontal	356	2.86	-	34.40	7.10	34.88
AV	5.3524G	46.62	54.00	-7.38	40.00	3	Horizontal	356	2.86	-	34.40	7.10	34.88

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 23
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6852G	55.02	74.00	-18.98	46.73	3	Vertical	28	1.26	-	37.97	12.72	42.40			
AV	15.69005G	41.31	54.00	-12.69	33.00	3	Vertical	28	1.26	-	37.98	12.72	42.39			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTZ_1TX
Setting 23
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68884G	55.33	74.00	-18.67	47.02	3	Horizontal	318	2.02	-	37.98	12.72	42.39
AV	15.68896G	41.27	54.00	-12.73	32.96	3	Horizontal	318	2.02	-	37.98	12.72	42.39

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
Setting 22.5
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.14	74.00	-13.86	54.19	3	Vertical	133	2.40	-	34.00	6.80	34.85
AV	5.1492G	45.84	54.00	-8.16	39.89	3	Vertical	133	2.40	-	34.00	6.80	34.85
PK	5.2792G	113.86	Inf	-Inf	107.51	3	Vertical	133	2.40	-	34.22	7.00	34.87
AV	5.2736G	100.30	Inf	-Inf	93.99	3	Vertical	133	2.40	-	34.19	6.99	34.87
PK	5.352G	68.31	74.00	-5.69	61.69	3	Vertical	133	2.40	-	34.40	7.10	34.88
AV	5.35G	53.88	54.00	-0.12	47.26	3	Vertical	133	2.40	-	34.40	7.10	34.88
PK	5.47G	59.31	68.20	-8.89	52.41	3	Vertical	133	2.40	-	34.54	7.26	34.90

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
Setting 22.5
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1288G	58.77	74.00	-15.23	52.98	3	Horizontal	341	2.59	-	33.87	6.77	34.85
AV	5.15G	44.94	54.00	-9.06	38.99	3	Horizontal	341	2.59	-	34.00	6.80	34.85
PK	5.2884G	106.21	Inf	-Inf	99.82	3	Horizontal	341	2.59	-	34.25	7.01	34.87
AV	5.252G	93.19	Inf	-Inf	86.99	3	Horizontal	341	2.59	-	34.11	6.96	34.87
PK	5.3508G	62.91	74.00	-11.09	56.29	3	Horizontal	341	2.59	-	34.40	7.10	34.88
AV	5.35G	48.59	54.00	-5.41	41.97	3	Horizontal	341	2.59	-	34.40	7.10	34.88
PK	5.4616G	58.83	68.20	-9.37	51.95	3	Horizontal	341	2.59	-	34.52	7.25	34.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
 Setting 22.5
 03-S-5-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.81123G	55.92	74.00	-18.08	47.83	3	Vertical	335	1.87	-	37.58	12.76	42.25
AV	15.81119G	41.49	54.00	-12.51	33.40	3	Vertical	335	1.87	-	37.58	12.76	42.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTZ_1TX
 Setting 22.5
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80568G	55.68	74.00	-18.32	47.59	3	Horizontal	341	1.50	-	37.59	12.76	42.26
AV	15.81318G	41.50	54.00	-12.50	33.42	3	Horizontal	341	1.50	-	37.57	12.76	42.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
 Setting 19.5
 03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	110.97	Inf	-Inf	104.43	3	Vertical	136	2.33	-	34.35	7.07	34.88
AV	5.3268G	98.37	Inf	-Inf	91.83	3	Vertical	136	2.33	-	34.35	7.07	34.88
PK	5.3576G	67.91	74.00	-6.09	61.26	3	Vertical	136	2.33	-	34.42	7.11	34.88
AV	5.3514G	52.59	54.00	-1.41	45.97	3	Vertical	136	2.33	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	105.29	Inf	-Inf	98.76	3	Horizontal	360	2.85	-	34.34	7.06	34.87
AV	5.3282G	92.04	Inf	-Inf	85.49	3	Horizontal	360	2.85	-	34.36	7.07	34.88
PK	5.3588G	64.29	74.00	-9.71	57.64	3	Horizontal	360	2.85	-	34.42	7.11	34.88
AV	5.35G	49.19	54.00	-4.81	42.57	3	Horizontal	360	2.85	-	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-5-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.93237G	55.92	74.00	-18.08	47.73	3	Vertical	12	2.99	-	37.50	12.80	42.11			
AV	15.92604G	42.43	54.00	-11.57	34.25	3	Vertical	12	2.99	-	37.50	12.80	42.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92612G	55.37	74.00	-18.63	47.19	3	Horizontal	164	2.80	-	37.50	12.80	42.12
AV	15.92507G	42.24	54.00	-11.76	34.06	3	Horizontal	164	2.80	-	37.50	12.80	42.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
 Setting 18.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	66.65	74.00	-7.35	59.79	3	Vertical	137	2.67	-	34.51	7.24	34.89
AV	5.4582G	49.23	54.00	-4.77	42.35	3	Vertical	137	2.67	-	34.52	7.25	34.89
PK	5.4662G	67.05	68.20	-1.15	60.16	3	Vertical	137	2.67	-	34.53	7.26	34.90
PK	5.5262G	110.87	Inf	-Inf	103.94	3	Vertical	137	2.67	-	34.50	7.34	34.91
AV	5.5016G	97.75	Inf	-Inf	90.75	3	Vertical	137	2.67	-	34.59	7.31	34.90

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
 Setting 18.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	62.94	74.00	-11.06	56.08	3	Horizontal	357	2.87	-	34.51	7.24	34.89
AV	5.4546G	47.56	54.00	-6.44	40.70	3	Horizontal	357	2.87	-	34.51	7.24	34.89
PK	5.4604G	62.91	68.20	-5.29	56.03	3	Horizontal	357	2.87	-	34.52	7.25	34.89
PK	5.5016G	106.20	Inf	-Inf	99.20	3	Horizontal	357	2.87	-	34.59	7.31	34.90
AV	5.5114G	92.93	Inf	-Inf	85.97	3	Horizontal	357	2.87	-	34.55	7.32	34.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
 Setting 18.5
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01568G	55.08	74.00	-18.92	48.89	3	Vertical	270	1.04	-	38.33	10.97	43.11
AV	11.02315G	41.79	54.00	-12.21	35.57	3	Vertical	270	1.04	-	38.35	10.98	43.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTZ_1TX
Setting 18.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0171G	54.90	74.00	-19.10	48.71	3	Horizontal	131	2.42	-	38.33	10.97	43.11
AV	11.02083G	41.75	54.00	-12.25	35.54	3	Horizontal	131	2.42	-	38.34	10.98	43.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.59	74.00	-16.41	50.97	3	Vertical	122	2.52	-	34.40	7.10	34.88
AV	5.35G	46.19	54.00	-7.81	39.57	3	Vertical	122	2.52	-	34.40	7.10	34.88
PK	5.4596G	64.63	74.00	-9.37	57.75	3	Vertical	122	2.52	-	34.52	7.25	34.89
AV	5.46G	50.49	54.00	-3.51	43.61	3	Vertical	122	2.52	-	34.52	7.25	34.89
PK	5.4664G	66.21	68.20	-1.99	59.32	3	Vertical	122	2.52	-	34.53	7.26	34.90
PK	5.5316G	113.51	Inf	-Inf	106.61	3	Vertical	122	2.52	-	34.47	7.35	34.92
AV	5.5428G	100.78	Inf	-Inf	93.91	3	Vertical	122	2.52	-	34.43	7.36	34.92
PK	5.7472G	59.35	68.20	-8.85	52.67	3	Vertical	122	2.52	-	34.19	7.51	35.02

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.36	74.00	-16.64	50.74	3	Horizontal	358	2.85	-	34.40	7.10	34.88
AV	5.35G	45.76	54.00	-8.24	39.14	3	Horizontal	358	2.85	-	34.40	7.10	34.88
PK	5.458G	60.82	74.00	-13.18	53.94	3	Horizontal	358	2.85	-	34.52	7.25	34.89
AV	5.4596G	47.90	54.00	-6.10	41.02	3	Horizontal	358	2.85	-	34.52	7.25	34.89
PK	5.4672G	62.28	68.20	-5.92	55.39	3	Horizontal	358	2.85	-	34.53	7.26	34.90
PK	5.5312G	108.29	Inf	-Inf	101.37	3	Horizontal	358	2.85	-	34.48	7.35	34.91
AV	5.5356G	95.76	Inf	-Inf	88.87	3	Horizontal	358	2.85	-	34.46	7.35	34.92
PK	5.7376G	59.56	68.20	-8.64	52.89	3	Horizontal	358	2.85	-	34.18	7.50	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09916G	55.33	74.00	-18.67	49.05	3	Vertical	98	1.75	-	38.40	11.02	43.14
AV	11.10245G	41.77	54.00	-12.23	35.49	3	Vertical	98	1.75	-	38.40	11.02	43.14

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09771G	54.98	74.00	-19.02	48.70	3	Horizontal	290	1.39	-	38.40	11.02	43.14
AV	11.10166G	41.78	54.00	-12.22	35.50	3	Horizontal	290	1.39	-	38.40	11.02	43.14

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.47G	58.11	68.20	-10.09	51.21	3	Vertical	121	2.43	-	34.54	7.26	34.90
PK	5.674G	111.43	Inf	-Inf	104.79	3	Vertical	121	2.43	-	34.15	7.47	34.98
AV	5.6876G	98.57	Inf	-Inf	91.96	3	Vertical	121	2.43	-	34.12	7.48	34.99
PK	5.7252G	67.70	68.20	-0.50	61.06	3	Vertical	121	2.43	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.47G	57.95	68.20	-10.25	51.05	3	Horizontal	359	2.70	-	34.54	7.26	34.90
PK	5.68G	107.19	Inf	-Inf	100.56	3	Horizontal	359	2.70	-	34.14	7.48	34.99
AV	5.6768G	93.84	Inf	-Inf	87.20	3	Horizontal	359	2.70	-	34.15	7.47	34.98
PK	5.7264G	64.36	68.20	-3.84	57.72	3	Horizontal	359	2.70	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33515G	55.42	74.00	-18.58	48.93	3	Vertical	357	1.15	-	38.57	11.15	43.23
AV	11.33616G	41.74	54.00	-12.26	35.25	3	Vertical	357	1.15	-	38.57	11.15	43.23

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTZ_1TX
 Setting 19.5
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34271G	55.77	74.00	-18.23	49.26	3	Horizontal	220	1.18	-	38.59	11.16	43.24
AV	11.33605G	42.07	54.00	-11.93	35.58	3	Horizontal	220	1.18	-	38.57	11.15	43.23

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	113.95	Inf	-Inf	107.33	3	Vertical	330	2.44	-	34.13	7.49	35.00
AV	5.6928G	101.02	Inf	-Inf	94.42	3	Vertical	330	2.44	-	34.11	7.48	34.99
PK	5.8632G	60.26	68.20	-7.94	53.40	3	Vertical	330	2.44	-	34.35	7.58	35.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	109.02	Inf	-Inf	102.42	3	Horizontal	337	2.68	-	34.11	7.48	34.99
AV	5.692G	96.24	Inf	-Inf	89.63	3	Horizontal	337	2.68	-	34.12	7.48	34.99
PK	5.9024G	60.12	68.20	-8.08	53.10	3	Horizontal	337	2.68	-	34.50	7.61	35.09

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42261G	54.84	74.00	-19.16	48.21	3	Vertical	152	1.21	-	38.70	11.20	43.27
AV	11.42017G	41.52	54.00	-12.48	34.89	3	Vertical	152	1.21	-	38.70	11.20	43.27

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.423G	55.32	74.00	-18.68	48.69	3	Horizontal	40	2.98	-	38.70	11.20	43.27
AV	11.41545G	41.56	54.00	-12.44	34.93	3	Horizontal	40	2.98	-	38.70	11.20	43.27

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.03	68.20	-3.17	58.33	3	Vertical	221	2.67	-	34.21	7.46	34.97
PK	5.739G	113.47	Inf	-Inf	106.80	3	Vertical	221	2.67	-	34.18	7.50	35.01
AV	5.737G	100.37	Inf	-Inf	93.71	3	Vertical	221	2.67	-	34.17	7.50	35.01
PK	5.9995G	61.13	68.20	-7.07	53.98	3	Vertical	221	2.67	-	34.60	7.69	35.14

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	60.91	68.20	-7.29	54.22	3	Horizontal	358	2.70	-	34.20	7.46	34.97
PK	5.765G	109.14	Inf	-Inf	102.46	3	Horizontal	358	2.70	-	34.20	7.51	35.03
AV	5.7645G	96.50	Inf	-Inf	89.82	3	Horizontal	358	2.70	-	34.20	7.51	35.03
PK	5.9355G	60.62	68.20	-7.58	53.52	3	Horizontal	358	2.70	-	34.57	7.64	35.11

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.50874G	55.26	74.00	-18.74	48.38	3	Vertical	197	2.06	-	38.93	11.25	43.30
AV	11.50992G	42.29	54.00	-11.71	35.40	3	Vertical	197	2.06	-	38.94	11.25	43.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51158G	56.13	74.00	-17.87	49.23	3	Horizontal	15	1.73	-	38.95	11.25	43.30
AV	11.5146G	42.48	54.00	-11.52	35.57	3	Horizontal	15	1.73	-	38.96	11.25	43.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.562G	59.61	68.20	-8.59	52.77	3	Vertical	39	2.33	-	34.38	7.39	34.93
PK	5.779G	113.92	Inf	-Inf	107.23	3	Vertical	39	2.33	-	34.20	7.52	35.03
AV	5.787G	100.24	Inf	-Inf	93.56	3	Vertical	39	2.33	-	34.20	7.52	35.04
PK	5.964G	60.78	68.20	-7.42	53.64	3	Vertical	39	2.33	-	34.60	7.66	35.12

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6095G	60.08	68.20	-8.12	53.31	3	Horizontal	358	2.69	-	34.28	7.44	34.95
PK	5.7995G	109.00	Inf	-Inf	102.31	3	Horizontal	358	2.69	-	34.20	7.53	35.04
AV	5.779G	96.37	Inf	-Inf	89.68	3	Horizontal	358	2.69	-	34.20	7.52	35.03
PK	5.957G	61.39	68.20	-6.81	54.25	3	Horizontal	358	2.69	-	34.60	7.66	35.12

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58958G	56.34	74.00	-17.66	49.16	3	Vertical	134	1.96	-	39.18	11.29	43.29
AV	11.59068G	42.91	54.00	-11.09	35.73	3	Vertical	134	1.96	-	39.18	11.29	43.29

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59082G	56.09	74.00	-17.91	48.91	3	Horizontal	91	1.84	-	39.18	11.29	43.29
AV	11.59327G	42.82	54.00	-11.18	35.63	3	Horizontal	91	1.84	-	39.19	11.29	43.29

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




12/04/2024

EUT_Z_1TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	73.00	74.00	-1.00	67.09	3	Vertical	76	2.47	-	33.97	6.79	34.85
AV	5.1476G	53.77	54.00	-0.23	47.83	3	Vertical	76	2.47	-	33.99	6.80	34.85
PK	5.2274G	106.88	Inf	-Inf	100.76	3	Vertical	76	2.47	-	34.05	6.93	34.86
AV	5.2154G	94.19	Inf	-Inf	88.11	3	Vertical	76	2.47	-	34.03	6.91	34.86
PK	5.35G	60.87	74.00	-13.13	54.25	3	Vertical	76	2.47	-	34.40	7.10	34.88
AV	5.3504G	47.42	54.00	-6.58	40.80	3	Vertical	76	2.47	-	34.40	7.10	34.88
PK	5.4782G	60.32	68.20	-7.88	53.38	3	Vertical	76	2.47	-	34.56	7.28	34.90

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 19
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.08	74.00	-7.92	60.13	3	Horizontal	343	2.48	-	34.00	6.80	34.85
AV	5.15G	49.93	54.00	-4.07	43.98	3	Horizontal	343	2.48	-	34.00	6.80	34.85
PK	5.2334G	101.17	Inf	-Inf	95.02	3	Horizontal	343	2.48	-	34.07	6.94	34.86
AV	5.2346G	88.02	Inf	-Inf	81.87	3	Horizontal	343	2.48	-	34.07	6.94	34.86
PK	5.402G	60.17	74.00	-13.83	53.39	3	Horizontal	343	2.48	-	34.50	7.17	34.89
AV	5.3534G	46.36	54.00	-7.64	39.73	3	Horizontal	343	2.48	-	34.41	7.10	34.88
PK	5.4626G	59.68	68.20	-8.52	52.79	3	Horizontal	343	2.48	-	34.53	7.25	34.89

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63387G	54.79	74.00	-19.21	46.66	3	Vertical	346	2.86	-	37.87	12.71	42.45
AV	15.62982G	41.51	54.00	-12.49	33.40	3	Vertical	346	2.86	-	37.86	12.71	42.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUTZ_1TX
Setting 19
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63165G	55.40	74.00	-18.60	47.29	3	Horizontal	65	1.07	-	37.86	12.71	42.46
AV	15.63404G	41.49	54.00	-12.51	33.36	3	Horizontal	65	1.07	-	37.87	12.71	42.45

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




12/04/2024

EUTZ_1TX
Setting 18.5
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	59.33	74.00	-14.67	53.47	3	Vertical	133	2.34	-	33.93	6.78	34.85
AV	5.1478G	46.28	54.00	-7.72	40.34	3	Vertical	133	2.34	-	33.99	6.80	34.85
PK	5.296G	106.85	Inf	-Inf	100.42	3	Vertical	133	2.34	-	34.28	7.02	34.87
PK	5.3596G	71.05	74.00	-2.95	64.40	3	Vertical	133	2.34	-	34.42	7.11	34.88
AV	5.3284G	94.04	Inf	-Inf	87.49	3	Vertical	133	2.34	-	34.36	7.07	34.88
AV	5.3554G	53.55	54.00	-0.45	46.91	3	Vertical	133	2.34	-	34.41	7.11	34.88
PK	5.5672G	60.11	68.20	-8.09	53.27	3	Vertical	133	2.34	-	34.37	7.40	34.93

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




12/04/2024

EUTZ_1TX
Setting 18.5
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	58.32	74.00	-15.68	52.47	3	Horizontal	340	2.56	-	33.92	6.78	34.85
AV	5.1454G	45.70	54.00	-8.30	39.79	3	Horizontal	340	2.56	-	33.97	6.79	34.85
PK	5.2588G	100.60	Inf	-Inf	94.36	3	Horizontal	340	2.56	-	34.14	6.97	34.87
AV	5.2552G	87.07	Inf	-Inf	80.85	3	Horizontal	340	2.56	-	34.12	6.97	34.87
PK	5.3854G	64.70	74.00	-9.30	57.96	3	Horizontal	340	2.56	-	34.47	7.15	34.88
AV	5.3632G	48.76	54.00	-5.24	42.09	3	Horizontal	340	2.56	-	34.43	7.12	34.88
PK	5.4832G	60.26	68.20	-7.94	53.31	3	Horizontal	340	2.56	-	34.57	7.28	34.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUTZ_1TX
 Setting 18.5
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86745G	55.70	74.00	-18.30	47.60	3	Vertical	222	1.18	-	37.50	12.78	42.18
AV	15.87074G	42.24	54.00	-11.76	34.14	3	Vertical	222	1.18	-	37.50	12.78	42.18

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUTZ_1TX
Setting 18.5
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86791G	56.23	74.00	-17.77	48.13	3	Horizontal	345	2.86	-	37.50	12.78	42.18
AV	15.87237G	42.38	54.00	-11.62	34.28	3	Horizontal	345	2.86	-	37.50	12.78	42.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUTZ_1TX
Setting 18
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3248G	59.33	68.20	-8.87	52.80	3	Vertical	123	2.41	-	34.35	7.06	34.88
AV	5.35G	46.01	54.00	-7.99	39.39	3	Vertical	123	2.41	-	34.40	7.10	34.88
PK	5.4556G	66.29	74.00	-7.71	59.42	3	Vertical	123	2.41	-	34.51	7.25	34.89
AV	5.4598G	50.36	54.00	-3.64	43.48	3	Vertical	123	2.41	-	34.52	7.25	34.89
PK	5.4688G	68.11	68.20	-0.09	61.21	3	Vertical	123	2.41	-	34.54	7.26	34.90
PK	5.5636G	106.45	Inf	-Inf	99.62	3	Vertical	123	2.41	-	34.37	7.39	34.93
AV	5.5606G	93.19	Inf	-Inf	86.35	3	Vertical	123	2.41	-	34.38	7.39	34.93
PK	5.7886G	60.16	68.20	-8.04	53.48	3	Vertical	123	2.41	-	34.20	7.52	35.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUTZ_1TX
Setting 18
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	59.99	68.20	-8.21	53.44	3	Horizontal	351	2.85	-	34.36	7.07	34.88
AV	5.35G	45.94	54.00	-8.06	39.32	3	Horizontal	351	2.85	-	34.40	7.10	34.88
PK	5.4508G	61.60	74.00	-12.40	54.75	3	Horizontal	351	2.85	-	34.50	7.24	34.89
PK	5.4622G	64.19	68.20	-4.01	57.31	3	Horizontal	351	2.85	-	34.52	7.25	34.89
AV	5.4592G	47.87	54.00	-6.13	40.99	3	Horizontal	351	2.85	-	34.52	7.25	34.89
PK	5.5174G	100.84	Inf	-Inf	93.89	3	Horizontal	351	2.85	-	34.53	7.33	34.91
AV	5.5072G	87.98	Inf	-Inf	81.00	3	Horizontal	351	2.85	-	34.57	7.31	34.90
PK	5.7436G	59.44	68.20	-8.76	52.77	3	Horizontal	351	2.85	-	34.19	7.50	35.02

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUTZ_1TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06083G	55.31	74.00	-18.69	49.03	3	Vertical	72	1.65	-	38.40	11.00	43.12
AV	11.05543G	41.82	54.00	-12.18	35.54	3	Vertical	72	1.65	-	38.40	11.00	43.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUTZ_1TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06364G	55.73	74.00	-18.27	49.46	3	Horizontal	248	1.45	-	38.40	11.00	43.13
AV	11.05774G	41.94	54.00	-12.06	35.66	3	Horizontal	248	1.45	-	38.40	11.00	43.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUTZ_1TX
Setting 18
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	58.77	68.20	-9.43	52.23	3	Vertical	131	2.90	-	34.35	7.07	34.88
PK	5.46G	61.49	74.00	-12.51	54.61	3	Vertical	131	2.90	-	34.52	7.25	34.89
AV	5.46G	48.28	54.00	-5.72	41.40	3	Vertical	131	2.90	-	34.52	7.25	34.89
PK	5.4618G	62.26	68.20	-5.94	55.38	3	Vertical	131	2.90	-	34.52	7.25	34.89
PK	5.5866G	108.69	Inf	-Inf	101.88	3	Vertical	131	2.90	-	34.33	7.42	34.94
AV	5.5728G	95.20	Inf	-Inf	88.38	3	Vertical	131	2.90	-	34.35	7.40	34.93
PK	5.7288G	68.01	68.20	-0.19	61.36	3	Vertical	131	2.90	-	34.16	7.50	35.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUT_Z_1TX
Setting 18
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.23	74.00	-14.77	52.61	3	Horizontal	337	2.79	-	34.40	7.10	34.88
PK	5.457G	60.61	74.00	-13.39	53.74	3	Horizontal	337	2.79	-	34.51	7.25	34.89
AV	5.46G	47.09	54.00	-6.91	40.21	3	Horizontal	337	2.79	-	34.52	7.25	34.89
PK	5.4654G	60.32	68.20	-7.88	53.43	3	Horizontal	337	2.79	-	34.53	7.26	34.90
PK	5.5812G	102.54	Inf	-Inf	95.73	3	Horizontal	337	2.79	-	34.34	7.41	34.94
AV	5.5716G	89.87	Inf	-Inf	83.04	3	Horizontal	337	2.79	-	34.36	7.40	34.93
PK	5.7252G	62.60	68.20	-5.60	55.96	3	Horizontal	337	2.79	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUTZ_1TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21784G	55.35	74.00	-18.65	49.01	3	Vertical	126	2.72	-	38.44	11.09	43.19
AV	11.21751G	41.84	54.00	-12.16	35.50	3	Vertical	126	2.72	-	38.44	11.09	43.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUTZ_1TX
Setting 18
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21629G	55.34	74.00	-18.66	49.01	3	Horizontal	228	1.60	-	38.43	11.09	43.19
AV	11.22038G	41.90	54.00	-12.10	35.56	3	Horizontal	228	1.60	-	38.44	11.09	43.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.84	74.00	-13.16	53.96	3	Vertical	119	2.66	-	34.52	7.25	34.89
AV	5.46G	46.96	54.00	-7.04	40.08	3	Vertical	119	2.66	-	34.52	7.25	34.89
PK	5.4686G	59.77	68.20	-8.43	52.87	3	Vertical	119	2.66	-	34.54	7.26	34.90
PK	5.7056G	111.35	Inf	-Inf	104.75	3	Vertical	119	2.66	-	34.11	7.49	35.00
AV	5.6966G	98.40	Inf	-Inf	91.80	3	Vertical	119	2.66	-	34.11	7.48	34.99
PK	5.8526G	66.88	68.20	-1.32	60.07	3	Vertical	119	2.66	-	34.31	7.57	35.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.58	74.00	-14.42	52.71	3	Horizontal	357	2.68	-	34.51	7.25	34.89
AV	5.4506G	46.68	54.00	-7.32	39.83	3	Horizontal	357	2.68	-	34.50	7.24	34.89
PK	5.465G	59.37	68.20	-8.83	52.48	3	Horizontal	357	2.68	-	34.53	7.26	34.90
PK	5.696G	105.99	Inf	-Inf	99.39	3	Horizontal	357	2.68	-	34.11	7.48	34.99
AV	5.6942G	93.88	Inf	-Inf	87.28	3	Horizontal	357	2.68	-	34.11	7.48	34.99
PK	5.85G	62.94	68.20	-5.26	56.14	3	Horizontal	357	2.68	-	34.30	7.57	35.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3798G	54.82	74.00	-19.18	48.23	3	Vertical	263	2.74	-	38.66	11.18	43.25
AV	11.38239G	41.85	54.00	-12.15	35.26	3	Vertical	263	2.74	-	38.66	11.18	43.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38417G	54.95	74.00	-19.05	48.35	3	Horizontal	218	2.48	-	38.67	11.18	43.25
AV	11.38273G	41.89	54.00	-12.11	35.29	3	Horizontal	218	2.48	-	38.67	11.18	43.25

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6514G	68.40	69.24	-0.84	61.71	3	Vertical	40	2.66	-	34.20	7.46	34.97
PK	5.7414G	109.56	Inf	-Inf	102.90	3	Vertical	40	2.66	-	34.18	7.50	35.02
AV	5.7858G	96.64	Inf	-Inf	89.96	3	Vertical	40	2.66	-	34.20	7.52	35.04
PK	5.9652G	60.53	68.20	-7.67	53.39	3	Vertical	40	2.66	-	34.60	7.66	35.12

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5775MHz_TX




EUTZ_1TX
Setting 22
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6484G	63.73	68.20	-4.47	57.04	3	Horizontal	357	2.66	-	34.20	7.46	34.97
PK	5.769G	105.68	Inf	-Inf	98.99	3	Horizontal	357	2.66	-	34.20	7.52	35.03
AV	5.8068G	92.93	Inf	-Inf	86.23	3	Horizontal	357	2.66	-	34.21	7.54	35.05
PK	6.0096G	60.22	68.20	-7.98	53.06	3	Horizontal	357	2.66	-	34.60	7.70	35.14

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5775MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55236G	55.77	74.00	-18.23	48.69	3	Vertical	125	1.18	-	39.10	11.27	43.29
AV	11.5504G	42.82	54.00	-11.18	35.74	3	Vertical	125	1.18	-	39.10	11.27	43.29

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5775MHz_TX




EUTZ_1TX
Setting 24
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55133G	56.55	74.00	-17.45	49.47	3	Horizontal	264	1.98	-	39.10	11.27	43.29
AV	11.5536G	42.75	54.00	-11.25	35.66	3	Horizontal	264	1.98	-	39.11	11.27	43.29

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 17
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	66.98	74.00	-7.02	61.22	3	Vertical	133	2.31	-	33.85	6.76	34.85
AV	5.1474G	49.50	54.00	-4.50	43.57	3	Vertical	133	2.31	-	33.98	6.80	34.85
PK	5.2974G	103.39	Inf	-Inf	96.94	3	Vertical	133	2.31	-	34.29	7.03	34.87
AV	5.325G	90.71	Inf	-Inf	84.18	3	Vertical	133	2.31	-	34.35	7.06	34.88
AV	5.3508G	53.07	54.00	-0.93	46.45	3	Vertical	133	2.31	-	34.40	7.10	34.88
PK	5.4084G	73.45	74.00	-0.55	66.66	3	Vertical	133	2.31	-	34.50	7.18	34.89
PK	5.487G	66.72	68.20	-1.48	59.76	3	Vertical	133	2.31	-	34.57	7.29	34.90

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 17
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	61.49	74.00	-12.51	55.64	3	Horizontal	345	3.00	-	33.92	6.78	34.85
AV	5.1366G	46.42	54.00	-7.58	40.57	3	Horizontal	345	3.00	-	33.92	6.78	34.85
PK	5.2116G	95.96	Inf	-Inf	89.89	3	Horizontal	345	3.00	-	34.02	6.91	34.86
AV	5.2344G	82.80	Inf	-Inf	76.65	3	Horizontal	345	3.00	-	34.07	6.94	34.86
PK	5.4066G	68.15	74.00	-5.85	61.36	3	Horizontal	345	3.00	-	34.50	7.18	34.89
AV	5.4084G	48.52	54.00	-5.48	41.73	3	Horizontal	345	3.00	-	34.50	7.18	34.89
PK	5.514G	61.27	68.20	-6.93	54.32	3	Horizontal	345	3.00	-	34.54	7.32	34.91

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 17
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74923G	55.70	74.00	-18.30	47.38	3	Vertical	337	1.46	-	37.90	12.74	42.32
AV	15.74675G	41.67	54.00	-12.33	33.34	3	Vertical	337	1.46	-	37.91	12.74	42.32

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTZ_1TX
Setting 17
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74741G	55.95	74.00	-18.05	47.62	3	Horizontal	184	1.88	-	37.91	12.74	42.32
AV	15.74518G	41.68	54.00	-12.32	33.36	3	Horizontal	184	1.88	-	37.91	12.74	42.33

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUTZ_1TX
Setting 16
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3306G	59.54	68.20	-8.66	52.99	3	Vertical	126	2.56	-	34.36	7.07	34.88
PK	5.4464G	63.04	74.00	-10.96	56.20	3	Vertical	126	2.56	-	34.50	7.23	34.89
PK	5.4608G	63.86	68.20	-4.34	56.98	3	Vertical	126	2.56	-	34.52	7.25	34.89
AV	5.4596G	48.60	54.00	-5.40	41.72	3	Vertical	126	2.56	-	34.52	7.25	34.89
PK	5.5268G	103.11	Inf	-Inf	96.19	3	Vertical	126	2.56	-	34.49	7.34	34.91
AV	5.5286G	89.77	Inf	-Inf	82.85	3	Vertical	126	2.56	-	34.49	7.34	34.91
PK	5.7266G	67.80	68.20	-0.40	61.16	3	Vertical	126	2.56	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUTZ_1TX
Setting 16
03-S-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	58.73	68.20	-9.47	52.16	3	Horizontal	355	2.83	-	34.37	7.08	34.88
PK	5.4104G	59.67	74.00	-14.33	52.88	3	Horizontal	355	2.83	-	34.50	7.18	34.89
PK	5.4668G	60.59	68.20	-7.61	53.70	3	Horizontal	355	2.83	-	34.53	7.26	34.90
AV	5.4584G	47.26	54.00	-6.74	40.38	3	Horizontal	355	2.83	-	34.52	7.25	34.89
PK	5.5322G	97.29	Inf	-Inf	90.39	3	Horizontal	355	2.83	-	34.47	7.35	34.92
AV	5.5178G	84.64	Inf	-Inf	77.69	3	Horizontal	355	2.83	-	34.53	7.33	34.91
PK	5.7266G	63.95	68.20	-4.25	57.31	3	Horizontal	355	2.83	-	34.15	7.50	35.01

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUTZ_1TX
Setting 16
03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14426G	55.29	74.00	-18.71	49.09	3	Vertical	175	1.50	-	38.31	11.05	43.16			
AV	11.13985G	41.75	54.00	-12.25	35.55	3	Vertical	175	1.50	-	38.32	11.04	43.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUTZ_1TX
Setting 16
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13847G	55.12	74.00	-18.88	48.92	3	Horizontal	20	2.08	-	38.32	11.04	43.16
AV	11.13711G	41.86	54.00	-12.14	35.64	3	Horizontal	20	2.08	-	38.33	11.04	43.15

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 SET 20.5
 17\22.5\20\21\20.5
 5.85\3.82\3.80\0.27\3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.97	74.00	-11.03	56.53	3	Vertical	319	2.00	20.5	32.10	7.24	32.90
AV	5.1491G	50.20	54.00	-3.80	43.76	3	Vertical	319	2.00	20.5	32.10	7.24	32.90
PK	5.1747G	115.50	Inf	-Inf	109.19	3	Vertical	319	2.00	20.5	31.95	7.26	32.90
AV	5.1746G	107.06	Inf	-Inf	100.75	3	Vertical	319	2.00	20.5	31.95	7.26	32.90

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 SET 20.5
 20.5
 5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	67.31	74.00	-6.69	60.90	3	Horizontal	29	2.00	20.5	32.08	7.23	32.90
AV	5.1489G	48.71	54.00	-5.29	42.27	3	Horizontal	29	2.00	20.5	32.10	7.24	32.90
PK	5.1737G	111.18	Inf	-Inf	104.86	3	Horizontal	29	2.00	20.5	31.96	7.26	32.90
AV	5.174G	102.53	Inf	-Inf	96.21	3	Horizontal	29	2.00	20.5	31.96	7.26	32.90

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
Setting 20.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34551G	56.47	68.20	-11.73	49.50	3	Vertical	113	1.54	-	39.97	10.02	43.02
PK	15.53418G	55.88	74.00	-18.12	47.07	3	Vertical	137	2.67	-	38.93	12.45	42.57
AV	15.52632G	43.42	54.00	-10.58	34.60	3	Vertical	137	2.67	-	38.95	12.45	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
Setting 20.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34839G	56.22	68.20	-11.98	49.22	3	Horizontal	121	1.62	-	39.99	10.03	43.02
PK	15.53793G	55.46	74.00	-18.54	46.66	3	Horizontal	32	2.49	-	38.92	12.45	42.57
AV	15.52521G	43.46	54.00	-10.54	34.65	3	Horizontal	32	2.49	-	38.95	12.44	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
 SET 24
 17\23\24
 6.25\3.35\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14974G	67.11	74.00	-6.89	60.67	3	Vertical	319	2.00	24	32.10	7.24	32.90
AV	5.14918G	52.93	54.00	-1.07	46.49	3	Vertical	319	2.00	24	32.10	7.24	32.90
PK	5.19468G	119.50	Inf	-Inf	113.28	3	Vertical	319	2.00	24	31.83	7.28	32.89
AV	5.19454G	110.78	Inf	-Inf	104.56	3	Vertical	319	2.00	24	31.83	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
 SET 24
 24
 4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.23	74.00	-11.77	55.80	3	Horizontal	29	1.80	24	32.09	7.24	32.90
AV	5.14876G	49.40	54.00	-4.60	42.96	3	Horizontal	29	1.80	24	32.10	7.24	32.90
PK	5.1937G	112.88	Inf	-Inf	106.66	3	Horizontal	29	1.80	24	31.84	7.27	32.89
AV	5.19342G	103.74	Inf	-Inf	97.52	3	Horizontal	29	1.80	24	31.84	7.27	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40828G	56.09	68.20	-12.11	48.95	3	Vertical	234	2.81	-	40.12	10.05	43.03
PK	15.58869G	55.68	74.00	-18.32	47.05	3	Vertical	273	2.56	-	38.67	12.47	42.51
AV	15.58953G	43.45	54.00	-10.55	34.82	3	Vertical	273	2.56	-	38.66	12.48	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39376G	57.10	68.20	-11.10	49.99	3	Horizontal	74	2.02	-	40.09	10.05	43.03
PK	15.59028G	54.88	74.00	-19.12	46.25	3	Horizontal	268	1.95	-	38.66	12.48	42.51
AV	15.58503G	43.28	54.00	-10.72	34.63	3	Horizontal	268	1.95	-	38.69	12.47	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
SET 24
17.23.5.24
6.66\6.05\6.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12326G	59.99	74.00	-14.01	53.70	3	Vertical	320	1.80	24	31.99	7.21	32.91
AV	5.149G	47.95	54.00	-6.05	41.51	3	Vertical	320	1.80	24	32.10	7.24	32.90
PK	5.23454G	118.06	Inf	-Inf	112.12	3	Vertical	320	1.80	24	31.52	7.30	32.88
AV	5.24442G	109.71	Inf	-Inf	103.85	3	Vertical	320	1.80	24	31.44	7.30	32.88
PK	5.36584G	59.77	74.00	-14.23	53.85	3	Vertical	320	1.80	24	31.43	7.35	32.86
AV	5.35596G	47.90	54.00	-6.10	42.00	3	Vertical	320	1.80	24	31.41	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
 SET 24
 24
 6.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14536G	59.41	74.00	-14.59	53.00	3	Horizontal	319	1.99	24	32.08	7.23	32.90
AV	5.14874G	47.33	54.00	-6.67	40.90	3	Horizontal	319	1.99	24	32.09	7.24	32.90
PK	5.24286G	114.05	Inf	-Inf	108.17	3	Horizontal	319	1.99	24	31.46	7.30	32.88
AV	5.24286G	105.42	Inf	-Inf	99.54	3	Horizontal	319	1.99	24	31.46	7.30	32.88
PK	5.35544G	59.01	74.00	-14.99	53.11	3	Horizontal	319	1.99	24	31.41	7.35	32.86
AV	5.36792G	46.99	54.00	-7.01	41.05	3	Horizontal	319	1.99	24	31.44	7.36	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49023G	56.04	68.20	-12.16	48.87	3	Vertical	76	2.24	-	40.12	10.09	43.04
PK	15.729G	55.49	74.00	-18.51	47.03	3	Vertical	27	1.64	-	38.26	12.54	42.34
AV	15.72099G	42.78	54.00	-11.22	34.35	3	Vertical	27	1.64	-	38.24	12.54	42.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48678G	55.67	68.20	-12.53	48.49	3	Horizontal	349	2.85	-	40.13	10.09	43.04
PK	15.71826G	54.77	74.00	-19.23	46.35	3	Horizontal	245	1.15	-	38.24	12.54	42.36
AV	15.72459G	42.76	54.00	-11.24	34.32	3	Horizontal	245	1.15	-	38.25	12.54	42.35

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 24
17.23.5.24
6.66\5.70\5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14768G	60.04	74.00	-13.96	53.61	3	Vertical	319	2.00	24	32.09	7.24	32.90
AV	5.14378G	48.11	54.00	-5.89	41.70	3	Vertical	319	2.00	24	32.08	7.23	32.90
PK	5.2548G	118.83	Inf	-Inf	113.02	3	Vertical	319	2.00	24	31.39	7.30	32.88
AV	5.26468G	110.21	Inf	-Inf	104.41	3	Vertical	319	2.00	24	31.37	7.31	32.88
PK	5.35178G	60.38	74.00	-13.62	54.49	3	Vertical	319	2.00	24	31.40	7.35	32.86
AV	5.3848G	48.10	54.00	-5.90	42.12	3	Vertical	319	2.00	24	31.47	7.36	32.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 24
24
6.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1417G	58.74	74.00	-15.26	52.34	3	Horizontal	32	1.80	24	32.07	7.23	32.90
AV	5.14378G	47.30	54.00	-6.70	40.89	3	Horizontal	32	1.80	24	32.08	7.23	32.90
PK	5.25376G	112.38	Inf	-Inf	106.57	3	Horizontal	32	1.80	24	31.39	7.30	32.88
AV	5.25324G	103.32	Inf	-Inf	97.51	3	Horizontal	32	1.80	24	31.39	7.30	32.88
PK	5.38324G	58.78	74.00	-15.22	52.80	3	Horizontal	32	1.80	24	31.47	7.36	32.85
AV	5.377G	46.83	54.00	-7.17	40.87	3	Horizontal	32	1.80	24	31.45	7.36	32.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51463G	55.73	68.20	-12.47	48.57	3	Vertical	40	1.05	-	40.10	10.10	43.04
PK	15.77919G	54.69	74.00	-19.31	46.11	3	Vertical	159	1.96	-	38.30	12.57	42.29
AV	15.79404G	42.45	54.00	-11.55	33.85	3	Vertical	159	1.96	-	38.30	12.57	42.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52024G	55.80	68.20	-12.40	48.63	3	Horizontal	123	2.49	-	40.10	10.11	43.04
PK	15.79368G	54.90	74.00	-19.10	46.30	3	Horizontal	170	2.42	-	38.30	12.57	42.27
AV	15.78906G	42.40	54.00	-11.60	33.80	3	Horizontal	170	2.42	-	38.30	12.57	42.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 SET 22.5
 17\23.5\20.5\22\22.5\24\22.5
 6.69\ -1.82\4.56\4.43\4.58\ -2.19\4.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29468G	117.12	Inf	-Inf	111.36	3	Vertical	318	2.00	22.5	31.31	7.32	32.87
AV	5.30476G	108.55	Inf	-Inf	102.78	3	Vertical	318	2.00	22.5	31.31	7.33	32.87
PK	5.35012G	63.13	74.00	-10.87	57.24	3	Vertical	318	2.00	22.5	31.40	7.35	32.86
AV	5.35G	49.26	54.00	-4.74	43.37	3	Vertical	318	2.00	22.5	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 SET 22.5
 22.5
 6.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29748G	111.80	Inf	-Inf	106.04	3	Horizontal	320	2.00	22.5	31.31	7.32	32.87
AV	5.29286G	103.09	Inf	-Inf	97.33	3	Horizontal	320	2.00	22.5	31.31	7.32	32.87
PK	5.35978G	59.49	74.00	-14.51	53.58	3	Horizontal	320	2.00	22.5	31.42	7.35	32.86
AV	5.3518G	47.28	54.00	-6.72	41.39	3	Horizontal	320	2.00	22.5	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 22.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60426G	55.69	74.00	-18.31	48.39	3	Vertical	118	1.61	-	40.20	10.15	43.05
AV	10.61323G	43.61	54.00	-10.39	36.31	3	Vertical	118	1.61	-	40.20	10.15	43.05
PK	15.88797G	54.54	74.00	-19.46	46.06	3	Vertical	184	2.66	-	38.02	12.62	42.16
AV	15.91443G	42.73	54.00	-11.27	34.26	3	Vertical	184	2.66	-	37.97	12.63	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 22.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60441G	55.69	74.00	-18.31	48.39	3	Horizontal	57	2.79	-	40.20	10.15	43.05
AV	10.61014G	43.66	54.00	-10.34	36.36	3	Horizontal	57	2.79	-	40.20	10.15	43.05
PK	15.89226G	55.32	74.00	-18.68	46.83	3	Horizontal	348	2.71	-	38.02	12.62	42.15
AV	15.91227G	42.70	54.00	-11.30	34.22	3	Horizontal	348	2.71	-	37.98	12.63	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
 SET 19
 17\22.5\20\19\19.5\19
 5.59\ -7.57\ -1.03\ 2.37\ -1.11\ 2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3247G	114.33	Inf	-Inf	108.51	3	Vertical	316	2.00	19	31.35	7.34	32.87
AV	5.3247G	105.99	Inf	-Inf	100.17	3	Vertical	316	2.00	19	31.35	7.34	32.87
PK	5.3505G	64.97	74.00	-9.03	59.08	3	Vertical	316	2.00	19	31.40	7.35	32.86
AV	5.35G	51.63	54.00	-2.37	45.74	3	Vertical	316	2.00	19	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
 SET 19
 19
 6.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	109.02	Inf	-Inf	103.22	3	Horizontal	318	2.00	19	31.34	7.33	32.87
AV	5.3228G	99.96	Inf	-Inf	94.14	3	Horizontal	318	2.00	19	31.35	7.34	32.87
PK	5.3524G	60.51	74.00	-13.49	54.62	3	Horizontal	318	2.00	19	31.40	7.35	32.86
AV	5.3523G	47.68	54.00	-6.32	41.79	3	Horizontal	318	2.00	19	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62626G	55.73	74.00	-18.27	48.43	3	Vertical	114	1.31	-	40.20	10.16	43.06
AV	10.62686G	43.72	54.00	-10.28	36.42	3	Vertical	114	1.31	-	40.20	10.16	43.06
PK	15.97089G	54.76	74.00	-19.24	46.26	3	Vertical	204	1.39	-	37.90	12.66	42.06
AV	15.97128G	43.09	54.00	-10.91	34.59	3	Vertical	204	1.39	-	37.90	12.66	42.06

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
Setting 19
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63145G	55.51	74.00	-18.49	48.21	3	Horizontal	180	2.70	-	40.20	10.16	43.06
AV	10.62947G	43.70	54.00	-10.30	36.40	3	Horizontal	180	2.70	-	40.20	10.16	43.06
PK	15.94779G	54.99	74.00	-19.01	46.53	3	Horizontal	321	2.06	-	37.90	12.65	42.09
AV	15.97182G	43.05	54.00	-10.95	34.55	3	Horizontal	321	2.06	-	37.90	12.66	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_X_2TX
 SET 20.5
 19\24\21.5\20.5\21\20.5
 5.69\ -8.76\ -7.60\3.24\ -4.03\3.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	60.70	74.00	-13.30	54.39	3	Vertical	318	2.00	20.5	31.74	7.41	32.84
AV	5.46G	48.70	54.00	-5.30	42.38	3	Vertical	318	2.00	20.5	31.74	7.42	32.84
PK	5.4695G	64.71	68.20	-3.49	58.35	3	Vertical	318	2.00	20.5	31.78	7.42	32.84
PK	5.4947G	115.73	Inf	-Inf	109.24	3	Vertical	318	2.00	20.5	31.88	7.44	32.83
AV	5.4947G	107.25	Inf	-Inf	100.76	3	Vertical	318	2.00	20.5	31.88	7.44	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_X_2TX
 SET 20
 20.5\18.5\19.5\20
 -1.52\6.55\6.34\6.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.22	74.00	-13.78	53.94	3	Horizontal	322	2.00	20	31.71	7.41	32.84
AV	5.4588G	47.45	54.00	-6.55	41.14	3	Horizontal	322	2.00	20	31.74	7.41	32.84
PK	5.4674G	61.70	68.20	-6.50	55.35	3	Horizontal	322	2.00	20	31.77	7.42	32.84
PK	5.4975G	110.62	Inf	-Inf	104.12	3	Horizontal	322	2.00	20	31.89	7.44	32.83
AV	5.4927G	101.64	Inf	-Inf	95.16	3	Horizontal	322	2.00	20	31.87	7.44	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9943G	55.34	74.00	-18.66	47.85	3	Vertical	222	2.53	-	40.02	10.57	43.10
AV	10.99919G	42.90	54.00	-11.10	35.43	3	Vertical	222	2.53	-	40.00	10.57	43.10
PK	16.4853G	56.77	68.20	-11.43	46.28	3	Vertical	62	1.35	-	39.14	12.96	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



EUT_X_2TX
SET 19
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00744G	55.58	74.00	-18.42	48.12	3	Horizontal	214	2.88	-	39.99	10.57	43.10
AV	10.98848G	43.03	54.00	-10.97	35.52	3	Horizontal	214	2.88	-	40.05	10.56	43.10
PK	16.51353G	57.39	68.20	-10.81	46.88	3	Horizontal	145	1.21	-	39.15	12.97	41.61