


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
 Setting 24
 18\24
 7.006.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29328G	108.51	Inf	-Inf	102.75	3	Vertical	67	1.80	28	31.31	7.32	32.87
AV	5.29314G	99.47	Inf	-Inf	93.71	3	Vertical	67	1.80	28	31.31	7.32	32.87
PK	5.35768G	59.70	74.00	-14.30	53.79	3	Vertical	67	1.80	28	31.42	7.35	32.86
AV	5.35558G	47.25	54.00	-6.75	41.35	3	Vertical	67	1.80	28	31.41	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 24
24
5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	115.73	Inf	-Inf	109.96	3	Horizontal	335	1.80	28	31.31	7.33	32.87
AV	5.29286G	106.14	Inf	-Inf	100.38	3	Horizontal	335	1.80	28	31.31	7.32	32.87
PK	5.35012G	64.44	74.00	-9.56	58.55	3	Horizontal	335	1.80	28	31.40	7.35	32.86
AV	5.35012G	48.62	54.00	-5.38	42.73	3	Horizontal	335	1.80	28	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61278G	55.76	74.00	-18.24	48.46	3	Vertical	307	2.17	-	40.20	10.15	43.05
AV	10.61437G	43.57	54.00	-10.43	36.27	3	Vertical	307	2.17	-	40.20	10.15	43.05
PK	15.8937G	55.78	74.00	-18.22	47.30	3	Vertical	161	2.37	-	38.01	12.62	42.15
AV	15.9129G	42.79	54.00	-11.21	34.32	3	Vertical	161	2.37	-	37.97	12.63	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60831G	55.82	74.00	-18.18	48.52	3	Horizontal	9	2.34	-	40.20	10.15	43.05
AV	10.61275G	43.55	54.00	-10.45	36.25	3	Horizontal	9	2.34	-	40.20	10.15	43.05
PK	15.90141G	54.75	74.00	-19.25	46.27	3	Horizontal	22	2.59	-	38.00	12.62	42.14
AV	15.91176G	42.70	54.00	-11.30	34.22	3	Horizontal	22	2.59	-	37.98	12.63	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
 SET 28
 18\24.5\27.5\28
 6.91\1.80\1.80\1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3161G	108.58	Inf	-Inf	102.79	3	Vertical	61	1.80	28	31.33	7.33	32.87
AV	5.3131G	99.02	Inf	-Inf	93.23	3	Vertical	61	1.80	28	31.33	7.33	32.87
PK	5.3509G	65.97	74.00	-8.03	60.08	3	Vertical	61	1.80	28	31.40	7.35	32.86
AV	5.35G	52.20	54.00	-1.80	46.31	3	Vertical	61	1.80	28	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
 SET 20
 28\21.5\18.5\20\20.5\20
 -6.47\ -3.58\5.76\1.68\ -0.35\1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3134G	114.32	Inf	-Inf	108.53	3	Horizontal	54	2.00	20	31.33	7.33	32.87
AV	5.3129G	105.31	Inf	-Inf	99.52	3	Horizontal	54	2.00	20	31.33	7.33	32.87
PK	5.3525G	67.20	74.00	-6.80	61.30	3	Horizontal	54	2.00	20	31.41	7.35	32.86
AV	5.35G	52.20	54.00	-1.80	46.31	3	Horizontal	54	2.00	20	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65437G	55.68	74.00	-18.32	48.37	3	Vertical	7	2.22	-	40.20	10.17	43.06
AV	10.62785G	43.58	54.00	-10.42	36.28	3	Vertical	7	2.22	-	40.20	10.16	43.06
PK	15.94851G	55.26	74.00	-18.74	46.80	3	Vertical	8	2.55	-	37.90	12.65	42.09
AV	15.97116G	43.05	54.00	-10.95	34.55	3	Vertical	8	2.55	-	37.90	12.66	42.06

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65029G	55.43	74.00	-18.57	48.12	3	Horizontal	101	2.09	-	40.20	10.17	43.06
AV	10.63565G	43.63	54.00	-10.37	36.33	3	Horizontal	101	2.09	-	40.20	10.16	43.06
PK	15.94872G	55.10	74.00	-18.90	46.64	3	Horizontal	270	2.52	-	37.90	12.65	42.09
AV	15.96582G	43.19	54.00	-10.81	34.71	3	Horizontal	270	2.52	-	37.90	12.65	42.07

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
 SET 23
 18\24\21\22.5\23\23.5\23
 6.10\1.02\5.48\1.83\0.85\0.14\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	67.56	74.00	-6.44	61.12	3	Vertical	67	1.80	23	32.10	7.24	32.90
AV	5.15G	53.27	54.00	-0.73	46.83	3	Vertical	67	1.80	23	32.10	7.24	32.90
PK	5.182G	109.01	Inf	-Inf	102.73	3	Vertical	67	1.80	23	31.91	7.26	32.89
AV	5.1721G	98.61	Inf	-Inf	92.28	3	Vertical	67	1.80	23	31.97	7.26	32.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
 SET 21
 23\16.5\19.5\21\21.5\21
 -6.21\5.48\4.73\2.23\0.14\2.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1467G	64.95	74.00	-9.05	58.53	3	Horizontal	336	2.00	21	32.09	7.23	32.90
AV	5.1495G	51.64	54.00	-2.36	45.20	3	Horizontal	336	2.00	21	32.10	7.24	32.90
PK	5.1727G	113.56	Inf	-Inf	107.24	3	Horizontal	336	2.00	21	31.96	7.26	32.90
AV	5.1718G	104.45	Inf	-Inf	98.12	3	Horizontal	336	2.00	21	31.97	7.26	32.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36735G	55.22	68.20	-12.98	48.18	3	Vertical	236	1.39	-	40.03	10.03	43.02
PK	15.53409G	55.01	74.00	-18.99	46.20	3	Vertical	297	2.55	-	38.93	12.45	42.57
AV	15.52515G	42.90	54.00	-11.10	34.09	3	Vertical	297	2.55	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTY_1TX
Setting 21
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37335G	56.35	68.20	-11.85	49.28	3	Horizontal	332	2.17	-	40.05	10.04	43.02
PK	15.5262G	55.66	74.00	-18.34	46.85	3	Horizontal	260	2.16	-	38.95	12.44	42.58
AV	15.525G	43.11	54.00	-10.89	34.30	3	Horizontal	260	2.16	-	38.95	12.44	42.58

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.37	74.00	-11.63	55.94	3	Vertical	66	1.80	28	32.09	7.24	32.90
AV	5.15G	48.71	54.00	-5.29	42.27	3	Vertical	66	1.80	28	32.10	7.24	32.90
PK	5.19524G	110.98	Inf	-Inf	104.76	3	Vertical	66	1.80	28	31.83	7.28	32.89
AV	5.193G	100.69	Inf	-Inf	94.47	3	Vertical	66	1.80	28	31.84	7.27	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
24
2.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14764G	69.75	74.00	-4.25	63.32	3	Horizontal	334	1.80	28	32.09	7.24	32.90
AV	5.14946G	51.77	54.00	-2.23	45.33	3	Horizontal	334	1.80	28	32.10	7.24	32.90
PK	5.20182G	117.21	Inf	-Inf	111.03	3	Horizontal	334	1.80	28	31.79	7.28	32.89
AV	5.20812G	107.55	Inf	-Inf	101.42	3	Horizontal	334	1.80	28	31.74	7.28	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40267G	56.14	68.20	-12.06	49.01	3	Vertical	148	1.66	-	40.11	10.05	43.03
PK	15.58755G	55.06	74.00	-18.94	46.43	3	Vertical	338	1.80	-	38.67	12.47	42.51
AV	15.58569G	43.33	54.00	-10.67	34.68	3	Vertical	338	1.80	-	38.69	12.47	42.51

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41464G	55.77	68.20	-12.43	48.61	3	Horizontal	28	2.27	-	40.13	10.06	43.03
PK	15.59061G	55.57	74.00	-18.43	46.93	3	Horizontal	220	1.42	-	38.66	12.48	42.50
AV	15.59223G	43.21	54.00	-10.79	34.58	3	Horizontal	220	1.42	-	38.65	12.48	42.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
 Setting 24
 18\24
 6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1347G	60.11	74.00	-13.89	53.75	3	Vertical	67	1.80	28	32.04	7.22	32.90
AV	5.149G	47.69	54.00	-6.31	41.25	3	Vertical	67	1.80	28	32.10	7.24	32.90
PK	5.2387G	109.35	Inf	-Inf	103.44	3	Vertical	67	1.80	28	31.49	7.30	32.88
AV	5.2361G	99.85	Inf	-Inf	93.92	3	Vertical	67	1.80	28	31.51	7.30	32.88
PK	5.36038G	59.39	74.00	-14.61	53.48	3	Vertical	67	1.80	28	31.42	7.35	32.86
AV	5.35128G	47.00	54.00	-7.00	41.11	3	Vertical	67	1.80	28	31.40	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
24
5.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1243G	60.19	74.00	-13.81	53.88	3	Horizontal	335	1.80	28	32.00	7.22	32.91
AV	5.149G	48.32	54.00	-5.68	41.88	3	Horizontal	335	1.80	28	32.10	7.24	32.90
PK	5.2335G	116.68	Inf	-Inf	110.73	3	Horizontal	335	1.80	28	31.53	7.30	32.88
AV	5.24156G	106.95	Inf	-Inf	101.06	3	Horizontal	335	1.80	28	31.47	7.30	32.88
PK	5.36558G	59.32	74.00	-14.68	53.40	3	Horizontal	335	1.80	28	31.43	7.35	32.86
AV	5.35154G	47.22	54.00	-6.78	41.33	3	Horizontal	335	1.80	28	31.40	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48948G	54.69	68.20	-13.51	47.52	3	Vertical	165	2.15	-	40.12	10.09	43.04
PK	15.71586G	55.14	74.00	-18.86	46.73	3	Vertical	187	2.13	-	38.23	12.54	42.36
AV	15.72195G	42.99	54.00	-11.01	34.56	3	Vertical	187	2.13	-	38.24	12.54	42.35

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48714G	55.46	68.20	-12.74	48.28	3	Horizontal	335	1.23	-	40.13	10.09	43.04
PK	15.71238G	55.22	74.00	-18.78	46.83	3	Horizontal	240	1.07	-	38.22	12.53	42.36
AV	15.72345G	42.91	54.00	-11.09	34.47	3	Horizontal	240	1.07	-	38.25	12.54	42.35

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13052G	60.13	74.00	-13.87	53.79	3	Vertical	60	1.80	28	32.02	7.22	32.90
AV	5.14898G	47.69	54.00	-6.31	41.25	3	Vertical	60	1.80	28	32.10	7.24	32.90
PK	5.25714G	109.59	Inf	-Inf	103.77	3	Vertical	60	1.80	28	31.39	7.31	32.88
AV	5.2522G	100.16	Inf	-Inf	94.34	3	Vertical	60	1.80	28	31.40	7.30	32.88
PK	5.38064G	59.21	74.00	-14.79	53.24	3	Vertical	60	1.80	28	31.46	7.36	32.85
AV	5.38506G	47.23	54.00	-6.77	41.25	3	Vertical	60	1.80	28	31.47	7.36	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 24
24
5.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13728G	61.28	74.00	-12.72	54.90	3	Horizontal	336	1.80	28	32.05	7.23	32.90
AV	5.1482G	48.31	54.00	-5.69	41.88	3	Horizontal	336	1.80	28	32.09	7.24	32.90
PK	5.25272G	115.79	Inf	-Inf	109.98	3	Horizontal	336	1.80	28	31.39	7.30	32.88
AV	5.25194G	106.61	Inf	-Inf	100.79	3	Horizontal	336	1.80	28	31.40	7.30	32.88
PK	5.36764G	60.51	74.00	-13.49	54.57	3	Horizontal	336	1.80	28	31.44	7.36	32.86
AV	5.39G	47.28	54.00	-6.72	41.28	3	Horizontal	336	1.80	28	31.48	7.37	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52573G	54.98	68.20	-13.22	47.81	3	Vertical	98	1.32	-	40.10	10.11	43.04
PK	15.76536G	54.77	74.00	-19.23	46.21	3	Vertical	82	1.39	-	38.30	12.56	42.30
AV	15.79278G	42.56	54.00	-11.44	33.96	3	Vertical	82	1.39	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51904G	55.20	68.20	-13.00	48.03	3	Horizontal	67	1.11	-	40.10	10.11	43.04
PK	15.78939G	54.96	74.00	-19.04	46.36	3	Horizontal	225	1.60	-	38.30	12.57	42.27
AV	15.78909G	42.56	54.00	-11.44	33.96	3	Horizontal	225	1.60	-	38.30	12.57	42.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
 Setting 24
 18\24.5
 6.88\6.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30196G	108.99	Inf	-Inf	103.23	3	Vertical	56	2.00	28	31.30	7.33	32.87
AV	5.2923G	99.07	Inf	-Inf	93.30	3	Vertical	56	2.00	28	31.32	7.32	32.87
PK	5.35G	60.94	74.00	-13.06	55.05	3	Vertical	56	2.00	28	31.40	7.35	32.86
AV	5.35012G	47.84	54.00	-6.16	41.95	3	Vertical	56	2.00	28	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 24
24
4.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29608G	115.00	Inf	-Inf	109.24	3	Horizontal	336	1.80	28	31.31	7.32	32.87
AV	5.29188G	105.59	Inf	-Inf	99.82	3	Horizontal	336	1.80	28	31.32	7.32	32.87
PK	5.35194G	65.80	74.00	-8.20	59.91	3	Horizontal	336	1.80	28	31.40	7.35	32.86
AV	5.35G	49.49	54.00	-4.51	43.60	3	Horizontal	336	1.80	28	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58602G	55.82	68.20	-12.38	48.56	3	Vertical	275	1.83	-	40.17	10.14	43.05
AV	10.60969G	43.57	54.00	-10.43	36.27	3	Vertical	275	1.83	-	40.20	10.15	43.05
PK	15.9G	54.58	74.00	-19.42	46.11	3	Vertical	324	2.45	-	38.00	12.62	42.15
AV	15.91173G	42.85	54.00	-11.15	34.37	3	Vertical	324	2.45	-	37.98	12.63	42.13

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60699G	55.56	74.00	-18.44	48.26	3	Horizontal	113	1.75	-	40.20	10.15	43.05
AV	10.61218G	43.52	54.00	-10.48	36.22	3	Horizontal	113	1.75	-	40.20	10.15	43.05
PK	15.89958G	55.05	74.00	-18.95	46.58	3	Horizontal	86	2.06	-	38.00	12.62	42.15
AV	15.91221G	42.90	54.00	-11.10	34.42	3	Horizontal	86	2.06	-	37.98	12.63	42.13

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
 SET 22
 18\24.5\21.5\23\22.5\22
 6.79\ -0.35\1.56\ -0.35\ -0.16\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3225G	108.32	Inf	-Inf	102.51	3	Vertical	56	2.00	22	31.34	7.34	32.87
AV	5.3226G	98.56	Inf	-Inf	92.74	3	Vertical	56	2.00	22	31.35	7.34	32.87
PK	5.3526G	67.68	74.00	-6.32	61.78	3	Vertical	56	2.00	22	31.41	7.35	32.86
AV	5.35G	53.45	54.00	-0.55	47.56	3	Vertical	56	2.00	22	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT Y_1TX
 SET 20
 22\16\19\20.5\20
 -5.88\6.54\4.68\ -1.51\0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	114.32	Inf	-Inf	108.52	3	Horizontal	56	2.00	20	31.34	7.33	32.87
AV	5.3121G	104.67	Inf	-Inf	98.89	3	Horizontal	56	2.00	20	31.32	7.33	32.87
PK	5.3522G	67.94	74.00	-6.06	62.05	3	Horizontal	56	2.00	20	31.40	7.35	32.86
AV	5.35G	53.34	54.00	-0.66	47.45	3	Horizontal	56	2.00	20	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65461G	55.99	74.00	-18.01	48.68	3	Vertical	123	2.01	-	40.20	10.17	43.06
AV	10.62641G	43.62	54.00	-10.38	36.32	3	Vertical	123	2.01	-	40.20	10.16	43.06
PK	15.95034G	55.26	74.00	-18.74	46.80	3	Vertical	320	1.22	-	37.90	12.65	42.09
AV	15.96105G	43.34	54.00	-10.66	34.87	3	Vertical	320	1.22	-	37.90	12.65	42.08

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
Setting 20
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63598G	55.12	74.00	-18.88	47.82	3	Horizontal	96	1.31	-	40.20	10.16	43.06
AV	10.62653G	43.46	54.00	-10.54	36.16	3	Horizontal	96	1.31	-	40.20	10.16	43.06
PK	15.96375G	55.26	74.00	-18.74	46.78	3	Horizontal	332	2.69	-	37.90	12.65	42.07
AV	15.97068G	43.28	54.00	-10.72	34.78	3	Horizontal	332	2.69	-	37.90	12.66	42.06

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 SET 28
 18\24\27\28
 6.31\4.20\2.79\2.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.96	74.00	-8.04	59.52	3	Vertical	54	2.00	28	32.10	7.24	32.90
AV	5.15G	51.36	54.00	-2.64	44.92	3	Vertical	54	2.00	28	32.10	7.24	32.90
PK	5.19252G	110.20	Inf	-Inf	103.98	3	Vertical	54	2.00	28	31.84	7.27	32.89
AV	5.18208G	100.67	Inf	-Inf	94.39	3	Vertical	54	2.00	28	31.91	7.26	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
 SET 23.5
 28\25\23.5\24\23.5
 -2.94\ -3.01\ 1.70\ -0.73\ 1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	71.32	74.00	-2.68	64.88	3	Horizontal	336	1.80	23.5	32.10	7.24	32.90
AV	5.15G	52.43	54.00	-1.57	45.99	3	Horizontal	336	1.80	23.5	32.10	7.24	32.90
PK	5.19168G	115.88	Inf	-Inf	109.65	3	Horizontal	336	1.80	23.5	31.85	7.27	32.89
AV	5.19744G	106.19	Inf	-Inf	99.98	3	Horizontal	336	1.80	23.5	31.82	7.28	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTY_1TX
 Setting 23.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37007G	55.84	68.20	-12.36	48.78	3	Vertical	332	1.23	-	40.04	10.04	43.02
PK	15.56121G	54.98	74.00	-19.02	46.23	3	Vertical	125	1.07	-	38.83	12.46	42.54
AV	15.5793G	43.25	54.00	-10.75	34.58	3	Vertical	125	1.07	-	38.72	12.47	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUTY_1TX
 Setting 23.5
 06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38072G	56.02	68.20	-12.18	48.95	3	Horizontal	92	2.85	-	40.06	10.04	43.03
PK	15.561G	55.17	74.00	-18.83	46.42	3	Horizontal	268	1.40	-	38.83	12.46	42.54
AV	15.58215G	43.15	54.00	-10.85	34.48	3	Horizontal	268	1.40	-	38.71	12.47	42.51

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
 Setting 24
 18\24
 6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12288G	60.79	74.00	-13.21	54.50	3	Vertical	66	1.80	28	31.99	7.21	32.91
AV	5.14888G	47.69	54.00	-6.31	41.25	3	Vertical	66	1.80	28	32.10	7.24	32.90
PK	5.22402G	109.76	Inf	-Inf	103.75	3	Vertical	66	1.80	28	31.61	7.29	32.89
AV	5.23754G	100.45	Inf	-Inf	94.53	3	Vertical	66	1.80	28	31.50	7.30	32.88
PK	5.35298G	59.56	74.00	-14.44	53.66	3	Vertical	66	1.80	28	31.41	7.35	32.86
AV	5.3574G	47.04	54.00	-6.96	41.14	3	Vertical	66	1.80	28	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 24
24
5.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1403G	60.93	74.00	-13.07	54.54	3	Horizontal	335	1.80	28	32.06	7.23	32.90
AV	5.14628G	48.49	54.00	-5.51	42.07	3	Horizontal	335	1.80	28	32.09	7.23	32.90
PK	5.23546G	116.97	Inf	-Inf	111.03	3	Horizontal	335	1.80	28	31.52	7.30	32.88
AV	5.2378G	107.06	Inf	-Inf	101.14	3	Horizontal	335	1.80	28	31.50	7.30	32.88
PK	5.35948G	59.22	74.00	-14.78	53.31	3	Horizontal	335	1.80	28	31.42	7.35	32.86
AV	5.35662G	47.25	54.00	-6.75	41.35	3	Horizontal	335	1.80	28	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44716G	55.37	68.20	-12.83	48.14	3	Vertical	185	2.87	-	40.19	10.07	43.03
PK	15.67539G	53.68	74.00	-20.32	45.42	3	Vertical	212	1.44	-	38.15	12.52	42.41
AV	15.70398G	42.16	54.00	-11.84	33.79	3	Vertical	212	1.44	-	38.21	12.53	42.37

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45784G	54.79	68.20	-13.41	47.56	3	Horizontal	335	2.67	-	40.18	10.08	43.03
PK	15.68937G	54.51	74.00	-19.49	46.20	3	Horizontal	123	1.18	-	38.18	12.52	42.39
AV	15.699G	42.18	54.00	-11.82	33.83	3	Horizontal	123	1.18	-	38.20	12.53	42.38

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTY_1TX
Setting 24
18\24
6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	60.14	74.00	-13.86	53.76	3	Vertical	60	1.80	28	32.05	7.23	32.90
AV	5.14876G	47.69	54.00	-6.31	41.25	3	Vertical	60	1.80	28	32.10	7.24	32.90
PK	5.26748G	109.63	Inf	-Inf	103.83	3	Vertical	60	1.80	28	31.37	7.31	32.88
AV	5.26216G	100.35	Inf	-Inf	94.54	3	Vertical	60	1.80	28	31.38	7.31	32.88
PK	5.36268G	59.52	74.00	-14.48	53.60	3	Vertical	60	1.80	28	31.43	7.35	32.86
AV	5.40496G	47.40	54.00	-6.60	41.36	3	Vertical	60	1.80	28	31.52	7.37	32.85

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 24
24
5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13476G	60.26	74.00	-13.74	53.90	3	Horizontal	335	1.80	28	32.04	7.22	32.90
AV	5.14876G	48.11	54.00	-5.89	41.67	3	Horizontal	335	1.80	28	32.10	7.24	32.90
PK	5.27728G	115.81	Inf	-Inf	110.02	3	Horizontal	335	1.80	28	31.35	7.31	32.87
AV	5.26188G	106.34	Inf	-Inf	100.53	3	Horizontal	335	1.80	28	31.38	7.31	32.88
PK	5.35G	59.38	74.00	-14.62	53.49	3	Horizontal	335	1.80	28	31.40	7.35	32.86
AV	5.36548G	47.31	54.00	-6.69	41.39	3	Horizontal	335	1.80	28	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54312G	56.11	68.20	-12.09	48.94	3	Vertical	292	2.15	-	40.10	10.12	43.05
PK	15.8247G	54.51	74.00	-19.49	45.95	3	Vertical	296	1.50	-	38.20	12.59	42.23
AV	15.81543G	42.17	54.00	-11.83	33.59	3	Vertical	296	1.50	-	38.24	12.58	42.24

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53439G	55.86	68.20	-12.34	48.69	3	Horizontal	171	2.24	-	40.10	10.11	43.04
PK	15.80328G	54.61	74.00	-19.39	46.00	3	Horizontal	167	1.15	-	38.29	12.58	42.26
AV	15.8226G	42.20	54.00	-11.80	33.64	3	Horizontal	167	1.15	-	38.21	12.59	42.24

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
 SET 28
 18\24.5\27.5\28
 6.87\4.18\4.02\4.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31552G	108.60	Inf	-Inf	102.81	3	Vertical	57	1.80	28	31.33	7.33	32.87
AV	5.30388G	98.66	Inf	-Inf	92.89	3	Vertical	57	1.80	28	31.31	7.33	32.87
PK	5.35044G	64.48	74.00	-9.52	58.59	3	Vertical	57	1.80	28	31.40	7.35	32.86
AV	5.35G	49.82	54.00	-4.18	43.93	3	Vertical	57	1.80	28	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
 SET 22
 28\25.5\24.5\24\23.5\23\22.5\22
 -2.08\ -2.16\ -2.00\ -2.16\ -2.16\ -2.16\ -0.54\ 2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31204G	116.07	Inf	-Inf	110.29	3	Horizontal	56	2.00	22	31.32	7.33	32.87
AV	5.31264G	106.23	Inf	-Inf	100.44	3	Horizontal	56	2.00	22	31.33	7.33	32.87
PK	5.35G	67.09	74.00	-6.91	61.20	3	Horizontal	56	2.00	22	31.40	7.35	32.86
AV	5.35008G	51.82	54.00	-2.18	45.93	3	Horizontal	56	2.00	22	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTY_1TX
Setting 22
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61796G	56.07	74.00	-17.93	48.77	3	Vertical	167	1.09	-	40.20	10.15	43.05
AV	10.62021G	43.66	54.00	-10.34	36.36	3	Vertical	167	1.09	-	40.20	10.15	43.05
PK	15.92715G	54.63	74.00	-19.37	46.15	3	Vertical	145	1.69	-	37.95	12.64	42.11
AV	15.93981G	42.52	54.00	-11.48	34.06	3	Vertical	145	1.69	-	37.92	12.64	42.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTY_1TX
Setting 22
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60569G	56.12	74.00	-17.88	48.82	3	Horizontal	230	1.09	-	40.20	10.15	43.05
AV	10.61865G	43.64	54.00	-10.36	36.34	3	Horizontal	230	1.09	-	40.20	10.15	43.05
PK	15.92988G	54.63	74.00	-19.37	46.16	3	Horizontal	265	1.55	-	37.94	12.64	42.11
AV	15.94221G	42.51	54.00	-11.49	34.05	3	Horizontal	265	1.55	-	37.92	12.64	42.10

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.09928G	59.75	74.00	-14.25	53.57	3	Vertical	54	1.99	28	31.90	7.19	32.91
AV	5.14984G	47.91	54.00	-6.09	41.47	3	Vertical	54	1.99	28	32.10	7.24	32.90
PK	5.21256G	110.42	Inf	-Inf	104.32	3	Vertical	54	1.99	28	31.70	7.29	32.89
AV	5.21672G	101.19	Inf	-Inf	95.12	3	Vertical	54	1.99	28	31.67	7.29	32.89
PK	5.36264G	59.30	74.00	-14.70	53.38	3	Vertical	54	1.99	28	31.43	7.35	32.86
AV	5.3588G	47.05	54.00	-6.95	41.14	3	Vertical	54	1.99	28	31.42	7.35	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 24
24
4.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	62.14	74.00	-11.86	55.70	3	Horizontal	334	1.80	28	32.10	7.24	32.90
AV	5.1492G	49.80	54.00	-4.20	43.36	3	Horizontal	334	1.80	28	32.10	7.24	32.90
PK	5.21288G	117.43	Inf	-Inf	111.33	3	Horizontal	334	1.80	28	31.70	7.29	32.89
AV	5.21672G	107.61	Inf	-Inf	101.54	3	Horizontal	334	1.80	28	31.67	7.29	32.89
PK	5.35816G	58.77	74.00	-15.23	52.86	3	Horizontal	334	1.80	28	31.42	7.35	32.86
AV	5.36904G	47.13	54.00	-6.87	41.19	3	Horizontal	334	1.80	28	31.44	7.36	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42693G	56.12	68.20	-12.08	48.94	3	Vertical	245	2.52	-	40.15	10.06	43.03
PK	15.61728G	54.69	74.00	-19.31	46.24	3	Vertical	31	1.62	-	38.43	12.49	42.47
AV	15.61584G	42.50	54.00	-11.50	34.05	3	Vertical	31	1.62	-	38.44	12.49	42.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40647G	55.68	68.20	-12.52	48.55	3	Horizontal	315	2.31	-	40.11	10.05	43.03
PK	15.61686G	54.43	74.00	-19.57	45.98	3	Horizontal	136	1.26	-	38.43	12.49	42.47
AV	15.61539G	42.51	54.00	-11.49	34.05	3	Horizontal	136	1.26	-	38.45	12.49	42.48

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13928G	59.06	74.00	-14.94	52.67	3	Vertical	67	1.80	28	32.06	7.23	32.90
AV	5.14888G	47.69	54.00	-6.31	41.25	3	Vertical	67	1.80	28	32.10	7.24	32.90
PK	5.28712G	108.56	Inf	-Inf	102.78	3	Vertical	67	1.80	28	31.33	7.32	32.87
AV	5.28264G	99.51	Inf	-Inf	93.73	3	Vertical	67	1.80	28	31.33	7.32	32.87
PK	5.4004G	59.40	74.00	-14.60	53.38	3	Vertical	67	1.80	28	31.50	7.37	32.85
AV	5.43272G	47.52	54.00	-6.48	41.34	3	Vertical	67	1.80	28	31.63	7.39	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 24
24
5.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	60.78	74.00	-13.22	54.43	3	Horizontal	334	1.80	28	32.03	7.22	32.90
AV	5.14952G	48.11	54.00	-5.89	41.67	3	Horizontal	334	1.80	28	32.10	7.24	32.90
PK	5.28712G	116.16	Inf	-Inf	110.38	3	Horizontal	334	1.80	28	31.33	7.32	32.87
AV	5.28616G	106.20	Inf	-Inf	100.42	3	Horizontal	334	1.80	28	31.33	7.32	32.87
PK	5.39784G	60.48	74.00	-13.52	54.46	3	Horizontal	334	1.80	28	31.50	7.37	32.85
AV	5.35016G	48.24	54.00	-5.76	42.35	3	Horizontal	334	1.80	28	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58774G	55.42	68.20	-12.78	48.15	3	Vertical	13	2.65	-	40.18	10.14	43.05
PK	15.879G	54.36	74.00	-19.64	45.88	3	Vertical	80	1.17	-	38.04	12.61	42.17
AV	15.85563G	42.26	54.00	-11.74	33.77	3	Vertical	80	1.17	-	38.09	12.60	42.20

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56569G	55.59	68.20	-12.61	48.38	3	Horizontal	251	2.60	-	40.13	10.13	43.05
PK	15.88086G	54.20	74.00	-19.80	45.72	3	Horizontal	301	1.11	-	38.04	12.61	42.17
AV	15.85575G	42.21	54.00	-11.79	33.72	3	Horizontal	301	1.11	-	38.09	12.60	42.20

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
 Setting 24
 18\24
 6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14584G	60.28	74.00	-13.72	53.87	3	Vertical	66	1.80	28	32.08	7.23	32.90
AV	5.14896G	47.69	54.00	-6.31	41.25	3	Vertical	66	1.80	28	32.10	7.24	32.90
PK	5.24808G	109.53	Inf	-Inf	103.69	3	Vertical	66	1.80	28	31.42	7.30	32.88
AV	5.24208G	100.54	Inf	-Inf	94.66	3	Vertical	66	1.80	28	31.46	7.30	32.88
PK	5.35464G	59.52	74.00	-14.48	53.62	3	Vertical	66	1.80	28	31.41	7.35	32.86
AV	5.35272G	47.02	54.00	-6.98	41.12	3	Vertical	66	1.80	28	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
 Setting 24
 24
 5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14776G	60.00	74.00	-14.00	53.57	3	Horizontal	334	1.80	28	32.09	7.24	32.90
AV	5.14896G	48.11	54.00	-5.89	41.67	3	Horizontal	334	1.80	28	32.10	7.24	32.90
PK	5.25G	116.64	Inf	-Inf	110.82	3	Horizontal	334	1.80	28	31.40	7.30	32.88
AV	5.24184G	107.37	Inf	-Inf	101.48	3	Horizontal	334	1.80	28	31.47	7.30	32.88
PK	5.35824G	60.20	74.00	-13.80	54.29	3	Horizontal	334	1.80	28	31.42	7.35	32.86
AV	5.36208G	47.29	54.00	-6.71	41.38	3	Horizontal	334	1.80	28	31.42	7.35	32.86

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49238G	56.11	68.20	-12.09	48.94	3	Vertical	218	1.99	-	40.12	10.09	43.04
PK	15.76026G	54.66	74.00	-19.34	46.11	3	Vertical	306	2.12	-	38.30	12.56	42.31
AV	15.73542G	42.35	54.00	-11.65	33.88	3	Vertical	306	2.12	-	38.27	12.54	42.34

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49316G	56.18	68.20	-12.02	49.02	3	Horizontal	251	1.39	-	40.11	10.09	43.04
PK	15.74631G	54.80	74.00	-19.20	46.28	3	Horizontal	305	2.22	-	38.29	12.55	42.32
AV	15.73632G	42.41	54.00	-11.59	33.94	3	Horizontal	305	2.22	-	38.27	12.54	42.34

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 SET 21.5
 18\20.5\21.5
 2.60\2.81\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	72.25	74.00	-1.75	66.32	3	Vertical	57	2.87	21.5	33.98	6.80	34.85
AV	5.15G	53.86	54.00	-0.14	47.91	3	Vertical	57	2.87	21.5	34.00	6.80	34.85
PK	5.1775G	117.75	Inf	-Inf	111.75	3	Vertical	57	2.87	21.5	34.00	6.85	34.85
AV	5.1872G	106.69	Inf	-Inf	100.68	3	Vertical	57	2.87	21.5	34.00	6.87	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 SET 21.5
 21.5
 4.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.65	74.00	-7.35	60.72	3	Horizontal	288	1.22	21.5	33.98	6.80	34.85
AV	5.15G	49.89	54.00	-4.11	43.94	3	Horizontal	288	1.22	21.5	34.00	6.80	34.85
PK	5.1868G	113.54	Inf	-Inf	107.53	3	Horizontal	288	1.22	21.5	34.00	6.87	34.86
AV	5.1815G	103.40	Inf	-Inf	97.40	3	Horizontal	288	1.22	21.5	34.00	6.86	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
 Setting 21.5
 03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35991G	55.06	68.20	-13.14	41.53	3	Vertical	105	2.60	-	37.98	10.61	35.06
PK	15.53295G	59.65	74.00	-14.35	42.46	3	Vertical	282	1.16	-	38.04	12.68	33.53
AV	15.53124G	46.57	54.00	-7.43	29.38	3	Vertical	282	1.16	-	38.05	12.67	33.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_X_2TX
Setting 21.5
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36459G	54.58	68.20	-13.62	41.05	3	Horizontal	32	1.80	-	37.97	10.61	35.05
PK	15.55332G	59.71	74.00	-14.29	42.66	3	Horizontal	166	1.80	-	37.89	12.68	33.52
AV	15.5292G	46.62	54.00	-7.38	29.41	3	Horizontal	166	1.80	-	38.07	12.67	33.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.74\6.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	62.33	74.00	-11.67	56.39	3	Vertical	53	2.95	28	33.99	6.80	34.85
AV	5.14778G	47.15	54.00	-6.85	41.21	3	Vertical	53	2.95	28	33.99	6.80	34.85
PK	5.20742G	119.09	Inf	-Inf	113.04	3	Vertical	53	2.95	28	34.01	6.90	34.86
AV	5.207G	108.86	Inf	-Inf	102.81	3	Vertical	53	2.95	28	34.01	6.90	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
24
6.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	61.83	74.00	-12.17	55.90	3	Horizontal	58	2.53	28	33.98	6.80	34.85
AV	5.15G	47.71	54.00	-6.29	41.76	3	Horizontal	58	2.53	28	34.00	6.80	34.85
PK	5.2056G	116.89	Inf	-Inf	110.84	3	Horizontal	58	2.53	28	34.01	6.90	34.86
AV	5.20546G	106.67	Inf	-Inf	100.62	3	Horizontal	58	2.53	28	34.01	6.90	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39625G	55.46	68.20	-12.74	41.96	3	Vertical	70	1.80	-	37.91	10.63	35.04
PK	15.60123G	59.37	74.00	-14.63	42.36	3	Vertical	351	1.80	-	37.80	12.70	33.49
AV	15.58746G	45.81	54.00	-8.19	28.79	3	Vertical	351	1.80	-	37.83	12.69	33.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41158G	54.98	68.20	-13.22	41.48	3	Horizontal	2	1.80	-	37.90	10.64	35.04
PK	15.59811G	59.87	74.00	-14.13	42.86	3	Horizontal	-0	1.52	-	37.80	12.70	33.49
AV	15.58521G	46.09	54.00	-7.91	29.07	3	Horizontal	-0	1.52	-	37.83	12.69	33.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 8.49\7.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12508G	58.59	74.00	-15.41	52.83	3	Vertical	61	2.95	28	33.85	6.76	34.85
AV	5.12716G	44.86	54.00	-9.14	39.09	3	Vertical	61	2.95	28	33.86	6.76	34.85
PK	5.24312G	119.78	Inf	-Inf	113.60	3	Vertical	61	2.95	28	34.09	6.95	34.86
AV	5.24728G	109.07	Inf	-Inf	102.88	3	Vertical	61	2.95	28	34.09	6.96	34.86
PK	5.36792G	59.59	74.00	-14.41	52.90	3	Vertical	61	2.95	28	34.44	7.13	34.88
AV	5.35726G	46.47	54.00	-7.53	39.83	3	Vertical	61	2.95	28	34.41	7.11	34.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
24
8.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12742G	57.17	74.00	-16.83	51.40	3	Horizontal	307	2.91	28	33.86	6.76	34.85
AV	5.14978G	44.00	54.00	-10.00	38.05	3	Horizontal	307	2.91	28	34.00	6.80	34.85
PK	5.2439G	116.45	Inf	-Inf	110.27	3	Horizontal	307	2.91	28	34.09	6.95	34.86
AV	5.24338G	106.17	Inf	-Inf	99.99	3	Horizontal	307	2.91	28	34.09	6.95	34.86
PK	5.35648G	58.57	74.00	-15.43	51.93	3	Horizontal	307	2.91	28	34.41	7.11	34.88
AV	5.3635G	45.10	54.00	-8.90	38.43	3	Horizontal	307	2.91	28	34.43	7.12	34.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
 Setting 24
 03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47916G	54.09	68.20	-14.11	40.46	3	Vertical	225	2.05	-	37.96	10.68	35.01
PK	15.73365G	59.86	74.00	-14.14	42.60	3	Vertical	30	2.88	-	37.93	12.74	33.41
AV	15.7335G	46.44	54.00	-7.56	29.18	3	Vertical	30	2.88	-	37.93	12.74	33.41

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4791G	54.53	68.20	-13.67	40.90	3	Horizontal	123	2.23	-	37.96	10.68	35.01
PK	15.72645G	59.12	74.00	-14.88	41.85	3	Horizontal	16	2.18	-	37.95	12.74	33.42
AV	15.73149G	46.40	54.00	-7.60	29.14	3	Horizontal	16	2.18	-	37.94	12.74	33.42

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 8.70\8.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14612G	58.12	74.00	-15.88	52.19	3	Vertical	52	2.89	28	33.98	6.80	34.85
AV	5.1469G	45.09	54.00	-8.91	39.16	3	Vertical	52	2.89	28	33.98	6.80	34.85
PK	5.26182G	119.83	Inf	-Inf	113.57	3	Vertical	52	2.89	28	34.15	6.98	34.87
AV	5.26728G	109.22	Inf	-Inf	102.94	3	Vertical	52	2.89	28	34.17	6.98	34.87
PK	5.37882G	59.35	74.00	-14.65	52.63	3	Vertical	52	2.89	28	34.46	7.14	34.88
AV	5.3731G	45.70	54.00	-8.30	39.00	3	Vertical	52	2.89	28	34.45	7.13	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
 Setting 24
 24
 8.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14586G	58.72	74.00	-15.28	52.79	3	Horizontal	305	2.89	28	33.98	6.80	34.85
AV	5.13806G	44.09	54.00	-9.91	38.23	3	Horizontal	305	2.89	28	33.93	6.78	34.85
PK	5.2535G	117.44	Inf	-Inf	111.24	3	Horizontal	305	2.89	28	34.11	6.96	34.87
AV	5.2535G	106.79	Inf	-Inf	100.59	3	Horizontal	305	2.89	28	34.11	6.96	34.87
PK	5.38038G	58.86	74.00	-15.14	52.14	3	Horizontal	305	2.89	28	34.46	7.14	34.88
AV	5.37362G	45.06	54.00	-8.94	38.36	3	Horizontal	305	2.89	28	34.45	7.13	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
 Setting 24
 03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51637G	53.99	68.20	-14.21	40.28	3	Vertical	77	2.18	-	38.00	10.70	34.99
PK	15.76797G	61.50	74.00	-12.50	44.35	3	Vertical	250	1.40	-	37.79	12.75	33.39
AV	15.77295G	46.58	54.00	-7.42	29.46	3	Vertical	250	1.40	-	37.76	12.75	33.39

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50548G	54.41	68.20	-13.79	40.72	3	Horizontal	280	2.21	-	38.00	10.69	35.00
PK	15.76803G	59.59	74.00	-14.41	42.44	3	Horizontal	253	2.29	-	37.79	12.75	33.39
AV	15.76758G	46.63	54.00	-7.37	29.48	3	Horizontal	253	2.29	-	37.79	12.75	33.39

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.03\6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30196G	119.86	Inf	-Inf	113.40	3	Vertical	58	2.90	28	34.30	7.03	34.87
AV	5.30266G	108.92	Inf	-Inf	102.45	3	Vertical	58	2.90	28	34.31	7.03	34.87
PK	5.3518G	63.45	74.00	-10.55	56.83	3	Vertical	58	2.90	28	34.40	7.10	34.88
AV	5.35G	47.92	54.00	-6.08	41.30	3	Vertical	58	2.90	28	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
24
7.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30392G	116.47	Inf	-Inf	109.99	3	Horizontal	302	2.87	28	34.31	7.04	34.87
AV	5.30392G	106.09	Inf	-Inf	99.61	3	Horizontal	302	2.87	28	34.31	7.04	34.87
PK	5.35G	59.92	74.00	-14.08	53.30	3	Horizontal	302	2.87	28	34.40	7.10	34.88
AV	5.35G	46.25	54.00	-7.75	39.63	3	Horizontal	302	2.87	28	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58713G	54.35	68.20	-13.85	40.39	3	Vertical	5	2.54	-	38.15	10.74	34.93
AV	10.60285G	41.66	54.00	-12.34	27.63	3	Vertical	5	2.54	-	38.20	10.74	34.91
PK	15.90876G	60.76	74.00	-13.24	43.78	3	Vertical	62	2.73	-	37.50	12.79	33.31
AV	15.8916G	47.08	54.00	-6.92	30.11	3	Vertical	62	2.73	-	37.50	12.79	33.32

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60165G	54.49	74.00	-19.51	40.46	3	Horizontal	174	1.95	-	38.20	10.74	34.91
AV	10.60093G	41.80	54.00	-12.20	27.78	3	Horizontal	174	1.95	-	38.20	10.74	34.92
PK	15.90774G	59.96	74.00	-14.04	42.98	3	Horizontal	112	2.55	-	37.50	12.79	33.31
AV	15.91155G	47.05	54.00	-6.95	30.07	3	Horizontal	112	2.55	-	37.50	12.79	33.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
 SET 21.5
 18\26\22\20\21\21.5
 8.67\ -2.96\ -0.43\ 6.24\ 2.81\ 1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3131G	118.90	Inf	-Inf	112.39	3	Vertical	66	2.74	21.5	34.33	7.05	34.87
AV	5.3129G	107.74	Inf	-Inf	101.23	3	Vertical	66	2.74	21.5	34.33	7.05	34.87
PK	5.3529G	72.57	74.00	-1.43	65.94	3	Vertical	66	2.74	21.5	34.41	7.10	34.88
AV	5.3516G	52.38	54.00	-1.62	45.76	3	Vertical	66	2.74	21.5	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
 SET 21
 21.5\21
 -0.14\0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	115.61	Inf	-Inf	109.10	3	Horizontal	303	2.84	21	34.33	7.05	34.87
AV	5.3139G	105.19	Inf	-Inf	98.68	3	Horizontal	303	2.84	21	34.33	7.05	34.87
PK	5.3528G	70.21	74.00	-3.79	63.58	3	Horizontal	303	2.84	21	34.41	7.10	34.88
AV	5.35G	53.01	54.00	-0.99	46.39	3	Horizontal	303	2.84	21	34.40	7.10	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63226G	54.87	74.00	-19.13	40.80	3	Vertical	277	1.94	-	38.20	10.76	34.89
AV	10.64564G	41.66	54.00	-12.34	27.57	3	Vertical	277	1.94	-	38.20	10.77	34.88
PK	15.94869G	59.95	74.00	-14.05	42.94	3	Vertical	194	2.32	-	37.50	12.80	33.29
AV	15.94737G	46.87	54.00	-7.13	29.86	3	Vertical	194	2.32	-	37.50	12.80	33.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64507G	54.86	74.00	-19.14	40.77	3	Horizontal	82	2.73	-	38.20	10.77	34.88
AV	10.63496G	41.78	54.00	-12.22	27.71	3	Horizontal	82	2.73	-	38.20	10.76	34.89
PK	15.97368G	60.01	74.00	-13.99	42.93	3	Horizontal	347	1.87	-	37.55	12.81	33.28
AV	15.9561G	47.04	54.00	-6.96	30.01	3	Horizontal	347	1.87	-	37.51	12.81	33.29

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
 SET 20
 18\25.5\22\20.5\20
 7.97\ -9.37\ -6.03\ -0.21\ 2.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.99	74.00	-5.01	63.05	3	Vertical	58	2.90	20	33.99	6.80	34.85
AV	5.15G	51.68	54.00	-2.32	45.73	3	Vertical	58	2.90	20	34.00	6.80	34.85
PK	5.1718G	115.86	Inf	-Inf	109.87	3	Vertical	58	2.90	20	34.00	6.84	34.85
AV	5.1721G	105.41	Inf	-Inf	99.42	3	Vertical	58	2.90	20	34.00	6.84	34.85

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
SET 20
20
8.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1414G	61.26	74.00	-12.74	55.37	3	Horizontal	62	2.53	20	33.95	6.79	34.85
AV	5.1457G	45.96	54.00	-8.04	40.05	3	Horizontal	62	2.53	20	33.97	6.79	34.85
PK	5.182G	115.25	Inf	-Inf	109.25	3	Horizontal	62	2.53	20	34.00	6.86	34.86
AV	5.1824G	103.62	Inf	-Inf	97.62	3	Horizontal	62	2.53	20	34.00	6.86	34.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
Setting 20
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37191G	54.76	68.20	-13.44	41.23	3	Vertical	30	1.67	-	37.96	10.62	35.05
PK	15.54528G	60.32	74.00	-13.68	43.22	3	Vertical	345	1.98	-	37.94	12.68	33.52
AV	15.52755G	46.60	54.00	-7.40	29.38	3	Vertical	345	1.98	-	38.08	12.67	33.53

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_X_2TX
Setting 20
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35097G	55.68	68.20	-12.52	42.14	3	Horizontal	76	2.81	-	38.00	10.60	35.06
PK	15.52917G	59.44	74.00	-14.56	42.23	3	Horizontal	264	2.74	-	38.07	12.67	33.53
AV	15.52737G	46.52	54.00	-7.48	29.30	3	Horizontal	264	2.74	-	38.08	12.67	33.53

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.46\3.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14862G	70.50	74.00	-3.50	64.56	3	Vertical	57	2.89	28	33.99	6.80	34.85
AV	5.15G	49.47	54.00	-4.53	43.52	3	Vertical	57	2.89	28	34.00	6.80	34.85
PK	5.19244G	118.61	Inf	-Inf	112.59	3	Vertical	57	2.89	28	34.00	6.88	34.86
AV	5.19188G	108.34	Inf	-Inf	102.32	3	Vertical	57	2.89	28	34.00	6.88	34.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
24
7.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14274G	63.65	74.00	-10.35	57.75	3	Horizontal	60	2.55	28	33.96	6.79	34.85
AV	5.1475G	46.89	54.00	-7.11	40.96	3	Horizontal	60	2.55	28	33.98	6.80	34.85
PK	5.2021G	118.14	Inf	-Inf	112.11	3	Horizontal	60	2.55	28	34.00	6.89	34.86
AV	5.20196G	106.88	Inf	-Inf	100.85	3	Horizontal	60	2.55	28	34.00	6.89	34.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40555G	54.67	68.20	-13.53	41.17	3	Vertical	329	1.80	-	37.90	10.64	35.04
PK	15.59403G	59.24	74.00	-14.76	42.24	3	Vertical	199	2.95	-	37.81	12.69	33.50
AV	15.58593G	46.05	54.00	-7.95	29.03	3	Vertical	199	2.95	-	37.83	12.69	33.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40234G	55.15	68.20	-13.05	41.66	3	Horizontal	0	2.51	-	37.90	10.63	35.04
PK	15.5934G	59.41	74.00	-14.59	42.41	3	Horizontal	170	1.80	-	37.81	12.69	33.50
AV	15.59046G	46.05	54.00	-7.95	29.04	3	Horizontal	170	1.80	-	37.82	12.69	33.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
18\24
8.5A\7.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12846G	59.05	74.00	-14.95	53.27	3	Vertical	52	2.95	28	33.87	6.76	34.85
AV	5.1269G	44.73	54.00	-9.27	38.96	3	Vertical	52	2.95	28	33.86	6.76	34.85
PK	5.24728G	119.55	Inf	-Inf	113.36	3	Vertical	52	2.95	28	34.09	6.96	34.86
AV	5.24754G	109.11	Inf	-Inf	102.91	3	Vertical	52	2.95	28	34.10	6.96	34.86
PK	5.35232G	59.30	74.00	-14.70	52.68	3	Vertical	52	2.95	28	34.40	7.10	34.88
AV	5.36766G	46.41	54.00	-7.59	39.73	3	Vertical	52	2.95	28	34.44	7.12	34.88

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
24
8.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14432G	58.12	74.00	-15.88	52.21	3	Horizontal	307	2.90	28	33.97	6.79	34.85
AV	5.14016G	44.07	54.00	-9.93	38.19	3	Horizontal	307	2.90	28	33.94	6.79	34.85
PK	5.2335G	116.64	Inf	-Inf	110.49	3	Horizontal	307	2.90	28	34.07	6.94	34.86
AV	5.2348G	106.03	Inf	-Inf	99.88	3	Horizontal	307	2.90	28	34.07	6.94	34.86
PK	5.35362G	58.80	74.00	-15.20	52.16	3	Horizontal	307	2.90	28	34.41	7.11	34.88
AV	5.357G	45.05	54.00	-8.95	38.41	3	Horizontal	307	2.90	28	34.41	7.11	34.88

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48291G	54.09	68.20	-14.11	40.45	3	Vertical	312	2.29	-	37.97	10.68	35.01
PK	15.71061G	59.19	74.00	-14.81	41.91	3	Vertical	335	1.14	-	37.98	12.73	33.43
AV	15.72816G	46.38	54.00	-7.62	29.12	3	Vertical	335	1.14	-	37.94	12.74	33.42

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46854G	53.98	68.20	-14.22	40.38	3	Horizontal	147	2.48	-	37.94	10.67	35.01
PK	15.72774G	59.07	74.00	-14.93	41.81	3	Horizontal	177	1.46	-	37.94	12.74	33.42
AV	15.73347G	46.43	54.00	-7.57	29.17	3	Horizontal	177	1.46	-	37.93	12.74	33.41

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
18\24
8.80\8.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14378G	57.93	74.00	-16.07	52.03	3	Vertical	50	2.92	28	33.96	6.79	34.85
AV	5.14768G	45.04	54.00	-8.96	39.10	3	Vertical	50	2.92	28	33.99	6.80	34.85
PK	5.26728G	119.78	Inf	-Inf	113.50	3	Vertical	50	2.92	28	34.17	6.98	34.87
AV	5.26806G	109.30	Inf	-Inf	103.01	3	Vertical	50	2.92	28	34.17	6.99	34.87
PK	5.37206G	58.78	74.00	-15.22	52.09	3	Vertical	50	2.92	28	34.44	7.13	34.88
AV	5.37362G	45.68	54.00	-8.32	38.98	3	Vertical	50	2.92	28	34.45	7.13	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
24
8.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13286G	57.37	74.00	-16.63	51.55	3	Horizontal	307	2.89	28	33.90	6.77	34.85
AV	5.1469G	44.01	54.00	-9.99	38.08	3	Horizontal	307	2.89	28	33.98	6.80	34.85
PK	5.25246G	117.16	Inf	-Inf	110.96	3	Horizontal	307	2.89	28	34.11	6.96	34.87
AV	5.25376G	106.60	Inf	-Inf	100.38	3	Horizontal	307	2.89	28	34.12	6.97	34.87
PK	5.3549G	58.35	74.00	-15.65	51.71	3	Horizontal	307	2.89	28	34.41	7.11	34.88
AV	5.37752G	45.02	54.00	-8.98	38.30	3	Horizontal	307	2.89	28	34.46	7.14	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51798G	53.81	68.20	-14.39	40.09	3	Vertical	182	1.55	-	38.00	10.70	34.98
PK	15.7824G	59.56	74.00	-14.44	42.49	3	Vertical	285	1.58	-	37.71	12.75	33.39
AV	15.7742G	46.45	54.00	-7.55	29.34	3	Vertical	285	1.58	-	37.75	12.75	33.39

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52008G	54.35	68.20	-13.85	40.63	3	Vertical	114	1.53	-	38.00	10.70	34.98
PK	15.78294G	59.52	74.00	-14.48	42.46	3	Vertical	274	2.74	-	37.70	12.75	33.39
AV	15.77426G	46.44	54.00	-7.56	29.33	3	Vertical	274	2.74	-	37.75	12.75	33.39

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.15\2.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30742G	119.43	Inf	-Inf	112.95	3	Vertical	58	2.89	28	34.31	7.04	34.87
AV	5.3077G	108.83	Inf	-Inf	102.34	3	Vertical	58	2.89	28	34.32	7.04	34.87
PK	5.35138G	71.41	74.00	-2.59	64.79	3	Vertical	58	2.89	28	34.40	7.10	34.88
AV	5.35G	49.37	54.00	-4.63	42.75	3	Vertical	58	2.89	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
24
7.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29692G	117.26	Inf	-Inf	110.81	3	Horizontal	305	2.86	28	34.29	7.03	34.87
AV	5.29524G	106.59	Inf	-Inf	100.16	3	Horizontal	305	2.86	28	34.28	7.02	34.87
PK	5.35348G	63.42	74.00	-10.58	56.79	3	Horizontal	305	2.86	28	34.41	7.10	34.88
AV	5.35026G	46.27	54.00	-7.73	39.65	3	Horizontal	305	2.86	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6135G	55.30	74.00	-18.70	41.25	3	Vertical	333	2.25	-	38.20	10.75	34.90
AV	10.6012G	42.60	54.00	-11.40	28.57	3	Vertical	333	2.25	-	38.20	10.74	34.91
PK	15.9013G	59.34	74.00	-14.66	42.37	3	Vertical	58	2.59	-	37.50	12.79	33.32
AV	15.89509G	46.76	54.00	-7.24	29.79	3	Vertical	58	2.59	-	37.50	12.79	33.32

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61119G	54.74	74.00	-19.26	40.70	3	Vertical	172	2.49	-	38.20	10.75	34.91
AV	10.6012G	42.60	54.00	-11.40	28.57	3	Vertical	172	2.49	-	38.20	10.74	34.91
PK	15.89764G	60.04	74.00	-13.96	43.07	3	Vertical	295	2.11	-	37.50	12.79	33.32
AV	15.90315G	46.77	54.00	-7.23	29.80	3	Vertical	295	2.11	-	37.50	12.79	33.32

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
 SET 20
 18\26\22\20\21\20.5\20
 8.00\ -6.70\ -5.35\2.40\ -2.10\ -0.17\2.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3131G	116.88	Inf	-Inf	110.37	3	Vertical	56	2.90	20	34.33	7.05	34.87
AV	5.3119G	106.36	Inf	-Inf	99.86	3	Vertical	56	2.90	20	34.32	7.05	34.87
PK	5.35G	69.06	74.00	-4.94	62.44	3	Vertical	56	2.90	20	34.40	7.10	34.88
AV	5.35G	51.35	54.00	-2.65	44.73	3	Vertical	56	2.90	20	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
 SET 20
 20
 2.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3141G	115.73	Inf	-Inf	109.22	3	Horizontal	301	2.95	20	34.33	7.05	34.87
AV	5.3139G	104.84	Inf	-Inf	98.33	3	Horizontal	301	2.95	20	34.33	7.05	34.87
PK	5.3501G	68.60	74.00	-5.40	61.98	3	Horizontal	301	2.95	20	34.40	7.10	34.88
AV	5.35G	51.49	54.00	-2.51	44.87	3	Horizontal	301	2.95	20	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 28
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64495G	55.84	74.00	-18.16	41.75	3	Vertical	189	2.10	-	38.20	10.77	34.88
AV	10.64022G	41.61	54.00	-12.39	27.52	3	Vertical	189	2.10	-	38.20	10.77	34.88
PK	15.96011G	59.36	74.00	-14.64	42.31	3	Vertical	137	1.17	-	37.52	12.81	33.28
AV	15.96051G	46.82	54.00	-7.18	29.77	3	Vertical	137	1.17	-	37.52	12.81	33.28

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 28
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64276G	54.93	74.00	-19.07	40.84	3	Vertical	122	1.24	-	38.20	10.77	34.88
AV	10.64126G	41.63	54.00	-12.37	27.54	3	Vertical	122	1.24	-	38.20	10.77	34.88
PK	15.96275G	59.62	74.00	-14.38	42.56	3	Vertical	15	2.52	-	37.53	12.81	33.28
AV	15.95916G	46.86	54.00	-7.14	29.81	3	Vertical	15	2.52	-	37.52	12.81	33.28

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
 SET 22
 18\26\22\24\23\22.5\22
 9.03\ -2.63\2.81\ -2.79\ -1.76\ -0.14\2.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.10	74.00	-2.90	65.15	3	Vertical	60	1.12	22	34.00	6.80	34.85
AV	5.14992G	51.55	54.00	-2.45	45.60	3	Vertical	60	1.12	22	34.00	6.80	34.85
PK	5.1906G	117.93	Inf	-Inf	111.92	3	Vertical	60	1.12	22	34.00	6.87	34.86
AV	5.1888G	107.14	Inf	-Inf	101.13	3	Vertical	60	1.12	22	34.00	6.87	34.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
 SET 22
 22
 6.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.17	74.00	-8.83	59.22	3	Horizontal	63	2.52	22	34.00	6.80	34.85
AV	5.15G	47.10	54.00	-6.90	41.15	3	Horizontal	63	2.52	22	34.00	6.80	34.85
PK	5.19192G	116.89	Inf	-Inf	110.87	3	Horizontal	63	2.52	22	34.00	6.88	34.86
AV	5.1912G	105.20	Inf	-Inf	99.19	3	Horizontal	63	2.52	22	34.00	6.87	34.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
Setting 22
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38306G	53.83	68.20	-14.37	40.33	3	Vertical	141	1.78	-	37.93	10.62	35.05
PK	15.56475G	60.14	74.00	-13.86	43.09	3	Vertical	262	1.83	-	37.87	12.69	33.51
AV	15.55533G	46.09	54.00	-7.91	29.04	3	Vertical	262	1.83	-	37.89	12.68	33.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_X_2TX
Setting 22
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37313G	55.02	68.20	-13.18	41.50	3	Horizontal	229	2.64	-	37.95	10.62	35.05
PK	15.57996G	58.86	74.00	-15.14	41.83	3	Horizontal	124	2.45	-	37.84	12.69	33.50
AV	15.55617G	46.06	54.00	-7.94	29.01	3	Horizontal	124	2.45	-	37.89	12.68	33.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
Setting 24
18\24
8.82\7.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14524G	58.34	74.00	-15.66	52.43	3	Vertical	56	2.85	28	33.97	6.79	34.85
AV	5.1494G	44.72	54.00	-9.28	38.77	3	Vertical	56	2.85	28	34.00	6.80	34.85
PK	5.2222G	118.30	Inf	-Inf	112.20	3	Vertical	56	2.85	28	34.04	6.92	34.86
AV	5.22168G	108.22	Inf	-Inf	102.12	3	Vertical	56	2.85	28	34.04	6.92	34.86
PK	5.35272G	58.71	74.00	-15.29	52.08	3	Vertical	56	2.85	28	34.41	7.10	34.88
AV	5.35792G	46.13	54.00	-7.87	39.48	3	Vertical	56	2.85	28	34.42	7.11	34.88

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
Setting 24
24
9.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1403G	58.59	74.00	-15.41	52.71	3	Horizontal	291	1.27	28	33.94	6.79	34.85
AV	5.14966G	44.31	54.00	-9.69	38.36	3	Horizontal	291	1.27	28	34.00	6.80	34.85
PK	5.2365G	114.59	Inf	-Inf	108.44	3	Horizontal	291	1.27	28	34.07	6.94	34.86
AV	5.2365G	104.28	Inf	-Inf	98.13	3	Horizontal	291	1.27	28	34.07	6.94	34.86
PK	5.35558G	58.12	74.00	-15.88	51.48	3	Horizontal	291	1.27	28	34.41	7.11	34.88
AV	5.3561G	44.63	54.00	-9.37	37.99	3	Horizontal	291	1.27	28	34.41	7.11	34.88

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44662G	55.22	68.20	-12.98	41.68	3	Vertical	148	1.80	-	37.90	10.66	35.02
PK	15.69417G	59.40	74.00	-14.60	42.12	3	Vertical	105	1.80	-	37.99	12.73	33.44
AV	15.6825G	46.21	54.00	-7.79	28.97	3	Vertical	105	1.80	-	37.96	12.72	33.44

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46522G	53.98	68.20	-14.22	40.39	3	Horizontal	289	1.80	-	37.93	10.67	35.01
PK	15.70245G	59.78	74.00	-14.22	42.48	3	Horizontal	160	1.80	-	38.00	12.73	33.43
AV	15.67758G	46.17	54.00	-7.83	28.94	3	Horizontal	160	1.80	-	37.96	12.72	33.45

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 8.82\8.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14036G	58.84	74.00	-15.16	52.96	3	Vertical	50	2.91	28	33.94	6.79	34.85
AV	5.14204G	44.61	54.00	-9.39	38.72	3	Vertical	50	2.91	28	33.95	6.79	34.85
PK	5.27812G	119.88	Inf	-Inf	113.54	3	Vertical	50	2.91	28	34.21	7.00	34.87
AV	5.27784G	109.39	Inf	-Inf	103.05	3	Vertical	50	2.91	28	34.21	7.00	34.87
PK	5.3946G	59.23	74.00	-14.77	52.47	3	Vertical	50	2.91	28	34.49	7.16	34.89
AV	5.382G	45.53	54.00	-8.47	38.81	3	Vertical	50	2.91	28	34.46	7.14	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 24
24
9.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13056G	57.91	74.00	-16.09	52.11	3	Horizontal	304	2.88	28	33.88	6.77	34.85
AV	5.14316G	44.10	54.00	-9.90	38.20	3	Horizontal	304	2.88	28	33.96	6.79	34.85
PK	5.26524G	117.66	Inf	-Inf	111.39	3	Horizontal	304	2.88	28	34.16	6.98	34.87
AV	5.26412G	106.72	Inf	-Inf	100.45	3	Horizontal	304	2.88	28	34.16	6.98	34.87
PK	5.3834G	59.02	74.00	-14.98	52.28	3	Horizontal	304	2.88	28	34.47	7.15	34.88
AV	5.38424G	44.95	54.00	-9.05	38.21	3	Horizontal	304	2.88	28	34.47	7.15	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54531G	53.94	68.20	-14.26	40.19	3	Vertical	131	2.33	-	38.00	10.71	34.96
PK	15.79968G	59.76	74.00	-14.24	42.78	3	Vertical	139	2.54	-	37.60	12.76	33.38
AV	15.81717G	46.60	54.00	-7.40	29.64	3	Vertical	139	2.54	-	37.57	12.76	33.37

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53622G	53.68	68.20	-14.52	39.94	3	Horizontal	203	1.73	-	38.00	10.71	34.97
PK	15.7977G	59.53	74.00	-14.47	42.54	3	Horizontal	12	1.83	-	37.61	12.76	33.38
AV	15.8205G	46.43	54.00	-7.57	29.47	3	Horizontal	12	1.83	-	37.56	12.76	33.36

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 8.92\2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30304G	119.44	Inf	-Inf	112.97	3	Vertical	65	2.90	28	34.31	7.03	34.87
AV	5.30208G	108.93	Inf	-Inf	102.47	3	Vertical	65	2.90	28	34.30	7.03	34.87
PK	5.36004G	70.42	74.00	-3.58	63.77	3	Vertical	65	2.90	28	34.42	7.11	34.88
AV	5.35032G	51.87	54.00	-2.13	45.25	3	Vertical	65	2.90	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 24
24
2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30388G	117.21	Inf	-Inf	110.73	3	Horizontal	303	2.88	28	34.31	7.04	34.87
AV	5.3052G	106.21	Inf	-Inf	99.73	3	Horizontal	303	2.88	28	34.31	7.04	34.87
PK	5.35032G	67.57	74.00	-6.43	60.95	3	Horizontal	303	2.88	28	34.40	7.10	34.88
AV	5.35G	51.08	54.00	-2.92	44.46	3	Horizontal	303	2.88	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61127G	54.31	74.00	-19.69	40.27	3	Vertical	296	1.98	-	38.20	10.75	34.91
AV	10.62783G	41.78	54.00	-12.22	27.71	3	Vertical	296	1.98	-	38.20	10.76	34.89
PK	15.92316G	60.12	74.00	-13.88	43.12	3	Vertical	250	2.57	-	37.50	12.80	33.30
AV	15.93366G	47.11	54.00	-6.89	30.11	3	Vertical	250	2.57	-	37.50	12.80	33.30

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 24
03-S-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62336G	54.45	74.00	-19.55	40.39	3	Horizontal	351	2.00	-	38.20	10.76	34.90
AV	10.60917G	41.60	54.00	-12.40	27.56	3	Horizontal	351	2.00	-	38.20	10.75	34.91
PK	15.93609G	60.09	74.00	-13.91	43.09	3	Horizontal	190	2.33	-	37.50	12.80	33.30
AV	15.93378G	47.15	54.00	-6.85	30.15	3	Horizontal	190	2.33	-	37.50	12.80	33.30

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.15\8.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14248G	59.17	74.00	-14.83	53.28	3	Vertical	54	2.95	28	33.95	6.79	34.85
AV	5.14312G	45.41	54.00	-8.59	39.51	3	Vertical	54	2.95	28	33.96	6.79	34.85
PK	5.21544G	119.48	Inf	-Inf	113.40	3	Vertical	54	2.95	28	34.03	6.91	34.86
AV	5.21736G	109.01	Inf	-Inf	102.93	3	Vertical	54	2.95	28	34.03	6.91	34.86
PK	5.36328G	58.87	74.00	-15.13	52.20	3	Vertical	54	2.95	28	34.43	7.12	34.88
AV	5.36744G	45.19	54.00	-8.81	38.52	3	Vertical	54	2.95	28	34.43	7.12	34.88

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
Setting 24
24
7.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14952G	59.70	74.00	-14.30	53.75	3	Horizontal	56	2.89	28	34.00	6.80	34.85
AV	5.14984G	46.05	54.00	-7.95	40.10	3	Horizontal	56	2.89	28	34.00	6.80	34.85
PK	5.21G	116.98	Inf	-Inf	110.92	3	Horizontal	56	2.89	28	34.02	6.90	34.86
AV	5.21096G	106.48	Inf	-Inf	100.41	3	Horizontal	56	2.89	28	34.02	6.91	34.86
PK	5.35528G	58.37	74.00	-15.63	51.73	3	Horizontal	56	2.89	28	34.41	7.11	34.88
AV	5.36776G	44.63	54.00	-9.37	37.95	3	Horizontal	56	2.89	28	34.44	7.12	34.88

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41914G	54.31	68.20	-13.89	40.80	3	Vertical	114	1.80	-	37.90	10.64	35.03
PK	15.63516G	59.17	74.00	-14.83	42.06	3	Vertical	360	1.05	-	37.87	12.71	33.47
AV	15.6269G	45.58	54.00	-8.42	28.51	3	Vertical	360	1.05	-	37.85	12.70	33.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41434G	53.84	68.20	-14.36	40.33	3	Horizontal	340	1.30	-	37.90	10.64	35.03
PK	15.63178G	58.36	74.00	-15.64	41.26	3	Horizontal	67	1.92	-	37.86	12.71	33.47
AV	15.6252G	45.60	54.00	-8.40	28.53	3	Horizontal	67	1.92	-	37.85	12.70	33.48

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
 Setting 24
 18\24
 9.14\6.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13928G	57.71	74.00	-16.29	51.84	3	Vertical	52	2.85	28	33.94	6.78	34.85
AV	5.14664G	44.03	54.00	-9.97	38.10	3	Vertical	52	2.85	28	33.98	6.80	34.85
PK	5.29832G	119.03	Inf	-Inf	112.58	3	Vertical	52	2.85	28	34.29	7.03	34.87
AV	5.298G	108.80	Inf	-Inf	102.35	3	Vertical	52	2.85	28	34.29	7.03	34.87
PK	5.35144G	61.85	74.00	-12.15	55.23	3	Vertical	52	2.85	28	34.40	7.10	34.88
AV	5.35G	47.39	54.00	-6.61	40.77	3	Vertical	52	2.85	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
Setting 24
24
8.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13608G	57.42	74.00	-16.58	51.57	3	Horizontal	305	2.84	28	33.92	6.78	34.85
AV	5.14888G	43.93	54.00	-10.07	37.99	3	Horizontal	305	2.84	28	33.99	6.80	34.85
PK	5.2868G	117.45	Inf	-Inf	111.06	3	Horizontal	305	2.84	28	34.25	7.01	34.87
AV	5.28648G	106.44	Inf	-Inf	100.05	3	Horizontal	305	2.84	28	34.25	7.01	34.87
PK	5.3508G	59.55	74.00	-14.45	52.93	3	Horizontal	305	2.84	28	34.40	7.10	34.88
AV	5.35G	45.45	54.00	-8.55	38.83	3	Horizontal	305	2.84	28	34.40	7.10	34.88

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57954G	53.94	68.20	-14.26	40.02	3	Vertical	161	2.21	-	38.12	10.73	34.93
PK	15.8717G	59.18	74.00	-14.82	42.23	3	Vertical	173	2.91	-	37.50	12.78	33.33
AV	15.87662G	46.77	54.00	-7.23	29.82	3	Vertical	173	2.91	-	37.50	12.78	33.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57018G	55.45	68.20	-12.75	41.58	3	Horizontal	199	2.87	-	38.08	10.73	34.94
PK	15.87906G	59.76	74.00	-14.24	42.81	3	Horizontal	187	1.43	-	37.50	12.78	33.33
AV	15.86228G	46.71	54.00	-7.29	29.77	3	Horizontal	187	1.43	-	37.50	12.78	33.34

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
 Setting 24
 18\24
 8.95\8.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14896G	58.26	74.00	-15.74	52.32	3	Vertical	52	2.92	28	33.99	6.80	34.85
AV	5.13624G	44.89	54.00	-9.11	39.04	3	Vertical	52	2.92	28	33.92	6.78	34.85
PK	5.25672G	119.81	Inf	-Inf	113.58	3	Vertical	52	2.92	28	34.13	6.97	34.87
AV	5.25744G	109.41	Inf	-Inf	103.18	3	Vertical	52	2.92	28	34.13	6.97	34.87
PK	5.35656G	58.78	74.00	-15.22	52.14	3	Vertical	52	2.92	28	34.41	7.11	34.88
AV	5.36208G	45.74	54.00	-8.26	39.08	3	Vertical	52	2.92	28	34.42	7.12	34.88

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 24
24
8.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14368G	57.43	74.00	-16.57	51.53	3	Horizontal	306	2.91	28	33.96	6.79	34.85
AV	5.14536G	43.95	54.00	-10.05	38.04	3	Horizontal	306	2.91	28	33.97	6.79	34.85
PK	5.2452G	117.68	Inf	-Inf	111.50	3	Horizontal	306	2.91	28	34.09	6.95	34.86
AV	5.24328G	106.45	Inf	-Inf	100.27	3	Horizontal	306	2.91	28	34.09	6.95	34.86
PK	5.3652G	59.19	74.00	-14.81	52.52	3	Horizontal	306	2.91	28	34.43	7.12	34.88
AV	5.3652G	45.16	54.00	-8.84	38.49	3	Horizontal	306	2.91	28	34.43	7.12	34.88

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49434G	53.58	68.20	-14.62	39.91	3	Vertical	311	1.16	-	37.99	10.68	35.00
PK	15.75066G	59.47	74.00	-14.53	42.23	3	Vertical	141	2.92	-	37.90	12.74	33.40
AV	15.7563G	46.51	54.00	-7.49	29.31	3	Vertical	141	2.92	-	37.86	12.74	33.40

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 24
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50542G	53.84	68.20	-14.36	40.15	3	Vertical	63	2.32	-	38.00	10.69	35.00
PK	15.75258G	60.11	74.00	-13.89	42.89	3	Vertical	95	2.50	-	37.88	12.74	33.40
AV	15.75708G	46.48	54.00	-7.52	29.28	3	Vertical	95	2.50	-	37.86	12.74	33.40

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
 SET 19
 20.5\17.5\19\19.5\19
 -3.00\4.72\2.35\ -3.07\1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	65.14	74.00	-8.86	58.70	3	Vertical	299	1.80	19	32.10	7.24	32.90
AV	5.1499G	52.03	54.00	-1.97	45.59	3	Vertical	299	1.80	19	32.10	7.24	32.90
PK	5.1737G	119.69	Inf	-Inf	113.37	3	Vertical	299	1.80	19	31.96	7.26	32.90
AV	5.1737G	111.06	Inf	-Inf	104.74	3	Vertical	299	1.80	19	31.96	7.26	32.90

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
SET 19
19
4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	62.21	74.00	-11.79	55.77	3	Horizontal	68	1.50	19	32.10	7.24	32.90
AV	5.1487G	49.60	54.00	-4.40	43.17	3	Horizontal	68	1.50	19	32.09	7.24	32.90
PK	5.1783G	116.17	Inf	-Inf	109.87	3	Horizontal	68	1.50	19	31.93	7.26	32.89
AV	5.1779G	107.74	Inf	-Inf	101.44	3	Horizontal	68	1.50	19	31.93	7.26	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35475G	53.81	68.20	-14.39	47.40	3	Vertical	52	2.39	-	39.21	10.22	43.02
PK	15.54666G	54.93	74.00	-19.07	46.78	3	Vertical	141	2.59	-	38.12	12.59	42.56
AV	15.52611G	43.31	54.00	-10.69	35.07	3	Vertical	141	2.59	-	38.24	12.58	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37311G	54.75	68.20	-13.45	48.29	3	Horizontal	37	2.40	-	39.25	10.23	43.02
PK	15.54021G	55.92	74.00	-18.08	47.73	3	Horizontal	228	2.12	-	38.16	12.59	42.56
AV	15.53145G	43.33	54.00	-10.67	35.11	3	Horizontal	228	2.12	-	38.21	12.58	42.57

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 24
23\24
0.92\1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	69.22	74.00	-4.78	62.78	3	Vertical	301	1.80	28	32.10	7.24	32.90
AV	5.15G	52.97	54.00	-1.03	46.53	3	Vertical	301	1.80	28	32.10	7.24	32.90
PK	5.1937G	123.42	Inf	-Inf	117.20	3	Vertical	301	1.80	28	31.84	7.27	32.89
AV	5.19328G	114.60	Inf	-Inf	108.38	3	Vertical	301	1.80	28	31.84	7.27	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT X_4TX
 Setting 24
 24
 1.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14988G	66.48	74.00	-7.52	60.04	3	Horizontal	68	1.53	28	32.10	7.24	32.90
AV	5.14974G	52.16	54.00	-1.84	45.72	3	Horizontal	68	1.53	28	32.10	7.24	32.90
PK	5.19846G	120.71	Inf	-Inf	114.51	3	Horizontal	68	1.53	28	31.81	7.28	32.89
AV	5.19818G	112.12	Inf	-Inf	105.92	3	Horizontal	68	1.53	28	31.81	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40279G	54.20	68.20	-14.00	47.68	3	Vertical	9	1.25	-	39.31	10.24	43.03
PK	15.61464G	54.50	74.00	-19.50	46.75	3	Vertical	272	2.16	-	37.61	12.62	42.48
AV	15.58515G	42.81	54.00	-11.19	34.89	3	Vertical	272	2.16	-	37.82	12.61	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41308G	54.35	68.20	-13.85	47.80	3	Horizontal	61	1.15	-	39.33	10.25	43.03
PK	15.61362G	55.14	74.00	-18.86	47.38	3	Horizontal	212	2.22	-	37.62	12.62	42.48
AV	15.5862G	42.81	54.00	-11.19	34.90	3	Horizontal	212	2.22	-	37.81	12.61	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
24
3.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12144G	61.77	74.00	-12.23	55.48	3	Vertical	299	1.99	28	31.99	7.21	32.91
AV	5.11754G	50.12	54.00	-3.88	43.85	3	Vertical	299	1.99	28	31.97	7.21	32.91
PK	5.23376G	123.49	Inf	-Inf	117.54	3	Vertical	299	1.99	28	31.53	7.30	32.88
AV	5.2348G	114.64	Inf	-Inf	108.70	3	Vertical	299	1.99	28	31.52	7.30	32.88
PK	5.35492G	61.54	74.00	-12.46	55.64	3	Vertical	299	1.99	28	31.41	7.35	32.86
AV	5.36298G	49.88	54.00	-4.12	43.96	3	Vertical	299	1.99	28	31.43	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
 Setting 24
 24
 5.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14614G	60.25	74.00	-13.75	53.84	3	Horizontal	301	1.80	28	32.08	7.23	32.90
AV	5.12716G	48.20	54.00	-5.80	41.87	3	Horizontal	301	1.80	28	32.01	7.22	32.90
PK	5.24598G	119.87	Inf	-Inf	114.02	3	Horizontal	301	1.80	28	31.43	7.30	32.88
AV	5.24546G	111.35	Inf	-Inf	105.49	3	Horizontal	301	1.80	28	31.44	7.30	32.88
PK	5.35752G	59.21	74.00	-14.79	53.30	3	Horizontal	301	1.80	28	31.42	7.35	32.86
AV	5.36766G	47.79	54.00	-6.21	41.85	3	Horizontal	301	1.80	28	31.44	7.36	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48735G	55.61	68.20	-12.59	48.89	3	Vertical	45	1.80	-	39.47	10.29	43.04
PK	15.71244G	56.42	74.00	-17.58	48.21	3	Vertical	202	1.80	-	37.90	12.67	42.36
AV	15.71076G	43.34	54.00	-10.66	35.14	3	Vertical	202	1.80	-	37.90	12.67	42.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46824G	55.38	68.20	-12.82	48.70	3	Horizontal	174	1.84	-	39.44	10.28	43.04
PK	15.72441G	56.95	74.00	-17.05	48.73	3	Horizontal	302	1.38	-	37.90	12.67	42.35
AV	15.7107G	43.39	54.00	-10.61	35.19	3	Horizontal	302	1.38	-	37.90	12.67	42.37

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
 Setting 24
 24
 4.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13442G	61.15	74.00	-12.85	54.79	3	Vertical	307	1.80	28	32.04	7.22	32.90
AV	5.13286G	49.13	54.00	-4.87	42.78	3	Vertical	307	1.80	28	32.03	7.22	32.90
PK	5.25376G	122.02	Inf	-Inf	116.21	3	Vertical	307	1.80	28	31.39	7.30	32.88
AV	5.25298G	113.36	Inf	-Inf	107.55	3	Vertical	307	1.80	28	31.39	7.30	32.88
PK	5.37856G	59.63	74.00	-14.37	53.66	3	Vertical	307	1.80	28	31.46	7.36	32.85
AV	5.37518G	47.84	54.00	-6.16	41.88	3	Vertical	307	1.80	28	31.45	7.36	32.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
24
5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14378G	59.90	74.00	-14.10	53.49	3	Horizontal	306	1.80	28	32.08	7.23	32.90
AV	5.14716G	48.18	54.00	-5.82	41.75	3	Horizontal	306	1.80	28	32.09	7.24	32.90
PK	5.26624G	120.12	Inf	-Inf	114.32	3	Horizontal	306	1.80	28	31.37	7.31	32.88
AV	5.2652G	111.76	Inf	-Inf	105.96	3	Horizontal	306	1.80	28	31.37	7.31	32.88
PK	5.36894G	60.03	74.00	-13.97	54.09	3	Horizontal	306	1.80	28	31.44	7.36	32.86
AV	5.38506G	47.32	54.00	-6.68	41.34	3	Horizontal	306	1.80	28	31.47	7.36	32.85

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50653G	55.62	68.20	-12.58	48.86	3	Vertical	75	1.82	-	39.50	10.30	43.04
PK	15.78771G	54.93	74.00	-19.07	46.84	3	Vertical	97	2.10	-	37.67	12.70	42.28
AV	15.7788G	43.66	54.00	-10.34	35.52	3	Vertical	97	2.10	-	37.73	12.70	42.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53407G	55.30	68.20	-12.90	48.53	3	Horizontal	284	1.37	-	39.50	10.31	43.04
PK	15.78846G	55.14	74.00	-18.86	47.05	3	Horizontal	237	1.85	-	37.67	12.70	42.28
AV	15.77895G	43.62	54.00	-10.38	35.48	3	Horizontal	237	1.85	-	37.73	12.70	42.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
 SET 24
 24
 0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29468G	122.45	Inf	-Inf	116.69	3	Vertical	298	2.00	24	31.31	7.32	32.87
AV	5.29496G	113.72	Inf	-Inf	107.96	3	Vertical	298	2.00	24	31.31	7.32	32.87
PK	5.3546G	66.96	74.00	-7.04	61.06	3	Vertical	298	2.00	24	31.41	7.35	32.86
AV	5.35G	53.51	54.00	-0.49	47.62	3	Vertical	298	2.00	24	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
 SET 24
 24
 4.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3063G	119.36	Inf	-Inf	113.59	3	Horizontal	307	1.80	24	31.31	7.33	32.87
AV	5.30546G	110.58	Inf	-Inf	104.81	3	Horizontal	307	1.80	24	31.31	7.33	32.87
PK	5.35G	61.36	74.00	-12.64	55.47	3	Horizontal	307	1.80	24	31.40	7.35	32.86
AV	5.35G	49.04	54.00	-4.96	43.15	3	Horizontal	307	1.80	24	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.609G	55.30	74.00	-18.70	48.40	3	Vertical	63	1.70	-	39.60	10.35	43.05
AV	10.60993G	43.71	54.00	-10.29	36.80	3	Vertical	63	1.70	-	39.60	10.36	43.05
PK	15.90693G	55.01	74.00	-18.99	47.02	3	Vertical	170	2.95	-	37.37	12.76	42.14
AV	15.89028G	43.68	54.00	-10.32	35.69	3	Vertical	170	2.95	-	37.40	12.75	42.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61404G	55.64	74.00	-18.36	48.73	3	Horizontal	116	1.11	-	39.60	10.36	43.05
AV	10.61038G	43.74	54.00	-10.26	36.83	3	Horizontal	116	1.11	-	39.60	10.36	43.05
PK	15.91374G	55.18	74.00	-18.82	47.20	3	Horizontal	210	2.66	-	37.35	12.76	42.13
AV	15.88569G	43.69	54.00	-10.31	35.70	3	Horizontal	210	2.66	-	37.40	12.75	42.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
 SET 20.5
 17\23\20\21.5\21\20.5
 6.29\5.13\1.68\4.56\1.62\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	120.02	Inf	-Inf	114.23	3	Vertical	298	2.00	20.5	31.33	7.33	32.87
AV	5.315G	111.20	Inf	-Inf	105.41	3	Vertical	298	2.00	20.5	31.33	7.33	32.87
PK	5.3531G	69.81	74.00	-4.19	63.91	3	Vertical	298	2.00	20.5	31.41	7.35	32.86
AV	5.354G	52.32	54.00	-1.68	46.42	3	Vertical	298	2.00	20.5	31.41	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
 SET 19
 20.5\20\19.5\19
 -0.49\ -0.49\ -0.58\4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3269G	116.37	Inf	-Inf	110.54	3	Horizontal	307	2.00	19	31.35	7.34	32.86
AV	5.3269G	107.89	Inf	-Inf	102.06	3	Horizontal	307	2.00	19	31.35	7.34	32.86
PK	5.3545G	62.29	74.00	-11.71	56.39	3	Horizontal	307	2.00	19	31.41	7.35	32.86
AV	5.35G	49.94	54.00	-4.06	44.05	3	Horizontal	307	2.00	19	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63271G	55.82	74.00	-18.18	48.91	3	Vertical	246	2.75	-	39.60	10.37	43.06
AV	10.64864G	43.52	54.00	-10.48	36.60	3	Vertical	246	2.75	-	39.60	10.38	43.06
PK	15.96468G	55.07	74.00	-18.93	47.19	3	Vertical	259	1.35	-	37.17	12.78	42.07
AV	15.95019G	43.34	54.00	-10.66	35.45	3	Vertical	259	1.35	-	37.20	12.78	42.09

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64354G	55.73	74.00	-18.27	48.82	3	Horizontal	244	2.72	-	39.60	10.37	43.06
AV	10.64951G	43.72	54.00	-10.28	36.80	3	Horizontal	244	2.72	-	39.60	10.38	43.06
PK	15.97026G	55.19	74.00	-18.81	47.30	3	Horizontal	74	2.94	-	37.16	12.79	42.06
AV	15.94566G	43.29	54.00	-10.71	35.38	3	Horizontal	74	2.94	-	37.22	12.78	42.09

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
 SET 18.5
 19\17\18\18.5
 -1.96\4.06\2.48\2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.91	74.00	-10.09	57.47	3	Vertical	295	2.00	18.5	32.10	7.24	32.90
AV	5.1499G	51.65	54.00	-2.35	45.21	3	Vertical	295	2.00	18.5	32.10	7.24	32.90
PK	5.1737G	122.38	Inf	-Inf	116.06	3	Vertical	295	2.00	18.5	31.96	7.26	32.90
AV	5.1739G	110.26	Inf	-Inf	103.94	3	Vertical	295	2.00	18.5	31.96	7.26	32.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
 SET 18.5
 18.5
 4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1383G	60.93	74.00	-13.07	54.55	3	Horizontal	66	2.00	18.5	32.05	7.23	32.90
AV	5.15G	49.78	54.00	-4.22	43.34	3	Horizontal	66	2.00	18.5	32.10	7.24	32.90
PK	5.1717G	117.51	Inf	-Inf	111.18	3	Horizontal	66	2.00	18.5	31.97	7.26	32.90
AV	5.1717G	106.08	Inf	-Inf	99.75	3	Horizontal	66	2.00	18.5	31.97	7.26	32.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36399G	54.53	68.20	-13.67	48.10	3	Vertical	267	2.01	-	39.23	10.22	43.02
PK	15.54468G	55.28	74.00	-18.72	47.12	3	Vertical	48	2.19	-	38.13	12.59	42.56
AV	15.53178G	43.30	54.00	-10.70	35.08	3	Vertical	48	2.19	-	38.21	12.58	42.57

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
 Setting 18.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34566G	54.09	68.20	-14.11	47.73	3	Horizontal	206	2.25	-	39.17	10.21	43.02
PK	15.534G	55.55	74.00	-18.45	47.33	3	Horizontal	112	1.77	-	38.20	12.59	42.57
AV	15.53166G	43.38	54.00	-10.62	35.16	3	Horizontal	112	1.77	-	38.21	12.58	42.57

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
 SET 21
 23\22\21.5\21
 -0.87\ -0.31\ -0.41\ 2.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14876G	65.87	74.00	-8.13	59.43	3	Vertical	300	1.80	21	32.10	7.24	32.90
AV	5.15G	51.39	54.00	-2.61	44.95	3	Vertical	300	1.80	21	32.10	7.24	32.90
PK	5.19454G	123.51	Inf	-Inf	117.29	3	Vertical	300	1.80	21	31.83	7.28	32.89
AV	5.19342G	112.33	Inf	-Inf	106.11	3	Vertical	300	1.80	21	31.84	7.27	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
 SET 21
 21
 3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	66.12	74.00	-7.88	59.68	3	Horizontal	71	2.00	21	32.10	7.24	32.90
AV	5.14988G	50.98	54.00	-3.02	44.54	3	Horizontal	71	2.00	21	32.10	7.24	32.90
PK	5.1916G	121.00	Inf	-Inf	114.77	3	Horizontal	71	2.00	21	31.85	7.27	32.89
AV	5.19174G	110.00	Inf	-Inf	103.77	3	Horizontal	71	2.00	21	31.85	7.27	32.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41443G	54.98	68.20	-13.22	48.43	3	Vertical	269	1.61	-	39.33	10.25	43.03
PK	15.58788G	55.00	74.00	-19.00	47.10	3	Vertical	210	1.89	-	37.80	12.61	42.51
AV	15.58533G	42.81	54.00	-11.19	34.89	3	Vertical	210	1.89	-	37.82	12.61	42.51

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39367G	54.82	68.20	-13.38	48.32	3	Horizontal	106	1.33	-	39.29	10.24	43.03
PK	15.61014G	54.52	74.00	-19.48	46.74	3	Horizontal	72	2.48	-	37.64	12.62	42.48
AV	15.58506G	42.76	54.00	-11.24	34.84	3	Horizontal	72	2.48	-	37.82	12.61	42.51

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
24
5.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.48	74.00	-13.52	54.04	3	Vertical	303	1.80	28	32.10	7.24	32.90
AV	5.1165G	48.82	54.00	-5.18	42.55	3	Vertical	303	1.80	28	31.97	7.21	32.91
PK	5.23272G	123.91	Inf	-Inf	117.96	3	Vertical	303	1.80	28	31.54	7.29	32.88
AV	5.2335G	112.35	Inf	-Inf	106.40	3	Vertical	303	1.80	28	31.53	7.30	32.88
PK	5.35544G	59.29	74.00	-14.71	53.39	3	Vertical	303	1.80	28	31.41	7.35	32.86
AV	5.35778G	47.91	54.00	-6.09	42.00	3	Vertical	303	1.80	28	31.42	7.35	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
24
5.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14432G	60.15	74.00	-13.85	53.74	3	Horizontal	302	1.80	28	32.08	7.23	32.90
AV	5.12924G	48.02	54.00	-5.98	41.68	3	Horizontal	302	1.80	28	32.02	7.22	32.90
PK	5.2465G	121.64	Inf	-Inf	115.79	3	Horizontal	302	1.80	28	31.43	7.30	32.88
AV	5.24546G	110.34	Inf	-Inf	104.48	3	Horizontal	302	1.80	28	31.44	7.30	32.88
PK	5.35856G	58.81	74.00	-15.19	52.90	3	Horizontal	302	1.80	28	31.42	7.35	32.86
AV	5.36688G	47.59	54.00	-6.41	41.66	3	Horizontal	302	1.80	28	31.43	7.36	32.86

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47097G	55.01	68.20	-13.19	48.33	3	Vertical	343	1.33	-	39.44	10.28	43.04
PK	15.72171G	54.75	74.00	-19.25	46.53	3	Vertical	222	2.68	-	37.90	12.67	42.35
AV	15.71076G	43.51	54.00	-10.49	35.31	3	Vertical	222	2.68	-	37.90	12.67	42.37

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48519G	55.23	68.20	-12.97	48.51	3	Horizontal	108	2.70	-	39.47	10.29	43.04
PK	15.71001G	55.07	74.00	-18.93	46.87	3	Horizontal	279	2.09	-	37.90	12.67	42.37
AV	15.71022G	43.47	54.00	-10.53	35.27	3	Horizontal	279	2.09	-	37.90	12.67	42.37

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
 Setting 24
 17.22.5.24
 5.70\4.65\4.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1417G	60.91	74.00	-13.09	54.51	3	Vertical	296	2.00	28	32.07	7.23	32.90
AV	5.13884G	49.36	54.00	-4.64	42.97	3	Vertical	296	2.00	28	32.06	7.23	32.90
PK	5.25324G	124.73	Inf	-Inf	118.92	3	Vertical	296	2.00	28	31.39	7.30	32.88
AV	5.2548G	113.09	Inf	-Inf	107.28	3	Vertical	296	2.00	28	31.39	7.30	32.88
PK	5.37726G	59.80	74.00	-14.20	53.84	3	Vertical	296	2.00	28	31.45	7.36	32.85
AV	5.37752G	48.22	54.00	-5.78	42.25	3	Vertical	296	2.00	28	31.46	7.36	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
 Setting 24
 24
 5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1378G	60.84	74.00	-13.16	54.46	3	Horizontal	307	1.80	28	32.05	7.23	32.90
AV	5.13728G	48.09	54.00	-5.91	41.71	3	Horizontal	307	1.80	28	32.05	7.23	32.90
PK	5.26546G	122.11	Inf	-Inf	116.31	3	Horizontal	307	1.80	28	31.37	7.31	32.88
AV	5.26546G	110.60	Inf	-Inf	104.80	3	Horizontal	307	1.80	28	31.37	7.31	32.88
PK	5.38844G	59.44	74.00	-14.56	53.45	3	Horizontal	307	1.80	28	31.48	7.36	32.85
AV	5.38818G	47.14	54.00	-6.86	41.15	3	Horizontal	307	1.80	28	31.48	7.36	32.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51937G	54.85	68.20	-13.35	48.08	3	Vertical	134	1.89	-	39.50	10.31	43.04
PK	15.7944G	55.16	74.00	-18.84	47.09	3	Vertical	249	1.28	-	37.63	12.71	42.27
AV	15.7788G	43.70	54.00	-10.30	35.56	3	Vertical	249	1.28	-	37.73	12.70	42.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 24
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52927G	54.77	68.20	-13.43	48.00	3	Horizontal	326	2.26	-	39.50	10.31	43.04
PK	15.77634G	55.02	74.00	-18.98	46.87	3	Horizontal	349	1.33	-	37.74	12.70	42.29
AV	15.77889G	43.66	54.00	-10.34	35.52	3	Horizontal	349	1.33	-	37.73	12.70	42.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
 SET 23.5
 17.23.5
 6.81\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29552G	124.08	Inf	-Inf	118.32	3	Vertical	299	2.00	23.5	31.31	7.32	32.87
AV	5.29496G	112.23	Inf	-Inf	106.47	3	Vertical	299	2.00	23.5	31.31	7.32	32.87
PK	5.35194G	72.24	74.00	-1.76	66.35	3	Vertical	299	2.00	23.5	31.40	7.35	32.86
AV	5.35G	53.88	54.00	-0.12	47.99	3	Vertical	299	2.00	23.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
 SET 23.5
 23.5
 4.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30672G	120.20	Inf	-Inf	114.43	3	Horizontal	308	1.80	23.5	31.31	7.33	32.87
AV	5.3056G	109.39	Inf	-Inf	103.62	3	Horizontal	308	1.80	23.5	31.31	7.33	32.87
PK	5.35684G	67.79	74.00	-6.21	61.89	3	Horizontal	308	1.80	23.5	31.41	7.35	32.86
AV	5.35G	49.65	54.00	-4.35	43.76	3	Horizontal	308	1.80	23.5	31.40	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
Setting 23.5
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6114G	55.25	74.00	-18.75	48.34	3	Vertical	229	1.44	-	39.60	10.36	43.05
AV	10.61017G	43.77	54.00	-10.23	36.86	3	Vertical	229	1.44	-	39.60	10.36	43.05
PK	15.88923G	55.08	74.00	-18.92	47.09	3	Vertical	179	1.64	-	37.40	12.75	42.16
AV	15.88854G	43.63	54.00	-10.37	35.64	3	Vertical	179	1.64	-	37.40	12.75	42.16

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
 Setting 23.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60291G	55.34	74.00	-18.66	48.44	3	Horizontal	255	2.50	-	39.60	10.35	43.05
AV	10.60858G	43.73	54.00	-10.27	36.83	3	Horizontal	255	2.50	-	39.60	10.35	43.05
PK	15.89919G	55.50	74.00	-18.50	47.50	3	Horizontal	89	1.34	-	37.40	12.75	42.15
AV	15.89109G	43.68	54.00	-10.32	35.69	3	Horizontal	89	1.34	-	37.40	12.75	42.16

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
 SET 19
 17\17.5\23.5\20.5\19\19.5\19
 0.87\5.25\ -7.87\ -3.43\2.12\ -3.25\2.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3151G	121.23	Inf	-Inf	115.44	3	Vertical	299	2.00	19	31.33	7.33	32.87
AV	5.3151G	109.68	Inf	-Inf	103.89	3	Vertical	299	2.00	19	31.33	7.33	32.87
PK	5.3555G	67.89	74.00	-6.11	61.99	3	Vertical	299	2.00	19	31.41	7.35	32.86
AV	5.3549G	51.99	54.00	-2.01	46.09	3	Vertical	299	2.00	19	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
SET 19
19
4.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3255G	119.46	Inf	-Inf	113.63	3	Horizontal	308	1.80	19	31.35	7.34	32.86
AV	5.3256G	106.70	Inf	-Inf	100.87	3	Horizontal	308	1.80	19	31.35	7.34	32.86
PK	5.3536G	65.89	74.00	-8.11	59.99	3	Horizontal	308	1.80	19	31.41	7.35	32.86
AV	5.3535G	49.97	54.00	-4.03	44.07	3	Horizontal	308	1.80	19	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63277G	56.38	74.00	-17.62	49.47	3	Vertical	337	1.15	-	39.60	10.37	43.06
AV	10.64648G	43.62	54.00	-10.38	36.70	3	Vertical	337	1.15	-	39.60	10.38	43.06
PK	15.96996G	55.16	74.00	-18.84	47.27	3	Vertical	357	1.68	-	37.16	12.79	42.06
AV	15.945G	43.33	54.00	-10.67	35.43	3	Vertical	357	1.68	-	37.22	12.77	42.09

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63868G	56.04	74.00	-17.96	49.13	3	Horizontal	345	2.99	-	39.60	10.37	43.06
AV	10.64999G	43.68	54.00	-10.32	36.76	3	Horizontal	345	2.99	-	39.60	10.38	43.06
PK	15.96723G	55.82	74.00	-18.18	47.94	3	Horizontal	33	2.68	-	37.17	12.78	42.07
AV	15.94569G	43.29	54.00	-10.71	35.38	3	Horizontal	33	2.68	-	37.22	12.78	42.09

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 SET 16.5
 16.5\17.5\17\16.5
 1.42\1.59\1.50\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14224G	66.53	74.00	-7.47	60.13	3	Vertical	296	2.00	16.5	32.07	7.23	32.90
AV	5.14404G	52.70	54.00	-1.30	46.29	3	Vertical	296	2.00	16.5	32.08	7.23	32.90
PK	5.18484G	116.38	Inf	-Inf	110.11	3	Vertical	296	2.00	16.5	31.89	7.27	32.89
AV	5.18388G	104.59	Inf	-Inf	98.31	3	Vertical	296	2.00	16.5	31.90	7.27	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 SET 16.5
 16.5
 3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14392G	62.28	74.00	-11.72	55.87	3	Horizontal	69	2.00	16.5	32.08	7.23	32.90
AV	5.1438G	50.20	54.00	-3.80	43.79	3	Horizontal	69	2.00	16.5	32.08	7.23	32.90
PK	5.20092G	112.70	Inf	-Inf	106.52	3	Horizontal	69	2.00	16.5	31.79	7.28	32.89
AV	5.20188G	101.01	Inf	-Inf	94.84	3	Horizontal	69	2.00	16.5	31.78	7.28	32.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 Setting 16.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36815G	54.38	68.20	-13.82	47.94	3	Vertical	330	1.55	-	39.24	10.22	43.02
PK	15.56217G	54.33	74.00	-19.67	46.27	3	Vertical	195	1.92	-	38.00	12.60	42.54
AV	15.58083G	42.97	54.00	-11.03	35.03	3	Vertical	195	1.92	-	37.85	12.61	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
 Setting 16.5
 01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37952G	53.91	68.20	-14.29	47.45	3	Horizontal	109	2.69	-	39.26	10.23	43.03
PK	15.56979G	54.76	74.00	-19.24	46.75	3	Horizontal	31	1.06	-	37.94	12.60	42.53
AV	15.57765G	42.88	54.00	-11.12	34.91	3	Horizontal	31	1.06	-	37.88	12.61	42.52

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
 SET 21
 21\23\22\21.5\21
 2.39\ -2.07\ -0.64\ -0.73\ 2.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14654G	67.83	74.00	-6.17	61.41	3	Vertical	297	1.99	21	32.09	7.23	32.90
AV	5.1442G	51.86	54.00	-2.14	45.45	3	Vertical	297	1.99	21	32.08	7.23	32.90
PK	5.24378G	121.62	Inf	-Inf	115.75	3	Vertical	297	1.99	21	31.45	7.30	32.88
AV	5.2443G	109.59	Inf	-Inf	103.72	3	Vertical	297	1.99	21	31.45	7.30	32.88
PK	5.35558G	60.71	74.00	-13.29	54.81	3	Vertical	297	1.99	21	31.41	7.35	32.86
AV	5.35714G	48.08	54.00	-5.92	42.18	3	Vertical	297	1.99	21	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
SET 21
21
2.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14706G	69.64	74.00	-4.36	63.21	3	Horizontal	304	1.50	21	32.09	7.24	32.90
AV	5.14628G	51.62	54.00	-2.38	45.20	3	Horizontal	304	1.50	21	32.09	7.23	32.90
PK	5.21466G	118.26	Inf	-Inf	112.18	3	Horizontal	304	1.50	21	31.68	7.29	32.89
AV	5.21466G	107.40	Inf	-Inf	101.32	3	Horizontal	304	1.50	21	31.68	7.29	32.89
PK	5.35038G	58.71	74.00	-15.29	52.82	3	Horizontal	304	1.50	21	31.40	7.35	32.86
AV	5.35402G	47.52	54.00	-6.48	41.62	3	Horizontal	304	1.50	21	31.41	7.35	32.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.463G	54.29	68.20	-13.91	47.63	3	Vertical	112	1.95	-	39.43	10.27	43.04
PK	15.68847G	55.56	74.00	-18.44	47.51	3	Vertical	182	1.92	-	37.78	12.66	42.39
AV	15.7047G	43.47	54.00	-10.53	35.28	3	Vertical	182	1.92	-	37.90	12.66	42.37

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44764G	54.40	68.20	-13.80	47.76	3	Horizontal	39	2.42	-	39.40	10.27	43.03
PK	15.69861G	54.91	74.00	-19.09	46.74	3	Horizontal	277	2.26	-	37.89	12.66	42.38
AV	15.69795G	43.51	54.00	-10.49	35.35	3	Horizontal	277	2.26	-	37.88	12.66	42.38

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
 SET 21
 17\23\20\21.5\21
 6.00\2.54\5.42\1.84\2.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	61.07	74.00	-12.93	54.66	3	Vertical	300	2.00	21	32.08	7.23	32.90
AV	5.14428G	48.89	54.00	-5.11	42.48	3	Vertical	300	2.00	21	32.08	7.23	32.90
PK	5.28456G	121.85	Inf	-Inf	116.07	3	Vertical	300	2.00	21	31.33	7.32	32.87
AV	5.28456G	108.79	Inf	-Inf	103.01	3	Vertical	300	2.00	21	31.33	7.32	32.87
PK	5.35428G	67.25	74.00	-6.75	61.35	3	Vertical	300	2.00	21	31.41	7.35	32.86
AV	5.35344G	51.99	54.00	-2.01	46.09	3	Vertical	300	2.00	21	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
 SET 21
 21
 4.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13616G	60.32	74.00	-13.68	53.95	3	Horizontal	308	1.80	21	32.04	7.23	32.90
AV	5.14904G	48.19	54.00	-5.81	41.75	3	Horizontal	308	1.80	21	32.10	7.24	32.90
PK	5.25516G	117.81	Inf	-Inf	112.00	3	Horizontal	308	1.80	21	31.39	7.30	32.88
AV	5.27588G	106.36	Inf	-Inf	100.57	3	Horizontal	308	1.80	21	31.35	7.31	32.87
PK	5.35652G	66.80	74.00	-7.20	60.90	3	Horizontal	308	1.80	21	31.41	7.35	32.86
AV	5.35624G	49.69	54.00	-4.31	43.79	3	Horizontal	308	1.80	21	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54465G	55.32	68.20	-12.88	48.55	3	Vertical	268	1.38	-	39.50	10.32	43.05
PK	15.79566G	54.32	74.00	-19.68	46.25	3	Vertical	48	2.87	-	37.63	12.71	42.27
AV	15.79743G	43.07	54.00	-10.93	35.00	3	Vertical	48	2.87	-	37.62	12.71	42.26

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53013G	54.87	68.20	-13.33	48.10	3	Horizontal	312	2.88	-	39.50	10.31	43.04
PK	15.80337G	54.32	74.00	-19.68	46.28	3	Horizontal	231	1.13	-	37.59	12.71	42.26
AV	15.80115G	43.06	54.00	-10.94	35.01	3	Horizontal	231	1.13	-	37.60	12.71	42.26

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 SET 17
 17\18.5\18\17.5\17
 1.79\1.77\1.77\1.77\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30436G	116.70	Inf	-Inf	110.93	3	Vertical	299	2.00	17	31.31	7.33	32.87
AV	5.3052G	104.58	Inf	-Inf	98.81	3	Vertical	299	2.00	17	31.31	7.33	32.87
PK	5.35344G	65.63	74.00	-8.37	59.73	3	Vertical	299	2.00	17	31.41	7.35	32.86
AV	5.35332G	52.32	54.00	-1.68	46.42	3	Vertical	299	2.00	17	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
 SET 17
 17
 3.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	113.49	Inf	-Inf	107.73	3	Horizontal	302	1.80	17	31.31	7.32	32.87
AV	5.29536G	101.99	Inf	-Inf	96.23	3	Horizontal	302	1.80	17	31.31	7.32	32.87
PK	5.35644G	63.24	74.00	-10.76	57.34	3	Horizontal	302	1.80	17	31.41	7.35	32.86
AV	5.35572G	50.66	54.00	-3.34	44.76	3	Horizontal	302	1.80	17	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62264G	55.31	74.00	-18.69	48.40	3	Vertical	301	1.81	-	39.60	10.36	43.05
AV	10.60725G	43.76	54.00	-10.24	36.86	3	Vertical	301	1.81	-	39.60	10.35	43.05
PK	15.91662G	55.25	74.00	-18.75	47.29	3	Vertical	155	2.87	-	37.33	12.76	42.13
AV	15.93858G	43.36	54.00	-10.64	35.44	3	Vertical	155	2.87	-	37.25	12.77	42.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62576G	55.70	74.00	-18.30	48.80	3	Horizontal	153	2.05	-	39.60	10.36	43.06
AV	10.61673G	43.71	54.00	-10.29	36.80	3	Horizontal	153	2.05	-	39.60	10.36	43.05
PK	15.91578G	55.48	74.00	-18.52	47.51	3	Horizontal	22	1.45	-	37.34	12.76	42.13
AV	15.91527G	43.39	54.00	-10.61	35.42	3	Horizontal	22	1.45	-	37.34	12.76	42.13

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
SET 15
16.5\16\15.5\15
-0.34\ -0.34\ -0.43\1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14472G	64.98	74.00	-9.02	58.57	3	Vertical	297	2.00	15	32.08	7.23	32.90
AV	5.1428G	52.57	54.00	-1.43	46.17	3	Vertical	297	2.00	15	32.07	7.23	32.90
PK	5.24392G	111.98	Inf	-Inf	106.11	3	Vertical	297	2.00	15	31.45	7.30	32.88
AV	5.18344G	100.70	Inf	-Inf	94.42	3	Vertical	297	2.00	15	31.90	7.27	32.89
PK	5.35624G	59.57	74.00	-14.43	53.67	3	Vertical	297	2.00	15	31.41	7.35	32.86
AV	5.3668G	47.40	54.00	-6.60	41.47	3	Vertical	297	2.00	15	31.43	7.36	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
SET 15
15
3.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	63.66	74.00	-10.34	57.24	3	Horizontal	301	1.50	15	32.09	7.23	32.90
AV	5.146G	50.93	54.00	-3.07	44.52	3	Horizontal	301	1.50	15	32.08	7.23	32.90
PK	5.194G	109.12	Inf	-Inf	102.90	3	Horizontal	301	1.50	15	31.84	7.27	32.89
AV	5.21448G	98.10	Inf	-Inf	92.02	3	Horizontal	301	1.50	15	31.68	7.29	32.89
PK	5.36744G	59.16	74.00	-14.84	53.23	3	Horizontal	301	1.50	15	31.43	7.36	32.86
AV	5.36776G	47.02	54.00	-6.98	41.08	3	Horizontal	301	1.50	15	31.44	7.36	32.86

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
Setting 15
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41982G	55.61	68.20	-12.59	49.05	3	Vertical	238	2.96	-	39.34	10.25	43.03
PK	15.62652G	54.51	74.00	-19.49	46.80	3	Vertical	321	2.93	-	37.54	12.63	42.46
AV	15.63819G	42.60	54.00	-11.40	34.95	3	Vertical	321	2.93	-	37.47	12.63	42.45

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
Setting 15
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42795G	54.23	68.20	-13.97	47.64	3	Horizontal	95	1.18	-	39.36	10.26	43.03
PK	15.63153G	54.09	74.00	-19.91	46.41	3	Horizontal	223	2.16	-	37.51	12.63	42.46
AV	15.6384G	42.65	54.00	-11.35	35.00	3	Horizontal	223	2.16	-	37.47	12.63	42.45

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
SET 17
17\17.5\17
0.65\ -3.90\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13512G	60.35	74.00	-13.65	53.99	3	Vertical	298	2.00	17	32.04	7.22	32.90
AV	5.1444G	48.52	54.00	-5.48	42.11	3	Vertical	298	2.00	17	32.08	7.23	32.90
PK	5.30696G	112.56	Inf	-Inf	106.79	3	Vertical	298	2.00	17	31.31	7.33	32.87
AV	5.28488G	101.51	Inf	-Inf	95.73	3	Vertical	298	2.00	17	31.33	7.32	32.87
PK	5.35432G	68.55	74.00	-5.45	62.65	3	Vertical	298	2.00	17	31.41	7.35	32.86
AV	5.35432G	53.54	54.00	-0.46	47.64	3	Vertical	298	2.00	17	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
SET 17
17
2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	60.24	74.00	-13.76	53.86	3	Horizontal	308	1.80	17	32.05	7.23	32.90
AV	5.14728G	47.98	54.00	-6.02	41.55	3	Horizontal	308	1.80	17	32.09	7.24	32.90
PK	5.27656G	110.51	Inf	-Inf	104.72	3	Horizontal	308	1.80	17	31.35	7.31	32.87
AV	5.2756G	98.92	Inf	-Inf	93.13	3	Horizontal	308	1.80	17	31.35	7.31	32.87
PK	5.35656G	66.40	74.00	-7.60	60.50	3	Horizontal	308	1.80	17	31.41	7.35	32.86
AV	5.35592G	51.88	54.00	-2.12	45.98	3	Horizontal	308	1.80	17	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59359G	55.68	68.20	-12.52	48.79	3	Vertical	184	1.51	-	39.59	10.35	43.05
PK	15.8682G	55.45	74.00	-18.55	47.49	3	Vertical	314	1.63	-	37.40	12.74	42.18
AV	15.86223G	43.67	54.00	-10.33	35.72	3	Vertical	314	1.63	-	37.40	12.74	42.19

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 17
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59182G	55.31	68.20	-12.89	48.43	3	Horizontal	50	2.63	-	39.58	10.35	43.05
PK	15.86112G	54.99	74.00	-19.01	47.04	3	Horizontal	343	2.52	-	37.40	12.74	42.19
AV	15.86184G	43.70	54.00	-10.30	35.75	3	Horizontal	343	2.52	-	37.40	12.74	42.19

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
 SET 15
 17\13.5\15\15.5\15
 -3.43\2.66\1.77\0.15\1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14416G	65.36	74.00	-8.64	58.95	3	Vertical	297	2.00	15	32.08	7.23	32.90
AV	5.14392G	52.23	54.00	-1.77	45.82	3	Vertical	297	2.00	15	32.08	7.23	32.90
PK	5.28456G	109.08	Inf	-Inf	103.30	3	Vertical	297	2.00	15	31.33	7.32	32.87
AV	5.28504G	97.09	Inf	-Inf	91.31	3	Vertical	297	2.00	15	31.33	7.32	32.87
PK	5.3652G	64.96	74.00	-9.04	59.04	3	Vertical	297	2.00	15	31.43	7.35	32.86
AV	5.36544G	51.59	54.00	-2.41	45.67	3	Vertical	297	2.00	15	31.43	7.35	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 15
15
3.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	62.44	74.00	-11.56	56.09	3	Horizontal	307	1.80	15	32.03	7.22	32.90
AV	5.14656G	50.06	54.00	-3.94	43.64	3	Horizontal	307	1.80	15	32.09	7.23	32.90
PK	5.25528G	105.87	Inf	-Inf	100.06	3	Horizontal	307	1.80	15	31.39	7.30	32.88
AV	5.27544G	94.27	Inf	-Inf	88.48	3	Horizontal	307	1.80	15	31.35	7.31	32.87
PK	5.35656G	62.26	74.00	-11.74	56.36	3	Horizontal	307	1.80	15	31.41	7.35	32.86
AV	5.3556G	49.97	54.00	-4.03	44.07	3	Horizontal	307	1.80	15	31.41	7.35	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 15
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50891G	55.61	68.20	-12.59	48.85	3	Vertical	25	1.48	-	39.50	10.30	43.04
PK	15.75174G	55.54	74.00	-18.46	47.28	3	Vertical	343	2.33	-	37.89	12.69	42.32
AV	15.75606G	43.53	54.00	-10.47	35.29	3	Vertical	343	2.33	-	37.86	12.69	42.31

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_X_4TX
Setting 15
01-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50642G	55.08	68.20	-13.12	48.32	3	Horizontal	34	2.11	-	39.50	10.30	43.04
PK	15.74694G	54.92	74.00	-19.08	46.66	3	Horizontal	52	2.99	-	37.90	12.68	42.32
AV	15.76218G	43.56	54.00	-10.44	35.35	3	Horizontal	52	2.99	-	37.83	12.69	42.31




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	Pass	AV	5.1124G	53.96	54.00	-0.04	3	Horizontal	58	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTY_1TX
Setting 11.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.12	74.00	-11.88	57.24	3	Vertical	60	1.80	-	33.00	7.40	35.52
AV	5.148G	48.14	54.00	-5.86	43.26	3	Vertical	60	1.80	-	33.00	7.40	35.52
PK	5.2385G	103.18	Inf	-Inf	98.18	3	Vertical	60	1.80	-	33.02	7.47	35.49
AV	5.2405G	91.19	Inf	-Inf	86.19	3	Vertical	60	1.80	-	33.02	7.47	35.49
PK	5.404G	59.54	74.00	-14.46	54.55	3	Vertical	60	1.80	-	32.89	7.55	35.45
AV	5.414G	47.49	54.00	-6.51	42.50	3	Vertical	60	1.80	-	32.87	7.56	35.44

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTY_1TX
Setting 11.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.54	74.00	-1.46	67.66	3	Horizontal	59	1.80	-	33.00	7.40	35.52
AV	5.1495G	53.53	54.00	-0.47	48.65	3	Horizontal	59	1.80	-	33.00	7.40	35.52
PK	5.1815G	110.26	Inf	-Inf	105.28	3	Horizontal	59	1.80	-	33.06	7.43	35.51
AV	5.173G	98.44	Inf	-Inf	93.48	3	Horizontal	59	1.80	-	33.05	7.42	35.51
PK	5.355G	60.77	74.00	-13.23	55.89	3	Horizontal	59	1.80	-	32.81	7.53	35.46
AV	5.375G	47.59	54.00	-6.41	42.65	3	Horizontal	59	1.80	-	32.85	7.54	35.45

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTY_1TX
Setting 11.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.408G	56.13	68.20	-12.07	40.65	3	Vertical	111	2.47	-	38.80	10.37	33.69
PK	15.6535G	57.54	74.00	-16.46	41.08	3	Vertical	343	2.30	-	37.51	12.31	33.36
AV	15.60645G	46.27	54.00	-7.73	29.46	3	Vertical	343	2.30	-	37.94	12.30	33.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUTY_1TX
Setting 11.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4292G	57.00	68.20	-11.20	41.55	3	Horizontal	0	1.80	-	38.80	10.38	33.73
PK	15.6157G	58.12	74.00	-15.88	41.39	3	Horizontal	30	1.83	-	37.84	12.30	33.41
AV	15.60795G	46.33	54.00	-7.67	29.54	3	Horizontal	30	1.83	-	37.92	12.30	33.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTY_1TX
 Setting 11.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	59.62	74.00	-14.38	54.78	3	Vertical	59	1.80	-	33.00	7.37	35.53
AV	5.0875G	49.69	54.00	-4.31	44.87	3	Vertical	59	1.80	-	33.02	7.34	35.54
PK	5.238G	103.44	Inf	-Inf	98.44	3	Vertical	59	1.80	-	33.02	7.47	35.49
AV	5.2365G	92.12	Inf	-Inf	87.11	3	Vertical	59	1.80	-	33.03	7.47	35.49
PK	5.4375G	59.29	74.00	-14.71	54.33	3	Vertical	59	1.80	-	32.82	7.58	35.44
AV	5.441G	49.87	54.00	-4.13	44.91	3	Vertical	59	1.80	-	32.82	7.58	35.44

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
 Setting 11.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	62.99	74.00	-11.01	58.15	3	Horizontal	58	1.80	-	33.00	7.37	35.53
AV	5.111G	53.54	54.00	-0.46	48.70	3	Horizontal	58	1.80	-	33.00	7.37	35.53
PK	5.175G	109.59	Inf	-Inf	104.62	3	Horizontal	58	1.80	-	33.05	7.43	35.51
AV	5.1765G	99.10	Inf	-Inf	94.13	3	Horizontal	58	1.80	-	33.05	7.43	35.51
PK	5.396G	59.86	74.00	-14.14	54.87	3	Horizontal	58	1.80	-	32.89	7.55	35.45
AV	5.414G	49.94	54.00	-4.06	44.95	3	Horizontal	58	1.80	-	32.87	7.56	35.44

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTY_1TX
 Setting 11.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44245G	55.68	68.20	-12.52	40.25	3	Vertical	145	2.74	-	38.80	10.38	33.75
PK	15.63815G	58.97	74.00	-15.03	42.42	3	Vertical	95	1.59	-	37.62	12.31	33.38
AV	15.6087G	48.14	54.00	-5.86	31.35	3	Vertical	95	1.59	-	37.91	12.30	33.42

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTY_1TX
Setting 11.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43015G	55.91	68.20	-12.29	40.46	3	Horizontal	121	1.14	-	38.80	10.38	33.73
PK	15.65455G	57.93	74.00	-16.07	41.46	3	Horizontal	101	1.68	-	37.52	12.31	33.36
AV	15.62755G	48.38	54.00	-5.62	31.75	3	Horizontal	101	1.68	-	37.72	12.31	33.40

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1335G	59.12	74.00	-14.88	54.25	3	Vertical	60	1.80	-	33.00	7.39	35.52
AV	5.147G	46.67	54.00	-7.33	41.79	3	Vertical	60	1.80	-	33.00	7.40	35.52
PK	5.274G	103.55	Inf	-Inf	98.59	3	Vertical	60	1.80	-	32.95	7.49	35.48
AV	5.2655G	90.53	Inf	-Inf	85.57	3	Vertical	60	1.80	-	32.97	7.48	35.49
PK	5.3545G	64.66	74.00	-9.34	59.78	3	Vertical	60	1.80	-	32.81	7.53	35.46
AV	5.3595G	48.35	54.00	-5.65	43.46	3	Vertical	60	1.80	-	32.82	7.53	35.46
PK	5.5G	59.73	68.20	-8.47	54.62	3	Vertical	60	1.80	-	32.90	7.63	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.54	74.00	-10.46	58.66	3	Horizontal	344	1.80	-	33.00	7.40	35.52
AV	5.1495G	48.31	54.00	-5.69	43.43	3	Horizontal	344	1.80	-	33.00	7.40	35.52
PK	5.2555G	110.21	Inf	-Inf	105.23	3	Horizontal	344	1.80	-	32.99	7.48	35.49
AV	5.261G	96.62	Inf	-Inf	91.65	3	Horizontal	344	1.80	-	32.98	7.48	35.49
PK	5.351G	72.42	74.00	-1.58	67.55	3	Horizontal	344	1.80	-	32.80	7.53	35.46
AV	5.351G	52.75	54.00	-1.25	47.88	3	Horizontal	344	1.80	-	32.80	7.53	35.46
PK	5.467G	59.54	68.20	-8.66	54.54	3	Horizontal	344	1.80	-	32.83	7.60	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTY_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57615G	57.15	68.20	-11.05	41.65	3	Vertical	303	1.94	-	38.85	10.44	33.79
PK	15.8662G	58.19	74.00	-15.81	41.16	3	Vertical	355	2.96	-	37.67	12.39	33.03
AV	15.8512G	46.39	54.00	-7.61	29.37	3	Vertical	355	2.96	-	37.70	12.38	33.06

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUTY_1TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56855G	57.41	68.20	-10.79	41.93	3	Horizontal	38	2.81	-	38.84	10.44	33.80
PK	15.8785G	58.30	74.00	-15.70	41.28	3	Horizontal	108	2.84	-	37.64	12.39	33.01
AV	15.8839G	46.41	54.00	-7.59	29.40	3	Horizontal	108	2.84	-	37.63	12.39	33.01

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 4.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0955G	59.85	74.00	-14.15	55.02	3	Vertical	58	1.80	-	33.01	7.35	35.53
AV	5.1465G	48.98	54.00	-5.02	44.10	3	Vertical	58	1.80	-	33.00	7.40	35.52
PK	5.259G	103.50	Inf	-Inf	98.53	3	Vertical	58	1.80	-	32.98	7.48	35.49
AV	5.2615G	93.03	Inf	-Inf	88.06	3	Vertical	58	1.80	-	32.98	7.48	35.49
PK	5.3745G	63.17	74.00	-10.83	58.24	3	Vertical	58	1.80	-	32.85	7.54	35.46
AV	5.378G	50.95	54.00	-3.05	46.00	3	Vertical	58	1.80	-	32.86	7.54	35.45
PK	5.4885G	60.21	68.20	-7.99	55.13	3	Vertical	58	1.80	-	32.88	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTY_1TX
Setting 4.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	64.97	74.00	-9.03	60.09	3	Horizontal	342	1.80	-	33.00	7.40	35.52
AV	5.1465G	50.81	54.00	-3.19	45.93	3	Horizontal	342	1.80	-	33.00	7.40	35.52
PK	5.2525G	110.75	Inf	-Inf	105.77	3	Horizontal	342	1.80	-	32.99	7.48	35.49
AV	5.264G	99.35	Inf	-Inf	94.39	3	Horizontal	342	1.80	-	32.97	7.48	35.49
PK	5.385G	72.26	74.00	-1.74	67.30	3	Horizontal	342	1.80	-	32.87	7.54	35.45
AV	5.379G	53.82	54.00	-0.18	48.87	3	Horizontal	342	1.80	-	32.86	7.54	35.45
PK	5.487G	59.52	68.20	-8.68	54.45	3	Horizontal	342	1.80	-	32.87	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTY_1TX
Setting 4.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58165G	57.23	68.20	-10.97	41.71	3	Vertical	95	1.80	-	38.86	10.45	33.79
PK	15.88885G	58.38	74.00	-15.62	41.37	3	Vertical	11	1.80	-	37.62	12.39	33.00
AV	15.87595G	48.50	54.00	-5.50	31.48	3	Vertical	11	1.80	-	37.65	12.39	33.02

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUTY_1TX
Setting 4.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5643G	57.88	68.20	-10.32	42.41	3	Horizontal	360	1.80	-	38.83	10.44	33.80
PK	15.8651G	58.32	74.00	-15.68	41.31	3	Horizontal	233	1.80	-	37.67	12.38	33.04
AV	15.8841G	48.75	54.00	-5.25	31.74	3	Horizontal	233	1.80	-	37.63	12.39	33.01

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	61.22	74.00	-12.78	56.35	3	Vertical	59	1.80	-	33.00	7.39	35.52
AV	5.1492G	47.60	54.00	-6.40	42.72	3	Vertical	59	1.80	-	33.00	7.40	35.52
PK	5.2708G	98.23	Inf	-Inf	93.26	3	Vertical	59	1.80	-	32.96	7.49	35.48
AV	5.2684G	85.85	Inf	-Inf	80.89	3	Vertical	59	1.80	-	32.96	7.48	35.48
PK	5.398G	62.17	74.00	-11.83	57.17	3	Vertical	59	1.80	-	32.90	7.55	35.45
AV	5.3716G	47.74	54.00	-6.26	42.82	3	Vertical	59	1.80	-	32.84	7.54	35.46
PK	5.6276G	60.23	68.20	-7.97	55.09	3	Vertical	59	1.80	-	32.86	7.75	35.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	71.99	74.00	-2.01	67.12	3	Horizontal	57	1.80	-	33.00	7.39	35.52
AV	5.1372G	50.50	54.00	-3.50	45.63	3	Horizontal	57	1.80	-	33.00	7.39	35.52
PK	5.174G	104.94	Inf	-Inf	99.97	3	Horizontal	57	1.80	-	33.05	7.43	35.51
AV	5.1716G	92.99	Inf	-Inf	88.04	3	Horizontal	57	1.80	-	33.04	7.42	35.51
PK	5.3932G	68.76	74.00	-5.24	63.77	3	Horizontal	57	1.80	-	32.89	7.55	35.45
AV	5.3756G	53.71	54.00	-0.29	48.77	3	Horizontal	57	1.80	-	32.85	7.54	35.45
PK	5.6372G	59.81	68.20	-8.39	54.64	3	Horizontal	57	1.80	-	32.87	7.77	35.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 7.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5239G	56.77	68.20	-11.43	41.38	3	Vertical	11	1.85	-	38.80	10.42	33.83
PK	15.75245G	57.89	74.00	-16.11	40.95	3	Vertical	154	2.83	-	37.80	12.35	33.21
AV	15.75335G	46.54	54.00	-7.46	29.59	3	Vertical	154	2.83	-	37.80	12.35	33.20

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 7.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52G	56.82	68.20	-11.38	41.43	3	Horizontal	145	2.83	-	38.80	10.42	33.83
PK	15.74985G	58.40	74.00	-15.60	41.46	3	Horizontal	359	2.04	-	37.80	12.35	33.21
AV	15.7554G	46.63	54.00	-7.37	29.68	3	Horizontal	359	2.04	-	37.80	12.35	33.20

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.72	74.00	-13.28	55.84	3	Vertical	64	1.80	-	33.00	7.40	35.52
AV	5.0484G	49.30	54.00	-4.70	44.44	3	Vertical	64	1.80	-	33.10	7.31	35.55
PK	5.2628G	98.93	Inf	-Inf	93.97	3	Vertical	64	1.80	-	32.97	7.48	35.49
AV	5.2604G	87.47	Inf	-Inf	82.50	3	Vertical	64	1.80	-	32.98	7.48	35.49
PK	5.3932G	60.24	74.00	-13.76	55.25	3	Vertical	64	1.80	-	32.89	7.55	35.45
AV	5.3524G	49.31	54.00	-4.69	44.44	3	Vertical	64	1.80	-	32.80	7.53	35.46
PK	5.5956G	60.20	68.20	-8.00	55.15	3	Vertical	64	1.80	-	32.80	7.71	35.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	67.81	74.00	-6.19	62.95	3	Horizontal	58	1.80	-	33.00	7.38	35.52
AV	5.1124G	53.96	54.00	-0.04	49.12	3	Horizontal	58	1.80	-	33.00	7.37	35.53
PK	5.1812G	105.66	Inf	-Inf	100.68	3	Horizontal	58	1.80	-	33.06	7.43	35.51
AV	5.178G	94.23	Inf	-Inf	89.25	3	Horizontal	58	1.80	-	33.06	7.43	35.51
PK	5.3948G	69.01	74.00	-4.99	64.02	3	Horizontal	58	1.80	-	32.89	7.55	35.45
AV	5.3924G	53.74	54.00	-0.26	48.76	3	Horizontal	58	1.80	-	32.88	7.55	35.45
PK	5.6452G	59.86	68.20	-8.34	54.67	3	Horizontal	58	1.80	-	32.89	7.78	35.48

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 7
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52145G	56.52	68.20	-11.68	41.13	3	Vertical	107	1.08	-	38.80	10.42	33.83
PK	15.7591G	58.10	74.00	-15.90	41.15	3	Vertical	190	1.40	-	37.80	12.35	33.20
AV	15.7646G	48.60	54.00	-5.40	31.64	3	Vertical	190	1.40	-	37.80	12.35	33.19

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5017G	57.01	68.20	-11.19	41.65	3	Horizontal	68	1.71	-	38.80	10.41	33.85
PK	15.76425G	57.97	74.00	-16.03	41.01	3	Horizontal	358	1.30	-	37.80	12.35	33.19
AV	15.76795G	48.41	54.00	-5.59	31.44	3	Horizontal	358	1.30	-	37.80	12.35	33.18

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	61.86	74.00	-12.14	56.99	3	Vertical	61	1.80	-	33.00	7.39	35.52
AV	5.1452G	47.59	54.00	-6.41	42.71	3	Vertical	61	1.80	-	33.00	7.40	35.52
PK	5.3012G	95.76	Inf	-Inf	90.84	3	Vertical	61	1.80	-	32.90	7.50	35.48
AV	5.294G	84.14	Inf	-Inf	79.21	3	Vertical	61	1.80	-	32.91	7.50	35.48
PK	5.3604G	59.89	74.00	-14.11	55.00	3	Vertical	61	1.80	-	32.82	7.53	35.46
AV	5.458G	47.48	54.00	-6.52	42.49	3	Vertical	61	1.80	-	32.82	7.60	35.43
PK	5.5588G	60.30	68.20	-7.90	55.26	3	Vertical	61	1.80	-	32.80	7.68	35.44

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	72.14	74.00	-1.86	67.26	3	Horizontal	58	1.80	-	33.00	7.40	35.52
AV	5.0812G	51.44	54.00	-2.56	46.60	3	Horizontal	58	1.80	-	33.04	7.34	35.54
PK	5.1748G	104.79	Inf	-Inf	99.82	3	Horizontal	58	1.80	-	33.05	7.43	35.51
AV	5.1724G	92.86	Inf	-Inf	87.91	3	Horizontal	58	1.80	-	33.04	7.42	35.51
PK	5.398G	67.06	74.00	-6.94	62.06	3	Horizontal	58	1.80	-	32.90	7.55	35.45
AV	5.3604G	48.19	54.00	-5.81	43.30	3	Horizontal	58	1.80	-	32.82	7.53	35.46
PK	5.4604G	60.07	68.20	-8.13	55.08	3	Horizontal	58	1.80	-	32.82	7.60	35.43

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
Setting 7.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5242G	56.44	68.20	-11.76	41.05	3	Vertical	225	1.28	-	38.80	10.42	33.83
PK	15.7621G	58.35	74.00	-15.65	41.39	3	Vertical	63	2.24	-	37.80	12.35	33.19
AV	15.7531G	46.45	54.00	-7.55	29.51	3	Vertical	63	2.24	-	37.80	12.35	33.21

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUTY_1TX
 Setting 7.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52395G	57.14	68.20	-11.06	41.75	3	Horizontal	29	2.95	-	38.80	10.42	33.83
PK	15.74955G	58.25	74.00	-15.75	41.31	3	Horizontal	146	1.03	-	37.80	12.35	33.21
AV	15.76935G	46.62	54.00	-7.38	29.65	3	Horizontal	146	1.03	-	37.80	12.35	33.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.85	74.00	-5.15	63.97	3	Vertical	308	2.29	-	33.00	7.40	35.52
AV	5.138G	53.85	54.00	-0.15	48.98	3	Vertical	308	2.29	-	33.00	7.39	35.52
PK	5.1765G	113.32	Inf	-Inf	108.35	3	Vertical	308	2.29	-	33.05	7.43	35.51
AV	5.175G	101.37	Inf	-Inf	96.40	3	Vertical	308	2.29	-	33.05	7.43	35.51
PK	5.356G	61.00	74.00	-13.00	56.12	3	Vertical	308	2.29	-	32.81	7.53	35.46
AV	5.3595G	47.84	54.00	-6.16	42.95	3	Vertical	308	2.29	-	32.82	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
 Setting 9.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.86	74.00	-7.14	61.98	3	Horizontal	82	1.60	-	33.00	7.40	35.52
AV	5.1475G	50.81	54.00	-3.19	45.93	3	Horizontal	82	1.60	-	33.00	7.40	35.52
PK	5.234G	107.85	Inf	-Inf	102.84	3	Horizontal	82	1.60	-	33.03	7.47	35.49
AV	5.248G	96.30	Inf	-Inf	91.32	3	Horizontal	82	1.60	-	33.00	7.47	35.49
PK	5.3555G	59.74	74.00	-14.26	54.86	3	Horizontal	82	1.60	-	32.81	7.53	35.46
AV	5.358G	47.48	54.00	-6.52	42.59	3	Horizontal	82	1.60	-	32.82	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43415G	56.09	68.20	-12.11	40.64	3	Vertical	99	1.75	-	38.80	10.38	33.73
PK	15.6453G	58.30	74.00	-15.70	41.81	3	Vertical	87	2.37	-	37.55	12.31	33.37
AV	15.6162G	46.41	54.00	-7.59	29.68	3	Vertical	87	2.37	-	37.84	12.30	33.41

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 9.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42565G	56.69	68.20	-11.51	41.23	3	Horizontal	118	2.46	-	38.80	10.38	33.72
PK	15.6246G	57.97	74.00	-16.03	41.32	3	Horizontal	174	1.40	-	37.75	12.30	33.40
AV	15.626G	46.35	54.00	-7.65	29.71	3	Horizontal	174	1.40	-	37.74	12.30	33.40

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
 Setting 11.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	65.05	74.00	-8.95	60.21	3	Vertical	311	2.21	-	33.00	7.37	35.53
AV	5.1335G	53.65	54.00	-0.35	48.78	3	Vertical	311	2.21	-	33.00	7.39	35.52
PK	5.1745G	110.90	Inf	-Inf	105.93	3	Vertical	311	2.21	-	33.05	7.43	35.51
AV	5.1735G	100.84	Inf	-Inf	95.88	3	Vertical	311	2.21	-	33.05	7.42	35.51
PK	5.363G	59.60	74.00	-14.40	54.70	3	Vertical	311	2.21	-	32.83	7.53	35.46
AV	5.367G	50.29	54.00	-3.71	45.39	3	Vertical	311	2.21	-	32.83	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 11.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	60.95	74.00	-13.05	56.09	3	Horizontal	76	1.58	-	33.00	7.38	35.52
AV	5.147G	51.42	54.00	-2.58	46.54	3	Horizontal	76	1.58	-	33.00	7.40	35.52
PK	5.2485G	106.60	Inf	-Inf	101.62	3	Horizontal	76	1.58	-	33.00	7.47	35.49
AV	5.248G	96.30	Inf	-Inf	91.32	3	Horizontal	76	1.58	-	33.00	7.47	35.49
PK	5.411G	59.14	74.00	-14.86	54.14	3	Horizontal	76	1.58	-	32.88	7.56	35.44
AV	5.4025G	49.83	54.00	-4.17	44.84	3	Horizontal	76	1.58	-	32.89	7.55	35.45

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 11.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44075G	56.24	68.20	-11.96	40.81	3	Vertical	82	2.35	-	38.80	10.38	33.75
PK	15.60605G	58.04	74.00	-15.96	41.23	3	Vertical	212	2.64	-	37.94	12.30	33.43
AV	15.6263G	48.33	54.00	-5.67	31.69	3	Vertical	212	2.64	-	37.74	12.30	33.40

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
 Setting 11.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43465G	56.03	68.20	-12.17	40.58	3	Horizontal	176	1.28	-	38.80	10.38	33.73
PK	15.60915G	57.84	74.00	-16.16	41.05	3	Horizontal	83	1.95	-	37.91	12.30	33.42
AV	15.6171G	48.53	54.00	-5.47	31.81	3	Horizontal	83	1.95	-	37.83	12.30	33.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 3.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.98	74.00	-11.02	58.10	3	Vertical	313	2.24	-	33.00	7.40	35.52
AV	5.149G	48.81	54.00	-5.19	43.93	3	Vertical	313	2.24	-	33.00	7.40	35.52
PK	5.2535G	112.48	Inf	-Inf	107.50	3	Vertical	313	2.24	-	32.99	7.48	35.49
AV	5.2545G	100.51	Inf	-Inf	95.53	3	Vertical	313	2.24	-	32.99	7.48	35.49
PK	5.355G	71.36	74.00	-2.64	66.48	3	Vertical	313	2.24	-	32.81	7.53	35.46
AV	5.356G	53.12	54.00	-0.88	48.24	3	Vertical	313	2.24	-	32.81	7.53	35.46
PK	5.5255G	60.03	68.20	-8.17	54.96	3	Vertical	313	2.24	-	32.85	7.65	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 3.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	61.24	74.00	-12.76	56.36	3	Horizontal	78	1.80	-	33.00	7.40	35.52
AV	5.148G	48.14	54.00	-5.86	43.26	3	Horizontal	78	1.80	-	33.00	7.40	35.52
PK	5.2545G	108.29	Inf	-Inf	103.31	3	Horizontal	78	1.80	-	32.99	7.48	35.49
AV	5.252G	96.25	Inf	-Inf	91.26	3	Horizontal	78	1.80	-	33.00	7.48	35.49
PK	5.3545G	67.76	74.00	-6.24	62.88	3	Horizontal	78	1.80	-	32.81	7.53	35.46
AV	5.35G	51.08	54.00	-2.92	46.21	3	Horizontal	78	1.80	-	32.80	7.53	35.46
PK	5.466G	59.78	68.20	-8.42	54.78	3	Horizontal	78	1.80	-	32.83	7.60	35.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 3.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58645G	57.09	68.20	-11.11	41.55	3	Vertical	196	2.70	-	38.87	10.45	33.78
PK	15.8767G	57.63	74.00	-16.37	40.61	3	Vertical	329	2.44	-	37.65	12.39	33.02
AV	15.88385G	46.32	54.00	-7.68	29.31	3	Vertical	329	2.44	-	37.63	12.39	33.01

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
 Setting 3.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55965G	57.83	68.20	-10.37	42.37	3	Horizontal	252	1.15	-	38.82	10.44	33.80
PK	15.8548G	57.62	74.00	-16.38	40.60	3	Horizontal	2	2.92	-	37.69	12.38	33.05
AV	15.8763G	46.28	54.00	-7.72	29.26	3	Horizontal	2	2.92	-	37.65	12.39	33.02

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
 Setting 2.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.96	74.00	-13.04	56.09	3	Vertical	314	2.24	-	33.00	7.39	35.52
AV	5.1355G	50.88	54.00	-3.12	46.01	3	Vertical	314	2.24	-	33.00	7.39	35.52
PK	5.3145G	112.89	Inf	-Inf	107.98	3	Vertical	314	2.24	-	32.87	7.51	35.47
AV	5.254G	102.45	Inf	-Inf	97.47	3	Vertical	314	2.24	-	32.99	7.48	35.49
PK	5.3775G	69.36	74.00	-4.64	64.42	3	Vertical	314	2.24	-	32.85	7.54	35.45
AV	5.3775G	53.16	54.00	-0.84	48.22	3	Vertical	314	2.24	-	32.85	7.54	35.45
PK	5.493G	59.92	68.20	-8.28	54.83	3	Vertical	314	2.24	-	32.89	7.62	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.77	74.00	-13.23	55.89	3	Horizontal	79	1.80	-	33.00	7.40	35.52
AV	5.146G	50.41	54.00	-3.59	45.53	3	Horizontal	79	1.80	-	33.00	7.40	35.52
PK	5.253G	109.28	Inf	-Inf	104.30	3	Horizontal	79	1.80	-	32.99	7.48	35.49
AV	5.2535G	98.39	Inf	-Inf	93.41	3	Horizontal	79	1.80	-	32.99	7.48	35.49
PK	5.374G	66.51	74.00	-7.49	61.58	3	Horizontal	79	1.80	-	32.85	7.54	35.46
AV	5.3825G	53.19	54.00	-0.81	48.23	3	Horizontal	79	1.80	-	32.87	7.54	35.45
PK	5.5005G	60.07	68.20	-8.13	54.96	3	Horizontal	79	1.80	-	32.90	7.63	35.42

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
 Setting 2.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56605G	57.62	68.20	-10.58	42.15	3	Vertical	5	3.00	-	38.83	10.44	33.80
PK	15.89335G	58.15	74.00	-15.85	41.14	3	Vertical	360	1.00	-	37.61	12.39	32.99
AV	15.8928G	48.53	54.00	-5.47	31.52	3	Vertical	360	1.00	-	37.61	12.39	32.99

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56275G	57.23	68.20	-10.97	41.76	3	Horizontal	176	1.80	-	38.83	10.44	33.80
PK	15.89045G	58.27	74.00	-15.73	41.26	3	Horizontal	178	1.80	-	37.62	12.39	33.00
AV	15.8667G	48.59	54.00	-5.41	31.56	3	Horizontal	178	1.80	-	37.67	12.39	33.03

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
 Setting 6.5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	73.88	74.00	-0.12	69.00	3	Vertical	310	2.23	-	33.00	7.40	35.52
AV	5.124G	51.54	54.00	-2.46	46.69	3	Vertical	310	2.23	-	33.00	7.38	35.53
PK	5.2965G	107.27	Inf	-Inf	102.34	3	Vertical	310	2.23	-	32.91	7.50	35.48
AV	5.2545G	94.94	Inf	-Inf	89.96	3	Vertical	310	2.23	-	32.99	7.48	35.49
PK	5.3975G	69.09	74.00	-4.91	64.10	3	Vertical	310	2.23	-	32.89	7.55	35.45
AV	5.379G	50.77	54.00	-3.23	45.82	3	Vertical	310	2.23	-	32.86	7.54	35.45
PK	5.4965G	59.80	68.20	-8.40	54.70	3	Vertical	310	2.23	-	32.89	7.63	35.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 6.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	70.08	74.00	-3.92	65.20	3	Horizontal	80	1.80	-	33.00	7.40	35.52
AV	5.1255G	52.23	54.00	-1.77	47.37	3	Horizontal	80	1.80	-	33.00	7.38	35.52
PK	5.2525G	102.04	Inf	-Inf	97.06	3	Horizontal	80	1.80	-	32.99	7.48	35.49
AV	5.252G	90.33	Inf	-Inf	85.34	3	Horizontal	80	1.80	-	33.00	7.48	35.49
PK	5.3935G	66.37	74.00	-7.63	61.38	3	Horizontal	80	1.80	-	32.89	7.55	35.45
AV	5.375G	48.62	54.00	-5.38	43.68	3	Horizontal	80	1.80	-	32.85	7.54	35.45
PK	5.49G	59.89	68.20	-8.31	54.81	3	Horizontal	80	1.80	-	32.88	7.62	35.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 6.5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51395G	57.36	68.20	-10.84	41.98	3	Vertical	132	1.62	-	38.80	10.42	33.84
PK	15.7302G	58.47	74.00	-15.53	41.61	3	Vertical	34	2.88	-	37.76	12.34	33.24
AV	15.75915G	46.48	54.00	-7.52	29.53	3	Vertical	34	2.88	-	37.80	12.35	33.20

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
 Setting 6.5
 05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.525G	56.73	68.20	-11.47	41.34	3	Horizontal	179	2.55	-	38.80	10.42	33.83
PK	15.74385G	58.59	74.00	-15.41	41.68	3	Horizontal	289	2.66	-	37.79	12.34	33.22
AV	15.74285G	46.51	54.00	-7.49	29.60	3	Horizontal	289	2.66	-	37.79	12.34	33.22

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
 Setting 5
 05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	73.73	74.00	-0.27	68.88	3	Vertical	313	2.07	-	33.00	7.38	35.53
PK	5.1716G	107.54	Inf	-Inf	102.59	3	Vertical	313	2.07	-	33.04	7.42	35.51
AV	5.15G	52.23	54.00	-1.77	47.35	3	Vertical	313	2.07	-	33.00	7.40	35.52
AV	5.1724G	96.26	Inf	-Inf	91.31	3	Vertical	313	2.07	-	33.04	7.42	35.51
PK	5.366G	71.42	74.00	-2.58	66.52	3	Vertical	313	2.07	-	32.83	7.53	35.46
AV	5.3564G	51.68	54.00	-2.32	46.80	3	Vertical	313	2.07	-	32.81	7.53	35.46
PK	5.5692G	60.54	68.20	-7.66	55.50	3	Vertical	313	2.07	-	32.80	7.69	35.45

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.32	74.00	-10.68	58.45	3	Horizontal	313	2.07	-	33.00	7.39	35.52
AV	5.15G	49.13	54.00	-4.87	44.25	3	Horizontal	313	2.07	-	33.00	7.40	35.52
PK	5.2572G	104.36	Inf	-Inf	99.38	3	Horizontal	313	2.07	-	32.99	7.48	35.49
AV	5.258G	92.37	Inf	-Inf	87.40	3	Horizontal	313	2.07	-	32.98	7.48	35.49
PK	5.394G	63.50	74.00	-10.50	58.51	3	Horizontal	313	2.07	-	32.89	7.55	35.45
AV	5.3628G	48.21	54.00	-5.79	43.31	3	Horizontal	313	2.07	-	32.83	7.53	35.46
PK	5.5796G	59.91	68.20	-8.29	54.87	3	Horizontal	313	2.07	-	32.80	7.69	35.45

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50715G	56.61	68.20	-11.59	41.24	3	Vertical	305	1.61	-	38.80	10.41	33.84
PK	15.7631G	58.42	74.00	-15.58	41.46	3	Vertical	216	1.20	-	37.80	12.35	33.19
AV	15.7438G	46.51	54.00	-7.49	29.60	3	Vertical	216	1.20	-	37.79	12.34	33.22

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50945G	56.99	68.20	-11.21	41.62	3	Horizontal	321	1.58	-	38.80	10.41	33.84
PK	15.7593G	59.37	74.00	-14.63	42.42	3	Horizontal	288	1.71	-	37.80	12.35	33.20
AV	15.747G	46.69	54.00	-7.31	29.76	3	Horizontal	288	1.71	-	37.79	12.35	33.21

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	71.64	74.00	-2.36	66.76	3	Vertical	313	2.30	-	33.00	7.40	35.52
AV	5.094G	50.16	54.00	-3.84	45.33	3	Vertical	313	2.30	-	33.01	7.35	35.53
PK	5.1756G	108.53	Inf	-Inf	103.56	3	Vertical	313	2.30	-	33.05	7.43	35.51
AV	5.174G	96.71	Inf	-Inf	91.74	3	Vertical	313	2.30	-	33.05	7.43	35.51
PK	5.398G	67.31	74.00	-6.69	62.31	3	Vertical	313	2.30	-	32.90	7.55	35.45
AV	5.3772G	49.09	54.00	-4.91	44.15	3	Vertical	313	2.30	-	32.85	7.54	35.45
PK	5.5308G	60.39	68.20	-7.81	55.33	3	Vertical	313	2.30	-	32.84	7.65	35.43

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	67.23	74.00	-6.77	62.36	3	Horizontal	75	1.39	-	33.00	7.39	35.52
AV	5.0852G	48.80	54.00	-5.20	43.97	3	Horizontal	75	1.39	-	33.03	7.34	35.54
PK	5.3092G	103.53	Inf	-Inf	98.62	3	Horizontal	75	1.39	-	32.88	7.50	35.47
AV	5.3084G	91.90	Inf	-Inf	86.99	3	Horizontal	75	1.39	-	32.88	7.50	35.47
PK	5.3876G	64.69	74.00	-9.31	59.72	3	Horizontal	75	1.39	-	32.88	7.54	35.45
AV	5.3836G	48.17	54.00	-5.83	43.21	3	Horizontal	75	1.39	-	32.87	7.54	35.45
PK	5.57G	60.49	68.20	-7.71	55.45	3	Horizontal	75	1.39	-	32.80	7.69	35.45

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5196G	56.96	68.20	-11.24	41.57	3	Vertical	300	1.04	-	38.80	10.42	33.83
PK	15.7497G	58.61	74.00	-15.39	41.67	3	Vertical	352	1.80	-	37.80	12.35	33.21
AV	15.74975G	46.69	54.00	-7.31	29.75	3	Vertical	352	1.80	-	37.80	12.35	33.21

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_X_2TX
Setting 5
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.521G	57.69	68.20	-10.51	42.30	3	Horizontal	216	2.93	-	38.80	10.42	33.83
PK	15.7516G	58.11	74.00	-15.89	41.17	3	Horizontal	142	1.02	-	37.80	12.35	33.21
AV	15.7628G	46.59	54.00	-7.41	29.63	3	Horizontal	142	1.02	-	37.80	12.35	33.19

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	66.96	74.00	-7.04	62.08	3	Vertical	311	1.80	-	33.00	7.40	35.52
AV	5.125G	53.23	54.00	-0.77	48.38	3	Vertical	311	1.80	-	33.00	7.38	35.53
PK	5.1845G	113.18	Inf	-Inf	108.18	3	Vertical	311	1.80	-	33.07	7.44	35.51
AV	5.1835G	101.30	Inf	-Inf	96.31	3	Vertical	311	1.80	-	33.07	7.43	35.51
PK	5.42G	59.21	74.00	-14.79	54.22	3	Vertical	311	1.80	-	32.86	7.57	35.44
AV	5.4595G	47.68	54.00	-6.32	42.69	3	Vertical	311	1.80	-	32.82	7.60	35.43

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



EUT_X_4TX
Setting 7.5
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	65.77	74.00	-8.23	60.89	3	Horizontal	79	2.22	-	33.00	7.40	35.52
AV	5.145G	52.84	54.00	-1.16	47.96	3	Horizontal	79	2.22	-	33.00	7.40	35.52
PK	5.183G	111.71	Inf	-Inf	106.72	3	Horizontal	79	2.22	-	33.07	7.43	35.51
AV	5.183G	99.90	Inf	-Inf	94.91	3	Horizontal	79	2.22	-	33.07	7.43	35.51
PK	5.397G	59.86	74.00	-14.14	54.87	3	Horizontal	79	2.22	-	32.89	7.55	35.45
AV	5.363G	47.51	54.00	-6.49	42.61	3	Horizontal	79	2.22	-	32.83	7.53	35.46