


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 28
 19.5\27.5\28
 9.44\4.37\4.28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.38948G | 58.93 | 74.00 | -15.07 | 26.58 | 3 | Vertical | 16 | 1.80 | 28 | 27.70 | 4.65 | - |
| AV | 2.38964G | 48.91 | 54.00 | -5.09 | 16.56 | 3 | Vertical | 16 | 1.80 | 28 | 27.70 | 4.65 | - |
| PK | 2.43604G | 120.53 | Inf | -Inf | 88.35 | 3 | Vertical | 16 | 1.80 | 28 | 27.54 | 4.64 | - |
| AV | 2.43524G | 115.72 | Inf | -Inf | 83.53 | 3 | Vertical | 16 | 1.80 | 28 | 27.55 | 4.64 | - |
| PK | 2.48452G | 59.08 | 74.00 | -14.92 | 26.98 | 3 | Vertical | 16 | 1.80 | 28 | 27.50 | 4.60 | - |
| AV | 2.48436G | 49.72 | 54.00 | -4.28 | 17.62 | 3 | Vertical | 16 | 1.80 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 28
 28
 5.58

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.38948G | 56.46 | 74.00 | -17.54 | 24.11 | 3 | Horizontal | 317 | 1.18 | 28 | 27.70 | 4.65 | - |
| AV | 2.38932G | 46.36 | 54.00 | -7.64 | 14.01 | 3 | Horizontal | 317 | 1.18 | 28 | 27.70 | 4.65 | - |
| PK | 2.43604G | 118.52 | Inf | -Inf | 86.34 | 3 | Horizontal | 317 | 1.18 | 28 | 27.54 | 4.64 | - |
| AV | 2.43524G | 113.83 | Inf | -Inf | 81.64 | 3 | Horizontal | 317 | 1.18 | 28 | 27.55 | 4.64 | - |
| PK | 2.48468G | 57.34 | 74.00 | -16.66 | 25.24 | 3 | Horizontal | 317 | 1.18 | 28 | 27.50 | 4.60 | - |
| AV | 2.48468G | 48.42 | 54.00 | -5.58 | 16.32 | 3 | Horizontal | 317 | 1.18 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.874G | 47.80 | 74.00 | -26.20 | 42.48 | 3 | Vertical | 311 | 1.80 | 18.5 | 31.30 | 6.98 | 32.96 |
| AV | 4.874G | 38.59 | 54.00 | -15.41 | 33.27 | 3 | Vertical | 311 | 1.80 | 18.5 | 31.30 | 6.98 | 32.96 |
| PK | 7.29444G | 52.58 | 74.00 | -21.42 | 40.79 | 3 | Vertical | 345 | 1.80 | 18.5 | 36.29 | 8.60 | 33.10 |
| AV | 7.29472G | 41.93 | 54.00 | -12.07 | 30.14 | 3 | Vertical | 345 | 1.80 | 18.5 | 36.29 | 8.60 | 33.10 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.87404G | 49.11 | 74.00 | -24.89 | 43.79 | 3 | Horizontal | 42 | 2.24 | 18.5 | 31.30 | 6.98 | 32.96 |
| AV | 4.87404G | 42.67 | 54.00 | -11.33 | 37.35 | 3 | Horizontal | 42 | 2.24 | 18.5 | 31.30 | 6.98 | 32.96 |
| PK | 7.32564G | 52.85 | 74.00 | -21.15 | 41.12 | 3 | Horizontal | 360 | 1.80 | 18.5 | 36.20 | 8.64 | 33.11 |
| AV | 7.31192G | 41.86 | 54.00 | -12.14 | 30.09 | 3 | Horizontal | 360 | 1.80 | 18.5 | 36.25 | 8.62 | 33.10 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 19.5
 18.5\26.5\22.5\20.5\19.5\20\19.5
 9.05\14.49\15.67\6.99\3.92\2.79\3.94

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4544G | 115.53 | Inf | -Inf | 83.45 | 3 | Vertical | 17 | 1.80 | 19.5 | 27.46 | 4.62 | - |
| AV | 2.4552G | 110.92 | Inf | -Inf | 78.85 | 3 | Vertical | 17 | 1.80 | 19.5 | 27.45 | 4.62 | - |
| PK | 2.4858G | 58.70 | 74.00 | -15.30 | 26.60 | 3 | Vertical | 17 | 1.80 | 19.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 50.06 | 54.00 | -3.94 | 17.96 | 3 | Vertical | 17 | 1.80 | 19.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 18.5
 19.5\16.5\18\18.5\19\18.5
 -2.80\7.45\3.95\1.65\ -0.62\1.63

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4545G | 113.37 | Inf | -Inf | 81.29 | 3 | Horizontal | 321 | 1.13 | 18.5 | 27.46 | 4.62 | - |
| AV | 2.4552G | 108.81 | Inf | -Inf | 76.74 | 3 | Horizontal | 321 | 1.13 | 18.5 | 27.45 | 4.62 | - |
| PK | 2.4839G | 59.32 | 74.00 | -14.68 | 27.22 | 3 | Horizontal | 321 | 1.13 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 52.37 | 54.00 | -1.63 | 20.27 | 3 | Horizontal | 321 | 1.13 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 19.5
 19.5\20.5\20\19.5
 1.26\-.77\-.424\1.00

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.463G | 115.40 | Inf | -Inf | 83.38 | 3 | Vertical | 16 | 1.80 | 19.5 | 27.40 | 4.62 | - |
| AV | 2.4637G | 110.71 | Inf | -Inf | 78.69 | 3 | Vertical | 16 | 1.80 | 19.5 | 27.40 | 4.62 | - |
| PK | 2.4836G | 60.10 | 74.00 | -13.90 | 28.00 | 3 | Vertical | 16 | 1.80 | 19.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 53.00 | 54.00 | -1.00 | 20.90 | 3 | Vertical | 16 | 1.80 | 19.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 18.5
 19.5\16\17.5\18\18.5\19\18.5
 -3.18\6.93\3.81\2.21\0.91\ -1.25\0.82

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.463G | 113.32 | Inf | -Inf | 81.30 | 3 | Horizontal | 322 | 1.14 | 18.5 | 27.40 | 4.62 | - |
| AV | 2.4602G | 108.75 | Inf | -Inf | 76.73 | 3 | Horizontal | 322 | 1.14 | 18.5 | 27.40 | 4.62 | - |
| PK | 2.4881G | 60.94 | 74.00 | -13.06 | 28.84 | 3 | Horizontal | 322 | 1.14 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4877G | 53.18 | 54.00 | -0.82 | 21.08 | 3 | Horizontal | 322 | 1.14 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.92404G | 47.23 | 74.00 | -26.77 | 41.75 | 3 | Vertical | 51 | 1.80 | 18.5 | 31.40 | 7.03 | 32.95 |
| AV | 4.92396G | 39.16 | 54.00 | -14.84 | 33.68 | 3 | Vertical | 51 | 1.80 | 18.5 | 31.40 | 7.03 | 32.95 |
| PK | 7.37144G | 52.90 | 74.00 | -21.10 | 41.22 | 3 | Vertical | 334 | 1.80 | 18.5 | 36.10 | 8.70 | 33.12 |
| AV | 7.37688G | 42.04 | 54.00 | -11.96 | 30.36 | 3 | Vertical | 334 | 1.80 | 18.5 | 36.10 | 8.70 | 33.12 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.92764G | 46.83 | 74.00 | -27.17 | 41.33 | 3 | Horizontal | 49 | 1.80 | 18.5 | 31.41 | 7.04 | 32.95 |
| AV | 4.90836G | 36.18 | 54.00 | -17.82 | 30.78 | 3 | Horizontal | 49 | 1.80 | 18.5 | 31.33 | 7.02 | 32.95 |
| PK | 7.39904G | 52.41 | 74.00 | -21.59 | 40.71 | 3 | Horizontal | 13 | 1.80 | 18.5 | 36.10 | 8.73 | 33.13 |
| AV | 7.37124G | 41.46 | 54.00 | -12.54 | 29.78 | 3 | Horizontal | 13 | 1.80 | 18.5 | 36.10 | 8.70 | 33.12 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 19
 17\24\20.5\19\19.5\19
 7.09\ -14.17\ -5.58\2.19\ -0.19\2.21

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.39G | 67.48 | 74.00 | -6.52 | 35.12 | 3 | Vertical | 24 | 1.80 | 19 | 27.70 | 4.66 | - |
| AV | 2.39G | 51.79 | 54.00 | -2.21 | 19.43 | 3 | Vertical | 24 | 1.80 | 19 | 27.70 | 4.66 | - |
| PK | 2.4109G | 116.72 | Inf | -Inf | 84.45 | 3 | Vertical | 24 | 1.80 | 19 | 27.61 | 4.66 | - |
| AV | 2.411G | 106.70 | Inf | -Inf | 74.43 | 3 | Vertical | 24 | 1.80 | 19 | 27.61 | 4.66 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
 SET 19
 19
 3.19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3898G | 66.00 | 74.00 | -8.00 | 33.64 | 3 | Horizontal | 316 | 1.06 | 19 | 27.70 | 4.66 | - |
| AV | 2.39G | 50.81 | 54.00 | -3.19 | 18.45 | 3 | Horizontal | 316 | 1.06 | 19 | 27.70 | 4.66 | - |
| PK | 2.4128G | 115.64 | Inf | -Inf | 83.35 | 3 | Horizontal | 316 | 1.06 | 19 | 27.63 | 4.66 | - |
| AV | 2.4132G | 105.99 | Inf | -Inf | 73.70 | 3 | Horizontal | 316 | 1.06 | 19 | 27.63 | 4.66 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.827G | 45.74 | 74.00 | -28.26 | 40.47 | 3 | Vertical | 261 | 2.53 | - | 31.30 | 6.94 | 32.97 |
| AV | 4.81964G | 32.72 | 54.00 | -21.28 | 27.46 | 3 | Vertical | 261 | 2.53 | - | 31.30 | 6.93 | 32.97 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.82142G | 46.46 | 74.00 | -27.54 | 41.20 | 3 | Horizontal | 142 | 1.53 | - | 31.30 | 6.93 | 32.97 |
| AV | 4.8236G | 32.84 | 54.00 | -21.16 | 27.58 | 3 | Horizontal | 142 | 1.53 | - | 31.30 | 6.93 | 32.97 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
 SET 21
 18.5\26.5\22.5\20.5\21.5\21
 9.13\ -2.05\ -1.71\ 2.62\ -0.26\ 0.87

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3893G | 68.74 | 74.00 | -5.26 | 36.39 | 3 | Vertical | 15 | 1.80 | 21 | 27.70 | 4.65 | - |
| AV | 2.3899G | 53.13 | 54.00 | -0.87 | 20.77 | 3 | Vertical | 15 | 1.80 | 21 | 27.70 | 4.66 | - |
| PK | 2.4163G | 118.88 | Inf | -Inf | 86.56 | 3 | Vertical | 15 | 1.80 | 21 | 27.66 | 4.66 | - |
| AV | 2.4162G | 109.12 | Inf | -Inf | 76.80 | 3 | Vertical | 15 | 1.80 | 21 | 27.66 | 4.66 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
 SET 20
 21\19.5\20\20.5\20
 -1.21\3.99\1.75\ -0.04\1.65

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3891G | 67.72 | 74.00 | -6.28 | 35.37 | 3 | Horizontal | 315 | 1.15 | 20 | 27.70 | 4.65 | - |
| AV | 2.39G | 52.35 | 54.00 | -1.65 | 19.99 | 3 | Horizontal | 315 | 1.15 | 20 | 27.70 | 4.66 | - |
| PK | 2.4184G | 117.75 | Inf | -Inf | 85.42 | 3 | Horizontal | 315 | 1.15 | 20 | 27.68 | 4.65 | - |
| AV | 2.4183G | 107.95 | Inf | -Inf | 75.62 | 3 | Horizontal | 315 | 1.15 | 20 | 27.68 | 4.65 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 28
 17\25\28
 9.80\8.07\8.17

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.389G | 61.84 | 74.00 | -12.16 | 29.49 | 3 | Vertical | 15 | 1.80 | 28 | 27.70 | 4.65 | - |
| AV | 2.38948G | 45.68 | 54.00 | -8.32 | 13.33 | 3 | Vertical | 15 | 1.80 | 28 | 27.70 | 4.65 | - |
| PK | 2.43588G | 119.62 | Inf | -Inf | 87.44 | 3 | Vertical | 15 | 1.80 | 28 | 27.54 | 4.64 | - |
| AV | 2.4362G | 110.08 | Inf | -Inf | 77.90 | 3 | Vertical | 15 | 1.80 | 28 | 27.54 | 4.64 | - |
| PK | 2.48532G | 61.39 | 74.00 | -12.61 | 29.29 | 3 | Vertical | 15 | 1.80 | 28 | 27.50 | 4.60 | - |
| AV | 2.48436G | 45.83 | 54.00 | -8.17 | 13.73 | 3 | Vertical | 15 | 1.80 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
 SET 28
 28
 8.09

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.389G | 60.62 | 74.00 | -13.38 | 28.27 | 3 | Horizontal | 325 | 1.80 | 28 | 27.70 | 4.65 | - |
| AV | 2.38996G | 45.91 | 54.00 | -8.09 | 13.55 | 3 | Horizontal | 325 | 1.80 | 28 | 27.70 | 4.66 | - |
| PK | 2.43012G | 118.31 | Inf | -Inf | 86.07 | 3 | Horizontal | 325 | 1.80 | 28 | 27.60 | 4.64 | - |
| AV | 2.42996G | 107.99 | Inf | -Inf | 75.75 | 3 | Horizontal | 325 | 1.80 | 28 | 27.60 | 4.64 | - |
| PK | 2.48436G | 58.69 | 74.00 | -15.31 | 26.59 | 3 | Horizontal | 325 | 1.80 | 28 | 27.50 | 4.60 | - |
| AV | 2.4835G | 45.56 | 54.00 | -8.44 | 13.46 | 3 | Horizontal | 325 | 1.80 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.87642G | 47.08 | 74.00 | -26.92 | 41.75 | 3 | Vertical | 184 | 1.13 | - | 31.30 | 6.99 | 32.96 |
| AV | 4.87246G | 32.99 | 54.00 | -21.01 | 27.67 | 3 | Vertical | 184 | 1.13 | - | 31.30 | 6.98 | 32.96 |
| PK | 7.31182G | 52.39 | 74.00 | -21.61 | 40.62 | 3 | Vertical | 68 | 2.34 | - | 36.25 | 8.62 | 33.10 |
| AV | 7.31138G | 39.24 | 54.00 | -14.76 | 27.47 | 3 | Vertical | 68 | 2.34 | - | 36.25 | 8.62 | 33.10 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.87504G | 47.15 | 74.00 | -26.85 | 41.82 | 3 | Horizontal | 355 | 1.19 | - | 31.30 | 6.99 | 32.96 |
| AV | 4.87232G | 33.00 | 54.00 | -21.00 | 27.68 | 3 | Horizontal | 355 | 1.19 | - | 31.30 | 6.98 | 32.96 |
| PK | 7.31076G | 52.77 | 74.00 | -21.23 | 40.99 | 3 | Horizontal | 278 | 2.31 | - | 36.26 | 8.62 | 33.10 |
| AV | 7.31376G | 39.17 | 54.00 | -14.83 | 27.40 | 3 | Horizontal | 278 | 2.31 | - | 36.24 | 8.63 | 33.10 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 20
 18.5\25.5\22\20.5\20
 7.35\ -3.33\ -2.99\ -0.03\ 0.85

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4563G | 116.74 | Inf | -Inf | 84.68 | 3 | Vertical | 17 | 1.80 | 20 | 27.44 | 4.62 | - |
| AV | 2.4562G | 107.15 | Inf | -Inf | 75.09 | 3 | Vertical | 17 | 1.80 | 20 | 27.44 | 4.62 | - |
| PK | 2.4848G | 67.93 | 74.00 | -6.07 | 35.83 | 3 | Vertical | 17 | 1.80 | 20 | 27.50 | 4.60 | - |
| AV | 2.4846G | 53.15 | 54.00 | -0.85 | 21.05 | 3 | Vertical | 17 | 1.80 | 20 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
 SET 20
 20
 2.06

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4507G | 115.38 | Inf | -Inf | 83.26 | 3 | Horizontal | 330 | 1.80 | 20 | 27.49 | 4.63 | - |
| AV | 2.4501G | 105.11 | Inf | -Inf | 72.98 | 3 | Horizontal | 330 | 1.80 | 20 | 27.50 | 4.63 | - |
| PK | 2.4835G | 65.69 | 74.00 | -8.31 | 33.59 | 3 | Horizontal | 330 | 1.80 | 20 | 27.50 | 4.60 | - |
| AV | 2.4835G | 51.94 | 54.00 | -2.06 | 19.84 | 3 | Horizontal | 330 | 1.80 | 20 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 18.5
 17\23\20\18.5\19\18.5
 6.07\ -14.50\ -8.64\0.69\ -2.74\0.71

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4612G | 115.24 | Inf | -Inf | 83.22 | 3 | Vertical | 18 | 1.80 | 18.5 | 27.40 | 4.62 | - |
| AV | 2.4613G | 105.53 | Inf | -Inf | 73.51 | 3 | Vertical | 18 | 1.80 | 18.5 | 27.40 | 4.62 | - |
| PK | 2.4836G | 66.77 | 74.00 | -7.23 | 34.67 | 3 | Vertical | 18 | 1.80 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 53.29 | 54.00 | -0.71 | 21.19 | 3 | Vertical | 18 | 1.80 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
 SET 18.5
 18.5
 1.77

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4647G | 115.27 | Inf | -Inf | 83.25 | 3 | Horizontal | 320 | 1.15 | 18.5 | 27.40 | 4.62 | - |
| AV | 2.4637G | 105.56 | Inf | -Inf | 73.54 | 3 | Horizontal | 320 | 1.15 | 18.5 | 27.40 | 4.62 | - |
| PK | 2.4842G | 64.18 | 74.00 | -9.82 | 32.08 | 3 | Horizontal | 320 | 1.15 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 52.23 | 54.00 | -1.77 | 20.13 | 3 | Horizontal | 320 | 1.15 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.9225G | 46.75 | 74.00 | -27.25 | 41.28 | 3 | Vertical | 307 | 2.08 | - | 31.39 | 7.03 | 32.95 |
| AV | 4.92552G | 33.02 | 54.00 | -20.98 | 27.53 | 3 | Vertical | 307 | 2.08 | - | 31.40 | 7.04 | 32.95 |
| PK | 7.3832G | 52.09 | 74.00 | -21.91 | 40.40 | 3 | Vertical | 281 | 1.58 | - | 36.10 | 8.71 | 33.12 |
| AV | 7.38232G | 38.96 | 54.00 | -15.04 | 27.27 | 3 | Vertical | 281 | 1.58 | - | 36.10 | 8.71 | 33.12 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.92442G | 47.20 | 74.00 | -26.80 | 41.72 | 3 | Horizontal | 35 | 2.92 | - | 31.40 | 7.03 | 32.95 |
| AV | 4.9258G | 33.00 | 54.00 | -21.00 | 27.51 | 3 | Horizontal | 35 | 2.92 | - | 31.40 | 7.04 | 32.95 |
| PK | 7.38264G | 51.82 | 74.00 | -22.18 | 40.13 | 3 | Horizontal | 288 | 2.85 | - | 36.10 | 8.71 | 33.12 |
| AV | 7.3816G | 38.98 | 54.00 | -15.02 | 27.29 | 3 | Horizontal | 288 | 2.85 | - | 36.10 | 8.71 | 33.12 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
 SET 19
 17\22\19.5\18.5\19
 5.40\ -14.61\ -2.40\1.93\0.19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3899G | 70.85 | 74.00 | -3.15 | 38.49 | 3 | Vertical | 17 | 1.80 | 19 | 27.70 | 4.66 | - |
| AV | 2.3899G | 53.81 | 54.00 | -0.19 | 21.45 | 3 | Vertical | 17 | 1.80 | 19 | 27.70 | 4.66 | - |
| PK | 2.4106G | 116.24 | Inf | -Inf | 83.97 | 3 | Vertical | 17 | 1.80 | 19 | 27.61 | 4.66 | - |
| AV | 2.4113G | 106.35 | Inf | -Inf | 74.08 | 3 | Vertical | 17 | 1.80 | 19 | 27.61 | 4.66 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
 SET 19
 19
 1.38

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3895G | 66.40 | 74.00 | -7.60 | 34.05 | 3 | Horizontal | 317 | 1.06 | 19 | 27.70 | 4.65 | - |
| AV | 2.39G | 52.62 | 54.00 | -1.38 | 20.26 | 3 | Horizontal | 317 | 1.06 | 19 | 27.70 | 4.66 | - |
| PK | 2.4139G | 115.29 | Inf | -Inf | 82.99 | 3 | Horizontal | 317 | 1.06 | 19 | 27.64 | 4.66 | - |
| AV | 2.4131G | 105.79 | Inf | -Inf | 73.50 | 3 | Horizontal | 317 | 1.06 | 19 | 27.63 | 4.66 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.82332G | 46.66 | 74.00 | -27.34 | 41.40 | 3 | Vertical | 276 | 2.10 | - | 31.30 | 6.93 | 32.97 |
| AV | 4.82512G | 32.64 | 54.00 | -21.36 | 27.37 | 3 | Vertical | 276 | 2.10 | - | 31.30 | 6.94 | 32.97 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.82892G | 46.44 | 74.00 | -27.56 | 41.17 | 3 | Horizontal | 41 | 2.33 | - | 31.30 | 6.94 | 32.97 |
| AV | 4.82506G | 32.66 | 54.00 | -21.34 | 27.39 | 3 | Horizontal | 41 | 2.33 | - | 31.30 | 6.94 | 32.97 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
 SET 21
 20\24\22\21
 4.36\ -2.78\ -1.80\ 0.25

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3894G | 68.32 | 74.00 | -5.68 | 35.97 | 3 | Vertical | 16 | 1.80 | 21 | 27.70 | 4.65 | - |
| AV | 2.3895G | 53.75 | 54.00 | -0.25 | 21.40 | 3 | Vertical | 16 | 1.80 | 21 | 27.70 | 4.65 | - |
| PK | 2.4159G | 118.26 | Inf | -Inf | 85.94 | 3 | Vertical | 16 | 1.80 | 21 | 27.66 | 4.66 | - |
| AV | 2.4162G | 108.91 | Inf | -Inf | 76.59 | 3 | Vertical | 16 | 1.80 | 21 | 27.66 | 4.66 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
 SET 20
 21\18.5\19.5\20\20.5\20
 -2.10\6.65\3.30\1.11\0.66\1.11

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3892G | 67.25 | 74.00 | -6.75 | 34.90 | 3 | Horizontal | 314 | 1.14 | 20 | 27.70 | 4.65 | - |
| AV | 2.3898G | 52.89 | 54.00 | -1.11 | 20.53 | 3 | Horizontal | 314 | 1.14 | 20 | 27.70 | 4.66 | - |
| PK | 2.4178G | 118.08 | Inf | -Inf | 85.75 | 3 | Horizontal | 314 | 1.14 | 20 | 27.68 | 4.65 | - |
| AV | 2.4184G | 107.90 | Inf | -Inf | 75.57 | 3 | Horizontal | 314 | 1.14 | 20 | 27.68 | 4.65 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
 SET 28
 28
 7.60

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.38916G | 61.17 | 74.00 | -12.83 | 28.82 | 3 | Vertical | 18 | 1.80 | 28 | 27.70 | 4.65 | - |
| AV | 2.389G | 46.40 | 54.00 | -7.60 | 14.05 | 3 | Vertical | 18 | 1.80 | 28 | 27.70 | 4.65 | - |
| PK | 2.43604G | 119.68 | Inf | -Inf | 87.50 | 3 | Vertical | 18 | 1.80 | 28 | 27.54 | 4.64 | - |
| AV | 2.43604G | 109.75 | Inf | -Inf | 77.57 | 3 | Vertical | 18 | 1.80 | 28 | 27.54 | 4.64 | - |
| PK | 2.4842G | 60.71 | 74.00 | -13.29 | 28.61 | 3 | Vertical | 18 | 1.80 | 28 | 27.50 | 4.60 | - |
| AV | 2.48452G | 46.37 | 54.00 | -7.63 | 14.27 | 3 | Vertical | 18 | 1.80 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
28
7.37

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.38948G | 61.10 | 74.00 | -12.90 | 28.75 | 3 | Horizontal | 326 | 1.80 | 28 | 27.70 | 4.65 | - |
| AV | 2.3898G | 46.63 | 54.00 | -7.37 | 14.27 | 3 | Horizontal | 326 | 1.80 | 28 | 27.70 | 4.66 | - |
| PK | 2.43012G | 117.82 | Inf | -Inf | 85.58 | 3 | Horizontal | 326 | 1.80 | 28 | 27.60 | 4.64 | - |
| AV | 2.43012G | 107.56 | Inf | -Inf | 75.32 | 3 | Horizontal | 326 | 1.80 | 28 | 27.60 | 4.64 | - |
| PK | 2.4835G | 59.91 | 74.00 | -14.09 | 27.81 | 3 | Horizontal | 326 | 1.80 | 28 | 27.50 | 4.60 | - |
| AV | 2.4835G | 46.51 | 54.00 | -7.49 | 14.41 | 3 | Horizontal | 326 | 1.80 | 28 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.8709G | 47.13 | 74.00 | -26.87 | 41.81 | 3 | Vertical | 265 | 2.64 | - | 31.30 | 6.98 | 32.96 |
| AV | 4.87236G | 32.97 | 54.00 | -21.03 | 27.65 | 3 | Vertical | 265 | 2.64 | - | 31.30 | 6.98 | 32.96 |
| PK | 7.30928G | 52.24 | 74.00 | -21.76 | 40.46 | 3 | Vertical | 286 | 1.47 | - | 36.26 | 8.62 | 33.10 |
| AV | 7.30822G | 39.08 | 54.00 | -14.92 | 27.29 | 3 | Vertical | 286 | 1.47 | - | 36.27 | 8.62 | 33.10 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.87312G | 47.83 | 74.00 | -26.17 | 42.51 | 3 | Horizontal | 195 | 2.37 | - | 31.30 | 6.98 | 32.96 |
| AV | 4.87232G | 32.97 | 54.00 | -21.03 | 27.65 | 3 | Horizontal | 195 | 2.37 | - | 31.30 | 6.98 | 32.96 |
| PK | 7.30602G | 52.70 | 74.00 | -21.30 | 40.90 | 3 | Horizontal | 139 | 1.05 | - | 36.28 | 8.62 | 33.10 |
| AV | 7.31392G | 39.22 | 54.00 | -14.78 | 27.45 | 3 | Horizontal | 139 | 1.05 | - | 36.24 | 8.63 | 33.10 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
 SET 19
 20\16\18\19\19.5\19
 -3.73\8.88\7.15\1.68\ -1.03\1.82

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4647G | 118.09 | Inf | -Inf | 86.07 | 3 | Vertical | 360 | 1.05 | 19 | 27.40 | 4.62 | - |
| AV | 2.4652G | 107.78 | Inf | -Inf | 75.77 | 3 | Vertical | 360 | 1.05 | 19 | 27.40 | 4.61 | - |
| PK | 2.4849G | 65.72 | 74.00 | -8.28 | 33.62 | 3 | Vertical | 360 | 1.05 | 19 | 27.50 | 4.60 | - |
| AV | 2.485G | 52.18 | 54.00 | -1.82 | 20.08 | 3 | Vertical | 360 | 1.05 | 19 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
 SET 19
 19
 4.43

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4583G | 115.47 | Inf | -Inf | 83.43 | 3 | Horizontal | 313 | 1.33 | 19 | 27.42 | 4.62 | - |
| AV | 2.4588G | 105.55 | Inf | -Inf | 73.52 | 3 | Horizontal | 313 | 1.33 | 19 | 27.41 | 4.62 | - |
| PK | 2.4852G | 63.84 | 74.00 | -10.16 | 31.74 | 3 | Horizontal | 313 | 1.33 | 19 | 27.50 | 4.60 | - |
| AV | 2.4859G | 49.57 | 54.00 | -4.43 | 17.47 | 3 | Horizontal | 313 | 1.33 | 19 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
 SET 18.5
 18.5\20.5\19.5\19\18.5
 2.12\6.79\2.57\0.42\2.04

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4702G | 116.54 | Inf | -Inf | 84.53 | 3 | Vertical | 360 | 1.06 | 18.5 | 27.40 | 4.61 | - |
| AV | 2.4702G | 106.72 | Inf | -Inf | 74.71 | 3 | Vertical | 360 | 1.06 | 18.5 | 27.40 | 4.61 | - |
| PK | 2.4837G | 66.71 | 74.00 | -7.29 | 34.61 | 3 | Vertical | 360 | 1.06 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 51.96 | 54.00 | -2.04 | 19.86 | 3 | Vertical | 360 | 1.06 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
 SET 18.5
 18.5
 0.49

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4636G | 115.32 | Inf | -Inf | 83.30 | 3 | Horizontal | 320 | 1.16 | 18.5 | 27.40 | 4.62 | - |
| AV | 2.4633G | 105.32 | Inf | -Inf | 73.30 | 3 | Horizontal | 320 | 1.16 | 18.5 | 27.40 | 4.62 | - |
| PK | 2.4836G | 66.60 | 74.00 | -7.40 | 34.50 | 3 | Horizontal | 320 | 1.16 | 18.5 | 27.50 | 4.60 | - |
| AV | 2.4835G | 53.51 | 54.00 | -0.49 | 21.41 | 3 | Horizontal | 320 | 1.16 | 18.5 | 27.50 | 4.60 | - |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.92158G | 46.84 | 74.00 | -27.16 | 41.37 | 3 | Vertical | 126 | 2.84 | - | 31.39 | 7.03 | 32.95 |
| AV | 4.9265G | 33.04 | 54.00 | -20.96 | 27.54 | 3 | Vertical | 126 | 2.84 | - | 31.41 | 7.04 | 32.95 |
| PK | 7.38736G | 52.14 | 74.00 | -21.86 | 40.46 | 3 | Vertical | 297 | 1.90 | - | 36.10 | 8.71 | 33.13 |
| AV | 7.38168G | 38.95 | 54.00 | -15.05 | 27.26 | 3 | Vertical | 297 | 1.90 | - | 36.10 | 8.71 | 33.12 |

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



EUT_X_4TX
SET 18.5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.92714G | 47.00 | 74.00 | -27.00 | 41.50 | 3 | Horizontal | 119 | 2.97 | - | 31.41 | 7.04 | 32.95 |
| AV | 4.9286G | 33.03 | 54.00 | -20.97 | 27.53 | 3 | Horizontal | 119 | 2.97 | - | 31.41 | 7.04 | 32.95 |
| PK | 7.3905G | 52.37 | 74.00 | -21.63 | 40.68 | 3 | Horizontal | 261 | 1.78 | - | 36.10 | 8.72 | 33.13 |
| AV | 7.3816G | 38.90 | 54.00 | -15.10 | 27.21 | 3 | Horizontal | 261 | 1.78 | - | 36.10 | 8.71 | 33.12 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_1TX | Pass | AV | 2.4835G | 53.94 | 54.00 | -0.06 | 3 | Vertical | 254 | 2.83 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 25.5
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.385G | 59.94 | 74.00 | -14.06 | 28.49 | 3 | Vertical | 252 | 2.94 | - | 28.40 | 3.05 | - |
| AV | 2.3852G | 51.81 | 54.00 | -2.19 | 20.36 | 3 | Vertical | 252 | 2.94 | - | 28.40 | 3.05 | - |
| PK | 2.413G | 112.71 | Inf | -Inf | 81.24 | 3 | Vertical | 252 | 2.94 | - | 28.40 | 3.07 | - |
| AV | 2.4112G | 108.70 | Inf | -Inf | 77.24 | 3 | Vertical | 252 | 2.94 | - | 28.40 | 3.06 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 25.5
 02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3848G | 59.19 | 74.00 | -14.81 | 27.74 | 3 | Horizontal | 44 | 1.82 | - | 28.40 | 3.05 | - |
| AV | 2.3852G | 50.55 | 54.00 | -3.45 | 19.10 | 3 | Horizontal | 44 | 1.82 | - | 28.40 | 3.05 | - |
| PK | 2.411G | 102.89 | Inf | -Inf | 71.43 | 3 | Horizontal | 44 | 1.82 | - | 28.40 | 3.06 | - |
| AV | 2.4112G | 99.10 | Inf | -Inf | 67.64 | 3 | Horizontal | 44 | 1.82 | - | 28.40 | 3.06 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 25.5
 02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 4.81368G | 45.23 | 74.00 | -28.77 | 37.94 | 3 | Vertical | 20 | 2.15 | - | 32.88 | 5.09 | 30.68 |
| AV | 4.81394G | 31.47 | 54.00 | -22.53 | 24.18 | 3 | Vertical | 20 | 2.15 | - | 32.88 | 5.09 | 30.68 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 25.5
 02-D-G-4

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA | | | |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) | | | |
| PK | 4.83294G | 45.09 | 74.00 | -28.91 | 37.66 | 3 | Horizontal | 187 | 1.93 | - | 33.00 | 5.10 | 30.67 | | | |
| AV | 4.82388G | 31.41 | 54.00 | -22.59 | 24.05 | 3 | Horizontal | 187 | 1.93 | - | 32.94 | 5.10 | 30.68 | | | |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3478G | 56.22 | 74.00 | -17.78 | 25.01 | 3 | Vertical | 295 | 2.33 | - | 28.18 | 3.03 | - |
| AV | 2.3862G | 44.29 | 54.00 | -9.71 | 12.84 | 3 | Vertical | 295 | 2.33 | - | 28.40 | 3.05 | - |
| PK | 2.4378G | 107.24 | Inf | -Inf | 75.74 | 3 | Vertical | 295 | 2.33 | - | 28.42 | 3.08 | - |
| AV | 2.4378G | 103.17 | Inf | -Inf | 71.67 | 3 | Vertical | 295 | 2.33 | - | 28.42 | 3.08 | - |
| PK | 2.493G | 55.75 | 74.00 | -18.25 | 24.12 | 3 | Vertical | 295 | 2.33 | - | 28.53 | 3.10 | - |
| AV | 2.4838G | 44.28 | 54.00 | -9.72 | 12.69 | 3 | Vertical | 295 | 2.33 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 28
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3458G | 55.88 | 74.00 | -18.12 | 24.69 | 3 | Horizontal | 278 | 1.86 | - | 28.16 | 3.03 | - |
| AV | 2.3862G | 44.18 | 54.00 | -9.82 | 12.73 | 3 | Horizontal | 278 | 1.86 | - | 28.40 | 3.05 | - |
| PK | 2.4378G | 106.80 | Inf | -Inf | 75.30 | 3 | Horizontal | 278 | 1.86 | - | 28.42 | 3.08 | - |
| AV | 2.4382G | 102.61 | Inf | -Inf | 71.11 | 3 | Horizontal | 278 | 1.86 | - | 28.42 | 3.08 | - |
| PK | 2.4926G | 55.95 | 74.00 | -18.05 | 24.32 | 3 | Horizontal | 278 | 1.86 | - | 28.53 | 3.10 | - |
| AV | 2.4838G | 45.71 | 54.00 | -8.29 | 14.12 | 3 | Horizontal | 278 | 1.86 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 4.8845G | 45.24 | 74.00 | -28.76 | 37.59 | 3 | Vertical | 38 | 2.28 | - | 33.17 | 5.12 | 30.64 |
| AV | 4.87394G | 33.21 | 54.00 | -20.79 | 25.59 | 3 | Vertical | 38 | 2.28 | - | 33.15 | 5.11 | 30.64 |
| PK | 7.32186G | 50.34 | 74.00 | -23.66 | 39.30 | 3 | Vertical | 9 | 2.52 | - | 36.64 | 6.52 | 32.12 |
| AV | 7.30752G | 35.84 | 54.00 | -18.16 | 24.82 | 3 | Vertical | 9 | 2.52 | - | 36.62 | 6.51 | 32.11 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 28
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.86692G | 45.61 | 74.00 | -28.39 | 38.02 | 3 | Horizontal | 340 | 2.81 | - | 33.13 | 5.11 | 30.65 |
| AV | 4.87394G | 31.72 | 54.00 | -22.28 | 24.10 | 3 | Horizontal | 340 | 2.81 | - | 33.15 | 5.11 | 30.64 |
| PK | 7.30914G | 49.75 | 74.00 | -24.25 | 38.73 | 3 | Horizontal | 146 | 1.66 | - | 36.62 | 6.51 | 32.11 |
| AV | 7.3053G | 35.81 | 54.00 | -18.19 | 24.80 | 3 | Horizontal | 146 | 1.66 | - | 36.61 | 6.51 | 32.11 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUTZ_1TX
Setting 24
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3578G | 55.82 | 74.00 | -18.18 | 24.58 | 3 | Vertical | 254 | 2.71 | - | 28.20 | 3.04 | - |
| AV | 2.3874G | 44.10 | 54.00 | -9.90 | 12.65 | 3 | Vertical | 254 | 2.71 | - | 28.40 | 3.05 | - |
| PK | 2.4578G | 115.41 | Inf | -Inf | 83.85 | 3 | Vertical | 254 | 2.71 | - | 28.48 | 3.08 | - |
| AV | 2.4562G | 111.52 | Inf | -Inf | 79.98 | 3 | Vertical | 254 | 2.71 | - | 28.46 | 3.08 | - |
| PK | 2.4835G | 61.67 | 74.00 | -12.33 | 30.08 | 3 | Vertical | 254 | 2.71 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 53.79 | 54.00 | -0.21 | 22.20 | 3 | Vertical | 254 | 2.71 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUTZ_1TX
Setting 24
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3866G | 56.61 | 74.00 | -17.39 | 25.16 | 3 | Horizontal | 274 | 2.52 | - | 28.40 | 3.05 | - |
| AV | 2.379G | 44.00 | 54.00 | -10.00 | 12.56 | 3 | Horizontal | 274 | 2.52 | - | 28.39 | 3.05 | - |
| PK | 2.4578G | 107.90 | Inf | -Inf | 76.34 | 3 | Horizontal | 274 | 2.52 | - | 28.48 | 3.08 | - |
| AV | 2.4562G | 104.12 | Inf | -Inf | 72.58 | 3 | Horizontal | 274 | 2.52 | - | 28.46 | 3.08 | - |
| PK | 2.4835G | 56.59 | 74.00 | -17.41 | 25.00 | 3 | Horizontal | 274 | 2.52 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 45.64 | 54.00 | -8.36 | 14.05 | 3 | Horizontal | 274 | 2.52 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 23
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.463G | 114.65 | Inf | -Inf | 83.06 | 3 | Vertical | 254 | 2.83 | - | 28.50 | 3.09 | - |
| AV | 2.4612G | 109.58 | Inf | -Inf | 78.00 | 3 | Vertical | 254 | 2.83 | - | 28.50 | 3.08 | - |
| PK | 2.4836G | 61.42 | 74.00 | -12.58 | 29.83 | 3 | Vertical | 254 | 2.83 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 53.94 | 54.00 | -0.06 | 22.35 | 3 | Vertical | 254 | 2.83 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 23
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.461G | 106.91 | Inf | -Inf | 75.33 | 3 | Horizontal | 274 | 2.53 | - | 28.50 | 3.08 | - |
| AV | 2.4612G | 103.05 | Inf | -Inf | 71.47 | 3 | Horizontal | 274 | 2.53 | - | 28.50 | 3.08 | - |
| PK | 2.4872G | 56.24 | 74.00 | -17.76 | 24.65 | 3 | Horizontal | 274 | 2.53 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 45.27 | 54.00 | -8.73 | 13.68 | 3 | Horizontal | 274 | 2.53 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 4.91482G | 45.21 | 74.00 | -28.79 | 37.48 | 3 | Vertical | 169 | 2.54 | - | 33.23 | 5.12 | 30.62 |
| AV | 4.91698G | 31.93 | 54.00 | -22.07 | 24.18 | 3 | Vertical | 169 | 2.54 | - | 33.23 | 5.13 | 30.61 |
| PK | 7.37658G | 50.22 | 74.00 | -23.78 | 39.12 | 3 | Vertical | 90 | 2.37 | - | 36.70 | 6.55 | 32.15 |
| AV | 7.3734G | 36.43 | 54.00 | -17.57 | 25.33 | 3 | Vertical | 90 | 2.37 | - | 36.70 | 6.55 | 32.15 |

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.9276G | 44.96 | 74.00 | -29.04 | 37.18 | 3 | Horizontal | 119 | 2.12 | - | 33.26 | 5.13 | 30.61 |
| AV | 4.91758G | 31.89 | 54.00 | -22.11 | 24.13 | 3 | Horizontal | 119 | 2.12 | - | 33.24 | 5.13 | 30.61 |
| PK | 7.37976G | 50.06 | 74.00 | -23.94 | 38.96 | 3 | Horizontal | 137 | 2.85 | - | 36.70 | 6.55 | 32.15 |
| AV | 7.371G | 36.40 | 54.00 | -17.60 | 25.31 | 3 | Horizontal | 137 | 2.85 | - | 36.70 | 6.54 | 32.15 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 20.5
 02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3896G | 67.00 | 74.00 | -7.00 | 35.55 | 3 | Vertical | 253 | 2.93 | - | 28.40 | 3.05 | - |
| AV | 2.39G | 53.64 | 54.00 | -0.36 | 22.18 | 3 | Vertical | 253 | 2.93 | - | 28.40 | 3.06 | - |
| PK | 2.4142G | 110.39 | Inf | -Inf | 78.92 | 3 | Vertical | 253 | 2.93 | - | 28.40 | 3.07 | - |
| AV | 2.4154G | 100.90 | Inf | -Inf | 69.43 | 3 | Vertical | 253 | 2.93 | - | 28.40 | 3.07 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 20.5
 02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3898G | 64.32 | 74.00 | -9.68 | 32.87 | 3 | Horizontal | 44 | 2.21 | - | 28.40 | 3.05 | - |
| AV | 2.39G | 51.54 | 54.00 | -2.46 | 20.08 | 3 | Horizontal | 44 | 2.21 | - | 28.40 | 3.06 | - |
| PK | 2.4142G | 101.19 | Inf | -Inf | 69.72 | 3 | Horizontal | 44 | 2.21 | - | 28.40 | 3.07 | - |
| AV | 2.4152G | 91.48 | Inf | -Inf | 60.01 | 3 | Horizontal | 44 | 2.21 | - | 28.40 | 3.07 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
 Setting 20.5
 02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.83114G | 44.12 | 74.00 | -29.88 | 36.70 | 3 | Vertical | 264 | 1.16 | - | 32.99 | 5.10 | 30.67 |
| AV | 4.83354G | 32.05 | 54.00 | -21.95 | 24.62 | 3 | Vertical | 264 | 1.16 | - | 33.00 | 5.10 | 30.67 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 20.5
 02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.83276G | 44.46 | 74.00 | -29.54 | 37.03 | 3 | Horizontal | 8 | 1.93 | - | 33.00 | 5.10 | 30.67 |
| AV | 4.83654G | 32.11 | 54.00 | -21.89 | 24.66 | 3 | Horizontal | 8 | 1.93 | - | 33.02 | 5.10 | 30.67 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUTZ_1TX
Setting 23
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.377G | 65.03 | 74.00 | -8.97 | 33.61 | 3 | Vertical | 255 | 2.94 | - | 28.37 | 3.05 | - |
| AV | 2.3898G | 52.79 | 54.00 | -1.21 | 21.34 | 3 | Vertical | 255 | 2.94 | - | 28.40 | 3.05 | - |
| PK | 2.4194G | 113.24 | Inf | -Inf | 81.77 | 3 | Vertical | 255 | 2.94 | - | 28.40 | 3.07 | - |
| AV | 2.4202G | 103.31 | Inf | -Inf | 71.84 | 3 | Vertical | 255 | 2.94 | - | 28.40 | 3.07 | - |
| PK | 2.4854G | 56.68 | 74.00 | -17.32 | 25.09 | 3 | Vertical | 255 | 2.94 | - | 28.50 | 3.09 | - |
| AV | 2.487G | 45.14 | 54.00 | -8.86 | 13.55 | 3 | Vertical | 255 | 2.94 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUTZ_1TX
Setting 23
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3854G | 62.60 | 74.00 | -11.40 | 31.15 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.05 | - |
| AV | 2.3894G | 50.66 | 54.00 | -3.34 | 19.21 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.05 | - |
| PK | 2.4198G | 104.52 | Inf | -Inf | 73.05 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.07 | - |
| AV | 2.4182G | 95.25 | Inf | -Inf | 63.78 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.07 | - |
| PK | 2.4906G | 55.52 | 74.00 | -18.48 | 23.91 | 3 | Horizontal | 52 | 2.96 | - | 28.51 | 3.10 | - |
| AV | 2.4842G | 44.45 | 54.00 | -9.55 | 12.86 | 3 | Horizontal | 52 | 2.96 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 24
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3846G | 60.75 | 74.00 | -13.25 | 29.30 | 3 | Vertical | 257 | 2.62 | - | 28.40 | 3.05 | - |
| AV | 2.3882G | 46.82 | 54.00 | -7.18 | 15.37 | 3 | Vertical | 257 | 2.62 | - | 28.40 | 3.05 | - |
| PK | 2.441G | 116.53 | Inf | -Inf | 85.05 | 3 | Vertical | 257 | 2.62 | - | 28.40 | 3.08 | - |
| AV | 2.4394G | 106.53 | Inf | -Inf | 75.04 | 3 | Vertical | 257 | 2.62 | - | 28.41 | 3.08 | - |
| PK | 2.4835G | 69.96 | 74.00 | -4.04 | 38.37 | 3 | Vertical | 257 | 2.62 | - | 28.50 | 3.09 | - |
| AV | 2.4838G | 53.91 | 54.00 | -0.09 | 22.32 | 3 | Vertical | 257 | 2.62 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 24
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3858G | 56.57 | 74.00 | -17.43 | 25.12 | 3 | Horizontal | 297 | 1.05 | - | 28.40 | 3.05 | - |
| AV | 2.3886G | 45.02 | 54.00 | -8.98 | 13.57 | 3 | Horizontal | 297 | 1.05 | - | 28.40 | 3.05 | - |
| PK | 2.4398G | 108.88 | Inf | -Inf | 77.40 | 3 | Horizontal | 297 | 1.05 | - | 28.40 | 3.08 | - |
| AV | 2.4402G | 98.91 | Inf | -Inf | 67.43 | 3 | Horizontal | 297 | 1.05 | - | 28.40 | 3.08 | - |
| PK | 2.4835G | 62.47 | 74.00 | -11.53 | 30.88 | 3 | Horizontal | 297 | 1.05 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 47.82 | 54.00 | -6.18 | 16.23 | 3 | Horizontal | 297 | 1.05 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 24
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.8713G | 45.17 | 74.00 | -28.83 | 37.56 | 3 | Vertical | 114 | 1.12 | - | 33.14 | 5.11 | 30.64 |
| AV | 4.86488G | 32.70 | 54.00 | -21.30 | 25.11 | 3 | Vertical | 114 | 1.12 | - | 33.13 | 5.11 | 30.65 |
| PK | 7.3062G | 49.97 | 74.00 | -24.03 | 38.96 | 3 | Vertical | 342 | 2.78 | - | 36.61 | 6.51 | 32.11 |
| AV | 7.30836G | 36.78 | 54.00 | -17.22 | 25.76 | 3 | Vertical | 342 | 2.78 | - | 36.62 | 6.51 | 32.11 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUTZ_1TX
Setting 24
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.86842G | 45.44 | 74.00 | -28.56 | 37.84 | 3 | Horizontal | 325 | 2.59 | - | 33.14 | 5.11 | 30.65 |
| AV | 4.88324G | 32.46 | 54.00 | -21.54 | 24.82 | 3 | Horizontal | 325 | 2.59 | - | 33.17 | 5.11 | 30.64 |
| PK | 7.30366G | 49.49 | 74.00 | -24.51 | 38.48 | 3 | Horizontal | 158 | 2.54 | - | 36.61 | 6.51 | 32.11 |
| AV | 7.29828G | 36.89 | 54.00 | -17.11 | 25.91 | 3 | Horizontal | 158 | 2.54 | - | 36.59 | 6.50 | 32.11 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUTZ_1TX
 Setting 19.5
 02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3642G | 56.08 | 74.00 | -17.92 | 24.80 | 3 | Vertical | 253 | 2.74 | - | 28.24 | 3.04 | - |
| AV | 2.3694G | 44.57 | 54.00 | -9.43 | 13.24 | 3 | Vertical | 253 | 2.74 | - | 28.29 | 3.04 | - |
| PK | 2.4586G | 113.26 | Inf | -Inf | 81.69 | 3 | Vertical | 253 | 2.74 | - | 28.49 | 3.08 | - |
| AV | 2.4598G | 103.00 | Inf | -Inf | 71.42 | 3 | Vertical | 253 | 2.74 | - | 28.50 | 3.08 | - |
| PK | 2.4846G | 68.58 | 74.00 | -5.42 | 36.99 | 3 | Vertical | 253 | 2.74 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 53.52 | 54.00 | -0.48 | 21.93 | 3 | Vertical | 253 | 2.74 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUTZ_1TX
 Setting 19.5
 02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.383G | 56.22 | 74.00 | -17.78 | 24.77 | 3 | Horizontal | 274 | 2.52 | - | 28.40 | 3.05 | - |
| AV | 2.3698G | 44.34 | 54.00 | -9.66 | 13.00 | 3 | Horizontal | 274 | 2.52 | - | 28.30 | 3.04 | - |
| PK | 2.4594G | 105.12 | Inf | -Inf | 73.55 | 3 | Horizontal | 274 | 2.52 | - | 28.49 | 3.08 | - |
| AV | 2.4598G | 95.36 | Inf | -Inf | 63.78 | 3 | Horizontal | 274 | 2.52 | - | 28.50 | 3.08 | - |
| PK | 2.4838G | 58.89 | 74.00 | -15.11 | 27.30 | 3 | Horizontal | 274 | 2.52 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 46.36 | 54.00 | -7.64 | 14.77 | 3 | Horizontal | 274 | 2.52 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4656G | 112.63 | Inf | -Inf | 81.04 | 3 | Vertical | 255 | 2.82 | - | 28.50 | 3.09 | - |
| AV | 2.4652G | 102.28 | Inf | -Inf | 70.69 | 3 | Vertical | 255 | 2.82 | - | 28.50 | 3.09 | - |
| PK | 2.4835G | 66.04 | 74.00 | -7.96 | 34.45 | 3 | Vertical | 255 | 2.82 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 52.61 | 54.00 | -1.39 | 21.02 | 3 | Vertical | 255 | 2.82 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.4642G | 103.16 | Inf | -Inf | 71.57 | 3 | Horizontal | 277 | 1.24 | - | 28.50 | 3.09 | - |
| AV | 2.4648G | 93.31 | Inf | -Inf | 61.72 | 3 | Horizontal | 277 | 1.24 | - | 28.50 | 3.09 | - |
| PK | 2.4862G | 58.79 | 74.00 | -15.21 | 27.20 | 3 | Horizontal | 277 | 1.24 | - | 28.50 | 3.09 | - |
| AV | 2.484G | 46.74 | 54.00 | -7.26 | 15.15 | 3 | Horizontal | 277 | 1.24 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 4.91578G | 45.61 | 74.00 | -28.39 | 37.88 | 3 | Vertical | 317 | 1.74 | - | 33.23 | 5.12 | 30.62 |
| AV | 4.91872G | 32.96 | 54.00 | -21.04 | 25.20 | 3 | Vertical | 317 | 1.74 | - | 33.24 | 5.13 | 30.61 |
| PK | 7.38G | 50.17 | 74.00 | -23.83 | 39.07 | 3 | Vertical | 29 | 1.22 | - | 36.70 | 6.55 | 32.15 |
| AV | 7.37232G | 37.51 | 54.00 | -16.49 | 26.42 | 3 | Vertical | 29 | 1.22 | - | 36.70 | 6.54 | 32.15 |

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.92664G | 46.04 | 74.00 | -27.96 | 38.27 | 3 | Horizontal | 174 | 1.80 | - | 33.25 | 5.13 | 30.61 |
| AV | 4.91686G | 32.90 | 54.00 | -21.10 | 25.15 | 3 | Horizontal | 174 | 1.80 | - | 33.23 | 5.13 | 30.61 |
| PK | 7.37208G | 50.01 | 74.00 | -23.99 | 38.92 | 3 | Horizontal | 276 | 1.59 | - | 36.70 | 6.54 | 32.15 |
| AV | 7.371G | 37.58 | 54.00 | -16.42 | 26.49 | 3 | Horizontal | 276 | 1.59 | - | 36.70 | 6.54 | 32.15 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUTZ_1TX
Setting 18.5
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3896G | 67.34 | 74.00 | -6.66 | 35.89 | 3 | Vertical | 253 | 2.95 | - | 28.40 | 3.05 | - |
| AV | 2.3898G | 53.01 | 54.00 | -0.99 | 21.56 | 3 | Vertical | 253 | 2.95 | - | 28.40 | 3.05 | - |
| PK | 2.419G | 112.59 | Inf | -Inf | 81.12 | 3 | Vertical | 253 | 2.95 | - | 28.40 | 3.07 | - |
| AV | 2.4164G | 99.37 | Inf | -Inf | 67.90 | 3 | Vertical | 253 | 2.95 | - | 28.40 | 3.07 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 18.5
02-D-V-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 2.3898G | 61.84 | 74.00 | -12.16 | 30.39 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.05 | - |
| AV | 2.39G | 48.66 | 54.00 | -5.34 | 17.20 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.06 | - |
| PK | 2.416G | 104.66 | Inf | -Inf | 73.19 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.07 | - |
| AV | 2.4156G | 91.34 | Inf | -Inf | 59.87 | 3 | Horizontal | 52 | 2.96 | - | 28.40 | 3.07 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 18.5
 02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.81278G | 46.10 | 74.00 | -27.90 | 38.81 | 3 | Vertical | 119 | 1.17 | - | 32.88 | 5.09 | 30.68 |
| AV | 4.81234G | 32.57 | 54.00 | -21.43 | 25.29 | 3 | Vertical | 119 | 1.17 | - | 32.87 | 5.09 | 30.68 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUTZ_1TX
 Setting 18.5
 02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.82772G | 45.46 | 74.00 | -28.54 | 38.06 | 3 | Horizontal | 14 | 1.64 | - | 32.97 | 5.10 | 30.67 |
| AV | 4.82566G | 32.44 | 54.00 | -21.56 | 25.07 | 3 | Horizontal | 14 | 1.64 | - | 32.95 | 5.10 | 30.68 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUTZ_1TX
Setting 21.5
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3894G | 68.70 | 74.00 | -5.30 | 37.25 | 3 | Vertical | 253 | 2.96 | - | 28.40 | 3.05 | - |
| AV | 2.3898G | 53.55 | 54.00 | -0.45 | 22.10 | 3 | Vertical | 253 | 2.96 | - | 28.40 | 3.05 | - |
| PK | 2.421G | 115.03 | Inf | -Inf | 83.55 | 3 | Vertical | 253 | 2.96 | - | 28.41 | 3.07 | - |
| AV | 2.4194G | 101.85 | Inf | -Inf | 70.38 | 3 | Vertical | 253 | 2.96 | - | 28.40 | 3.07 | - |
| PK | 2.4862G | 56.32 | 74.00 | -17.68 | 24.73 | 3 | Vertical | 253 | 2.96 | - | 28.50 | 3.09 | - |
| AV | 2.4838G | 44.71 | 54.00 | -9.29 | 13.12 | 3 | Vertical | 253 | 2.96 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUTZ_1TX
Setting 21.5
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3898G | 63.52 | 74.00 | -10.48 | 32.07 | 3 | Horizontal | 271 | 2.83 | - | 28.40 | 3.05 | - |
| AV | 2.3898G | 50.80 | 54.00 | -3.20 | 19.35 | 3 | Horizontal | 271 | 2.83 | - | 28.40 | 3.05 | - |
| PK | 2.4194G | 107.66 | Inf | -Inf | 76.19 | 3 | Horizontal | 271 | 2.83 | - | 28.40 | 3.07 | - |
| AV | 2.4186G | 94.84 | Inf | -Inf | 63.37 | 3 | Horizontal | 271 | 2.83 | - | 28.40 | 3.07 | - |
| PK | 2.4934G | 56.20 | 74.00 | -17.80 | 24.57 | 3 | Horizontal | 271 | 2.83 | - | 28.53 | 3.10 | - |
| AV | 2.4982G | 44.24 | 54.00 | -9.76 | 12.56 | 3 | Horizontal | 271 | 2.83 | - | 28.58 | 3.10 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.389G | 59.93 | 74.00 | -14.07 | 28.48 | 3 | Vertical | 256 | 2.62 | - | 28.40 | 3.05 | - |
| AV | 2.3898G | 46.33 | 54.00 | -7.67 | 14.88 | 3 | Vertical | 256 | 2.62 | - | 28.40 | 3.05 | - |
| PK | 2.4386G | 118.73 | Inf | -Inf | 87.24 | 3 | Vertical | 256 | 2.62 | - | 28.41 | 3.08 | - |
| AV | 2.4398G | 104.70 | Inf | -Inf | 73.22 | 3 | Vertical | 256 | 2.62 | - | 28.40 | 3.08 | - |
| PK | 2.487G | 67.24 | 74.00 | -6.76 | 35.65 | 3 | Vertical | 256 | 2.62 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 52.37 | 54.00 | -1.63 | 20.78 | 3 | Vertical | 256 | 2.62 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3886G | 56.36 | 74.00 | -17.64 | 24.91 | 3 | Horizontal | 276 | 1.26 | - | 28.40 | 3.05 | - |
| AV | 2.3898G | 44.66 | 54.00 | -9.34 | 13.21 | 3 | Horizontal | 276 | 1.26 | - | 28.40 | 3.05 | - |
| PK | 2.4386G | 109.86 | Inf | -Inf | 78.37 | 3 | Horizontal | 276 | 1.26 | - | 28.41 | 3.08 | - |
| AV | 2.4394G | 97.07 | Inf | -Inf | 65.58 | 3 | Horizontal | 276 | 1.26 | - | 28.41 | 3.08 | - |
| PK | 2.4835G | 61.59 | 74.00 | -12.41 | 30.00 | 3 | Horizontal | 276 | 1.26 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 47.26 | 54.00 | -6.74 | 15.67 | 3 | Horizontal | 276 | 1.26 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 4.87508G | 46.71 | 74.00 | -27.29 | 39.09 | 3 | Vertical | 30 | 1.73 | - | 33.15 | 5.11 | 30.64 |
| AV | 4.86512G | 32.56 | 54.00 | -21.44 | 24.97 | 3 | Vertical | 30 | 1.73 | - | 33.13 | 5.11 | 30.65 |
| PK | 7.30968G | 50.18 | 74.00 | -23.82 | 39.16 | 3 | Vertical | 336 | 2.23 | - | 36.62 | 6.51 | 32.11 |
| AV | 7.29804G | 36.64 | 54.00 | -17.36 | 25.66 | 3 | Vertical | 336 | 2.23 | - | 36.59 | 6.50 | 32.11 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUTZ_1TX
Setting 23
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.88828G | 45.87 | 74.00 | -28.13 | 38.20 | 3 | Horizontal | 276 | 1.66 | - | 33.18 | 5.12 | 30.63 |
| AV | 4.86512G | 32.42 | 54.00 | -21.58 | 24.83 | 3 | Horizontal | 276 | 1.66 | - | 33.13 | 5.11 | 30.65 |
| PK | 7.30212G | 49.82 | 74.00 | -24.18 | 38.82 | 3 | Horizontal | 216 | 2.29 | - | 36.60 | 6.51 | 32.11 |
| AV | 7.29876G | 36.65 | 54.00 | -17.35 | 25.66 | 3 | Horizontal | 216 | 2.29 | - | 36.60 | 6.50 | 32.11 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUTZ_1TX
Setting 19
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3662G | 56.51 | 74.00 | -17.49 | 25.21 | 3 | Vertical | 252 | 2.65 | - | 28.26 | 3.04 | - |
| AV | 2.3866G | 44.26 | 54.00 | -9.74 | 12.81 | 3 | Vertical | 252 | 2.65 | - | 28.40 | 3.05 | - |
| PK | 2.4494G | 114.36 | Inf | -Inf | 82.88 | 3 | Vertical | 252 | 2.65 | - | 28.40 | 3.08 | - |
| AV | 2.4558G | 101.32 | Inf | -Inf | 69.78 | 3 | Vertical | 252 | 2.65 | - | 28.46 | 3.08 | - |
| PK | 2.4862G | 69.36 | 74.00 | -4.64 | 37.77 | 3 | Vertical | 252 | 2.65 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 53.61 | 54.00 | -0.39 | 22.02 | 3 | Vertical | 252 | 2.65 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUTZ_1TX
Setting 19
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.3618G | 56.04 | 74.00 | -17.96 | 24.78 | 3 | Horizontal | 275 | 2.55 | - | 28.22 | 3.04 | - |
| AV | 2.3866G | 44.23 | 54.00 | -9.77 | 12.78 | 3 | Horizontal | 275 | 2.55 | - | 28.40 | 3.05 | - |
| PK | 2.4618G | 107.23 | Inf | -Inf | 75.65 | 3 | Horizontal | 275 | 2.55 | - | 28.50 | 3.08 | - |
| AV | 2.4582G | 94.64 | Inf | -Inf | 63.08 | 3 | Horizontal | 275 | 2.55 | - | 28.48 | 3.08 | - |
| PK | 2.4842G | 57.27 | 74.00 | -16.73 | 25.68 | 3 | Horizontal | 275 | 2.55 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 45.60 | 54.00 | -8.40 | 14.01 | 3 | Horizontal | 275 | 2.55 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 2.463G | 115.04 | Inf | -Inf | 83.45 | 3 | Vertical | 251 | 2.83 | - | 28.50 | 3.09 | - |
| AV | 2.461G | 101.21 | Inf | -Inf | 69.63 | 3 | Vertical | 251 | 2.83 | - | 28.50 | 3.08 | - |
| PK | 2.484G | 69.89 | 74.00 | -4.11 | 38.30 | 3 | Vertical | 251 | 2.83 | - | 28.50 | 3.09 | - |
| AV | 2.4836G | 53.73 | 54.00 | -0.27 | 22.14 | 3 | Vertical | 251 | 2.83 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 2.457G | 105.44 | Inf | -Inf | 73.89 | 3 | Horizontal | 272 | 2.55 | - | 28.47 | 3.08 | - |
| AV | 2.4586G | 92.81 | Inf | -Inf | 61.24 | 3 | Horizontal | 272 | 2.55 | - | 28.49 | 3.08 | - |
| PK | 2.4854G | 58.59 | 74.00 | -15.41 | 27.00 | 3 | Horizontal | 272 | 2.55 | - | 28.50 | 3.09 | - |
| AV | 2.4835G | 45.72 | 54.00 | -8.28 | 14.13 | 3 | Horizontal | 272 | 2.55 | - | 28.50 | 3.09 | - |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUTZ_1TX
Setting 18
02-D-G-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 4.9141G | 46.66 | 74.00 | -27.34 | 38.93 | 3 | Vertical | 228 | 1.09 | - | 33.23 | 5.12 | 30.62 |
| AV | 4.91524G | 32.70 | 54.00 | -21.30 | 24.97 | 3 | Vertical | 228 | 1.09 | - | 33.23 | 5.12 | 30.62 |
| PK | 7.37826G | 51.05 | 74.00 | -22.95 | 39.95 | 3 | Vertical | 39 | 1.20 | - | 36.70 | 6.55 | 32.15 |
| AV | 7.37394G | 37.10 | 54.00 | -16.90 | 26.00 | 3 | Vertical | 39 | 1.20 | - | 36.70 | 6.55 | 32.15 |

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUTZ_1TX
Setting 18
02-D-G-4


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 4.92394G | 45.65 | 74.00 | -28.35 | 37.88 | 3 | Horizontal | 215 | 2.52 | - | 33.25 | 5.13 | 30.61 |
| AV | 4.91758G | 32.68 | 54.00 | -21.32 | 24.92 | 3 | Horizontal | 215 | 2.52 | - | 33.24 | 5.13 | 30.61 |
| PK | 7.37472G | 50.88 | 74.00 | -23.12 | 39.78 | 3 | Horizontal | 186 | 2.93 | - | 36.70 | 6.55 | 32.15 |
| AV | 7.38024G | 37.09 | 54.00 | -16.91 | 25.99 | 3 | Horizontal | 186 | 2.93 | - | 36.70 | 6.55 | 32.15 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|------------|
| Mode 1 | Pass | AV | 1.12387G | 33.30 | 54.00 | -20.70 | Horizontal |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) | | |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|--|--|
| PK | 1.12258G | 39.58 | 74.00 | -34.42 | -5.63 | 3 | Vertical | 193 | 2.67 | - | 45.21 | 25.23 | 3.63 | 34.49 | | |
| AV | 1.1263G | 32.27 | 54.00 | -21.73 | -5.58 | 3 | Vertical | 193 | 2.67 | "Worst" | 37.85 | 25.26 | 3.64 | 34.48 | | |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| PK | 1.12512G | 40.22 | 74.00 | -33.78 | -5.59 | 3 | Horizontal | 224 | 1.29 | - | 45.81 | 25.25 | 3.64 | 34.48 |
| AV | 1.12387G | 33.30 | 54.00 | -20.70 | -5.61 | 3 | Horizontal | 224 | 1.29 | "Worst" | 38.91 | 25.24 | 3.63 | 34.48 |