


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 24
19\24
5.39\2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38932G	60.97	74.00	-13.03	28.62	3	Vertical	66	1.80	24	27.70	4.65	-				
AV	2.389G	50.72	54.00	-3.28	18.37	3	Vertical	66	1.80	24	27.70	4.65	-				
PK	2.43988G	115.96	Inf	-Inf	83.82	3	Vertical	66	1.80	24	27.50	4.64	-				
AV	2.43876G	113.30	Inf	-Inf	81.15	3	Vertical	66	1.80	24	27.51	4.64	-				
PK	2.48548G	61.45	74.00	-12.55	29.35	3	Vertical	66	1.80	24	27.50	4.60	-				
AV	2.48452G	51.95	54.00	-2.05	19.85	3	Vertical	66	1.80	24	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23
24\22.5\23\23.5\23
-1.06\4.26\1.78\1.06\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38868G	61.53	74.00	-12.47	29.18	3	Horizontal	302	2.01	23	27.70	4.65	-				
AV	2.38884G	52.22	54.00	-1.78	19.87	3	Horizontal	302	2.01	23	27.70	4.65	-				
PK	2.43428G	116.98	Inf	-Inf	84.78	3	Horizontal	302	2.01	23	27.56	4.64	-				
AV	2.43524G	114.29	Inf	-Inf	82.10	3	Horizontal	302	2.01	23	27.55	4.64	-				
PK	2.48724G	61.11	74.00	-12.89	29.01	3	Horizontal	302	2.01	23	27.50	4.60	-				
AV	2.48564G	49.10	54.00	-4.90	17.00	3	Horizontal	302	2.01	23	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT Y_TX
Setting 23
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8757G	46.44	74.00	-27.56	41.11	3	Vertical	303	1.69	-	31.30	6.99	32.96			
AV	4.87142G	33.60	54.00	-20.40	28.28	3	Vertical	303	1.69	-	31.30	6.98	32.96			
PK	7.30872G	53.99	74.00	-20.01	42.20	3	Vertical	140	1.75	-	36.27	8.62	33.10			
AV	7.31594G	41.16	54.00	-12.84	29.39	3	Vertical	140	1.75	-	36.24	8.63	33.10			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT Y_TX
Setting 23
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87494G	45.94	74.00	-28.06	40.62	3	Horizontal	237	2.81	-	31.30	6.98	32.96			
AV	4.87444G	33.61	54.00	-20.39	28.29	3	Horizontal	237	2.81	-	31.30	6.98	32.96			
PK	7.30628G	53.47	74.00	-20.53	41.68	3	Horizontal	62	2.39	-	36.27	8.62	33.10			
AV	7.31526G	41.17	54.00	-12.83	29.40	3	Horizontal	62	2.39	-	36.24	8.63	33.10			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
18.5\23\21\20\20.5
4.90\12.62\0.55\2.47\2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4598G	112.35	Inf	-Inf	80.33	3	Vertical	67	2.22	20.5	27.40	4.62	-			
AV	2.4587G	109.59	Inf	-Inf	77.56	3	Vertical	67	2.22	20.5	27.41	4.62	-			
PK	2.4837G	61.45	74.00	-12.55	29.35	3	Vertical	67	2.22	20.5	27.50	4.60	-			
AV	2.4835G	51.53	54.00	-2.47	19.43	3	Vertical	67	2.22	20.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
20.5
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4543G	112.89	Inf	-Inf	80.81	3	Horizontal	303	2.20	20.5	27.46	4.62	-				
AV	2.4552G	110.17	Inf	-Inf	78.10	3	Horizontal	303	2.20	20.5	27.45	4.62	-				
PK	2.4836G	62.53	74.00	-11.47	30.43	3	Horizontal	303	2.20	20.5	27.50	4.60	-				
AV	2.4835G	52.90	54.00	-1.10	20.80	3	Horizontal	303	2.20	20.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 20.5
19\22.5\21\20.5
3.84\ -5.62\ -0.08\ 2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4593G	112.64	Inf	-Inf	80.61	3	Vertical	67	2.22	20.5	27.41	4.62	-			
AV	2.4602G	109.95	Inf	-Inf	77.93	3	Vertical	67	2.22	20.5	27.40	4.62	-			
PK	2.4881G	61.78	74.00	-12.22	29.68	3	Vertical	67	2.22	20.5	27.50	4.60	-			
AV	2.4876G	51.53	54.00	-2.47	19.43	3	Vertical	67	2.22	20.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 18.5
20.5\19.5\19\18.5
-0.69\ -0.69\ -0.08\ 1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4593G	110.66	Inf	-Inf	78.63	3	Horizontal	303	2.21	18.5	27.41	4.62	-				
AV	2.4592G	107.81	Inf	-Inf	75.78	3	Horizontal	303	2.21	18.5	27.41	4.62	-				
PK	2.4881G	62.35	74.00	-11.65	30.25	3	Horizontal	303	2.21	18.5	27.50	4.60	-				
AV	2.4877G	52.90	54.00	-1.10	20.80	3	Horizontal	303	2.21	18.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT Y_TX
Setting 18.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8934G	45.40	74.00	-28.60	40.05	3	Vertical	241	1.76	-	31.30	7.00	32.95			
AV	4.874G	34.16	54.00	-19.84	28.84	3	Vertical	241	1.76	-	31.30	6.98	32.96			
PK	7.349G	52.59	74.00	-21.41	40.93	3	Vertical	2	2.57	-	36.10	8.67	33.11			
AV	7.3382G	40.84	54.00	-13.16	29.14	3	Vertical	2	2.57	-	36.15	8.66	33.11			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT Y_TX
Setting 18.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9144G	45.69	74.00	-28.31	40.26	3	Horizontal	173	1.23	-	31.36	7.02	32.95			
AV	4.874G	34.16	54.00	-19.84	28.84	3	Horizontal	173	1.23	-	31.30	6.98	32.96			
PK	7.3468G	52.58	74.00	-21.42	40.91	3	Horizontal	141	1.75	-	36.11	8.67	33.11			
AV	7.3382G	40.97	54.00	-13.03	29.27	3	Horizontal	141	1.75	-	36.15	8.66	33.11			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 20.5
17\21\19\20\20.5
4.00\1.89\3.04\1.97\2.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.39G	63.41	74.00	-10.59	31.05	3	Vertical	36	2.38	20.5	27.70	4.66	-				
AV	2.3897G	51.83	54.00	-2.17	19.47	3	Vertical	36	2.38	20.5	27.70	4.66	-				
PK	2.419G	120.56	Inf	-Inf	88.22	3	Vertical	36	2.38	20.5	27.69	4.65	-				
AV	2.4193G	112.32	Inf	-Inf	79.98	3	Vertical	36	2.38	20.5	27.69	4.65	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 19
20.5\20\19.5\19
-0.48\ -0.63\ -0.63\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	64.98	74.00	-9.02	32.63	3	Horizontal	302	2.56	19	27.70	4.65	-			
AV	2.39G	53.85	54.00	-0.15	21.49	3	Horizontal	302	2.56	19	27.70	4.66	-			
PK	2.4058G	117.44	Inf	-Inf	85.13	3	Horizontal	302	2.56	19	27.64	4.67	-			
AV	2.4051G	108.98	Inf	-Inf	76.66	3	Horizontal	302	2.56	19	27.65	4.67	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 19
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81936G	45.43	74.00	-28.57	40.17	3	Vertical	276	2.26	-	31.30	6.93	32.97			
AV	4.82504G	33.12	54.00	-20.88	27.85	3	Vertical	276	2.26	-	31.30	6.94	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 19
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8224G	45.20	74.00	-28.80	39.94	3	Horizontal	220	1.21	-	31.30	6.93	32.97			
AV	4.82268G	33.20	54.00	-20.80	27.94	3	Horizontal	220	1.21	-	31.30	6.93	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 20.5
19\23\21\20\20.5
4.00\7.37\0.63\3.04\3.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	62.97	74.00	-11.03	30.61	3	Vertical	35	2.76	20.5	27.70	4.66	-			
AV	2.3899G	50.96	54.00	-3.04	18.60	3	Vertical	35	2.76	20.5	27.70	4.66	-			
PK	2.4239G	121.02	Inf	-Inf	88.71	3	Vertical	35	2.76	20.5	27.66	4.65	-			
AV	2.4241G	112.50	Inf	-Inf	80.19	3	Vertical	35	2.76	20.5	27.66	4.65	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 20.5
20.5
0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3895G	67.21	74.00	-6.79	34.86	3	Horizontal	304	2.29	20.5	27.70	4.65	-				
AV	2.39G	53.69	54.00	-0.31	21.33	3	Horizontal	304	2.29	20.5	27.70	4.66	-				
PK	2.4107G	118.37	Inf	-Inf	86.10	3	Horizontal	304	2.29	20.5	27.61	4.66	-				
AV	2.41G	109.94	Inf	-Inf	77.68	3	Horizontal	304	2.29	20.5	27.60	4.66	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 24
19\23.5\24
4.90\1.85\1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	67.48	74.00	-6.52	35.13	3	Vertical	323	1.21	24	27.70	4.65	-			
AV	2.3898G	51.62	54.00	-2.38	19.26	3	Vertical	323	1.21	24	27.70	4.66	-			
PK	2.42964G	123.85	Inf	-Inf	91.61	3	Vertical	323	1.21	24	27.60	4.64	-			
AV	2.42948G	115.52	Inf	-Inf	83.27	3	Vertical	323	1.21	24	27.61	4.64	-			
PK	2.48388G	65.89	74.00	-8.11	33.79	3	Vertical	323	1.21	24	27.50	4.60	-			
AV	2.4835G	52.15	54.00	-1.85	20.05	3	Vertical	323	1.21	24	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 24
24
2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	65.04	74.00	-8.96	32.68	3	Horizontal	306	1.80	24	27.70	4.66	-				
AV	2.3898G	51.19	54.00	-2.81	18.83	3	Horizontal	306	1.80	24	27.70	4.66	-				
PK	2.43076G	121.86	Inf	-Inf	89.63	3	Horizontal	306	1.80	24	27.59	4.64	-				
AV	2.43028G	113.06	Inf	-Inf	80.82	3	Horizontal	306	1.80	24	27.60	4.64	-				
PK	2.4835G	60.75	74.00	-13.25	28.65	3	Horizontal	306	1.80	24	27.50	4.60	-				
AV	2.4835G	49.91	54.00	-4.09	17.81	3	Horizontal	306	1.80	24	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 24
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8739G	47.99	74.00	-26.01	42.67	3	Vertical	63	1.66	-	31.30	6.98	32.96				
AV	4.87386G	35.79	54.00	-18.21	30.47	3	Vertical	63	1.66	-	31.30	6.98	32.96				
PK	7.31512G	53.44	74.00	-20.56	41.67	3	Vertical	248	3.00	-	36.24	8.63	33.10				
AV	7.31262G	40.93	54.00	-13.07	29.15	3	Vertical	248	3.00	-	36.25	8.63	33.10				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 24
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87546G	46.59	74.00	-27.41	41.26	3	Horizontal	213	2.47	-	31.30	6.99	32.96				
AV	4.8739G	34.25	54.00	-19.75	28.93	3	Horizontal	213	2.47	-	31.30	6.98	32.96				
PK	7.31098G	53.14	74.00	-20.86	41.36	3	Horizontal	303	2.72	-	36.26	8.62	33.10				
AV	7.3155G	40.96	54.00	-13.04	29.19	3	Horizontal	303	2.72	-	36.24	8.63	33.10				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
19\22.5\21\20.5
3.60\5.01\1.12\2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.45G	120.06	Inf	-Inf	87.93	3	Vertical	323	1.05	20.5	27.50	4.63	-			
AV	2.4497G	111.71	Inf	-Inf	79.58	3	Vertical	323	1.05	20.5	27.50	4.63	-			
PK	2.4878G	63.95	74.00	-10.05	31.85	3	Vertical	323	1.05	20.5	27.50	4.60	-			
AV	2.4859G	51.53	54.00	-2.47	19.43	3	Vertical	323	1.05	20.5	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
20.5
2.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.45G	117.90	Inf	-Inf	85.77	3	Horizontal	304	1.58	20.5	27.50	4.63	-				
AV	2.45G	109.46	Inf	-Inf	77.33	3	Horizontal	304	1.58	20.5	27.50	4.63	-				
PK	2.4835G	65.09	74.00	-8.91	32.99	3	Horizontal	304	1.58	20.5	27.50	4.60	-				
AV	2.4835G	51.32	54.00	-2.68	19.22	3	Horizontal	304	1.58	20.5	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 20.5
19\22\20.5\21\20.5
3.36\9.83\1.66\2.89\1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4596G	119.50	Inf	-Inf	87.48	3	Vertical	332	2.95	20.5	27.40	4.62	-			
AV	2.4602G	111.05	Inf	-Inf	79.03	3	Vertical	332	2.95	20.5	27.40	4.62	-			
PK	2.4844G	65.26	74.00	-8.74	33.16	3	Vertical	332	2.95	20.5	27.50	4.60	-			
AV	2.4848G	52.34	54.00	-1.66	20.24	3	Vertical	332	2.95	20.5	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 19
20.5\19\19.5\19
-1.12\1.66\1.12\1.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4551G	116.18	Inf	-Inf	84.11	3	Horizontal	300	1.73	19	27.45	4.62	-			
AV	2.4549G	107.67	Inf	-Inf	75.60	3	Horizontal	300	1.73	19	27.45	4.62	-			
PK	2.4837G	64.95	74.00	-9.05	32.85	3	Horizontal	300	1.73	19	27.50	4.60	-			
AV	2.4835G	52.53	54.00	-1.47	20.43	3	Horizontal	300	1.73	19	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 19
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92708G	46.51	74.00	-27.49	41.01	3	Vertical	284	2.52	-	31.41	7.04	32.95			
AV	4.92628G	33.59	54.00	-20.41	28.09	3	Vertical	284	2.52	-	31.41	7.04	32.95			
PK	7.3823G	52.50	74.00	-21.50	40.81	3	Vertical	83	2.45	-	36.10	8.71	33.12			
AV	7.3863G	40.52	54.00	-13.48	28.84	3	Vertical	83	2.45	-	36.10	8.71	33.13			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 19
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92566G	46.00	74.00	-28.00	40.51	3	Horizontal	244	2.79	-	31.40	7.04	32.95			
AV	4.92634G	33.59	54.00	-20.41	28.09	3	Horizontal	244	2.79	-	31.41	7.04	32.95			
PK	7.38324G	53.36	74.00	-20.64	41.67	3	Horizontal	265	1.97	-	36.10	8.71	33.12			
AV	7.38632G	40.52	54.00	-13.48	28.84	3	Horizontal	265	1.97	-	36.10	8.71	33.13			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 19
19\20\19.5\19
1.19\0.48\0.63\1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3877G	65.84	74.00	-8.16	33.49	3	Vertical	42	2.46	19	27.70	4.65	-			
AV	2.3897G	52.81	54.00	-1.19	20.45	3	Vertical	42	2.46	19	27.70	4.66	-			
PK	2.4205G	121.95	Inf	-Inf	89.61	3	Vertical	42	2.46	19	27.69	4.65	-			
AV	2.4199G	110.77	Inf	-Inf	78.42	3	Vertical	42	2.46	19	27.70	4.65	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 16.5
19\16.5
-2.14\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3889G	66.40	74.00	-7.60	34.05	3	Horizontal	302	2.30	16.5	27.70	4.65	-			
AV	2.39G	53.85	54.00	-0.15	21.49	3	Horizontal	302	2.30	16.5	27.70	4.66	-			
PK	2.4047G	116.64	Inf	-Inf	84.32	3	Horizontal	302	2.30	16.5	27.65	4.67	-			
AV	2.4055G	105.26	Inf	-Inf	72.95	3	Horizontal	302	2.30	16.5	27.64	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 16.5
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82656G	45.49	74.00	-28.51	40.22	3	Vertical	46	2.51	-	31.30	6.94	32.97			
AV	4.82246G	33.20	54.00	-20.80	27.94	3	Vertical	46	2.51	-	31.30	6.93	32.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 16.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82854G	45.40	74.00	-28.60	40.13	3	Horizontal	38	1.69	-	31.30	6.94	32.97			
AV	4.82506G	33.21	54.00	-20.79	27.94	3	Horizontal	38	1.69	-	31.30	6.94	32.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
SET 20.5
20.5\21\20.5
0.83\ -3.10\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	65.03	74.00	-8.97	32.68	3	Vertical	31	2.76	20.5	27.70	4.65	-			
AV	2.3899G	53.17	54.00	-0.83	20.81	3	Vertical	31	2.76	20.5	27.70	4.66	-			
PK	2.4243G	123.17	Inf	-Inf	90.86	3	Vertical	31	2.76	20.5	27.66	4.65	-			
AV	2.4239G	111.98	Inf	-Inf	79.67	3	Vertical	31	2.76	20.5	27.66	4.65	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
SET 19
20.5\18\19
-2.02\1.77\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.26	74.00	-8.74	32.90	3	Horizontal	305	2.62	19	27.70	4.66	-			
AV	2.3899G	53.52	54.00	-0.48	21.16	3	Horizontal	305	2.62	19	27.70	4.66	-			
PK	2.41G	121.13	Inf	-Inf	88.87	3	Horizontal	305	2.62	19	27.60	4.66	-			
AV	2.4099G	108.35	Inf	-Inf	76.09	3	Horizontal	305	2.62	19	27.60	4.66	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23
24\23.5\23
-0.17\ -0.17\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38948G	65.03	74.00	-8.97	32.68	3	Vertical	316	1.38	23	27.70	4.65	-				
AV	2.3898G	52.43	54.00	-1.57	20.07	3	Vertical	316	1.38	23	27.70	4.66	-				
PK	2.42948G	126.10	Inf	-Inf	93.85	3	Vertical	316	1.38	23	27.61	4.64	-				
AV	2.42836G	114.76	Inf	-Inf	82.49	3	Vertical	316	1.38	23	27.62	4.65	-				
PK	2.48836G	63.26	74.00	-10.74	31.17	3	Vertical	316	1.38	23	27.50	4.59	-				
AV	2.4835G	51.53	54.00	-2.47	19.43	3	Vertical	316	1.38	23	27.50	4.60	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23
23
1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38948G	65.12	74.00	-8.88	32.77	3	Horizontal	303	1.80	23	27.70	4.65	-			
AV	2.3898G	52.62	54.00	-1.38	20.26	3	Horizontal	303	1.80	23	27.70	4.66	-			
PK	2.42964G	122.27	Inf	-Inf	90.03	3	Horizontal	303	1.80	23	27.60	4.64	-			
AV	2.42996G	111.68	Inf	-Inf	79.44	3	Horizontal	303	1.80	23	27.60	4.64	-			
PK	2.4835G	63.80	74.00	-10.20	31.70	3	Horizontal	303	1.80	23	27.50	4.60	-			
AV	2.4835G	50.64	54.00	-3.36	18.54	3	Horizontal	303	1.80	23	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 23
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87522G	46.09	74.00	-27.91	40.76	3	Vertical	325	1.06	-	31.30	6.99	32.96			
AV	4.87384G	35.25	54.00	-18.75	29.93	3	Vertical	325	1.06	-	31.30	6.98	32.96			
PK	7.31042G	53.56	74.00	-20.44	41.78	3	Vertical	91	2.00	-	36.26	8.62	33.10			
AV	7.30604G	41.03	54.00	-12.97	29.23	3	Vertical	91	2.00	-	36.28	8.62	33.10			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 23
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87422G	45.80	74.00	-28.20	40.48	3	Horizontal	140	2.50	-	31.30	6.98	32.96			
AV	4.87354G	33.51	54.00	-20.49	28.19	3	Horizontal	140	2.50	-	31.30	6.98	32.96			
PK	7.31474G	53.39	74.00	-20.61	41.62	3	Horizontal	122	2.87	-	36.24	8.63	33.10			
AV	7.31548G	40.96	54.00	-13.04	29.19	3	Horizontal	122	2.87	-	36.24	8.63	33.10			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
20.5
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4499G	122.90	Inf	-Inf	90.77	3	Vertical	322	1.06	20.5	27.50	4.63	-				
AV	2.449G	111.13	Inf	-Inf	79.00	3	Vertical	322	1.06	20.5	27.50	4.63	-				
PK	2.4871G	67.51	74.00	-6.49	35.41	3	Vertical	322	1.06	20.5	27.50	4.60	-				
AV	2.4868G	53.60	54.00	-0.40	21.50	3	Vertical	322	1.06	20.5	27.50	4.60	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
SET 19
20.5\19\19.5\19
-1.12\1.10\0.98\1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4504G	119.11	Inf	-Inf	86.98	3	Horizontal	309	2.27	19	27.50	4.63	-			
AV	2.4503G	107.92	Inf	-Inf	75.79	3	Horizontal	309	2.27	19	27.50	4.63	-			
PK	2.4844G	68.15	74.00	-5.85	36.05	3	Horizontal	309	2.27	19	27.50	4.60	-			
AV	2.4836G	52.90	54.00	-1.10	20.80	3	Horizontal	309	2.27	19	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 19
19\19.5\19
0.57\2.05\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4539G	121.60	Inf	-Inf	89.52	3	Vertical	320	1.13	19	27.46	4.62	-			
AV	2.4538G	110.30	Inf	-Inf	78.22	3	Vertical	320	1.13	19	27.46	4.62	-			
PK	2.4865G	66.17	74.00	-7.83	34.07	3	Vertical	320	1.13	19	27.50	4.60	-			
AV	2.4845G	53.43	54.00	-0.57	21.33	3	Vertical	320	1.13	19	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 16
19\16
-2.89\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.456G	116.16	Inf	-Inf	84.10	3	Horizontal	305	2.20	16	27.44	4.62	-			
AV	2.4551G	104.39	Inf	-Inf	72.32	3	Horizontal	305	2.20	16	27.45	4.62	-			
PK	2.4849G	66.70	74.00	-7.30	34.60	3	Horizontal	305	2.20	16	27.50	4.60	-			
AV	2.4835G	53.76	54.00	-0.24	21.66	3	Horizontal	305	2.20	16	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 16
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92628G	45.37	74.00	-28.63	39.87	3	Vertical	114	1.18	-	31.41	7.04	32.95			
AV	4.92662G	33.59	54.00	-20.41	28.09	3	Vertical	114	1.18	-	31.41	7.04	32.95			
PK	7.40046G	54.99	74.00	-19.01	43.29	3	Vertical	358	1.49	-	36.10	8.73	33.13			
AV	7.40094G	41.69	54.00	-12.31	29.98	3	Vertical	358	1.49	-	36.11	8.73	33.13			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



EUT_Y_4TX
Setting 16
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92506G	46.41	74.00	-27.59	40.92	3	Horizontal	67	2.29	-	31.40	7.04	32.95				
AV	4.92632G	33.59	54.00	-20.41	28.09	3	Horizontal	67	2.29	-	31.41	7.04	32.95				
PK	7.39362G	53.62	74.00	-20.38	41.93	3	Horizontal	335	1.06	-	36.10	8.72	33.13				
AV	7.401G	40.69	54.00	-13.31	28.98	3	Horizontal	335	1.06	-	36.11	8.73	33.13				




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.93	54.00	-0.07	3	Vertical	14	2.95	19

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 23
15\20\22.5\23.5\23
5.39\5.35\3.05\1.48\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3884G	62.24	74.00	-11.76	29.89	3	Vertical	26	2.95	23	27.70	4.65	-			
AV	2.3871G	52.22	54.00	-1.78	19.87	3	Vertical	26	2.95	23	27.70	4.65	-			
PK	2.4129G	112.09	Inf	-Inf	79.80	3	Vertical	26	2.95	23	27.63	4.66	-			
AV	2.4128G	109.74	Inf	-Inf	77.45	3	Vertical	26	2.95	23	27.63	4.66	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 22.5
23\22.5
-0.32\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3869G	62.24	74.00	-11.76	29.89	3	Horizontal	314	1.80	22.5	27.70	4.65	-				
AV	2.3872G	52.98	54.00	-1.02	20.63	3	Horizontal	314	1.80	22.5	27.70	4.65	-				
PK	2.4112G	113.25	Inf	-Inf	80.98	3	Horizontal	314	1.80	22.5	27.61	4.66	-				
AV	2.4112G	110.86	Inf	-Inf	78.59	3	Horizontal	314	1.80	22.5	27.61	4.66	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83743G	47.65	74.00	-26.35	42.37	3	Vertical	240	2.38	22.5	31.30	6.95	32.97			
AV	4.84342G	35.80	54.00	-18.20	30.51	3	Vertical	240	2.38	22.5	31.30	6.95	32.96			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82368G	49.21	74.00	-24.79	43.95	3	Horizontal	308	2.95	22.5	31.30	6.93	32.97			
AV	4.824G	38.47	54.00	-15.53	33.21	3	Horizontal	308	2.95	22.5	31.30	6.93	32.97			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 25
22.5\25
5.29\4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3632G	61.16	74.00	-12.84	28.67	3	Vertical	24	2.95	25	27.87	4.62	-				
AV	2.3898G	49.20	54.00	-4.80	16.84	3	Vertical	24	2.95	25	27.70	4.66	-				
PK	2.438G	113.21	Inf	-Inf	81.05	3	Vertical	24	2.95	25	27.52	4.64	-				
AV	2.4376G	110.78	Inf	-Inf	78.62	3	Vertical	24	2.95	25	27.52	4.64	-				
PK	2.491G	59.41	74.00	-14.59	27.32	3	Vertical	24	2.95	25	27.50	4.59	-				
AV	2.4856G	49.66	54.00	-4.34	17.56	3	Vertical	24	2.95	25	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 25
25
4.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3872G	60.68	74.00	-13.32	28.33	3	Horizontal	61	1.80	25	27.70	4.65	-				
AV	2.3898G	50.00	54.00	-4.00	17.64	3	Horizontal	61	1.80	25	27.70	4.66	-				
PK	2.4362G	115.08	Inf	-Inf	82.90	3	Horizontal	61	1.80	25	27.54	4.64	-				
AV	2.4362G	112.68	Inf	-Inf	80.50	3	Horizontal	61	1.80	25	27.54	4.64	-				
PK	2.4876G	60.61	74.00	-13.39	28.51	3	Horizontal	61	1.80	25	27.50	4.60	-				
AV	2.4858G	49.91	54.00	-4.09	17.81	3	Horizontal	61	1.80	25	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86581G	47.92	74.00	-26.08	42.60	3	Vertical	184	1.36	25	31.30	6.98	32.96			
AV	4.8724G	35.84	54.00	-18.16	30.52	3	Vertical	184	1.36	25	31.30	6.98	32.96			
PK	7.314G	55.64	74.00	-18.36	43.87	3	Vertical	202	2.69	25	36.24	8.63	33.10			
AV	7.32898G	43.49	54.00	-10.51	31.78	3	Vertical	202	2.69	25	36.18	8.64	33.11			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86405G	48.15	74.00	-25.85	42.84	3	Horizontal	52	1.80	25	31.30	6.97	32.96				
AV	4.87396G	36.65	54.00	-17.35	31.33	3	Horizontal	52	1.80	25	31.30	6.98	32.96				
PK	7.32015G	56.56	74.00	-17.44	44.82	3	Horizontal	0	1.80	25	36.22	8.63	33.11				
AV	7.32499G	43.45	54.00	-10.55	31.72	3	Horizontal	0	1.80	25	36.20	8.64	33.11				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 22.5
22.5\23\22.5
0.74\ -2.06\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4612G	111.96	Inf	-Inf	79.94	3	Vertical	17	2.95	22.5	27.40	4.62	-				
AV	2.4612G	109.57	Inf	-Inf	77.55	3	Vertical	17	2.95	22.5	27.40	4.62	-				
PK	2.4838G	61.73	74.00	-12.27	29.63	3	Vertical	17	2.95	22.5	27.50	4.60	-				
AV	2.4835G	53.09	54.00	-0.91	20.99	3	Vertical	17	2.95	22.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 22.5
22.5
0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4612G	112.88	Inf	-Inf	80.86	3	Horizontal	67	1.80	22.5	27.40	4.62	-				
AV	2.4612G	110.52	Inf	-Inf	78.50	3	Horizontal	67	1.80	22.5	27.40	4.62	-				
PK	2.4836G	62.17	74.00	-11.83	30.07	3	Horizontal	67	1.80	22.5	27.50	4.60	-				
AV	2.4835G	53.77	54.00	-0.23	21.67	3	Horizontal	67	1.80	22.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91181G	48.05	74.00	-25.95	42.63	3	Vertical	348	1.80	22.5	31.35	7.02	32.95				
AV	4.94338G	35.92	54.00	-18.08	30.34	3	Vertical	348	1.80	22.5	31.47	7.05	32.94				
PK	7.39068G	55.06	74.00	-18.94	43.37	3	Vertical	144	2.33	22.5	36.10	8.72	33.13				
AV	7.39863G	43.17	54.00	-10.83	31.47	3	Vertical	144	2.33	22.5	36.10	8.73	33.13				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.927G	48.10	74.00	-25.90	42.60	3	Horizontal	303	1.80	22.5	31.41	7.04	32.95				
AV	4.924G	37.44	54.00	-16.56	31.96	3	Horizontal	303	1.80	22.5	31.40	7.03	32.95				
PK	7.38636G	55.70	74.00	-18.30	44.02	3	Horizontal	190	1.79	22.5	36.10	8.71	33.13				
AV	7.39895G	43.12	54.00	-10.88	31.42	3	Horizontal	190	1.79	22.5	36.10	8.73	33.13				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 19.5
15\19.5\21.5\20.5\20\19.5
4.80\1.18\ -6.74\ -3.10\ -0.79\1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	65.23	74.00	-8.77	32.87	3	Vertical	25	2.95	19.5	27.70	4.66	-			
AV	2.39G	52.82	54.00	-1.18	20.46	3	Vertical	25	2.95	19.5	27.70	4.66	-			
PK	2.4141G	110.47	Inf	-Inf	78.17	3	Vertical	25	2.95	19.5	27.64	4.66	-			
AV	2.4144G	101.91	Inf	-Inf	69.61	3	Vertical	25	2.95	19.5	27.64	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 19
19.5\18.5\19
-0.94\1.56\0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	64.44	74.00	-9.56	32.08	3	Horizontal	314	1.80	19	27.70	4.66	-			
AV	2.3898G	53.35	54.00	-0.65	20.99	3	Horizontal	314	1.80	19	27.70	4.66	-			
PK	2.4125G	111.18	Inf	-Inf	78.90	3	Horizontal	314	1.80	19	27.62	4.66	-			
AV	2.4144G	102.75	Inf	-Inf	70.45	3	Horizontal	314	1.80	19	27.64	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84358G	47.50	74.00	-26.50	42.21	3	Vertical	135	1.80	19	31.30	6.95	32.96			
AV	4.8423G	36.10	54.00	-17.90	30.81	3	Vertical	135	1.80	19	31.30	6.95	32.96			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81825G	47.94	74.00	-26.06	42.68	3	Horizontal	269	2.36	19	31.30	6.93	32.97			
AV	4.84166G	36.17	54.00	-17.83	30.88	3	Horizontal	269	2.36	19	31.30	6.95	32.96			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
SET 21
18\22.5\20.5\21.5\21
4.53\2.15\1.76\0.79\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.05	74.00	-8.95	32.69	3	Vertical	24	2.95	21	27.70	4.66	-			
AV	2.39G	53.53	54.00	-0.47	21.17	3	Vertical	24	2.95	21	27.70	4.66	-			
PK	2.42G	111.58	Inf	-Inf	79.23	3	Vertical	24	2.95	21	27.70	4.65	-			
AV	2.419G	103.38	Inf	-Inf	71.04	3	Vertical	24	2.95	21	27.69	4.65	-			
PK	2.492G	60.53	74.00	-13.47	28.44	3	Vertical	24	2.95	21	27.50	4.59	-			
AV	2.4964G	49.10	54.00	-4.90	17.01	3	Vertical	24	2.95	21	27.50	4.59	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
SET 20
21\19\20\20.5\20
-1.76\3.26\1.00\0.34\1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.77	74.00	-9.23	32.41	3	Horizontal	312	2.95	20	27.70	4.66	-			
AV	2.39G	52.63	54.00	-1.37	20.27	3	Horizontal	312	2.95	20	27.70	4.66	-			
PK	2.4192G	112.22	Inf	-Inf	79.88	3	Horizontal	312	2.95	20	27.69	4.65	-			
AV	2.4198G	104.18	Inf	-Inf	71.83	3	Horizontal	312	2.95	20	27.70	4.65	-			
PK	2.4978G	59.83	74.00	-14.17	27.74	3	Horizontal	312	2.95	20	27.50	4.59	-			
AV	2.4896G	49.10	54.00	-4.90	17.01	3	Horizontal	312	2.95	20	27.50	4.59	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 24.5
19\23.5\25\24.5
4.72\3.12\0.09\0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	63.89	74.00	-10.11	31.53	3	Vertical	25	2.95	24.5	27.70	4.66	-			
AV	2.39G	51.63	54.00	-2.37	19.27	3	Vertical	25	2.95	24.5	27.70	4.66	-			
PK	2.4398G	115.14	Inf	-Inf	83.00	3	Vertical	25	2.95	24.5	27.50	4.64	-			
AV	2.4398G	106.47	Inf	-Inf	74.33	3	Vertical	25	2.95	24.5	27.50	4.64	-			
PK	2.486G	68.16	74.00	-5.84	36.06	3	Vertical	25	2.95	24.5	27.50	4.60	-			
AV	2.4835G	53.44	54.00	-0.56	21.34	3	Vertical	25	2.95	24.5	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 24
24.5\24
-0.25\1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	63.35	74.00	-10.65	31.00	3	Horizontal	64	1.80	24	27.70	4.65	-			
AV	2.39G	51.84	54.00	-2.16	19.48	3	Horizontal	64	1.80	24	27.70	4.66	-			
PK	2.4334G	116.57	Inf	-Inf	84.36	3	Horizontal	64	1.80	24	27.57	4.64	-			
AV	2.4394G	107.63	Inf	-Inf	75.48	3	Horizontal	64	1.80	24	27.51	4.64	-			
PK	2.4846G	65.82	74.00	-8.18	33.72	3	Horizontal	64	1.80	24	27.50	4.60	-			
AV	2.4838G	52.54	54.00	-1.46	20.44	3	Horizontal	64	1.80	24	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.85454G	47.85	74.00	-26.15	42.55	3	Vertical	112	1.80	24	31.30	6.96	32.96			
AV	4.86357G	36.18	54.00	-17.82	30.87	3	Vertical	112	1.80	24	31.30	6.97	32.96			
PK	7.32694G	55.92	74.00	-18.08	44.20	3	Vertical	186	1.52	24	36.19	8.64	33.11			
AV	7.32774G	43.92	54.00	-10.08	32.20	3	Vertical	186	1.52	24	36.19	8.64	33.11			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87472G	48.38	74.00	-25.62	43.06	3	Horizontal	46	1.80	24	31.30	6.98	32.96			
AV	4.85406G	36.29	54.00	-17.71	30.99	3	Horizontal	46	1.80	24	31.30	6.96	32.96			
PK	7.30009G	55.42	74.00	-18.58	43.61	3	Horizontal	87	1.80	24	36.30	8.61	33.10			
AV	7.32802G	43.92	54.00	-10.08	32.20	3	Horizontal	87	1.80	24	36.19	8.64	33.11			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
SET 20.5
18\22.5\20.5\21.5\21\20.5
4.78\ -4.17\0.74\ -2.19\ -0.85\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3858G	60.82	74.00	-13.18	28.47	3	Vertical	25	2.95	20.5	27.70	4.65	-			
AV	2.3608G	49.23	54.00	-4.77	16.73	3	Vertical	25	2.95	20.5	27.89	4.61	-			
PK	2.4544G	111.38	Inf	-Inf	79.30	3	Vertical	25	2.95	20.5	27.46	4.62	-			
AV	2.4554G	103.22	Inf	-Inf	71.15	3	Vertical	25	2.95	20.5	27.45	4.62	-			
PK	2.4835G	67.65	74.00	-6.35	35.55	3	Vertical	25	2.95	20.5	27.50	4.60	-			
AV	2.4835G	53.26	54.00	-0.74	21.16	3	Vertical	25	2.95	20.5	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
SET 20
20.5\20
-0.09\1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3772G	59.97	74.00	-14.03	27.60	3	Horizontal	67	1.80	20	27.73	4.64	-			
AV	2.3608G	49.23	54.00	-4.77	16.73	3	Horizontal	67	1.80	20	27.89	4.61	-			
PK	2.4532G	112.06	Inf	-Inf	79.97	3	Horizontal	67	1.80	20	27.47	4.62	-			
AV	2.4592G	103.49	Inf	-Inf	71.46	3	Horizontal	67	1.80	20	27.41	4.62	-			
PK	2.4836G	66.63	74.00	-7.37	34.53	3	Horizontal	67	1.80	20	27.50	4.60	-			
AV	2.4835G	52.91	54.00	-1.09	20.81	3	Horizontal	67	1.80	20	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 19
19\21\20\19.5\19
2.25\ -7.01\ -2.79\ -0.09\ 2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4581G	110.65	Inf	-Inf	78.61	3	Vertical	27	2.95	19	27.42	4.62	-				
AV	2.4589G	101.64	Inf	-Inf	69.61	3	Vertical	27	2.95	19	27.41	4.62	-				
PK	2.4835G	63.49	74.00	-10.51	31.39	3	Vertical	27	2.95	19	27.50	4.60	-				
AV	2.4835G	51.95	54.00	-2.05	19.85	3	Vertical	27	2.95	19	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 19
19
1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4583G	110.73	Inf	-Inf	78.69	3	Horizontal	64	1.80	19	27.42	4.62	-				
AV	2.4589G	102.26	Inf	-Inf	70.23	3	Horizontal	64	1.80	19	27.41	4.62	-				
PK	2.4863G	64.64	74.00	-9.36	32.54	3	Horizontal	64	1.80	19	27.50	4.60	-				
AV	2.4836G	52.35	54.00	-1.65	20.25	3	Horizontal	64	1.80	19	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93363G	47.80	74.00	-26.20	42.27	3	Vertical	213	1.80	19	31.43	7.04	32.94				
AV	4.94034G	36.29	54.00	-17.71	30.72	3	Vertical	213	1.80	19	31.46	7.05	32.94				
PK	7.38952G	55.11	74.00	-18.89	43.42	3	Vertical	318	1.80	19	36.10	8.72	33.13				
AV	7.39895G	43.47	54.00	-10.53	31.77	3	Vertical	318	1.80	19	36.10	8.73	33.13				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92072G	47.98	74.00	-26.02	42.52	3	Horizontal	350	1.05	19	31.38	7.03	32.95				
AV	4.94006G	36.36	54.00	-17.64	30.79	3	Horizontal	350	1.05	19	31.46	7.05	32.94				
PK	7.37853G	55.11	74.00	-18.89	43.43	3	Horizontal	4	2.78	19	36.10	8.70	33.12				
AV	7.39863G	43.47	54.00	-10.53	31.77	3	Horizontal	4	2.78	19	36.10	8.73	33.13				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 19
19\20\19.5\19
1.00\ -2.52\ -0.64\ 1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	65.36	74.00	-8.64	33.00	3	Vertical	24	2.95	19	27.70	4.66	-			
AV	2.3899G	53.00	54.00	-1.00	20.64	3	Vertical	24	2.95	19	27.70	4.66	-			
PK	2.4144G	112.96	Inf	-Inf	80.66	3	Vertical	24	2.95	19	27.64	4.66	-			
AV	2.4139G	100.59	Inf	-Inf	68.29	3	Vertical	24	2.95	19	27.64	4.66	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 18
19\17\18\18.5\18
-1.63\2.16\0.65\0.49\0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	65.27	74.00	-8.73	32.91	3	Horizontal	323	1.80	18	27.70	4.66	-			
AV	2.3898G	53.35	54.00	-0.65	20.99	3	Horizontal	323	1.80	18	27.70	4.66	-			
PK	2.4157G	113.12	Inf	-Inf	80.80	3	Horizontal	323	1.80	18	27.66	4.66	-			
AV	2.4093G	101.10	Inf	-Inf	68.83	3	Horizontal	323	1.80	18	27.61	4.66	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84054G	47.68	74.00	-26.32	42.40	3	Vertical	0	1.80	18	31.30	6.95	32.97			
AV	4.84238G	35.65	54.00	-18.35	30.36	3	Vertical	0	1.80	18	31.30	6.95	32.96			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8276G	47.33	74.00	-26.67	42.06	3	Horizontal	235	1.80	18	31.30	6.94	32.97			
AV	4.84266G	35.73	54.00	-18.27	30.44	3	Horizontal	235	1.80	18	31.30	6.95	32.96			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX
SET 20
20\21\20.5\20
1.00\1.90\0.34\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	64.23	74.00	-9.77	31.88	3	Vertical	20	2.76	20	27.70	4.65	-			
AV	2.39G	53.00	54.00	-1.00	20.64	3	Vertical	20	2.76	20	27.70	4.66	-			
PK	2.418G	114.44	Inf	-Inf	82.11	3	Vertical	20	2.76	20	27.68	4.65	-			
AV	2.4196G	102.71	Inf	-Inf	70.36	3	Vertical	20	2.76	20	27.70	4.65	-			
PK	2.4994G	59.74	74.00	-14.26	27.65	3	Vertical	20	2.76	20	27.50	4.59	-			
AV	2.4835G	48.53	54.00	-5.47	16.43	3	Vertical	20	2.76	20	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX
SET 20
20
0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	66.42	74.00	-7.58	34.06	3	Horizontal	313	1.80	20	27.70	4.66	-			
AV	2.3898G	53.35	54.00	-0.65	20.99	3	Horizontal	313	1.80	20	27.70	4.66	-			
PK	2.4218G	114.52	Inf	-Inf	82.19	3	Horizontal	313	1.80	20	27.68	4.65	-			
AV	2.4186G	103.27	Inf	-Inf	70.93	3	Horizontal	313	1.80	20	27.69	4.65	-			
PK	2.4932G	59.49	74.00	-14.51	27.40	3	Horizontal	313	1.80	20	27.50	4.59	-			
AV	2.4946G	48.82	54.00	-5.18	16.73	3	Horizontal	313	1.80	20	27.50	4.59	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
SET 24
24\24.5\24
0.91\0.70\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	64.08	74.00	-9.92	31.73	3	Vertical	23	2.95	24	27.70	4.65	-			
AV	2.39G	51.41	54.00	-2.59	19.05	3	Vertical	23	2.95	24	27.70	4.66	-			
PK	2.4424G	116.59	Inf	-Inf	84.46	3	Vertical	23	2.95	24	27.50	4.63	-			
AV	2.4398G	104.96	Inf	-Inf	72.82	3	Vertical	23	2.95	24	27.50	4.64	-			
PK	2.484G	65.65	74.00	-8.35	33.55	3	Vertical	23	2.95	24	27.50	4.60	-			
AV	2.4835G	53.26	54.00	-0.74	21.16	3	Vertical	23	2.95	24	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 23.5
24\23.5
-0.09\1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	64.81	74.00	-9.19	32.46	3	Horizontal	65	1.80	23.5	27.70	4.65	-			
AV	2.39G	52.04	54.00	-1.96	19.68	3	Horizontal	65	1.80	23.5	27.70	4.66	-			
PK	2.4346G	118.37	Inf	-Inf	86.18	3	Horizontal	65	1.80	23.5	27.55	4.64	-			
AV	2.4398G	106.44	Inf	-Inf	74.30	3	Horizontal	65	1.80	23.5	27.50	4.64	-			
PK	2.4835G	66.37	74.00	-7.63	34.27	3	Horizontal	65	1.80	23.5	27.50	4.60	-			
AV	2.4835G	52.91	54.00	-1.09	20.81	3	Horizontal	65	1.80	23.5	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87372G	47.81	74.00	-26.19	42.49	3	Vertical	182	1.80	23.5	31.30	6.98	32.96				
AV	4.87368G	35.85	54.00	-18.15	30.53	3	Vertical	182	1.80	23.5	31.30	6.98	32.96				
PK	7.32575G	55.54	74.00	-18.46	43.81	3	Vertical	38	1.68	23.5	36.20	8.64	33.11				
AV	7.32527G	43.45	54.00	-10.55	31.72	3	Vertical	38	1.68	23.5	36.20	8.64	33.11				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87176G	47.75	74.00	-26.25	42.43	3	Horizontal	159	1.80	23.5	31.30	6.98	32.96			
AV	4.86545G	35.82	54.00	-18.18	30.50	3	Horizontal	159	1.80	23.5	31.30	6.98	32.96			
PK	7.31616G	55.85	74.00	-18.15	44.08	3	Horizontal	165	1.80	23.5	36.24	8.63	33.10			
AV	7.3289G	43.39	54.00	-10.61	31.68	3	Horizontal	165	1.80	23.5	36.18	8.64	33.11			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
SET 20
20\21\20.5\20
1.09\ -2.67\ -0.40\ 0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3638G	60.19	74.00	-13.81	27.71	3	Vertical	26	2.95	20	27.86	4.62	-			
AV	2.3862G	48.89	54.00	-5.11	16.54	3	Vertical	26	2.95	20	27.70	4.65	-			
PK	2.456G	113.74	Inf	-Inf	81.68	3	Vertical	26	2.95	20	27.44	4.62	-			
AV	2.4556G	102.10	Inf	-Inf	70.04	3	Vertical	26	2.95	20	27.44	4.62	-			
PK	2.4844G	65.61	74.00	-8.39	33.51	3	Vertical	26	2.95	20	27.50	4.60	-			
AV	2.4835G	53.09	54.00	-0.91	20.99	3	Vertical	26	2.95	20	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
SET 19.5
20\19.5
-0.09\2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3768G	60.88	74.00	-13.12	28.51	3	Horizontal	65	1.80	19.5	27.73	4.64	-			
AV	2.357G	48.68	54.00	-5.32	16.14	3	Horizontal	65	1.80	19.5	27.93	4.61	-			
PK	2.45G	113.74	Inf	-Inf	81.61	3	Horizontal	65	1.80	19.5	27.50	4.63	-			
AV	2.4554G	102.41	Inf	-Inf	70.34	3	Horizontal	65	1.80	19.5	27.45	4.62	-			
PK	2.484G	64.73	74.00	-9.27	32.63	3	Horizontal	65	1.80	19.5	27.50	4.60	-			
AV	2.4835G	51.95	54.00	-2.05	19.85	3	Horizontal	65	1.80	19.5	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
SET 19
19
0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4567G	113.01	Inf	-Inf	80.96	3	Vertical	14	2.95	19	27.43	4.62	-				
AV	2.4581G	100.82	Inf	-Inf	68.78	3	Vertical	14	2.95	19	27.42	4.62	-				
PK	2.4842G	67.03	74.00	-6.97	34.93	3	Vertical	14	2.95	19	27.50	4.60	-				
AV	2.4835G	53.93	54.00	-0.07	21.83	3	Vertical	14	2.95	19	27.50	4.60	-				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 18.5
19\17\18\18.5
-1.94\4.09\2.05\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4629G	114.05	Inf	-Inf	82.03	3	Horizontal	56	2.95	18.5	27.40	4.62	-				
AV	2.46G	102.08	Inf	-Inf	70.06	3	Horizontal	56	2.95	18.5	27.40	4.62	-				
PK	2.4839G	66.63	74.00	-7.37	34.53	3	Horizontal	56	2.95	18.5	27.50	4.60	-				
AV	2.4835G	53.61	54.00	-0.39	21.51	3	Horizontal	56	2.95	18.5	27.50	4.60	-				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91597G	48.50	74.00	-25.50	43.06	3	Vertical	59	1.80	18.5	31.36	7.03	32.95				
AV	4.93495G	35.95	54.00	-18.05	30.41	3	Vertical	59	1.80	18.5	31.44	7.04	32.94				
PK	7.39271G	54.83	74.00	-19.17	43.14	3	Vertical	143	2.04	18.5	36.10	8.72	33.13				
AV	7.39995G	43.12	54.00	-10.88	31.42	3	Vertical	143	2.04	18.5	36.10	8.73	33.13				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX

EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92272G	47.86	74.00	-26.14	42.39	3	Horizontal	212	1.80	18.5	31.39	7.03	32.95			
AV	4.9437G	35.99	54.00	-18.01	30.41	3	Horizontal	212	1.80	18.5	31.47	7.05	32.94			
PK	7.38412G	55.54	74.00	-18.46	43.86	3	Horizontal	52	1.80	18.5	36.10	8.71	33.13			
AV	7.39547G	43.12	54.00	-10.88	31.43	3	Horizontal	52	1.80	18.5	36.10	8.72	33.13			