


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET 21.5
21\24\22.5\22\21.5
3.05\ -12.40\ -4.10\ -0.79\ 1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4612G	115.05	Inf	-Inf	83.03	3	Vertical	355	1.80	21.5	27.40	4.62	-				
AV	2.4612G	112.63	Inf	-Inf	80.61	3	Vertical	355	1.80	21.5	27.40	4.62	-				
PK	2.4837G	62.40	74.00	-11.60	30.30	3	Vertical	355	1.80	21.5	27.50	4.60	-				
AV	2.4835G	52.29	54.00	-1.71	20.19	3	Vertical	355	1.80	21.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET 21.5
21.5
1.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4612G	115.33	Inf	-Inf	83.31	3	Horizontal	10	1.05	21.5	27.40	4.62	-				
AV	2.4612G	112.92	Inf	-Inf	80.90	3	Horizontal	10	1.05	21.5	27.40	4.62	-				
PK	2.4861G	62.72	74.00	-11.28	30.62	3	Horizontal	10	1.05	21.5	27.50	4.60	-				
AV	2.4865G	52.09	54.00	-1.91	19.99	3	Horizontal	10	1.05	21.5	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92524G	48.27	74.00	-25.73	42.78	3	Vertical	324	2.95	21.5	31.40	7.04	32.95				
AV	4.92404G	38.48	54.00	-15.52	33.00	3	Vertical	324	2.95	21.5	31.40	7.03	32.95				
PK	7.37745G	54.21	74.00	-19.79	42.53	3	Vertical	234	1.80	21.5	36.10	8.70	33.12				
AV	7.36786G	42.09	54.00	-11.91	30.42	3	Vertical	234	1.80	21.5	36.10	8.69	33.12				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92428G	49.90	74.00	-24.10	44.42	3	Horizontal	8	1.06	21.5	31.40	7.03	32.95			
AV	4.92408G	37.64	54.00	-16.36	32.16	3	Horizontal	8	1.06	21.5	31.40	7.03	32.95			
PK	7.37805G	54.23	74.00	-19.77	42.55	3	Horizontal	89	1.80	21.5	36.10	8.70	33.12			
AV	7.3667G	42.13	54.00	-11.87	30.46	3	Horizontal	89	1.80	21.5	36.10	8.69	33.12			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
SET 17.5
15\18.5\17\17.5\18\17.5
3.68\ -1.68\1.84\0.87\ -0.18\0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	65.46	74.00	-8.54	33.10	3	Vertical	353	1.35	17.5	27.70	4.66	-			
AV	2.39G	53.32	54.00	-0.68	20.96	3	Vertical	353	1.35	17.5	27.70	4.66	-			
PK	2.4087G	113.36	Inf	-Inf	81.09	3	Vertical	353	1.35	17.5	27.61	4.66	-			
AV	2.4145G	104.97	Inf	-Inf	72.67	3	Vertical	353	1.35	17.5	27.64	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
SET 17
17.5\17
-0.18\0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	65.46	74.00	-8.54	33.10	3	Horizontal	10	1.19	17	27.70	4.66	-			
AV	2.3899G	53.32	54.00	-0.68	20.96	3	Horizontal	10	1.19	17	27.70	4.66	-			
PK	2.4141G	113.09	Inf	-Inf	80.79	3	Horizontal	10	1.19	17	27.64	4.66	-			
AV	2.4146G	103.99	Inf	-Inf	71.68	3	Horizontal	10	1.19	17	27.65	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84174G	47.75	74.00	-26.25	42.46	3	Vertical	254	1.80	17	31.30	6.95	32.96			
AV	4.82236G	36.20	54.00	-17.80	30.94	3	Vertical	254	1.80	17	31.30	6.93	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81361G	47.79	74.00	-26.21	42.54	3	Horizontal	73	2.08	17	31.30	6.92	32.97			
AV	4.8222G	36.27	54.00	-17.73	31.01	3	Horizontal	73	2.08	17	31.30	6.93	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_X_1TX
SET 19.5
16\20\18\19\19.5
4.48\0.96\4.20\2.27\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.09	74.00	-8.91	32.73	3	Vertical	350	1.05	19.5	27.70	4.66	-			
AV	2.3894G	53.48	54.00	-0.52	21.13	3	Vertical	350	1.05	19.5	27.70	4.65	-			
PK	2.4128G	115.32	Inf	-Inf	83.03	3	Vertical	350	1.05	19.5	27.63	4.66	-			
AV	2.4194G	106.69	Inf	-Inf	74.35	3	Vertical	350	1.05	19.5	27.69	4.65	-			
PK	2.4936G	60.79	74.00	-13.21	28.70	3	Vertical	350	1.05	19.5	27.50	4.59	-			
AV	2.4962G	49.39	54.00	-4.61	17.30	3	Vertical	350	1.05	19.5	27.50	4.59	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_X_1TX
SET 18.5
19.5\18\18.5\19\18.5
-1.26\2.49\1.65\0.01\1.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3896G	63.45	74.00	-10.55	31.10	3	Horizontal	10	1.13	18.5	27.70	4.65	-				
AV	2.3898G	52.36	54.00	-1.64	20.00	3	Horizontal	10	1.13	18.5	27.70	4.66	-				
PK	2.421G	114.16	Inf	-Inf	81.82	3	Horizontal	10	1.13	18.5	27.69	4.65	-				
AV	2.4194G	105.91	Inf	-Inf	73.57	3	Horizontal	10	1.13	18.5	27.69	4.65	-				
PK	2.4836G	59.79	74.00	-14.21	27.69	3	Horizontal	10	1.13	18.5	27.50	4.60	-				
AV	2.4944G	49.39	54.00	-4.61	17.30	3	Horizontal	10	1.13	18.5	27.50	4.59	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_X_1TX
SET 23
17\21.5\23.5\22.5\23
4.61\3.55\3.21\1.31\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	64.15	74.00	-9.85	31.80	3	Vertical	354	1.80	23	27.70	4.65	-			
AV	2.3888G	51.72	54.00	-2.28	19.37	3	Vertical	354	1.80	23	27.70	4.65	-			
PK	2.4404G	118.09	Inf	-Inf	85.95	3	Vertical	354	1.80	23	27.50	4.64	-			
AV	2.4396G	109.64	Inf	-Inf	77.50	3	Vertical	354	1.80	23	27.50	4.64	-			
PK	2.485G	67.43	74.00	-6.57	35.33	3	Vertical	354	1.80	23	27.50	4.60	-			
AV	2.4835G	53.98	54.00	-0.02	21.88	3	Vertical	354	1.80	23	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_X_1TX
SET 23
23
0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3894G	65.44	74.00	-8.56	33.09	3	Horizontal	2	1.06	23	27.70	4.65	-				
AV	2.39G	53.32	54.00	-0.68	20.96	3	Horizontal	2	1.06	23	27.70	4.66	-				
PK	2.44G	117.92	Inf	-Inf	85.78	3	Horizontal	2	1.06	23	27.50	4.64	-				
AV	2.4396G	109.42	Inf	-Inf	77.28	3	Horizontal	2	1.06	23	27.50	4.64	-				
PK	2.4852G	66.80	74.00	-7.20	34.70	3	Horizontal	2	1.06	23	27.50	4.60	-				
AV	2.4835G	53.08	54.00	-0.92	20.98	3	Horizontal	2	1.06	23	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX

EUT_X_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.85498G	48.03	74.00	-25.97	42.73	3	Vertical	0	1.80	23	31.30	6.96	32.96			
AV	4.87284G	36.43	54.00	-17.57	31.11	3	Vertical	0	1.80	23	31.30	6.98	32.96			
PK	7.31224G	54.91	74.00	-19.09	43.14	3	Vertical	0	1.77	23	36.25	8.62	33.10			
AV	7.30413G	43.39	54.00	-10.61	31.60	3	Vertical	0	1.77	23	36.28	8.61	33.10			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX

EUT_X_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88887G	48.70	74.00	-25.30	43.35	3	Horizontal	75	1.80	23	31.30	7.00	32.95			
AV	4.87236G	36.35	54.00	-17.65	31.03	3	Horizontal	75	1.80	23	31.30	6.98	32.96			
PK	7.31356G	54.74	74.00	-19.26	42.96	3	Horizontal	314	1.62	23	36.25	8.63	33.10			
AV	7.2933G	43.31	54.00	-10.69	31.52	3	Horizontal	314	1.62	23	36.29	8.60	33.10			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_X_1TX
SET 19
16\20.5\18.5\19.5\19
4.62\5.10\2.35\1.24\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3582G	59.90	74.00	-14.10	27.37	3	Vertical	354	1.80	19	27.92	4.61	-			
AV	2.389G	48.93	54.00	-5.07	16.58	3	Vertical	354	1.80	19	27.70	4.65	-			
PK	2.4594G	113.83	Inf	-Inf	81.80	3	Vertical	354	1.80	19	27.41	4.62	-			
AV	2.4594G	105.81	Inf	-Inf	73.78	3	Vertical	354	1.80	19	27.41	4.62	-			
PK	2.4848G	64.40	74.00	-9.60	32.30	3	Vertical	354	1.80	19	27.50	4.60	-			
AV	2.4835G	53.45	54.00	-0.55	21.35	3	Vertical	354	1.80	19	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_X_1TX
SET 19
19
1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.378G	60.09	74.00	-13.91	27.73	3	Horizontal	10	1.14	19	27.72	4.64	-				
AV	2.3878G	49.21	54.00	-4.79	16.86	3	Horizontal	10	1.14	19	27.70	4.65	-				
PK	2.456G	114.02	Inf	-Inf	81.96	3	Horizontal	10	1.14	19	27.44	4.62	-				
AV	2.4544G	105.82	Inf	-Inf	73.74	3	Horizontal	10	1.14	19	27.46	4.62	-				
PK	2.4846G	64.85	74.00	-9.15	32.75	3	Horizontal	10	1.14	19	27.50	4.60	-				
AV	2.4835G	52.49	54.00	-1.51	20.39	3	Horizontal	10	1.14	19	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET 18
17\19.5\18.5\18
2.58\ -4.41\ -0.63\ 0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4606G	112.86	Inf	-Inf	80.84	3	Vertical	360	1.80	18	27.40	4.62	-			
AV	2.4595G	104.42	Inf	-Inf	72.39	3	Vertical	360	1.80	18	27.41	4.62	-			
PK	2.4864G	65.28	74.00	-8.72	33.18	3	Vertical	360	1.80	18	27.50	4.60	-			
AV	2.4835G	53.45	54.00	-0.55	21.35	3	Vertical	360	1.80	18	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET 18
18
1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.458G	113.52	Inf	-Inf	81.48	3	Horizontal	12	1.21	18	27.42	4.62	-				
AV	2.46G	104.46	Inf	-Inf	72.44	3	Horizontal	12	1.21	18	27.40	4.62	-				
PK	2.4859G	62.84	74.00	-11.16	30.74	3	Horizontal	12	1.21	18	27.50	4.60	-				
AV	2.4835G	52.29	54.00	-1.71	20.19	3	Horizontal	12	1.21	18	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX

EUT_X_1TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.93731G	48.15	74.00	-25.85	42.59	3	Vertical	136	1.80	18	31.45	7.05	32.94			
AV	4.9411G	36.53	54.00	-17.47	30.96	3	Vertical	136	1.80	18	31.46	7.05	32.94			
PK	7.37709G	54.17	74.00	-19.83	42.49	3	Vertical	360	1.80	18	36.10	8.70	33.12			
AV	7.36614G	42.69	54.00	-11.31	31.02	3	Vertical	360	1.80	18	36.10	8.69	33.12			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_X_1TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.93019G	47.82	74.00	-26.18	42.31	3	Horizontal	328	2.89	18	31.42	7.04	32.95			
AV	4.92636G	36.57	54.00	-17.43	31.07	3	Horizontal	328	2.89	18	31.41	7.04	32.95			
PK	7.36918G	54.04	74.00	-19.96	42.37	3	Horizontal	273	2.91	18	36.10	8.69	33.12			
AV	7.39667G	42.47	54.00	-11.53	30.77	3	Horizontal	273	2.91	18	36.10	8.73	33.13			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_X_1TX
SET 16
17\15\16
-1.54\2.27\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	65.35	74.00	-8.65	33.00	3	Vertical	356	1.07	16	27.70	4.65	-			
AV	2.3899G	53.50	54.00	-0.50	21.14	3	Vertical	356	1.07	16	27.70	4.66	-			
PK	2.4146G	114.25	Inf	-Inf	81.94	3	Vertical	356	1.07	16	27.65	4.66	-			
AV	2.415G	102.12	Inf	-Inf	69.81	3	Vertical	356	1.07	16	27.65	4.66	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_X_1TX
SET 16
16
0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3883G	66.32	74.00	-7.68	33.97	3	Horizontal	17	1.17	16	27.70	4.65	-			
AV	2.39G	53.67	54.00	-0.33	21.31	3	Horizontal	17	1.17	16	27.70	4.66	-			
PK	2.4144G	114.20	Inf	-Inf	81.90	3	Horizontal	17	1.17	16	27.64	4.66	-			
AV	2.415G	101.87	Inf	-Inf	69.56	3	Horizontal	17	1.17	16	27.65	4.66	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_X_1TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84358G	47.74	74.00	-26.26	42.45	3	Vertical	0	1.80	16	31.30	6.95	32.96			
AV	4.81441G	35.78	54.00	-18.22	30.53	3	Vertical	0	1.80	16	31.30	6.92	32.97			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_X_1TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83135G	47.69	74.00	-26.31	42.42	3	Horizontal	148	1.91	16	31.30	6.94	32.97			
AV	4.80997G	35.85	54.00	-18.15	30.60	3	Horizontal	148	1.91	16	31.30	6.92	32.97			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_X_1TX
SET 19
18.5\20\19.5\19
1.84\3.08\1.11\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	66.54	74.00	-7.46	34.18	3	Vertical	350	1.06	19	27.70	4.66	-			
AV	2.39G	53.50	54.00	-0.50	21.14	3	Vertical	350	1.06	19	27.70	4.66	-			
PK	2.4146G	117.06	Inf	-Inf	84.75	3	Vertical	350	1.06	19	27.65	4.66	-			
AV	2.416G	105.49	Inf	-Inf	73.17	3	Vertical	350	1.06	19	27.66	4.66	-			
PK	2.4986G	60.24	74.00	-13.76	28.15	3	Vertical	350	1.06	19	27.50	4.59	-			
AV	2.4846G	49.08	54.00	-4.92	16.98	3	Vertical	350	1.06	19	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_X_1TX
SET 18.5
19\18\18.5
-0.81\1.64\0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	64.50	74.00	-9.50	32.15	3	Horizontal	12	1.05	18.5	27.70	4.65	-			
AV	2.3898G	53.32	54.00	-0.68	20.96	3	Horizontal	12	1.05	18.5	27.70	4.66	-			
PK	2.4196G	116.93	Inf	-Inf	84.58	3	Horizontal	12	1.05	18.5	27.70	4.65	-			
AV	2.4186G	104.69	Inf	-Inf	72.35	3	Horizontal	12	1.05	18.5	27.69	4.65	-			
PK	2.486G	60.05	74.00	-13.95	27.95	3	Horizontal	12	1.05	18.5	27.50	4.60	-			
AV	2.4984G	48.80	54.00	-5.20	16.71	3	Horizontal	12	1.05	18.5	27.50	4.59	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
SET 22
23\21.5\22\22.5\22
-1.39\3.05\1.92\0.31\1.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	62.44	74.00	-11.56	30.09	3	Vertical	357	1.05	22	27.70	4.65	-			
AV	2.3898G	51.29	54.00	-2.71	18.93	3	Vertical	357	1.05	22	27.70	4.66	-			
PK	2.436G	119.59	Inf	-Inf	87.41	3	Vertical	357	1.05	22	27.54	4.64	-			
AV	2.4354G	108.35	Inf	-Inf	76.16	3	Vertical	357	1.05	22	27.55	4.64	-			
PK	2.4838G	65.41	74.00	-8.59	33.31	3	Vertical	357	1.05	22	27.50	4.60	-			
AV	2.4835G	52.08	54.00	-1.92	19.98	3	Vertical	357	1.05	22	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
SET 22
22
1.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.95	74.00	-9.05	32.59	3	Horizontal	0	1.05	22	27.70	4.66	-			
AV	2.39G	52.16	54.00	-1.84	19.80	3	Horizontal	0	1.05	22	27.70	4.66	-			
PK	2.4394G	119.54	Inf	-Inf	87.39	3	Horizontal	0	1.05	22	27.51	4.64	-			
AV	2.4346G	107.91	Inf	-Inf	75.72	3	Horizontal	0	1.05	22	27.55	4.64	-			
PK	2.4846G	64.50	74.00	-9.50	32.40	3	Horizontal	0	1.05	22	27.50	4.60	-			
AV	2.4835G	52.08	54.00	-1.92	19.98	3	Horizontal	0	1.05	22	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.85566G	47.84	74.00	-26.16	42.53	3	Vertical	112	1.06	22	31.30	6.97	32.96			
AV	4.87348G	36.12	54.00	-17.88	30.80	3	Vertical	112	1.06	22	31.30	6.98	32.96			
PK	7.31012G	55.18	74.00	-18.82	43.40	3	Vertical	110	1.80	22	36.26	8.62	33.10			
AV	7.30105G	43.04	54.00	-10.96	31.23	3	Vertical	110	1.80	22	36.30	8.61	33.10			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86777G	48.19	74.00	-25.81	42.87	3	Horizontal	94	1.80	22	31.30	6.98	32.96			
AV	4.87384G	36.04	54.00	-17.96	30.72	3	Horizontal	94	1.80	22	31.30	6.98	32.96			
PK	7.3126G	55.07	74.00	-18.93	43.29	3	Horizontal	339	2.33	22	36.25	8.63	33.10			
AV	7.29474G	42.97	54.00	-11.03	31.18	3	Horizontal	339	2.33	22	36.29	8.60	33.10			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
SET 18.5
19\18.5
-0.31\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3576G	61.30	74.00	-12.70	28.77	3	Vertical	356	1.80	18.5	27.92	4.61	-			
AV	2.3572G	48.63	54.00	-5.37	16.09	3	Vertical	356	1.80	18.5	27.93	4.61	-			
PK	2.4598G	116.59	Inf	-Inf	84.57	3	Vertical	356	1.80	18.5	27.40	4.62	-			
AV	2.4556G	104.28	Inf	-Inf	72.22	3	Vertical	356	1.80	18.5	27.44	4.62	-			
PK	2.4848G	66.40	74.00	-7.60	34.30	3	Vertical	356	1.80	18.5	27.50	4.60	-			
AV	2.4835G	53.08	54.00	-0.92	20.98	3	Vertical	356	1.80	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
SET 18.5
18.5
2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3754G	60.50	74.00	-13.50	28.12	3	Horizontal	4	1.12	18.5	27.75	4.63	-				
AV	2.39G	48.64	54.00	-5.36	16.28	3	Horizontal	4	1.12	18.5	27.70	4.66	-				
PK	2.456G	116.42	Inf	-Inf	84.36	3	Horizontal	4	1.12	18.5	27.44	4.62	-				
AV	2.4556G	104.67	Inf	-Inf	72.61	3	Horizontal	4	1.12	18.5	27.44	4.62	-				
PK	2.4838G	64.30	74.00	-9.70	32.20	3	Horizontal	4	1.12	18.5	27.50	4.60	-				
AV	2.4835G	51.87	54.00	-2.13	19.77	3	Horizontal	4	1.12	18.5	27.50	4.60	-				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_X_1TX
SET 17
18\16.5\17\17.5\17
-1.39\1.31\0.92\0.31\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4567G	114.94	Inf	-Inf	82.89	3	Vertical	355	1.80	17	27.43	4.62	-			
AV	2.4583G	102.68	Inf	-Inf	70.64	3	Vertical	355	1.80	17	27.42	4.62	-			
PK	2.4837G	65.54	74.00	-8.46	33.44	3	Vertical	355	1.80	17	27.50	4.60	-			
AV	2.4835G	53.45	54.00	-0.55	21.35	3	Vertical	355	1.80	17	27.50	4.60	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_X_1TX
SET 17
17
2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4678G	115.11	Inf	-Inf	83.10	3	Horizontal	0	1.07	17	27.40	4.61	-				
AV	2.4647G	102.85	Inf	-Inf	70.83	3	Horizontal	0	1.07	17	27.40	4.62	-				
PK	2.4855G	63.08	74.00	-10.92	30.98	3	Horizontal	0	1.07	17	27.50	4.60	-				
AV	2.4835G	51.19	54.00	-2.81	19.09	3	Horizontal	0	1.07	17	27.50	4.60	-				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_X_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9077G	48.09	74.00	-25.91	42.69	3	Vertical	53	1.77	17	31.33	7.02	32.95			
AV	4.92328G	36.22	54.00	-17.78	30.75	3	Vertical	53	1.77	17	31.39	7.03	32.95			
PK	7.38432G	55.66	74.00	-18.34	43.98	3	Vertical	307	1.80	17	36.10	8.71	33.13			
AV	7.36974G	42.41	54.00	-11.59	30.74	3	Vertical	307	1.80	17	36.10	8.69	33.12			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUT_X_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.94138G	48.98	74.00	-25.02	43.40	3	Horizontal	38	1.80	17	31.47	7.05	32.94			
AV	4.90526G	36.00	54.00	-18.00	30.61	3	Horizontal	38	1.80	17	31.32	7.02	32.95			
PK	7.37193G	53.98	74.00	-20.02	42.30	3	Horizontal	244	2.50	17	36.10	8.70	33.12			
AV	7.36634G	42.44	54.00	-11.56	30.77	3	Horizontal	244	2.50	17	36.10	8.69	33.12			